


# COVID-19 Therapeutic Development With Synthetic Antibody Technology

Sachdev Sidhu  
Toronto Recombinant Antibody Centre  
The Donnelly Centre  
University of Toronto



# Natural Antibodies





# Toronto Recombinant Antibody Centre

A High-throughput synthetic antibody platform

## Highly Validated Technology

- a fully human protein
- Highly stable
- Long half-life (weeks)
- Highly potent
- Highly specific
- Low immunogenicity
- Identical to natural neutralizing antibodies
- **A validated human therapeutic**
- **(> 50 approved drugs)**



CDR-L3										
105	106	107	108	109	114	115	116	117		
Q	Q	X	X	X	X	PL	FI	T		

CDR-H1										
27	28	29	30	35	36	37	38	39		
G	F	N	IL	YS	YS	YS	YS	IM		

CDR-H2										
55	56	57	58	59	62	63	64	65	66	68
YS	I	YS	PS	YS	YS	GS	YS	T	YS	


  

CDR-H3												
105	106	107	108	109	110	111	112	113	114	115	116	117
A	R	X	X	X	X	X	X	X	AG	FILM	D	Y


- Single, highly validated human framework (Hereceptin, Avastin, Xolair, etc.)
- High stability and yield, low immunogenicity
- Minimal targeted synthetic CDR diversity
- >Diverse functions with fixed biophysics
- >Modular design

# The Therapeutic Antibody War Chest


## Functional genomics platform




## Large-scale, industry-quality antibody generation




## Preclinical biology in relevant models




>14,000 Antibodies  
>1,300 Antigens



# COVID-19 and the Immune System




# COVID-19 virus SARS-2: Spike infection protein



- SARS-2 is nearly identical to SARS-1 (80%)
- Spike protein mediates host recognition and entry (infection)
- RBD recognizes host receptor ACE2
- Most natural SARS-1 neutralizing antibodies bind to the RBD and compete for binding with ACE2
- **Develop synthetic antibodies that bind SARS-2 RBD and compete for binding with ACE2**
- **THESE ARE PRIME CANDIDATES FOR BIOLOGIC THERAPEUTICS FOR COVID19**

# Validated Antibody Platform for Anti-Virals

## Synthetic Antibodies with a Human Framework That Protect Mice from Lethal Sudan Ebolavirus Challenge



*Sidhu and colleagues: [dx.doi.org/10.1021/cb5006454](https://doi.org/10.1021/cb5006454) | ACS Chem. Biol., 2014*


- Similar to SARS-CoV-1/2, Ebola has an acute life cycle
- Developed humanized Abs to key epitope on Ebola virus
- Treatment with single Ab protected virtually all mice from Ebola challenge
- Surviving mice proved resistant to subsequent Ebola challenge
- Ab cleared initial Ebola challenge *and* enabled host immune system to develop natural resistance

# Synthetic Neutralizing Antibodies – Proven Stability and Efficacy -Rapid Development and Scalable Cost-effective Production

## Effectiveness of convalescent plasma therapy in severe COVID-19 patients

Kai Duan<sup>a,b,1</sup>, Bende Liu<sup>c,1</sup>, Cesheng Li<sup>d,1</sup>, Huajun Zhang<sup>e,1</sup>, Ting Yu<sup>f,1</sup>, Jieming Qu<sup>g,h,i,1</sup>, Min Zhou<sup>g,h,i,1</sup>, Li Chen<sup>l,1</sup>, Shengli Meng<sup>b</sup>, Yong Hu<sup>d</sup>, Cheng Peng<sup>e</sup>, Mingchao Yuan<sup>k</sup>, Jinyan Huang<sup>l</sup>, Zejun Wang<sup>b</sup>, Jianhong Yu<sup>d</sup>, Xiaoxiao Gao<sup>e</sup>, Dan Wang<sup>k</sup>, Xiaoqi Yu<sup>m</sup>, Li Li<sup>b</sup>, Jiayou Zhang<sup>b</sup>, Xiao Wu<sup>d</sup>, Bei Li<sup>e</sup>, Yanping Xu<sup>g,h,i</sup>, Wei Chen<sup>b</sup>, Yan Peng<sup>d</sup>, Yeqin Hu<sup>b</sup>, Lianzhen Lin<sup>d</sup>, Xuefei Liu<sup>g,h,i</sup>, Shihe Huang<sup>b</sup>, Zhijun Zhou<sup>d</sup>, Lianghao Zhang<sup>b</sup>, Yue Wang<sup>d</sup>, Zhi Zhang<sup>b</sup>, Kun Deng<sup>d</sup>, Zhiwu Xia<sup>b</sup>, Qin Gong<sup>d</sup>, Wei Zhang<sup>d</sup>, Xiaobei Zheng<sup>d</sup>, Ying Liu<sup>d</sup>, Huichuan Yang<sup>a</sup>, Dongbo Zhou<sup>a</sup>, Ding Yu<sup>a</sup>, Jifeng Hou<sup>n</sup>, Zhengli Shi<sup>e</sup>, Saijuan Chen<sup>l</sup>, Zhu Chen<sup>l,2</sup>, Xinxin Zhang<sup>m,2</sup>, and Xiaoming Yang<sup>a,b,2</sup>

<sup>a</sup>China National Biotec Group Company Limited, 100029 Beijing, China; <sup>b</sup>National Engineering Technology Research Center for Combined Vaccines, Wuhan Institute of Biological Products Co. Ltd., 430207 Wuhan, China; <sup>c</sup>First People's Hospital of Jiangxia District, 430200 Wuhan, China; <sup>d</sup>Department of Respiratory and Critical Care Medicine, Ruijin Hospital, Shanghai Jiao Tong University School of Medicine, 200025 Shanghai, China; <sup>e</sup>National Research Center for  
<https://doi.org/10.1101/2020.03.17.20041691> March 2020



## FDA Approved a Clinical Trial for Convalescent Plasma Therapy (CPT)

- Patients exhibited strong positive responses within days
- Success of CPT validates neutralizing Abs as effective therapy for COVID19
- Next-generation therapy should be a recombinant neutralizing Ab
- Recombinant Ab will enhance efficacy while obviating limits of CPT
  - Defined and consistent formulation and activity
  - Highly stable single agent optimized for neutralization
  - High purity guarantees high safety compared with undefined plasma

Chest CTs of two patients. (A) Chest CT of patient 9 obtained on February 9 (7 dpi) before CP transfusion (10 dpi) showed ground-glass opacity with uneven density involving the multilobar segments of both lungs. The heart shadow outline was not clear. The lesion was close to the pleura. (B) CT Image of patient 9 taken on February 15 (13 dpi) showed the absorption of bilateral ground-glass opacity after CP transfusion. (C) Chest CT of patient 10 was obtained on February 8 (19 dpi) before CP transfusion (20 dpi). The brightness of both lungs was diffusely decreased and multiple shadows of high density in both lungs were observed. (D) Chest CT of patient 10 on February 18 (29 dpi) showed those lesions improved after CP transfusion.





# Toronto Recombinant Antibody Centre

A High-throughput synthetic antibody platform **applied to COVID-19**

## Highly Validated Technology

- a fully human protein
- Highly stable
- Long half-life (weeks)
- Highly potent
- Highly specific
- Low immunogenicity
- Identical to natural neutralizing antibodies
- **A validated human therapeutic**
- **(> 50 approved drugs)**



CDR-L3										
105	106	107	108	109	114	115	116	117		
Q	Q	X	X	X	X	PL	FI	T		

CDR-H1										
27	28	29	30	35	36	37	38	39		
G	F	N	IL	YS	YS	YS	YS	IM		





CDR-H2										
55	56	57	58	59	62	63	64	65	66	68
YS	I	YS	PS	YS	YS	GS	YS	T	YS	

CDR-H3												
105	106	107	108	109	110	111	112	113	114	115	116	117
A	R	X	X	X	X	X	X	X	AG	FILM	D	Y

- Single, highly validated human framework (Hereceptin, Avastin, Xolair, etc.)
- High stability and yield, low immunogenicity
- Minimal targeted synthetic CDR diversity
- >Diverse functions with fixed biophysics
- >Modular design


# Antibodies bind specifically and block ACE2 binding



# Antibodies are drug-like


## EC<sub>50</sub> affinity estimation by ELISA

15049




## Binding kinetics by BLI

### Binding to SARS2 spike




### Negative control



## SEC profile versus Herceptin standard



# Antibodies are Potent Anti-viral Drugs



# IgG 15033 Derivatives with Optimized Light Chain


Optimized variants with two substitutions in CDR-L3

Maintain high yield, drug-like SEC, stability




Exhibit ultra-high affinity for spike protein (>100-fold improvement)

IgG ID	$K_D$ (pM)	$k_{on}$ ( $10^5 M^{-1} s^{-1}$ )	$k_{off}$ ( $10^{-5} s^{-1}$ )
parental IgG 15033	$320 \pm 10$	$9.6 \pm 0.1$	$31 \pm 0.8$
hk L3 AM1	$170 \pm 14$	$8.5 \pm 0.2$	$15 \pm 1.2$
hk L3 AM2	$610 \pm 19$	$12 \pm 0.3$	$72 \pm 1.5$
hk L3 AM3	$420 \pm 17$	$8.5 \pm 0.2$	$36 \pm 1.2$
hk L3 AM4	$330 \pm 10$	$10 \pm 0.1$	$34 \pm 0.8$
hk L3 AM5	$500 \pm 10$	$11 \pm 0.1$	$5 \pm 0.8$
hk L3 AM6	$76 \pm 14$	$8.4 \pm 0.2$	$6.4 \pm 1.2$
<b>hk L3 AM7</b>	<b>&lt;1</b>	<b><math>8.6 \pm 0.2</math></b>	<b>&lt;0.1</b>
hk L3 AM8	$77 \pm 10$	$10 \pm 0.2$	$7.8 \pm 1.0$
hk L3 AM9	$360 \pm 16$	$12 \pm 0.3$	$42 \pm 1.5$
hk L3 AM10	$100 \pm 10$	$19 \pm 0.4$	$19 \pm 1.3$
hk L3 AM11	$200 \pm 10$	$12 \pm 0.2$	$24 \pm 1.0$
hk L3 AM12	$51 \pm 12$	$13 \pm 0.3$	$6.4 \pm 1.5$
hk L3 AM13	$210 \pm 10$	$14 \pm 0.2$	$30 \pm 1.0$
hk L3 AM14	$130 \pm 10$	$13 \pm 0.2$	$17 \pm 1.1$
hk L3 AM15	$400 \pm 11$	$14 \pm 0.2$	$54 \pm 1.2$
hk L3 AM16	$340 \pm 12$	$13 \pm 0.2$	$44 \pm 1.3$
hk L3 AM17	$250 \pm 10$	$14 \pm 0.2$	$34 \pm 1.1$


15033 parent (85 mg/L)




15033-AM7 (150 mg/L)



# Synthetic antibodies enable modular design: Facile engineering of multivalent drug-like antibodies



# Synthetic multivalent antibodies: Enhanced affinity and potency in anti-viral assays



# Project Timeline: Anti-COVID19 Antibody Development

Parameter	Method	Numbers	Timeline
Pooled selections	Phage display	>10 <sup>10</sup>	3/24 – 3/29
Binding screen	Phage ELISA	384	3/30
Host receptor blocking screen	Phage ELISA	358	3/30
IgG production	Mammalian cell expression	66	3/31 – 4/11
Identification of unique IgGs	DNA sequencing	38	4/8
IgG binding to virus	ELISA	38	4/12
Receptor blocking confirmation	ELISA	~15	4/12
Affinity	Quantitative virus binding	~10 (sub-nanomolar)	4/13
Biophysical characteristics	Yield, solubility, heterogeneity	4 (top leads)	4/13
<i>In vitro</i> virus neutralization	<i>In vitro</i> cell assay	4	4/27
<i>In vivo</i> virus neutralization	<b>Human trials</b>	<b>1</b>	<b>Soon</b>




## Anti-COVID-19 Antibodies: Beyond the RBD

- Selected against purified SARS-CoV-2 RBD
  - Screened 384 clones by ELISA
  - Identified 358 RBD-positive clones
  - **92 sequence-unique, RBD-binding clones**
- Selected against VLPs pseudo-typed with SARS-CoV-2 spike
  - Screened 192 clones by ELISA
  - Identified 61 spike-positive clones
  - **24 sequence-unique clones (23 spike-binding, 1 RBD binding)**
- Selected against purified SARS-CoV-2 spike protein
  - Screened 192 clones by ELISA
  - Identified 184 spike-positive clones
  - **87 sequence-unique clones**



# Thousands of potential biologic drugs: Well-suited for testing in advanced cell/tissue models

## Lung-on-a-chip: Human Relevant System for Testing COVID-19 Therapeutics



- Extracellular matrix and cell interactions
- Cell shape and cyto-architecture
- Tissue-tissue interactions
- Mechanical forces
- Dynamic flow system
- Resident or circulating immune cells can be included

Angiotensin Converting  
Enzyme Receptor 2  
(ACE-2) Expression



Nicole Kleinstreuer

# Sidhu Lab

## Donnelly Centre

Christine Misquitta

Andreas Ernst

Yuyong Tong

Fred Fellouse

Helena Persson

Zvezdan Pavlovic

Andreas Ernst

Wei Zhang

Maryna Gorelik

Gianluca Veggiani

Joan Teyra

Pankaj Garg

Gang Chen

Moshe Ben-David

Bradley Yates

Jaspal Singh

Alia Pavlenco

Linda Beatty

Wei Ye

Nick Jarvik

Jun Gu

Megan McLaughlin

Isabel Leung

Hayoung Yoo

Kristin Kantautas

Natasha Pascoe

Gregory Martyn

Deelaka Wellipilli

## TRAC

**Shane Miersch**

**Mart Ustav**

Jarret Adams

Isabelle Pot

Levi Blazer

Lia Cardarelli

Haiming Huang

Dewald van Dyk

Xiaowei Wang

Zhijian Li

Lori Dawn Moffat

Jacob Turowec

Sunandan Banerjee

Xunyi Luo

Helen Zhao

Cathy Horvatin

Sherry Lamb-Mariette

Vincent Nadeem

Xin Zhao

Dahlia Kasimer

Lynda Ploder

Galina Khutoreskaya

Ping Huang

## Funding

University of Toronto

CIHR

Genome Canada

Ontario Research Fund


OICR

CFI

NIH

Reflexion

# Questions



# Answers

