



Historical Control Survival for Gavage/Corn Oil Studies Male Rats/Harlan Sprague–Dawley 1 study




Female Rats/Harlan Sprague–Dawley 1 study




Historical Control Survival for Inhalation/Air Studies

Male Rats/Harlan Sprague–Dawley 1 study




Female Rats/Harlan Sprague–Dawley 1 study




Historical Control Survival for Oral/Feed Studies


Male Rats/Harlan Sprague–Dawley 1 study




Female Rats/Harlan Sprague–Dawley 1 study




Historical Control Survival for Perinatal Postnatal Gavage/Methylcellulose Studies Male Rats/Harlan Sprague–Dawley 2 studies




Female Rats/Harlan Sprague–Dawley 2 studies




Historical Control Survival for Perinatal Postnatal/Feed Studies Male Rats/Harlan Sprague–Dawley 5 studies




Female Rats/Harlan Sprague–Dawley 5 studies




Historical Control Survival for Perinatal Postnatal/Water Studies Male Rats/Harlan Sprague–Dawley 1 study



Female Rats/Harlan Sprague–Dawley 1 study



Historical Control Survival for Whole Body Exposure/Air Studies Male Rats/Harlan Sprague–Dawley 1 study



Female Rats/Harlan Sprague–Dawley 1 study

