

# NTP Historical Controls Report

By Route And Vehicle

MICE

November 2008

# REPORT DESCRIPTION

---

This report shows the tumor rates of control group animals from selected studies. The studies used are shown on the Study Summary page.

This report is broken up into sections based on the route and vehicle used to deliver the chemical. The Table of Contents on Page 3 shows the different Route/Vehicle combinations. To see the data from all routes and vehicles combined into one set, you must run the "All Routes" report.

The individual tumor rates shown on the data pages of the report relate to the Study Summary page as follows: the tumor rates are shown in the same order as the Study Summary page, except that they are grouped horizontally in sets of three, with the males in the first set of three and the females in the second set. For example if the study summary showed the studies like this:

**Male**

M1  
M2  
M3  
M4  
M5

**Female**

F1  
F2  
F3  
F4  
F5

the data would be shown as:

<b>Male</b>			<b>Female</b>		
M1	M2	M3	F1	F2	F3
M4	M5		F4	F5	

Directly beneath the individual tumor rates on the data pages are the overall totals for that tumor/site combination. This includes the total tumors/animals, the overall mean (in parentheses), the mean of the study means, and the standard deviation of the study means.

Studies with no control animals of a particular gender are listed on the summary page with the Number of Animals shown as zero and the Start Date and Length of Study shown as "N/A". On the data pages there are blank spaces where tumor rates for these studies would normally be found, so that the male and female rates for the remaining studies can be easily compared.

# Table of Contents

Route	Vehicle	Page Number
GAVAGE	CORN OIL	4
GAVAGE	METHYLCELLULOSE	45
GAVAGE	WATER	86
INHALATION	AIR	127
ORAL	FEED	187
ORAL	WATER	236
SKIN	ETHANOL	285

Version: Nov2008  
Contract/Lab: All Laboratories  
Species: MICE  
Strain: B6C3F1  
Length of Study: CHRONIC

**Toxicology Data Management System**  
Tumor Incidence for Selected Control Animal Groups  
Route: GAVAGE  
Vehicle: CORN OIL

Page: 4  
Report Date: 11/17/2008

**Study Summary**

Laboratory Name	Study Number	Study Start Date	Length of Study in Days	Number of Animals Total and (#/Cage)	Number Surviving and (Mean Life Span)	Maximum Mean Weekly Body Weight	Chemical
<b>Male</b>							
Battelle Columbus Laboratory	058810504	05/09/02	728	50 (1)	39(688)	56.7	Isoeugenol
Battelle Columbus Laboratory	059902304	04/11/02	728	50 (1)	34(692)	56.2	beta-Myrcene
Battelle Columbus Laboratory	059902006	04/15/03	730	50 (1)	38(691)	56.6	Pulegone
<b>Female</b>							
Battelle Columbus Laboratory	058810504	05/08/02	727	49 (5)	34(679)	65.0	Isoeugenol
Battelle Columbus Laboratory	059902304	04/10/02	727	50 (5)	39(705)	64.1	beta-Myrcene
Battelle Columbus Laboratory	059902006	04/14/03	729	49 (5)	35(705)	64.9	Pulegone

NOTE: The text on page 2 ("Report Description") describes how the studies listed here are displayed on the data pages that follow.

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: CORN OIL**

Page: 5  
 Report Date: 11/17/2008

		Male			Female		
<b>#All Organs: Benign Tumors</b>							
		33/50 (66%)	33/50 (66%)	30/50 (60%)	20/49 (41%)	21/50 (42%)	27/49 (55%)
<b>Overall Incidence</b>	Total	96/150 (64%)	Mean 64%	SD 3.46%	Total 68/148 (45.95%)	Mean 45.97%	SD 7.93%
.....							
<b>#All Organs: Malignant Tumors</b>							
		20/50 (40%)	30/50 (60%)	19/50 (38%)	21/49 (43%)	14/50 (28%)	20/49 (41%)
<b>Overall Incidence</b>	Total	69/150 (46%)	Mean 46%	SD 12.17%	Total 55/148 (37.16%)	Mean 37.22%	SD 8.05%
.....							
<b>#All Organs: Malignant and Benign Tumors</b>							
		43/50 (86%)	43/50 (86%)	38/50 (76%)	34/49 (69%)	30/50 (60%)	40/49 (82%)
<b>Overall Incidence</b>	Total	124/150 (82.67%)	Mean 82.67%	SD 5.77%	Total 104/148 (70.27%)	Mean 70.34%	SD 10.85%
.....							
<b>#All Organs: Hemangioma</b>							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	2/50 (4%)	1/49 (2%)
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total 3/148 (2.03%)	Mean 2.01%	SD 2%
.....							
<b>#All Organs: Hemangiosarcoma</b>							
		3/50 (6%)	7/50 (14%)	3/50 (6%)	1/49 (2%)	1/50 (2%)	3/49 (6%)
<b>Overall Incidence</b>	Total	13/150 (8.67%)	Mean 8.67%	SD 4.62%	Total 5/148 (3.38%)	Mean 3.39%	SD 2.37%
.....							
<b>#All Organs: Hemangiosarcoma or Hemangioma</b>							
		3/50 (6%)	7/50 (14%)	3/50 (6%)	1/49 (2%)	3/50 (6%)	4/49 (8%)
<b>Overall Incidence</b>	Total	13/150 (8.67%)	Mean 8.67%	SD 4.62%	Total 8/148 (5.41%)	Mean 5.4%	SD 3.1%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: CORN OIL**

**Page: 6**  
**Report Date: 11/17/2008**

		Male			Female		
<b>#All Organs:</b>							
<b>Histiocytic Sarcoma</b>							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	3/49 (6%)
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total	3/148 (2.03%)	Mean 2.04% SD 3.53%
.....							
<b>#All Organs:</b>							
<b>Malignant Lymphoma: Histiocytic, Lymphocytic, Mixed, NOS, or Undifferentiated Cell Type</b>							
		0/50 (0%)	1/50 (2%)	1/50 (2%)	11/49 (22%)	7/50 (14%)	6/49 (12%)
<b>Overall Incidence</b>	Total	2/150 (1.33%)	Mean 1.33%	SD 1.15%	Total	24/148 (16.22%)	Mean 16.23% SD 5.46%
.....							
<b>#All Organs:</b>							
<b>Mesothelioma: Benign, Malignant, NOS</b>							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/148 (0%)	Mean 0% SD 0%
.....							
<b>#All Organs:</b>							
<b>Mesothelioma: Malignant</b>							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/148 (0%)	Mean 0% SD 0%
.....							
<b>#All Organs:</b>							
<b>Osteoma</b>							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/148 (0%)	Mean 0% SD 0%
.....							
<b>#All Organs:</b>							
<b>Osteosarcoma</b>							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	1/49 (2%)	0/50 (0%)	0/49 (0%)
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total	1/148 (0.68%)	Mean 0.68% SD 1.18%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: CORN OIL**

Page: 7  
 Report Date: 11/17/2008

		Male			Female		
<b>#All Organs:</b>							
<b>Osteosarcoma or Osteoma</b>							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	1/49 (2%)	0/50 (0%)	0/49 (0%)
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total 1/148 (0.68%)	Mean 0.68%	SD 1.18%
.....							
<b>*Adrenal Cortex:</b>							
<b>Adenoma</b>							
		3/50 (6%)	2/50 (4%)	1/50 (2%)	0/48 (0%)	1/50 (2%)	1/49 (2%)
<b>Overall Incidence</b>	Total	6/150 (4%)	Mean 4%	SD 2%	Total 2/147 (1.36%)	Mean 1.35%	SD 1.17%
.....							
<b>*Adrenal Cortex:</b>							
<b>Sarcoma</b>							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/48 (0%)	0/50 (0%)	0/49 (0%)
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total 0/147 (0%)	Mean 0%	SD 0%
.....							
<b>*Adrenal Medulla:</b>							
<b>Pheochromocytoma Benign</b>							
		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/48 (0%)	0/50 (0%)	1/49 (2%)
<b>Overall Incidence</b>	Total	1/150 (0.67%)	Mean 0.67%	SD 1.15%	Total 1/147 (0.68%)	Mean 0.68%	SD 1.18%
.....							
<b>*Adrenal Medulla:</b>							
<b>Pheochromocytoma Complex</b>							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/48 (0%)	0/50 (0%)	0/49 (0%)
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total 0/147 (0%)	Mean 0%	SD 0%
.....							
<b>*Adrenal Medulla:</b>							
<b>Pheochromocytoma Malignant</b>							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/48 (0%)	0/50 (0%)	0/49 (0%)
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total 0/147 (0%)	Mean 0%	SD 0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: CORN OIL**

**Page: 8**  
**Report Date: 11/17/2008**

		Male				Female								
<b>*Adrenal Medulla:</b>														
<b>Pheochromocytoma: Benign, Complex, Malignant, NOS</b>														
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/48	(0%)	0/50	(0%)	1/49	(2%)	
<b>Overall Incidence</b>	Total	1/150	(0.67%)	Mean	0.67%	SD	1.15%	Total	1/147	(0.68%)	Mean	0.68%	SD	1.18%
.....														
<b>*Bone Marrow:</b>														
<b>Hemangiosarcoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/48	(0%)	0/50	(0%)	1/49	(2%)	
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean	0%	SD	0%	Total	1/147	(0.68%)	Mean	0.68%	SD	1.18%
.....														
<b>*Bone Marrow:</b>														
<b>Mast Cell Tumor Malignant</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/48	(0%)	0/50	(0%)	0/49	(0%)	
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/147	(0%)	Mean	0%	SD	0%
.....														
<b>#Bone:</b>														
<b>Hemangiosarcoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/49	(0%)	
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/148	(0%)	Mean	0%	SD	0%
.....														
<b>#Bone:</b>														
<b>Osteoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/49	(0%)	
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/148	(0%)	Mean	0%	SD	0%
.....														
<b>#Bone:</b>														
<b>Osteosarcoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/49	(2%)	0/50	(0%)	0/49	(0%)	
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean	0%	SD	0%	Total	1/148	(0.68%)	Mean	0.68%	SD	1.18%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: CORN OIL**

Page: 9  
 Report Date: 11/17/2008

		Male				Female							
<b>#Bone:</b>													
<b>Osteosarcoma or Osteoma</b>													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/49	(2%)	0/50	(0%)	0/49	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	1/148	(0.68%)	Mean 0.68%	SD 1.18%			
.....													
<b>#Bone:</b>													
<b>Sarcoma</b>													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/49	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/148	(0%)	Mean 0%	SD 0%			
.....													
<b>*Brain:</b>													
<b>Meningioma Benign</b>													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/49	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/148	(0%)	Mean 0%	SD 0%			
.....													
<b>*Brain:</b>													
<b>Meningioma: Benign, Malignant, NOS</b>													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/49	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/148	(0%)	Mean 0%	SD 0%			
.....													
<b>*Brain:</b>													
<b>Schwannoma Malignant</b>													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/49	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/148	(0%)	Mean 0%	SD 0%			
.....													
<b>*Clitoral/Preputial Gland:</b>													
<b>Adenoma</b>													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/47	(0%)	0/49	(0%)	0/47	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/143	(0%)	Mean 0%	SD 0%			

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: CORN OIL**

Page: 10  
 Report Date: 11/17/2008

		Male			Female			
<b>*Clitoral/Preputial Gland: Carcinoma</b>								
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/47 (0%) 0/143 (0%)	0/49 (0%) Mean 0%	0/47 (0%) SD 0%
.....								
<b>*Clitoral/Preputial Gland: Carcinoma or Adenoma</b>								
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/47 (0%) 0/143 (0%)	0/49 (0%) Mean 0%	0/47 (0%) SD 0%
.....								
<b>*Clitoral/Preputial Gland: Hemangioma</b>								
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/47 (0%) 0/143 (0%)	0/49 (0%) Mean 0%	0/47 (0%) SD 0%
.....								
<b>*Clitoral/Preputial Gland: Hemangiosarcoma</b>								
Overall Incidence	Total	0/50 (0%) 1/150 (0.67%)	1/50 (2%) Mean 0.67%	0/50 (0%) SD 1.15%	Total	0/47 (0%) 0/143 (0%)	0/49 (0%) Mean 0%	0/47 (0%) SD 0%
.....								
<b>*Clitoral/Preputial Gland: Squamous Cell Carcinoma</b>								
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/47 (0%) 0/143 (0%)	0/49 (0%) Mean 0%	0/47 (0%) SD 0%
.....								
<b>*Epididymis: Sarcoma</b>								
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%				

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: CORN OIL**

Page: 11  
 Report Date: 11/17/2008

		Male			Female			
<b>#Esophagus:</b>								
<b>Squamous Cell Carcinoma</b>								
<b>Overall Incidence</b>	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/49 (0%) 0/148 (0%)	0/50 (0%) Mean 0%	0/49 (0%) SD 0%
.....								
<b>#Eye:</b>								
<b>Sarcoma</b>								
<b>Overall Incidence</b>	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/49 (0%) 0/148 (0%)	0/50 (0%) Mean 0%	0/49 (0%) SD 0%
.....								
<b>*Gallbladder:</b>								
<b>Adenoma</b>								
<b>Overall Incidence</b>	Total	0/44 (0%) 0/142 (0%)	0/49 (0%) Mean 0%	0/49 (0%) SD 0%	Total	0/42 (0%) 0/137 (0%)	0/47 (0%) Mean 0%	0/48 (0%) SD 0%
.....								
<b>#Harderian Gland:</b>								
<b>Adenoma</b>								
<b>Overall Incidence</b>	Total	8/50 (16%) 23/150 (15.33%)	9/50 (18%) Mean 15.33%	6/50 (12%) SD 3.06%	Total	3/49 (6%) 14/148 (9.46%)	4/50 (8%) Mean 9.47%	7/49 (14%) SD 4.28%
.....								
<b>#Harderian Gland:</b>								
<b>Carcinoma</b>								
<b>Overall Incidence</b>	Total	4/50 (8%) 6/150 (4%)	1/50 (2%) Mean 4%	1/50 (2%) SD 3.46%	Total	1/49 (2%) 2/148 (1.35%)	0/50 (0%) Mean 1.36%	1/49 (2%) SD 1.18%
.....								
<b>#Harderian Gland:</b>								
<b>Carcinoma or Adenoma</b>								
<b>Overall Incidence</b>	Total	12/50 (24%) 28/150 (18.67%)	9/50 (18%) Mean 18.67%	7/50 (14%) SD 5.03%	Total	4/49 (8%) 16/148 (10.81%)	4/50 (8%) Mean 10.83%	8/49 (16%) SD 4.76%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: CORN OIL**

Page: 12  
 Report Date: 11/17/2008

		Male				Female								
<b>#Harderian Gland:</b>														
<b>Sarcoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/49	(0%)	
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/148	(0%)	Mean	0%	SD	0%
.....														
<b>*Heart:</b>														
<b>Hemangioma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/49	(0%)	
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/148	(0%)	Mean	0%	SD	0%
.....														
<b>*Heart:</b>														
<b>Hemangiosarcoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/49	(0%)	
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/148	(0%)	Mean	0%	SD	0%
.....														
<b>*Heart:</b>														
<b>Sarcoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/49	(0%)	
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/148	(0%)	Mean	0%	SD	0%
.....														
<b>#Intestine Large: Cecum:</b>														
<b>Carcinoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/49	(0%)	
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/148	(0%)	Mean	0%	SD	0%
.....														
<b>#Intestine Large: Cecum:</b>														
<b>Carcinoma or Adenoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/49	(0%)	
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/148	(0%)	Mean	0%	SD	0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: CORN OIL**

Page: 13  
 Report Date: 11/17/2008

		Male			Female			
<b>#Intestine Large: Cecum: Leiomyoma</b>								
<b>Overall Incidence</b>	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/49 (0%) 0/148 (0%)	0/50 (0%) Mean 0%	0/49 (0%) SD 0%
<b>#Intestine Large: Cecum: Polyp Adenomatous</b>								
<b>Overall Incidence</b>	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/49 (0%) 0/148 (0%)	0/50 (0%) Mean 0%	0/49 (0%) SD 0%
<b>#Intestine Large: Colon/Rectum: Leiomyosarcoma</b>								
<b>Overall Incidence</b>	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/49 (0%) 0/148 (0%)	0/50 (0%) Mean 0%	0/49 (0%) SD 0%
<b>#Intestine Small: Duodenum: Adenoma</b>								
<b>Overall Incidence</b>	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/49 (0%) 0/148 (0%)	0/50 (0%) Mean 0%	0/49 (0%) SD 0%
<b>#Intestine Small: Duodenum: Carcinoma</b>								
<b>Overall Incidence</b>	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/49 (0%) 0/148 (0%)	0/50 (0%) Mean 0%	0/49 (0%) SD 0%
<b>#Intestine Small: Duodenum: Leiomyosarcoma</b>								
<b>Overall Incidence</b>	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/49 (0%) 0/148 (0%)	0/50 (0%) Mean 0%	0/49 (0%) SD 0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: CORN OIL**

Page: 14  
 Report Date: 11/17/2008

		Male			Female			
<b>#Intestine Small: Duodenum: Polyp Adenomatous</b>								
<b>Overall Incidence</b>	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/49 (0%) 0/148 (0%)	0/50 (0%) Mean 0%	0/49 (0%) SD 0%
<b>#Intestine Small: Ileum: Carcinoma</b>								
<b>Overall Incidence</b>	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/49 (0%) 0/148 (0%)	0/50 (0%) Mean 0%	0/49 (0%) SD 0%
<b>#Intestine Small: Ileum: Hemangiosarcoma</b>								
<b>Overall Incidence</b>	Total	0/50 (0%) 1/150 (0.67%)	0/50 (0%) Mean 0.67%	1/50 (2%) SD 1.15%	Total	0/49 (0%) 0/148 (0%)	0/50 (0%) Mean 0%	0/49 (0%) SD 0%
<b>#Intestine Small: Ileum: Polyp Adenomatous</b>								
<b>Overall Incidence</b>	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/49 (0%) 0/148 (0%)	0/50 (0%) Mean 0%	0/49 (0%) SD 0%
<b>#Intestine Small: Jejunum: Adenoma</b>								
<b>Overall Incidence</b>	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/49 (0%) 0/148 (0%)	0/50 (0%) Mean 0%	0/49 (0%) SD 0%
<b>#Intestine Small: Jejunum: Carcinoma</b>								
<b>Overall Incidence</b>	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/49 (0%) 1/148 (0.68%)	1/50 (2%) Mean 0.67%	0/49 (0%) SD 1.15%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: CORN OIL**

Page: 15  
 Report Date: 11/17/2008

		Male				Female			
<b>#Intestine Small: Jejunum: Hemangiosarcoma</b>									
Overall Incidence	Total	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	
		1/150 (0.67%)	Mean 0.67%	SD 1.15%	0/148 (0%)	Mean 0%	SD 0%		
.....									
<b>#Intestine Small: Jejunum: Leiomyosarcoma</b>									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	
		0/150 (0%)	Mean 0%	SD 0%	0/148 (0%)	Mean 0%	SD 0%		
.....									
<b>#Intestine Small: Jejunum: Polyp Adenomatous</b>									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	
		0/150 (0%)	Mean 0%	SD 0%	0/148 (0%)	Mean 0%	SD 0%		
.....									
<b>#Intestine Small: Site Unspecified: Adenoma</b>									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	
		0/150 (0%)	Mean 0%	SD 0%	0/148 (0%)	Mean 0%	SD 0%		
.....									
<b>#Intestine Small: Site Unspecified: Carcinoma</b>									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	1/50 (2%)	0/49 (0%)	0/49 (0%)	
		0/150 (0%)	Mean 0%	SD 0%	1/148 (0.68%)	Mean 0.67%	SD 1.15%		
.....									
<b>#Intestine Small: Site Unspecified: Carcinoma or Adenoma</b>									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	1/50 (2%)	0/49 (0%)	0/49 (0%)	
		0/150 (0%)	Mean 0%	SD 0%	1/148 (0.68%)	Mean 0.67%	SD 1.15%		

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: CORN OIL**

Page: 16  
 Report Date: 11/17/2008

		Male				Female			
<b>#Intestine Small: Site Unspecified: Hemangiosarcoma</b>									
Overall Incidence	Total	1/50 (2%)	0/50 (0%)	1/50 (2%)	0/49 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	0/49 (0%)
		2/150 (1.33%)	Mean 1.33%	SD 1.15%	0/148 (0%)	Mean 0%	SD 0%		
.....									
<b>#Intestine Small: Site Unspecified: Leiomyosarcoma</b>									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	0/49 (0%)
		0/150 (0%)	Mean 0%	SD 0%	0/148 (0%)	Mean 0%	SD 0%		
.....									
<b>#Intestine Small: Site Unspecified: Polyp Adenomatous</b>									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	0/49 (0%)
		0/150 (0%)	Mean 0%	SD 0%	0/148 (0%)	Mean 0%	SD 0%		
.....									
<b>*Islets, Pancreatic: Adenoma</b>									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/47 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	0/49 (0%)
		0/150 (0%)	Mean 0%	SD 0%	0/146 (0%)	Mean 0%	SD 0%		
.....									
<b>*Islets, Pancreatic: Carcinoma</b>									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/47 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	0/49 (0%)
		0/150 (0%)	Mean 0%	SD 0%	0/146 (0%)	Mean 0%	SD 0%		
.....									
<b>*Islets, Pancreatic: Carcinoma or Adenoma</b>									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/47 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	0/49 (0%)
		0/150 (0%)	Mean 0%	SD 0%	0/146 (0%)	Mean 0%	SD 0%		

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: CORN OIL**

Page: 17  
 Report Date: 11/17/2008

		Male				Female			
<b>*Kidney: Renal Tubule: Adenoma</b>									
Overall Incidence	Total	1/50 (2%)	1/50 (2%)	0/50 (0%)	0/47 (0%)	0/50 (0%)	1/49 (2%)		
		2/150 (1.33%)	Mean 1.33%	SD 1.15%	1/146 (0.68%)	Mean 0.68%	SD 1.18%		
.....									
<b>*Kidney: Renal Tubule: Carcinoma</b>									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/47 (0%)	0/50 (0%)	0/49 (0%)		
		0/150 (0%)	Mean 0%	SD 0%	0/146 (0%)	Mean 0%	SD 0%		
.....									
<b>*Kidney: Renal Tubule: Carcinoma or Adenoma</b>									
Overall Incidence	Total	1/50 (2%)	1/50 (2%)	0/50 (0%)	0/47 (0%)	0/50 (0%)	1/49 (2%)		
		2/150 (1.33%)	Mean 1.33%	SD 1.15%	1/146 (0.68%)	Mean 0.68%	SD 1.18%		
.....									
<b>*Liver: Cholangiocarcinoma</b>									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)		
		0/150 (0%)	Mean 0%	SD 0%	0/148 (0%)	Mean 0%	SD 0%		
.....									
<b>*Liver: Fibrous Histiocytoma</b>									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)		
		0/150 (0%)	Mean 0%	SD 0%	0/148 (0%)	Mean 0%	SD 0%		
.....									
<b>*Liver: Hemangioma</b>									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)		
		0/150 (0%)	Mean 0%	SD 0%	0/148 (0%)	Mean 0%	SD 0%		

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: CORN OIL**

Page: 18  
 Report Date: 11/17/2008

		Male			Female			
<b>*Liver:</b>								
<b>Hemangiosarcoma</b>								
		1/50 (2%)	5/50 (10%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)	
<b>Overall Incidence</b>	Total	6/150 (4%)	Mean 4%	SD 5.29%	Total	0/148 (0%)	Mean 0%	SD 0%
.....								
<b>*Liver:</b>								
<b>Hepatoblastoma</b>								
		3/50 (6%)	4/50 (8%)	1/50 (2%)	0/49 (0%)	0/50 (0%)	0/49 (0%)	
<b>Overall Incidence</b>	Total	8/150 (5.33%)	Mean 5.33%	SD 3.06%	Total	0/148 (0%)	Mean 0%	SD 0%
.....								
<b>*Liver:</b>								
<b>Hepatocellular Adenoma</b>								
		24/50 (48%)	26/50 (52%)	22/50 (44%)	11/49 (22%)	6/50 (12%)	13/49 (27%)	
<b>Overall Incidence</b>	Total	72/150 (48%)	Mean 48%	SD 4%	Total	30/148 (20.27%)	Mean 20.33%	SD 7.49%
.....								
<b>*Liver:</b>								
<b>Hepatocellular Carcinoma</b>								
		8/50 (16%)	14/50 (28%)	13/50 (26%)	3/49 (6%)	1/50 (2%)	5/49 (10%)	
<b>Overall Incidence</b>	Total	35/150 (23.33%)	Mean 23.33%	SD 6.43%	Total	9/148 (6.08%)	Mean 6.11%	SD 4.1%
.....								
<b>*Liver:</b>								
<b>Hepatocellular Carcinoma or Hepatoblastoma</b>								
		11/50 (22%)	16/50 (32%)	13/50 (26%)	3/49 (6%)	1/50 (2%)	5/49 (10%)	
<b>Overall Incidence</b>	Total	40/150 (26.67%)	Mean 26.67%	SD 5.03%	Total	9/148 (6.08%)	Mean 6.11%	SD 4.1%
.....								
<b>*Liver:</b>								
<b>Hepatocellular Carcinoma or Hepatocellular Adenoma</b>								
		28/50 (56%)	33/50 (66%)	29/50 (58%)	13/49 (27%)	7/50 (14%)	17/49 (35%)	
<b>Overall Incidence</b>	Total	90/150 (60%)	Mean 60%	SD 5.29%	Total	37/148 (25%)	Mean 25.07%	SD 10.42%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: CORN OIL**

Page: 19  
 Report Date: 11/17/2008

		Male			Female		
<b>*Liver:</b>							
<b>Hepatocellular Carcinoma, Hepatocellular Adenoma, or Hepatoblastoma</b>							
		30/50 (60%)	34/50 (68%)	29/50 (58%)	13/49 (27%)	7/50 (14%)	17/49 (35%)
<b>Overall Incidence</b>	Total	93/150 (62%)	Mean 62%	SD 5.29%	Total	37/148 (25%)	Mean 25.07% SD 10.42%
.....							
<b>*Liver:</b>							
<b>Hepatocholangiocarcinoma</b>							
		2/50 (4%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)
<b>Overall Incidence</b>	Total	2/150 (1.33%)	Mean 1.33%	SD 2.31%	Total	0/148 (0%)	Mean 0% SD 0%
.....							
<b>*Liver:</b>							
<b>Ito Cell Tumor Benign</b>							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/148 (0%)	Mean 0% SD 0%
.....							
<b>*Liver:</b>							
<b>Ito Cell Tumor Malignant</b>							
		0/50 (0%)	2/50 (4%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)
<b>Overall Incidence</b>	Total	2/150 (1.33%)	Mean 1.33%	SD 2.31%	Total	0/148 (0%)	Mean 0% SD 0%
.....							
<b>*Liver:</b>							
<b>Sarcoma</b>							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/148 (0%)	Mean 0% SD 0%
.....							
<b>*Lung:</b>							
<b>Adenoma</b>							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/48 (0%)	0/50 (0%)	0/49 (0%)
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/147 (0%)	Mean 0% SD 0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: CORN OIL**

Page: 20  
 Report Date: 11/17/2008

		Male				Female			
<b>*Lung:</b>									
<b>Alveolar/Bronchiolar Adenoma</b>									
		6/50 (12%)	8/50 (16%)	6/50 (12%)		4/48 (8%)	4/50 (8%)	1/49 (2%)	
<b>Overall Incidence</b>	Total	20/150 (13.33%)	Mean 13.33%	SD 2.31%	Total	9/147 (6.12%)	Mean 6.12%	SD 3.54%	
.....									
<b>*Lung:</b>									
<b>Alveolar/Bronchiolar Carcinoma</b>									
		2/50 (4%)	5/50 (10%)	3/50 (6%)		0/48 (0%)	2/50 (4%)	2/49 (4%)	
<b>Overall Incidence</b>	Total	10/150 (6.67%)	Mean 6.67%	SD 3.06%	Total	4/147 (2.72%)	Mean 2.69%	SD 2.33%	
.....									
<b>*Lung:</b>									
<b>Alveolar/Bronchiolar Carcinoma or Alveolar/Bronchiolar Adenoma</b>									
		7/50 (14%)	13/50 (26%)	9/50 (18%)		4/48 (8%)	6/50 (12%)	3/49 (6%)	
<b>Overall Incidence</b>	Total	29/150 (19.33%)	Mean 19.33%	SD 6.11%	Total	13/147 (8.84%)	Mean 8.82%	SD 2.97%	
.....									
<b>*Lung:</b>									
<b>Fibrosarcoma</b>									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/48 (0%)	0/50 (0%)	0/49 (0%)	
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/147 (0%)	Mean 0%	SD 0%	
.....									
<b>*Lung:</b>									
<b>Fibrous Histiocytoma</b>									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/48 (0%)	0/50 (0%)	0/49 (0%)	
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/147 (0%)	Mean 0%	SD 0%	
.....									
<b>*Lung:</b>									
<b>Hemangiosarcoma</b>									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/48 (0%)	0/50 (0%)	0/49 (0%)	
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/147 (0%)	Mean 0%	SD 0%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: CORN OIL**

Page: 21  
 Report Date: 11/17/2008

		Male				Female							
<b>*Lung:</b>													
<b>Sarcoma</b>													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/48	(0%)	0/50	(0%)	0/49	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/147	(0%)	Mean 0%	SD 0%			
.....													
<b>#Lymph Node:</b>													
<b>Fibrous Histiocytoma</b>													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/49	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/148	(0%)	Mean 0%	SD 0%			
.....													
<b>#Lymph Node:</b>													
<b>Hemangioma</b>													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/49	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/148	(0%)	Mean 0%	SD 0%			
.....													
<b>#Lymph Node:</b>													
<b>Hemangiosarcoma</b>													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/49	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/148	(0%)	Mean 0%	SD 0%			
.....													
<b>#Lymph Node:</b>													
<b>Sarcoma</b>													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/49	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/148	(0%)	Mean 0%	SD 0%			
.....													
<b>#Lymph Node, Bronchial:</b>													
<b>Hemangiosarcoma</b>													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/49	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/148	(0%)	Mean 0%	SD 0%			

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: CORN OIL**

Page: 22  
 Report Date: 11/17/2008

		Male			Female			
<b>#Lymph Node, Mandibular: Fibrous Histiocytoma</b>								
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/49 (0%) 0/148 (0%)	0/50 (0%) Mean 0%	0/49 (0%) SD 0%
<b>#Lymph Node, Mandibular: Hemangiosarcoma</b>								
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/49 (0%) 0/148 (0%)	0/50 (0%) Mean 0%	0/49 (0%) SD 0%
<b>#Lymph Node, Mandibular: Mast Cell Tumor Malignant</b>								
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/49 (0%) 0/148 (0%)	0/50 (0%) Mean 0%	0/49 (0%) SD 0%
<b>#Lymph Node, Mesenteric: Fibrous Histiocytoma</b>								
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/49 (0%) 0/148 (0%)	0/50 (0%) Mean 0%	0/49 (0%) SD 0%
<b>#Lymph Node, Mesenteric: Hemangioma</b>								
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/49 (0%) 0/148 (0%)	0/50 (0%) Mean 0%	0/49 (0%) SD 0%
<b>#Lymph Node, Mesenteric: Hemangiosarcoma</b>								
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/49 (0%) 0/148 (0%)	0/50 (0%) Mean 0%	0/49 (0%) SD 0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: CORN OIL**

Page: 23  
 Report Date: 11/17/2008

		Male				Female							
<b>#Mammary Gland: Adenoacanthoma</b>													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	1/49	(2%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	1/148	(0.68%)	Mean 0.68%	SD 1.18%			
.....													
<b>#Mammary Gland: Adenoma</b>													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/49	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/148	(0%)	Mean 0%	SD 0%			
.....													
<b>#Mammary Gland: Carcinoma</b>													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	1/49	(2%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	1/148	(0.68%)	Mean 0.68%	SD 1.18%			
.....													
<b>#Mammary Gland: Carcinoma or Adenoma</b>													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	1/49	(2%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	1/148	(0.68%)	Mean 0.68%	SD 1.18%			
.....													
<b>#Mammary Gland: Fibroadenoma</b>													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/49	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/148	(0%)	Mean 0%	SD 0%			
.....													
<b>#Mammary Gland: Fibroma, Fibroadenoma or Adenoma</b>													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/49	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/148	(0%)	Mean 0%	SD 0%			

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: CORN OIL**

Page: 24  
 Report Date: 11/17/2008

		Male				Female			
<b>#Mammary Gland:</b>									
<b>Fibroma, Fibroadenoma, Carcinoma, or Adenoma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	1/148	(0.68%)	Mean 0.68%
									SD 1.18%
.....									
<b>#Mesentery:</b>									
<b>Fibrosarcoma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/148	(0%)	Mean 0%
									SD 0%
.....									
<b>#Mesentery:</b>									
<b>Hemangioma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	1/148	(0.68%)	Mean 0.67%
									SD 1.15%
.....									
<b>#Mesentery:</b>									
<b>Hemangiosarcoma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/148	(0%)	Mean 0%
									SD 0%
.....									
<b>#Mesentery:</b>									
<b>Sarcoma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/148	(0%)	Mean 0%
									SD 0%
.....									
<b>*Nose:</b>									
<b>Hemangioma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/147	(0%)	Mean 0%
									SD 0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: CORN OIL**

Page: 25  
 Report Date: 11/17/2008

		Male				Female			
<b>*Nose:</b>									
<b>Mast Cell Tumor Malignant</b>									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/48 (0%)	0/50 (0%)	0/49 (0%)	
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/147 (0%)	Mean 0%	SD 0%	
.....									
<b>#Oral Cavity (Oral Mucosa, Tongue, Pharynx, Tooth, Gingiva):</b>									
<b>Papilloma Squamous or Papilloma</b>									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/49 (0%)	
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/148 (0%)	Mean 0%	SD 0%	
.....									
<b>#Oral Cavity (Oral Mucosa, Tongue, Pharynx, Tooth, Gingiva):</b>									
<b>Squamous Cell Carcinoma</b>									
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/49 (0%)	
<b>Overall Incidence</b>	Total	1/150 (0.67%)	Mean 0.67%	SD 1.15%	Total	0/148 (0%)	Mean 0%	SD 0%	
.....									
<b>#Oral Cavity (Oral Mucosa, Tongue, Pharynx, Tooth, Gingiva):</b>									
<b>Squamous Cell Carcinoma, Papilloma Squamous, or Papilloma</b>									
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/49 (0%)	
<b>Overall Incidence</b>	Total	1/150 (0.67%)	Mean 0.67%	SD 1.15%	Total	0/148 (0%)	Mean 0%	SD 0%	
.....									
<b>#Oral Mucosa:</b>									
<b>Squamous Cell Carcinoma</b>									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/49 (0%)	
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/148 (0%)	Mean 0%	SD 0%	
.....									
<b>*Ovary:</b>									
<b>Choriocarcinoma</b>									
						0/48 (0%)	0/50 (0%)	0/49 (0%)	
<b>Overall Incidence</b>	Total				Total	0/147 (0%)	Mean 0%	SD 0%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: CORN OIL**

Page: 26  
 Report Date: 11/17/2008

	Male		Female
<b>*Ovary:</b>			
<b>Cystadenoma</b>			
		3/48 (6%)	2/50 (4%)
<b>Overall Incidence</b>	Total	6/147 (4.08%)	Mean 4.1% SD 2.11%
.....			
<b>*Ovary:</b>			
<b>Fibrous Histiocytoma</b>			
		0/48 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/147 (0%)	Mean 0% SD 0%
.....			
<b>*Ovary:</b>			
<b>Granulosa Cell Tumor Benign</b>			
		0/48 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	1/147 (0.68%)	Mean 0.68% SD 1.18%
.....			
<b>*Ovary:</b>			
<b>Granulosa Cell Tumor Malignant</b>			
		0/48 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/147 (0%)	Mean 0% SD 0%
.....			
<b>*Ovary:</b>			
<b>Granulosa Cell Tumor: Benign, Malignant, NOS</b>			
		0/48 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	1/147 (0.68%)	Mean 0.68% SD 1.18%
.....			
<b>*Ovary:</b>			
<b>Hemangioma</b>			
		0/48 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	1/147 (0.68%)	Mean 0.68% SD 1.18%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: CORN OIL**

Page: 27  
 Report Date: 11/17/2008

	Male			Female
<b>*Ovary:</b>				
<b>Hemangiosarcoma</b>				
		0/48	(0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	1/147	(0.68%)	Mean 0.68% SD 1.18%
.....				
<b>*Ovary:</b>				
<b>Leiomyosarcoma</b>				
		0/48	(0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/147	(0%)	Mean 0% SD 0%
.....				
<b>*Ovary:</b>				
<b>Luteoma</b>				
		0/48	(0%)	1/50 (2%)
<b>Overall Incidence</b>	Total	1/147	(0.68%)	Mean 0.67% SD 1.15%
.....				
<b>*Ovary:</b>				
<b>Teratoma Benign</b>				
		0/48	(0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/147	(0%)	Mean 0% SD 0%
.....				
<b>*Ovary:</b>				
<b>Teratoma Malignant</b>				
		0/48	(0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/147	(0%)	Mean 0% SD 0%
.....				
<b>*Ovary:</b>				
<b>Tubulostromal Adenoma</b>				
		0/48	(0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/147	(0%)	Mean 0% SD 0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: CORN OIL**

Page: 28  
 Report Date: 11/17/2008

		Male				Female			
<b>*Pancreas: Adenoma</b>									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/47 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	0/49 (0%)
		0/150 (0%)	Mean 0%	SD 0%	0/146 (0%)	Mean 0%	SD 0%	0/146 (0%)	SD 0%
.....									
<b>*Pancreas: Carcinoma</b>									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/47 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	0/49 (0%)
		0/150 (0%)	Mean 0%	SD 0%	0/146 (0%)	Mean 0%	SD 0%	0/146 (0%)	SD 0%
.....									
<b>*Pancreas: Carcinoma or Adenoma</b>									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/47 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	0/49 (0%)
		0/150 (0%)	Mean 0%	SD 0%	0/146 (0%)	Mean 0%	SD 0%	0/146 (0%)	SD 0%
.....									
<b>*Pituitary Gland: Pars Distalis or Unspecified Site: Adenoma</b>									
Overall Incidence	Total	0/50 (0%)	0/49 (0%)	0/50 (0%)	4/47 (9%)	1/50 (2%)	2/49 (4%)	2/49 (4%)	2/49 (4%)
		0/149 (0%)	Mean 0%	SD 0%	7/146 (4.79%)	Mean 4.86%	SD 3.33%	7/146 (4.79%)	SD 3.33%
.....									
<b>*Pituitary Gland: Pars Distalis or Unspecified Site: Carcinoma</b>									
Overall Incidence	Total	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/47 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	0/49 (0%)
		0/149 (0%)	Mean 0%	SD 0%	0/146 (0%)	Mean 0%	SD 0%	0/146 (0%)	SD 0%
.....									
<b>*Pituitary Gland: Pars Distalis or Unspecified Site: Carcinoma or Adenoma</b>									
Overall Incidence	Total	0/50 (0%)	0/49 (0%)	0/50 (0%)	4/47 (9%)	1/50 (2%)	2/49 (4%)	2/49 (4%)	2/49 (4%)
		0/149 (0%)	Mean 0%	SD 0%	7/146 (4.79%)	Mean 4.86%	SD 3.33%	7/146 (4.79%)	SD 3.33%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: CORN OIL**

Page: 29  
 Report Date: 11/17/2008

		Male			Female			
<b>*Pituitary Gland: Pars Intermedia: Adenoma</b>								
Overall Incidence	Total	0/50 (0%) 0/149 (0%)	0/49 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/47 (0%) 0/146 (0%)	0/50 (0%) Mean 0%	0/49 (0%) SD 0%
.....								
<b>*Pituitary Gland: Pars Intermedia: Carcinoma or Adenoma</b>								
Overall Incidence	Total	0/50 (0%) 0/149 (0%)	0/49 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/47 (0%) 0/146 (0%)	0/50 (0%) Mean 0%	0/49 (0%) SD 0%
.....								
<b>*Prostate: Adenoma</b>								
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%				
.....								
<b>*Prostate: Carcinoma or Adenoma</b>								
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%				
.....								
<b>*Prostate: Hemangioma</b>								
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%				
.....								
<b>*Salivary Glands: Carcinoma</b>								
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/49 (0%) 0/148 (0%)	0/50 (0%) Mean 0%	0/49 (0%) SD 0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: CORN OIL**

Page: 30  
 Report Date: 11/17/2008

		Male				Female								
<b>*Salivary Glands: Carcinoma or Adenoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/49	(0%)	
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/148	(0%)	Mean	0%	SD	0%
.....														
<b>*Salivary Glands: Mast Cell Tumor Malignant</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/49	(0%)	
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/148	(0%)	Mean	0%	SD	0%
.....														
<b>#Seminal Vesicle: Adenoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)							
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean	0%	SD	0%							
.....														
<b>#Skeletal Muscle: Fibrosarcoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/49	(0%)	
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/148	(0%)	Mean	0%	SD	0%
.....														
<b>#Skeletal Muscle: Hemangiosarcoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/49	(0%)	
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/148	(0%)	Mean	0%	SD	0%
.....														
<b>#Skeletal Muscle: Myxosarcoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/49	(0%)	
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/148	(0%)	Mean	0%	SD	0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: CORN OIL**

Page: 31  
 Report Date: 11/17/2008

		Male				Female								
<b>#Skeletal Muscle:</b>														
<b>Rhabdomyosarcoma</b>														
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/49	(0%)	0/50	(0%)	0/49	(0%)	
<b>Overall Incidence</b>	Total	1/150	(0.67%)	Mean	0.67%	SD	1.15%	Total	0/148	(0%)	Mean	0%	SD	0%
.....														
<b>#Skeletal Muscle:</b>														
<b>Rhabdomyosarcoma or Rhabdomyoma</b>														
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/49	(0%)	0/50	(0%)	0/49	(0%)	
<b>Overall Incidence</b>	Total	1/150	(0.67%)	Mean	0.67%	SD	1.15%	Total	0/148	(0%)	Mean	0%	SD	0%
.....														
<b>#Skeletal Muscle:</b>														
<b>Sarcoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/49	(0%)	
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/148	(0%)	Mean	0%	SD	0%
.....														
<b>#Skin:</b>														
<b>Basal Cell Adenoma or Basosquamous Tumor Benign</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	1/50	(2%)	0/49	(0%)	
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean	0%	SD	0%	Total	1/148	(0.68%)	Mean	0.67%	SD	1.15%
.....														
<b>#Skin:</b>														
<b>Basal Cell Adenoma, Basosquamous Tumor Benign, or Trichoepithelioma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	1/50	(2%)	0/49	(0%)	
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean	0%	SD	0%	Total	1/148	(0.68%)	Mean	0.67%	SD	1.15%
.....														
<b>#Skin:</b>														
<b>Basal Cell Carcinoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/49	(0%)	
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/148	(0%)	Mean	0%	SD	0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: CORN OIL**

Page: 32  
 Report Date: 11/17/2008

		Male				Female							
<b>#Skin:</b>													
<b>Basal Cell Carcinoma or Basosquamous Tumor (malignant or NOS)</b>													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/49	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/148	(0%)	Mean 0%	SD 0%			
.....													
<b>#Skin:</b>													
<b>Basal Cell Carcinoma, Basal Cell Adenoma, Basosquamous Tumor (benign, malignant or NOS), or Trichoepithelioma</b>													
		0/50	(0%)	0/50	(0%)	0/49	(0%)	1/50	(2%)	0/49	(0%)		
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	1/148	(0.68%)	Mean 0.67%	SD 1.15%			
.....													
<b>#Skin:</b>													
<b>Basal or Sq. Cell Carcinoma, Carcinoma, Basosq. Tumor (M or B), Basal Cell Adenoma, Adenoma, Papilloma, Sq Papilloma, Keratoacanthoma, Trichoepithelioma</b>													
		0/50	(0%)	0/50	(0%)	0/49	(0%)	1/50	(2%)	0/49	(0%)		
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	1/148	(0.68%)	Mean 0.67%	SD 1.15%			
.....													
<b>#Skin:</b>													
<b>Basosquamous Tumor Benign</b>													
		0/50	(0%)	0/50	(0%)	0/49	(0%)	1/50	(2%)	0/49	(0%)		
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	1/148	(0.68%)	Mean 0.67%	SD 1.15%			
.....													
<b>#Skin:</b>													
<b>Fibroma</b>													
		0/50	(0%)	0/50	(0%)	0/49	(0%)	1/50	(2%)	0/49	(0%)		
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	1/148	(0.68%)	Mean 0.67%	SD 1.15%			
.....													
<b>#Skin:</b>													
<b>Fibroma, Fibrosarcoma, Sarcoma, Myxoma, Myxosarcoma, or Fibrous Histiocytoma</b>													
		0/50	(0%)	1/50	(2%)	0/50	(0%)	3/49	(6%)	2/50	(4%)	2/49	(4%)
<b>Overall Incidence</b>	Total	1/150	(0.67%)	Mean 0.67%	SD 1.15%	Total	7/148	(4.73%)	Mean 4.73%	SD 1.2%			

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: CORN OIL**

Page: 33  
 Report Date: 11/17/2008

		Male			Female		
<b>#Skin:</b>							
<b>Fibrosarcoma</b>							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	1/50 (2%)	
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total 2/148 (1.35%)	Mean 1.35%	
						SD 1.17%	
.....							
<b>#Skin:</b>							
<b>Fibrosarcoma, Sarcoma, Myxosarcoma, or Fibrous Histiocytoma</b>							
		0/50 (0%)	1/50 (2%)	0/50 (0%)	3/49 (6%)	2/50 (4%)	
<b>Overall Incidence</b>	Total	1/150 (0.67%)	Mean 0.67%	SD 1.15%	Total 7/148 (4.73%)	Mean 4.73%	
						SD 1.2%	
.....							
<b>#Skin:</b>							
<b>Fibrous Histiocytoma</b>							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total 1/148 (0.68%)	Mean 0.68%	
						SD 1.18%	
.....							
<b>#Skin:</b>							
<b>Hemangioma</b>							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	1/50 (2%)	
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total 1/148 (0.68%)	Mean 0.67%	
						SD 1.15%	
.....							
<b>#Skin:</b>							
<b>Hemangiosarcoma</b>							
		1/50 (2%)	1/50 (2%)	0/50 (0%)	1/49 (2%)	1/50 (2%)	
<b>Overall Incidence</b>	Total	2/150 (1.33%)	Mean 1.33%	SD 1.15%	Total 2/148 (1.35%)	Mean 1.35%	
						SD 1.17%	
.....							
<b>#Skin:</b>							
<b>Liposarcoma</b>							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total 0/148 (0%)	Mean 0%	
						SD 0%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: CORN OIL**

Page: 34  
 Report Date: 11/17/2008

		Male			Female			
<b>#Skin:</b>								
<b>Myxosarcoma</b>								
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)	
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/148 (0%)	Mean 0%	SD 0%
.....								
<b>#Skin:</b>								
<b>Neural Crest Tumor</b>								
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)	
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/148 (0%)	Mean 0%	SD 0%
.....								
<b>#Skin:</b>								
<b>Neurofibrosarcoma or Schwannoma (malignant or NOS)</b>								
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	2/49 (4%)	
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total	2/148 (1.35%)	Mean 1.36%	SD 2.36%
.....								
<b>#Skin:</b>								
<b>Neurofibrosarcoma, Neurofibroma, or Schwannoma (benign, malignant or NOS)</b>								
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	2/49 (4%)	
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total	2/148 (1.35%)	Mean 1.36%	SD 2.36%
.....								
<b>#Skin:</b>								
<b>Osteosarcoma</b>								
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)	
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/148 (0%)	Mean 0%	SD 0%
.....								
<b>#Skin:</b>								
<b>Sarcoma</b>								
		0/50 (0%)	1/50 (2%)	0/50 (0%)	3/49 (6%)	1/50 (2%)	0/49 (0%)	
<b>Overall Incidence</b>	Total	1/150 (0.67%)	Mean 0.67%	SD 1.15%	Total	4/148 (2.7%)	Mean 2.71%	SD 3.12%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: CORN OIL**

Page: 35  
 Report Date: 11/17/2008

		Male			Female		
<b>#Skin:</b>							
<b>Schwannoma Malignant</b>							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	2/49 (4%)
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total	2/148 (1.35%)	Mean 1.36% SD 2.36%
.....							
<b>#Skin:</b>							
<b>Squamous Cell Carcinoma</b>							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/148 (0%)	Mean 0% SD 0%
.....							
<b>#Skin:</b>							
<b>Squamous Cell Carcinoma, Basal Cell Carcinoma, Basosquamous Tumor (malignant or NOS), or Carcinoma</b>							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/148 (0%)	Mean 0% SD 0%
.....							
<b>#Skin:</b>							
<b>Squamous Cell Papilloma</b>							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/148 (0%)	Mean 0% SD 0%
.....							
<b>#Skin:</b>							
<b>Squamous Cell Papilloma or Papilloma</b>							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/148 (0%)	Mean 0% SD 0%
.....							
<b>#Skin:</b>							
<b>Squamous Cell Papilloma, Papilloma, Squamous Cell Carcinoma or Keratoacanthoma</b>							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/148 (0%)	Mean 0% SD 0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: CORN OIL**

Page: 36  
 Report Date: 11/17/2008

		Male				Female			
<b>#Skin:</b>									
<b>Squamous Cell Papilloma, Papilloma, or Keratoacanthoma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/148	(0%)	Mean 0%
									SD 0%
.....									
<b>#Skin:</b>									
<b>Trichoepithelioma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/148	(0%)	Mean 0%
									SD 0%
.....									
<b>#Skin: Sebaceous Gland:</b>									
<b>Adenoma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/148	(0%)	Mean 0%
									SD 0%
.....									
<b>#Skin: Sebaceous Gland:</b>									
<b>Carcinoma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/148	(0%)	Mean 0%
									SD 0%
.....									
<b>#Skin: Sebaceous Gland:</b>									
<b>Carcinoma or Adenoma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/148	(0%)	Mean 0%
									SD 0%
.....									
<b>#Spinal Cord:</b>									
<b>Meningioma Malignant</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/148	(0%)	Mean 0%
									SD 0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: CORN OIL**

Page: 37  
 Report Date: 11/17/2008

		Male			Female			
<b>*Spleen:</b>								
<b>Fibrous Histiocytoma</b>								
		0/50 (0%)	0/49 (0%)	0/50 (0%)	0/48 (0%)	0/49 (0%)	0/49 (0%)	
<b>Overall Incidence</b>	Total	0/149 (0%)	Mean 0%	SD 0%	Total	0/146 (0%)	Mean 0%	SD 0%
.....								
<b>*Spleen:</b>								
<b>Hemangioma</b>								
		0/50 (0%)	0/49 (0%)	0/50 (0%)	0/48 (0%)	0/49 (0%)	0/49 (0%)	
<b>Overall Incidence</b>	Total	0/149 (0%)	Mean 0%	SD 0%	Total	0/146 (0%)	Mean 0%	SD 0%
.....								
<b>*Spleen:</b>								
<b>Hemangiosarcoma</b>								
		0/50 (0%)	1/49 (2%)	2/50 (4%)	1/48 (2%)	0/49 (0%)	1/49 (2%)	
<b>Overall Incidence</b>	Total	3/149 (2.01%)	Mean 2.01%	SD 2%	Total	2/146 (1.37%)	Mean 1.37%	SD 1.19%
.....								
<b>#Stomach, Forestomach:</b>								
<b>Mast Cell Tumor Malignant</b>								
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)	
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/148 (0%)	Mean 0%	SD 0%
.....								
<b>#Stomach, Forestomach:</b>								
<b>Squamous Cell Carcinoma</b>								
		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/49 (0%)	0/50 (0%)	0/49 (0%)	
<b>Overall Incidence</b>	Total	1/150 (0.67%)	Mean 0.67%	SD 1.15%	Total	0/148 (0%)	Mean 0%	SD 0%
.....								
<b>#Stomach, Forestomach:</b>								
<b>Squamous Cell Carcinoma or Papilloma Squamous</b>								
		0/50 (0%)	0/50 (0%)	1/50 (2%)	1/49 (2%)	1/50 (2%)	2/49 (4%)	
<b>Overall Incidence</b>	Total	1/150 (0.67%)	Mean 0.67%	SD 1.15%	Total	4/148 (2.7%)	Mean 2.71%	SD 1.19%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: CORN OIL**

Page: 38  
 Report Date: 11/17/2008

		Male			Female		
<b>#Stomach, Forestomach:</b>							
<b>Squamous Cell Papilloma</b>							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	1/49 (2%)	1/50 (2%)	2/49 (4%)
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total 4/148 (2.7%)	Mean 2.71%	SD 1.19%
.....							
<b>#Stomach, Glandular:</b>							
<b>Adenoma</b>							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	1/49 (2%)	0/50 (0%)	0/49 (0%)
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total 1/148 (0.68%)	Mean 0.68%	SD 1.18%
.....							
<b>#Stomach, Glandular:</b>							
<b>Carcinoma</b>							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total 0/148 (0%)	Mean 0%	SD 0%
.....							
<b>#Stomach, Glandular:</b>							
<b>Carcinoma or Adenoma</b>							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	1/49 (2%)	0/50 (0%)	0/49 (0%)
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total 1/148 (0.68%)	Mean 0.68%	SD 1.18%
.....							
<b>*Testes:</b>							
<b>Adenoma</b>							
		2/50 (4%)	0/50 (0%)	0/50 (0%)			
<b>Overall Incidence</b>	Total	2/150 (1.33%)	Mean 1.33%	SD 2.31%			
.....							
<b>*Testes:</b>							
<b>Hemangiosarcoma</b>							
		0/50 (0%)	0/50 (0%)	0/50 (0%)			
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%			

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: CORN OIL**

Page: 39  
 Report Date: 11/17/2008

		Male			Female			
<b>*Thymus:</b>								
<b>Thymoma Malignant</b>								
		0/48 (0%)	0/47 (0%)	0/49 (0%)	0/47 (0%)	0/49 (0%)	0/48 (0%)	
<b>Overall Incidence</b>	Total	0/144 (0%)	Mean 0%	SD 0%	Total	0/144 (0%)	Mean 0%	SD 0%
.....								
<b>*Thymus:</b>								
<b>Thymoma: Benign, Malignant, NOS</b>								
		0/48 (0%)	0/47 (0%)	0/49 (0%)	0/47 (0%)	0/49 (0%)	0/48 (0%)	
<b>Overall Incidence</b>	Total	0/144 (0%)	Mean 0%	SD 0%	Total	0/144 (0%)	Mean 0%	SD 0%
.....								
<b>*Thyroid Gland:</b>								
<b>Adenoma</b>								
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/48 (0%)	0/50 (0%)	0/49 (0%)	
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/147 (0%)	Mean 0%	SD 0%
.....								
<b>*Thyroid Gland: C-Cell:</b>								
<b>Carcinoma</b>								
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/48 (0%)	0/50 (0%)	0/49 (0%)	
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/147 (0%)	Mean 0%	SD 0%
.....								
<b>*Thyroid Gland: C-Cell:</b>								
<b>Carcinoma or Adenoma</b>								
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/48 (0%)	0/50 (0%)	0/49 (0%)	
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/147 (0%)	Mean 0%	SD 0%
.....								
<b>*Thyroid Gland: Follicular Cell:</b>								
<b>Adenoma</b>								
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/48 (0%)	1/50 (2%)	1/49 (2%)	
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total	2/147 (1.36%)	Mean 1.35%	SD 1.17%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: CORN OIL**

Page: 40  
 Report Date: 11/17/2008

		Male				Female			
<b>*Thyroid Gland: Follicular Cell: Carcinoma</b>									
Overall Incidence	Total	1/50 (2%)	1/50 (2%)	0/50 (0%)	0/48 (0%)	0/50 (0%)	1/49 (2%)		
		2/150 (1.33%)	Mean 1.33%	SD 1.15%	1/147 (0.68%)	Mean 0.68%	SD 1.18%		
.....									
<b>*Thyroid Gland: Follicular Cell: Carcinoma or Adenoma</b>									
Overall Incidence	Total	1/50 (2%)	1/50 (2%)	0/50 (0%)	0/48 (0%)	1/50 (2%)	2/49 (4%)		
		2/150 (1.33%)	Mean 1.33%	SD 1.15%	3/147 (2.04%)	Mean 2.03%	SD 2.04%		
.....									
<b>#Tissue NOS: Carcinoma</b>									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)		
		0/150 (0%)	Mean 0%	SD 0%	0/148 (0%)	Mean 0%	SD 0%		
.....									
<b>#Tissue NOS: Hemangiosarcoma</b>									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)		
		0/150 (0%)	Mean 0%	SD 0%	0/148 (0%)	Mean 0%	SD 0%		
.....									
<b>#Tissue NOS: Schwannoma Malignant</b>									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)		
		0/150 (0%)	Mean 0%	SD 0%	0/148 (0%)	Mean 0%	SD 0%		
.....									
<b>#Tongue: Squamous Cell Carcinoma</b>									
Overall Incidence	Total	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)		
		1/150 (0.67%)	Mean 0.67%	SD 1.15%	0/148 (0%)	Mean 0%	SD 0%		

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: CORN OIL**

Page: 41  
 Report Date: 11/17/2008

		Male				Female								
<b>#Tongue:</b>														
<b>Squamous Cell Carcinoma or Papilloma Squamous</b>														
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/49	(0%)	
<b>Overall Incidence</b>	Total	1/150	(0.67%)	Mean	0.67%	SD	1.15%	Total	0/148	(0%)	Mean	0%	SD	0%
.....														
<b>#Tongue:</b>														
<b>Squamous Cell Papilloma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/49	(0%)	
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/148	(0%)	Mean	0%	SD	0%
.....														
<b>#Tooth:</b>														
<b>Odontoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/49	(0%)	
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/148	(0%)	Mean	0%	SD	0%
.....														
<b>*Urinary Bladder:</b>														
<b>Hemangioma</b>														
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/47	(0%)	0/50	(0%)	0/49	(0%)	
<b>Overall Incidence</b>	Total	0/149	(0%)	Mean	0%	SD	0%	Total	0/146	(0%)	Mean	0%	SD	0%
.....														
<b>*Urinary Bladder:</b>														
<b>Hemangiosarcoma</b>														
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/47	(0%)	0/50	(0%)	0/49	(0%)	
<b>Overall Incidence</b>	Total	0/149	(0%)	Mean	0%	SD	0%	Total	0/146	(0%)	Mean	0%	SD	0%
.....														
<b>*Urinary Bladder:</b>														
<b>Sarcoma</b>														
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/47	(0%)	0/50	(0%)	0/49	(0%)	
<b>Overall Incidence</b>	Total	0/149	(0%)	Mean	0%	SD	0%	Total	0/146	(0%)	Mean	0%	SD	0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: CORN OIL**

Page: 42  
 Report Date: 11/17/2008

	Male		Female	
<b>#Uterus:</b>				
<b>Adenoma</b>				
Overall Incidence	Total	0/49 (0%) 0/148 (0%)	0/50 (0%) Mean 0%	0/49 (0%) SD 0%
.....				
<b>#Uterus:</b>				
<b>Carcinoma</b>				
Overall Incidence	Total	0/49 (0%) 0/148 (0%)	0/50 (0%) Mean 0%	0/49 (0%) SD 0%
.....				
<b>#Uterus:</b>				
<b>Hemangioma</b>				
Overall Incidence	Total	0/49 (0%) 0/148 (0%)	0/50 (0%) Mean 0%	0/49 (0%) SD 0%
.....				
<b>#Uterus:</b>				
<b>Hemangiosarcoma</b>				
Overall Incidence	Total	0/49 (0%) 0/148 (0%)	0/50 (0%) Mean 0%	0/49 (0%) SD 0%
.....				
<b>#Uterus:</b>				
<b>Leiomyoma</b>				
Overall Incidence	Total	0/49 (0%) 0/148 (0%)	0/50 (0%) Mean 0%	0/49 (0%) SD 0%
.....				
<b>#Uterus:</b>				
<b>Leiomyosarcoma</b>				
Overall Incidence	Total	0/49 (0%) 0/148 (0%)	0/50 (0%) Mean 0%	0/49 (0%) SD 0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: CORN OIL**

Page: 43  
 Report Date: 11/17/2008

	Male			Female
<b>#Uterus:</b>				
<b>Polyp Stromal</b>				
		0/49	(0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/148	(0%)	Mean 0% SD 0%
.....				
<b>#Uterus:</b>				
<b>Sarcoma Stromal</b>				
		1/49	(2%)	0/50 (0%)
<b>Overall Incidence</b>	Total	1/148	(0.68%)	Mean 0.68% SD 1.18%
.....				
<b>#Uterus:</b>				
<b>Sarcoma Stromal or Polyp Stromal</b>				
		1/49	(2%)	0/50 (0%)
<b>Overall Incidence</b>	Total	1/148	(0.68%)	Mean 0.68% SD 1.18%
.....				
<b>#Uterus:</b>				
<b>Schwannoma Malignant</b>				
		0/49	(0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/148	(0%)	Mean 0% SD 0%
.....				
<b>#Vagina:</b>				
<b>Squamous Cell Carcinoma</b>				
		0/49	(0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/148	(0%)	Mean 0% SD 0%
.....				
<b>#Vagina:</b>				
<b>Squamous Cell Papilloma</b>				
		0/49	(0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/148	(0%)	Mean 0% SD 0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: CORN OIL**

Page: 44  
 Report Date: 11/17/2008

		Male			Female		
<b>#Zymbal's Gland:</b>							
<b>Carcinoma</b>							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	0/148 (0%)	Mean 0%	SD 0%
.....							
<b>#Zymbal's Gland:</b>							
<b>Carcinoma or Adenoma</b>							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	0/148 (0%)	Mean 0%	SD 0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
Contract/Lab: All Laboratories  
Species: MICE  
Strain: B6C3F1  
Length of Study: CHRONIC

Toxicology Data Management System  
Tumor Incidence for Selected Control Animal Groups  
Route: GAVAGE  
Vehicle: METHYLCELLULOSE

Page: 45  
Report Date: 11/17/2008

Study Summary

Laboratory Name	Study Number	Study Start Date	Length of Study in Days	Number of Animals Total and (#/Cage)	Number Surviving and (Mean Life Span)	Maximum Mean Weekly Body Weight	Chemical
<b>Male</b>							
Southern Research Institute	059902408	12/16/02	729	50 (1)	36(687)	53.8	Androstenedione
Southern Research Institute	059100508	07/10/00	729	50 (1)	35(693)	53.6	Methylene blue trihydrate
<b>Female</b>							
Southern Research Institute	059902408	12/16/02	733	50 (5)	35(690)	65.3	Androstenedione
Southern Research Institute	059100508	07/10/00	732	50 (5)	29(695)	63.5	Methylene blue trihydrate

NOTE: The text on page 2 ("Report Description") describes how the studies listed here are displayed on the data pages that follow.

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: METHYLCELLULOSE**

Page: 46  
 Report Date: 11/17/2008

		Male				Female			
<b>#All Organs: Benign Tumors</b>									
Overall Incidence	Total	38/50 (76%)	37/50 (74%)	Mean 75%	SD 1.41%	27/50 (54%)	25/50 (50%)	Mean 52%	SD 2.83%
		75/100 (75%)				52/100 (52%)			
.....									
<b>#All Organs: Malignant Tumors</b>									
Overall Incidence	Total	37/50 (74%)	26/50 (52%)	Mean 63%	SD 15.56%	27/50 (54%)	26/50 (52%)	Mean 53%	SD 1.41%
		63/100 (63%)				53/100 (53%)			
.....									
<b>#All Organs: Malignant and Benign Tumors</b>									
Overall Incidence	Total	47/50 (94%)	46/50 (92%)	Mean 93%	SD 1.41%	40/50 (80%)	39/50 (78%)	Mean 79%	SD 1.41%
		93/100 (93%)				79/100 (79%)			
.....									
<b>#All Organs: Hemangioma</b>									
Overall Incidence	Total	1/50 (2%)	0/50 (0%)	Mean 1%	SD 1.41%	1/50 (2%)	1/50 (2%)	Mean 2%	SD 0%
		1/100 (1%)				2/100 (2%)			
.....									
<b>#All Organs: Hemangiosarcoma</b>									
Overall Incidence	Total	5/50 (10%)	6/50 (12%)	Mean 11%	SD 1.41%	1/50 (2%)	3/50 (6%)	Mean 4%	SD 2.83%
		11/100 (11%)				4/100 (4%)			
.....									
<b>#All Organs: Hemangiosarcoma or Hemangioma</b>									
Overall Incidence	Total	5/50 (10%)	6/50 (12%)	Mean 11%	SD 1.41%	2/50 (4%)	4/50 (8%)	Mean 6%	SD 2.83%
		11/100 (11%)				6/100 (6%)			

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: METHYLCELLULOSE**

Page: 47  
 Report Date: 11/17/2008

	Male					Female				
<b>#All Organs:</b>										
<b>Histiocytic Sarcoma</b>										
		0/50	(0%)	0/50	(0%)		2/50	(4%)	2/50	(4%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	4/100	(4%)	Mean 4%	SD 0%
.....										
<b>#All Organs:</b>										
<b>Malignant Lymphoma: Histiocytic, Lymphocytic, Mixed, NOS, or Undifferentiated Cell Type</b>										
		4/50	(8%)	2/50	(4%)		14/50	(28%)	6/50	(12%)
<b>Overall Incidence</b>	Total	6/100	(6%)	Mean 6%	SD 2.83%	Total	20/100	(20%)	Mean 20%	SD 11.31%
.....										
<b>#All Organs:</b>										
<b>Mesothelioma: Benign, Malignant, NOS</b>										
		0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%	SD 0%
.....										
<b>#All Organs:</b>										
<b>Mesothelioma: Malignant</b>										
		0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%	SD 0%
.....										
<b>#All Organs:</b>										
<b>Osteoma</b>										
		0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%	SD 0%
.....										
<b>#All Organs:</b>										
<b>Osteosarcoma</b>										
		0/50	(0%)	0/50	(0%)		1/50	(2%)	1/50	(2%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	2/100	(2%)	Mean 2%	SD 0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: METHYLCELLULOSE**

Page: 48  
 Report Date: 11/17/2008

	Male					Female				
<b>#All Organs:</b>										
<b>Osteosarcoma or Osteoma</b>										
<b>Overall Incidence</b>	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	1/50 (2%)	1/50 (2%)	Mean 2%	SD 0%
		0/100 (0%)					2/100 (2%)			
.....										
<b>*Adrenal Cortex:</b>										
<b>Adenoma</b>										
<b>Overall Incidence</b>	Total	1/50 (2%)	5/48 (10%)	Mean 6.21%	SD 5.95%	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%
		6/98 (6.12%)					0/100 (0%)			
.....										
<b>*Adrenal Cortex:</b>										
<b>Sarcoma</b>										
<b>Overall Incidence</b>	Total	0/50 (0%)	0/48 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%
		0/98 (0%)					0/100 (0%)			
.....										
<b>*Adrenal Medulla:</b>										
<b>Pheochromocytoma Benign</b>										
<b>Overall Incidence</b>	Total	0/49 (0%)	0/48 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	1/50 (2%)	Mean 1%	SD 1.41%
		0/97 (0%)					1/100 (1%)			
.....										
<b>*Adrenal Medulla:</b>										
<b>Pheochromocytoma Complex</b>										
<b>Overall Incidence</b>	Total	0/49 (0%)	0/48 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%
		0/97 (0%)					0/100 (0%)			
.....										
<b>*Adrenal Medulla:</b>										
<b>Pheochromocytoma Malignant</b>										
<b>Overall Incidence</b>	Total	0/49 (0%)	0/48 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%
		0/97 (0%)					0/100 (0%)			

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: METHYLCELLULOSE**

Page: 49  
 Report Date: 11/17/2008

	Male				Female			
<b>*Adrenal Medulla:</b>								
<b>Pheochromocytoma: Benign, Complex, Malignant, NOS</b>								
		0/49 (0%)	0/48 (0%)		0/50 (0%)	1/50 (2%)		
<b>Overall Incidence</b>	Total	0/97 (0%)	Mean 0%	SD 0%	Total	1/100 (1%)	Mean 1%	SD 1.41%
.....								
<b>*Bone Marrow:</b>								
<b>Hemangiosarcoma</b>								
		0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)		
<b>Overall Incidence</b>	Total	1/100 (1%)	Mean 1%	SD 1.41%	Total	0/100 (0%)	Mean 0%	SD 0%
.....								
<b>*Bone Marrow:</b>								
<b>Mast Cell Tumor Malignant</b>								
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)		
<b>Overall Incidence</b>	Total	0/100 (0%)	Mean 0%	SD 0%	Total	0/100 (0%)	Mean 0%	SD 0%
.....								
<b>#Bone:</b>								
<b>Hemangiosarcoma</b>								
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)		
<b>Overall Incidence</b>	Total	0/100 (0%)	Mean 0%	SD 0%	Total	0/100 (0%)	Mean 0%	SD 0%
.....								
<b>#Bone:</b>								
<b>Osteoma</b>								
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)		
<b>Overall Incidence</b>	Total	0/100 (0%)	Mean 0%	SD 0%	Total	0/100 (0%)	Mean 0%	SD 0%
.....								
<b>#Bone:</b>								
<b>Osteosarcoma</b>								
		0/50 (0%)	0/50 (0%)		1/50 (2%)	1/50 (2%)		
<b>Overall Incidence</b>	Total	0/100 (0%)	Mean 0%	SD 0%	Total	2/100 (2%)	Mean 2%	SD 0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: METHYLCELLULOSE**

Page: 50  
 Report Date: 11/17/2008

		Male				Female								
<b>#Bone:</b>														
<b>Osteosarcoma or Osteoma</b>														
		0/50	(0%)	0/50	(0%)			1/50	(2%)	1/50	(2%)			
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean	0%	SD	0%	Total	2/100	(2%)	Mean	2%	SD	0%
.....														
<b>#Bone:</b>														
<b>Sarcoma</b>														
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean	0%	SD	0%	Total	0/100	(0%)	Mean	0%	SD	0%
.....														
<b>*Brain:</b>														
<b>Meningioma Benign</b>														
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean	0%	SD	0%	Total	0/100	(0%)	Mean	0%	SD	0%
.....														
<b>*Brain:</b>														
<b>Meningioma: Benign, Malignant, NOS</b>														
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean	0%	SD	0%	Total	0/100	(0%)	Mean	0%	SD	0%
.....														
<b>*Brain:</b>														
<b>Schwannoma Malignant</b>														
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean	0%	SD	0%	Total	0/100	(0%)	Mean	0%	SD	0%
.....														
<b>*Clitoral/Preputial Gland:</b>														
<b>Adenoma</b>														
		0/50	(0%)	0/50	(0%)			0/47	(0%)	0/48	(0%)			
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean	0%	SD	0%	Total	0/95	(0%)	Mean	0%	SD	0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: METHYLCELLULOSE**

Page: 51  
 Report Date: 11/17/2008

		Male				Female				
<b>*Clitoral/Preputial Gland: Carcinoma</b>										
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/47 (0%)	0/48 (0%)	Mean 0%	SD 0%
		0/100 (0%)					0/95 (0%)			
.....										
<b>*Clitoral/Preputial Gland: Carcinoma or Adenoma</b>										
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/47 (0%)	0/48 (0%)	Mean 0%	SD 0%
		0/100 (0%)					0/95 (0%)			
.....										
<b>*Clitoral/Preputial Gland: Hemangioma</b>										
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/47 (0%)	0/48 (0%)	Mean 0%	SD 0%
		0/100 (0%)					0/95 (0%)			
.....										
<b>*Clitoral/Preputial Gland: Hemangiosarcoma</b>										
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/47 (0%)	0/48 (0%)	Mean 0%	SD 0%
		0/100 (0%)					0/95 (0%)			
.....										
<b>*Clitoral/Preputial Gland: Squamous Cell Carcinoma</b>										
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/47 (0%)	0/48 (0%)	Mean 0%	SD 0%
		0/100 (0%)					0/95 (0%)			
.....										
<b>*Epididymis: Sarcoma</b>										
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%					
		0/100 (0%)								

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: METHYLCELLULOSE**

Page: 52  
 Report Date: 11/17/2008

	Male					Female				
<b>#Esophagus:</b>										
<b>Squamous Cell Carcinoma</b>										
<b>Overall Incidence</b>	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%
		0/100 (0%)					0/100 (0%)			
.....										
<b>#Eye:</b>										
<b>Sarcoma</b>										
<b>Overall Incidence</b>	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%
		0/100 (0%)					0/100 (0%)			
.....										
<b>*Gallbladder:</b>										
<b>Adenoma</b>										
<b>Overall Incidence</b>	Total	0/45 (0%)	0/40 (0%)	Mean 0%	SD 0%	Total	0/44 (0%)	0/42 (0%)	Mean 0%	SD 0%
		0/85 (0%)					0/86 (0%)			
.....										
<b>#Harderian Gland:</b>										
<b>Adenoma</b>										
<b>Overall Incidence</b>	Total	7/50 (14%)	8/50 (16%)	Mean 15%	SD 1.41%	Total	9/50 (18%)	4/50 (8%)	Mean 13%	SD 7.07%
		15/100 (15%)					13/100 (13%)			
.....										
<b>#Harderian Gland:</b>										
<b>Carcinoma</b>										
<b>Overall Incidence</b>	Total	2/50 (4%)	3/50 (6%)	Mean 5%	SD 1.41%	Total	1/50 (2%)	0/50 (0%)	Mean 1%	SD 1.41%
		5/100 (5%)					1/100 (1%)			
.....										
<b>#Harderian Gland:</b>										
<b>Carcinoma or Adenoma</b>										
<b>Overall Incidence</b>	Total	9/50 (18%)	11/50 (22%)	Mean 20%	SD 2.83%	Total	10/50 (20%)	4/50 (8%)	Mean 14%	SD 8.49%
		20/100 (20%)					14/100 (14%)			

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: METHYLCELLULOSE**

Page: 53  
 Report Date: 11/17/2008

	Male					Female						
<b>#Harderian Gland: Sarcoma</b>												
Overall Incidence	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%
.....												
<b>*Heart: Hemangioma</b>												
Overall Incidence	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%
.....												
<b>*Heart: Hemangiosarcoma</b>												
Overall Incidence	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%
.....												
<b>*Heart: Sarcoma</b>												
Overall Incidence	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%
.....												
<b>#Intestine Large: Cecum: Carcinoma</b>												
Overall Incidence	Total	0/50 1/100	(0%) (1%)	1/50 Mean 1%	(2%) 1%	SD 1.41%	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%
.....												
<b>#Intestine Large: Cecum: Carcinoma or Adenoma</b>												
Overall Incidence	Total	0/50 1/100	(0%) (1%)	1/50 Mean 1%	(2%) 1%	SD 1.41%	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: METHYLCELLULOSE**

Page: 54  
 Report Date: 11/17/2008

		Male				Female						
<b>#Intestine Large: Cecum: Leiomyoma</b>												
<b>Overall Incidence</b>	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%
.....												
<b>#Intestine Large: Cecum: Polyp Adenomatous</b>												
<b>Overall Incidence</b>	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%
.....												
<b>#Intestine Large: Colon/Rectum: Leiomyosarcoma</b>												
<b>Overall Incidence</b>	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%
.....												
<b>#Intestine Small: Duodenum: Adenoma</b>												
<b>Overall Incidence</b>	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%
.....												
<b>#Intestine Small: Duodenum: Carcinoma</b>												
<b>Overall Incidence</b>	Total	1/50 1/100	(2%) (1%)	0/50 Mean 1%	(0%) 1%	SD 1.41%	Total	0/50 1/100	(0%) (1%)	1/50 Mean 1%	(2%) 1%	SD 1.41%
.....												
<b>#Intestine Small: Duodenum: Leiomyosarcoma</b>												
<b>Overall Incidence</b>	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: METHYLCELLULOSE**

Page: 55  
 Report Date: 11/17/2008

		Male				Female						
<b>#Intestine Small: Duodenum: Polyp Adenomatous</b>												
<b>Overall Incidence</b>	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%
.....												
<b>#Intestine Small: Ileum: Carcinoma</b>												
<b>Overall Incidence</b>	Total	1/50 1/100	(2%) (1%)	0/50 Mean 1%	(0%) 1%	SD 1.41%	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%
.....												
<b>#Intestine Small: Ileum: Hemangiosarcoma</b>												
<b>Overall Incidence</b>	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%
.....												
<b>#Intestine Small: Ileum: Polyp Adenomatous</b>												
<b>Overall Incidence</b>	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%
.....												
<b>#Intestine Small: Jejunum: Adenoma</b>												
<b>Overall Incidence</b>	Total	0/50 1/100	(0%) (1%)	1/50 Mean 1%	(2%) 1%	SD 1.41%	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%
.....												
<b>#Intestine Small: Jejunum: Carcinoma</b>												
<b>Overall Incidence</b>	Total	1/50 1/100	(2%) (1%)	0/50 Mean 1%	(0%) 1%	SD 1.41%	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: METHYLCELLULOSE**

Page: 56  
 Report Date: 11/17/2008

		Male				Female						
<b>#Intestine Small: Jejunum: Hemangiosarcoma</b>												
Overall Incidence	Total	0/50 (0%)	0/100 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/100 (0%)	0/50 (0%)	Mean 0%	SD 0%
.....												
<b>#Intestine Small: Jejunum: Leiomyosarcoma</b>												
Overall Incidence	Total	0/50 (0%)	0/100 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/100 (0%)	0/50 (0%)	Mean 0%	SD 0%
.....												
<b>#Intestine Small: Jejunum: Polyp Adenomatous</b>												
Overall Incidence	Total	0/50 (0%)	0/100 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/100 (0%)	0/50 (0%)	Mean 0%	SD 0%
.....												
<b>#Intestine Small: Site Unspecified: Adenoma</b>												
Overall Incidence	Total	0/50 (0%)	1/100 (1%)	1/50 (2%)	Mean 1%	SD 1.41%	Total	0/50 (0%)	0/100 (0%)	0/50 (0%)	Mean 0%	SD 0%
.....												
<b>#Intestine Small: Site Unspecified: Carcinoma</b>												
Overall Incidence	Total	3/50 (6%)	3/100 (3%)	0/50 (0%)	Mean 3%	SD 4.24%	Total	0/50 (0%)	1/100 (1%)	1/50 (2%)	Mean 1%	SD 1.41%
.....												
<b>#Intestine Small: Site Unspecified: Carcinoma or Adenoma</b>												
Overall Incidence	Total	3/50 (6%)	4/100 (4%)	1/50 (2%)	Mean 4%	SD 2.83%	Total	0/50 (0%)	1/100 (1%)	1/50 (2%)	Mean 1%	SD 1.41%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: METHYLCELLULOSE**

Page: 57  
 Report Date: 11/17/2008

		Male				Female						
<b>#Intestine Small: Site Unspecified: Hemangiosarcoma</b>												
Overall Incidence	Total	0/50 (0%)	0/100 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/100 (0%)	0/50 (0%)	Mean 0%	SD 0%
.....												
<b>#Intestine Small: Site Unspecified: Leiomyosarcoma</b>												
Overall Incidence	Total	0/50 (0%)	0/100 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/100 (0%)	0/50 (0%)	Mean 0%	SD 0%
.....												
<b>#Intestine Small: Site Unspecified: Polyp Adenomatous</b>												
Overall Incidence	Total	0/50 (0%)	0/100 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/100 (0%)	0/50 (0%)	Mean 0%	SD 0%
.....												
<b>*Islets, Pancreatic: Adenoma</b>												
Overall Incidence	Total	2/50 (4%)	2/100 (2%)	0/50 (0%)	Mean 2%	SD 2.83%	Total	0/49 (0%)	1/95 (1.05%)	1/46 (2%)	Mean 1.09%	SD 1.54%
.....												
<b>*Islets, Pancreatic: Carcinoma</b>												
Overall Incidence	Total	0/50 (0%)	0/100 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/49 (0%)	0/95 (0%)	0/46 (0%)	Mean 0%	SD 0%
.....												
<b>*Islets, Pancreatic: Carcinoma or Adenoma</b>												
Overall Incidence	Total	2/50 (4%)	2/100 (2%)	0/50 (0%)	Mean 2%	SD 2.83%	Total	0/49 (0%)	1/95 (1.05%)	1/46 (2%)	Mean 1.09%	SD 1.54%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: METHYLCELLULOSE**

Page: 58  
 Report Date: 11/17/2008

		Male				Female				
<b>*Kidney: Renal Tubule: Adenoma</b>										
Overall Incidence	Total	0/50 (0%)	0/49 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/48 (0%)	Mean 0%	SD 0%
		0/99 (0%)					0/98 (0%)			
<b>*Kidney: Renal Tubule: Carcinoma</b>										
Overall Incidence	Total	0/50 (0%)	1/49 (2%)	Mean 1.02%	SD 1.44%	Total	0/50 (0%)	0/48 (0%)	Mean 0%	SD 0%
		1/99 (1.01%)					0/98 (0%)			
<b>*Kidney: Renal Tubule: Carcinoma or Adenoma</b>										
Overall Incidence	Total	0/50 (0%)	1/49 (2%)	Mean 1.02%	SD 1.44%	Total	0/50 (0%)	0/48 (0%)	Mean 0%	SD 0%
		1/99 (1.01%)					0/98 (0%)			
<b>*Liver: Cholangiocarcinoma</b>										
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%
		0/100 (0%)					0/100 (0%)			
<b>*Liver: Fibrous Histiocytoma</b>										
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%
		0/100 (0%)					0/100 (0%)			
<b>*Liver: Hemangioma</b>										
Overall Incidence	Total	1/50 (2%)	0/50 (0%)	Mean 1%	SD 1.41%	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%
		1/100 (1%)					0/100 (0%)			

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: METHYLCELLULOSE**

Page: 59  
 Report Date: 11/17/2008

		Male				Female			
<b>*Liver:</b>									
<b>Hemangiosarcoma</b>									
		3/50	(6%)	2/50	(4%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	5/100	(5%)	Mean 5%	SD 1.41%	Total	0/100	(0%)	Mean 0%
.....									
<b>*Liver:</b>									
<b>Hepatoblastoma</b>									
		3/50	(6%)	2/50	(4%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	5/100	(5%)	Mean 5%	SD 1.41%	Total	0/100	(0%)	Mean 0%
.....									
<b>*Liver:</b>									
<b>Hepatocellular Adenoma</b>									
		32/50	(64%)	28/50	(56%)	14/50	(28%)	15/50	(30%)
<b>Overall Incidence</b>	Total	60/100	(60%)	Mean 60%	SD 5.66%	Total	29/100	(29%)	Mean 29%
.....									
<b>*Liver:</b>									
<b>Hepatocellular Carcinoma</b>									
		26/50	(52%)	13/50	(26%)	5/50	(10%)	5/50	(10%)
<b>Overall Incidence</b>	Total	39/100	(39%)	Mean 39%	SD 18.38%	Total	10/100	(10%)	Mean 10%
.....									
<b>*Liver:</b>									
<b>Hepatocellular Carcinoma or Hepatoblastoma</b>									
		27/50	(54%)	15/50	(30%)	5/50	(10%)	5/50	(10%)
<b>Overall Incidence</b>	Total	42/100	(42%)	Mean 42%	SD 16.97%	Total	10/100	(10%)	Mean 10%
.....									
<b>*Liver:</b>									
<b>Hepatocellular Carcinoma or Hepatocellular Adenoma</b>									
		41/50	(82%)	37/50	(74%)	17/50	(34%)	19/50	(38%)
<b>Overall Incidence</b>	Total	78/100	(78%)	Mean 78%	SD 5.66%	Total	36/100	(36%)	Mean 36%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: METHYLCELLULOSE**

Page: 60  
 Report Date: 11/17/2008

		Male				Female			
<b>*Liver:</b>									
<b>Hepatocellular Carcinoma, Hepatocellular Adenoma, or Hepatoblastoma</b>									
		41/50 (82%)	38/50 (76%)		17/50 (34%)	19/50 (38%)			
<b>Overall Incidence</b>	Total	79/100 (79%)	Mean 79%	SD 4.24%	Total	36/100 (36%)	Mean 36%	SD 2.83%	
.....									
<b>*Liver:</b>									
<b>Hepatocholangiocarcinoma</b>									
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)			
<b>Overall Incidence</b>	Total	0/100 (0%)	Mean 0%	SD 0%	Total	0/100 (0%)	Mean 0%	SD 0%	
.....									
<b>*Liver:</b>									
<b>Ito Cell Tumor Benign</b>									
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)			
<b>Overall Incidence</b>	Total	0/100 (0%)	Mean 0%	SD 0%	Total	0/100 (0%)	Mean 0%	SD 0%	
.....									
<b>*Liver:</b>									
<b>Ito Cell Tumor Malignant</b>									
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)			
<b>Overall Incidence</b>	Total	0/100 (0%)	Mean 0%	SD 0%	Total	0/100 (0%)	Mean 0%	SD 0%	
.....									
<b>*Liver:</b>									
<b>Sarcoma</b>									
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)			
<b>Overall Incidence</b>	Total	0/100 (0%)	Mean 0%	SD 0%	Total	0/100 (0%)	Mean 0%	SD 0%	
.....									
<b>*Lung:</b>									
<b>Adenoma</b>									
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)			
<b>Overall Incidence</b>	Total	0/100 (0%)	Mean 0%	SD 0%	Total	0/100 (0%)	Mean 0%	SD 0%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: METHYLCELLULOSE**

Page: 61  
 Report Date: 11/17/2008

		Male				Female			
<b>*Lung:</b>									
<b>Alveolar/Bronchiolar Adenoma</b>									
		7/50	(14%)	11/50	(22%)	0/50	(0%)	1/50	(2%)
<b>Overall Incidence</b>	Total	18/100	(18%)	Mean 18%	SD 5.66%	Total	1/100	(1%)	Mean 1%
									SD 1.41%
.....									
<b>*Lung:</b>									
<b>Alveolar/Bronchiolar Carcinoma</b>									
		11/50	(22%)	1/50	(2%)	4/50	(8%)	5/50	(10%)
<b>Overall Incidence</b>	Total	12/100	(12%)	Mean 12%	SD 14.14%	Total	9/100	(9%)	Mean 9%
									SD 1.41%
.....									
<b>*Lung:</b>									
<b>Alveolar/Bronchiolar Carcinoma or Alveolar/Bronchiolar Adenoma</b>									
		16/50	(32%)	12/50	(24%)	4/50	(8%)	6/50	(12%)
<b>Overall Incidence</b>	Total	28/100	(28%)	Mean 28%	SD 5.66%	Total	10/100	(10%)	Mean 10%
									SD 2.83%
.....									
<b>*Lung:</b>									
<b>Fibrosarcoma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%
									SD 0%
.....									
<b>*Lung:</b>									
<b>Fibrous Histiocytoma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%
									SD 0%
.....									
<b>*Lung:</b>									
<b>Hemangiosarcoma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%
									SD 0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: METHYLCELLULOSE**

Page: 62  
 Report Date: 11/17/2008

		Male				Female				
<b>*Lung:</b>										
<b>Sarcoma</b>										
<b>Overall Incidence</b>	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%
		0/100 (0%)					0/100 (0%)			
.....										
<b>#Lymph Node:</b>										
<b>Fibrous Histiocytoma</b>										
<b>Overall Incidence</b>	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%
		0/100 (0%)					0/100 (0%)			
.....										
<b>#Lymph Node:</b>										
<b>Hemangioma</b>										
<b>Overall Incidence</b>	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	1/50 (2%)	0/50 (0%)	Mean 1%	SD 1.41%
		0/100 (0%)					1/100 (1%)			
.....										
<b>#Lymph Node:</b>										
<b>Hemangiosarcoma</b>										
<b>Overall Incidence</b>	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%
		0/100 (0%)					0/100 (0%)			
.....										
<b>#Lymph Node:</b>										
<b>Sarcoma</b>										
<b>Overall Incidence</b>	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%
		0/100 (0%)					0/100 (0%)			
.....										
<b>#Lymph Node, Bronchial:</b>										
<b>Hemangiosarcoma</b>										
<b>Overall Incidence</b>	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%
		0/100 (0%)					0/100 (0%)			

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: METHYLCELLULOSE**

Page: 63  
 Report Date: 11/17/2008

		Male				Female						
<b>#Lymph Node, Mandibular: Fibrous Histiocytoma</b>												
Overall Incidence	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%
.....												
<b>#Lymph Node, Mandibular: Hemangiosarcoma</b>												
Overall Incidence	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%
.....												
<b>#Lymph Node, Mandibular: Mast Cell Tumor Malignant</b>												
Overall Incidence	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%
.....												
<b>#Lymph Node, Mesenteric: Fibrous Histiocytoma</b>												
Overall Incidence	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%
.....												
<b>#Lymph Node, Mesenteric: Hemangioma</b>												
Overall Incidence	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%
.....												
<b>#Lymph Node, Mesenteric: Hemangiosarcoma</b>												
Overall Incidence	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: METHYLCELLULOSE**

Page: 64  
 Report Date: 11/17/2008

		Male				Female						
<b>#Mammary Gland: Adenoacanthoma</b>												
Overall Incidence	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%
.....												
<b>#Mammary Gland: Adenoma</b>												
Overall Incidence	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%
.....												
<b>#Mammary Gland: Carcinoma</b>												
Overall Incidence	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%	Total	1/50 3/100	(2%) (3%)	2/50 Mean 3%	(4%) 3%	SD 1.41%
.....												
<b>#Mammary Gland: Carcinoma or Adenoma</b>												
Overall Incidence	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%	Total	1/50 3/100	(2%) (3%)	2/50 Mean 3%	(4%) 3%	SD 1.41%
.....												
<b>#Mammary Gland: Fibroadenoma</b>												
Overall Incidence	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%
.....												
<b>#Mammary Gland: Fibroma, Fibroadenoma or Adenoma</b>												
Overall Incidence	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: METHYLCELLULOSE**

Page: 65  
 Report Date: 11/17/2008

	Male					Female				
<b>#Mammary Gland:</b>										
<b>Fibroma, Fibroadenoma, Carcinoma, or Adenoma</b>										
		0/50	(0%)	0/50	(0%)		1/50	(2%)	2/50	(4%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	3/100	(3%)	Mean 3%	SD 1.41%
.....										
<b>#Mesentery:</b>										
<b>Fibrosarcoma</b>										
		0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%	SD 0%
.....										
<b>#Mesentery:</b>										
<b>Hemangioma</b>										
		0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%	SD 0%
.....										
<b>#Mesentery:</b>										
<b>Hemangiosarcoma</b>										
		0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%	SD 0%
.....										
<b>#Mesentery:</b>										
<b>Sarcoma</b>										
		0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%	SD 0%
.....										
<b>*Nose:</b>										
<b>Hemangioma</b>										
		0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%	SD 0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: METHYLCELLULOSE**

Page: 66  
 Report Date: 11/17/2008

	Male					Female								
<b>*Nose:</b>														
<b>Mast Cell Tumor Malignant</b>														
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean	0%	SD	0%	Total	0/100	(0%)	Mean	0%	SD	0%
.....														
<b>#Oral Cavity (Oral Mucosa, Tongue, Pharynx, Tooth, Gingiva):</b>														
<b>Papilloma Squamous or Papilloma</b>														
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean	0%	SD	0%	Total	0/100	(0%)	Mean	0%	SD	0%
.....														
<b>#Oral Cavity (Oral Mucosa, Tongue, Pharynx, Tooth, Gingiva):</b>														
<b>Squamous Cell Carcinoma</b>														
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean	0%	SD	0%	Total	0/100	(0%)	Mean	0%	SD	0%
.....														
<b>#Oral Cavity (Oral Mucosa, Tongue, Pharynx, Tooth, Gingiva):</b>														
<b>Squamous Cell Carcinoma, Papilloma Squamous, or Papilloma</b>														
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean	0%	SD	0%	Total	0/100	(0%)	Mean	0%	SD	0%
.....														
<b>#Oral Mucosa:</b>														
<b>Squamous Cell Carcinoma</b>														
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean	0%	SD	0%	Total	0/100	(0%)	Mean	0%	SD	0%
.....														
<b>*Ovary:</b>														
<b>Choriocarcinoma</b>														
								0/49	(0%)	0/47	(0%)			
<b>Overall Incidence</b>								Total	0/96	(0%)	Mean	0%	SD	0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: METHYLCELLULOSE**

Page: 67  
 Report Date: 11/17/2008

	Male		Female	
<b>*Ovary:</b>				
<b>Cystadenoma</b>				
		4/49 (8%)	2/47 (4%)	
<b>Overall Incidence</b>	Total	6/96 (6.25%)	Mean 6.21%	SD 2.76%
.....				
<b>*Ovary:</b>				
<b>Fibrous Histiocytoma</b>				
		0/49 (0%)	0/47 (0%)	
<b>Overall Incidence</b>	Total	0/96 (0%)	Mean 0%	SD 0%
.....				
<b>*Ovary:</b>				
<b>Granulosa Cell Tumor Benign</b>				
		0/49 (0%)	0/47 (0%)	
<b>Overall Incidence</b>	Total	0/96 (0%)	Mean 0%	SD 0%
.....				
<b>*Ovary:</b>				
<b>Granulosa Cell Tumor Malignant</b>				
		0/49 (0%)	0/47 (0%)	
<b>Overall Incidence</b>	Total	0/96 (0%)	Mean 0%	SD 0%
.....				
<b>*Ovary:</b>				
<b>Granulosa Cell Tumor: Benign, Malignant, NOS</b>				
		0/49 (0%)	0/47 (0%)	
<b>Overall Incidence</b>	Total	0/96 (0%)	Mean 0%	SD 0%
.....				
<b>*Ovary:</b>				
<b>Hemangioma</b>				
		0/49 (0%)	0/47 (0%)	
<b>Overall Incidence</b>	Total	0/96 (0%)	Mean 0%	SD 0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: METHYLCELLULOSE**

Page: 68  
 Report Date: 11/17/2008

	Male		Female	
<b>*Ovary: Hemangiosarcoma</b>				
Overall Incidence	Total	0/49 (0%) 1/96 (1.04%)	1/47 (2%) Mean 1.06%	SD 1.5%
.....				
<b>*Ovary: Leiomyosarcoma</b>				
Overall Incidence	Total	0/49 (0%) 0/96 (0%)	0/47 (0%) Mean 0%	SD 0%
.....				
<b>*Ovary: Luteoma</b>				
Overall Incidence	Total	0/49 (0%) 0/96 (0%)	0/47 (0%) Mean 0%	SD 0%
.....				
<b>*Ovary: Teratoma Benign</b>				
Overall Incidence	Total	0/49 (0%) 0/96 (0%)	0/47 (0%) Mean 0%	SD 0%
.....				
<b>*Ovary: Teratoma Malignant</b>				
Overall Incidence	Total	0/49 (0%) 0/96 (0%)	0/47 (0%) Mean 0%	SD 0%
.....				
<b>*Ovary: Tubulostromal Adenoma</b>				
Overall Incidence	Total	0/49 (0%) 0/96 (0%)	0/47 (0%) Mean 0%	SD 0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: METHYLCELLULOSE**

Page: 69  
 Report Date: 11/17/2008

		Male				Female				
<b>*Pancreas: Adenoma</b>										
Overall Incidence	Total	0/50 (0%)	0/48 (0%)	Mean 0%	SD 0%	Total	0/49 (0%)	0/46 (0%)	Mean 0%	SD 0%
		0/98 (0%)					0/95 (0%)			
.....										
<b>*Pancreas: Carcinoma</b>										
Overall Incidence	Total	0/50 (0%)	0/48 (0%)	Mean 0%	SD 0%	Total	0/49 (0%)	0/46 (0%)	Mean 0%	SD 0%
		0/98 (0%)					0/95 (0%)			
.....										
<b>*Pancreas: Carcinoma or Adenoma</b>										
Overall Incidence	Total	0/50 (0%)	0/48 (0%)	Mean 0%	SD 0%	Total	0/49 (0%)	0/46 (0%)	Mean 0%	SD 0%
		0/98 (0%)					0/95 (0%)			
.....										
<b>*Pituitary Gland: Pars Distalis or Unspecified Site: Adenoma</b>										
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	1/49 (2%)	1/46 (2%)	Mean 2.11%	SD 0.09%
		0/100 (0%)					2/95 (2.11%)			
.....										
<b>*Pituitary Gland: Pars Distalis or Unspecified Site: Carcinoma</b>										
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/49 (0%)	0/46 (0%)	Mean 0%	SD 0%
		0/100 (0%)					0/95 (0%)			
.....										
<b>*Pituitary Gland: Pars Distalis or Unspecified Site: Carcinoma or Adenoma</b>										
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	1/49 (2%)	1/46 (2%)	Mean 2.11%	SD 0.09%
		0/100 (0%)					2/95 (2.11%)			

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: METHYLCELLULOSE**

Page: 70  
 Report Date: 11/17/2008

		Male				Female				
<b>*Pituitary Gland: Pars Intermedia: Adenoma</b>										
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/49 (0%)	1/46 (2%)	Mean 1.09%	SD 1.54%
		0/100 (0%)					1/95 (1.05%)			
.....										
<b>*Pituitary Gland: Pars Intermedia: Carcinoma or Adenoma</b>										
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/49 (0%)	1/46 (2%)	Mean 1.09%	SD 1.54%
		0/100 (0%)					1/95 (1.05%)			
.....										
<b>*Prostate: Adenoma</b>										
Overall Incidence	Total	0/50 (0%)	0/49 (0%)	Mean 0%	SD 0%					
		0/99 (0%)								
.....										
<b>*Prostate: Carcinoma or Adenoma</b>										
Overall Incidence	Total	0/50 (0%)	0/49 (0%)	Mean 0%	SD 0%					
		0/99 (0%)								
.....										
<b>*Prostate: Hemangioma</b>										
Overall Incidence	Total	0/50 (0%)	0/49 (0%)	Mean 0%	SD 0%					
		0/99 (0%)								
.....										
<b>*Salivary Glands: Carcinoma</b>										
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/49 (0%)	0/50 (0%)	Mean 0%	SD 0%
		0/100 (0%)					0/99 (0%)			

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: METHYLCELLULOSE**

Page: 71  
 Report Date: 11/17/2008

		Male				Female						
<b>*Salivary Glands: Carcinoma or Adenoma</b>												
Overall Incidence	Total	0/50 (0%)	0/100 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/49 (0%)	0/99 (0%)	0/50 (0%)	Mean 0%	SD 0%
.....												
<b>*Salivary Glands: Mast Cell Tumor Malignant</b>												
Overall Incidence	Total	0/50 (0%)	0/100 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/49 (0%)	0/99 (0%)	0/50 (0%)	Mean 0%	SD 0%
.....												
<b>#Seminal Vesicle: Adenoma</b>												
Overall Incidence	Total	0/50 (0%)	0/100 (0%)	0/50 (0%)	Mean 0%	SD 0%						
.....												
<b>#Skeletal Muscle: Fibrosarcoma</b>												
Overall Incidence	Total	0/50 (0%)	0/100 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	1/50 (2%)	1/100 (1%)	0/50 (0%)	Mean 1%	SD 1.41%
.....												
<b>#Skeletal Muscle: Hemangiosarcoma</b>												
Overall Incidence	Total	0/50 (0%)	0/100 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/100 (0%)	0/50 (0%)	Mean 0%	SD 0%
.....												
<b>#Skeletal Muscle: Myxosarcoma</b>												
Overall Incidence	Total	0/50 (0%)	0/100 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	1/50 (2%)	1/100 (1%)	0/50 (0%)	Mean 1%	SD 1.41%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: METHYLCELLULOSE**

Page: 72  
 Report Date: 11/17/2008

		Male				Female								
<b>#Skeletal Muscle:</b>														
<b>Rhabdomyosarcoma</b>														
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean	0%	SD	0%	Total	0/100	(0%)	Mean	0%	SD	0%
.....														
<b>#Skeletal Muscle:</b>														
<b>Rhabdomyosarcoma or Rhabdomyoma</b>														
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean	0%	SD	0%	Total	0/100	(0%)	Mean	0%	SD	0%
.....														
<b>#Skeletal Muscle:</b>														
<b>Sarcoma</b>														
		1/50	(2%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	Total	1/100	(1%)	Mean	1%	SD	1.41%	Total	0/100	(0%)	Mean	0%	SD	0%
.....														
<b>#Skin:</b>														
<b>Basal Cell Adenoma or Basosquamous Tumor Benign</b>														
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean	0%	SD	0%	Total	0/100	(0%)	Mean	0%	SD	0%
.....														
<b>#Skin:</b>														
<b>Basal Cell Adenoma, Basosquamous Tumor Benign, or Trichoepithelioma</b>														
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean	0%	SD	0%	Total	0/100	(0%)	Mean	0%	SD	0%
.....														
<b>#Skin:</b>														
<b>Basal Cell Carcinoma</b>														
		0/50	(0%)	0/50	(0%)			0/50	(0%)	1/50	(2%)			
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean	0%	SD	0%	Total	1/100	(1%)	Mean	1%	SD	1.41%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: METHYLCELLULOSE**

Page: 73  
 Report Date: 11/17/2008

		Male				Female								
<b>#Skin:</b>														
<b>Basal Cell Carcinoma or Basosquamous Tumor (malignant or NOS)</b>														
		0/50	(0%)	0/50	(0%)			0/50	(0%)	1/50	(2%)			
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean	0%	SD	0%	Total	1/100	(1%)	Mean	1%	SD	1.41%
.....														
<b>#Skin:</b>														
<b>Basal Cell Carcinoma, Basal Cell Adenoma, Basosquamous Tumor (benign, malignant or NOS), or Trichoepithelioma</b>														
		0/50	(0%)	0/50	(0%)			0/50	(0%)	1/50	(2%)			
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean	0%	SD	0%	Total	1/100	(1%)	Mean	1%	SD	1.41%
.....														
<b>#Skin:</b>														
<b>Basal or Sq. Cell Carcinoma, Carcinoma, Basosq. Tumor (M or B), Basal Cell Adenoma, Adenoma, Papilloma, Sq Papilloma, Keratoacanthoma, Trichoepithelioma</b>														
		0/50	(0%)	0/50	(0%)			0/50	(0%)	1/50	(2%)			
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean	0%	SD	0%	Total	1/100	(1%)	Mean	1%	SD	1.41%
.....														
<b>#Skin:</b>														
<b>Basosquamous Tumor Benign</b>														
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean	0%	SD	0%	Total	0/100	(0%)	Mean	0%	SD	0%
.....														
<b>#Skin:</b>														
<b>Fibroma</b>														
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean	0%	SD	0%	Total	0/100	(0%)	Mean	0%	SD	0%
.....														
<b>#Skin:</b>														
<b>Fibroma, Fibrosarcoma, Sarcoma, Myxoma, Myxosarcoma, or Fibrous Histiocytoma</b>														
		1/50	(2%)	1/50	(2%)			5/50	(10%)	3/50	(6%)			
<b>Overall Incidence</b>	Total	2/100	(2%)	Mean	2%	SD	0%	Total	8/100	(8%)	Mean	8%	SD	2.83%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: METHYLCELLULOSE**

Page: 74  
 Report Date: 11/17/2008

	Male					Female				
<b>#Skin:</b>										
<b>Fibrosarcoma</b>										
		0/50	(0%)	0/50	(0%)		3/50	(6%)	3/50	(6%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean	0%	SD	0%	Total	6/100	(6%)
				Mean	6%				Mean	6%
									SD	0%
.....										
<b>#Skin:</b>										
<b>Fibrosarcoma, Sarcoma, Myxosarcoma, or Fibrous Histiocytoma</b>										
		1/50	(2%)	1/50	(2%)		5/50	(10%)	3/50	(6%)
<b>Overall Incidence</b>	Total	2/100	(2%)	Mean	2%	SD	0%	Total	8/100	(8%)
				Mean	8%				Mean	8%
									SD	2.83%
.....										
<b>#Skin:</b>										
<b>Fibrous Histiocytoma</b>										
		1/50	(2%)	0/50	(0%)		0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	1/100	(1%)	Mean	1%	SD	1.41%	Total	0/100	(0%)
				Mean	0%				Mean	0%
									SD	0%
.....										
<b>#Skin:</b>										
<b>Hemangioma</b>										
		0/50	(0%)	0/50	(0%)		0/50	(0%)	1/50	(2%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean	0%	SD	0%	Total	1/100	(1%)
				Mean	1%				Mean	1%
									SD	1.41%
.....										
<b>#Skin:</b>										
<b>Hemangiosarcoma</b>										
		1/50	(2%)	1/50	(2%)		1/50	(2%)	1/50	(2%)
<b>Overall Incidence</b>	Total	2/100	(2%)	Mean	2%	SD	0%	Total	2/100	(2%)
				Mean	2%				Mean	2%
									SD	0%
.....										
<b>#Skin:</b>										
<b>Liposarcoma</b>										
		0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean	0%	SD	0%	Total	0/100	(0%)
				Mean	0%				Mean	0%
									SD	0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: METHYLCELLULOSE**

Page: 75  
 Report Date: 11/17/2008

		Male				Female								
<b>#Skin:</b>														
<b>Myxosarcoma</b>														
		0/50	(0%)	0/50	(0%)			1/50	(2%)	0/50	(0%)			
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean	0%	SD	0%	Total	1/100	(1%)	Mean	1%	SD	1.41%
.....														
<b>#Skin:</b>														
<b>Neural Crest Tumor</b>														
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean	0%	SD	0%	Total	0/100	(0%)	Mean	0%	SD	0%
.....														
<b>#Skin:</b>														
<b>Neurofibrosarcoma or Schwannoma (malignant or NOS)</b>														
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean	0%	SD	0%	Total	0/100	(0%)	Mean	0%	SD	0%
.....														
<b>#Skin:</b>														
<b>Neurofibrosarcoma, Neurofibroma, or Schwannoma (benign, malignant or NOS)</b>														
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean	0%	SD	0%	Total	0/100	(0%)	Mean	0%	SD	0%
.....														
<b>#Skin:</b>														
<b>Osteosarcoma</b>														
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean	0%	SD	0%	Total	0/100	(0%)	Mean	0%	SD	0%
.....														
<b>#Skin:</b>														
<b>Sarcoma</b>														
		0/50	(0%)	1/50	(2%)			1/50	(2%)	0/50	(0%)			
<b>Overall Incidence</b>	Total	1/100	(1%)	Mean	1%	SD	1.41%	Total	1/100	(1%)	Mean	1%	SD	1.41%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: METHYLCELLULOSE**

Page: 76  
 Report Date: 11/17/2008

	Male					Female								
<b>#Skin:</b>														
<b>Schwannoma Malignant</b>														
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean	0%	SD	0%	Total	0/100	(0%)	Mean	0%	SD	0%
.....														
<b>#Skin:</b>														
<b>Squamous Cell Carcinoma</b>														
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean	0%	SD	0%	Total	0/100	(0%)	Mean	0%	SD	0%
.....														
<b>#Skin:</b>														
<b>Squamous Cell Carcinoma, Basal Cell Carcinoma, Basosquamous Tumor (malignant or NOS), or Carcinoma</b>														
		0/50	(0%)	0/50	(0%)			0/50	(0%)	1/50	(2%)			
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean	0%	SD	0%	Total	1/100	(1%)	Mean	1%	SD	1.41%
.....														
<b>#Skin:</b>														
<b>Squamous Cell Papilloma</b>														
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean	0%	SD	0%	Total	0/100	(0%)	Mean	0%	SD	0%
.....														
<b>#Skin:</b>														
<b>Squamous Cell Papilloma or Papilloma</b>														
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean	0%	SD	0%	Total	0/100	(0%)	Mean	0%	SD	0%
.....														
<b>#Skin:</b>														
<b>Squamous Cell Papilloma, Papilloma, Squamous Cell Carcinoma or Keratoacanthoma</b>														
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean	0%	SD	0%	Total	0/100	(0%)	Mean	0%	SD	0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: METHYLCELLULOSE**

Page: 77  
 Report Date: 11/17/2008

	Male					Female				
<b>#Skin:</b>										
<b>Squamous Cell Papilloma, Papilloma, or Keratoacanthoma</b>										
		0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean	0%	SD	0%	Total	0/100	(0%)
									Mean	0%
										SD
										0%
.....										
<b>#Skin:</b>										
<b>Trichoepithelioma</b>										
		0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean	0%	SD	0%	Total	0/100	(0%)
									Mean	0%
										SD
										0%
.....										
<b>#Skin: Sebaceous Gland:</b>										
<b>Adenoma</b>										
		0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean	0%	SD	0%	Total	0/100	(0%)
									Mean	0%
										SD
										0%
.....										
<b>#Skin: Sebaceous Gland:</b>										
<b>Carcinoma</b>										
		0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean	0%	SD	0%	Total	0/100	(0%)
									Mean	0%
										SD
										0%
.....										
<b>#Skin: Sebaceous Gland:</b>										
<b>Carcinoma or Adenoma</b>										
		0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean	0%	SD	0%	Total	0/100	(0%)
									Mean	0%
										SD
										0%
.....										
<b>#Spinal Cord:</b>										
<b>Meningioma Malignant</b>										
		0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean	0%	SD	0%	Total	0/100	(0%)
									Mean	0%
										SD
										0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: METHYLCELLULOSE**

Page: 78  
 Report Date: 11/17/2008

	Male				Female			
<b>*Spleen:</b>								
<b>Fibrous Histiocytoma</b>								
		0/50 (0%)	0/49 (0%)		0/50 (0%)	0/47 (0%)		
<b>Overall Incidence</b>	Total	0/99 (0%)	Mean 0%	SD 0%	Total	0/97 (0%)	Mean 0%	SD 0%
.....								
<b>*Spleen:</b>								
<b>Hemangioma</b>								
		0/50 (0%)	0/49 (0%)		0/50 (0%)	0/47 (0%)		
<b>Overall Incidence</b>	Total	0/99 (0%)	Mean 0%	SD 0%	Total	0/97 (0%)	Mean 0%	SD 0%
.....								
<b>*Spleen:</b>								
<b>Hemangiosarcoma</b>								
		1/50 (2%)	2/49 (4%)		0/50 (0%)	0/47 (0%)		
<b>Overall Incidence</b>	Total	3/99 (3.03%)	Mean 3.04%	SD 1.47%	Total	0/97 (0%)	Mean 0%	SD 0%
.....								
<b>#Stomach, Forestomach:</b>								
<b>Mast Cell Tumor Malignant</b>								
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)		
<b>Overall Incidence</b>	Total	0/100 (0%)	Mean 0%	SD 0%	Total	0/100 (0%)	Mean 0%	SD 0%
.....								
<b>#Stomach, Forestomach:</b>								
<b>Squamous Cell Carcinoma</b>								
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)		
<b>Overall Incidence</b>	Total	0/100 (0%)	Mean 0%	SD 0%	Total	0/100 (0%)	Mean 0%	SD 0%
.....								
<b>#Stomach, Forestomach:</b>								
<b>Squamous Cell Carcinoma or Papilloma Squamous</b>								
		2/50 (4%)	0/50 (0%)		1/50 (2%)	0/50 (0%)		
<b>Overall Incidence</b>	Total	2/100 (2%)	Mean 2%	SD 2.83%	Total	1/100 (1%)	Mean 1%	SD 1.41%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: METHYLCELLULOSE**

Page: 79  
 Report Date: 11/17/2008

	Male					Female				
<b>#Stomach, Forestomach: Squamous Cell Papilloma</b>										
		2/50	(4%)	0/50	(0%)		1/50	(2%)	0/50	(0%)
<b>Overall Incidence</b>	Total	2/100	(2%)	Mean 2%	SD 2.83%	Total	1/100	(1%)	Mean 1%	SD 1.41%
.....										
<b>#Stomach, Glandular: Adenoma</b>										
		0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%	SD 0%
.....										
<b>#Stomach, Glandular: Carcinoma</b>										
		0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%	SD 0%
.....										
<b>#Stomach, Glandular: Carcinoma or Adenoma</b>										
		0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%	SD 0%
.....										
<b>*Testes: Adenoma</b>										
		0/50	(0%)	0/50	(0%)					
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%					
.....										
<b>*Testes: Hemangiosarcoma</b>										
		0/50	(0%)	0/50	(0%)					
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%					

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: METHYLCELLULOSE**

Page: 80  
 Report Date: 11/17/2008

		Male				Female			
<b>*Thymus:</b>									
<b>Thymoma Malignant</b>									
		0/45 (0%)	0/38 (0%)		0/47 (0%)	0/43 (0%)			
<b>Overall Incidence</b>	Total	0/83 (0%)	Mean 0%	SD 0%	Total	0/90 (0%)	Mean 0%	SD 0%	
.....									
<b>*Thymus:</b>									
<b>Thymoma: Benign, Malignant, NOS</b>									
		0/45 (0%)	0/38 (0%)		0/47 (0%)	0/43 (0%)			
<b>Overall Incidence</b>	Total	0/83 (0%)	Mean 0%	SD 0%	Total	0/90 (0%)	Mean 0%	SD 0%	
.....									
<b>*Thyroid Gland:</b>									
<b>Adenoma</b>									
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/46 (0%)			
<b>Overall Incidence</b>	Total	0/100 (0%)	Mean 0%	SD 0%	Total	0/96 (0%)	Mean 0%	SD 0%	
.....									
<b>*Thyroid Gland: C-Cell:</b>									
<b>Carcinoma</b>									
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/46 (0%)			
<b>Overall Incidence</b>	Total	0/100 (0%)	Mean 0%	SD 0%	Total	0/96 (0%)	Mean 0%	SD 0%	
.....									
<b>*Thyroid Gland: C-Cell:</b>									
<b>Carcinoma or Adenoma</b>									
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/46 (0%)			
<b>Overall Incidence</b>	Total	0/100 (0%)	Mean 0%	SD 0%	Total	0/96 (0%)	Mean 0%	SD 0%	
.....									
<b>*Thyroid Gland: Follicular Cell:</b>									
<b>Adenoma</b>									
		0/50 (0%)	3/50 (6%)		1/50 (2%)	1/46 (2%)			
<b>Overall Incidence</b>	Total	3/100 (3%)	Mean 3%	SD 4.24%	Total	2/96 (2.08%)	Mean 2.09%	SD 0.12%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: METHYLCELLULOSE**

Page: 81  
 Report Date: 11/17/2008

	Male					Female						
<b>*Thyroid Gland: Follicular Cell: Carcinoma</b>												
Overall Incidence	Total	0/50 (0%)	0/100 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	1/50 (2%)	1/96 (1.04%)	0/46 (0%)	Mean 1%	SD 1.41%
.....												
<b>*Thyroid Gland: Follicular Cell: Carcinoma or Adenoma</b>												
Overall Incidence	Total	0/50 (0%)	3/100 (3%)	3/50 (6%)	Mean 3%	SD 4.24%	Total	2/50 (4%)	3/96 (3.12%)	1/46 (2%)	Mean 3.09%	SD 1.29%
.....												
<b>#Tissue NOS: Carcinoma</b>												
Overall Incidence	Total	0/50 (0%)	0/100 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/100 (0%)	0/50 (0%)	Mean 0%	SD 0%
.....												
<b>#Tissue NOS: Hemangiosarcoma</b>												
Overall Incidence	Total	0/50 (0%)	0/100 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/100 (0%)	0/50 (0%)	Mean 0%	SD 0%
.....												
<b>#Tissue NOS: Schwannoma Malignant</b>												
Overall Incidence	Total	0/50 (0%)	0/100 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/100 (0%)	0/50 (0%)	Mean 0%	SD 0%
.....												
<b>#Tongue: Squamous Cell Carcinoma</b>												
Overall Incidence	Total	0/50 (0%)	0/100 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/100 (0%)	0/50 (0%)	Mean 0%	SD 0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: METHYLCELLULOSE**

Page: 82  
 Report Date: 11/17/2008

	Male				Female				
<b>#Tongue:</b>									
<b>Squamous Cell Carcinoma or Papilloma Squamous</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean	0%	SD	0%	Total	0/100 (0%)
				Mean	0%	SD	0%		
.....									
<b>#Tongue:</b>									
<b>Squamous Cell Papilloma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean	0%	SD	0%	Total	0/100 (0%)
				Mean	0%	SD	0%		
.....									
<b>#Tooth:</b>									
<b>Odontoma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean	0%	SD	0%	Total	0/100 (0%)
				Mean	0%	SD	0%		
.....									
<b>*Urinary Bladder:</b>									
<b>Hemangioma</b>									
		0/50	(0%)	0/48	(0%)	0/50	(0%)	0/45	(0%)
<b>Overall Incidence</b>	Total	0/98	(0%)	Mean	0%	SD	0%	Total	0/95 (0%)
				Mean	0%	SD	0%		
.....									
<b>*Urinary Bladder:</b>									
<b>Hemangiosarcoma</b>									
		0/50	(0%)	1/48	(2%)	0/50	(0%)	0/45	(0%)
<b>Overall Incidence</b>	Total	1/98	(1.02%)	Mean	1.04%	SD	1.47%	Total	0/95 (0%)
				Mean	1.04%	SD	1.47%		
.....									
<b>*Urinary Bladder:</b>									
<b>Sarcoma</b>									
		0/50	(0%)	0/48	(0%)	0/50	(0%)	0/45	(0%)
<b>Overall Incidence</b>	Total	0/98	(0%)	Mean	0%	SD	0%	Total	0/95 (0%)
				Mean	0%	SD	0%		

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: METHYLCELLULOSE**

Page: 83  
 Report Date: 11/17/2008

	Male			Female	
<b>#Uterus:</b>					
<b>Adenoma</b>					
		0/50	(0%)	1/50	(2%)
<b>Overall Incidence</b>	Total	1/100	(1%)	Mean 1%	SD 1.41%
.....					
<b>#Uterus:</b>					
<b>Carcinoma</b>					
		0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%
.....					
<b>#Uterus:</b>					
<b>Hemangioma</b>					
		0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%
.....					
<b>#Uterus:</b>					
<b>Hemangiosarcoma</b>					
		0/50	(0%)	1/50	(2%)
<b>Overall Incidence</b>	Total	1/100	(1%)	Mean 1%	SD 1.41%
.....					
<b>#Uterus:</b>					
<b>Leiomyoma</b>					
		0/50	(0%)	1/50	(2%)
<b>Overall Incidence</b>	Total	1/100	(1%)	Mean 1%	SD 1.41%
.....					
<b>#Uterus:</b>					
<b>Leiomyosarcoma</b>					
		0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: METHYLCELLULOSE**

Page: 84  
 Report Date: 11/17/2008

	Male		Female	
<b>#Uterus:</b>				
<b>Polyp Stromal</b>				
		2/50 (4%)	0/50 (0%)	
<b>Overall Incidence</b>	Total	2/100 (2%)	Mean 2%	SD 2.83%
.....				
<b>#Uterus:</b>				
<b>Sarcoma Stromal</b>				
		0/50 (0%)	0/50 (0%)	
<b>Overall Incidence</b>	Total	0/100 (0%)	Mean 0%	SD 0%
.....				
<b>#Uterus:</b>				
<b>Sarcoma Stromal or Polyp Stromal</b>				
		2/50 (4%)	0/50 (0%)	
<b>Overall Incidence</b>	Total	2/100 (2%)	Mean 2%	SD 2.83%
.....				
<b>#Uterus:</b>				
<b>Schwannoma Malignant</b>				
		0/50 (0%)	0/50 (0%)	
<b>Overall Incidence</b>	Total	0/100 (0%)	Mean 0%	SD 0%
.....				
<b>#Vagina:</b>				
<b>Squamous Cell Carcinoma</b>				
		0/50 (0%)	1/50 (2%)	
<b>Overall Incidence</b>	Total	1/100 (1%)	Mean 1%	SD 1.41%
.....				
<b>#Vagina:</b>				
<b>Squamous Cell Papilloma</b>				
		0/50 (0%)	0/50 (0%)	
<b>Overall Incidence</b>	Total	0/100 (0%)	Mean 0%	SD 0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: METHYLCELLULOSE**

Page: 85  
 Report Date: 11/17/2008

		Male				Female				
<b>#Zymbal's Gland: Carcinoma</b>										
		0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean	0%	SD	0%	Total	0/100	(0%)
									Mean	0%
										SD
										0%
.....										
<b>#Zymbal's Gland: Carcinoma or Adenoma</b>										
		0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean	0%	SD	0%	Total	0/100	(0%)
									Mean	0%
										SD
										0%
.....										

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
Contract/Lab: All Laboratories  
Species: MICE  
Strain: B6C3F1  
Length of Study: CHRONIC

Toxicology Data Management System  
Tumor Incidence for Selected Control Animal Groups  
Route: GAVAGE  
Vehicle: WATER

Page: 86  
Report Date: 11/17/2008

### Study Summary

Laboratory Name	Study Number	Study Start Date	Length of Study in Days	Number of Animals Total and (#/Cage)	Number Surviving and (Mean Life Span)	Maximum Mean Weekly Body Weight	Chemical
<b>Male</b>							
Battelle Columbus Laboratory	058812307	10/04/01	728	50 (1)	39(698)	52.9	Formamide
Battelle Columbus Laboratory	052000506	02/10/04	730	50 (1)	32(691)	51.1	Ginseng
Battelle Columbus Laboratory	059501106	08/09/01	728	50 (1)	40(702)	52.3	5-(Hydroxymethyl)-2-furfural
<b>Female</b>							
Battelle Columbus Laboratory	058812307	10/03/01	727	50 (5)	38(692)	64.7	Formamide
Battelle Columbus Laboratory	052000506	02/09/04	729	50 (5)	38(711)	63.9	Ginseng
Battelle Columbus Laboratory	059501106	08/08/01	727	50 (5)	39(694)	64.4	5-(Hydroxymethyl)-2-furfural

NOTE: The text on page 2 ("Report Description") describes how the studies listed here are displayed on the data pages that follow.

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: WATER**

Page: 87  
 Report Date: 11/17/2008

		Male			Female		
<b>#All Organs: Benign Tumors</b>							
		31/50 (62%)	38/50 (76%)	42/50 (84%)	17/50 (34%)	33/50 (66%)	26/50 (52%)
<b>Overall Incidence</b>	Total	111/150 (74%)	Mean 74%	SD 11.14%	Total	76/150 (50.67%)	Mean 50.67% SD 16.04%
.....							
<b>#All Organs: Malignant Tumors</b>							
		28/50 (56%)	26/50 (52%)	26/50 (52%)	26/50 (52%)	15/50 (30%)	16/50 (32%)
<b>Overall Incidence</b>	Total	80/150 (53.33%)	Mean 53.33%	SD 2.31%	Total	57/150 (38%)	Mean 38% SD 12.17%
.....							
<b>#All Organs: Malignant and Benign Tumors</b>							
		41/50 (82%)	46/50 (92%)	49/50 (98%)	36/50 (72%)	42/50 (84%)	34/50 (68%)
<b>Overall Incidence</b>	Total	136/150 (90.67%)	Mean 90.67%	SD 8.08%	Total	112/150 (74.67%)	Mean 74.67% SD 8.33%
.....							
<b>#All Organs: Hemangioma</b>							
		2/50 (4%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	2/50 (4%)
<b>Overall Incidence</b>	Total	3/150 (2%)	Mean 2%	SD 2%	Total	3/150 (2%)	Mean 2% SD 2%
.....							
<b>#All Organs: Hemangiosarcoma</b>							
		3/50 (6%)	4/50 (8%)	2/50 (4%)	2/50 (4%)	0/50 (0%)	5/50 (10%)
<b>Overall Incidence</b>	Total	9/150 (6%)	Mean 6%	SD 2%	Total	7/150 (4.67%)	Mean 4.67% SD 5.03%
.....							
<b>#All Organs: Hemangiosarcoma or Hemangioma</b>							
		5/50 (10%)	5/50 (10%)	2/50 (4%)	2/50 (4%)	1/50 (2%)	7/50 (14%)
<b>Overall Incidence</b>	Total	12/150 (8%)	Mean 8%	SD 3.46%	Total	10/150 (6.67%)	Mean 6.67% SD 6.43%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: WATER**

Page: 88  
 Report Date: 11/17/2008

		Male				Female								
<b>#All Organs:</b>														
<b>Histiocytic Sarcoma</b>														
		0/50	(0%)	1/50	(2%)	0/50	(0%)	2/50	(4%)	0/50	(0%)	0/50	(0%)	
<b>Overall Incidence</b>	Total	1/150	(0.67%)	Mean	0.67%	SD	1.15%	Total	2/150	(1.33%)	Mean	1.33%	SD	2.31%
.....														
<b>#All Organs:</b>														
<b>Malignant Lymphoma: Histiocytic, Lymphocytic, Mixed, NOS, or Undifferentiated Cell Type</b>														
		2/50	(4%)	4/50	(8%)	2/50	(4%)	10/50	(20%)	9/50	(18%)	8/50	(16%)	
<b>Overall Incidence</b>	Total	8/150	(5.33%)	Mean	5.33%	SD	2.31%	Total	27/150	(18%)	Mean	18%	SD	2%
.....														
<b>#All Organs:</b>														
<b>Mesothelioma: Benign, Malignant, NOS</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/150	(0%)	Mean	0%	SD	0%
.....														
<b>#All Organs:</b>														
<b>Mesothelioma: Malignant</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/150	(0%)	Mean	0%	SD	0%
.....														
<b>#All Organs:</b>														
<b>Osteoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/150	(0%)	Mean	0%	SD	0%
.....														
<b>#All Organs:</b>														
<b>Osteosarcoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/150	(0%)	Mean	0%	SD	0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: WATER**

Page: 89  
 Report Date: 11/17/2008

		Male			Female			
<b>#All Organs:</b>								
<b>Osteosarcoma or Osteoma</b>								
<b>Overall Incidence</b>	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%
<hr/>								
<b>*Adrenal Cortex:</b>								
<b>Adenoma</b>								
<b>Overall Incidence</b>	Total	2/50 (4%) 8/149 (5.37%)	1/50 (2%) Mean 5.4%	5/49 (10%) SD 4.28%	Total	0/49 (0%) 0/149 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%
<hr/>								
<b>*Adrenal Cortex:</b>								
<b>Sarcoma</b>								
<b>Overall Incidence</b>	Total	0/50 (0%) 0/149 (0%)	0/50 (0%) Mean 0%	0/49 (0%) SD 0%	Total	0/49 (0%) 0/149 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%
<hr/>								
<b>*Adrenal Medulla:</b>								
<b>Pheochromocytoma Benign</b>								
<b>Overall Incidence</b>	Total	0/50 (0%) 0/149 (0%)	0/50 (0%) Mean 0%	0/49 (0%) SD 0%	Total	0/50 (0%) 1/150 (0.67%)	1/50 (2%) Mean 0.67%	0/50 (0%) SD 1.15%
<hr/>								
<b>*Adrenal Medulla:</b>								
<b>Pheochromocytoma Complex</b>								
<b>Overall Incidence</b>	Total	0/50 (0%) 0/149 (0%)	0/50 (0%) Mean 0%	0/49 (0%) SD 0%	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%
<hr/>								
<b>*Adrenal Medulla:</b>								
<b>Pheochromocytoma Malignant</b>								
<b>Overall Incidence</b>	Total	1/50 (2%) 1/149 (0.67%)	0/50 (0%) Mean 0.67%	0/49 (0%) SD 1.15%	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: WATER**

Page: 90  
 Report Date: 11/17/2008

		Male				Female								
<b>*Adrenal Medulla:</b>														
<b>Pheochromocytoma: Benign, Complex, Malignant, NOS</b>														
		1/50	(2%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	
<b>Overall Incidence</b>	Total	1/149	(0.67%)	Mean	0.67%	SD	1.15%	Total	1/150	(0.67%)	Mean	0.67%	SD	1.15%
.....														
<b>*Bone Marrow:</b>														
<b>Hemangiosarcoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/149	(0%)	Mean	0%	SD	0%
.....														
<b>*Bone Marrow:</b>														
<b>Mast Cell Tumor Malignant</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/149	(0%)	Mean	0%	SD	0%
.....														
<b>#Bone:</b>														
<b>Hemangiosarcoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/150	(0%)	Mean	0%	SD	0%
.....														
<b>#Bone:</b>														
<b>Osteoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/150	(0%)	Mean	0%	SD	0%
.....														
<b>#Bone:</b>														
<b>Osteosarcoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/150	(0%)	Mean	0%	SD	0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: WATER**

Page: 91  
 Report Date: 11/17/2008

		Male				Female					
<b>#Bone:</b>											
<b>Osteosarcoma or Osteoma</b>											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
<b>#Bone:</b>											
<b>Sarcoma</b>											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
<b>*Brain:</b>											
<b>Meningioma Benign</b>											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
<b>*Brain:</b>											
<b>Meningioma: Benign, Malignant, NOS</b>											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
<b>*Brain:</b>											
<b>Schwannoma Malignant</b>											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
<b>*Clitoral/Preputial Gland:</b>											
<b>Adenoma</b>											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: WATER**

Page: 92  
 Report Date: 11/17/2008

		Male			Female			
<b>*Clitoral/Preputial Gland: Carcinoma</b>								
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%
<b>*Clitoral/Preputial Gland: Carcinoma or Adenoma</b>								
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%
<b>*Clitoral/Preputial Gland: Hemangioma</b>								
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%
<b>*Clitoral/Preputial Gland: Hemangiosarcoma</b>								
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%
<b>*Clitoral/Preputial Gland: Squamous Cell Carcinoma</b>								
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%
<b>*Epididymis: Sarcoma</b>								
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%				

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: WATER**

Page: 93  
 Report Date: 11/17/2008

		Male				Female					
<b>#Esophagus:</b>											
<b>Squamous Cell Carcinoma</b>											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
<b>#Eye:</b>											
<b>Sarcoma</b>											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
<b>*Gallbladder:</b>											
<b>Adenoma</b>											
		0/45	(0%)	0/49	(0%)	0/49	(0%)	0/47	(0%)	0/49	(0%)
<b>Overall Incidence</b>	Total	0/143	(0%)	Mean 0%	SD 0%	Total	0/146	(0%)	Mean 0%	SD 0%	
.....											
<b>#Harderian Gland:</b>											
<b>Adenoma</b>											
		6/50	(12%)	11/50	(22%)	11/50	(22%)	4/50	(8%)	7/50	(14%)
<b>Overall Incidence</b>	Total	28/150	(18.67%)	Mean 18.67%	SD 5.77%	Total	18/150	(12%)	Mean 12%	SD 3.46%	
.....											
<b>#Harderian Gland:</b>											
<b>Carcinoma</b>											
		2/50	(4%)	1/50	(2%)	3/50	(6%)	4/50	(8%)	0/50	(0%)
<b>Overall Incidence</b>	Total	6/150	(4%)	Mean 4%	SD 2%	Total	4/150	(2.67%)	Mean 2.67%	SD 4.62%	
.....											
<b>#Harderian Gland:</b>											
<b>Carcinoma or Adenoma</b>											
		7/50	(14%)	12/50	(24%)	13/50	(26%)	8/50	(16%)	7/50	(14%)
<b>Overall Incidence</b>	Total	32/150	(21.33%)	Mean 21.33%	SD 6.43%	Total	22/150	(14.67%)	Mean 14.67%	SD 1.15%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: WATER**

Page: 94  
 Report Date: 11/17/2008

		Male				Female			
<b>#Harderian Gland: Sarcoma</b>									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
<b>*Heart: Hemangioma</b>									
Overall Incidence	Total	1/50 (2%)	0/50 (0%)	0/50 (0%)	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/150 (0.67%)	Mean 0.67%	SD 1.15%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
<b>*Heart: Hemangiosarcoma</b>									
Overall Incidence	Total	0/50 (0%)	1/50 (2%)	0/50 (0%)	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/150 (0.67%)	Mean 0.67%	SD 1.15%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
<b>*Heart: Sarcoma</b>									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
<b>#Intestine Large: Cecum: Carcinoma</b>									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	1/50 (2%)	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/150 (0.67%)	Mean 0.67%	SD 1.15%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
<b>#Intestine Large: Cecum: Carcinoma or Adenoma</b>									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	1/50 (2%)	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/150 (0.67%)	Mean 0.67%	SD 1.15%	Total	0/150 (0%)	Mean 0%	SD 0%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: WATER**

Page: 95  
 Report Date: 11/17/2008

		Male			Female			
<b>#Intestine Large: Cecum: Leiomyoma</b>								
<b>Overall Incidence</b>	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%
<b>#Intestine Large: Cecum: Polyp Adenomatous</b>								
<b>Overall Incidence</b>	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%
<b>#Intestine Large: Colon/Rectum: Leiomyosarcoma</b>								
<b>Overall Incidence</b>	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%
<b>#Intestine Small: Duodenum: Adenoma</b>								
<b>Overall Incidence</b>	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%
<b>#Intestine Small: Duodenum: Carcinoma</b>								
<b>Overall Incidence</b>	Total	0/50 (0%) 2/150 (1.33%)	0/50 (0%) Mean 1.33%	2/50 (4%) SD 2.31%	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%
<b>#Intestine Small: Duodenum: Leiomyosarcoma</b>								
<b>Overall Incidence</b>	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: WATER**

Page: 96  
 Report Date: 11/17/2008

		Male			Female			
<b>#Intestine Small: Duodenum: Polyp Adenomatous</b>								
<b>Overall Incidence</b>	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%
<b>#Intestine Small: Ileum: Carcinoma</b>								
<b>Overall Incidence</b>	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%
<b>#Intestine Small: Ileum: Hemangiosarcoma</b>								
<b>Overall Incidence</b>	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%
<b>#Intestine Small: Ileum: Polyp Adenomatous</b>								
<b>Overall Incidence</b>	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%
<b>#Intestine Small: Jejunum: Adenoma</b>								
<b>Overall Incidence</b>	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%
<b>#Intestine Small: Jejunum: Carcinoma</b>								
<b>Overall Incidence</b>	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: WATER**

Page: 97  
 Report Date: 11/17/2008

		Male			Female			
<b>#Intestine Small: Jejunum: Hemangiosarcoma</b>								
<b>Overall Incidence</b>	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%
<b>#Intestine Small: Jejunum: Leiomyosarcoma</b>								
<b>Overall Incidence</b>	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%
<b>#Intestine Small: Jejunum: Polyp Adenomatous</b>								
<b>Overall Incidence</b>	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%
<b>#Intestine Small: Site Unspecified: Adenoma</b>								
<b>Overall Incidence</b>	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%
<b>#Intestine Small: Site Unspecified: Carcinoma</b>								
<b>Overall Incidence</b>	Total	0/50 (0%) 2/150 (1.33%)	0/50 (0%) Mean 1.33%	2/50 (4%) SD 2.31%	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%
<b>#Intestine Small: Site Unspecified: Carcinoma or Adenoma</b>								
<b>Overall Incidence</b>	Total	0/50 (0%) 2/150 (1.33%)	0/50 (0%) Mean 1.33%	2/50 (4%) SD 2.31%	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: WATER**

Page: 98  
 Report Date: 11/17/2008

		Male				Female			
<b>#Intestine Small: Site Unspecified: Hemangiosarcoma</b>									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
<b>#Intestine Small: Site Unspecified: Leiomyosarcoma</b>									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
<b>#Intestine Small: Site Unspecified: Polyp Adenomatous</b>									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
<b>*Islets, Pancreatic: Adenoma</b>									
Overall Incidence	Total	0/50 (0%)	1/50 (2%)	0/50 (0%)	Total	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
		1/150 (0.67%)	Mean 0.67%	SD 1.15%	Total	1/150 (0.67%)	Mean 0.67%	SD 1.15%	
.....									
<b>*Islets, Pancreatic: Carcinoma</b>									
Overall Incidence	Total	0/50 (0%)	1/50 (2%)	0/50 (0%)	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/150 (0.67%)	Mean 0.67%	SD 1.15%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
<b>*Islets, Pancreatic: Carcinoma or Adenoma</b>									
Overall Incidence	Total	0/50 (0%)	2/50 (4%)	0/50 (0%)	Total	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
		2/150 (1.33%)	Mean 1.33%	SD 2.31%	Total	1/150 (0.67%)	Mean 0.67%	SD 1.15%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: WATER**

Page: 99  
 Report Date: 11/17/2008

		Male					Female				
<b>*Kidney: Renal Tubule: Adenoma</b>											
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		1/150 (0.67%)	Mean 0.67%	SD 1.15%		0/150 (0%)	Mean 0%	SD 0%			
.....											
<b>*Kidney: Renal Tubule: Carcinoma</b>											
Overall Incidence	Total	0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		1/150 (0.67%)	Mean 0.67%	SD 1.15%		0/150 (0%)	Mean 0%	SD 0%			
.....											
<b>*Kidney: Renal Tubule: Carcinoma or Adenoma</b>											
Overall Incidence	Total	0/50 (0%)	1/50 (2%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		2/150 (1.33%)	Mean 1.33%	SD 1.15%		0/150 (0%)	Mean 0%	SD 0%			
.....											
<b>*Liver: Cholangiocarcinoma</b>											
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/150 (0%)	Mean 0%	SD 0%		0/150 (0%)	Mean 0%	SD 0%			
.....											
<b>*Liver: Fibrous Histiocytoma</b>											
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/150 (0%)	Mean 0%	SD 0%		0/150 (0%)	Mean 0%	SD 0%			
.....											
<b>*Liver: Hemangioma</b>											
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/150 (0%)	Mean 0%	SD 0%		0/150 (0%)	Mean 0%	SD 0%			

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: WATER**

Page: 100  
 Report Date: 11/17/2008

		Male				Female			
<b>*Liver: Hemangiosarcoma</b>									
		1/50 (2%)	2/50 (4%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
<b>Overall Incidence</b>	Total	4/150 (2.67%)	Mean 2.67%	SD 1.15%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
<b>*Liver: Hepatoblastoma</b>									
		1/50 (2%)	1/50 (2%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
<b>Overall Incidence</b>	Total	3/150 (2%)	Mean 2%	SD 0%	Total	1/150 (0.67%)	Mean 0.67%	SD 1.15%	
.....									
<b>*Liver: Hepatocellular Adenoma</b>									
		24/50 (48%)	34/50 (68%)	33/50 (66%)		6/50 (12%)	21/50 (42%)	14/50 (28%)	
<b>Overall Incidence</b>	Total	91/150 (60.67%)	Mean 60.67%	SD 11.02%	Total	41/150 (27.33%)	Mean 27.33%	SD 15.01%	
.....									
<b>*Liver: Hepatocellular Carcinoma</b>									
		15/50 (30%)	14/50 (28%)	11/50 (22%)		4/50 (8%)	2/50 (4%)	2/50 (4%)	
<b>Overall Incidence</b>	Total	40/150 (26.67%)	Mean 26.67%	SD 4.16%	Total	8/150 (5.33%)	Mean 5.33%	SD 2.31%	
.....									
<b>*Liver: Hepatocellular Carcinoma or Hepatoblastoma</b>									
		16/50 (32%)	14/50 (28%)	12/50 (24%)		4/50 (8%)	2/50 (4%)	3/50 (6%)	
<b>Overall Incidence</b>	Total	42/150 (28%)	Mean 28%	SD 4%	Total	9/150 (6%)	Mean 6%	SD 2%	
.....									
<b>*Liver: Hepatocellular Carcinoma or Hepatocellular Adenoma</b>									
		33/50 (66%)	39/50 (78%)	39/50 (78%)		9/50 (18%)	23/50 (46%)	14/50 (28%)	
<b>Overall Incidence</b>	Total	111/150 (74%)	Mean 74%	SD 6.93%	Total	46/150 (30.67%)	Mean 30.67%	SD 14.19%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: WATER**

Page: 101  
 Report Date: 11/17/2008

		Male			Female			
<b>*Liver:</b>								
<b>Hepatocellular Carcinoma, Hepatocellular Adenoma, or Hepatoblastoma</b>								
		34/50 (68%)	39/50 (78%)	39/50 (78%)	9/50 (18%)	23/50 (46%)	15/50 (30%)	
<b>Overall Incidence</b>	Total	112/150 (74.67%)	Mean 74.67%	SD 5.77%	Total	47/150 (31.33%)	Mean 31.33%	SD 14.05%
.....								
<b>*Liver:</b>								
<b>Hepatocholangiocarcinoma</b>								
		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
<b>Overall Incidence</b>	Total	1/150 (0.67%)	Mean 0.67%	SD 1.15%	Total	0/150 (0%)	Mean 0%	SD 0%
.....								
<b>*Liver:</b>								
<b>Ito Cell Tumor Benign</b>								
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%
.....								
<b>*Liver:</b>								
<b>Ito Cell Tumor Malignant</b>								
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%
.....								
<b>*Liver:</b>								
<b>Sarcoma</b>								
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%
.....								
<b>*Lung:</b>								
<b>Adenoma</b>								
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: WATER**

Page: 102  
 Report Date: 11/17/2008

		Male				Female			
<b>*Lung:</b>									
<b>Alveolar/Bronchiolar Adenoma</b>									
		10/50 (20%)	9/50 (18%)	10/50 (20%)		4/50 (8%)	6/50 (12%)	2/50 (4%)	
<b>Overall Incidence</b>	Total	29/150 (19.33%)	Mean 19.33%	SD 1.15%	Total	12/150 (8%)	Mean 8%	SD 4%	
.....									
<b>*Lung:</b>									
<b>Alveolar/Bronchiolar Carcinoma</b>									
		6/50 (12%)	3/50 (6%)	7/50 (14%)		2/50 (4%)	1/50 (2%)	1/50 (2%)	
<b>Overall Incidence</b>	Total	16/150 (10.67%)	Mean 10.67%	SD 4.16%	Total	4/150 (2.67%)	Mean 2.67%	SD 1.15%	
.....									
<b>*Lung:</b>									
<b>Alveolar/Bronchiolar Carcinoma or Alveolar/Bronchiolar Adenoma</b>									
		16/50 (32%)	12/50 (24%)	16/50 (32%)		5/50 (10%)	7/50 (14%)	3/50 (6%)	
<b>Overall Incidence</b>	Total	44/150 (29.33%)	Mean 29.33%	SD 4.62%	Total	15/150 (10%)	Mean 10%	SD 4%	
.....									
<b>*Lung:</b>									
<b>Fibrosarcoma</b>									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
<b>*Lung:</b>									
<b>Fibrous Histiocytoma</b>									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
<b>*Lung:</b>									
<b>Hemangiosarcoma</b>									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: WATER**

Page: 103  
 Report Date: 11/17/2008

		Male				Female			
<b>*Lung:</b>									
<b>Sarcoma</b>									
<b>Overall Incidence</b>	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/150 (0%)	Mean 0%	SD 0%		0/150 (0%)	Mean 0%	SD 0%	
.....									
<b>#Lymph Node:</b>									
<b>Fibrous Histiocytoma</b>									
<b>Overall Incidence</b>	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/150 (0%)	Mean 0%	SD 0%		0/150 (0%)	Mean 0%	SD 0%	
.....									
<b>#Lymph Node:</b>									
<b>Hemangioma</b>									
<b>Overall Incidence</b>	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/150 (0%)	Mean 0%	SD 0%		0/150 (0%)	Mean 0%	SD 0%	
.....									
<b>#Lymph Node:</b>									
<b>Hemangiosarcoma</b>									
<b>Overall Incidence</b>	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/150 (0%)	Mean 0%	SD 0%		0/150 (0%)	Mean 0%	SD 0%	
.....									
<b>#Lymph Node:</b>									
<b>Sarcoma</b>									
<b>Overall Incidence</b>	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/150 (0%)	Mean 0%	SD 0%		0/150 (0%)	Mean 0%	SD 0%	
.....									
<b>#Lymph Node, Bronchial:</b>									
<b>Hemangiosarcoma</b>									
<b>Overall Incidence</b>	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/150 (0%)	Mean 0%	SD 0%		0/150 (0%)	Mean 0%	SD 0%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: WATER**

Page: 104  
 Report Date: 11/17/2008

		Male				Female				
<b>#Lymph Node, Mandibular: Fibrous Histiocytoma</b>										
Overall Incidence	Total	0/50 0/150	(0%) (0%)	0/50 Mean 0%	(0%) 0%	0/50 SD 0%	(0%) 0%	0/50 Mean 0%	(0%) 0%	0/50 SD 0%
.....										
<b>#Lymph Node, Mandibular: Hemangiosarcoma</b>										
Overall Incidence	Total	0/50 0/150	(0%) (0%)	0/50 Mean 0%	(0%) 0%	0/50 SD 0%	(0%) 0%	0/50 Mean 0%	(0%) 0%	0/50 SD 0%
.....										
<b>#Lymph Node, Mandibular: Mast Cell Tumor Malignant</b>										
Overall Incidence	Total	0/50 1/150	(0%) (0.67%)	1/50 Mean 0.67%	(2%) 0.67%	0/50 SD 1.15%	(0%) 1.15%	0/50 Mean 0%	(0%) 0%	0/50 SD 0%
.....										
<b>#Lymph Node, Mesenteric: Fibrous Histiocytoma</b>										
Overall Incidence	Total	0/50 0/150	(0%) (0%)	0/50 Mean 0%	(0%) 0%	0/50 SD 0%	(0%) 0%	0/50 Mean 0%	(0%) 0%	0/50 SD 0%
.....										
<b>#Lymph Node, Mesenteric: Hemangioma</b>										
Overall Incidence	Total	0/50 0/150	(0%) (0%)	0/50 Mean 0%	(0%) 0%	0/50 SD 0%	(0%) 0%	0/50 Mean 0%	(0%) 0%	0/50 SD 0%
.....										
<b>#Lymph Node, Mesenteric: Hemangiosarcoma</b>										
Overall Incidence	Total	0/50 0/150	(0%) (0%)	0/50 Mean 0%	(0%) 0%	0/50 SD 0%	(0%) 0%	0/50 Mean 0.67%	(0%) 0.67%	1/50 SD 1.15%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: WATER**

Page: 105  
 Report Date: 11/17/2008

		Male				Female						
<b>#Mammary Gland: Adenoacanthoma</b>												
Overall Incidence	Total	0/50 0/150	(0%) (0%)	0/50 Mean 0%	(0%) 0%	0/50 SD 0%	(0%) 0%	0/50 0/150	(0%) (0%)	0/50 Mean 0%	(0%) 0%	0/50 SD 0%
.....												
<b>#Mammary Gland: Adenoma</b>												
Overall Incidence	Total	0/50 0/150	(0%) (0%)	0/50 Mean 0%	(0%) 0%	0/50 SD 0%	(0%) 0%	0/50 1/150	(2%) (0.67%)	1/50 Mean 0.67%	(2%) 0.67%	0/50 SD 1.15%
.....												
<b>#Mammary Gland: Carcinoma</b>												
Overall Incidence	Total	0/50 0/150	(0%) (0%)	0/50 Mean 0%	(0%) 0%	0/50 SD 0%	(0%) 0%	2/50 3/150	(4%) (2%)	0/50 Mean 2%	(0%) 2%	1/50 SD 2%
.....												
<b>#Mammary Gland: Carcinoma or Adenoma</b>												
Overall Incidence	Total	0/50 0/150	(0%) (0%)	0/50 Mean 0%	(0%) 0%	0/50 SD 0%	(0%) 0%	2/50 4/150	(4%) (2.67%)	1/50 Mean 2.67%	(2%) 2.67%	1/50 SD 1.15%
.....												
<b>#Mammary Gland: Fibroadenoma</b>												
Overall Incidence	Total	0/50 0/150	(0%) (0%)	0/50 Mean 0%	(0%) 0%	0/50 SD 0%	(0%) 0%	0/50 0/150	(0%) (0%)	0/50 Mean 0%	(0%) 0%	0/50 SD 0%
.....												
<b>#Mammary Gland: Fibroma, Fibroadenoma or Adenoma</b>												
Overall Incidence	Total	0/50 0/150	(0%) (0%)	0/50 Mean 0%	(0%) 0%	0/50 SD 0%	(0%) 0%	0/50 1/150	(0%) (0.67%)	1/50 Mean 0.67%	(2%) 0.67%	0/50 SD 1.15%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: WATER**

Page: 106  
 Report Date: 11/17/2008

		Male				Female							
<b>#Mammary Gland:</b>													
<b>Fibroma, Fibroadenoma, Carcinoma, or Adenoma</b>													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	2/50	(4%)	1/50	(2%)	1/50	(2%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	4/150	(2.67%)	Mean 2.67%	SD 1.15%			
.....													
<b>#Mesentery:</b>													
<b>Fibrosarcoma</b>													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	1/150	(0.67%)	Mean 0.67%	SD 1.15%			
.....													
<b>#Mesentery:</b>													
<b>Hemangioma</b>													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%			
.....													
<b>#Mesentery:</b>													
<b>Hemangiosarcoma</b>													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%			
.....													
<b>#Mesentery:</b>													
<b>Sarcoma</b>													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%			
.....													
<b>*Nose:</b>													
<b>Hemangioma</b>													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/49	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/149	(0%)	Mean 0%	SD 0%			

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: WATER**

Page: 107  
 Report Date: 11/17/2008

		Male				Female					
<b>*Nose:</b>											
<b>Mast Cell Tumor Malignant</b>											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/149	(0%)	Mean 0%	SD 0%	
.....											
<b>#Oral Cavity (Oral Mucosa, Tongue, Pharynx, Tooth, Gingiva): Papilloma Squamous or Papilloma</b>											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
<b>#Oral Cavity (Oral Mucosa, Tongue, Pharynx, Tooth, Gingiva): Squamous Cell Carcinoma</b>											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	1/150	(0.67%)	Mean 0.67%	SD 1.15%	
.....											
<b>#Oral Cavity (Oral Mucosa, Tongue, Pharynx, Tooth, Gingiva): Squamous Cell Carcinoma, Papilloma Squamous, or Papilloma</b>											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	1/150	(0.67%)	Mean 0.67%	SD 1.15%	
.....											
<b>#Oral Mucosa: Squamous Cell Carcinoma</b>											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
<b>*Ovary: Choriocarcinoma</b>											
						0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>						Total	0/150	(0%)	Mean 0%	SD 0%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: WATER**

**Page: 108**  
**Report Date: 11/17/2008**

	Male	Female
<b>*Ovary:</b>		
<b>Cystadenoma</b>		
	1/50 (2%)	7/50 (14%)
<b>Overall Incidence</b>	Total 11/150 (7.33%)	Mean 7.33% SD 6.11%
.....		
<b>*Ovary:</b>		
<b>Fibrous Histiocytoma</b>		
	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total 0/150 (0%)	Mean 0% SD 0%
.....		
<b>*Ovary:</b>		
<b>Granulosa Cell Tumor Benign</b>		
	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total 0/150 (0%)	Mean 0% SD 0%
.....		
<b>*Ovary:</b>		
<b>Granulosa Cell Tumor Malignant</b>		
	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total 0/150 (0%)	Mean 0% SD 0%
.....		
<b>*Ovary:</b>		
<b>Granulosa Cell Tumor: Benign, Malignant, NOS</b>		
	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total 0/150 (0%)	Mean 0% SD 0%
.....		
<b>*Ovary:</b>		
<b>Hemangioma</b>		
	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total 0/150 (0%)	Mean 0% SD 0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: WATER**

**Page: 109**  
**Report Date: 11/17/2008**

	Male		Female
<b>*Ovary:</b>			
<b>Hemangiosarcoma</b>			
		0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0% SD 0%
.....			
<b>*Ovary:</b>			
<b>Leiomyosarcoma</b>			
		0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0% SD 0%
.....			
<b>*Ovary:</b>			
<b>Luteoma</b>			
		0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0% SD 0%
.....			
<b>*Ovary:</b>			
<b>Teratoma Benign</b>			
		0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0% SD 0%
.....			
<b>*Ovary:</b>			
<b>Teratoma Malignant</b>			
		0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0% SD 0%
.....			
<b>*Ovary:</b>			
<b>Tubulostromal Adenoma</b>			
		0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0% SD 0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: WATER**

Page: 110  
 Report Date: 11/17/2008

		Male				Female			
<b>*Pancreas: Adenoma</b>									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)
		0/150 (0%)	Mean 0%	SD 0%	0/148 (0%)	Mean 0%	SD 0%	0/148 (0%)	SD 0%
.....									
<b>*Pancreas: Carcinoma</b>									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)
		0/150 (0%)	Mean 0%	SD 0%	0/148 (0%)	Mean 0%	SD 0%	0/148 (0%)	SD 0%
.....									
<b>*Pancreas: Carcinoma or Adenoma</b>									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)
		0/150 (0%)	Mean 0%	SD 0%	0/148 (0%)	Mean 0%	SD 0%	0/148 (0%)	SD 0%
.....									
<b>*Pituitary Gland: Pars Distalis or Unspecified Site: Adenoma</b>									
Overall Incidence	Total	1/50 (2%)	1/50 (2%)	0/48 (0%)	3/50 (6%)	1/50 (2%)	2/49 (4%)	2/49 (4%)	2/49 (4%)
		2/148 (1.35%)	Mean 1.33%	SD 1.15%	6/149 (4.03%)	Mean 4.03%	SD 2%	6/149 (4.03%)	SD 2%
.....									
<b>*Pituitary Gland: Pars Distalis or Unspecified Site: Carcinoma</b>									
Overall Incidence	Total	1/50 (2%)	0/50 (0%)	0/48 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)
		1/148 (0.68%)	Mean 0.67%	SD 1.15%	0/149 (0%)	Mean 0%	SD 0%	0/149 (0%)	SD 0%
.....									
<b>*Pituitary Gland: Pars Distalis or Unspecified Site: Carcinoma or Adenoma</b>									
Overall Incidence	Total	2/50 (4%)	1/50 (2%)	0/48 (0%)	3/50 (6%)	1/50 (2%)	2/49 (4%)	2/49 (4%)	2/49 (4%)
		3/148 (2.03%)	Mean 2%	SD 2%	6/149 (4.03%)	Mean 4.03%	SD 2%	6/149 (4.03%)	SD 2%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: WATER**

Page: 111  
 Report Date: 11/17/2008

		Male			Female			
<b>*Pituitary Gland: Pars Intermedia: Adenoma</b>								
Overall Incidence	Total	0/50 (0%) 0/148 (0%)	0/50 (0%) Mean 0%	0/48 (0%) SD 0%	Total	1/50 (2%) 4/149 (2.68%)	1/50 (2%) Mean 2.69%	2/49 (4%) SD 1.2%
.....								
<b>*Pituitary Gland: Pars Intermedia: Carcinoma or Adenoma</b>								
Overall Incidence	Total	0/50 (0%) 0/148 (0%)	0/50 (0%) Mean 0%	0/48 (0%) SD 0%	Total	1/50 (2%) 4/149 (2.68%)	1/50 (2%) Mean 2.69%	2/49 (4%) SD 1.2%
.....								
<b>*Prostate: Adenoma</b>								
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%				
.....								
<b>*Prostate: Carcinoma or Adenoma</b>								
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%				
.....								
<b>*Prostate: Hemangioma</b>								
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%				
.....								
<b>*Salivary Glands: Carcinoma</b>								
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/49 (0%) 0/148 (0%)	0/50 (0%) Mean 0%	0/49 (0%) SD 0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: WATER**

Page: 112  
 Report Date: 11/17/2008

		Male				Female			
<b>*Salivary Glands: Carcinoma or Adenoma</b>									
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/49 (0%) 0/148 (0%)	0/50 (0%) Mean 0%	0/49 (0%) SD 0%	
.....									
<b>*Salivary Glands: Mast Cell Tumor Malignant</b>									
Overall Incidence	Total	0/50 (0%) 1/150 (0.67%)	1/50 (2%) Mean 0.67%	0/50 (0%) SD 1.15%	Total	0/49 (0%) 0/148 (0%)	0/50 (0%) Mean 0%	0/49 (0%) SD 0%	
.....									
<b>#Seminal Vesicle: Adenoma</b>									
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%					
.....									
<b>#Skeletal Muscle: Fibrosarcoma</b>									
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	
.....									
<b>#Skeletal Muscle: Hemangiosarcoma</b>									
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	1/50 (2%) 1/150 (0.67%)	0/50 (0%) Mean 0.67%	0/50 (0%) SD 1.15%	
.....									
<b>#Skeletal Muscle: Myxosarcoma</b>									
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: WATER**

Page: 113  
 Report Date: 11/17/2008

		Male				Female			
<b>#Skeletal Muscle:</b>									
<b>Rhabdomyosarcoma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%
									SD 0%
.....									
<b>#Skeletal Muscle:</b>									
<b>Rhabdomyosarcoma or Rhabdomyoma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%
									SD 0%
.....									
<b>#Skeletal Muscle:</b>									
<b>Sarcoma</b>									
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	1/150	(0.67%)	Mean 0.67%	SD 1.15%	Total	0/150	(0%)	Mean 0%
									SD 0%
.....									
<b>#Skin:</b>									
<b>Basal Cell Adenoma or Basosquamous Tumor Benign</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%
									SD 0%
.....									
<b>#Skin:</b>									
<b>Basal Cell Adenoma, Basosquamous Tumor Benign, or Trichoepithelioma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%
									SD 0%
.....									
<b>#Skin:</b>									
<b>Basal Cell Carcinoma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%
									SD 0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: WATER**

Page: 114  
 Report Date: 11/17/2008

		Male				Female			
<b>#Skin:</b>									
<b>Basal Cell Carcinoma or Basosquamous Tumor (malignant or NOS)</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%
									SD 0%
.....									
<b>#Skin:</b>									
<b>Basal Cell Carcinoma, Basal Cell Adenoma, Basosquamous Tumor (benign, malignant or NOS), or Trichoepithelioma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%
									SD 0%
.....									
<b>#Skin:</b>									
<b>Basal or Sq. Cell Carcinoma, Carcinoma, Basosq. Tumor (M or B), Basal Cell Adenoma, Adenoma, Papilloma, Sq Papilloma, Keratoacanthoma, Trichoepithelioma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%
									SD 0%
.....									
<b>#Skin:</b>									
<b>Basosquamous Tumor Benign</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%
									SD 0%
.....									
<b>#Skin:</b>									
<b>Fibroma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%
									SD 0%
.....									
<b>#Skin:</b>									
<b>Fibroma, Fibrosarcoma, Sarcoma, Myxoma, Myxosarcoma, or Fibrous Histiocytoma</b>									
		0/50	(0%)	1/50	(2%)	0/50	(0%)	4/50	(8%)
<b>Overall Incidence</b>	Total	1/150	(0.67%)	Mean 0.67%	SD 1.15%	Total	5/150	(3.33%)	Mean 3.33%
									SD 4.16%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: WATER**

Page: 115  
 Report Date: 11/17/2008

		Male				Female			
<b>#Skin:</b>									
<b>Fibrosarcoma</b>									
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	1/150	(0.67%)	Mean	0.67%	SD	1.15%	Total	3/150 (2%)
				Mean	2%				SD 3.46%
.....									
<b>#Skin:</b>									
<b>Fibrosarcoma, Sarcoma, Myxosarcoma, or Fibrous Histiocytoma</b>									
		0/50	(0%)	1/50	(2%)	0/50	(0%)	1/50	(2%)
<b>Overall Incidence</b>	Total	1/150	(0.67%)	Mean	0.67%	SD	1.15%	Total	5/150 (3.33%)
				Mean	8%				SD 4.16%
.....									
<b>#Skin:</b>									
<b>Fibrous Histiocytoma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean	0%	SD	0%	Total	1/150 (0.67%)
				Mean	0.67%				SD 1.15%
.....									
<b>#Skin:</b>									
<b>Hemangioma</b>									
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	1/150	(0.67%)	Mean	0.67%	SD	1.15%	Total	0/150 (0%)
				Mean	0%				SD 0%
.....									
<b>#Skin:</b>									
<b>Hemangiosarcoma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/150 (0%)
				Mean	0%				SD 0%
.....									
<b>#Skin:</b>									
<b>Liposarcoma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/150 (0%)
				Mean	0%				SD 0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: WATER**

Page: 116  
 Report Date: 11/17/2008

		Male				Female					
<b>#Skin:</b>											
<b>Myxosarcoma</b>											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
<b>#Skin:</b>											
<b>Neural Crest Tumor</b>											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
<b>#Skin:</b>											
<b>Neurofibrosarcoma or Schwannoma (malignant or NOS)</b>											
		0/50	(0%)	1/50	(2%)	0/50	(0%)	2/50	(4%)	0/50	(0%)
<b>Overall Incidence</b>	Total	1/150	(0.67%)	Mean 0.67%	SD 1.15%	Total	2/150	(1.33%)	Mean 1.33%	SD 2.31%	
.....											
<b>#Skin:</b>											
<b>Neurofibrosarcoma, Neurofibroma, or Schwannoma (benign, malignant or NOS)</b>											
		0/50	(0%)	1/50	(2%)	0/50	(0%)	2/50	(4%)	0/50	(0%)
<b>Overall Incidence</b>	Total	1/150	(0.67%)	Mean 0.67%	SD 1.15%	Total	2/150	(1.33%)	Mean 1.33%	SD 2.31%	
.....											
<b>#Skin:</b>											
<b>Osteosarcoma</b>											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
<b>#Skin:</b>											
<b>Sarcoma</b>											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	1/150	(0.67%)	Mean 0.67%	SD 1.15%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: WATER**

Page: 117  
 Report Date: 11/17/2008

		Male				Female								
<b>#Skin:</b>														
<b>Schwannoma Malignant</b>														
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	2/50	(4%)	0/50	(0%)	
<b>Overall Incidence</b>	Total	1/150	(0.67%)	Mean	0.67%	SD	1.15%	Total	2/150	(1.33%)	Mean	1.33%	SD	2.31%
.....														
<b>#Skin:</b>														
<b>Squamous Cell Carcinoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/150	(0%)	Mean	0%	SD	0%
.....														
<b>#Skin:</b>														
<b>Squamous Cell Carcinoma, Basal Cell Carcinoma, Basosquamous Tumor (malignant or NOS), or Carcinoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/150	(0%)	Mean	0%	SD	0%
.....														
<b>#Skin:</b>														
<b>Squamous Cell Papilloma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/150	(0%)	Mean	0%	SD	0%
.....														
<b>#Skin:</b>														
<b>Squamous Cell Papilloma or Papilloma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/150	(0%)	Mean	0%	SD	0%
.....														
<b>#Skin:</b>														
<b>Squamous Cell Papilloma, Papilloma, Squamous Cell Carcinoma or Keratoacanthoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/150	(0%)	Mean	0%	SD	0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: WATER**

Page: 118  
 Report Date: 11/17/2008

	Male					Female								
<b>#Skin:</b>														
<b>Squamous Cell Papilloma, Papilloma, or Keratoacanthoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/150	(0%)	Mean	0%	SD	0%
.....														
<b>#Skin:</b>														
<b>Trichoepithelioma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/150	(0%)	Mean	0%	SD	0%
.....														
<b>#Skin: Sebaceous Gland:</b>														
<b>Adenoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/150	(0%)	Mean	0%	SD	0%
.....														
<b>#Skin: Sebaceous Gland:</b>														
<b>Carcinoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/150	(0%)	Mean	0%	SD	0%
.....														
<b>#Skin: Sebaceous Gland:</b>														
<b>Carcinoma or Adenoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/150	(0%)	Mean	0%	SD	0%
.....														
<b>#Spinal Cord:</b>														
<b>Meningioma Malignant</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/150	(0%)	Mean	0%	SD	0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: WATER**

Page: 119  
 Report Date: 11/17/2008

		Male				Female					
<b>*Spleen: Fibrous Histiocytoma</b>											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/149	(0%)	Mean 0%	SD 0%	
.....											
<b>*Spleen: Hemangioma</b>											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/49	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	1/149	(0.67%)	Mean 0.67%	SD 1.15%	
.....											
<b>*Spleen: Hemangiosarcoma</b>											
		2/50	(4%)	1/50	(2%)	1/50	(2%)	0/50	(0%)	4/49	(8%)
<b>Overall Incidence</b>	Total	4/150	(2.67%)	Mean 2.67%	SD 1.15%	Total	5/149	(3.36%)	Mean 3.39%	SD 4.25%	
.....											
<b>#Stomach, Forestomach: Mast Cell Tumor Malignant</b>											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
<b>#Stomach, Forestomach: Squamous Cell Carcinoma</b>											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
<b>#Stomach, Forestomach: Squamous Cell Carcinoma or Papilloma Squamous</b>											
		0/50	(0%)	1/50	(2%)	2/50	(4%)	1/50	(2%)	0/50	(0%)
<b>Overall Incidence</b>	Total	3/150	(2%)	Mean 2%	SD 2%	Total	3/150	(2%)	Mean 2%	SD 2%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: WATER**

Page: 120  
 Report Date: 11/17/2008

		Male			Female			
<b>#Stomach, Forestomach:</b>								
<b>Squamous Cell Papilloma</b>								
		0/50 (0%)	1/50 (2%)	2/50 (4%)	1/50 (2%)	0/50 (0%)	2/50 (4%)	
<b>Overall Incidence</b>	Total	3/150 (2%)	Mean 2%	SD 2%	Total	3/150 (2%)	Mean 2%	SD 2%
.....								
<b>#Stomach, Glandular:</b>								
<b>Adenoma</b>								
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%
.....								
<b>#Stomach, Glandular:</b>								
<b>Carcinoma</b>								
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%
.....								
<b>#Stomach, Glandular:</b>								
<b>Carcinoma or Adenoma</b>								
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%
.....								
<b>*Testes:</b>								
<b>Adenoma</b>								
		0/50 (0%)	0/50 (0%)	0/50 (0%)				
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%				
.....								
<b>*Testes:</b>								
<b>Hemangiosarcoma</b>								
		0/50 (0%)	0/50 (0%)	0/50 (0%)				
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%				

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: WATER**

Page: 121  
 Report Date: 11/17/2008

		Male			Female			
<b>*Thymus:</b>								
<b>Thymoma Malignant</b>								
Overall Incidence	Total	0/47 (0%) 0/137 (0%)	0/47 (0%) Mean 0%	0/43 (0%) SD 0%	Total	0/49 (0%) 0/144 (0%)	0/48 (0%) Mean 0%	0/47 (0%) SD 0%
.....								
<b>*Thymus:</b>								
<b>Thymoma: Benign, Malignant, NOS</b>								
Overall Incidence	Total	0/47 (0%) 0/137 (0%)	0/47 (0%) Mean 0%	0/43 (0%) SD 0%	Total	0/49 (0%) 0/144 (0%)	0/48 (0%) Mean 0%	0/47 (0%) SD 0%
.....								
<b>*Thyroid Gland:</b>								
<b>Adenoma</b>								
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/49 (0%) 0/146 (0%)	0/49 (0%) Mean 0%	0/48 (0%) SD 0%
.....								
<b>*Thyroid Gland: C-Cell:</b>								
<b>Carcinoma</b>								
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/49 (0%) 0/146 (0%)	0/49 (0%) Mean 0%	0/48 (0%) SD 0%
.....								
<b>*Thyroid Gland: C-Cell:</b>								
<b>Carcinoma or Adenoma</b>								
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/49 (0%) 0/146 (0%)	0/49 (0%) Mean 0%	0/48 (0%) SD 0%
.....								
<b>*Thyroid Gland: Follicular Cell:</b>								
<b>Adenoma</b>								
Overall Incidence	Total	0/50 (0%) 3/150 (2%)	1/50 (2%) Mean 2%	2/50 (4%) SD 2%	Total	2/49 (4%) 3/146 (2.05%)	0/49 (0%) Mean 2.05%	1/48 (2%) SD 2.04%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: WATER**

Page: 122  
 Report Date: 11/17/2008

		Male				Female			
<b>*Thyroid Gland: Follicular Cell: Carcinoma</b>									
Overall Incidence	Total	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	0/48 (0%)		
		1/150 (0.67%)	Mean 0.67%	SD 1.15%	0/146 (0%)	Mean 0%	SD 0%		
.....									
<b>*Thyroid Gland: Follicular Cell: Carcinoma or Adenoma</b>									
Overall Incidence	Total	1/50 (2%)	1/50 (2%)	2/50 (4%)	2/49 (4%)	0/49 (0%)	1/48 (2%)		
		4/150 (2.67%)	Mean 2.67%	SD 1.15%	3/146 (2.05%)	Mean 2.05%	SD 2.04%		
.....									
<b>#Tissue NOS: Carcinoma</b>									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/150 (0%)	Mean 0%	SD 0%	0/150 (0%)	Mean 0%	SD 0%		
.....									
<b>#Tissue NOS: Hemangiosarcoma</b>									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/150 (0%)	Mean 0%	SD 0%	0/150 (0%)	Mean 0%	SD 0%		
.....									
<b>#Tissue NOS: Schwannoma Malignant</b>									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/150 (0%)	Mean 0%	SD 0%	0/150 (0%)	Mean 0%	SD 0%		
.....									
<b>#Tongue: Squamous Cell Carcinoma</b>									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)		
		0/150 (0%)	Mean 0%	SD 0%	1/150 (0.67%)	Mean 0.67%	SD 1.15%		

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: WATER**

Page: 123  
 Report Date: 11/17/2008

	Male					Female					
<b>#Tongue:</b>											
<b>Squamous Cell Carcinoma or Papilloma Squamous</b>											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	1/150	(0.67%)	Mean 0.67%	SD 1.15%	
.....											
<b>#Tongue:</b>											
<b>Squamous Cell Papilloma</b>											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
<b>#Tooth:</b>											
<b>Odontoma</b>											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
<b>*Urinary Bladder:</b>											
<b>Hemangioma</b>											
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	1/150	(0.67%)	Mean 0.67%	SD 1.15%	Total	0/149	(0%)	Mean 0%	SD 0%	
.....											
<b>*Urinary Bladder:</b>											
<b>Hemangiosarcoma</b>											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/149	(0%)	Mean 0%	SD 0%	
.....											
<b>*Urinary Bladder:</b>											
<b>Sarcoma</b>											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/149	(0%)	Mean 0%	SD 0%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: WATER**

Page: 124  
 Report Date: 11/17/2008

	Male			Female		
<b>#Uterus:</b>						
<b>Adenoma</b>						
		0/50	(0%)	0/50	(0%)	0/50
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean	0%	SD
						0%
.....						
<b>#Uterus:</b>						
<b>Carcinoma</b>						
		0/50	(0%)	0/50	(0%)	0/50
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean	0%	SD
						0%
.....						
<b>#Uterus:</b>						
<b>Hemangioma</b>						
		0/50	(0%)	0/50	(0%)	2/50
<b>Overall Incidence</b>	Total	2/150	(1.33%)	Mean	1.33%	SD
						2.31%
.....						
<b>#Uterus:</b>						
<b>Hemangiosarcoma</b>						
		0/50	(0%)	0/50	(0%)	0/50
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean	0%	SD
						0%
.....						
<b>#Uterus:</b>						
<b>Leiomyoma</b>						
		0/50	(0%)	0/50	(0%)	0/50
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean	0%	SD
						0%
.....						
<b>#Uterus:</b>						
<b>Leiomyosarcoma</b>						
		0/50	(0%)	0/50	(0%)	0/50
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean	0%	SD
						0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: WATER**

**Page: 125**  
**Report Date: 11/17/2008**

	Male	Female
<b>#Uterus:</b>		
<b>Polyp Stromal</b>		
	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total 1/150 (0.67%)	Mean 0.67% SD 1.15%
.....		
<b>#Uterus:</b>		
<b>Sarcoma Stromal</b>		
	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total 0/150 (0%)	Mean 0% SD 0%
.....		
<b>#Uterus:</b>		
<b>Sarcoma Stromal or Polyp Stromal</b>		
	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total 1/150 (0.67%)	Mean 0.67% SD 1.15%
.....		
<b>#Uterus:</b>		
<b>Schwannoma Malignant</b>		
	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total 0/150 (0%)	Mean 0% SD 0%
.....		
<b>#Vagina:</b>		
<b>Squamous Cell Carcinoma</b>		
	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total 0/150 (0%)	Mean 0% SD 0%
.....		
<b>#Vagina:</b>		
<b>Squamous Cell Papilloma</b>		
	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total 0/150 (0%)	Mean 0% SD 0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: GAVAGE**  
**Vehicle: WATER**

Page: 126  
 Report Date: 11/17/2008

		Male			Female			
<b>#Zymbal's Gland:</b>								
<b>Carcinoma</b>								
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%
.....								
<b>#Zymbal's Gland:</b>								
<b>Carcinoma or Adenoma</b>								
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: INHALATION  
 Vehicle: AIR

Page: 127  
 Report Date: 11/17/2008

**Study Summary**

Laboratory Name	Study Number	Study Start Date	Length of Study in Days	Number of Animals Total and (#/Cage)	Number Surviving and (Mean Life Span)	Maximum Mean Weekly Body Weight	Chemical
<b>Male</b>							
Battelle Northwest	052001106	07/21/03	729	50 (5)	37(689)	53.4	1-Bromopropane
Battelle Northwest	059601106	06/11/01	729	50 (5)	38(709)	53.9	Cumene
Battelle Northwest	059901706	08/18/03	729	50 (5)	31(686)	53.8	Diethylamine
Battelle Northwest	058800406	09/27/99	729	50 (5)	41(702)	52.2	Divinylbenzene
Battelle Northwest	059700602	06/05/00	729	50 (5)	40(709)	53.2	Methyl isobutyl ketone
Battelle Northwest	058800604	07/30/01	729	50 (5)	35(698)	54.9	alpha-Methylstyrene
Battelle Northwest	059700806	09/17/01	729	50 (5)	37(694)	53.5	Propargyl alcohol
Battelle Northwest	059302506	06/23/03	729	50 (5)	36(695)	52.9	Tetralin
<b>Female</b>							
Battelle Northwest	052001106	07/21/03	731	50 (5)	36(698)	61.2	1-Bromopropane
Battelle Northwest	059601106	06/11/01	731	50 (5)	37(685)	60.7	Cumene
Battelle Northwest	059901706	08/18/03	731	50 (5)	32(684)	60.7	Diethylamine
Battelle Northwest	058800406	09/27/99	731	50 (5)	33(681)	63.0	Divinylbenzene
Battelle Northwest	059700602	06/05/00	731	50 (5)	35(695)	60.3	Methyl isobutyl ketone
Battelle Northwest	058800604	07/30/01	731	50 (5)	39(701)	58.6	alpha-Methylstyrene
Battelle Northwest	059700806	09/17/01	731	50 (5)	39(699)	58.3	Propargyl alcohol
Battelle Northwest	059302506	06/23/03	731	50 (5)	31(663)	62.1	Tetralin

NOTE: The text on page 2 ("Report Description") describes how the studies listed here are displayed on the data pages that follow.

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: INHALATION**  
**Vehicle: AIR**

Page: 128  
 Report Date: 11/17/2008

		Male				Female			
<b>#All Organs:</b>									
<b>Benign Tumors</b>									
		36/50 (72%)	43/50 (86%)	33/50 (66%)		22/50 (44%)	34/50 (68%)	25/50 (50%)	
		35/50 (70%)	27/50 (54%)	35/50 (70%)		28/50 (56%)	29/50 (58%)	26/50 (52%)	
		28/50 (56%)	42/50 (84%)			26/50 (52%)	24/50 (48%)		
<b>Overall Incidence</b>	Total	279/400 (69.75%)	Mean 69.75%	SD 11.49%	Total	214/400 (53.5%)	Mean 53.5%	SD 7.31%	
.....									
<b>#All Organs:</b>									
<b>Malignant Tumors</b>									
		30/50 (60%)	27/50 (54%)	36/50 (72%)		33/50 (66%)	26/50 (52%)	23/50 (46%)	
		26/50 (52%)	29/50 (58%)	19/50 (38%)		22/50 (44%)	30/50 (60%)	29/50 (58%)	
		22/50 (44%)	26/50 (52%)			23/50 (46%)	27/50 (54%)		
<b>Overall Incidence</b>	Total	215/400 (53.75%)	Mean 53.75%	SD 10.28%	Total	213/400 (53.25%)	Mean 53.25%	SD 7.78%	
.....									
<b>#All Organs:</b>									
<b>Malignant and Benign Tumors</b>									
		47/50 (94%)	48/50 (96%)	48/50 (96%)		42/50 (84%)	42/50 (84%)	41/50 (82%)	
		43/50 (86%)	45/50 (90%)	43/50 (86%)		40/50 (80%)	42/50 (84%)	40/50 (80%)	
		38/50 (76%)	47/50 (94%)			37/50 (74%)	40/50 (80%)		
<b>Overall Incidence</b>	Total	359/400 (89.75%)	Mean 89.75%	SD 6.88%	Total	324/400 (81%)	Mean 81%	SD 3.38%	
.....									
<b>#All Organs:</b>									
<b>Hemangioma</b>									
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)	1/50 (2%)			0/50 (0%)	0/50 (0%)		
<b>Overall Incidence</b>	Total	3/400 (0.75%)	Mean 0.75%	SD 1.04%	Total	2/400 (0.5%)	Mean 0.5%	SD 0.93%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: INHALATION  
 Vehicle: AIR

Page: 129  
 Report Date: 11/17/2008

		Male				Female			
<b>#All Organs:</b>									
<b>Hemangiosarcoma</b>									
		2/50 (4%)	0/50 (0%)	7/50 (14%)	4/50 (8%)	1/50 (2%)	5/50 (10%)		
		6/50 (12%)	3/50 (6%)	4/50 (8%)	1/50 (2%)	3/50 (6%)	4/50 (8%)		
		2/50 (4%)	4/50 (8%)		2/50 (4%)	2/50 (4%)			
<b>Overall Incidence</b>	Total	28/400 (7%)	Mean 7%	SD 4.54%	Total	22/400 (5.5%)	Mean 5.5%	SD 2.98%	
.....									
<b>#All Organs:</b>									
<b>Hemangiosarcoma or Hemangioma</b>									
		2/50 (4%)	1/50 (2%)	7/50 (14%)	4/50 (8%)	1/50 (2%)	5/50 (10%)		
		6/50 (12%)	4/50 (8%)	4/50 (8%)	2/50 (4%)	3/50 (6%)	5/50 (10%)		
		2/50 (4%)	5/50 (10%)		2/50 (4%)	2/50 (4%)			
<b>Overall Incidence</b>	Total	31/400 (7.75%)	Mean 7.75%	SD 4.2%	Total	24/400 (6%)	Mean 6%	SD 3.02%	
.....									
<b>#All Organs:</b>									
<b>Histiocytic Sarcoma</b>									
		0/50 (0%)	0/50 (0%)	1/50 (2%)	1/50 (2%)	0/50 (0%)	1/50 (2%)		
		1/50 (2%)	1/50 (2%)	0/50 (0%)	1/50 (2%)	3/50 (6%)	1/50 (2%)		
		1/50 (2%)	0/50 (0%)		1/50 (2%)	2/50 (4%)			
<b>Overall Incidence</b>	Total	4/400 (1%)	Mean 1%	SD 1.07%	Total	10/400 (2.5%)	Mean 2.5%	SD 1.77%	
.....									
<b>#All Organs:</b>									
<b>Malignant Lymphoma: Histiocytic, Lymphocytic, Mixed, NOS, or Undifferentiated Cell Type</b>									
		2/50 (4%)	2/50 (4%)	2/50 (4%)	17/50 (34%)	7/50 (14%)	8/50 (16%)		
		1/50 (2%)	1/50 (2%)	0/50 (0%)	11/50 (22%)	13/50 (26%)	15/50 (30%)		
		1/50 (2%)	2/50 (4%)		13/50 (26%)	12/50 (24%)			
<b>Overall Incidence</b>	Total	11/400 (2.75%)	Mean 2.75%	SD 1.49%	Total	96/400 (24%)	Mean 24%	SD 6.68%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: INHALATION**  
**Vehicle: AIR**

Page: 130  
 Report Date: 11/17/2008

		Male					Female							
<b>#All Organs:</b>														
<b>Mesothelioma: Benign, Malignant, NOS</b>														
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	<b>Total</b>	1/400	(0.25%)	Mean	0.25%	SD	0.71%	<b>Total</b>	0/400	(0%)	Mean	0%	SD	0%
.....														
<b>#All Organs:</b>														
<b>Mesothelioma: Malignant</b>														
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	<b>Total</b>	1/400	(0.25%)	Mean	0.25%	SD	0.71%	<b>Total</b>	0/400	(0%)	Mean	0%	SD	0%
.....														
<b>#All Organs:</b>														
<b>Osteoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	<b>Total</b>	0/400	(0%)	Mean	0%	SD	0%	<b>Total</b>	0/400	(0%)	Mean	0%	SD	0%
.....														
<b>#All Organs:</b>														
<b>Osteosarcoma</b>														
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		1/50	(2%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	<b>Total</b>	2/400	(0.5%)	Mean	0.5%	SD	0.93%	<b>Total</b>	0/400	(0%)	Mean	0%	SD	0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: INHALATION**  
**Vehicle: AIR**

Page: 131  
 Report Date: 11/17/2008

		Male				Female			
<b>#All Organs:</b>									
<b>Osteosarcoma or Osteoma</b>									
		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
<b>Overall Incidence</b>	<b>Total</b>	2/400 (0.5%)	Mean 0.5%	SD 0.93%	<b>Total</b>	0/400 (0%)	Mean 0%	SD 0%	
.....									
<b>*Adrenal Cortex:</b>									
<b>Adenoma</b>									
		4/49 (8%)	1/50 (2%)	6/50 (12%)	0/50 (0%)	0/50 (0%)	1/50 (2%)		
		3/49 (6%)	2/50 (4%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)		
		1/49 (2%)	2/49 (4%)		0/49 (0%)	0/50 (0%)			
<b>Overall Incidence</b>	<b>Total</b>	19/396 (4.8%)	Mean 4.8%	SD 3.86%	<b>Total</b>	2/399 (0.5%)	Mean 0.5%	SD 0.93%	
.....									
<b>*Adrenal Cortex:</b>									
<b>Sarcoma</b>									
		0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)	0/49 (0%)		0/49 (0%)	0/50 (0%)			
<b>Overall Incidence</b>	<b>Total</b>	0/396 (0%)	Mean 0%	SD 0%	<b>Total</b>	0/399 (0%)	Mean 0%	SD 0%	
.....									
<b>*Adrenal Medulla:</b>									
<b>Pheochromocytoma Benign</b>									
		1/50 (2%)	0/50 (0%)	0/50 (0%)	3/50 (6%)	0/50 (0%)	0/50 (0%)		
		2/49 (4%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	2/50 (4%)	2/50 (4%)		
		0/47 (0%)	1/47 (2%)		1/48 (2%)	0/50 (0%)			
<b>Overall Incidence</b>	<b>Total</b>	4/393 (1.02%)	Mean 1.03%	SD 1.55%	<b>Total</b>	8/397 (2.02%)	Mean 2.01%	SD 2.39%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: INHALATION  
 Vehicle: AIR

Page: 132  
 Report Date: 11/17/2008

		Male				Female					
<b>*Adrenal Medulla:</b>											
<b>Pheochromocytoma Complex</b>											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)
		0/47	(0%)	0/47	(0%)			0/48	(0%)	0/50	(0%)
<b>Overall Incidence</b>	<b>Total</b>	0/393	(0%)	Mean 0%	SD 0%	<b>Total</b>	0/397	(0%)	Mean 0%	SD 0%	
.....											
<b>*Adrenal Medulla:</b>											
<b>Pheochromocytoma Malignant</b>											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)
		0/49	(0%)	1/50	(2%)	0/50	(0%)	0/49	(0%)	0/50	(0%)
		0/47	(0%)	0/47	(0%)			0/48	(0%)	0/50	(0%)
<b>Overall Incidence</b>	<b>Total</b>	1/393	(0.25%)	Mean 0.25%	SD 0.71%	<b>Total</b>	1/397	(0.25%)	Mean 0.25%	SD 0.71%	
.....											
<b>*Adrenal Medulla:</b>											
<b>Pheochromocytoma: Benign, Complex, Malignant, NOS</b>											
		1/50	(2%)	0/50	(0%)	0/50	(0%)	4/50	(8%)	0/50	(0%)
		2/49	(4%)	1/50	(2%)	0/50	(0%)	0/49	(0%)	2/50	(4%)
		0/47	(0%)	1/47	(2%)			1/48	(2%)	0/50	(0%)
<b>Overall Incidence</b>	<b>Total</b>	5/393	(1.27%)	Mean 1.28%	SD 1.52%	<b>Total</b>	9/397	(2.27%)	Mean 2.26%	SD 2.91%	
.....											
<b>*Bone Marrow:</b>											
<b>Hemangiosarcoma</b>											
		0/48	(0%)	0/50	(0%)	2/50	(4%)	0/50	(0%)	0/49	(0%)
		2/50	(4%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)			2/50	(4%)	1/50	(2%)
<b>Overall Incidence</b>	<b>Total</b>	4/398	(1.01%)	Mean 1%	SD 1.85%	<b>Total</b>	4/398	(1.01%)	Mean 1%	SD 1.51%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: INHALATION  
 Vehicle: AIR

Page: 133  
 Report Date: 11/17/2008

		Male				Female			
<b>*Bone Marrow:</b>									
<b>Mast Cell Tumor Malignant</b>									
		0/48 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	1/398 (0.25%)	Mean 0.25%	SD 0.71%	Total	0/398 (0%)	Mean 0%	SD 0%	
.....									
<b>#Bone:</b>									
<b>Hemangiosarcoma</b>									
		0/50 (0%)	0/50 (0%)	1/50 (2%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	1/400 (0.25%)	Mean 0.25%	SD 0.71%	Total	2/400 (0.5%)	Mean 0.5%	SD 0.93%	
.....									
<b>#Bone:</b>									
<b>Osteoma</b>									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/400 (0%)	Mean 0%	SD 0%	Total	0/400 (0%)	Mean 0%	SD 0%	
.....									
<b>#Bone:</b>									
<b>Osteosarcoma</b>									
		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	2/400 (0.5%)	Mean 0.5%	SD 0.93%	Total	0/400 (0%)	Mean 0%	SD 0%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: INHALATION**  
**Vehicle: AIR**

Page: 134  
 Report Date: 11/17/2008

		Male				Female								
<b>#Bone:</b>														
<b>Osteosarcoma or Osteoma</b>														
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		1/50	(2%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	<b>Total</b>	2/400	(0.5%)	Mean	0.5%	SD	0.93%	<b>Total</b>	0/400	(0%)	Mean	0%	SD	0%
.....														
<b>#Bone:</b>														
<b>Sarcoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	<b>Total</b>	1/400	(0.25%)	Mean	0.25%	SD	0.71%	<b>Total</b>	0/400	(0%)	Mean	0%	SD	0%
.....														
<b>*Brain:</b>														
<b>Meningioma Benign</b>														
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	<b>Total</b>	1/400	(0.25%)	Mean	0.25%	SD	0.71%	<b>Total</b>	0/400	(0%)	Mean	0%	SD	0%
.....														
<b>*Brain:</b>														
<b>Meningioma: Benign, Malignant, NOS</b>														
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	<b>Total</b>	1/400	(0.25%)	Mean	0.25%	SD	0.71%	<b>Total</b>	0/400	(0%)	Mean	0%	SD	0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: INHALATION**  
**Vehicle: AIR**

Page: 135  
 Report Date: 11/17/2008

		Male				Female					
<b>*Brain:</b>											
<b>Schwannoma Malignant</b>											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	<b>Total</b>	0/400 (0%)		Mean 0%		SD 0%		<b>Total</b>		0/400 (0%)	
										Mean 0%	
										SD 0%	
.....											
<b>*Clitoral/Preputial Gland:</b>											
<b>Adenoma</b>											
		0/49	(0%)	0/49	(0%)	0/50	(0%)	0/46	(0%)	0/41	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/47	(0%)	0/45	(0%)
		0/50	(0%)	0/50	(0%)			0/42	(0%)	0/46	(0%)
<b>Overall Incidence</b>	<b>Total</b>	0/398 (0%)		Mean 0%		SD 0%		<b>Total</b>		0/356 (0%)	
										Mean 0%	
										SD 0%	
.....											
<b>*Clitoral/Preputial Gland:</b>											
<b>Carcinoma</b>											
		0/49	(0%)	0/49	(0%)	0/50	(0%)	0/46	(0%)	0/41	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/47	(0%)	0/45	(0%)
		0/50	(0%)	0/50	(0%)			0/42	(0%)	0/46	(0%)
<b>Overall Incidence</b>	<b>Total</b>	0/398 (0%)		Mean 0%		SD 0%		<b>Total</b>		0/356 (0%)	
										Mean 0%	
										SD 0%	
.....											
<b>*Clitoral/Preputial Gland:</b>											
<b>Carcinoma or Adenoma</b>											
		0/49	(0%)	0/49	(0%)	0/50	(0%)	0/46	(0%)	0/41	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/47	(0%)	0/45	(0%)
		0/50	(0%)	0/50	(0%)			0/42	(0%)	0/46	(0%)
<b>Overall Incidence</b>	<b>Total</b>	0/398 (0%)		Mean 0%		SD 0%		<b>Total</b>		0/356 (0%)	
										Mean 0%	
										SD 0%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: INHALATION**  
**Vehicle: AIR**

Page: 136  
 Report Date: 11/17/2008

		Male				Female			
<b>*Clitoral/Preputial Gland: Hemangioma</b>									
		0/49 (0%)	0/49 (0%)	0/50 (0%)	0/46 (0%)	0/41 (0%)	0/46 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/47 (0%)	0/45 (0%)	0/43 (0%)		
		0/50 (0%)	0/50 (0%)		0/42 (0%)	0/46 (0%)			
<b>Overall Incidence</b>	Total	0/398 (0%)	Mean 0%	SD 0%	Total	0/356 (0%)	Mean 0%	SD 0%	
.....									
<b>*Clitoral/Preputial Gland: Hemangiosarcoma</b>									
		0/49 (0%)	0/49 (0%)	0/50 (0%)	0/46 (0%)	0/41 (0%)	0/46 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/47 (0%)	0/45 (0%)	0/43 (0%)		
		0/50 (0%)	0/50 (0%)		0/42 (0%)	0/46 (0%)			
<b>Overall Incidence</b>	Total	0/398 (0%)	Mean 0%	SD 0%	Total	0/356 (0%)	Mean 0%	SD 0%	
.....									
<b>*Clitoral/Preputial Gland: Squamous Cell Carcinoma</b>									
		0/49 (0%)	0/49 (0%)	0/50 (0%)	0/46 (0%)	0/41 (0%)	0/46 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/47 (0%)	0/45 (0%)	1/43 (2%)		
		0/50 (0%)	0/50 (0%)		0/42 (0%)	0/46 (0%)			
<b>Overall Incidence</b>	Total	0/398 (0%)	Mean 0%	SD 0%	Total	1/356 (0.28%)	Mean 0.29%	SD 0.82%	
.....									
<b>*Epididymis: Sarcoma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)					
		1/50 (2%)	0/50 (0%)	0/50 (0%)					
		0/50 (0%)	0/50 (0%)						
<b>Overall Incidence</b>	Total	1/399 (0.25%)	Mean 0.25%	SD 0.71%					

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: INHALATION**  
**Vehicle: AIR**

Page: 137  
 Report Date: 11/17/2008

		Male				Female								
<b>#Esophagus:</b>														
<b>Squamous Cell Carcinoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	<b>Total</b>	0/400	(0%)	Mean	0%	SD	0%	<b>Total</b>	1/400	(0.25%)	Mean	0.25%	SD	0.71%
.....														
<b>#Eye:</b>														
<b>Sarcoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	<b>Total</b>	0/400	(0%)	Mean	0%	SD	0%	<b>Total</b>	0/400	(0%)	Mean	0%	SD	0%
.....														
<b>*Gallbladder:</b>														
<b>Adenoma</b>														
		0/40	(0%)	0/43	(0%)	0/36	(0%)	0/43	(0%)	0/38	(0%)	0/38	(0%)	
		1/42	(2%)	0/43	(0%)	0/42	(0%)	0/45	(0%)	0/42	(0%)	0/47	(0%)	
		0/40	(0%)	0/43	(0%)			0/41	(0%)	0/42	(0%)			
<b>Overall Incidence</b>	<b>Total</b>	1/329	(0.3%)	Mean	0.3%	SD	0.84%	<b>Total</b>	0/336	(0%)	Mean	0%	SD	0%
.....														
<b>#Harderian Gland:</b>														
<b>Adenoma</b>														
		7/50	(14%)	8/50	(16%)	4/50	(8%)	3/50	(6%)	8/50	(16%)	3/50	(6%)	
		5/50	(10%)	5/50	(10%)	10/50	(20%)	4/50	(8%)	6/50	(12%)	3/50	(6%)	
		3/50	(6%)	2/50	(4%)			4/50	(8%)	1/50	(2%)			
<b>Overall Incidence</b>	<b>Total</b>	44/400	(11%)	Mean	11%	SD	5.35%	<b>Total</b>	32/400	(8%)	Mean	8%	SD	4.28%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: INHALATION**  
**Vehicle: AIR**

Page: 138  
 Report Date: 11/17/2008

		Male				Female			
<b>#Harderian Gland:</b>									
<b>Carcinoma</b>									
		3/50 (6%)	4/50 (8%)	4/50 (8%)	2/50 (4%)	5/50 (10%)	2/50 (4%)		
		1/50 (2%)	2/50 (4%)	1/50 (2%)	2/50 (4%)	1/50 (2%)	1/50 (2%)		
		3/50 (6%)	3/50 (6%)		0/50 (0%)	1/50 (2%)			
<b>Overall Incidence</b>	Total	21/400 (5.25%)	Mean 5.25%	SD 2.38%	Total	14/400 (3.5%)	Mean 3.5%	SD 2.98%	
.....									
<b>#Harderian Gland:</b>									
<b>Carcinoma or Adenoma</b>									
		10/50 (20%)	11/50 (22%)	8/50 (16%)	5/50 (10%)	12/50 (24%)	5/50 (10%)		
		6/50 (12%)	7/50 (14%)	11/50 (22%)	6/50 (12%)	7/50 (14%)	4/50 (8%)		
		6/50 (12%)	5/50 (10%)		4/50 (8%)	2/50 (4%)			
<b>Overall Incidence</b>	Total	64/400 (16%)	Mean 16%	SD 4.78%	Total	45/400 (11.25%)	Mean 11.25%	SD 5.95%	
.....									
<b>#Harderian Gland:</b>									
<b>Sarcoma</b>									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)			
<b>Overall Incidence</b>	Total	0/400 (0%)	Mean 0%	SD 0%	Total	0/400 (0%)	Mean 0%	SD 0%	
.....									
<b>*Heart:</b>									
<b>Hemangioma</b>									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)			
<b>Overall Incidence</b>	Total	0/400 (0%)	Mean 0%	SD 0%	Total	0/400 (0%)	Mean 0%	SD 0%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: INHALATION**  
**Vehicle: AIR**

Page: 139  
 Report Date: 11/17/2008

		Male				Female			
<b>*Heart:</b>									
<b>Hemangiosarcoma</b>									
		0/50 (0%)	0/50 (0%)	1/50 (2%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		2/50 (4%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
<b>Overall Incidence</b>	<b>Total</b>	4/400 (1%)	Mean 1%	SD 1.51%	<b>Total</b>	2/400 (0.5%)	Mean 0.5%	SD 0.93%	
.....									
<b>*Heart:</b>									
<b>Sarcoma</b>									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
<b>Overall Incidence</b>	<b>Total</b>	0/400 (0%)	Mean 0%	SD 0%	<b>Total</b>	0/400 (0%)	Mean 0%	SD 0%	
.....									
<b>#Intestine Large: Cecum:</b>									
<b>Carcinoma</b>									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
<b>Overall Incidence</b>	<b>Total</b>	0/400 (0%)	Mean 0%	SD 0%	<b>Total</b>	0/400 (0%)	Mean 0%	SD 0%	
.....									
<b>#Intestine Large: Cecum:</b>									
<b>Carcinoma or Adenoma</b>									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
<b>Overall Incidence</b>	<b>Total</b>	0/400 (0%)	Mean 0%	SD 0%	<b>Total</b>	0/400 (0%)	Mean 0%	SD 0%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: INHALATION  
 Vehicle: AIR

Page: 140  
 Report Date: 11/17/2008

		Male				Female					
<b>#Intestine Large: Cecum:</b>											
<b>Leiomyoma</b>											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)			0/50	(0%)		
<b>Overall Incidence</b>	<b>Total</b>	0/400 (0%)		Mean 0%		SD 0%		<b>Total</b>		1/400 (0.25%)	
										Mean 0.25%	
										SD 0.71%	
.....											
<b>#Intestine Large: Cecum:</b>											
<b>Polyp Adenomatous</b>											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)			0/50	(0%)		
<b>Overall Incidence</b>	<b>Total</b>	1/400 (0.25%)		Mean 0.25%		SD 0.71%		<b>Total</b>		0/400 (0%)	
										Mean 0%	
										SD 0%	
.....											
<b>#Intestine Large: Colon/Rectum:</b>											
<b>Leiomyosarcoma</b>											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)			0/50	(0%)	1/50	(2%)
<b>Overall Incidence</b>	<b>Total</b>	0/400 (0%)		Mean 0%		SD 0%		<b>Total</b>		1/400 (0.25%)	
										Mean 0.25%	
										SD 0.71%	
.....											
<b>#Intestine Small: Duodenum:</b>											
<b>Adenoma</b>											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	<b>Total</b>	1/400 (0.25%)		Mean 0.25%		SD 0.71%		<b>Total</b>		1/400 (0.25%)	
										Mean 0.25%	
										SD 0.71%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: INHALATION**  
**Vehicle: AIR**

Page: 141  
 Report Date: 11/17/2008

		Male				Female								
<b>#Intestine Small: Duodenum: Carcinoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	<b>Total</b>	0/400	(0%)	Mean	0%	SD	0%	<b>Total</b>	0/400	(0%)	Mean	0%	SD	0%
.....														
<b>#Intestine Small: Duodenum: Leiomyosarcoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)			
<b>Overall Incidence</b>	<b>Total</b>	0/400	(0%)	Mean	0%	SD	0%	<b>Total</b>	1/400	(0.25%)	Mean	0.25%	SD	0.71%
.....														
<b>#Intestine Small: Duodenum: Polyp Adenomatous</b>														
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	<b>Total</b>	1/400	(0.25%)	Mean	0.25%	SD	0.71%	<b>Total</b>	0/400	(0%)	Mean	0%	SD	0%
.....														
<b>#Intestine Small: Ileum: Carcinoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	<b>Total</b>	0/400	(0%)	Mean	0%	SD	0%	<b>Total</b>	0/400	(0%)	Mean	0%	SD	0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: INHALATION**  
**Vehicle: AIR**

Page: 142  
 Report Date: 11/17/2008

		Male				Female								
<b>#Intestine Small: Ileum: Hemangiosarcoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	Total	0/400	(0%)	Mean	0%	SD	0%	Total	0/400	(0%)	Mean	0%	SD	0%
.....														
<b>#Intestine Small: Ileum: Polyp Adenomatous</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)			
<b>Overall Incidence</b>	Total	0/400	(0%)	Mean	0%	SD	0%	Total	1/400	(0.25%)	Mean	0.25%	SD	0.71%
.....														
<b>#Intestine Small: Jejunum: Adenoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	Total	0/400	(0%)	Mean	0%	SD	0%	Total	0/400	(0%)	Mean	0%	SD	0%
.....														
<b>#Intestine Small: Jejunum: Carcinoma</b>														
		4/50	(8%)	1/50	(2%)	2/50	(4%)	0/50	(0%)	0/50	(0%)			
		3/50	(6%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	Total	11/400	(2.75%)	Mean	2.75%	SD	3.01%	Total	0/400	(0%)	Mean	0%	SD	0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: INHALATION**  
**Vehicle: AIR**

Page: 143  
 Report Date: 11/17/2008

		Male				Female								
<b>#Intestine Small: Jejunum: Hemangiosarcoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	Total	0/400	(0%)	Mean	0%	SD	0%	Total	0/400	(0%)	Mean	0%	SD	0%
.....														
<b>#Intestine Small: Jejunum: Leiomyosarcoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	Total	0/400	(0%)	Mean	0%	SD	0%	Total	0/400	(0%)	Mean	0%	SD	0%
.....														
<b>#Intestine Small: Jejunum: Polyp Adenomatous</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	Total	0/400	(0%)	Mean	0%	SD	0%	Total	0/400	(0%)	Mean	0%	SD	0%
.....														
<b>#Intestine Small: Site Unspecified: Adenoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	Total	1/400	(0.25%)	Mean	0.25%	SD	0.71%	Total	1/400	(0.25%)	Mean	0.25%	SD	0.71%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: INHALATION  
 Vehicle: AIR

Page: 144  
 Report Date: 11/17/2008

		Male				Female			
<b>#Intestine Small: Site Unspecified: Carcinoma</b>									
		4/50 (8%)	1/50 (2%)	2/50 (4%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		3/50 (6%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)		
<b>Overall Incidence</b>	Total	11/400 (2.75%)	Mean 2.75%	SD 3.01%	Total	0/400 (0%)	Mean 0%	SD 0%	
.....									
<b>#Intestine Small: Site Unspecified: Carcinoma or Adenoma</b>									
		4/50 (8%)	1/50 (2%)	2/50 (4%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		3/50 (6%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)			
<b>Overall Incidence</b>	Total	12/400 (3%)	Mean 3%	SD 2.83%	Total	1/400 (0.25%)	Mean 0.25%	SD 0.71%	
.....									
<b>#Intestine Small: Site Unspecified: Hemangiosarcoma</b>									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)			
<b>Overall Incidence</b>	Total	0/400 (0%)	Mean 0%	SD 0%	Total	0/400 (0%)	Mean 0%	SD 0%	
.....									
<b>#Intestine Small: Site Unspecified: Leiomyosarcoma</b>									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)			
<b>Overall Incidence</b>	Total	0/400 (0%)	Mean 0%	SD 0%	Total	1/400 (0.25%)	Mean 0.25%	SD 0.71%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: INHALATION  
 Vehicle: AIR

Page: 145  
 Report Date: 11/17/2008

		Male				Female								
<b>#Intestine Small: Site Unspecified:</b>														
<b>Polyp Adenomatous</b>														
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)			
<b>Overall Incidence</b>	<b>Total</b>	1/400	(0.25%)	Mean	0.25%	SD	0.71%	<b>Total</b>	1/400	(0.25%)	Mean	0.25%	SD	0.71%
.....														
<b>*Islets, Pancreatic:</b>														
<b>Adenoma</b>														
		0/48	(0%)	0/50	(0%)	2/50	(4%)	0/50	(0%)	1/49	(2%)	0/50	(0%)	
		1/49	(2%)	1/49	(2%)	0/50	(0%)	0/48	(0%)	0/50	(0%)	0/49	(0%)	
		1/49	(2%)	2/49	(4%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
<b>Overall Incidence</b>	<b>Total</b>	7/394	(1.78%)	Mean	1.78%	SD	1.69%	<b>Total</b>	1/396	(0.25%)	Mean	0.26%	SD	0.72%
.....														
<b>*Islets, Pancreatic:</b>														
<b>Carcinoma</b>														
		0/48	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	
		0/49	(0%)	0/49	(0%)	1/50	(2%)	1/48	(2%)	0/50	(0%)	0/49	(0%)	
		0/49	(0%)	0/49	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	
<b>Overall Incidence</b>	<b>Total</b>	1/394	(0.25%)	Mean	0.25%	SD	0.71%	<b>Total</b>	2/396	(0.51%)	Mean	0.51%	SD	0.95%
.....														
<b>*Islets, Pancreatic:</b>														
<b>Carcinoma or Adenoma</b>														
		0/48	(0%)	0/50	(0%)	2/50	(4%)	0/50	(0%)	1/49	(2%)	0/50	(0%)	
		1/49	(2%)	1/49	(2%)	1/50	(2%)	1/48	(2%)	0/50	(0%)	0/49	(0%)	
		1/49	(2%)	2/49	(4%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	
<b>Overall Incidence</b>	<b>Total</b>	8/394	(2.03%)	Mean	2.03%	SD	1.53%	<b>Total</b>	3/396	(0.76%)	Mean	0.77%	SD	1.06%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: INHALATION  
 Vehicle: AIR

Page: 146  
 Report Date: 11/17/2008

		Male				Female			
<b>*Kidney: Renal Tubule: Adenoma</b>									
		0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/49 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)			
<b>Overall Incidence</b>	Total	0/397 (0%)	Mean 0%	SD 0%	Total	0/398 (0%)	Mean 0%	SD 0%	
.....									
<b>*Kidney: Renal Tubule: Carcinoma</b>									
		0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/49 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)			
<b>Overall Incidence</b>	Total	1/397 (0.25%)	Mean 0.25%	SD 0.71%	Total	0/398 (0%)	Mean 0%	SD 0%	
.....									
<b>*Kidney: Renal Tubule: Carcinoma or Adenoma</b>									
		0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/49 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)			
<b>Overall Incidence</b>	Total	1/397 (0.25%)	Mean 0.25%	SD 0.71%	Total	0/398 (0%)	Mean 0%	SD 0%	
.....									
<b>*Liver: Cholangiocarcinoma</b>									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/49 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)			
<b>Overall Incidence</b>	Total	0/398 (0%)	Mean 0%	SD 0%	Total	0/399 (0%)	Mean 0%	SD 0%	

#: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: INHALATION  
 Vehicle: AIR

Page: 147  
 Report Date: 11/17/2008

		Male				Female							
<b>*Liver:</b>													
<b>Fibrous Histiocytoma</b>													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/49	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
<b>Overall Incidence</b>	<b>Total</b>	0/398 (0%)		Mean 0%		SD 0%		Total 0/399 (0%)		Mean 0%		SD 0%	
.....													
<b>*Liver:</b>													
<b>Hemangioma</b>													
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	1/50	(2%)
		0/49	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
<b>Overall Incidence</b>	<b>Total</b>	2/398 (0.5%)		Mean 0.5%		SD 0.93%		Total 1/399 (0.25%)		Mean 0.25%		SD 0.71%	
.....													
<b>*Liver:</b>													
<b>Hemangiosarcoma</b>													
		1/50	(2%)	0/50	(0%)	2/50	(4%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
		3/50	(6%)	2/50	(4%)	4/50	(8%)	0/49	(0%)	1/50	(2%)	1/50	(2%)
		1/49	(2%)	1/49	(2%)	0/50	(0%)	0/50	(0%)	2/50	(4%)		
<b>Overall Incidence</b>	<b>Total</b>	14/398 (3.52%)		Mean 3.51%		SD 2.56%		Total 5/399 (1.25%)		Mean 1.25%		SD 1.49%	
.....													
<b>*Liver:</b>													
<b>Hepatoblastoma</b>													
		1/50	(2%)	1/50	(2%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	1/50	(2%)	0/50	(0%)
		0/49	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
<b>Overall Incidence</b>	<b>Total</b>	3/398 (0.75%)		Mean 0.75%		SD 1.04%		Total 1/399 (0.25%)		Mean 0.25%		SD 0.71%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: INHALATION  
 Vehicle: AIR

Page: 148  
 Report Date: 11/17/2008

		Male				Female			
<b>*Liver:</b>									
<b>Hepatocellular Adenoma</b>									
		30/50 (60%)	34/50 (68%)	28/50 (56%)		19/50 (38%)	18/50 (36%)	14/50 (28%)	
		22/50 (44%)	17/50 (34%)	24/50 (48%)		17/49 (35%)	13/50 (26%)	10/50 (20%)	
		21/49 (43%)	33/49 (67%)			15/50 (30%)	14/50 (28%)		
<b>Overall Incidence</b>	Total	209/398 (52.51%)	Mean 52.53%	SD 12.29%	Total	120/399 (30.08%)	Mean 30.09%	SD 5.93%	
.....									
<b>*Liver:</b>									
<b>Hepatocellular Carcinoma</b>									
		15/50 (30%)	13/50 (26%)	20/50 (40%)		5/50 (10%)	10/50 (20%)	4/50 (8%)	
		13/50 (26%)	12/50 (24%)	10/50 (20%)		5/49 (10%)	6/50 (12%)	3/50 (6%)	
		10/49 (20%)	11/49 (22%)			4/50 (8%)	7/50 (14%)		
<b>Overall Incidence</b>	Total	104/398 (26.13%)	Mean 26.11%	SD 6.5%	Total	44/399 (11.03%)	Mean 11.03%	SD 4.4%	
.....									
<b>*Liver:</b>									
<b>Hepatocellular Carcinoma or Hepatoblastoma</b>									
		16/50 (32%)	14/50 (28%)	20/50 (40%)		5/50 (10%)	10/50 (20%)	4/50 (8%)	
		13/50 (26%)	12/50 (24%)	10/50 (20%)		5/49 (10%)	6/50 (12%)	3/50 (6%)	
		10/49 (20%)	11/49 (22%)			4/50 (8%)	7/50 (14%)		
<b>Overall Incidence</b>	Total	106/398 (26.63%)	Mean 26.61%	SD 6.73%	Total	44/399 (11.03%)	Mean 11.03%	SD 4.4%	
.....									
<b>*Liver:</b>									
<b>Hepatocellular Carcinoma or Hepatocellular Adenoma</b>									
		38/50 (76%)	40/50 (80%)	40/50 (80%)		24/50 (48%)	25/50 (50%)	16/50 (32%)	
		30/50 (60%)	27/50 (54%)	28/50 (56%)		19/49 (39%)	17/50 (34%)	13/50 (26%)	
		26/49 (53%)	37/49 (76%)			17/50 (34%)	20/50 (40%)		
<b>Overall Incidence</b>	Total	266/398 (66.83%)	Mean 66.82%	SD 12.1%	Total	151/399 (37.84%)	Mean 37.85%	SD 8.11%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: INHALATION**  
**Vehicle: AIR**

Page: 149  
 Report Date: 11/17/2008

		Male				Female			
<b>*Liver:</b>									
<b>Hepatocellular Carcinoma, Hepatocellular Adenoma, or Hepatoblastoma</b>									
		38/50 (76%)	41/50 (82%)	40/50 (80%)		24/50 (48%)	25/50 (50%)	16/50 (32%)	
		30/50 (60%)	27/50 (54%)	28/50 (56%)		19/49 (39%)	17/50 (34%)	13/50 (26%)	
		26/49 (53%)	37/49 (76%)			17/50 (34%)	20/50 (40%)		
<b>Overall Incidence</b>	Total	267/398 (67.09%)	Mean 67.07%	SD 12.43%	Total	151/399 (37.84%)	Mean 37.85%	SD 8.11%	
.....									
<b>*Liver:</b>									
<b>Hepatocholangiocarcinoma</b>									
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	5/50 (10%)	0/50 (0%)		1/49 (2%)	1/50 (2%)	0/50 (0%)	
		0/49 (0%)	0/49 (0%)			0/50 (0%)	0/50 (0%)		
<b>Overall Incidence</b>	Total	7/398 (1.76%)	Mean 1.75%	SD 3.45%	Total	2/399 (0.5%)	Mean 0.51%	SD 0.94%	
.....									
<b>*Liver:</b>									
<b>Ito Cell Tumor Benign</b>									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)	0/49 (0%)			0/50 (0%)	0/50 (0%)		
<b>Overall Incidence</b>	Total	0/398 (0%)	Mean 0%	SD 0%	Total	0/399 (0%)	Mean 0%	SD 0%	
.....									
<b>*Liver:</b>									
<b>Ito Cell Tumor Malignant</b>									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/49 (0%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)	0/49 (0%)			0/50 (0%)	0/50 (0%)		
<b>Overall Incidence</b>	Total	1/398 (0.25%)	Mean 0.25%	SD 0.71%	Total	0/399 (0%)	Mean 0%	SD 0%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: INHALATION  
 Vehicle: AIR

Page: 150  
 Report Date: 11/17/2008

		Male				Female					
<b>*Liver:</b>											
<b>Sarcoma</b>											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)
		0/49	(0%)	0/49	(0%)			0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	<b>Total</b>	0/398	(0%)	Mean 0%	SD 0%	<b>Total</b>	0/399	(0%)	Mean 0%	SD 0%	
.....											
<b>*Lung:</b>											
<b>Adenoma</b>											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		1/50	(2%)	0/50	(0%)			0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	<b>Total</b>	1/399	(0.25%)	Mean 0.25%	SD 0.71%	<b>Total</b>	0/400	(0%)	Mean 0%	SD 0%	
.....											
<b>*Lung:</b>											
<b>Alveolar/Bronchiolar Adenoma</b>											
		6/50	(12%)	13/50	(26%)	4/50	(8%)	1/50	(2%)	1/50	(2%)
		12/49	(24%)	9/50	(18%)	8/50	(16%)	4/50	(8%)	4/50	(8%)
		10/50	(20%)	10/50	(20%)			3/50	(6%)	6/50	(12%)
<b>Overall Incidence</b>	<b>Total</b>	72/399	(18.05%)	Mean 18.06%	SD 6.02%	<b>Total</b>	22/400	(5.5%)	Mean 5.5%	SD 3.66%	
.....											
<b>*Lung:</b>											
<b>Alveolar/Bronchiolar Carcinoma</b>											
		8/50	(16%)	9/50	(18%)	12/50	(24%)	0/50	(0%)	3/50	(6%)
		5/49	(10%)	5/50	(10%)	5/50	(10%)	2/50	(4%)	0/50	(0%)
		7/50	(14%)	11/50	(22%)			2/50	(4%)	0/50	(0%)
<b>Overall Incidence</b>	<b>Total</b>	62/399	(15.54%)	Mean 15.53%	SD 5.5%	<b>Total</b>	11/400	(2.75%)	Mean 2.75%	SD 2.6%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: INHALATION  
 Vehicle: AIR

Page: 151  
 Report Date: 11/17/2008

		Male				Female			
<b>*Lung:</b>									
<b>Alveolar/Bronchiolar Carcinoma or Alveolar/Bronchiolar Adenoma</b>									
		13/50 (26%)	19/50 (38%)	15/50 (30%)	1/50 (2%)	4/50 (8%)	5/50 (10%)		
		16/49 (33%)	14/50 (28%)	13/50 (26%)	6/50 (12%)	4/50 (8%)	2/50 (4%)		
		17/50 (34%)	20/50 (40%)		5/50 (10%)	6/50 (12%)			
<b>Overall Incidence</b>	Total	127/399 (31.83%)	Mean 31.83%	SD 5.29%	Total	33/400 (8.25%)	Mean 8.25%	SD 3.62%	
.....									
<b>*Lung:</b>									
<b>Fibrosarcoma</b>									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)			
<b>Overall Incidence</b>	Total	0/399 (0%)	Mean 0%	SD 0%	Total	0/400 (0%)	Mean 0%	SD 0%	
.....									
<b>*Lung:</b>									
<b>Fibrous Histiocytoma</b>									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)			
<b>Overall Incidence</b>	Total	0/399 (0%)	Mean 0%	SD 0%	Total	0/400 (0%)	Mean 0%	SD 0%	
.....									
<b>*Lung:</b>									
<b>Hemangiosarcoma</b>									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)		
		0/49 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)			
<b>Overall Incidence</b>	Total	1/399 (0.25%)	Mean 0.25%	SD 0.71%	Total	2/400 (0.5%)	Mean 0.5%	SD 0.93%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: INHALATION  
 Vehicle: AIR

Page: 152  
 Report Date: 11/17/2008

		Male				Female					
<b>*Lung:</b>											
<b>Sarcoma</b>											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	<b>Total</b>	0/399 (0%)		Mean 0%		SD 0%		<b>Total</b>		0/400 (0%)	
<b>#Lymph Node:</b>											
<b>Fibrous Histiocytoma</b>											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	<b>Total</b>	0/400 (0%)		Mean 0%		SD 0%		<b>Total</b>		0/400 (0%)	
<b>#Lymph Node:</b>											
<b>Hemangioma</b>											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	<b>Total</b>	0/400 (0%)		Mean 0%		SD 0%		<b>Total</b>		0/400 (0%)	
<b>#Lymph Node:</b>											
<b>Hemangiosarcoma</b>											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	<b>Total</b>	0/400 (0%)		Mean 0%		SD 0%		<b>Total</b>		0/400 (0%)	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: INHALATION  
 Vehicle: AIR

Page: 153  
 Report Date: 11/17/2008

		Male				Female									
<b>#Lymph Node: Sarcoma</b>															
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)				
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)				
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)				
<b>Overall Incidence</b>	<b>Total</b>	0/400 (0%)		Mean 0%		SD 0%		<b>Total</b>		0/400 (0%)		Mean 0%		SD 0%	
.....															
<b>#Lymph Node, Bronchial: Hemangiosarcoma</b>															
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
<b>Overall Incidence</b>	<b>Total</b>	0/400 (0%)		Mean 0%		SD 0%		<b>Total</b>		1/400 (0.25%)		Mean 0.25%		SD 0.71%	
.....															
<b>#Lymph Node, Mandibular: Fibrous Histiocytoma</b>															
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
<b>Overall Incidence</b>	<b>Total</b>	0/400 (0%)		Mean 0%		SD 0%		<b>Total</b>		0/400 (0%)		Mean 0%		SD 0%	
.....															
<b>#Lymph Node, Mandibular: Hemangiosarcoma</b>															
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)		
<b>Overall Incidence</b>	<b>Total</b>	0/400 (0%)		Mean 0%		SD 0%		<b>Total</b>		1/400 (0.25%)		Mean 0.25%		SD 0.71%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: INHALATION  
 Vehicle: AIR

Page: 154  
 Report Date: 11/17/2008

		Male				Female									
<b>#Lymph Node, Mandibular: Mast Cell Tumor Malignant</b>															
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)				
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)				
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)				
<b>Overall Incidence</b>	<b>Total</b>	0/400 (0%)		Mean 0%		SD 0%		<b>Total</b>		0/400 (0%)		Mean 0%		SD 0%	
.....															
<b>#Lymph Node, Mesenteric: Fibrous Histiocytoma</b>															
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)				
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)				
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)				
<b>Overall Incidence</b>	<b>Total</b>	0/400 (0%)		Mean 0%		SD 0%		<b>Total</b>		0/400 (0%)		Mean 0%		SD 0%	
.....															
<b>#Lymph Node, Mesenteric: Hemangioma</b>															
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)				
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)				
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)				
<b>Overall Incidence</b>	<b>Total</b>	0/400 (0%)		Mean 0%		SD 0%		<b>Total</b>		0/400 (0%)		Mean 0%		SD 0%	
.....															
<b>#Lymph Node, Mesenteric: Hemangiosarcoma</b>															
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)		
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
<b>Overall Incidence</b>	<b>Total</b>	1/400 (0.25%)		Mean 0.25%		SD 0.71%		<b>Total</b>		1/400 (0.25%)		Mean 0.25%		SD 0.71%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: INHALATION  
 Vehicle: AIR

Page: 155  
 Report Date: 11/17/2008

		Male				Female					
<b>#Mammary Gland:</b>											
<b>Adenoacanthoma</b>											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	<b>Total</b>	0/400 (0%)		Mean 0%		SD 0%		<b>Total</b>		0/400 (0%)	
<b>#Mammary Gland:</b>											
<b>Adenoma</b>											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	<b>Total</b>	0/400 (0%)		Mean 0%		SD 0%		<b>Total</b>		0/400 (0%)	
<b>#Mammary Gland:</b>											
<b>Carcinoma</b>											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	2/50	(4%)	1/50	(2%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
<b>Overall Incidence</b>	<b>Total</b>	0/400 (0%)		Mean 0%		SD 0%		<b>Total</b>		10/400 (2.5%)	
<b>#Mammary Gland:</b>											
<b>Carcinoma or Adenoma</b>											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	2/50	(4%)	1/50	(2%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
<b>Overall Incidence</b>	<b>Total</b>	0/400 (0%)		Mean 0%		SD 0%		<b>Total</b>		10/400 (2.5%)	

\*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: INHALATION**  
**Vehicle: AIR**

Page: 156  
 Report Date: 11/17/2008

		Male				Female								
<b>#Mammary Gland:</b>														
<b>Fibroadenoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)			0/50	(0%)					
<b>Overall Incidence</b>	Total	0/400	(0%)	Mean	0%	SD	0%	Total	1/400	(0.25%)	Mean	0.25%	SD	0.71%
.....														
<b>#Mammary Gland:</b>														
<b>Fibroma, Fibroadenoma or Adenoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)			0/50	(0%)					
<b>Overall Incidence</b>	Total	0/400	(0%)	Mean	0%	SD	0%	Total	1/400	(0.25%)	Mean	0.25%	SD	0.71%
.....														
<b>#Mammary Gland:</b>														
<b>Fibroma, Fibroadenoma, Carcinoma, or Adenoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	2/50	(4%)	1/50	(2%)	5/50	(10%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	1/50	(2%)	
		0/50	(0%)	0/50	(0%)			0/50	(0%)	1/50	(2%)			
<b>Overall Incidence</b>	Total	0/400	(0%)	Mean	0%	SD	0%	Total	11/400	(2.75%)	Mean	2.75%	SD	3.2%
.....														
<b>#Mesentery:</b>														
<b>Fibrosarcoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	Total	0/400	(0%)	Mean	0%	SD	0%	Total	0/400	(0%)	Mean	0%	SD	0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: INHALATION**  
**Vehicle: AIR**

Page: 157  
 Report Date: 11/17/2008

		Male				Female								
<b>#Mesentery:</b>														
<b>Hemangioma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	<b>Total</b>	0/400	(0%)	Mean	0%	SD	0%	Total	0/400	(0%)	Mean	0%	SD	0%
.....														
<b>#Mesentery:</b>														
<b>Hemangiosarcoma</b>														
		0/50	(0%)	0/50	(0%)	1/50	(2%)	1/50	(2%)	0/50	(0%)	2/50	(4%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	
<b>Overall Incidence</b>	<b>Total</b>	1/400	(0.25%)	Mean	0.25%	SD	0.71%	Total	4/400	(1%)	Mean	1%	SD	1.51%
.....														
<b>#Mesentery:</b>														
<b>Sarcoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
<b>Overall Incidence</b>	<b>Total</b>	0/400	(0%)	Mean	0%	SD	0%	Total	0/400	(0%)	Mean	0%	SD	0%
.....														
<b>*Nose:</b>														
<b>Hemangioma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/49	(0%)	
		0/49	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
<b>Overall Incidence</b>	<b>Total</b>	0/398	(0%)	Mean	0%	SD	0%	Total	1/399	(0.25%)	Mean	0.25%	SD	0.71%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: INHALATION  
 Vehicle: AIR

Page: 158  
 Report Date: 11/17/2008

		Male				Female								
<b>*Nose:</b>														
<b>Mast Cell Tumor Malignant</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)			
		0/49	(0%)	0/49	(0%)			0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	<b>Total</b>	0/398	(0%)	Mean	0%	SD	0%	<b>Total</b>	0/399	(0%)	Mean	0%	SD	0%
.....														
<b>#Oral Cavity (Oral Mucosa, Tongue, Pharynx, Tooth, Gingiva):</b>														
<b>Papilloma Squamous or Papilloma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)			1/50	(2%)	0/50	(0%)			
<b>Overall Incidence</b>	<b>Total</b>	0/400	(0%)	Mean	0%	SD	0%	<b>Total</b>	1/400	(0.25%)	Mean	0.25%	SD	0.71%
.....														
<b>#Oral Cavity (Oral Mucosa, Tongue, Pharynx, Tooth, Gingiva):</b>														
<b>Squamous Cell Carcinoma</b>														
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	<b>Total</b>	2/400	(0.5%)	Mean	0.5%	SD	0.93%	<b>Total</b>	0/400	(0%)	Mean	0%	SD	0%
.....														
<b>#Oral Cavity (Oral Mucosa, Tongue, Pharynx, Tooth, Gingiva):</b>														
<b>Squamous Cell Carcinoma, Papilloma Squamous, or Papilloma</b>														
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)			1/50	(2%)	0/50	(0%)			
<b>Overall Incidence</b>	<b>Total</b>	2/400	(0.5%)	Mean	0.5%	SD	0.93%	<b>Total</b>	1/400	(0.25%)	Mean	0.25%	SD	0.71%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: INHALATION**  
**Vehicle: AIR**

Page: 159  
 Report Date: 11/17/2008

		Male				Female								
<b>#Oral Mucosa:</b>														
<b>Squamous Cell Carcinoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	Total	1/400	(0.25%)	Mean	0.25%	SD	0.71%	Total	0/400	(0%)	Mean	0%	SD	0%
.....														
<b>*Ovary:</b>														
<b>Choriocarcinoma</b>														
						0/50	(0%)	0/48	(0%)	0/49	(0%)			
						0/48	(0%)	0/49	(0%)	0/48	(0%)			
						0/49	(0%)	0/50	(0%)					
<b>Overall Incidence</b>	Total					0/391	(0%)	Mean	0%	SD	0%			
.....														
<b>*Ovary:</b>														
<b>Cystadenoma</b>														
						3/50	(6%)	5/48	(10%)	3/49	(6%)			
						3/48	(6%)	0/49	(0%)	2/48	(4%)			
						6/49	(12%)	2/50	(4%)					
<b>Overall Incidence</b>	Total					24/391	(6.14%)	Mean	6.15%	SD	3.81%			
.....														
<b>*Ovary:</b>														
<b>Fibrous Histiocytoma</b>														
						0/50	(0%)	0/48	(0%)	0/49	(0%)			
						0/48	(0%)	0/49	(0%)	0/48	(0%)			
						0/49	(0%)	0/50	(0%)					
<b>Overall Incidence</b>	Total					0/391	(0%)	Mean	0%	SD	0%			

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: INHALATION**  
**Vehicle: AIR**

Page: 160  
 Report Date: 11/17/2008

	Male		Female	
<b>*Ovary:</b>				
<b>Granulosa Cell Tumor Benign</b>				
		0/50 (0%)	0/48 (0%)	0/49 (0%)
		0/48 (0%)	0/49 (0%)	0/48 (0%)
		0/49 (0%)	0/50 (0%)	
<b>Overall Incidence</b>	Total	0/391 (0%)	Mean 0%	SD 0%
.....				
<b>*Ovary:</b>				
<b>Granulosa Cell Tumor Malignant</b>				
		0/50 (0%)	0/48 (0%)	0/49 (0%)
		0/48 (0%)	0/49 (0%)	0/48 (0%)
		0/49 (0%)	0/50 (0%)	
<b>Overall Incidence</b>	Total	0/391 (0%)	Mean 0%	SD 0%
.....				
<b>*Ovary:</b>				
<b>Granulosa Cell Tumor: Benign, Malignant, NOS</b>				
		0/50 (0%)	0/48 (0%)	0/49 (0%)
		0/48 (0%)	0/49 (0%)	0/48 (0%)
		0/49 (0%)	0/50 (0%)	
<b>Overall Incidence</b>	Total	0/391 (0%)	Mean 0%	SD 0%
.....				
<b>*Ovary:</b>				
<b>Hemangioma</b>				
		0/50 (0%)	0/48 (0%)	0/49 (0%)
		0/48 (0%)	0/49 (0%)	0/48 (0%)
		0/49 (0%)	0/50 (0%)	
<b>Overall Incidence</b>	Total	0/391 (0%)	Mean 0%	SD 0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: INHALATION  
 Vehicle: AIR

Page: 161  
 Report Date: 11/17/2008

	Male	Female
<b>*Ovary:</b>		
<b>Hemangiosarcoma</b>		
	0/50 (0%)	0/48 (0%)
	0/48 (0%)	0/49 (0%)
	0/49 (0%)	1/49 (2%)
<b>Overall Incidence</b>	Total 1/391 (0.26%)	Mean 0.26% SD 0.72%
.....		
<b>*Ovary:</b>		
<b>Leiomyosarcoma</b>		
	0/50 (0%)	0/48 (0%)
	0/48 (0%)	0/49 (0%)
	1/49 (2%)	0/48 (0%)
<b>Overall Incidence</b>	Total 1/391 (0.26%)	Mean 0.26% SD 0.72%
.....		
<b>*Ovary:</b>		
<b>Luteoma</b>		
	1/50 (2%)	0/48 (0%)
	1/48 (2%)	0/49 (0%)
	0/49 (0%)	0/48 (0%)
<b>Overall Incidence</b>	Total 3/391 (0.77%)	Mean 0.76% SD 1.05%
.....		
<b>*Ovary:</b>		
<b>Teratoma Benign</b>		
	0/50 (0%)	1/48 (2%)
	0/48 (0%)	0/49 (0%)
	0/49 (0%)	0/48 (0%)
<b>Overall Incidence</b>	Total 2/391 (0.51%)	Mean 0.51% SD 0.95%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: INHALATION  
 Vehicle: AIR

Page: 162  
 Report Date: 11/17/2008

				Male				Female			
<b>*Ovary:</b>											
<b>Teratoma Malignant</b>											
				0/50	(0%)	0/48	(0%)	0/49	(0%)		
				0/48	(0%)	0/49	(0%)	0/48	(0%)		
				0/49	(0%)	1/50	(2%)				
<b>Overall Incidence</b>				Total		1/391	(0.26%)	Mean 0.25%		SD 0.71%	
.....											
<b>*Ovary:</b>											
<b>Tubulostromal Adenoma</b>											
				0/50	(0%)	0/48	(0%)	0/49	(0%)		
				0/48	(0%)	0/49	(0%)	0/48	(0%)		
				0/49	(0%)	0/50	(0%)				
<b>Overall Incidence</b>				Total		0/391	(0%)	Mean 0%		SD 0%	
.....											
<b>*Pancreas:</b>											
<b>Adenoma</b>											
		0/48	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)
		0/49	(0%)	0/49	(0%)	0/50	(0%)	0/48	(0%)	0/50	(0%)
		0/49	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)		
<b>Overall Incidence</b>	Total	0/394	(0%)	Mean 0%		SD 0%		Total	0/396	(0%)	Mean 0% SD 0%
.....											
<b>*Pancreas:</b>											
<b>Carcinoma</b>											
		1/48	(2%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)
		0/49	(0%)	0/49	(0%)	0/50	(0%)	0/48	(0%)	0/50	(0%)
		0/49	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)		
<b>Overall Incidence</b>	Total	1/394	(0.25%)	Mean 0.26%		SD 0.74%		Total	0/396	(0%)	Mean 0% SD 0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: INHALATION**  
**Vehicle: AIR**

Page: 163  
 Report Date: 11/17/2008

		Male				Female			
<b>*Pancreas:</b>									
<b>  Carcinoma or Adenoma</b>									
		1/48 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)		
		0/49 (0%)	0/49 (0%)	0/50 (0%)	0/48 (0%)	0/50 (0%)	0/49 (0%)		
		0/49 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)		
<b>Overall Incidence</b>	<b>Total</b>	1/394 (0.25%)	Mean 0.26%	SD 0.74%	<b>Total</b>	0/396 (0%)	Mean 0%	SD 0%	
.....									
<b>*Pituitary Gland: Pars Distalis or Unspecified Site:</b>									
<b>  Adenoma</b>									
		1/46 (2%)	1/48 (2%)	0/50 (0%)	5/46 (11%)	8/50 (16%)	10/50 (20%)		
		0/48 (0%)	0/50 (0%)	0/48 (0%)	8/47 (17%)	7/50 (14%)	4/50 (8%)		
		0/47 (0%)	0/50 (0%)		4/50 (8%)	6/49 (12%)			
<b>Overall Incidence</b>	<b>Total</b>	2/387 (0.52%)	Mean 0.53%	SD 0.99%	<b>Total</b>	52/392 (13.27%)	Mean 13.27%	SD 4.3%	
.....									
<b>*Pituitary Gland: Pars Distalis or Unspecified Site:</b>									
<b>  Carcinoma</b>									
		0/46 (0%)	0/48 (0%)	0/50 (0%)	1/46 (2%)	0/50 (0%)	0/50 (0%)		
		0/48 (0%)	0/50 (0%)	0/48 (0%)	0/47 (0%)	0/50 (0%)	0/50 (0%)		
		0/47 (0%)	0/50 (0%)		1/50 (2%)	0/49 (0%)			
<b>Overall Incidence</b>	<b>Total</b>	0/387 (0%)	Mean 0%	SD 0%	<b>Total</b>	2/392 (0.51%)	Mean 0.52%	SD 0.97%	
.....									
<b>*Pituitary Gland: Pars Distalis or Unspecified Site:</b>									
<b>  Carcinoma or Adenoma</b>									
		1/46 (2%)	1/48 (2%)	0/50 (0%)	6/46 (13%)	8/50 (16%)	10/50 (20%)		
		0/48 (0%)	0/50 (0%)	0/48 (0%)	8/47 (17%)	7/50 (14%)	4/50 (8%)		
		0/47 (0%)	0/50 (0%)		5/50 (10%)	6/49 (12%)			
<b>Overall Incidence</b>	<b>Total</b>	2/387 (0.52%)	Mean 0.53%	SD 0.99%	<b>Total</b>	54/392 (13.78%)	Mean 13.79%	SD 3.87%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: INHALATION**  
**Vehicle: AIR**

Page: 164  
 Report Date: 11/17/2008

		Male					Female							
<b>*Pituitary Gland: Pars Intermedia:</b>														
<b>Adenoma</b>														
		0/46	(0%)	0/48	(0%)	0/50	(0%)	0/46	(0%)	2/50	(4%)	2/50	(4%)	
		0/48	(0%)	0/50	(0%)	1/48	(2%)	1/47	(2%)	0/50	(0%)	0/50	(0%)	
		0/47	(0%)	0/50	(0%)			0/50	(0%)	1/49	(2%)			
<b>Overall Incidence</b>	<b>Total</b>	1/387	(0.26%)	Mean	0.26%	SD	0.74%	<b>Total</b>	6/392	(1.53%)	Mean	1.52%	SD	1.78%
.....														
<b>*Pituitary Gland: Pars Intermedia:</b>														
<b>Carcinoma or Adenoma</b>														
		0/46	(0%)	0/48	(0%)	0/50	(0%)	0/46	(0%)	2/50	(4%)	2/50	(4%)	
		0/48	(0%)	0/50	(0%)	1/48	(2%)	1/47	(2%)	0/50	(0%)	0/50	(0%)	
		0/47	(0%)	0/50	(0%)			0/50	(0%)	1/49	(2%)			
<b>Overall Incidence</b>	<b>Total</b>	1/387	(0.26%)	Mean	0.26%	SD	0.74%	<b>Total</b>	6/392	(1.53%)	Mean	1.52%	SD	1.78%
.....														
<b>*Prostate:</b>														
<b>Adenoma</b>														
		0/49	(0%)	0/50	(0%)	0/50	(0%)							
		0/48	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/49	(0%)									
<b>Overall Incidence</b>	<b>Total</b>	0/396	(0%)	Mean	0%	SD	0%							
.....														
<b>*Prostate:</b>														
<b>Carcinoma or Adenoma</b>														
		0/49	(0%)	0/50	(0%)	0/50	(0%)							
		0/48	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/49	(0%)									
<b>Overall Incidence</b>	<b>Total</b>	0/396	(0%)	Mean	0%	SD	0%							

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: INHALATION**  
**Vehicle: AIR**

Page: 165  
 Report Date: 11/17/2008

		Male				Female							
<b>*Prostate:</b>													
<b>Hemangioma</b>													
		0/49	(0%)	0/50	(0%)	0/50	(0%)						
		0/48	(0%)	0/50	(0%)	0/50	(0%)						
		0/50	(0%)	0/49	(0%)								
<b>Overall Incidence</b>	Total	0/396	(0%)	Mean 0%		SD 0%							
.....													
<b>*Salivary Glands:</b>													
<b>Carcinoma</b>													
		0/49	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)		
<b>Overall Incidence</b>	Total	0/398	(0%)	Mean 0%		SD 0%		Total	1/399	(0.25%)	Mean 0.25%		SD 0.71%
.....													
<b>*Salivary Glands:</b>													
<b>Carcinoma or Adenoma</b>													
		0/49	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)		
<b>Overall Incidence</b>	Total	0/398	(0%)	Mean 0%		SD 0%		Total	1/399	(0.25%)	Mean 0.25%		SD 0.71%
.....													
<b>*Salivary Glands:</b>													
<b>Mast Cell Tumor Malignant</b>													
		0/49	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)		
<b>Overall Incidence</b>	Total	0/398	(0%)	Mean 0%		SD 0%		Total	0/399	(0%)	Mean 0%		SD 0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: INHALATION**  
**Vehicle: AIR**

Page: 166  
 Report Date: 11/17/2008

		Male				Female			
<b>#Seminal Vesicle:</b>									
<b>Adenoma</b>									
		1/50	(2%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)				
<b>Overall Incidence</b>	<b>Total</b>	1/400	(0.25%)	Mean 0.25%		SD 0.71%			
.....									
<b>#Skeletal Muscle:</b>									
<b>Fibrosarcoma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	<b>Total</b>	0/400	(0%)	Mean 0%		SD 0%		<b>Total</b>	0/400 (0%)
								<b>Mean</b>	0%
								<b>SD</b>	0%
.....									
<b>#Skeletal Muscle:</b>									
<b>Hemangiosarcoma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
<b>Overall Incidence</b>	<b>Total</b>	0/400	(0%)	Mean 0%		SD 0%		<b>Total</b>	1/400 (0.25%)
								<b>Mean</b>	0.25%
								<b>SD</b>	0.71%
.....									
<b>#Skeletal Muscle:</b>									
<b>Myxosarcoma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	<b>Total</b>	0/400	(0%)	Mean 0%		SD 0%		<b>Total</b>	0/400 (0%)
								<b>Mean</b>	0%
								<b>SD</b>	0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: INHALATION  
 Vehicle: AIR

Page: 167  
 Report Date: 11/17/2008

		Male				Female								
<b>#Skeletal Muscle:</b>														
<b>Rhabdomyosarcoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	Total	0/400	(0%)	Mean	0%	SD	0%	Total	0/400	(0%)	Mean	0%	SD	0%
.....														
<b>#Skeletal Muscle:</b>														
<b>Rhabdomyosarcoma or Rhabdomyoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	Total	0/400	(0%)	Mean	0%	SD	0%	Total	0/400	(0%)	Mean	0%	SD	0%
.....														
<b>#Skeletal Muscle:</b>														
<b>Sarcoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	Total	0/400	(0%)	Mean	0%	SD	0%	Total	0/400	(0%)	Mean	0%	SD	0%
.....														
<b>#Skin:</b>														
<b>Basal Cell Adenoma or Basosquamous Tumor Benign</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	Total	0/400	(0%)	Mean	0%	SD	0%	Total	0/400	(0%)	Mean	0%	SD	0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: INHALATION**  
**Vehicle: AIR**

Page: 168  
 Report Date: 11/17/2008

		Male				Female								
<b>#Skin:</b>														
<b>Basal Cell Adenoma, Basosquamous Tumor Benign, or Trichoepithelioma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	Total	0/400	(0%)	Mean	0%	SD	0%	Total	0/400	(0%)	Mean	0%	SD	0%
.....														
<b>#Skin:</b>														
<b>Basal Cell Carcinoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	Total	0/400	(0%)	Mean	0%	SD	0%	Total	0/400	(0%)	Mean	0%	SD	0%
.....														
<b>#Skin:</b>														
<b>Basal Cell Carcinoma or Basosquamous Tumor (malignant or NOS)</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	Total	0/400	(0%)	Mean	0%	SD	0%	Total	0/400	(0%)	Mean	0%	SD	0%
.....														
<b>#Skin:</b>														
<b>Basal Cell Carcinoma, Basal Cell Adenoma, Basosquamous Tumor (benign, malignant or NOS), or Trichoepithelioma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	Total	0/400	(0%)	Mean	0%	SD	0%	Total	0/400	(0%)	Mean	0%	SD	0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: INHALATION**  
**Vehicle: AIR**

Page: 169  
 Report Date: 11/17/2008

		Male				Female								
<b>#Skin:</b>														
<b>Basal or Sq. Cell Carcinoma, Carcinoma, Basosq. Tumor (M or B), Basal Cell Adenoma, Adenoma, Papilloma, Sq Papilloma, Keratoacanthoma, Trichoepithelioma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
<b>Overall Incidence</b>	<b>Total</b>	0/400 (0%)		Mean 0%		SD 0%		<b>Total</b>	2/400 (0.5%)		Mean 0.5%		SD 0.93%	
.....														
<b>#Skin:</b>														
<b>Basosquamous Tumor Benign</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
<b>Overall Incidence</b>	<b>Total</b>	0/400 (0%)		Mean 0%		SD 0%		<b>Total</b>	0/400 (0%)		Mean 0%		SD 0%	
.....														
<b>#Skin:</b>														
<b>Fibroma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
<b>Overall Incidence</b>	<b>Total</b>	0/400 (0%)		Mean 0%		SD 0%		<b>Total</b>	0/400 (0%)		Mean 0%		SD 0%	
.....														
<b>#Skin:</b>														
<b>Fibroma, Fibrosarcoma, Sarcoma, Myxoma, Myxosarcoma, or Fibrous Histiocytoma</b>														
		0/50	(0%)	2/50	(4%)	1/50	(2%)	8/50	(16%)	0/50	(0%)	4/50	(8%)	
		3/50	(6%)	1/50	(2%)	0/50	(0%)	1/50	(2%)	4/50	(8%)	6/50	(12%)	
		0/50	(0%)	2/50	(4%)			2/50	(4%)	1/50	(2%)			
<b>Overall Incidence</b>	<b>Total</b>	9/400 (2.25%)		Mean 2.25%		SD 2.25%		<b>Total</b>	26/400 (6.5%)		Mean 6.5%		SD 5.53%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: INHALATION**  
**Vehicle: AIR**

Page: 170  
 Report Date: 11/17/2008

		Male				Female								
<b>#Skin:</b>														
<b>Fibrosarcoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	Total	0/400	(0%)	Mean	0%	SD	0%	Total	0/400	(0%)	Mean	0%	SD	0%
.....														
<b>#Skin:</b>														
<b>Fibrosarcoma, Sarcoma, Myxosarcoma, or Fibrous Histiocytoma</b>														
		0/50	(0%)	2/50	(4%)	1/50	(2%)	8/50	(16%)	0/50	(0%)	4/50	(8%)	
		3/50	(6%)	1/50	(2%)	0/50	(0%)	1/50	(2%)	4/50	(8%)	6/50	(12%)	
		0/50	(0%)	2/50	(4%)			2/50	(4%)	1/50	(2%)			
<b>Overall Incidence</b>	Total	9/400	(2.25%)	Mean	2.25%	SD	2.25%	Total	26/400	(6.5%)	Mean	6.5%	SD	5.53%
.....														
<b>#Skin:</b>														
<b>Fibrous Histiocytoma</b>														
		0/50	(0%)	1/50	(2%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	
		2/50	(4%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	2/50	(4%)	0/50	(0%)	
		0/50	(0%)	1/50	(2%)			0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	Total	5/400	(1.25%)	Mean	1.25%	SD	1.49%	Total	3/400	(0.75%)	Mean	0.75%	SD	1.49%
.....														
<b>#Skin:</b>														
<b>Hemangioma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	1/50	(2%)			0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	Total	1/400	(0.25%)	Mean	0.25%	SD	0.71%	Total	0/400	(0%)	Mean	0%	SD	0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: INHALATION  
 Vehicle: AIR

Page: 171  
 Report Date: 11/17/2008

		Male				Female								
<b>#Skin:</b>														
<b>Hemangiosarcoma</b>														
		0/50	(0%)	0/50	(0%)	1/50	(2%)	1/50	(2%)	1/50	(2%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	1/50	(2%)	1/50	(2%)	0/50	(0%)	1/50	(2%)	
		0/50	(0%)	2/50	(4%)			0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	<b>Total</b>	4/400	(1%)	Mean	1%	SD	1.51%	Total	4/400	(1%)	Mean	1%	SD	1.07%
.....														
<b>#Skin:</b>														
<b>Liposarcoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	<b>Total</b>	0/400	(0%)	Mean	0%	SD	0%	Total	1/400	(0.25%)	Mean	0.25%	SD	0.71%
.....														
<b>#Skin:</b>														
<b>Myxosarcoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	<b>Total</b>	0/400	(0%)	Mean	0%	SD	0%	Total	0/400	(0%)	Mean	0%	SD	0%
.....														
<b>#Skin:</b>														
<b>Neural Crest Tumor</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	<b>Total</b>	0/400	(0%)	Mean	0%	SD	0%	Total	1/400	(0.25%)	Mean	0.25%	SD	0.71%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: INHALATION**  
**Vehicle: AIR**

Page: 172  
 Report Date: 11/17/2008

		Male				Female									
<b>#Skin:</b>															
<b>Neurofibrosarcoma or Schwannoma (malignant or NOS)</b>															
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)				
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)				
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)				
<b>Overall Incidence</b>	<b>Total</b>	0/400 (0%)		Mean 0%		SD 0%		<b>Total</b>		0/400 (0%)		Mean 0%		SD 0%	
.....															
<b>#Skin:</b>															
<b>Neurofibrosarcoma, Neurofibroma, or Schwannoma (benign, malignant or NOS)</b>															
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
<b>Overall Incidence</b>	<b>Total</b>	0/400 (0%)		Mean 0%		SD 0%		<b>Total</b>		0/400 (0%)		Mean 0%		SD 0%	
.....															
<b>#Skin:</b>															
<b>Osteosarcoma</b>															
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
<b>Overall Incidence</b>	<b>Total</b>	0/400 (0%)		Mean 0%		SD 0%		<b>Total</b>		0/400 (0%)		Mean 0%		SD 0%	
.....															
<b>#Skin:</b>															
<b>Sarcoma</b>															
		0/50	(0%)	1/50	(2%)	1/50	(2%)	7/50	(14%)	0/50	(0%)	4/50	(8%)		
		1/50	(2%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	2/50	(4%)	6/50	(12%)		
		0/50	(0%)	1/50	(2%)			2/50	(4%)	1/50	(2%)				
<b>Overall Incidence</b>	<b>Total</b>	4/400 (1%)		Mean 1%		SD 1.07%		<b>Total</b>		23/400 (5.75%)		Mean 5.75%		SD 5.06%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: INHALATION**  
**Vehicle: AIR**

Page: 173  
 Report Date: 11/17/2008

		Male				Female								
<b>#Skin:</b>														
<b>Schwannoma Malignant</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	<b>Total</b>	0/400	(0%)	Mean	0%	SD	0%	Total	0/400	(0%)	Mean	0%	SD	0%
.....														
<b>#Skin:</b>														
<b>Squamous Cell Carcinoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
<b>Overall Incidence</b>	<b>Total</b>	0/400	(0%)	Mean	0%	SD	0%	Total	1/400	(0.25%)	Mean	0.25%	SD	0.71%
.....														
<b>#Skin:</b>														
<b>Squamous Cell Carcinoma, Basal Cell Carcinoma, Basosquamous Tumor (malignant or NOS), or Carcinoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
<b>Overall Incidence</b>	<b>Total</b>	0/400	(0%)	Mean	0%	SD	0%	Total	1/400	(0.25%)	Mean	0.25%	SD	0.71%
.....														
<b>#Skin:</b>														
<b>Squamous Cell Papilloma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
<b>Overall Incidence</b>	<b>Total</b>	0/400	(0%)	Mean	0%	SD	0%	Total	1/400	(0.25%)	Mean	0.25%	SD	0.71%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: INHALATION**  
**Vehicle: AIR**

Page: 174  
 Report Date: 11/17/2008

		Male				Female							
<b>#Skin:</b>													
<b>Squamous Cell Papilloma or Papilloma</b>													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)		
<b>Overall Incidence</b>	<b>Total</b>	0/400 (0%)		Mean 0%		SD 0%		<b>Total</b>	1/400 (0.25%)		Mean 0.25%	SD 0.71%	
.....													
<b>#Skin:</b>													
<b>Squamous Cell Papilloma, Papilloma, Squamous Cell Carcinoma or Keratoacanthoma</b>													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)		
<b>Overall Incidence</b>	<b>Total</b>	0/400 (0%)		Mean 0%		SD 0%		<b>Total</b>	2/400 (0.5%)		Mean 0.5%	SD 0.93%	
.....													
<b>#Skin:</b>													
<b>Squamous Cell Papilloma, Papilloma, or Keratoacanthoma</b>													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)		
<b>Overall Incidence</b>	<b>Total</b>	0/400 (0%)		Mean 0%		SD 0%		<b>Total</b>	1/400 (0.25%)		Mean 0.25%	SD 0.71%	
.....													
<b>#Skin:</b>													
<b>Trichoepithelioma</b>													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)		
<b>Overall Incidence</b>	<b>Total</b>	0/400 (0%)		Mean 0%		SD 0%		<b>Total</b>	0/400 (0%)		Mean 0%	SD 0%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: INHALATION**  
**Vehicle: AIR**

Page: 175  
 Report Date: 11/17/2008

		Male				Female								
<b>#Skin: Sebaceous Gland: Adenoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)			
<b>Overall Incidence</b>	Total	0/400	(0%)	Mean	0%	SD	0%	Total	1/400	(0.25%)	Mean	0.25%	SD	0.71%
.....														
<b>#Skin: Sebaceous Gland: Carcinoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	Total	0/400	(0%)	Mean	0%	SD	0%	Total	0/400	(0%)	Mean	0%	SD	0%
.....														
<b>#Skin: Sebaceous Gland: Carcinoma or Adenoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)			
<b>Overall Incidence</b>	Total	0/400	(0%)	Mean	0%	SD	0%	Total	1/400	(0.25%)	Mean	0.25%	SD	0.71%
.....														
<b>#Spinal Cord: Meningioma Malignant</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	Total	0/400	(0%)	Mean	0%	SD	0%	Total	0/400	(0%)	Mean	0%	SD	0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: INHALATION  
 Vehicle: AIR

Page: 176  
 Report Date: 11/17/2008

		Male				Female			
<b>*Spleen:</b>									
<b>Fibrous Histiocytoma</b>									
		0/48 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/49 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/49 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)			
<b>Overall Incidence</b>	<b>Total</b>	0/395 (0%)	Mean 0%	SD 0%	<b>Total</b>	0/398 (0%)	Mean 0%	SD 0%	
.....									
<b>*Spleen:</b>									
<b>Hemangioma</b>									
		0/48 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/49 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/49 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)			
<b>Overall Incidence</b>	<b>Total</b>	0/395 (0%)	Mean 0%	SD 0%	<b>Total</b>	0/398 (0%)	Mean 0%	SD 0%	
.....									
<b>*Spleen:</b>									
<b>Hemangiosarcoma</b>									
		2/48 (4%)	0/50 (0%)	3/50 (6%)	1/50 (2%)	0/49 (0%)	2/50 (4%)		
		1/49 (2%)	1/50 (2%)	1/50 (2%)	0/49 (0%)	1/50 (2%)	0/50 (0%)		
		1/49 (2%)	1/49 (2%)		1/50 (2%)	1/50 (2%)			
<b>Overall Incidence</b>	<b>Total</b>	10/395 (2.53%)	Mean 2.54%	SD 1.79%	<b>Total</b>	6/398 (1.51%)	Mean 1.5%	SD 1.41%	
.....									
<b>#Stomach, Forestomach:</b>									
<b>Mast Cell Tumor Malignant</b>									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)			
<b>Overall Incidence</b>	<b>Total</b>	0/400 (0%)	Mean 0%	SD 0%	<b>Total</b>	0/400 (0%)	Mean 0%	SD 0%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: INHALATION  
 Vehicle: AIR

Page: 177  
 Report Date: 11/17/2008

		Male				Female								
<b>#Stomach, Forestomach:</b>														
<b>Squamous Cell Carcinoma</b>														
		0/50	(0%)	0/50	(0%)	2/50	(4%)	0/50	(0%)	1/50	(2%)	1/50	(2%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	Total	2/400	(0.5%)	Mean	0.5%	SD	1.41%	Total	2/400	(0.5%)	Mean	0.5%	SD	0.93%
.....														
<b>#Stomach, Forestomach:</b>														
<b>Squamous Cell Carcinoma or Papilloma Squamous</b>														
		0/50	(0%)	1/50	(2%)	2/50	(4%)	0/50	(0%)	1/50	(2%)	1/50	(2%)	
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	1/50	(2%)	
		0/50	(0%)	0/50	(0%)			1/50	(2%)	1/50	(2%)			
<b>Overall Incidence</b>	Total	4/400	(1%)	Mean	1%	SD	1.51%	Total	6/400	(1.5%)	Mean	1.5%	SD	0.93%
.....														
<b>#Stomach, Forestomach:</b>														
<b>Squamous Cell Papilloma</b>														
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	1/50	(2%)	
		0/50	(0%)	0/50	(0%)			1/50	(2%)	1/50	(2%)			
<b>Overall Incidence</b>	Total	2/400	(0.5%)	Mean	0.5%	SD	0.93%	Total	4/400	(1%)	Mean	1%	SD	1.07%
.....														
<b>#Stomach, Glandular:</b>														
<b>Adenoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	Total	0/400	(0%)	Mean	0%	SD	0%	Total	1/400	(0.25%)	Mean	0.25%	SD	0.71%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: INHALATION**  
**Vehicle: AIR**

Page: 178  
 Report Date: 11/17/2008

		Male				Female								
<b>#Stomach, Glandular:</b>														
<b>Carcinoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	<b>Total</b>	0/400	(0%)	Mean	0%	SD	0%	<b>Total</b>	0/400	(0%)	Mean	0%	SD	0%
.....														
<b>#Stomach, Glandular:</b>														
<b>Carcinoma or Adenoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	<b>Total</b>	0/400	(0%)	Mean	0%	SD	0%	<b>Total</b>	1/400	(0.25%)	Mean	0.25%	SD	0.71%
.....														
<b>*Testes:</b>														
<b>Adenoma</b>														
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	<b>Total</b>	2/400	(0.5%)	Mean	0.5%	SD	0.93%							
.....														
<b>*Testes:</b>														
<b>Hemangiosarcoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	<b>Total</b>	0/400	(0%)	Mean	0%	SD	0%							

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: INHALATION  
 Vehicle: AIR

Page: 179  
 Report Date: 11/17/2008

		Male				Female			
<b>*Thymus:</b>									
<b>Thymoma Malignant</b>									
		0/38 (0%)	0/45 (0%)	0/38 (0%)	0/49 (0%)	0/49 (0%)	0/47 (0%)		
		0/44 (0%)	1/42 (2%)	0/41 (0%)	0/49 (0%)	0/49 (0%)	0/50 (0%)		
		0/47 (0%)	0/47 (0%)		0/49 (0%)	0/48 (0%)			
<b>Overall Incidence</b>	Total	1/342 (0.29%)	Mean 0.3%	SD 0.84%	Total	0/390 (0%)	Mean 0%	SD 0%	
.....									
<b>*Thymus:</b>									
<b>Thymoma: Benign, Malignant, NOS</b>									
		0/38 (0%)	0/45 (0%)	0/38 (0%)	0/49 (0%)	0/49 (0%)	0/47 (0%)		
		0/44 (0%)	1/42 (2%)	0/41 (0%)	0/49 (0%)	0/49 (0%)	0/50 (0%)		
		0/47 (0%)	0/47 (0%)		0/49 (0%)	0/48 (0%)			
<b>Overall Incidence</b>	Total	1/342 (0.29%)	Mean 0.3%	SD 0.84%	Total	0/390 (0%)	Mean 0%	SD 0%	
.....									
<b>*Thyroid Gland:</b>									
<b>Adenoma</b>									
		0/49 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)		
		0/49 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)		
		0/49 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)			
<b>Overall Incidence</b>	Total	0/396 (0%)	Mean 0%	SD 0%	Total	0/398 (0%)	Mean 0%	SD 0%	
.....									
<b>*Thyroid Gland: C-Cell:</b>									
<b>Carcinoma</b>									
		0/49 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)		
		0/49 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	1/50 (2%)	0/50 (0%)		
		0/49 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)			
<b>Overall Incidence</b>	Total	0/396 (0%)	Mean 0%	SD 0%	Total	1/398 (0.25%)	Mean 0.25%	SD 0.71%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: INHALATION  
 Vehicle: AIR

Page: 180  
 Report Date: 11/17/2008

		Male				Female			
<b>*Thyroid Gland: C-Cell: Carcinoma or Adenoma</b>									
		0/49 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	1/50 (2%)	0/50 (0%)	
		0/49 (0%)	0/49 (0%)			0/50 (0%)	0/50 (0%)		
<b>Overall Incidence</b>	Total	0/396 (0%)	Mean 0%	SD 0%	Total	1/398 (0.25%)	Mean 0.25%	SD 0.71%	
.....									
<b>*Thyroid Gland: Follicular Cell: Adenoma</b>									
		0/49 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	1/50 (2%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)	3/50 (6%)		0/49 (0%)	0/50 (0%)	3/50 (6%)	
		0/49 (0%)	0/49 (0%)			2/50 (4%)	0/50 (0%)		
<b>Overall Incidence</b>	Total	3/396 (0.76%)	Mean 0.75%	SD 2.12%	Total	6/398 (1.51%)	Mean 1.5%	SD 2.33%	
.....									
<b>*Thyroid Gland: Follicular Cell: Carcinoma</b>									
		0/49 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	1/50 (2%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	1/50 (2%)	0/50 (0%)	
		0/49 (0%)	0/49 (0%)			0/50 (0%)	1/50 (2%)		
<b>Overall Incidence</b>	Total	0/396 (0%)	Mean 0%	SD 0%	Total	3/398 (0.75%)	Mean 0.75%	SD 1.04%	
.....									
<b>*Thyroid Gland: Follicular Cell: Carcinoma or Adenoma</b>									
		0/49 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	2/50 (4%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)	3/50 (6%)		0/49 (0%)	1/50 (2%)	3/50 (6%)	
		0/49 (0%)	0/49 (0%)			2/50 (4%)	1/50 (2%)		
<b>Overall Incidence</b>	Total	3/396 (0.76%)	Mean 0.75%	SD 2.12%	Total	9/398 (2.26%)	Mean 2.25%	SD 2.25%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: INHALATION  
 Vehicle: AIR

Page: 181  
 Report Date: 11/17/2008

		Male				Female							
<b>#Tissue NOS:</b>													
<b>Carcinoma</b>													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)			1/50	(2%)	0/50	(0%)		
<b>Overall Incidence</b>	<b>Total</b>	0/400 (0%)		Mean 0%		SD 0%		Total 1/400 (0.25%)		Mean 0.25%		SD 0.71%	
.....													
<b>#Tissue NOS:</b>													
<b>Hemangiosarcoma</b>													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)		
<b>Overall Incidence</b>	<b>Total</b>	0/400 (0%)		Mean 0%		SD 0%		Total 0/400 (0%)		Mean 0%		SD 0%	
.....													
<b>#Tissue NOS:</b>													
<b>Schwannoma Malignant</b>													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)		
<b>Overall Incidence</b>	<b>Total</b>	0/400 (0%)		Mean 0%		SD 0%		Total 0/400 (0%)		Mean 0%		SD 0%	
.....													
<b>#Tongue:</b>													
<b>Squamous Cell Carcinoma</b>													
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)		
<b>Overall Incidence</b>	<b>Total</b>	1/400 (0.25%)		Mean 0.25%		SD 0.71%		Total 0/400 (0%)		Mean 0%		SD 0%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: INHALATION**  
**Vehicle: AIR**

Page: 182  
 Report Date: 11/17/2008

		Male				Female								
<b>#Tongue:</b>														
<b>Squamous Cell Carcinoma or Papilloma Squamous</b>														
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	<b>Total</b>	1/400	(0.25%)	Mean	0.25%	SD	0.71%	<b>Total</b>	1/400	(0.25%)	Mean	0.25%	SD	0.71%
.....														
<b>#Tongue:</b>														
<b>Squamous Cell Papilloma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	<b>Total</b>	0/400	(0%)	Mean	0%	SD	0%	<b>Total</b>	1/400	(0.25%)	Mean	0.25%	SD	0.71%
.....														
<b>#Tooth:</b>														
<b>Odontoma</b>														
		0/50	(0%)	0/50	(0%)	2/50	(4%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	<b>Total</b>	3/400	(0.75%)	Mean	0.75%	SD	1.49%	<b>Total</b>	0/400	(0%)	Mean	0%	SD	0%
.....														
<b>*Urinary Bladder:</b>														
<b>Hemangioma</b>														
		0/47	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/48	(0%)	0/50	(0%)	
		0/48	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/49	(0%)	
		0/49	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	
<b>Overall Incidence</b>	<b>Total</b>	0/393	(0%)	Mean	0%	SD	0%	<b>Total</b>	0/395	(0%)	Mean	0%	SD	0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: INHALATION**  
**Vehicle: AIR**

Page: 183  
 Report Date: 11/17/2008

		Male				Female			
<b>*Urinary Bladder:</b>									
<b>Hemangiosarcoma</b>									
		0/47 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/48 (0%)	0/50 (0%)		
		0/48 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)		
		0/49 (0%)	0/49 (0%)		0/50 (0%)	0/49 (0%)			
<b>Overall Incidence</b>	Total	0/393 (0%)	Mean 0%	SD 0%	Total	1/395 (0.25%)	Mean 0.25%	SD 0.71%	
.....									
<b>*Urinary Bladder:</b>									
<b>Sarcoma</b>									
		0/47 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/48 (0%)	0/50 (0%)		
		0/48 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)		
		0/49 (0%)	0/49 (0%)		0/50 (0%)	0/49 (0%)			
<b>Overall Incidence</b>	Total	0/393 (0%)	Mean 0%	SD 0%	Total	0/395 (0%)	Mean 0%	SD 0%	
.....									
<b>#Uterus:</b>									
<b>Adenoma</b>									
					0/50 (0%)	0/50 (0%)	0/50 (0%)		
					0/50 (0%)	0/50 (0%)	1/50 (2%)		
					0/50 (0%)	1/50 (2%)			
<b>Overall Incidence</b>	Total				2/400 (0.5%)	Mean 0.5%	SD 0.93%		
.....									
<b>#Uterus:</b>									
<b>Carcinoma</b>									
					0/50 (0%)	3/50 (6%)	0/50 (0%)		
					0/50 (0%)	1/50 (2%)	0/50 (0%)		
					0/50 (0%)	1/50 (2%)			
<b>Overall Incidence</b>	Total				5/400 (1.25%)	Mean 1.25%	SD 2.12%		

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: INHALATION**  
**Vehicle: AIR**

**Page: 184**  
**Report Date: 11/17/2008**

	Male	Female
<b>#Uterus:</b>		
<b>Hemangioma</b>		
	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total 0/400 (0%)	Mean 0% SD 0%
.....		
<b>#Uterus:</b>		
<b>Hemangiosarcoma</b>		
	0/50 (0%)	0/50 (0%)
	0/50 (0%)	1/50 (2%)
	0/50 (0%)	1/50 (2%)
<b>Overall Incidence</b>	Total 3/400 (0.75%)	Mean 0.75% SD 1.04%
.....		
<b>#Uterus:</b>		
<b>Leiomyoma</b>		
	0/50 (0%)	0/50 (0%)
	0/50 (0%)	1/50 (2%)
	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total 1/400 (0.25%)	Mean 0.25% SD 0.71%
.....		
<b>#Uterus:</b>		
<b>Leiomyosarcoma</b>		
	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)
	1/50 (2%)	1/50 (2%)
<b>Overall Incidence</b>	Total 2/400 (0.5%)	Mean 0.5% SD 0.93%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: INHALATION  
 Vehicle: AIR

Page: 185  
 Report Date: 11/17/2008

	Male	Female
<b>#Uterus:</b>		
<b>Polyp Stromal</b>		
	0/50 (0%)	3/50 (6%)
	1/50 (2%)	3/50 (6%)
	2/50 (4%)	1/50 (2%)
<b>Overall Incidence</b>	Total 14/400 (3.5%)	Mean 3.5% SD 2.33%
.....		
<b>#Uterus:</b>		
<b>Sarcoma Stromal</b>		
	0/50 (0%)	0/50 (0%)
	0/50 (0%)	1/50 (2%)
	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total 1/400 (0.25%)	Mean 0.25% SD 0.71%
.....		
<b>#Uterus:</b>		
<b>Sarcoma Stromal or Polyp Stromal</b>		
	0/50 (0%)	3/50 (6%)
	1/50 (2%)	4/50 (8%)
	2/50 (4%)	3/50 (6%)
<b>Overall Incidence</b>	Total 15/400 (3.75%)	Mean 3.75% SD 2.71%
.....		
<b>#Uterus:</b>		
<b>Schwannoma Malignant</b>		
	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total 0/400 (0%)	Mean 0% SD 0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: INHALATION**  
**Vehicle: AIR**

Page: 186  
 Report Date: 11/17/2008

		Male			Female			
<b>#Vagina:</b>								
<b>Squamous Cell Carcinoma</b>								
			0/50 (0%)		0/50 (0%)		0/50 (0%)	
			0/50 (0%)		0/50 (0%)		0/50 (0%)	
			0/50 (0%)		0/50 (0%)		0/50 (0%)	
<b>Overall Incidence</b>			Total 0/400 (0%)		Mean 0%		SD 0%	
.....								
<b>#Vagina:</b>								
<b>Squamous Cell Papilloma</b>								
			0/50 (0%)		0/50 (0%)		0/50 (0%)	
			0/50 (0%)		0/50 (0%)		0/50 (0%)	
			0/50 (0%)		0/50 (0%)		0/50 (0%)	
<b>Overall Incidence</b>			Total 0/400 (0%)		Mean 0%		SD 0%	
.....								
<b>#Zymbal's Gland:</b>								
<b>Carcinoma</b>								
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
<b>Overall Incidence</b>	Total	0/400 (0%)	Mean 0%	SD 0%	Total	0/400 (0%)	Mean 0%	SD 0%
.....								
<b>#Zymbal's Gland:</b>								
<b>Carcinoma or Adenoma</b>								
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
<b>Overall Incidence</b>	Total	0/400 (0%)	Mean 0%	SD 0%	Total	0/400 (0%)	Mean 0%	SD 0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

Toxicology Data Management System  
 Tumor Incidence for Selected Control Animal Groups  
 Route: ORAL  
 Vehicle: FEED

Page: 187  
 Report Date: 11/17/2008

Study Summary

Laboratory Name	Study Number	Study Start Date	Length of Study in Days	Number of Animals Total and (#/Cage)	Number Surviving and (Mean Life Span)	Maximum Mean Weekly Body Weight	Chemical
<b>Male</b>							
Battelle Columbus Laboratory	058813804	09/14/99	730	50 (1)	44(717)	46.0	Benzophenone
Southern Research Institute	059902704	07/29/02	729	50 (1)	46(715)	50.0	Chromium picolinate monohydrate
Battelle Columbus Laboratory	050517406	N/A	N/A	0 (0)	0(0)	N/A	Cresols
Southern Research Institute	059900706	05/12/03	729	50 (1)	43(715)	48.3	Goldenseal root powder
Southern Research Institute	059201306	02/03/00	729	50 (1)	45(717)	46.1	4-Methylimidazole
Southern Research Institute	052000804	03/25/03	729	50 (1)	45(712)	49.8	Milk thistle extract
<b>Female</b>							
Battelle Columbus Laboratory	058813804	09/13/99	729	50 (5)	40(706)	46.2	Benzophenone
Southern Research Institute	059902704	07/29/02	732	50 (5)	45(698)	50.3	Chromium picolinate monohydrate
Battelle Columbus Laboratory	050517406	08/20/02	728	50 (5)	41(696)	51.8	Cresols
Southern Research Institute	059900706	05/12/03	732	50 (5)	44(718)	51.9	Goldenseal root powder
Southern Research Institute	059201306	02/03/00	734	50 (5)	42(706)	45.6	4-Methylimidazole
Southern Research Institute	052000804	03/25/03	732	50 (5)	40(714)	51.0	Milk thistle extract

NOTE: The text on page 2 ("Report Description") describes how the studies listed here are displayed on the data pages that follow.

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: FEED**

**Page: 188**  
**Report Date: 11/17/2008**

		Male				Female			
<b>#All Organs:</b>									
<b>Benign Tumors</b>									
		27/50 (54%)	28/50 (56%)		15/50 (30%)	16/50 (32%)	16/50 (32%)		
		28/50 (56%)	26/50 (52%)	21/50 (42%)	17/50 (34%)	18/50 (36%)	18/50 (36%)		
<b>Overall Incidence</b>	Total	130/250 (52%)	Mean 52%	SD 5.83%	Total	100/300 (33.33%)	Mean 33.33%	SD 2.42%	
.....									
<b>#All Organs:</b>									
<b>Malignant Tumors</b>									
		17/50 (34%)	24/50 (48%)		16/50 (32%)	22/50 (44%)	20/50 (40%)		
		20/50 (40%)	15/50 (30%)	29/50 (58%)	13/50 (26%)	20/50 (40%)	19/50 (38%)		
<b>Overall Incidence</b>	Total	105/250 (42%)	Mean 42%	SD 11.22%	Total	110/300 (36.67%)	Mean 36.67%	SD 6.53%	
.....									
<b>#All Organs:</b>									
<b>Malignant and Benign Tumors</b>									
		38/50 (76%)	40/50 (80%)		25/50 (50%)	31/50 (62%)	29/50 (58%)		
		38/50 (76%)	34/50 (68%)	39/50 (78%)	26/50 (52%)	29/50 (58%)	32/50 (64%)		
<b>Overall Incidence</b>	Total	189/250 (75.6%)	Mean 75.6%	SD 4.56%	Total	172/300 (57.33%)	Mean 57.33%	SD 5.47%	
.....									
<b>#All Organs:</b>									
<b>Hemangioma</b>									
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	2/50 (4%)	0/50 (0%)	0/50 (0%)	1/50 (2%)		
<b>Overall Incidence</b>	Total	2/250 (0.8%)	Mean 0.8%	SD 1.79%	Total	1/300 (0.33%)	Mean 0.33%	SD 0.82%	
.....									
<b>#All Organs:</b>									
<b>Hemangiosarcoma</b>									
		3/50 (6%)	2/50 (4%)		1/50 (2%)	3/50 (6%)	1/50 (2%)		
		2/50 (4%)	1/50 (2%)	3/50 (6%)	1/50 (2%)	3/50 (6%)	2/50 (4%)		
<b>Overall Incidence</b>	Total	11/250 (4.4%)	Mean 4.4%	SD 1.67%	Total	11/300 (3.67%)	Mean 3.67%	SD 1.97%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: FEED**

**Page: 189**  
**Report Date: 11/17/2008**

		Male				Female			
<b>#All Organs:</b>									
<b>Hemangiosarcoma or Hemangioma</b>									
		3/50 (6%)	2/50 (4%)		1/50 (2%)	3/50 (6%)	1/50 (2%)		
		2/50 (4%)	1/50 (2%)	4/50 (8%)	1/50 (2%)	3/50 (6%)	3/50 (6%)		
<b>Overall Incidence</b>	Total	12/250 (4.8%)	Mean 4.8%	SD 2.28%	Total	12/300 (4%)	Mean 4%	SD 2.19%	
.....									
<b>#All Organs:</b>									
<b>Histiocytic Sarcoma</b>									
		1/50 (2%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	2/50 (4%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	1/50 (2%)		
<b>Overall Incidence</b>	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	Total	5/300 (1.67%)	Mean 1.67%	SD 1.51%	
.....									
<b>#All Organs:</b>									
<b>Malignant Lymphoma: Histiocytic, Lymphocytic, Mixed, NOS, or Undifferentiated Cell Type</b>									
		2/50 (4%)	2/50 (4%)		8/50 (16%)	5/50 (10%)	7/50 (14%)		
		1/50 (2%)	3/50 (6%)	6/50 (12%)	6/50 (12%)	7/50 (14%)	11/50 (22%)		
<b>Overall Incidence</b>	Total	14/250 (5.6%)	Mean 5.6%	SD 3.85%	Total	44/300 (14.67%)	Mean 14.67%	SD 4.13%	
.....									
<b>#All Organs:</b>									
<b>Mesothelioma: Benign, Malignant, NOS</b>									
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
<b>Overall Incidence</b>	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
<b>#All Organs:</b>									
<b>Mesothelioma: Malignant</b>									
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
<b>Overall Incidence</b>	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: FEED**

**Page: 190**  
**Report Date: 11/17/2008**

		Male				Female			
<b>#All Organs: Osteoma</b>									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
<b>#All Organs: Osteosarcoma</b>									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	1/50 (2%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/250 (0%)	Mean 0%	SD 0%	Total	2/300 (0.67%)	Mean 0.67%	SD 1.03%	
.....									
<b>#All Organs: Osteosarcoma or Osteoma</b>									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	1/50 (2%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/250 (0%)	Mean 0%	SD 0%	Total	2/300 (0.67%)	Mean 0.67%	SD 1.03%	
.....									
<b>*Adrenal Cortex: Adenoma</b>									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	0/50 (0%)
		2/50 (4%)	4/50 (8%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	7/250 (2.8%)	Mean 2.8%	SD 3.35%	Total	1/299 (0.33%)	Mean 0.33%	SD 0.82%	
.....									
<b>*Adrenal Cortex: Sarcoma</b>									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/299 (0%)	Mean 0%	SD 0%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: FEED**

Page: 191  
 Report Date: 11/17/2008

		Male				Female			
<b>*Adrenal Medulla:</b>									
<b>Pheochromocytoma Benign</b>									
		0/50 (0%)	0/49 (0%)		1/50 (2%)	0/49 (0%)	0/49 (0%)		
		0/50 (0%)	0/50 (0%)	1/49 (2%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	
<b>Overall Incidence</b>	Total	1/248 (0.4%)	Mean 0.41%	SD 0.91%	Total	1/297 (0.34%)	Mean 0.33%	SD 0.82%	
.....									
<b>*Adrenal Medulla:</b>									
<b>Pheochromocytoma Complex</b>									
		0/50 (0%)	0/49 (0%)		0/50 (0%)	0/49 (0%)	0/49 (0%)		
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	
<b>Overall Incidence</b>	Total	0/248 (0%)	Mean 0%	SD 0%	Total	0/297 (0%)	Mean 0%	SD 0%	
.....									
<b>*Adrenal Medulla:</b>									
<b>Pheochromocytoma Malignant</b>									
		0/50 (0%)	0/49 (0%)		0/50 (0%)	1/49 (2%)	1/49 (2%)		
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	1/50 (2%)	0/49 (0%)	0/49 (0%)	
<b>Overall Incidence</b>	Total	0/248 (0%)	Mean 0%	SD 0%	Total	3/297 (1.01%)	Mean 1.01%	SD 1.11%	
.....									
<b>*Adrenal Medulla:</b>									
<b>Pheochromocytoma: Benign, Complex, Malignant, NOS</b>									
		0/50 (0%)	0/49 (0%)		1/50 (2%)	1/49 (2%)	1/49 (2%)		
		0/50 (0%)	0/50 (0%)	1/49 (2%)	0/50 (0%)	1/50 (2%)	0/49 (0%)	0/49 (0%)	
<b>Overall Incidence</b>	Total	1/248 (0.4%)	Mean 0.41%	SD 0.91%	Total	4/297 (1.35%)	Mean 1.35%	SD 1.04%	
.....									
<b>*Bone Marrow:</b>									
<b>Hemangiosarcoma</b>									
		0/49 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	1/50 (2%)	1/49 (2%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
<b>Overall Incidence</b>	Total	2/248 (0.81%)	Mean 0.81%	SD 1.11%	Total	1/299 (0.33%)	Mean 0.33%	SD 0.82%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: FEED**

Page: 192  
 Report Date: 11/17/2008

		Male				Female			
<b>*Bone Marrow:</b>									
<b>Mast Cell Tumor Malignant</b>									
		0/49 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)	
<b>Overall Incidence</b>	Total	0/248 (0%)	Mean 0%	SD 0%	Total	0/299 (0%)	Mean 0%	SD 0%	
.....									
<b>#Bone:</b>									
<b>Hemangiosarcoma</b>									
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
<b>Overall Incidence</b>	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
<b>#Bone:</b>									
<b>Osteoma</b>									
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
<b>Overall Incidence</b>	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
<b>#Bone:</b>									
<b>Osteosarcoma</b>									
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
<b>Overall Incidence</b>	Total	0/250 (0%)	Mean 0%	SD 0%	Total	1/300 (0.33%)	Mean 0.33%	SD 0.82%	
.....									
<b>#Bone:</b>									
<b>Osteosarcoma or Osteoma</b>									
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
<b>Overall Incidence</b>	Total	0/250 (0%)	Mean 0%	SD 0%	Total	1/300 (0.33%)	Mean 0.33%	SD 0.82%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: FEED**

Page: 193  
 Report Date: 11/17/2008

		Male				Female					
<b>#Bone:</b>											
<b>Sarcoma</b>											
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/250	(0%)	Mean 0%	SD 0%	Total	0/300	(0%)	Mean 0%	SD 0%	
.....											
<b>*Brain:</b>											
<b>Meningioma Benign</b>											
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/250	(0%)	Mean 0%	SD 0%	Total	0/300	(0%)	Mean 0%	SD 0%	
.....											
<b>*Brain:</b>											
<b>Meningioma: Benign, Malignant, NOS</b>											
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/250	(0%)	Mean 0%	SD 0%	Total	0/300	(0%)	Mean 0%	SD 0%	
.....											
<b>*Brain:</b>											
<b>Schwannoma Malignant</b>											
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/250	(0%)	Mean 0%	SD 0%	Total	0/300	(0%)	Mean 0%	SD 0%	
.....											
<b>*Clitoral/Preputial Gland:</b>											
<b>Adenoma</b>											
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/44	(0%)
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	1/250	(0.4%)	Mean 0.4%	SD 0.89%	Total	0/290	(0%)	Mean 0%	SD 0%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: FEED**

Page: 194  
 Report Date: 11/17/2008

		Male				Female			
<b>*Clitoral/Preputial Gland: Carcinoma</b>									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/44 (0%)	1/49 (2%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/47 (0%)	
<b>Overall Incidence</b>	Total	0/250 (0%)	Mean 0%	SD 0%	Total	1/290 (0.34%)	Mean 0.34%	SD 0.83%	
.....									
<b>*Clitoral/Preputial Gland: Carcinoma or Adenoma</b>									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/44 (0%)	1/49 (2%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/47 (0%)	
<b>Overall Incidence</b>	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	Total	1/290 (0.34%)	Mean 0.34%	SD 0.83%	
.....									
<b>*Clitoral/Preputial Gland: Hemangioma</b>									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/44 (0%)	0/49 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/47 (0%)	
<b>Overall Incidence</b>	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/290 (0%)	Mean 0%	SD 0%	
.....									
<b>*Clitoral/Preputial Gland: Hemangiosarcoma</b>									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/44 (0%)	0/49 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/47 (0%)	
<b>Overall Incidence</b>	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/290 (0%)	Mean 0%	SD 0%	
.....									
<b>*Clitoral/Preputial Gland: Squamous Cell Carcinoma</b>									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/44 (0%)	0/49 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/47 (0%)	
<b>Overall Incidence</b>	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/290 (0%)	Mean 0%	SD 0%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: FEED**

Page: 195  
 Report Date: 11/17/2008

		Male				Female			
<b>*Epididymis:</b>									
<b>Sarcoma</b>									
		0/50	(0%)	0/50	(0%)				
		0/50	(0%)	0/50	(0%)	0/50	(0%)		
<b>Overall Incidence</b>	<b>Total</b>	0/250	(0%)	Mean 0%		SD 0%			
.....									
<b>#Esophagus:</b>									
<b>Squamous Cell Carcinoma</b>									
		0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	<b>Total</b>	0/250	(0%)	Mean 0%		SD 0%	<b>Total</b>	0/300	(0%)
								Mean 0%	SD 0%
.....									
<b>#Eye:</b>									
<b>Sarcoma</b>									
		0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	<b>Total</b>	0/250	(0%)	Mean 0%		SD 0%	<b>Total</b>	0/300	(0%)
								Mean 0%	SD 0%
.....									
<b>*Gallbladder:</b>									
<b>Adenoma</b>									
		0/45	(0%)	0/46	(0%)		0/49	(0%)	0/48
		0/47	(0%)	0/44	(0%)	0/45	(0%)	0/48	(0%)
<b>Overall Incidence</b>	<b>Total</b>	0/227	(0%)	Mean 0%		SD 0%	<b>Total</b>	0/286	(0%)
								Mean 0%	SD 0%
.....									
<b>#Harderian Gland:</b>									
<b>Adenoma</b>									
		6/50	(12%)	5/50	(10%)		1/50	(2%)	7/50
		7/50	(14%)	4/50	(8%)	5/50	(10%)	5/50	(10%)
<b>Overall Incidence</b>	<b>Total</b>	27/250	(10.8%)	Mean 10.8%		SD 2.28%	<b>Total</b>	31/300	(10.33%)
								Mean 10.33%	SD 4.27%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: FEED**

Page: 196  
 Report Date: 11/17/2008

		Male				Female			
<b>#Harderian Gland: Carcinoma</b>									
		1/50 (2%)	1/50 (2%)		0/50 (0%)	2/50 (4%)	1/50 (2%)		
		2/50 (4%)	1/50 (2%)	0/50 (0%)	2/50 (4%)	1/50 (2%)	2/50 (4%)		
<b>Overall Incidence</b>	Total	5/250 (2%)	Mean 2%	SD 1.41%	Total	8/300 (2.67%)	Mean 2.67%	SD 1.63%	
.....									
<b>#Harderian Gland: Carcinoma or Adenoma</b>									
		7/50 (14%)	5/50 (10%)		1/50 (2%)	9/50 (18%)	7/50 (14%)		
		9/50 (18%)	5/50 (10%)	5/50 (10%)	7/50 (14%)	7/50 (14%)	8/50 (16%)		
<b>Overall Incidence</b>	Total	31/250 (12.4%)	Mean 12.4%	SD 3.58%	Total	39/300 (13%)	Mean 13%	SD 5.62%	
.....									
<b>#Harderian Gland: Sarcoma</b>									
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
<b>Overall Incidence</b>	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
<b>*Heart: Hemangioma</b>									
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
<b>Overall Incidence</b>	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
<b>*Heart: Hemangiosarcoma</b>									
		1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
<b>Overall Incidence</b>	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	Total	0/300 (0%)	Mean 0%	SD 0%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: FEED**

Page: 197  
 Report Date: 11/17/2008

		Male				Female					
<b>*Heart:</b>											
<b>Sarcoma</b>											
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/250	(0%)	Mean 0%	SD 0%	Total	0/300	(0%)	Mean 0%	SD 0%	
.....											
<b>#Intestine Large: Cecum:</b>											
<b>Carcinoma</b>											
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/250	(0%)	Mean 0%	SD 0%	Total	0/300	(0%)	Mean 0%	SD 0%	
.....											
<b>#Intestine Large: Cecum:</b>											
<b>Carcinoma or Adenoma</b>											
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/250	(0%)	Mean 0%	SD 0%	Total	0/300	(0%)	Mean 0%	SD 0%	
.....											
<b>#Intestine Large: Cecum:</b>											
<b>Leiomyoma</b>											
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/250	(0%)	Mean 0%	SD 0%	Total	0/300	(0%)	Mean 0%	SD 0%	
.....											
<b>#Intestine Large: Cecum:</b>											
<b>Polyp Adenomatous</b>											
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/250	(0%)	Mean 0%	SD 0%	Total	0/300	(0%)	Mean 0%	SD 0%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: FEED**

Page: 198  
 Report Date: 11/17/2008

		Male				Female					
<b>#Intestine Large: Colon/Rectum:</b>											
<b>Leiomyosarcoma</b>											
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/250	(0%)	Mean 0%	SD 0%	Total	0/300	(0%)	Mean 0%	SD 0%	
.....											
<b>#Intestine Small: Duodenum:</b>											
<b>Adenoma</b>											
		0/50	(0%)	1/50	(2%)			0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	1/250	(0.4%)	Mean 0.4%	SD 0.89%	Total	0/300	(0%)	Mean 0%	SD 0%	
.....											
<b>#Intestine Small: Duodenum:</b>											
<b>Carcinoma</b>											
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/250	(0%)	Mean 0%	SD 0%	Total	0/300	(0%)	Mean 0%	SD 0%	
.....											
<b>#Intestine Small: Duodenum:</b>											
<b>Leiomyosarcoma</b>											
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/250	(0%)	Mean 0%	SD 0%	Total	0/300	(0%)	Mean 0%	SD 0%	
.....											
<b>#Intestine Small: Duodenum:</b>											
<b>Polyp Adenomatous</b>											
		0/50	(0%)	0/50	(0%)			1/50	(2%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/250	(0%)	Mean 0%	SD 0%	Total	2/300	(0.67%)	Mean 0.67%	SD 1.03%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: FEED**

Page: 199  
 Report Date: 11/17/2008

		Male				Female			
<b>#Intestine Small: Ileum: Carcinoma</b>									
		0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
<b>#Intestine Small: Ileum: Hemangiosarcoma</b>									
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
<b>#Intestine Small: Ileum: Polyp Adenomatous</b>									
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
<b>#Intestine Small: Jejunum: Adenoma</b>									
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
<b>#Intestine Small: Jejunum: Carcinoma</b>									
		0/50 (0%)	1/50 (2%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		2/50 (4%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	3/250 (1.2%)	Mean 1.2%	SD 1.79%	Total	1/300 (0.33%)	Mean 0.33%	SD 0.82%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: FEED**

Page: 200  
 Report Date: 11/17/2008

		Male				Female			
<b>#Intestine Small: Jejunum: Hemangiosarcoma</b>									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
<b>#Intestine Small: Jejunum: Leiomyosarcoma</b>									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
<b>Overall Incidence</b>	Total	0/250 (0%)	Mean 0%	SD 0%	Total	1/300 (0.33%)	Mean 0.33%	SD 0.82%	
.....									
<b>#Intestine Small: Jejunum: Polyp Adenomatous</b>									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
<b>Overall Incidence</b>	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
<b>#Intestine Small: Site Unspecified: Adenoma</b>									
		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
<b>Overall Incidence</b>	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
<b>#Intestine Small: Site Unspecified: Carcinoma</b>									
		0/50 (0%)	2/50 (4%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	
		2/50 (4%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
<b>Overall Incidence</b>	Total	4/250 (1.6%)	Mean 1.6%	SD 2.19%	Total	1/300 (0.33%)	Mean 0.33%	SD 0.82%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: FEED**

Page: 201  
 Report Date: 11/17/2008

		Male				Female			
<b>#Intestine Small: Site Unspecified: Carcinoma or Adenoma</b>									
		0/50 (0%)	3/50 (6%)		0/50 (0%)	1/50 (2%)	0/50 (0%)		
		2/50 (4%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	5/250 (2%)	Mean 2%	SD 2.83%	Total	1/300 (0.33%)	Mean 0.33%	SD 0.82%	
.....									
<b>#Intestine Small: Site Unspecified: Hemangiosarcoma</b>									
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
<b>#Intestine Small: Site Unspecified: Leiomyosarcoma</b>									
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/250 (0%)	Mean 0%	SD 0%	Total	1/300 (0.33%)	Mean 0.33%	SD 0.82%	
.....									
<b>#Intestine Small: Site Unspecified: Polyp Adenomatous</b>									
		0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/250 (0%)	Mean 0%	SD 0%	Total	2/300 (0.67%)	Mean 0.67%	SD 1.03%	
.....									
<b>*Islets, Pancreatic: Adenoma</b>									
		0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	1/50 (2%)		
		0/49 (0%)	0/49 (0%)	0/49 (0%)	1/48 (2%)	0/49 (0%)	0/49 (0%)	0/49 (0%)	0/49 (0%)
<b>Overall Incidence</b>	Total	1/247 (0.4%)	Mean 0.4%	SD 0.89%	Total	2/296 (0.68%)	Mean 0.68%	SD 1.05%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: FEED**

Page: 202  
 Report Date: 11/17/2008

		Male				Female			
<b>*Islets, Pancreatic: Carcinoma</b>									
		0/50 (0%)	0/50 (0%)			0/50 (0%)	2/50 (4%)	0/50 (0%)	
		0/49 (0%)	0/49 (0%)	0/49 (0%)		0/48 (0%)	0/49 (0%)	0/49 (0%)	
<b>Overall Incidence</b>	Total	0/247 (0%)	Mean 0%	SD 0%	Total	2/296 (0.68%)	Mean 0.67%	SD 1.63%	
.....									
<b>*Islets, Pancreatic: Carcinoma or Adenoma</b>									
		0/50 (0%)	1/50 (2%)			0/50 (0%)	2/50 (4%)	1/50 (2%)	
		0/49 (0%)	0/49 (0%)	0/49 (0%)		1/48 (2%)	0/49 (0%)	0/49 (0%)	
<b>Overall Incidence</b>	Total	1/247 (0.4%)	Mean 0.4%	SD 0.89%	Total	4/296 (1.35%)	Mean 1.35%	SD 1.64%	
.....									
<b>*Kidney: Renal Tubule: Adenoma</b>									
		0/50 (0%)	2/50 (4%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	
<b>Overall Incidence</b>	Total	2/250 (0.8%)	Mean 0.8%	SD 1.79%	Total	0/299 (0%)	Mean 0%	SD 0%	
.....									
<b>*Kidney: Renal Tubule: Carcinoma</b>									
		0/50 (0%)	1/50 (2%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	
<b>Overall Incidence</b>	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	Total	0/299 (0%)	Mean 0%	SD 0%	
.....									
<b>*Kidney: Renal Tubule: Carcinoma or Adenoma</b>									
		0/50 (0%)	3/50 (6%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	
<b>Overall Incidence</b>	Total	3/250 (1.2%)	Mean 1.2%	SD 2.68%	Total	0/299 (0%)	Mean 0%	SD 0%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: FEED**

Page: 203  
 Report Date: 11/17/2008

		Male				Female					
<b>*Liver:</b>											
<b>Cholangiocarcinoma</b>											
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/250	(0%)	Mean 0%	SD 0%	Total	0/300	(0%)	Mean 0%	SD 0%	
.....											
<b>*Liver:</b>											
<b>Fibrous Histiocytoma</b>											
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/250	(0%)	Mean 0%	SD 0%	Total	0/300	(0%)	Mean 0%	SD 0%	
.....											
<b>*Liver:</b>											
<b>Hemangioma</b>											
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/250	(0%)	Mean 0%	SD 0%	Total	0/300	(0%)	Mean 0%	SD 0%	
.....											
<b>*Liver:</b>											
<b>Hemangiosarcoma</b>											
		0/50	(0%)	2/50	(4%)			0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	2/250	(0.8%)	Mean 0.8%	SD 1.79%	Total	0/300	(0%)	Mean 0%	SD 0%	
.....											
<b>*Liver:</b>											
<b>Hepatoblastoma</b>											
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	1/250	(0.4%)	Mean 0.4%	SD 0.89%	Total	0/300	(0%)	Mean 0%	SD 0%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: FEED**

Page: 204  
 Report Date: 11/17/2008

		Male				Female			
<b>*Liver:</b>									
<b>Hepatocellular Adenoma</b>									
		11/50 (22%)	21/50 (42%)		5/50 (10%)	1/50 (2%)	4/50 (8%)		
		22/50 (44%)	17/50 (34%)	12/50 (24%)	3/50 (6%)	4/50 (8%)	3/50 (6%)		
<b>Overall Incidence</b>	Total	83/250 (33.2%)	Mean 33.2%	SD 10.06%	Total	20/300 (6.67%)	Mean 6.67%	SD 2.73%	
.....									
<b>*Liver:</b>									
<b>Hepatocellular Carcinoma</b>									
		8/50 (16%)	15/50 (30%)		0/50 (0%)	3/50 (6%)	1/50 (2%)		
		8/50 (16%)	10/50 (20%)	17/50 (34%)	3/50 (6%)	1/50 (2%)	0/50 (0%)		
<b>Overall Incidence</b>	Total	58/250 (23.2%)	Mean 23.2%	SD 8.32%	Total	8/300 (2.67%)	Mean 2.67%	SD 2.73%	
.....									
<b>*Liver:</b>									
<b>Hepatocellular Carcinoma or Hepatoblastoma</b>									
		8/50 (16%)	15/50 (30%)		0/50 (0%)	3/50 (6%)	1/50 (2%)		
		9/50 (18%)	10/50 (20%)	17/50 (34%)	3/50 (6%)	1/50 (2%)	0/50 (0%)		
<b>Overall Incidence</b>	Total	59/250 (23.6%)	Mean 23.6%	SD 7.92%	Total	8/300 (2.67%)	Mean 2.67%	SD 2.73%	
.....									
<b>*Liver:</b>									
<b>Hepatocellular Carcinoma or Hepatocellular Adenoma</b>									
		18/50 (36%)	32/50 (64%)		5/50 (10%)	4/50 (8%)	4/50 (8%)		
		26/50 (52%)	23/50 (46%)	26/50 (52%)	6/50 (12%)	5/50 (10%)	3/50 (6%)		
<b>Overall Incidence</b>	Total	125/250 (50%)	Mean 50%	SD 10.2%	Total	27/300 (9%)	Mean 9%	SD 2.1%	
.....									
<b>*Liver:</b>									
<b>Hepatocellular Carcinoma, Hepatocellular Adenoma, or Hepatoblastoma</b>									
		18/50 (36%)	32/50 (64%)		5/50 (10%)	4/50 (8%)	4/50 (8%)		
		26/50 (52%)	23/50 (46%)	26/50 (52%)	6/50 (12%)	5/50 (10%)	3/50 (6%)		
<b>Overall Incidence</b>	Total	125/250 (50%)	Mean 50%	SD 10.2%	Total	27/300 (9%)	Mean 9%	SD 2.1%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: FEED**

Page: 205  
 Report Date: 11/17/2008

		Male				Female			
<b>*Liver:</b>									
<b>Hepatocolangiocarcinoma</b>									
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
<b>*Liver:</b>									
<b>Ito Cell Tumor Benign</b>									
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
<b>*Liver:</b>									
<b>Ito Cell Tumor Malignant</b>									
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
<b>*Liver:</b>									
<b>Sarcoma</b>									
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
<b>*Lung:</b>									
<b>Adenoma</b>									
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: FEED**

**Page: 206**  
**Report Date: 11/17/2008**

		Male				Female			
<b>*Lung:</b>									
<b>Alveolar/Bronchiolar Adenoma</b>									
		14/50 (28%)	13/50 (26%)		0/50 (0%)	1/50 (2%)	5/50 (10%)		
		4/50 (8%)	8/50 (16%)	1/50 (2%)	4/50 (8%)	0/50 (0%)	1/50 (2%)		
<b>Overall Incidence</b>	Total	40/250 (16%)	Mean 16%	SD 11.22%	Total	11/300 (3.67%)	Mean 3.67%	SD 4.27%	
.....									
<b>*Lung:</b>									
<b>Alveolar/Bronchiolar Carcinoma</b>									
		2/50 (4%)	3/50 (6%)		1/50 (2%)	1/50 (2%)	2/50 (4%)		
		6/50 (12%)	2/50 (4%)	10/50 (20%)	1/50 (2%)	3/50 (6%)	1/50 (2%)		
<b>Overall Incidence</b>	Total	23/250 (9.2%)	Mean 9.2%	SD 6.87%	Total	9/300 (3%)	Mean 3%	SD 1.67%	
.....									
<b>*Lung:</b>									
<b>Alveolar/Bronchiolar Carcinoma or Alveolar/Bronchiolar Adenoma</b>									
		16/50 (32%)	16/50 (32%)		1/50 (2%)	2/50 (4%)	5/50 (10%)		
		10/50 (20%)	9/50 (18%)	11/50 (22%)	5/50 (10%)	3/50 (6%)	2/50 (4%)		
<b>Overall Incidence</b>	Total	62/250 (24.8%)	Mean 24.8%	SD 6.72%	Total	18/300 (6%)	Mean 6%	SD 3.35%	
.....									
<b>*Lung:</b>									
<b>Fibrosarcoma</b>									
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
<b>Overall Incidence</b>	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
<b>*Lung:</b>									
<b>Fibrous Histiocytoma</b>									
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
<b>Overall Incidence</b>	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: FEED**

Page: 207  
 Report Date: 11/17/2008

		Male				Female			
<b>*Lung:</b>									
<b>Hemangiosarcoma</b>									
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
<b>*Lung:</b>									
<b>Sarcoma</b>									
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
<b>#Lymph Node:</b>									
<b>Fibrous Histiocytoma</b>									
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
<b>#Lymph Node:</b>									
<b>Hemangioma</b>									
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
<b>#Lymph Node:</b>									
<b>Hemangiosarcoma</b>									
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/250 (0%)	Mean 0%	SD 0%	Total	1/300 (0.33%)	Mean 0.33%	SD 0.82%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: FEED**

Page: 208  
 Report Date: 11/17/2008

		Male				Female			
<b>#Lymph Node: Sarcoma</b>									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/250 (0%)	Mean 0%	SD 0%	Total	1/300 (0.33%)	Mean 0.33%	SD 0.82%	
.....									
<b>#Lymph Node, Bronchial: Hemangiosarcoma</b>									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
<b>#Lymph Node, Mandibular: Fibrous Histiocytoma</b>									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
<b>#Lymph Node, Mandibular: Hemangiosarcoma</b>									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/250 (0%)	Mean 0%	SD 0%	Total	1/300 (0.33%)	Mean 0.33%	SD 0.82%	
.....									
<b>#Lymph Node, Mandibular: Mast Cell Tumor Malignant</b>									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: FEED**

Page: 209  
 Report Date: 11/17/2008

		Male				Female			
<b>#Lymph Node, Mesenteric: Fibrous Histiocytoma</b>									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
<b>#Lymph Node, Mesenteric: Hemangioma</b>									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
<b>#Lymph Node, Mesenteric: Hemangiosarcoma</b>									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
<b>#Mammary Gland: Adenoacanthoma</b>									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
<b>#Mammary Gland: Adenoma</b>									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: FEED**

Page: 210  
 Report Date: 11/17/2008

		Male				Female			
<b>#Mammary Gland: Carcinoma</b>									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/250 (0%)	Mean 0%	SD 0%	Total	3/300 (1%)	Mean 1%	SD 1.1%	
.....									
<b>#Mammary Gland: Carcinoma or Adenoma</b>									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/250 (0%)	Mean 0%	SD 0%	Total	3/300 (1%)	Mean 1%	SD 1.1%	
.....									
<b>#Mammary Gland: Fibroadenoma</b>									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
<b>#Mammary Gland: Fibroma, Fibroadenoma or Adenoma</b>									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
<b>#Mammary Gland: Fibroma, Fibroadenoma, Carcinoma, or Adenoma</b>									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/250 (0%)	Mean 0%	SD 0%	Total	3/300 (1%)	Mean 1%	SD 1.1%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: FEED**

**Page: 211**  
**Report Date: 11/17/2008**

		Male				Female			
<b>#Mesentery:</b>									
<b>Fibrosarcoma</b>									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
<b>#Mesentery:</b>									
<b>Hemangioma</b>									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
<b>#Mesentery:</b>									
<b>Hemangiosarcoma</b>									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
<b>#Mesentery:</b>									
<b>Sarcoma</b>									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
<b>*Nose:</b>									
<b>Hemangioma</b>									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: FEED**

Page: 212  
 Report Date: 11/17/2008

		Male				Female			
<b>*Nose:</b>									
<b>Mast Cell Tumor Malignant</b>									
		0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
<b>#Oral Cavity (Oral Mucosa, Tongue, Pharynx, Tooth, Gingiva):</b>									
<b>Papilloma Squamous or Papilloma</b>									
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
<b>#Oral Cavity (Oral Mucosa, Tongue, Pharynx, Tooth, Gingiva):</b>									
<b>Squamous Cell Carcinoma</b>									
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
<b>#Oral Cavity (Oral Mucosa, Tongue, Pharynx, Tooth, Gingiva):</b>									
<b>Squamous Cell Carcinoma, Papilloma Squamous, or Papilloma</b>									
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
<b>#Oral Mucosa:</b>									
<b>Squamous Cell Carcinoma</b>									
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: FEED**

Page: 213  
 Report Date: 11/17/2008

	Male		Female
<b>*Ovary:</b>			
<b>Choriocarcinoma</b>			
		0/49 (0%)	0/48 (0%)
		0/49 (0%)	0/50 (0%)
		0/48 (0%)	0/46 (0%)
<b>Overall Incidence</b>	Total	0/290 (0%)	Mean 0% SD 0%
.....			
<b>*Ovary:</b>			
<b>Cystadenoma</b>			
		1/49 (2%)	0/48 (0%)
		3/49 (6%)	1/50 (2%)
		2/48 (4%)	1/46 (2%)
<b>Overall Incidence</b>	Total	8/290 (2.76%)	Mean 2.75% SD 2.11%
.....			
<b>*Ovary:</b>			
<b>Fibrous Histiocytoma</b>			
		0/49 (0%)	0/48 (0%)
		0/49 (0%)	0/50 (0%)
		0/48 (0%)	0/46 (0%)
<b>Overall Incidence</b>	Total	0/290 (0%)	Mean 0% SD 0%
.....			
<b>*Ovary:</b>			
<b>Granulosa Cell Tumor Benign</b>			
		0/49 (0%)	2/48 (4%)
		0/49 (0%)	0/50 (0%)
		2/48 (4%)	0/46 (0%)
<b>Overall Incidence</b>	Total	4/290 (1.38%)	Mean 1.39% SD 2.15%
.....			
<b>*Ovary:</b>			
<b>Granulosa Cell Tumor Malignant</b>			
		0/49 (0%)	1/48 (2%)
		0/49 (0%)	0/50 (0%)
		0/48 (0%)	0/46 (0%)
<b>Overall Incidence</b>	Total	1/290 (0.34%)	Mean 0.35% SD 0.85%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: FEED**

Page: 214  
 Report Date: 11/17/2008

	Male	Female
<b>*Ovary:</b>		
<b>Granulosa Cell Tumor: Benign, Malignant, NOS</b>		
	0/49 (0%)	3/48 (6%)
	0/49 (0%)	2/48 (4%)
<b>Overall Incidence</b>	Total 5/290 (1.72%)	Mean 1.74% SD 2.77%
.....		
<b>*Ovary:</b>		
<b>Hemangioma</b>		
	0/49 (0%)	0/48 (0%)
	0/49 (0%)	0/48 (0%)
<b>Overall Incidence</b>	Total 0/290 (0%)	Mean 0% SD 0%
.....		
<b>*Ovary:</b>		
<b>Hemangiosarcoma</b>		
	0/49 (0%)	0/48 (0%)
	0/49 (0%)	0/48 (0%)
<b>Overall Incidence</b>	Total 0/290 (0%)	Mean 0% SD 0%
.....		
<b>*Ovary:</b>		
<b>Leiomyosarcoma</b>		
	0/49 (0%)	0/48 (0%)
	0/49 (0%)	0/48 (0%)
<b>Overall Incidence</b>	Total 0/290 (0%)	Mean 0% SD 0%
.....		
<b>*Ovary:</b>		
<b>Luteoma</b>		
	0/49 (0%)	0/48 (0%)
	0/49 (0%)	0/48 (0%)
<b>Overall Incidence</b>	Total 0/290 (0%)	Mean 0% SD 0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: FEED**

Page: 215  
 Report Date: 11/17/2008

		Male			Female		
<b>*Ovary:</b>							
<b>Teratoma Benign</b>							
			0/49 (0%)		0/48 (0%)		0/50 (0%)
			0/49 (0%)		0/48 (0%)		0/46 (0%)
<b>Overall Incidence</b>		Total	0/290 (0%)		Mean 0%		SD 0%
.....							
<b>*Ovary:</b>							
<b>Teratoma Malignant</b>							
			0/49 (0%)		0/48 (0%)		0/50 (0%)
			0/49 (0%)		0/48 (0%)		0/46 (0%)
<b>Overall Incidence</b>		Total	0/290 (0%)		Mean 0%		SD 0%
.....							
<b>*Ovary:</b>							
<b>Tubulostromal Adenoma</b>							
			1/49 (2%)		0/48 (0%)		0/50 (0%)
			0/49 (0%)		0/48 (0%)		0/46 (0%)
<b>Overall Incidence</b>		Total	1/290 (0.34%)		Mean 0.34%		SD 0.83%
.....							
<b>*Pancreas:</b>							
<b>Adenoma</b>							
		0/50 (0%)	0/50 (0%)		0/50 (0%)		0/50 (0%)
		1/49 (2%)	0/49 (0%)	0/49 (0%)	0/48 (0%)	0/49 (0%)	0/49 (0%)
<b>Overall Incidence</b>	Total	1/247 (0.4%)	Mean 0.41%	SD 0.91%	Total	0/296 (0%)	Mean 0% SD 0%
.....							
<b>*Pancreas:</b>							
<b>Carcinoma</b>							
		0/50 (0%)	0/50 (0%)		0/50 (0%)		0/50 (0%)
		0/49 (0%)	0/49 (0%)	0/49 (0%)	0/48 (0%)	0/49 (0%)	0/49 (0%)
<b>Overall Incidence</b>	Total	0/247 (0%)	Mean 0%	SD 0%	Total	0/296 (0%)	Mean 0% SD 0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: FEED**

Page: 216  
 Report Date: 11/17/2008

		Male				Female			
<b>*Pancreas:</b>									
<b>  Carcinoma or Adenoma</b>									
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/49 (2%)	0/49 (0%)	0/49 (0%)		0/48 (0%)	0/49 (0%)	0/49 (0%)	
<b>Overall Incidence</b>	<b>Total</b>	1/247 (0.4%)	Mean 0.41%	SD 0.91%	<b>Total</b>	0/296 (0%)	Mean 0%	SD 0%	
.....									
<b>*Pituitary Gland: Pars Distalis or Unspecified Site:</b>									
<b>  Adenoma</b>									
		0/48 (0%)	0/48 (0%)			2/50 (4%)	1/47 (2%)	2/50 (4%)	
		0/50 (0%)	0/49 (0%)	0/48 (0%)		0/50 (0%)	5/49 (10%)	2/49 (4%)	
<b>Overall Incidence</b>	<b>Total</b>	0/243 (0%)	Mean 0%	SD 0%	<b>Total</b>	12/295 (4.07%)	Mean 4.07%	SD 3.41%	
.....									
<b>*Pituitary Gland: Pars Distalis or Unspecified Site:</b>									
<b>  Carcinoma</b>									
		0/48 (0%)	0/48 (0%)			0/50 (0%)	0/47 (0%)	0/50 (0%)	
		0/50 (0%)	0/49 (0%)	0/48 (0%)		0/50 (0%)	0/49 (0%)	0/49 (0%)	
<b>Overall Incidence</b>	<b>Total</b>	0/243 (0%)	Mean 0%	SD 0%	<b>Total</b>	0/295 (0%)	Mean 0%	SD 0%	
.....									
<b>*Pituitary Gland: Pars Distalis or Unspecified Site:</b>									
<b>  Carcinoma or Adenoma</b>									
		0/48 (0%)	0/48 (0%)			2/50 (4%)	1/47 (2%)	2/50 (4%)	
		0/50 (0%)	0/49 (0%)	0/48 (0%)		0/50 (0%)	5/49 (10%)	2/49 (4%)	
<b>Overall Incidence</b>	<b>Total</b>	0/243 (0%)	Mean 0%	SD 0%	<b>Total</b>	12/295 (4.07%)	Mean 4.07%	SD 3.41%	
.....									
<b>*Pituitary Gland: Pars Intermedia:</b>									
<b>  Adenoma</b>									
		0/48 (0%)	0/48 (0%)			0/50 (0%)	1/47 (2%)	0/50 (0%)	
		0/50 (0%)	0/49 (0%)	0/48 (0%)		0/50 (0%)	0/49 (0%)	0/49 (0%)	
<b>Overall Incidence</b>	<b>Total</b>	0/243 (0%)	Mean 0%	SD 0%	<b>Total</b>	1/295 (0.34%)	Mean 0.35%	SD 0.87%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: FEED**

Page: 217  
 Report Date: 11/17/2008

		Male				Female							
<b>*Pituitary Gland: Pars Intermedia:</b>													
<b>  Carcinoma or Adenoma</b>													
		0/48	(0%)	0/48	(0%)			0/50	(0%)	1/47	(2%)	0/50	(0%)
		0/50	(0%)	0/49	(0%)	0/48	(0%)	0/50	(0%)	0/49	(0%)	0/49	(0%)
<b>Overall Incidence</b>	<b>Total</b>	0/243	(0%)	Mean 0%	SD 0%	<b>Total</b>	1/295	(0.34%)	Mean 0.35%	SD 0.87%			
.....													
<b>*Prostate:</b>													
<b>  Adenoma</b>													
		0/50	(0%)	1/50	(2%)			0/50	(0%)				
		0/50	(0%)	0/50	(0%)	0/50	(0%)						
<b>Overall Incidence</b>	<b>Total</b>	1/250	(0.4%)	Mean 0.4%	SD 0.89%								
.....													
<b>*Prostate:</b>													
<b>  Carcinoma or Adenoma</b>													
		0/50	(0%)	1/50	(2%)			0/50	(0%)				
		0/50	(0%)	0/50	(0%)	0/50	(0%)						
<b>Overall Incidence</b>	<b>Total</b>	1/250	(0.4%)	Mean 0.4%	SD 0.89%								
.....													
<b>*Prostate:</b>													
<b>  Hemangioma</b>													
		0/50	(0%)	0/50	(0%)			0/50	(0%)				
		0/50	(0%)	0/50	(0%)	0/50	(0%)						
<b>Overall Incidence</b>	<b>Total</b>	0/250	(0%)	Mean 0%	SD 0%								
.....													
<b>*Salivary Glands:</b>													
<b>  Carcinoma</b>													
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	<b>Total</b>	0/250	(0%)	Mean 0%	SD 0%	<b>Total</b>	0/300	(0%)	Mean 0%	SD 0%			

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: FEED**

Page: 218  
 Report Date: 11/17/2008

		Male				Female								
<b>*Salivary Glands:</b>														
<b>  Carcinoma or Adenoma</b>														
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	<b>Total</b>	0/250	(0%)	Mean	0%	SD	0%	Total	0/300	(0%)	Mean	0%	SD	0%
.....														
<b>*Salivary Glands:</b>														
<b>  Mast Cell Tumor Malignant</b>														
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	<b>Total</b>	0/250	(0%)	Mean	0%	SD	0%	Total	0/300	(0%)	Mean	0%	SD	0%
.....														
<b>#Seminal Vesicle:</b>														
<b>  Adenoma</b>														
		0/50	(0%)	0/50	(0%)									
		0/50	(0%)	0/50	(0%)	0/50	(0%)							
<b>Overall Incidence</b>	<b>Total</b>	0/250	(0%)	Mean	0%	SD	0%							
.....														
<b>#Skeletal Muscle:</b>														
<b>  Fibrosarcoma</b>														
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	<b>Total</b>	0/250	(0%)	Mean	0%	SD	0%	Total	0/300	(0%)	Mean	0%	SD	0%
.....														
<b>#Skeletal Muscle:</b>														
<b>  Hemangiosarcoma</b>														
		1/50	(2%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
		0/50	(0%)	1/50	(2%)	1/50	(2%)	0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	<b>Total</b>	3/250	(1.2%)	Mean	1.2%	SD	1.1%	Total	0/300	(0%)	Mean	0%	SD	0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: FEED**

**Page: 219**  
**Report Date: 11/17/2008**

		Male				Female			
<b>#Skeletal Muscle:</b>									
<b>Myosarcoma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/250	(0%)	Mean 0%	SD 0%	Total	0/300	(0%)	Mean 0%
									SD 0%
.....									
<b>#Skeletal Muscle:</b>									
<b>Rhabdomyosarcoma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
<b>Overall Incidence</b>	Total	0/250	(0%)	Mean 0%	SD 0%	Total	1/300	(0.33%)	Mean 0.33%
									SD 0.82%
.....									
<b>#Skeletal Muscle:</b>									
<b>Rhabdomyosarcoma or Rhabdomyoma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
<b>Overall Incidence</b>	Total	0/250	(0%)	Mean 0%	SD 0%	Total	1/300	(0.33%)	Mean 0.33%
									SD 0.82%
.....									
<b>#Skeletal Muscle:</b>									
<b>Sarcoma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(2%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/250	(0%)	Mean 0%	SD 0%	Total	1/300	(0.33%)	Mean 0.33%
									SD 0.82%
.....									
<b>#Skin:</b>									
<b>Basal Cell Adenoma or Basosquamous Tumor Benign</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/250	(0%)	Mean 0%	SD 0%	Total	0/300	(0%)	Mean 0%
									SD 0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: FEED**

Page: 220  
 Report Date: 11/17/2008

		Male				Female					
<b>#Skin:</b>											
<b>Basal Cell Adenoma, Basosquamous Tumor Benign, or Trichoepithelioma</b>											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	<b>Total</b>	0/250	(0%)	Mean 0%	SD 0%	<b>Total</b>	1/300	(0.33%)	Mean 0.33%	SD 0.82%	
.....											
<b>#Skin:</b>											
<b>Basal Cell Carcinoma</b>											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	<b>Total</b>	0/250	(0%)	Mean 0%	SD 0%	<b>Total</b>	0/300	(0%)	Mean 0%	SD 0%	
.....											
<b>#Skin:</b>											
<b>Basal Cell Carcinoma or Basosquamous Tumor (malignant or NOS)</b>											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	<b>Total</b>	0/250	(0%)	Mean 0%	SD 0%	<b>Total</b>	0/300	(0%)	Mean 0%	SD 0%	
.....											
<b>#Skin:</b>											
<b>Basal Cell Carcinoma, Basal Cell Adenoma, Basosquamous Tumor (benign, malignant or NOS), or Trichoepithelioma</b>											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	<b>Total</b>	0/250	(0%)	Mean 0%	SD 0%	<b>Total</b>	1/300	(0.33%)	Mean 0.33%	SD 0.82%	
.....											
<b>#Skin:</b>											
<b>Basal or Sq. Cell Carcinoma, Carcinoma, Basosq. Tumor (M or B), Basal Cell Adenoma, Adenoma, Papilloma, Sq Papilloma, Keratoacanthoma, Trichoepithelioma</b>											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	<b>Total</b>	0/250	(0%)	Mean 0%	SD 0%	<b>Total</b>	1/300	(0.33%)	Mean 0.33%	SD 0.82%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: FEED**

Page: 221  
 Report Date: 11/17/2008

		Male				Female			
<b>#Skin:</b>									
<b>Basosquamous Tumor Benign</b>									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	<b>Total</b>	0/250 (0%)	Mean 0%	SD 0%	<b>Total</b>	0/300 (0%)	Mean 0%	SD 0%	
.....									
<b>#Skin:</b>									
<b>Fibroma</b>									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	<b>Total</b>	1/250 (0.4%)	Mean 0.4%	SD 0.89%	<b>Total</b>	0/300 (0%)	Mean 0%	SD 0%	
.....									
<b>#Skin:</b>									
<b>Fibroma, Fibrosarcoma, Sarcoma, Myxoma, Myxosarcoma, or Fibrous Histiocytoma</b>									
		0/50 (0%)	1/50 (2%)	1/50 (2%)	1/50 (2%)	2/50 (4%)	5/50 (10%)		
		0/50 (0%)	0/50 (0%)	3/50 (6%)	3/50 (6%)	2/50 (4%)	3/50 (6%)		
<b>Overall Incidence</b>	<b>Total</b>	4/250 (1.6%)	Mean 1.6%	SD 2.61%	<b>Total</b>	16/300 (5.33%)	Mean 5.33%	SD 2.73%	
.....									
<b>#Skin:</b>									
<b>Fibrosarcoma</b>									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	1/50 (2%)	4/50 (8%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	1/50 (2%)	3/50 (6%)		
<b>Overall Incidence</b>	<b>Total</b>	0/250 (0%)	Mean 0%	SD 0%	<b>Total</b>	11/300 (3.67%)	Mean 3.67%	SD 2.66%	
.....									
<b>#Skin:</b>									
<b>Fibrosarcoma, Sarcoma, Myxosarcoma, or Fibrous Histiocytoma</b>									
		0/50 (0%)	1/50 (2%)	1/50 (2%)	1/50 (2%)	2/50 (4%)	5/50 (10%)		
		0/50 (0%)	0/50 (0%)	2/50 (4%)	3/50 (6%)	2/50 (4%)	3/50 (6%)		
<b>Overall Incidence</b>	<b>Total</b>	3/250 (1.2%)	Mean 1.2%	SD 1.79%	<b>Total</b>	16/300 (5.33%)	Mean 5.33%	SD 2.73%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: FEED**

Page: 222  
 Report Date: 11/17/2008

		Male				Female								
<b>#Skin:</b>														
<b>Fibrous Histiocytoma</b>														
		0/50	(0%)	1/50	(2%)		0/50	(0%)	1/50	(2%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	2/50	(4%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
<b>Overall Incidence</b>	Total	3/250	(1.2%)	Mean	1.2%	SD	1.79%	Total	1/300	(0.33%)	Mean	0.33%	SD	0.82%
.....														
<b>#Skin:</b>														
<b>Hemangioma</b>														
		0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	
<b>Overall Incidence</b>	Total	0/250	(0%)	Mean	0%	SD	0%	Total	1/300	(0.33%)	Mean	0.33%	SD	0.82%
.....														
<b>#Skin:</b>														
<b>Hemangiosarcoma</b>														
		0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)	0/50	(0%)		
		1/50	(2%)	0/50	(0%)	2/50	(4%)	0/50	(0%)	2/50	(4%)	0/50	(0%)	
<b>Overall Incidence</b>	Total	3/250	(1.2%)	Mean	1.2%	SD	1.79%	Total	2/300	(0.67%)	Mean	0.67%	SD	1.63%
.....														
<b>#Skin:</b>														
<b>Liposarcoma</b>														
		0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
<b>Overall Incidence</b>	Total	0/250	(0%)	Mean	0%	SD	0%	Total	0/300	(0%)	Mean	0%	SD	0%
.....														
<b>#Skin:</b>														
<b>Myxosarcoma</b>														
		0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
<b>Overall Incidence</b>	Total	0/250	(0%)	Mean	0%	SD	0%	Total	0/300	(0%)	Mean	0%	SD	0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: FEED**

Page: 223  
 Report Date: 11/17/2008

		Male				Female					
<b>#Skin:</b>											
<b>Neural Crest Tumor</b>											
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/250	(0%)	Mean 0%	SD 0%	Total	0/300	(0%)	Mean 0%	SD 0%	
.....											
<b>#Skin:</b>											
<b>Neurofibrosarcoma or Schwannoma (malignant or NOS)</b>											
		1/50	(2%)	0/50	(0%)			1/50	(2%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	1/250	(0.4%)	Mean 0.4%	SD 0.89%	Total	2/300	(0.67%)	Mean 0.67%	SD 1.03%	
.....											
<b>#Skin:</b>											
<b>Neurofibrosarcoma, Neurofibroma, or Schwannoma (benign, malignant or NOS)</b>											
		1/50	(2%)	0/50	(0%)			1/50	(2%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	1/250	(0.4%)	Mean 0.4%	SD 0.89%	Total	2/300	(0.67%)	Mean 0.67%	SD 1.03%	
.....											
<b>#Skin:</b>											
<b>Osteosarcoma</b>											
		0/50	(0%)	0/50	(0%)			1/50	(2%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/250	(0%)	Mean 0%	SD 0%	Total	1/300	(0.33%)	Mean 0.33%	SD 0.82%	
.....											
<b>#Skin:</b>											
<b>Sarcoma</b>											
		0/50	(0%)	0/50	(0%)			0/50	(0%)	1/50	(2%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	2/50	(4%)	1/50	(2%)
<b>Overall Incidence</b>	Total	0/250	(0%)	Mean 0%	SD 0%	Total	4/300	(1.33%)	Mean 1.33%	SD 1.63%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: FEED**

**Page: 224**  
**Report Date: 11/17/2008**

		Male					Female				
<b>#Skin:</b>											
<b>Schwannoma Malignant</b>											
		1/50 (2%)	0/50 (0%)			1/50 (2%)	1/50 (2%)	0/50 (0%)			
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
<b>Overall Incidence</b>	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%		Total	2/300 (0.67%)	Mean 0.67%	SD 1.03%		
.....											
<b>#Skin:</b>											
<b>Squamous Cell Carcinoma</b>											
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
<b>Overall Incidence</b>	Total	0/250 (0%)	Mean 0%	SD 0%		Total	0/300 (0%)	Mean 0%	SD 0%		
.....											
<b>#Skin:</b>											
<b>Squamous Cell Carcinoma, Basal Cell Carcinoma, Basosquamous Tumor (malignant or NOS), or Carcinoma</b>											
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
<b>Overall Incidence</b>	Total	0/250 (0%)	Mean 0%	SD 0%		Total	0/300 (0%)	Mean 0%	SD 0%		
.....											
<b>#Skin:</b>											
<b>Squamous Cell Papilloma</b>											
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
<b>Overall Incidence</b>	Total	0/250 (0%)	Mean 0%	SD 0%		Total	0/300 (0%)	Mean 0%	SD 0%		
.....											
<b>#Skin:</b>											
<b>Squamous Cell Papilloma or Papilloma</b>											
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
<b>Overall Incidence</b>	Total	0/250 (0%)	Mean 0%	SD 0%		Total	0/300 (0%)	Mean 0%	SD 0%		

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: FEED**

Page: 225  
 Report Date: 11/17/2008

		Male				Female					
<b>#Skin:</b>											
<b>Squamous Cell Papilloma, Papilloma, Squamous Cell Carcinoma or Keratoacanthoma</b>											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/250	(0%)	Mean 0%	SD 0%	Total	0/300	(0%)	Mean 0%	SD 0%	
.....											
<b>#Skin:</b>											
<b>Squamous Cell Papilloma, Papilloma, or Keratoacanthoma</b>											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/250	(0%)	Mean 0%	SD 0%	Total	0/300	(0%)	Mean 0%	SD 0%	
.....											
<b>#Skin:</b>											
<b>Trichoepithelioma</b>											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/250	(0%)	Mean 0%	SD 0%	Total	1/300	(0.33%)	Mean 0.33%	SD 0.82%	
.....											
<b>#Skin: Sebaceous Gland:</b>											
<b>Adenoma</b>											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/250	(0%)	Mean 0%	SD 0%	Total	1/300	(0.33%)	Mean 0.33%	SD 0.82%	
.....											
<b>#Skin: Sebaceous Gland:</b>											
<b>Carcinoma</b>											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	1/250	(0.4%)	Mean 0.4%	SD 0.89%	Total	0/300	(0%)	Mean 0%	SD 0%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: FEED**

Page: 226  
 Report Date: 11/17/2008

		Male				Female								
<b>#Skin: Sebaceous Gland:</b>														
<b>    Carcinoma or Adenoma</b>														
		0/50	(0%)	0/50	(0%)			0/50	(0%)	1/50	(2%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
<b>Overall Incidence</b>	Total	1/250	(0.4%)	Mean	0.4%	SD	0.89%	Total	1/300	(0.33%)	Mean	0.33%	SD	0.82%
.....														
<b>#Spinal Cord:</b>														
<b>    Meningioma Malignant</b>														
		0/50	(0%)	1/50	(2%)			0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
<b>Overall Incidence</b>	Total	1/250	(0.4%)	Mean	0.4%	SD	0.89%	Total	0/300	(0%)	Mean	0%	SD	0%
.....														
<b>*Spleen:</b>														
<b>    Fibrous Histiocytoma</b>														
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/48	(0%)	
		0/50	(0%)	0/49	(0%)	0/50	(0%)	0/48	(0%)	0/49	(0%)	0/50	(0%)	
<b>Overall Incidence</b>	Total	0/249	(0%)	Mean	0%	SD	0%	Total	0/295	(0%)	Mean	0%	SD	0%
.....														
<b>*Spleen:</b>														
<b>    Hemangioma</b>														
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/48	(0%)	
		0/50	(0%)	0/49	(0%)	0/50	(0%)	0/48	(0%)	0/49	(0%)	0/50	(0%)	
<b>Overall Incidence</b>	Total	0/249	(0%)	Mean	0%	SD	0%	Total	0/295	(0%)	Mean	0%	SD	0%
.....														
<b>*Spleen:</b>														
<b>    Hemangiosarcoma</b>														
		1/50	(2%)	0/50	(0%)			0/50	(0%)	2/50	(4%)	1/48	(2%)	
		1/50	(2%)	0/49	(0%)	2/50	(4%)	1/48	(2%)	2/49	(4%)	0/50	(0%)	
<b>Overall Incidence</b>	Total	4/249	(1.61%)	Mean	1.6%	SD	1.67%	Total	6/295	(2.03%)	Mean	2.04%	SD	1.81%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: FEED**

Page: 227  
 Report Date: 11/17/2008

		Male				Female			
<b>#Stomach, Forestomach:</b>									
<b>Mast Cell Tumor Malignant</b>									
		0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
<b>#Stomach, Forestomach:</b>									
<b>Squamous Cell Carcinoma</b>									
		0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	Total	1/300 (0.33%)	Mean 0.33%	SD 0.82%	
.....									
<b>#Stomach, Forestomach:</b>									
<b>Squamous Cell Carcinoma or Papilloma Squamous</b>									
		1/50 (2%)	2/50 (4%)		2/50 (4%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	2/50 (4%)	1/50 (2%)	1/50 (2%)	
<b>Overall Incidence</b>	Total	4/250 (1.6%)	Mean 1.6%	SD 1.67%	Total	5/300 (1.67%)	Mean 1.67%	SD 1.97%	
.....									
<b>#Stomach, Forestomach:</b>									
<b>Squamous Cell Papilloma</b>									
		1/50 (2%)	2/50 (4%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	2/50 (4%)	1/50 (2%)	1/50 (2%)	
<b>Overall Incidence</b>	Total	3/250 (1.2%)	Mean 1.2%	SD 1.79%	Total	4/300 (1.33%)	Mean 1.33%	SD 1.63%	
.....									
<b>#Stomach, Glandular:</b>									
<b>Adenoma</b>									
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: FEED**

Page: 228  
 Report Date: 11/17/2008

		Male				Female			
<b>#Stomach, Glandular: Carcinoma</b>									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
<b>#Stomach, Glandular: Carcinoma or Adenoma</b>									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
<b>*Testes: Adenoma</b>									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)				
		0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)				
<b>Overall Incidence</b>	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%					
.....									
<b>*Testes: Hemangiosarcoma</b>									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)				
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)				
<b>Overall Incidence</b>	Total	0/250 (0%)	Mean 0%	SD 0%					
.....									
<b>*Thymus: Thymoma Malignant</b>									
		0/46 (0%)	0/41 (0%)	0/46 (0%)	0/49 (0%)	0/49 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
		0/44 (0%)	0/48 (0%)	0/45 (0%)	0/49 (0%)	0/49 (0%)	0/49 (0%)	0/49 (0%)	0/49 (0%)
<b>Overall Incidence</b>	Total	0/224 (0%)	Mean 0%	SD 0%	Total	0/292 (0%)	Mean 0%	SD 0%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: FEED**

Page: 229  
 Report Date: 11/17/2008

		Male				Female			
<b>*Thymus:</b>									
<b>Thymoma: Benign, Malignant, NOS</b>									
		0/46 (0%)	0/41 (0%)			0/46 (0%)	0/49 (0%)	0/50 (0%)	
		0/44 (0%)	0/48 (0%)	0/45 (0%)		0/49 (0%)	0/49 (0%)	0/49 (0%)	
<b>Overall Incidence</b>	Total	0/224 (0%)	Mean 0%	SD 0%	Total	0/292 (0%)	Mean 0%	SD 0%	
.....									
<b>*Thyroid Gland: Adenoma</b>									
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/48 (0%)	
		0/50 (0%)	0/50 (0%)	0/48 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
<b>Overall Incidence</b>	Total	0/248 (0%)	Mean 0%	SD 0%	Total	1/298 (0.34%)	Mean 0.33%	SD 0.82%	
.....									
<b>*Thyroid Gland: C-Cell: Carcinoma</b>									
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/48 (0%)	
		0/50 (0%)	0/50 (0%)	0/48 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
<b>Overall Incidence</b>	Total	0/248 (0%)	Mean 0%	SD 0%	Total	0/298 (0%)	Mean 0%	SD 0%	
.....									
<b>*Thyroid Gland: C-Cell: Carcinoma or Adenoma</b>									
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/48 (0%)	
		0/50 (0%)	0/50 (0%)	0/48 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
<b>Overall Incidence</b>	Total	0/248 (0%)	Mean 0%	SD 0%	Total	0/298 (0%)	Mean 0%	SD 0%	
.....									
<b>*Thyroid Gland: Follicular Cell: Adenoma</b>									
		1/50 (2%)	0/50 (0%)			0/50 (0%)	1/50 (2%)	0/48 (0%)	
		1/50 (2%)	1/50 (2%)	0/48 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
<b>Overall Incidence</b>	Total	3/248 (1.21%)	Mean 1.2%	SD 1.1%	Total	1/298 (0.34%)	Mean 0.33%	SD 0.82%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: FEED**

**Page: 230**  
**Report Date: 11/17/2008**

		Male				Female			
<b>*Thyroid Gland: Follicular Cell: Carcinoma</b>									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/48 (0%)	0/50 (0%)	0/50 (0%)	0/48 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
<b>Overall Incidence</b>	Total	0/248 (0%)	Mean 0%	SD 0%		Total	0/298 (0%)	Mean 0%	SD 0%
.....									
<b>*Thyroid Gland: Follicular Cell: Carcinoma or Adenoma</b>									
		1/50 (2%)	0/50 (0%)			0/50 (0%)	1/50 (2%)	0/48 (0%)	
		1/50 (2%)	1/50 (2%)	0/48 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
<b>Overall Incidence</b>	Total	3/248 (1.21%)	Mean 1.2%	SD 1.1%		Total	1/298 (0.34%)	Mean 0.33%	SD 0.82%
.....									
<b>#Tissue NOS: Carcinoma</b>									
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
<b>Overall Incidence</b>	Total	0/250 (0%)	Mean 0%	SD 0%		Total	0/300 (0%)	Mean 0%	SD 0%
.....									
<b>#Tissue NOS: Hemangiosarcoma</b>									
		0/50 (0%)	0/50 (0%)			0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
<b>Overall Incidence</b>	Total	0/250 (0%)	Mean 0%	SD 0%		Total	1/300 (0.33%)	Mean 0.33%	SD 0.82%
.....									
<b>#Tissue NOS: Schwannoma Malignant</b>									
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
<b>Overall Incidence</b>	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%		Total	0/300 (0%)	Mean 0%	SD 0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: FEED**

**Page: 231**  
**Report Date: 11/17/2008**

		Male				Female								
<b>#Tongue:</b>														
<b>Squamous Cell Carcinoma</b>														
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	Total	0/250	(0%)	Mean	0%	SD	0%	Total	0/300	(0%)	Mean	0%	SD	0%
.....														
<b>#Tongue:</b>														
<b>Squamous Cell Carcinoma or Papilloma Squamous</b>														
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	Total	0/250	(0%)	Mean	0%	SD	0%	Total	0/300	(0%)	Mean	0%	SD	0%
.....														
<b>#Tongue:</b>														
<b>Squamous Cell Papilloma</b>														
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	Total	0/250	(0%)	Mean	0%	SD	0%	Total	0/300	(0%)	Mean	0%	SD	0%
.....														
<b>#Tooth:</b>														
<b>Odontoma</b>														
		1/50	(2%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	Total	1/250	(0.4%)	Mean	0.4%	SD	0.89%	Total	0/300	(0%)	Mean	0%	SD	0%
.....														
<b>*Urinary Bladder:</b>														
<b>Hemangioma</b>														
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/49	(0%)			
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	Total	0/249	(0%)	Mean	0%	SD	0%	Total	0/298	(0%)	Mean	0%	SD	0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: FEED**

Page: 232  
 Report Date: 11/17/2008

		Male				Female			
<b>*Urinary Bladder: Hemangiosarcoma</b>									
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)	
<b>Overall Incidence</b>	Total	0/249 (0%)	Mean 0%	SD 0%	Total	0/298 (0%)	Mean 0%	SD 0%	
.....									
<b>*Urinary Bladder: Sarcoma</b>									
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)	
<b>Overall Incidence</b>	Total	0/249 (0%)	Mean 0%	SD 0%	Total	0/298 (0%)	Mean 0%	SD 0%	
.....									
<b>#Uterus: Adenoma</b>									
						0/50 (0%)	0/50 (0%)	0/50 (0%)	
						0/50 (0%)	0/50 (0%)	0/50 (0%)	
<b>Overall Incidence</b>					Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
<b>#Uterus: Carcinoma</b>									
						0/50 (0%)	0/50 (0%)	0/50 (0%)	
						0/50 (0%)	0/50 (0%)	0/50 (0%)	
<b>Overall Incidence</b>					Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
<b>#Uterus: Hemangioma</b>									
						0/50 (0%)	0/50 (0%)	0/50 (0%)	
						0/50 (0%)	0/50 (0%)	0/50 (0%)	
<b>Overall Incidence</b>					Total	0/300 (0%)	Mean 0%	SD 0%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: FEED**

Page: 233  
 Report Date: 11/17/2008

	Male	Female
<b>#Uterus:</b>		
<b>Hemangiosarcoma</b>		
	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total 0/300 (0%)	Mean 0% SD 0%
.....		
<b>#Uterus:</b>		
<b>Leiomyoma</b>		
	0/50 (0%)	0/50 (0%)
	0/50 (0%)	1/50 (2%)
<b>Overall Incidence</b>	Total 1/300 (0.33%)	Mean 0.33% SD 0.82%
.....		
<b>#Uterus:</b>		
<b>Leiomyosarcoma</b>		
	0/50 (0%)	2/50 (4%)
	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total 2/300 (0.67%)	Mean 0.67% SD 1.63%
.....		
<b>#Uterus:</b>		
<b>Polyp Stromal</b>		
	4/50 (8%)	2/50 (4%)
	2/50 (4%)	0/50 (0%)
<b>Overall Incidence</b>	Total 12/300 (4%)	Mean 4% SD 3.58%
.....		
<b>#Uterus:</b>		
<b>Sarcoma Stromal</b>		
	1/50 (2%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total 1/300 (0.33%)	Mean 0.33% SD 0.82%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: FEED**

Page: 234  
 Report Date: 11/17/2008

		Male			Female									
<b>#Uterus:</b>														
<b>Sarcoma Stromal or Polyp Stromal</b>														
			5/50	(10%)	2/50	(4%)	0/50	(0%)						
			2/50	(4%)	0/50	(0%)	4/50	(8%)						
<b>Overall Incidence</b>		Total	13/300	(4.33%)	Mean	4.33%	SD	4.08%						
.....														
<b>#Uterus:</b>														
<b>Schwannoma Malignant</b>														
			0/50	(0%)	1/50	(2%)	0/50	(0%)						
			0/50	(0%)	1/50	(2%)	0/50	(0%)						
<b>Overall Incidence</b>		Total	2/300	(0.67%)	Mean	0.67%	SD	1.03%						
.....														
<b>#Vagina:</b>														
<b>Squamous Cell Carcinoma</b>														
			0/50	(0%)	0/50	(0%)	0/50	(0%)						
			0/50	(0%)	0/50	(0%)	0/50	(0%)						
<b>Overall Incidence</b>		Total	0/300	(0%)	Mean	0%	SD	0%						
.....														
<b>#Vagina:</b>														
<b>Squamous Cell Papilloma</b>														
			0/50	(0%)	0/50	(0%)	0/50	(0%)						
			0/50	(0%)	0/50	(0%)	0/50	(0%)						
<b>Overall Incidence</b>		Total	0/300	(0%)	Mean	0%	SD	0%						
.....														
<b>#Zymbal's Gland:</b>														
<b>Carcinoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)					
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)					
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)					
<b>Overall Incidence</b>	Total	0/250	(0%)	Mean	0%	SD	0%	Total	1/300	(0.33%)	Mean	0.33%	SD	0.82%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: FEED**

Page: 235  
 Report Date: 11/17/2008

		Male				Female								
<b>#Zymbal's Gland:</b>														
<b>Carcinoma or Adenoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)			
<b>Overall Incidence</b>	Total	0/250	(0%)	Mean	0%	SD	0%	Total	1/300	(0.33%)	Mean	0.33%	SD	0.82%

.....  
 \*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
Contract/Lab: All Laboratories  
Species: MICE  
Strain: B6C3F1  
Length of Study: CHRONIC

Toxicology Data Management System  
Tumor Incidence for Selected Control Animal Groups  
Route: ORAL  
Vehicle: WATER

Page: 236  
Report Date: 11/17/2008

### Study Summary

Laboratory Name	Study Number	Study Start Date	Length of Study in Days	Number of Animals Total and (#/Cage)	Number Surviving and (Mean Life Span)	Maximum Mean Weekly Body Weight	Chemical
<b>Male</b>							
Southern Research Institute	052011406	09/04/02	729	50 (1)	33(700)	55.6	Sodium dichromate dihydrate (VI)
Southern Research Institute	059601906	10/10/01	729	50 (1)	38(696)	54.1	Water disinfection byproducts (Bromochloroacetic acid)
Southern Research Institute	059601706	02/23/00	729	49 (1)	31(685)	52.5	Water disinfection byproducts (Dibromoacetic acid)
Southern Research Institute	059601506	08/22/01	729	50 (1)	40(697)	54.0	Water disinfection byproducts (Dibromoacetonitrile)
<b>Female</b>							
Southern Research Institute	052011406	09/04/02	735	50 (5)	35(701)	64.3	Sodium dichromate dihydrate (VI)
Southern Research Institute	059601906	10/10/01	734	50 (5)	36(693)	63.0	Water disinfection byproducts (Bromochloroacetic acid)
Southern Research Institute	059601706	02/23/00	734	50 (5)	38(708)	64.3	Water disinfection byproducts (Dibromoacetic acid)
Southern Research Institute	059601506	08/22/01	731	50 (5)	35(705)	60.9	Water disinfection byproducts (Dibromoacetonitrile)

NOTE: The text on page 2 ("Report Description") describes how the studies listed here are displayed on the data pages that follow.

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: WATER**

Page: 237  
 Report Date: 11/17/2008

		Male				Female			
<b>#All Organs:</b>									
<b>Benign Tumors</b>									
		42/50 (84%)	41/50 (82%)	25/49 (51%)		27/50 (54%)	32/50 (64%)	29/50 (58%)	
		32/50 (64%)				29/50 (58%)			
<b>Overall Incidence</b>	Total	140/199 (70.35%)	Mean 70.26%	SD 15.66%	Total	117/200 (58.5%)	Mean 58.5%	SD 4.12%	
.....									
<b>#All Organs:</b>									
<b>Malignant Tumors</b>									
		31/50 (62%)	36/50 (72%)	23/49 (47%)		22/50 (44%)	38/50 (76%)	36/50 (72%)	
		29/50 (58%)				31/50 (62%)			
<b>Overall Incidence</b>	Total	119/199 (59.8%)	Mean 59.73%	SD 10.37%	Total	127/200 (63.5%)	Mean 63.5%	SD 14.27%	
.....									
<b>#All Organs:</b>									
<b>Malignant and Benign Tumors</b>									
		49/50 (98%)	47/50 (94%)	37/49 (76%)		36/50 (72%)	43/50 (86%)	42/50 (84%)	
		41/50 (82%)				44/50 (88%)			
<b>Overall Incidence</b>	Total	174/199 (87.44%)	Mean 87.38%	SD 10.43%	Total	165/200 (82.5%)	Mean 82.5%	SD 7.19%	
.....									
<b>#All Organs:</b>									
<b>Hemangioma</b>									
		0/50 (0%)	1/50 (2%)	0/49 (0%)		1/50 (2%)	2/50 (4%)	3/50 (6%)	
		1/50 (2%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	2/199 (1.01%)	Mean 1%	SD 1.15%	Total	6/200 (3%)	Mean 3%	SD 2.58%	
.....									
<b>#All Organs:</b>									
<b>Hemangiosarcoma</b>									
		4/50 (8%)	3/50 (6%)	4/49 (8%)		2/50 (4%)	1/50 (2%)	1/50 (2%)	
		1/50 (2%)				3/50 (6%)			
<b>Overall Incidence</b>	Total	12/199 (6.03%)	Mean 6.04%	SD 2.87%	Total	7/200 (3.5%)	Mean 3.5%	SD 1.91%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: WATER**

Page: 238  
 Report Date: 11/17/2008

		Male				Female			
<b>#All Organs:</b>									
<b>Hemangiosarcoma or Hemangioma</b>									
		4/50 (8%)	4/50 (8%)	4/49 (8%)		3/50 (6%)	3/50 (6%)	4/50 (8%)	
		2/50 (4%)				3/50 (6%)			
<b>Overall Incidence</b>	Total	14/199 (7.04%)	Mean 7.04%	SD 2.03%	Total	13/200 (6.5%)	Mean 6.5%	SD 1%	
.....									
<b>#All Organs:</b>									
<b>Histiocytic Sarcoma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		2/50 (4%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)				4/50 (8%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	7/200 (3.5%)	Mean 3.5%	SD 3.42%	
.....									
<b>#All Organs:</b>									
<b>Malignant Lymphoma: Histiocytic, Lymphocytic, Mixed, NOS, or Undifferentiated Cell Type</b>									
		2/50 (4%)	2/50 (4%)	0/49 (0%)		7/50 (14%)	18/50 (36%)	27/50 (54%)	
		0/50 (0%)				9/50 (18%)			
<b>Overall Incidence</b>	Total	4/199 (2.01%)	Mean 2%	SD 2.31%	Total	61/200 (30.5%)	Mean 30.5%	SD 18.36%	
.....									
<b>#All Organs:</b>									
<b>Mesothelioma: Benign, Malignant, NOS</b>									
		2/50 (4%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	2/199 (1.01%)	Mean 1%	SD 2%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
<b>#All Organs:</b>									
<b>Mesothelioma: Malignant</b>									
		2/50 (4%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	2/199 (1.01%)	Mean 1%	SD 2%	Total	0/200 (0%)	Mean 0%	SD 0%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: WATER**

Page: 239  
 Report Date: 11/17/2008

		Male				Female			
<b>#All Organs: Osteoma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
<b>#All Organs: Osteosarcoma</b>									
		1/50 (2%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
<b>#All Organs: Osteosarcoma or Osteoma</b>									
		1/50 (2%)	0/50 (0%)	0/49 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
<b>*Adrenal Cortex: Adenoma</b>									
		7/49 (14%)	9/50 (18%)	3/49 (6%)		0/49 (0%)	0/50 (0%)	0/50 (0%)	
		6/50 (12%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	25/198 (12.63%)	Mean 12.6%	SD 4.98%	Total	0/199 (0%)	Mean 0%	SD 0%	
.....									
<b>*Adrenal Cortex: Sarcoma</b>									
		0/49 (0%)	0/50 (0%)	0/49 (0%)		0/49 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/198 (0%)	Mean 0%	SD 0%	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: WATER**

Page: 240  
 Report Date: 11/17/2008

		Male				Female			
<b>*Adrenal Medulla:</b>									
<b>Pheochromocytoma Benign</b>									
		0/49 (0%)	0/50 (0%)	0/49 (0%)		0/49 (0%)	0/50 (0%)	1/50 (2%)	
		1/49 (2%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	1/197 (0.51%)	Mean 0.51%	SD 1.02%	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	
.....									
<b>*Adrenal Medulla:</b>									
<b>Pheochromocytoma Complex</b>									
		0/49 (0%)	0/50 (0%)	0/49 (0%)		0/49 (0%)	1/50 (2%)	0/50 (0%)	
		0/49 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/197 (0%)	Mean 0%	SD 0%	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	
.....									
<b>*Adrenal Medulla:</b>									
<b>Pheochromocytoma Malignant</b>									
		0/49 (0%)	0/50 (0%)	1/49 (2%)		0/49 (0%)	1/50 (2%)	0/50 (0%)	
		0/49 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	1/197 (0.51%)	Mean 0.51%	SD 1.02%	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	
.....									
<b>*Adrenal Medulla:</b>									
<b>Pheochromocytoma: Benign, Complex, Malignant, NOS</b>									
		0/49 (0%)	0/50 (0%)	1/49 (2%)		0/49 (0%)	2/50 (4%)	1/50 (2%)	
		1/49 (2%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	2/197 (1.02%)	Mean 1.02%	SD 1.18%	Total	3/199 (1.51%)	Mean 1.5%	SD 1.91%	
.....									
<b>*Bone Marrow:</b>									
<b>Hemangiosarcoma</b>									
		1/49 (2%)	1/50 (2%)	0/47 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	2/196 (1.02%)	Mean 1.01%	SD 1.17%	Total	0/200 (0%)	Mean 0%	SD 0%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: WATER**

**Page: 241**  
**Report Date: 11/17/2008**

		Male				Female			
<b>*Bone Marrow:</b>									
<b>Mast Cell Tumor Malignant</b>									
		0/49 (0%)	0/50 (0%)	0/47 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/196 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
<b>#Bone:</b>									
<b>Hemangiosarcoma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
<b>#Bone:</b>									
<b>Osteoma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
<b>#Bone:</b>									
<b>Osteosarcoma</b>									
		1/50 (2%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
<b>#Bone:</b>									
<b>Osteosarcoma or Osteoma</b>									
		1/50 (2%)	0/50 (0%)	0/49 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: WATER**

Page: 242  
 Report Date: 11/17/2008

		Male				Female			
<b>#Bone:</b>									
<b>Sarcoma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
<b>*Brain:</b>									
<b>Meningioma Benign</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
<b>*Brain:</b>									
<b>Meningioma: Benign, Malignant, NOS</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
<b>*Brain:</b>									
<b>Schwannoma Malignant</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
<b>*Clitoral/Preputial Gland:</b>									
<b>Adenoma</b>									
		0/50 (0%)	0/48 (0%)	0/49 (0%)		0/50 (0%)	0/43 (0%)	0/50 (0%)	
		1/49 (2%)				0/47 (0%)			
<b>Overall Incidence</b>	Total	1/196 (0.51%)	Mean 0.51%	SD 1.02%	Total	0/190 (0%)	Mean 0%	SD 0%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: WATER**

Page: 243  
 Report Date: 11/17/2008

		Male				Female								
<b>*Clitoral/Preputial Gland: Carcinoma</b>														
		0/50 0/49	(0%) (0%)	0/48	(0%)	0/49	(0%)	0/50 0/47	(0%) (0%)	0/43	(0%)	0/50	(0%)	
<b>Overall Incidence</b>	Total	0/196	(0%)	Mean	0%	SD	0%	Total	0/190	(0%)	Mean	0%	SD	0%
.....														
<b>*Clitoral/Preputial Gland: Carcinoma or Adenoma</b>														
		0/50 1/49	(0%) (2%)	0/48	(0%)	0/49	(0%)	0/50 0/47	(0%) (0%)	0/43	(0%)	0/50	(0%)	
<b>Overall Incidence</b>	Total	1/196	(0.51%)	Mean	0.51%	SD	1.02%	Total	0/190	(0%)	Mean	0%	SD	0%
.....														
<b>*Clitoral/Preputial Gland: Hemangioma</b>														
		0/50 0/49	(0%) (0%)	0/48	(0%)	0/49	(0%)	0/50 0/47	(0%) (0%)	0/43	(0%)	0/50	(0%)	
<b>Overall Incidence</b>	Total	0/196	(0%)	Mean	0%	SD	0%	Total	0/190	(0%)	Mean	0%	SD	0%
.....														
<b>*Clitoral/Preputial Gland: Hemangiosarcoma</b>														
		0/50 0/49	(0%) (0%)	0/48	(0%)	0/49	(0%)	0/50 0/47	(0%) (0%)	0/43	(0%)	0/50	(0%)	
<b>Overall Incidence</b>	Total	0/196	(0%)	Mean	0%	SD	0%	Total	0/190	(0%)	Mean	0%	SD	0%
.....														
<b>*Clitoral/Preputial Gland: Squamous Cell Carcinoma</b>														
		0/50 0/49	(0%) (0%)	0/48	(0%)	0/49	(0%)	0/50 0/47	(0%) (0%)	0/43	(0%)	0/50	(0%)	
<b>Overall Incidence</b>	Total	0/196	(0%)	Mean	0%	SD	0%	Total	0/190	(0%)	Mean	0%	SD	0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: WATER**

Page: 244  
 Report Date: 11/17/2008

		Male				Female			
<b>*Epididymis:</b>									
<b>Sarcoma</b>									
		0/50	(0%)	0/50	(0%)	0/49	(0%)		
		0/50	(0%)						
<b>Overall Incidence</b>	Total	0/199	(0%)	Mean 0%		SD 0%			
.....									
<b>#Esophagus:</b>									
<b>Squamous Cell Carcinoma</b>									
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)
		0/50	(0%)					0/50	(0%)
<b>Overall Incidence</b>	Total	0/199	(0%)	Mean 0%		SD 0%	Total	0/200	(0%)
								Mean 0%	SD 0%
.....									
<b>#Eye:</b>									
<b>Sarcoma</b>									
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)
		0/50	(0%)					0/50	(0%)
<b>Overall Incidence</b>	Total	0/199	(0%)	Mean 0%		SD 0%	Total	0/200	(0%)
								Mean 0%	SD 0%
.....									
<b>*Gallbladder:</b>									
<b>Adenoma</b>									
		0/47	(0%)	0/45	(0%)	0/39	(0%)	0/44	(0%)
		0/47	(0%)					0/42	(0%)
<b>Overall Incidence</b>	Total	0/178	(0%)	Mean 0%		SD 0%	Total	0/179	(0%)
								Mean 0%	SD 0%
.....									
<b>#Harderian Gland:</b>									
<b>Adenoma</b>									
		6/50	(12%)	5/50	(10%)	3/49	(6%)	4/50	(8%)
		5/50	(10%)					1/50	(2%)
<b>Overall Incidence</b>	Total	19/199	(9.55%)	Mean 9.53%		SD 2.46%	Total	20/200	(10%)
								Mean 10%	SD 6.73%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: WATER**

**Page: 245**  
**Report Date: 11/17/2008**

		Male				Female			
<b>#Harderian Gland: Carcinoma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		1/50 (2%)	2/50 (4%)	1/50 (2%)	
		0/50 (0%)				2/50 (4%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	6/200 (3%)	Mean 3%	SD 1.15%	
.....									
<b>#Harderian Gland: Carcinoma or Adenoma</b>									
		6/50 (12%)	5/50 (10%)	3/49 (6%)		5/50 (10%)	3/50 (6%)	10/50 (20%)	
		5/50 (10%)				8/50 (16%)			
<b>Overall Incidence</b>	Total	19/199 (9.55%)	Mean 9.53%	SD 2.46%	Total	26/200 (13%)	Mean 13%	SD 6.22%	
.....									
<b>#Harderian Gland: Sarcoma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
<b>*Heart: Hemangioma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
<b>*Heart: Hemangiosarcoma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: WATER**

Page: 246  
 Report Date: 11/17/2008

		Male				Female			
<b>*Heart:</b>									
<b>Sarcoma</b>									
		0/50 (0%)	0/50 (0%)	1/49 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	1/199 (0.5%)	Mean 0.51%	SD 1.02%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
<b>#Intestine Large: Cecum:</b>									
<b>Carcinoma</b>									
		1/50 (2%)	1/50 (2%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	2/199 (1.01%)	Mean 1%	SD 1.15%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
<b>#Intestine Large: Cecum:</b>									
<b>Carcinoma or Adenoma</b>									
		1/50 (2%)	1/50 (2%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	2/199 (1.01%)	Mean 1%	SD 1.15%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
<b>#Intestine Large: Cecum:</b>									
<b>Leiomyoma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
<b>#Intestine Large: Cecum:</b>									
<b>Polyp Adenomatous</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: WATER**

Page: 247  
 Report Date: 11/17/2008

		Male				Female								
<b>#Intestine Large: Colon/Rectum:</b>														
<b>Leiomyosarcoma</b>														
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)					0/50	(0%)					
<b>Overall Incidence</b>	Total	0/199	(0%)	Mean	0%	SD	0%	Total	0/200	(0%)	Mean	0%	SD	0%
.....														
<b>#Intestine Small: Duodenum:</b>														
<b>Adenoma</b>														
		1/50	(2%)	3/50	(6%)	0/49	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	
		1/50	(2%)					0/50	(0%)					
<b>Overall Incidence</b>	Total	5/199	(2.51%)	Mean	2.5%	SD	2.52%	Total	1/200	(0.5%)	Mean	0.5%	SD	1%
.....														
<b>#Intestine Small: Duodenum:</b>														
<b>Carcinoma</b>														
		0/50	(0%)	1/50	(2%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)					0/50	(0%)					
<b>Overall Incidence</b>	Total	1/199	(0.5%)	Mean	0.5%	SD	1%	Total	0/200	(0%)	Mean	0%	SD	0%
.....														
<b>#Intestine Small: Duodenum:</b>														
<b>Leiomyosarcoma</b>														
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)					0/50	(0%)					
<b>Overall Incidence</b>	Total	0/199	(0%)	Mean	0%	SD	0%	Total	0/200	(0%)	Mean	0%	SD	0%
.....														
<b>#Intestine Small: Duodenum:</b>														
<b>Polyp Adenomatous</b>														
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)					0/50	(0%)					
<b>Overall Incidence</b>	Total	0/199	(0%)	Mean	0%	SD	0%	Total	0/200	(0%)	Mean	0%	SD	0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: WATER**

Page: 248  
 Report Date: 11/17/2008

		Male				Female			
<b>#Intestine Small: Ileum: Carcinoma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
<b>#Intestine Small: Ileum: Hemangiosarcoma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
<b>#Intestine Small: Ileum: Polyp Adenomatous</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
<b>#Intestine Small: Jejunum: Adenoma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
<b>#Intestine Small: Jejunum: Carcinoma</b>									
		0/50 (0%)	1/50 (2%)	0/49 (0%)		1/50 (2%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	2/199 (1.01%)	Mean 1%	SD 1.15%	Total	2/200 (1%)	Mean 1%	SD 1.15%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: WATER**

Page: 249  
 Report Date: 11/17/2008

		Male				Female			
<b>#Intestine Small: Jejunum: Hemangiosarcoma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
<b>#Intestine Small: Jejunum: Leiomyosarcoma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
<b>#Intestine Small: Jejunum: Polyp Adenomatous</b>									
		0/50 (0%)	0/50 (0%)	1/49 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	1/199 (0.5%)	Mean 0.51%	SD 1.02%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
<b>#Intestine Small: Site Unspecified: Adenoma</b>									
		1/50 (2%)	3/50 (6%)	0/49 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	5/199 (2.51%)	Mean 2.5%	SD 2.52%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
<b>#Intestine Small: Site Unspecified: Carcinoma</b>									
		0/50 (0%)	2/50 (4%)	0/49 (0%)		1/50 (2%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	3/199 (1.51%)	Mean 1.5%	SD 1.91%	Total	2/200 (1%)	Mean 1%	SD 1.15%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: WATER**

Page: 250  
 Report Date: 11/17/2008

		Male				Female			
<b>#Intestine Small: Site Unspecified: Carcinoma or Adenoma</b>									
		1/50 (2%)	5/50 (10%)	0/49 (0%)		1/50 (2%)	2/50 (4%)	0/50 (0%)	
		1/50 (2%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	7/199 (3.52%)	Mean 3.5%	SD 4.43%	Total	3/200 (1.5%)	Mean 1.5%	SD 1.91%	
.....									
<b>#Intestine Small: Site Unspecified: Hemangiosarcoma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
<b>#Intestine Small: Site Unspecified: Leiomyosarcoma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
<b>#Intestine Small: Site Unspecified: Polyp Adenomatous</b>									
		0/50 (0%)	0/50 (0%)	1/49 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	1/199 (0.5%)	Mean 0.51%	SD 1.02%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
<b>*Islets, Pancreatic: Adenoma</b>									
		3/49 (6%)	1/50 (2%)	0/46 (0%)		1/49 (2%)	1/49 (2%)	1/49 (2%)	
		1/50 (2%)				1/49 (2%)			
<b>Overall Incidence</b>	Total	5/195 (2.56%)	Mean 2.53%	SD 2.57%	Total	4/196 (2.04%)	Mean 2.04%	SD 0%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: WATER**

Page: 251  
 Report Date: 11/17/2008

		Male				Female			
<b>*Islets, Pancreatic: Carcinoma</b>									
		0/49 (0%)	0/50 (0%)	0/46 (0%)		0/49 (0%)	0/49 (0%)	0/49 (0%)	
		0/50 (0%)				0/49 (0%)			
<b>Overall Incidence</b>	Total	0/195 (0%)	Mean 0%	SD 0%	Total	0/196 (0%)	Mean 0%	SD 0%	
.....									
<b>*Islets, Pancreatic: Carcinoma or Adenoma</b>									
		3/49 (6%)	1/50 (2%)	0/46 (0%)		1/49 (2%)	1/49 (2%)	1/49 (2%)	
		1/50 (2%)				1/49 (2%)			
<b>Overall Incidence</b>	Total	5/195 (2.56%)	Mean 2.53%	SD 2.57%	Total	4/196 (2.04%)	Mean 2.04%	SD 0%	
.....									
<b>*Kidney: Renal Tubule: Adenoma</b>									
		0/50 (0%)	4/50 (8%)	1/49 (2%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	5/199 (2.51%)	Mean 2.51%	SD 3.78%	Total	0/199 (0%)	Mean 0%	SD 0%	
.....									
<b>*Kidney: Renal Tubule: Carcinoma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/199 (0%)	Mean 0%	SD 0%	
.....									
<b>*Kidney: Renal Tubule: Carcinoma or Adenoma</b>									
		0/50 (0%)	4/50 (8%)	1/49 (2%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	5/199 (2.51%)	Mean 2.51%	SD 3.78%	Total	0/199 (0%)	Mean 0%	SD 0%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: WATER**

Page: 252  
 Report Date: 11/17/2008

		Male				Female			
<b>*Liver:</b>									
<b>Cholangiocarcinoma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/49 (0%)	0/50 (0%)	0/49 (0%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/198 (0%)	Mean 0%	SD 0%	
.....									
<b>*Liver:</b>									
<b>Fibrous Histiocytoma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/49 (0%)	0/50 (0%)	0/49 (0%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/198 (0%)	Mean 0%	SD 0%	
.....									
<b>*Liver:</b>									
<b>Hemangioma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		1/49 (2%)	0/50 (0%)	1/49 (2%)	
		1/50 (2%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	2/198 (1.01%)	Mean 1.02%	SD 1.18%	
.....									
<b>*Liver:</b>									
<b>Hemangiosarcoma</b>									
		1/50 (2%)	2/50 (4%)	1/49 (2%)		1/49 (2%)	0/50 (0%)	1/49 (2%)	
		0/50 (0%)				2/50 (4%)			
<b>Overall Incidence</b>	Total	4/199 (2.01%)	Mean 2.01%	SD 1.63%	Total	4/198 (2.02%)	Mean 2.02%	SD 1.63%	
.....									
<b>*Liver:</b>									
<b>Hepatoblastoma</b>									
		17/50 (34%)	4/50 (8%)	0/49 (0%)		0/49 (0%)	0/50 (0%)	1/49 (2%)	
		1/50 (2%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	22/199 (11.06%)	Mean 11%	SD 15.71%	Total	1/198 (0.51%)	Mean 0.51%	SD 1.02%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: WATER**

Page: 253  
 Report Date: 11/17/2008

		Male				Female			
<b>*Liver:</b>									
<b>Hepatocellular Adenoma</b>									
		36/50 (72%)	27/50 (54%)	18/49 (37%)		14/49 (29%)	27/50 (54%)	19/49 (39%)	
		29/50 (58%)				19/50 (38%)			
<b>Overall Incidence</b>	Total	110/199 (55.28%)	Mean 55.18%	SD 14.52%	Total	79/198 (39.9%)	Mean 39.84%	SD 10.52%	
.....									
<b>*Liver:</b>									
<b>Hepatocellular Carcinoma</b>									
		14/50 (28%)	19/50 (38%)	14/49 (29%)		8/49 (16%)	14/50 (28%)	3/49 (6%)	
		24/50 (48%)				10/50 (20%)			
<b>Overall Incidence</b>	Total	71/199 (35.68%)	Mean 35.64%	SD 9.43%	Total	35/198 (17.68%)	Mean 17.61%	SD 9.08%	
.....									
<b>*Liver:</b>									
<b>Hepatocellular Carcinoma or Hepatoblastoma</b>									
		25/50 (50%)	21/50 (42%)	14/49 (29%)		8/49 (16%)	14/50 (28%)	4/49 (8%)	
		24/50 (48%)				10/50 (20%)			
<b>Overall Incidence</b>	Total	84/199 (42.21%)	Mean 42.14%	SD 9.67%	Total	36/198 (18.18%)	Mean 18.12%	SD 8.24%	
.....									
<b>*Liver:</b>									
<b>Hepatocellular Carcinoma or Hepatocellular Adenoma</b>									
		42/50 (84%)	34/50 (68%)	28/49 (57%)		17/49 (35%)	31/50 (62%)	22/49 (45%)	
		37/50 (74%)				27/50 (54%)			
<b>Overall Incidence</b>	Total	141/199 (70.85%)	Mean 70.79%	SD 11.24%	Total	97/198 (48.99%)	Mean 48.9%	SD 11.77%	
.....									
<b>*Liver:</b>									
<b>Hepatocellular Carcinoma, Hepatocellular Adenoma, or Hepatoblastoma</b>									
		46/50 (92%)	35/50 (70%)	28/49 (57%)		17/49 (35%)	31/50 (62%)	22/49 (45%)	
		37/50 (74%)				27/50 (54%)			
<b>Overall Incidence</b>	Total	146/199 (73.37%)	Mean 73.29%	SD 14.4%	Total	97/198 (48.99%)	Mean 48.9%	SD 11.77%	

#: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: WATER**

Page: 254  
 Report Date: 11/17/2008

		Male				Female			
<b>*Liver:</b>									
<b>Hepatocholangiocarcinoma</b>									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/198 (0%)	Mean 0%	SD 0%	
.....									
<b>*Liver:</b>									
<b>Ito Cell Tumor Benign</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)		
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/198 (0%)	Mean 0%	SD 0%	
.....									
<b>*Liver:</b>									
<b>Ito Cell Tumor Malignant</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)		
		2/50 (4%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	2/199 (1.01%)	Mean 1%	SD 2%	Total	0/198 (0%)	Mean 0%	SD 0%	
.....									
<b>*Liver:</b>									
<b>Sarcoma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	0/50 (0%)	1/49 (2%)		
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	1/198 (0.51%)	Mean 0.51%	SD 1.02%	
.....									
<b>*Lung:</b>									
<b>Adenoma</b>									
		0/50 (0%)	0/50 (0%)	1/49 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	1/199 (0.5%)	Mean 0.51%	SD 1.02%	Total	0/200 (0%)	Mean 0%	SD 0%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: WATER**

Page: 255  
 Report Date: 11/17/2008

		Male				Female			
<b>*Lung:</b>									
<b>Alveolar/Bronchiolar Adenoma</b>									
		15/50 (30%)	4/50 (8%)	7/49 (14%)		1/50 (2%)	2/50 (4%)	1/50 (2%)	
		6/50 (12%)				3/50 (6%)			
<b>Overall Incidence</b>	<b>Total</b>	32/199 (16.08%)	Mean 16.07%	SD 9.64%	<b>Total</b>	7/200 (3.5%)	Mean 3.5%	SD 1.91%	
.....									
<b>*Lung:</b>									
<b>Alveolar/Bronchiolar Carcinoma</b>									
		3/50 (6%)	12/50 (24%)	5/49 (10%)		2/50 (4%)	6/50 (12%)	1/50 (2%)	
		4/50 (8%)				6/50 (12%)			
<b>Overall Incidence</b>	<b>Total</b>	24/199 (12.06%)	Mean 12.05%	SD 8.15%	<b>Total</b>	15/200 (7.5%)	Mean 7.5%	SD 5.26%	
.....									
<b>*Lung:</b>									
<b>Alveolar/Bronchiolar Carcinoma or Alveolar/Bronchiolar Adenoma</b>									
		16/50 (32%)	15/50 (30%)	12/49 (24%)		2/50 (4%)	8/50 (16%)	2/50 (4%)	
		10/50 (20%)				9/50 (18%)			
<b>Overall Incidence</b>	<b>Total</b>	53/199 (26.63%)	Mean 26.62%	SD 5.44%	<b>Total</b>	21/200 (10.5%)	Mean 10.5%	SD 7.55%	
.....									
<b>*Lung:</b>									
<b>Fibrosarcoma</b>									
		1/50 (2%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	<b>Total</b>	1/199 (0.5%)	Mean 0.5%	SD 1%	<b>Total</b>	0/200 (0%)	Mean 0%	SD 0%	
.....									
<b>*Lung:</b>									
<b>Fibrous Histiocytoma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	<b>Total</b>	0/199 (0%)	Mean 0%	SD 0%	<b>Total</b>	0/200 (0%)	Mean 0%	SD 0%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: WATER**

Page: 256  
 Report Date: 11/17/2008

		Male				Female			
<b>*Lung:</b>									
<b>Hemangiosarcoma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
<b>*Lung:</b>									
<b>Sarcoma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
<b>#Lymph Node:</b>									
<b>Fibrous Histiocytoma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
<b>#Lymph Node:</b>									
<b>Hemangioma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
<b>#Lymph Node:</b>									
<b>Hemangiosarcoma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: WATER**

Page: 257  
 Report Date: 11/17/2008

		Male				Female			
<b>#Lymph Node: Sarcoma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
<b>#Lymph Node, Bronchial: Hemangiosarcoma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
<b>#Lymph Node, Mandibular: Fibrous Histiocytoma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
<b>#Lymph Node, Mandibular: Hemangiosarcoma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
<b>#Lymph Node, Mandibular: Mast Cell Tumor Malignant</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: WATER**

Page: 258  
 Report Date: 11/17/2008

		Male				Female			
<b>#Lymph Node, Mesenteric: Fibrous Histiocytoma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
<b>#Lymph Node, Mesenteric: Hemangioma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
<b>#Lymph Node, Mesenteric: Hemangiosarcoma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
<b>#Mammary Gland: Adenoacanthoma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
<b>#Mammary Gland: Adenoma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: WATER**

Page: 259  
 Report Date: 11/17/2008

		Male				Female			
<b>#Mammary Gland: Carcinoma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	2/50 (4%)	0/50 (0%)	
		0/50 (0%)				1/50 (2%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	3/200 (1.5%)	Mean 1.5%	SD 1.91%	
.....									
<b>#Mammary Gland: Carcinoma or Adenoma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	2/50 (4%)	0/50 (0%)	
		0/50 (0%)				1/50 (2%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	3/200 (1.5%)	Mean 1.5%	SD 1.91%	
.....									
<b>#Mammary Gland: Fibroadenoma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
<b>#Mammary Gland: Fibroma, Fibroadenoma or Adenoma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
<b>#Mammary Gland: Fibroma, Fibroadenoma, Carcinoma, or Adenoma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	2/50 (4%)	0/50 (0%)	
		0/50 (0%)				1/50 (2%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	3/200 (1.5%)	Mean 1.5%	SD 1.91%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: WATER**

Page: 260  
 Report Date: 11/17/2008

		Male				Female			
<b>#Mesentery:</b>									
<b>Fibrosarcoma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		3/50 (6%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	3/200 (1.5%)	Mean 1.5%	SD 3%	
.....									
<b>#Mesentery:</b>									
<b>Hemangioma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
<b>#Mesentery:</b>									
<b>Hemangiosarcoma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
<b>#Mesentery:</b>									
<b>Sarcoma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	1/50 (2%)	1/50 (2%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	2/200 (1%)	Mean 1%	SD 1.15%	
.....									
<b>*Nose:</b>									
<b>Hemangioma</b>									
		0/50 (0%)	0/50 (0%)	0/48 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/198 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: WATER**

Page: 261  
 Report Date: 11/17/2008

		Male				Female			
<b>*Nose:</b>									
<b>Mast Cell Tumor Malignant</b>									
		0/50 (0%)	0/50 (0%)	0/48 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/198 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
<b>#Oral Cavity (Oral Mucosa, Tongue, Pharynx, Tooth, Gingiva): Papilloma Squamous or Papilloma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
<b>#Oral Cavity (Oral Mucosa, Tongue, Pharynx, Tooth, Gingiva): Squamous Cell Carcinoma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
<b>#Oral Cavity (Oral Mucosa, Tongue, Pharynx, Tooth, Gingiva): Squamous Cell Carcinoma, Papilloma Squamous, or Papilloma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	2/50 (4%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	2/200 (1%)	Mean 1%	SD 2%	
.....									
<b>#Oral Mucosa: Squamous Cell Carcinoma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: WATER**

Page: 262  
 Report Date: 11/17/2008

	Male	Female
<b>*Ovary:</b>		
<b>Choriocarcinoma</b>		
	0/50 (0%) 1/50 (2%)	0/47 (0%) 0/49 (0%)
<b>Overall Incidence</b>	Total 1/196 (0.51%)	Mean 0.5% SD 1%
.....		
<b>*Ovary:</b>		
<b>Cystadenoma</b>		
	1/50 (2%) 1/50 (2%)	2/47 (4%) 0/49 (0%)
<b>Overall Incidence</b>	Total 4/196 (2.04%)	Mean 2.06% SD 1.74%
.....		
<b>*Ovary:</b>		
<b>Fibrous Histiocytoma</b>		
	0/50 (0%) 0/50 (0%)	0/47 (0%) 0/49 (0%)
<b>Overall Incidence</b>	Total 0/196 (0%)	Mean 0% SD 0%
.....		
<b>*Ovary:</b>		
<b>Granulosa Cell Tumor Benign</b>		
	0/50 (0%) 1/50 (2%)	0/47 (0%) 0/49 (0%)
<b>Overall Incidence</b>	Total 1/196 (0.51%)	Mean 0.5% SD 1%
.....		
<b>*Ovary:</b>		
<b>Granulosa Cell Tumor Malignant</b>		
	0/50 (0%) 0/50 (0%)	0/47 (0%) 0/49 (0%)
<b>Overall Incidence</b>	Total 0/196 (0%)	Mean 0% SD 0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: WATER**

Page: 263  
 Report Date: 11/17/2008

	Male		Female
<b>*Ovary:</b>			
<b>Granulosa Cell Tumor: Benign, Malignant, NOS</b>			
		0/50 (0%) 1/50 (2%)	0/47 (0%) 0/49 (0%)
<b>Overall Incidence</b>	Total	1/196 (0.51%)	Mean 0.5% SD 1%
.....			
<b>*Ovary:</b>			
<b>Hemangioma</b>			
		0/50 (0%) 0/50 (0%)	0/47 (0%) 0/49 (0%)
<b>Overall Incidence</b>	Total	0/196 (0%)	Mean 0% SD 0%
.....			
<b>*Ovary:</b>			
<b>Hemangiosarcoma</b>			
		0/50 (0%) 0/50 (0%)	0/47 (0%) 0/49 (0%)
<b>Overall Incidence</b>	Total	0/196 (0%)	Mean 0% SD 0%
.....			
<b>*Ovary:</b>			
<b>Leiomyosarcoma</b>			
		0/50 (0%) 0/50 (0%)	0/47 (0%) 0/49 (0%)
<b>Overall Incidence</b>	Total	0/196 (0%)	Mean 0% SD 0%
.....			
<b>*Ovary:</b>			
<b>Luteoma</b>			
		0/50 (0%) 0/50 (0%)	0/47 (0%) 0/49 (0%)
<b>Overall Incidence</b>	Total	0/196 (0%)	Mean 0% SD 0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: WATER**

Page: 264  
 Report Date: 11/17/2008

		Male			Female		
<b>*Ovary:</b>							
<b>Teratoma Benign</b>							
			0/50 (0%)		0/47 (0%)		0/49 (0%)
			0/50 (0%)				
<b>Overall Incidence</b>			Total 0/196 (0%)		Mean 0%		SD 0%
.....							
<b>*Ovary:</b>							
<b>Teratoma Malignant</b>							
			0/50 (0%)		0/47 (0%)		0/49 (0%)
			0/50 (0%)				
<b>Overall Incidence</b>			Total 0/196 (0%)		Mean 0%		SD 0%
.....							
<b>*Ovary:</b>							
<b>Tubulostromal Adenoma</b>							
			0/50 (0%)		0/47 (0%)		0/49 (0%)
			1/50 (2%)				
<b>Overall Incidence</b>			Total 1/196 (0.51%)		Mean 0.5%		SD 1%
.....							
<b>*Pancreas:</b>							
<b>Adenoma</b>							
		0/49 (0%)	0/50 (0%)	0/46 (0%)	0/48 (0%)	0/49 (0%)	0/49 (0%)
		0/50 (0%)			0/49 (0%)		
<b>Overall Incidence</b>	Total	0/195 (0%)	Mean 0%	SD 0%	Total 0/195 (0%)	Mean 0%	SD 0%
.....							
<b>*Pancreas:</b>							
<b>Carcinoma</b>							
		0/49 (0%)	0/50 (0%)	0/46 (0%)	0/48 (0%)	1/49 (2%)	0/49 (0%)
		0/50 (0%)			0/49 (0%)		
<b>Overall Incidence</b>	Total	0/195 (0%)	Mean 0%	SD 0%	Total 1/195 (0.51%)	Mean 0.51%	SD 1.02%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: WATER**

Page: 265  
 Report Date: 11/17/2008

		Male				Female			
<b>*Pancreas:</b>									
<b>  Carcinoma or Adenoma</b>									
		0/49 (0%)	0/50 (0%)	0/46 (0%)		0/48 (0%)	1/49 (2%)	0/49 (0%)	
		0/50 (0%)				0/49 (0%)			
<b>Overall Incidence</b>	Total	0/195 (0%)	Mean 0%	SD 0%	Total	1/195 (0.51%)	Mean 0.51%	SD 1.02%	
.....									
<b>*Pituitary Gland: Pars Distalis or Unspecified Site:</b>									
<b>  Adenoma</b>									
		0/49 (0%)	1/50 (2%)	0/45 (0%)		3/48 (6%)	4/48 (8%)	2/47 (4%)	
		0/49 (0%)				2/48 (4%)			
<b>Overall Incidence</b>	Total	1/193 (0.52%)	Mean 0.5%	SD 1%	Total	11/191 (5.76%)	Mean 5.75%	SD 1.97%	
.....									
<b>*Pituitary Gland: Pars Distalis or Unspecified Site:</b>									
<b>  Carcinoma</b>									
		0/49 (0%)	0/50 (0%)	0/45 (0%)		0/48 (0%)	0/48 (0%)	0/47 (0%)	
		0/49 (0%)				0/48 (0%)			
<b>Overall Incidence</b>	Total	0/193 (0%)	Mean 0%	SD 0%	Total	0/191 (0%)	Mean 0%	SD 0%	
.....									
<b>*Pituitary Gland: Pars Distalis or Unspecified Site:</b>									
<b>  Carcinoma or Adenoma</b>									
		0/49 (0%)	1/50 (2%)	0/45 (0%)		3/48 (6%)	4/48 (8%)	2/47 (4%)	
		0/49 (0%)				2/48 (4%)			
<b>Overall Incidence</b>	Total	1/193 (0.52%)	Mean 0.5%	SD 1%	Total	11/191 (5.76%)	Mean 5.75%	SD 1.97%	
.....									
<b>*Pituitary Gland: Pars Intermedia:</b>									
<b>  Adenoma</b>									
		0/49 (0%)	1/50 (2%)	0/45 (0%)		0/48 (0%)	0/48 (0%)	1/47 (2%)	
		0/49 (0%)				0/48 (0%)			
<b>Overall Incidence</b>	Total	1/193 (0.52%)	Mean 0.5%	SD 1%	Total	1/191 (0.52%)	Mean 0.53%	SD 1.06%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: WATER**

Page: 266  
 Report Date: 11/17/2008

		Male				Female			
<b>*Pituitary Gland: Pars Intermedia:</b>									
<b>  Carcinoma or Adenoma</b>									
		0/49 (0%)	1/50 (2%)	0/45 (0%)		0/48 (0%)	0/48 (0%)	1/47 (2%)	
		0/49 (0%)				0/48 (0%)			
<b>Overall Incidence</b>	Total	1/193 (0.52%)	Mean 0.5%	SD 1%	Total	1/191 (0.52%)	Mean 0.53%	SD 1.06%	
.....									
<b>*Prostate:</b>									
<b>  Adenoma</b>									
		0/50 (0%)	0/50 (0%)	0/48 (0%)					
		0/50 (0%)							
<b>Overall Incidence</b>	Total	0/198 (0%)	Mean 0%	SD 0%					
.....									
<b>*Prostate:</b>									
<b>  Carcinoma or Adenoma</b>									
		0/50 (0%)	0/50 (0%)	0/48 (0%)					
		0/50 (0%)							
<b>Overall Incidence</b>	Total	0/198 (0%)	Mean 0%	SD 0%					
.....									
<b>*Prostate:</b>									
<b>  Hemangioma</b>									
		0/50 (0%)	0/50 (0%)	0/48 (0%)					
		0/50 (0%)							
<b>Overall Incidence</b>	Total	0/198 (0%)	Mean 0%	SD 0%					
.....									
<b>*Salivary Glands:</b>									
<b>  Carcinoma</b>									
		0/49 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	1/198 (0.51%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: WATER**

Page: 267  
 Report Date: 11/17/2008

		Male				Female			
<b>*Salivary Glands: Carcinoma or Adenoma</b>									
		0/49 (0%) 1/50 (2%)	0/50 (0%)	0/49 (0%)	0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	1/198 (0.51%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
<b>*Salivary Glands: Mast Cell Tumor Malignant</b>									
		0/49 (0%) 0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/198 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
<b>#Seminal Vesicle: Adenoma</b>									
		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/49 (0%)					
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%					
.....									
<b>#Skeletal Muscle: Fibrosarcoma</b>									
		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
<b>#Skeletal Muscle: Hemangiosarcoma</b>									
		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: WATER**

Page: 268  
 Report Date: 11/17/2008

		Male				Female			
<b>#Skeletal Muscle: Myxosarcoma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
<b>#Skeletal Muscle: Rhabdomyosarcoma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
<b>#Skeletal Muscle: Rhabdomyosarcoma or Rhabdomyoma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
<b>#Skeletal Muscle: Sarcoma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
<b>#Skin: Basal Cell Adenoma or Basosquamous Tumor Benign</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: WATER**

Page: 269  
 Report Date: 11/17/2008

		Male				Female			
<b>#Skin:</b>									
<b>Basal Cell Adenoma, Basosquamous Tumor Benign, or Trichoepithelioma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
<b>#Skin:</b>									
<b>Basal Cell Carcinoma</b>									
		1/50 (2%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
<b>#Skin:</b>									
<b>Basal Cell Carcinoma or Basosquamous Tumor (malignant or NOS)</b>									
		1/50 (2%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
<b>#Skin:</b>									
<b>Basal Cell Carcinoma, Basal Cell Adenoma, Basosquamous Tumor (benign, malignant or NOS), or Trichoepithelioma</b>									
		1/50 (2%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
<b>#Skin:</b>									
<b>Basal or Sq. Cell Carcinoma, Carcinoma, Basosq. Tumor (M or B), Basal Cell Adenoma, Adenoma, Papilloma, Sq Papilloma, Keratoacanthoma, Trichoepithelioma</b>									
		1/50 (2%)	1/50 (2%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	2/199 (1.01%)	Mean 1%	SD 1.15%	Total	0/200 (0%)	Mean 0%	SD 0%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: WATER**

Page: 270  
 Report Date: 11/17/2008

		Male				Female			
<b>#Skin:</b>									
<b>Basosquamous Tumor Benign</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
<b>#Skin:</b>									
<b>Fibroma</b>									
		0/50 (0%)	1/50 (2%)	1/49 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	2/199 (1.01%)	Mean 1.01%	SD 1.17%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
<b>#Skin:</b>									
<b>Fibroma, Fibrosarcoma, Sarcoma, Myxoma, Myxosarcoma, or Fibrous Histiocytoma</b>									
		0/50 (0%)	1/50 (2%)	1/49 (2%)		2/50 (4%)	2/50 (4%)	4/50 (8%)	
		0/50 (0%)				4/50 (8%)			
<b>Overall Incidence</b>	Total	2/199 (1.01%)	Mean 1.01%	SD 1.17%	Total	12/200 (6%)	Mean 6%	SD 2.31%	
.....									
<b>#Skin:</b>									
<b>Fibrosarcoma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		1/50 (2%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)				4/50 (8%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	6/200 (3%)	Mean 3%	SD 3.46%	
.....									
<b>#Skin:</b>									
<b>Fibrosarcoma, Sarcoma, Myxosarcoma, or Fibrous Histiocytoma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		2/50 (4%)	2/50 (4%)	4/50 (8%)	
		0/50 (0%)				4/50 (8%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	12/200 (6%)	Mean 6%	SD 2.31%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: WATER**

Page: 271  
 Report Date: 11/17/2008

		Male				Female			
<b>#Skin:</b>									
<b>Fibrous Histiocytoma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	1/50 (2%)	3/50 (6%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	4/200 (2%)	Mean 2%	SD 2.83%	
.....									
<b>#Skin:</b>									
<b>Hemangioma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	2/50 (4%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	2/200 (1%)	Mean 1%	SD 2%	
.....									
<b>#Skin:</b>									
<b>Hemangiosarcoma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				1/50 (2%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
<b>#Skin:</b>									
<b>Liposarcoma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
<b>#Skin:</b>									
<b>Myxosarcoma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: WATER**

Page: 272  
 Report Date: 11/17/2008

		Male				Female			
<b>#Skin:</b>									
<b>Neural Crest Tumor</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
<b>#Skin:</b>									
<b>Neurofibrosarcoma or Schwannoma (malignant or NOS)</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
<b>#Skin:</b>									
<b>Neurofibrosarcoma, Neurofibroma, or Schwannoma (benign, malignant or NOS)</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
<b>#Skin:</b>									
<b>Osteosarcoma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
<b>#Skin:</b>									
<b>Sarcoma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		1/50 (2%)	1/50 (2%)	1/50 (2%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	3/200 (1.5%)	Mean 1.5%	SD 1%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: WATER**

Page: 273  
 Report Date: 11/17/2008

		Male				Female			
<b>#Skin:</b>									
<b>Schwannoma Malignant</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
<b>#Skin:</b>									
<b>Squamous Cell Carcinoma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
<b>#Skin:</b>									
<b>Squamous Cell Carcinoma, Basal Cell Carcinoma, Basosquamous Tumor (malignant or NOS), or Carcinoma</b>									
		1/50 (2%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
<b>#Skin:</b>									
<b>Squamous Cell Papilloma</b>									
		0/50 (0%)	1/50 (2%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
<b>#Skin:</b>									
<b>Squamous Cell Papilloma or Papilloma</b>									
		0/50 (0%)	1/50 (2%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: WATER**

Page: 274  
 Report Date: 11/17/2008

		Male				Female			
<b>#Skin:</b>									
<b>Squamous Cell Papilloma, Papilloma, Squamous Cell Carcinoma or Keratoacanthoma</b>									
		0/50 (0%)	1/50 (2%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
<b>#Skin:</b>									
<b>Squamous Cell Papilloma, Papilloma, or Keratoacanthoma</b>									
		0/50 (0%)	1/50 (2%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
<b>#Skin:</b>									
<b>Trichoepithelioma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
<b>#Skin: Sebaceous Gland:</b>									
<b>Adenoma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				1/50 (2%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
<b>#Skin: Sebaceous Gland:</b>									
<b>Carcinoma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: WATER**

Page: 275  
 Report Date: 11/17/2008

		Male				Female			
<b>#Skin: Sebaceous Gland: Carcinoma or Adenoma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				1/50 (2%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
<b>#Spinal Cord: Meningioma Malignant</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
<b>*Spleen: Fibrous Histiocytoma</b>									
		0/49 (0%)	0/50 (0%)	0/47 (0%)		0/48 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)				0/48 (0%)			
<b>Overall Incidence</b>	Total	0/196 (0%)	Mean 0%	SD 0%	Total	0/195 (0%)	Mean 0%	SD 0%	
.....									
<b>*Spleen: Hemangioma</b>									
		0/49 (0%)	1/50 (2%)	0/47 (0%)		0/48 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)				0/48 (0%)			
<b>Overall Incidence</b>	Total	1/196 (0.51%)	Mean 0.5%	SD 1%	Total	0/195 (0%)	Mean 0%	SD 0%	
.....									
<b>*Spleen: Hemangiosarcoma</b>									
		2/49 (4%)	1/50 (2%)	2/47 (4%)		1/48 (2%)	1/49 (2%)	0/50 (0%)	
		1/50 (2%)				0/48 (0%)			
<b>Overall Incidence</b>	Total	6/196 (3.06%)	Mean 3.08%	SD 1.25%	Total	2/195 (1.03%)	Mean 1.03%	SD 1.19%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: WATER**

Page: 276  
 Report Date: 11/17/2008

		Male				Female			
<b>#Stomach, Forestomach: Mast Cell Tumor Malignant</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
<b>#Stomach, Forestomach: Squamous Cell Carcinoma</b>									
		0/50 (0%)	1/50 (2%)	1/49 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	2/199 (1.01%)	Mean 1.01%	SD 1.17%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
<b>#Stomach, Forestomach: Squamous Cell Carcinoma or Papilloma Squamous</b>									
		0/50 (0%)	2/50 (4%)	1/49 (2%)		1/50 (2%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)				1/50 (2%)			
<b>Overall Incidence</b>	Total	3/199 (1.51%)	Mean 1.51%	SD 1.92%	Total	3/200 (1.5%)	Mean 1.5%	SD 1%	
.....									
<b>#Stomach, Forestomach: Squamous Cell Papilloma</b>									
		0/50 (0%)	2/50 (4%)	0/49 (0%)		1/50 (2%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)				1/50 (2%)			
<b>Overall Incidence</b>	Total	2/199 (1.01%)	Mean 1%	SD 2%	Total	3/200 (1.5%)	Mean 1.5%	SD 1%	
.....									
<b>#Stomach, Glandular: Adenoma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: WATER**

Page: 277  
 Report Date: 11/17/2008

		Male				Female			
<b>#Stomach, Glandular: Carcinoma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
<b>#Stomach, Glandular: Carcinoma or Adenoma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
<b>*Testes: Adenoma</b>									
		0/50 (0%)	1/50 (2%)	0/49 (0%)					
		1/50 (2%)							
<b>Overall Incidence</b>	Total	2/199 (1.01%)	Mean 1%	SD 1.15%					
.....									
<b>*Testes: Hemangiosarcoma</b>									
		0/50 (0%)	0/50 (0%)	1/49 (2%)					
		0/50 (0%)							
<b>Overall Incidence</b>	Total	1/199 (0.5%)	Mean 0.51%	SD 1.02%					
.....									
<b>*Thymus: Thymoma Malignant</b>									
		0/49 (0%)	0/46 (0%)	0/42 (0%)		0/46 (0%)	0/49 (0%)	0/44 (0%)	
		0/44 (0%)				0/46 (0%)			
<b>Overall Incidence</b>	Total	0/181 (0%)	Mean 0%	SD 0%	Total	0/185 (0%)	Mean 0%	SD 0%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: WATER**

Page: 278  
 Report Date: 11/17/2008

		Male				Female			
<b>*Thymus:</b>									
<b>Thymoma: Benign, Malignant, NOS</b>									
		0/49 (0%)	0/46 (0%)	0/42 (0%)		0/46 (0%)	0/49 (0%)	0/44 (0%)	
		0/44 (0%)				0/46 (0%)			
<b>Overall Incidence</b>	Total	0/181 (0%)	Mean 0%	SD 0%	Total	0/185 (0%)	Mean 0%	SD 0%	
.....									
<b>*Thyroid Gland: Adenoma</b>									
		0/50 (0%)	0/50 (0%)	0/48 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/49 (0%)			
<b>Overall Incidence</b>	Total	0/198 (0%)	Mean 0%	SD 0%	Total	0/199 (0%)	Mean 0%	SD 0%	
.....									
<b>*Thyroid Gland: C-Cell: Carcinoma</b>									
		0/50 (0%)	0/50 (0%)	0/48 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)				0/49 (0%)			
<b>Overall Incidence</b>	Total	0/198 (0%)	Mean 0%	SD 0%	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	
.....									
<b>*Thyroid Gland: C-Cell: Carcinoma or Adenoma</b>									
		0/50 (0%)	0/50 (0%)	0/48 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)				0/49 (0%)			
<b>Overall Incidence</b>	Total	0/198 (0%)	Mean 0%	SD 0%	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	
.....									
<b>*Thyroid Gland: Follicular Cell: Adenoma</b>									
		1/50 (2%)	3/50 (6%)	0/48 (0%)		1/50 (2%)	3/50 (6%)	3/50 (6%)	
		3/50 (6%)				1/49 (2%)			
<b>Overall Incidence</b>	Total	7/198 (3.54%)	Mean 3.5%	SD 3%	Total	8/199 (4.02%)	Mean 4.01%	SD 2.3%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: WATER**

Page: 279  
 Report Date: 11/17/2008

		Male				Female			
<b>*Thyroid Gland: Follicular Cell: Carcinoma</b>									
		0/50 (0%)	0/50 (0%)	0/48 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/49 (0%)			
<b>Overall Incidence</b>	Total	0/198 (0%)	Mean 0%	SD 0%	Total	0/199 (0%)	Mean 0%	SD 0%	
.....									
<b>*Thyroid Gland: Follicular Cell: Carcinoma or Adenoma</b>									
		1/50 (2%)	3/50 (6%)	0/48 (0%)		1/50 (2%)	3/50 (6%)	3/50 (6%)	
		3/50 (6%)				1/49 (2%)			
<b>Overall Incidence</b>	Total	7/198 (3.54%)	Mean 3.5%	SD 3%	Total	8/199 (4.02%)	Mean 4.01%	SD 2.3%	
.....									
<b>#Tissue NOS: Carcinoma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
<b>#Tissue NOS: Hemangiosarcoma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
<b>#Tissue NOS: Schwannoma Malignant</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: WATER**

Page: 280  
 Report Date: 11/17/2008

		Male				Female			
<b>#Tongue:</b>									
<b>Squamous Cell Carcinoma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
<b>#Tongue:</b>									
<b>Squamous Cell Carcinoma or Papilloma Squamous</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	2/50 (4%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	2/200 (1%)	Mean 1%	SD 2%	
.....									
<b>#Tongue:</b>									
<b>Squamous Cell Papilloma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
<b>#Tooth:</b>									
<b>Odontoma</b>									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
<b>*Urinary Bladder:</b>									
<b>Hemangioma</b>									
		0/49 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/198 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: WATER**

**Page: 281**  
**Report Date: 11/17/2008**

		Male				Female			
<b>*Urinary Bladder: Hemangiosarcoma</b>									
		0/49 (0%) 0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/198 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
<b>*Urinary Bladder: Sarcoma</b>									
		0/49 (0%) 0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/198 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
<b>#Uterus: Adenoma</b>									
						0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>					Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
<b>#Uterus: Carcinoma</b>									
						0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>					Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
<b>#Uterus: Hemangioma</b>									
						0/50 (0%) 0/50 (0%)	0/50 (0%)	1/50 (2%)	1/50 (2%)
<b>Overall Incidence</b>					Total	1/200 (0.5%)	Mean 0.5%	SD 1%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: WATER**

Page: 282  
 Report Date: 11/17/2008

	Male		Female	
<b>#Uterus:</b>				
<b>Hemangiosarcoma</b>				
		0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)		
<b>Overall Incidence</b>	Total	0/200 (0%)	Mean 0%	SD 0%
.....				
<b>#Uterus:</b>				
<b>Leiomyoma</b>				
		0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)		
<b>Overall Incidence</b>	Total	0/200 (0%)	Mean 0%	SD 0%
.....				
<b>#Uterus:</b>				
<b>Leiomyosarcoma</b>				
		0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)		
<b>Overall Incidence</b>	Total	0/200 (0%)	Mean 0%	SD 0%
.....				
<b>#Uterus:</b>				
<b>Polyp Stromal</b>				
		1/50 (2%)	2/50 (4%)	1/50 (2%)
		1/50 (2%)		
<b>Overall Incidence</b>	Total	5/200 (2.5%)	Mean 2.5%	SD 1%
.....				
<b>#Uterus:</b>				
<b>Sarcoma Stromal</b>				
		0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)		
<b>Overall Incidence</b>	Total	0/200 (0%)	Mean 0%	SD 0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied



Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: ORAL**  
**Vehicle: WATER**

**Page: 284**  
**Report Date: 11/17/2008**

		Male				Female			
<b>#Zymbal's Gland:</b>									
<b>Carcinoma or Adenoma</b>		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
<b>Overall Incidence</b>	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

.....  
 \*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: SKIN  
 Vehicle: ETHANOL

Page: 285  
 Report Date: 11/17/2008

**Study Summary**

Laboratory Name	Study Number	Study Start Date	Length of Study in Days	Number of Animals Total and (#/Cage)	Number Surviving and (Mean Life Span)	Maximum Mean Weekly Body Weight	Chemical
<b>Male</b>							
Battelle Columbus Laboratory	059902806	10/03/02	728	50 (1)	37(682)	53.5	bis(2-Chloroethoxy)methane
Battelle Columbus Laboratory	059700308	06/25/02	730	50 (1)	34(702)	54.2	1,2-Dibromo-2,4-dicyanobutane
Southern Research Institute	059302008	05/08/00	729	50 (1)	39(710)	52.6	Diisopropylcarbodiimide
<b>Female</b>							
Battelle Columbus Laboratory	059902806	10/02/02	727	50 (1)	31(692)	60.8	bis(2-Chloroethoxy)methane
Battelle Columbus Laboratory	059700308	06/24/02	729	50 (1)	33(693)	60.9	1,2-Dibromo-2,4-dicyanobutane
Southern Research Institute	059302008	05/08/00	732	50 (1)	33(674)	65.7	Diisopropylcarbodiimide

NOTE: The text on page 2 ("Report Description") describes how the studies listed here are displayed on the data pages that follow.

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: SKIN  
 Vehicle: ETHANOL

Page: 286  
 Report Date: 11/17/2008

		Male			Female		
<b>#All Organs: Benign Tumors</b>							
		41/50 (82%)	40/50 (80%)	29/50 (58%)	27/50 (54%)	39/50 (78%)	35/50 (70%)
<b>Overall Incidence</b>	Total	110/150 (73.33%)	Mean 73.33%	SD 13.32%	Total	101/150 (67.33%)	Mean 67.33% SD 12.22%
.....							
<b>#All Organs: Malignant Tumors</b>							
		26/50 (52%)	27/50 (54%)	27/50 (54%)	31/50 (62%)	31/50 (62%)	26/50 (52%)
<b>Overall Incidence</b>	Total	80/150 (53.33%)	Mean 53.33%	SD 1.15%	Total	88/150 (58.67%)	Mean 58.67% SD 5.77%
.....							
<b>#All Organs: Malignant and Benign Tumors</b>							
		48/50 (96%)	45/50 (90%)	42/50 (84%)	44/50 (88%)	46/50 (92%)	47/50 (94%)
<b>Overall Incidence</b>	Total	135/150 (90%)	Mean 90%	SD 6%	Total	137/150 (91.33%)	Mean 91.33% SD 3.06%
.....							
<b>#All Organs: Hemangioma</b>							
		2/50 (4%)	0/50 (0%)	1/50 (2%)	1/50 (2%)	0/50 (0%)	2/50 (4%)
<b>Overall Incidence</b>	Total	3/150 (2%)	Mean 2%	SD 2%	Total	3/150 (2%)	Mean 2% SD 2%
.....							
<b>#All Organs: Hemangiosarcoma</b>							
		5/50 (10%)	6/50 (12%)	0/50 (0%)	7/50 (14%)	1/50 (2%)	4/50 (8%)
<b>Overall Incidence</b>	Total	11/150 (7.33%)	Mean 7.33%	SD 6.43%	Total	12/150 (8%)	Mean 8% SD 6%
.....							
<b>#All Organs: Hemangiosarcoma or Hemangioma</b>							
		7/50 (14%)	6/50 (12%)	1/50 (2%)	8/50 (16%)	1/50 (2%)	6/50 (12%)
<b>Overall Incidence</b>	Total	14/150 (9.33%)	Mean 9.33%	SD 6.43%	Total	15/150 (10%)	Mean 10% SD 7.21%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: SKIN  
 Vehicle: ETHANOL

Page: 287  
 Report Date: 11/17/2008

	Male					Female								
<b>#All Organs:</b>														
<b>Histiocytic Sarcoma</b>														
		1/50	(2%)	0/50	(0%)	1/50	(2%)	3/50	(6%)	1/50	(2%)	3/50	(6%)	
<b>Overall Incidence</b>	Total	2/150	(1.33%)	Mean	1.33%	SD	1.15%	Total	7/150	(4.67%)	Mean	4.67%	SD	2.31%
.....														
<b>#All Organs:</b>														
<b>Malignant Lymphoma: Histiocytic, Lymphocytic, Mixed, NOS, or Undifferentiated Cell Type</b>														
		0/50	(0%)	1/50	(2%)	2/50	(4%)	9/50	(18%)	14/50	(28%)	10/50	(20%)	
<b>Overall Incidence</b>	Total	3/150	(2%)	Mean	2%	SD	2%	Total	33/150	(22%)	Mean	22%	SD	5.29%
.....														
<b>#All Organs:</b>														
<b>Mesothelioma: Benign, Malignant, NOS</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/150	(0%)	Mean	0%	SD	0%
.....														
<b>#All Organs:</b>														
<b>Mesothelioma: Malignant</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/150	(0%)	Mean	0%	SD	0%
.....														
<b>#All Organs:</b>														
<b>Osteoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/150	(0%)	Mean	0%	SD	0%
.....														
<b>#All Organs:</b>														
<b>Osteosarcoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	2/50	(4%)	1/50	(2%)	0/50	(0%)	
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean	0%	SD	0%	Total	3/150	(2%)	Mean	2%	SD	2%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: SKIN  
 Vehicle: ETHANOL

Page: 288  
 Report Date: 11/17/2008

		Male				Female							
<b>#All Organs:</b>													
<b>Osteosarcoma or Osteoma</b>													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	2/50	(4%)	1/50	(2%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	3/150	(2%)	Mean 2%	SD 2%			
.....													
<b>*Adrenal Cortex:</b>													
<b>Adenoma</b>													
		6/49	(12%)	6/50	(12%)	5/50	(10%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	17/149	(11.41%)	Mean 11.41%	SD 1.23%	Total	0/150	(0%)	Mean 0%	SD 0%			
.....													
<b>*Adrenal Cortex:</b>													
<b>Sarcoma</b>													
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/149	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%			
.....													
<b>*Adrenal Medulla:</b>													
<b>Pheochromocytoma Benign</b>													
		0/49	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	2/50	(4%)	0/49	(0%)
<b>Overall Incidence</b>	Total	0/148	(0%)	Mean 0%	SD 0%	Total	2/149	(1.34%)	Mean 1.33%	SD 2.31%			
.....													
<b>*Adrenal Medulla:</b>													
<b>Pheochromocytoma Complex</b>													
		0/49	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)
<b>Overall Incidence</b>	Total	0/148	(0%)	Mean 0%	SD 0%	Total	0/149	(0%)	Mean 0%	SD 0%			
.....													
<b>*Adrenal Medulla:</b>													
<b>Pheochromocytoma Malignant</b>													
		0/49	(0%)	1/50	(2%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)
<b>Overall Incidence</b>	Total	1/148	(0.68%)	Mean 0.67%	SD 1.15%	Total	0/149	(0%)	Mean 0%	SD 0%			

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: SKIN  
 Vehicle: ETHANOL

Page: 289  
 Report Date: 11/17/2008

		Male				Female								
<b>*Adrenal Medulla:</b>														
<b>Pheochromocytoma: Benign, Complex, Malignant, NOS</b>														
		0/49	(0%)	1/50	(2%)	0/49	(0%)	0/50	(0%)	2/50	(4%)	0/49	(0%)	
<b>Overall Incidence</b>	Total	1/148	(0.68%)	Mean	0.67%	SD	1.15%	Total	2/149	(1.34%)	Mean	1.33%	SD	2.31%
.....														
<b>*Bone Marrow:</b>														
<b>Hemangiosarcoma</b>														
		1/50	(2%)	1/50	(2%)	0/49	(0%)	1/50	(2%)	0/50	(0%)	1/49	(2%)	
<b>Overall Incidence</b>	Total	2/149	(1.34%)	Mean	1.33%	SD	1.15%	Total	2/149	(1.34%)	Mean	1.35%	SD	1.17%
.....														
<b>*Bone Marrow:</b>														
<b>Mast Cell Tumor Malignant</b>														
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	
<b>Overall Incidence</b>	Total	0/149	(0%)	Mean	0%	SD	0%	Total	0/149	(0%)	Mean	0%	SD	0%
.....														
<b>#Bone:</b>														
<b>Hemangiosarcoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/150	(0%)	Mean	0%	SD	0%
.....														
<b>#Bone:</b>														
<b>Osteoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/150	(0%)	Mean	0%	SD	0%
.....														
<b>#Bone:</b>														
<b>Osteosarcoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	2/50	(4%)	1/50	(2%)	0/50	(0%)	
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean	0%	SD	0%	Total	3/150	(2%)	Mean	2%	SD	2%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: SKIN  
 Vehicle: ETHANOL

Page: 290  
 Report Date: 11/17/2008

		Male				Female							
<b>#Bone:</b>													
<b>Osteosarcoma or Osteoma</b>													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	2/50	(4%)	1/50	(2%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	3/150	(2%)	Mean 2%	SD 2%			
.....													
<b>#Bone:</b>													
<b>Sarcoma</b>													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%			
.....													
<b>*Brain:</b>													
<b>Meningioma Benign</b>													
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/149	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%			
.....													
<b>*Brain:</b>													
<b>Meningioma: Benign, Malignant, NOS</b>													
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/149	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%			
.....													
<b>*Brain:</b>													
<b>Schwannoma Malignant</b>													
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/149	(0%)	Mean 0%	SD 0%	Total	1/150	(0.67%)	Mean 0.67%	SD 1.15%			
.....													
<b>*Clitoral/Preputial Gland:</b>													
<b>Adenoma</b>													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/46	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/146	(0%)	Mean 0%	SD 0%			

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: SKIN**  
**Vehicle: ETHANOL**

Page: 291  
 Report Date: 11/17/2008

		Male			Female			
<b>*Clitoral/Preputial Gland: Carcinoma</b>								
<b>Overall Incidence</b>	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/50 (0%) 0/146 (0%)	0/50 (0%) Mean 0%	0/46 (0%) SD 0%
<b>*Clitoral/Preputial Gland: Carcinoma or Adenoma</b>								
<b>Overall Incidence</b>	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/50 (0%) 0/146 (0%)	0/50 (0%) Mean 0%	0/46 (0%) SD 0%
<b>*Clitoral/Preputial Gland: Hemangioma</b>								
<b>Overall Incidence</b>	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	1/50 (2%) 1/146 (0.68%)	0/50 (0%) Mean 0.67%	0/46 (0%) SD 1.15%
<b>*Clitoral/Preputial Gland: Hemangiosarcoma</b>								
<b>Overall Incidence</b>	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/50 (0%) 0/146 (0%)	0/50 (0%) Mean 0%	0/46 (0%) SD 0%
<b>*Clitoral/Preputial Gland: Squamous Cell Carcinoma</b>								
<b>Overall Incidence</b>	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/50 (0%) 0/146 (0%)	0/50 (0%) Mean 0%	0/46 (0%) SD 0%
<b>*Epididymis: Sarcoma</b>								
<b>Overall Incidence</b>	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%				

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: SKIN**  
**Vehicle: ETHANOL**

Page: 292  
 Report Date: 11/17/2008

		Male				Female			
<b>#Esophagus:</b>									
<b>Squamous Cell Carcinoma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%
									SD 0%
.....									
<b>#Eye:</b>									
<b>Sarcoma</b>									
		1/50	(2%)	0/50	(0%)	1/50	(2%)	0/50	(0%)
<b>Overall Incidence</b>	Total	2/150	(1.33%)	Mean 1.33%	SD 1.15%	Total	0/150	(0%)	Mean 0%
									SD 0%
.....									
<b>*Gallbladder:</b>									
<b>Adenoma</b>									
		0/50	(0%)	0/49	(0%)	0/45	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/144	(0%)	Mean 0%	SD 0%	Total	0/142	(0%)	Mean 0%
									SD 0%
.....									
<b>#Harderian Gland:</b>									
<b>Adenoma</b>									
		10/50	(20%)	7/50	(14%)	9/50	(18%)	3/50	(6%)
<b>Overall Incidence</b>	Total	26/150	(17.33%)	Mean 17.33%	SD 3.06%	Total	18/150	(12%)	Mean 12%
									SD 6%
.....									
<b>#Harderian Gland:</b>									
<b>Carcinoma</b>									
		2/50	(4%)	0/50	(0%)	2/50	(4%)	0/50	(0%)
<b>Overall Incidence</b>	Total	4/150	(2.67%)	Mean 2.67%	SD 2.31%	Total	3/150	(2%)	Mean 2%
									SD 2%
.....									
<b>#Harderian Gland:</b>									
<b>Carcinoma or Adenoma</b>									
		12/50	(24%)	7/50	(14%)	10/50	(20%)	3/50	(6%)
<b>Overall Incidence</b>	Total	29/150	(19.33%)	Mean 19.33%	SD 5.03%	Total	21/150	(14%)	Mean 14%
									SD 7.21%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: SKIN**  
**Vehicle: ETHANOL**

Page: 293  
 Report Date: 11/17/2008

		Male				Female								
<b>#Harderian Gland:</b>														
<b>Sarcoma</b>														
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	Total	1/150	(0.67%)	Mean	0.67%	SD	1.15%	Total	0/150	(0%)	Mean	0%	SD	0%
.....														
<b>*Heart:</b>														
<b>Hemangioma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/150	(0%)	Mean	0%	SD	0%
.....														
<b>*Heart:</b>														
<b>Hemangiosarcoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean	0%	SD	0%	Total	1/150	(0.67%)	Mean	0.67%	SD	1.15%
.....														
<b>*Heart:</b>														
<b>Sarcoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/150	(0%)	Mean	0%	SD	0%
.....														
<b>#Intestine Large: Cecum:</b>														
<b>Carcinoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/150	(0%)	Mean	0%	SD	0%
.....														
<b>#Intestine Large: Cecum:</b>														
<b>Carcinoma or Adenoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/150	(0%)	Mean	0%	SD	0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: SKIN  
 Vehicle: ETHANOL

Page: 294  
 Report Date: 11/17/2008

		Male			Female			
<b>#Intestine Large: Cecum: Leiomyoma</b>								
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%
.....								
<b>#Intestine Large: Cecum: Polyp Adenomatous</b>								
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%
.....								
<b>#Intestine Large: Colon/Rectum: Leiomyosarcoma</b>								
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%
.....								
<b>#Intestine Small: Duodenum: Adenoma</b>								
Overall Incidence	Total	0/50 (0%) 1/150 (0.67%)	0/50 (0%) Mean 0.67%	1/50 (2%) SD 1.15%	Total	0/50 (0%) 1/150 (0.67%)	0/50 (0%) Mean 0.67%	1/50 (2%) SD 1.15%
.....								
<b>#Intestine Small: Duodenum: Carcinoma</b>								
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%
.....								
<b>#Intestine Small: Duodenum: Leiomyosarcoma</b>								
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: SKIN  
 Vehicle: ETHANOL

Page: 295  
 Report Date: 11/17/2008

		Male				Female			
<b>#Intestine Small: Duodenum: Polyp Adenomatous</b>									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/150 (0%)	Mean 0%	SD 0%		0/150 (0%)	Mean 0%	SD 0%	
.....									
<b>#Intestine Small: Ileum: Carcinoma</b>									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/150 (0%)	Mean 0%	SD 0%		0/150 (0%)	Mean 0%	SD 0%	
.....									
<b>#Intestine Small: Ileum: Hemangiosarcoma</b>									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/150 (0%)	Mean 0%	SD 0%		0/150 (0%)	Mean 0%	SD 0%	
.....									
<b>#Intestine Small: Ileum: Polyp Adenomatous</b>									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/150 (0%)	Mean 0%	SD 0%		0/150 (0%)	Mean 0%	SD 0%	
.....									
<b>#Intestine Small: Jejunum: Adenoma</b>									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/150 (0%)	Mean 0%	SD 0%		0/150 (0%)	Mean 0%	SD 0%	
.....									
<b>#Intestine Small: Jejunum: Carcinoma</b>									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/150 (0%)	Mean 0%	SD 0%		0/150 (0%)	Mean 0%	SD 0%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: SKIN  
 Vehicle: ETHANOL

Page: 296  
 Report Date: 11/17/2008

		Male			Female			
<b>#Intestine Small: Jejunum: Hemangiosarcoma</b>								
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%
<b>#Intestine Small: Jejunum: Leiomyosarcoma</b>								
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%
<b>#Intestine Small: Jejunum: Polyp Adenomatous</b>								
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%
<b>#Intestine Small: Site Unspecified: Adenoma</b>								
Overall Incidence	Total	0/50 (0%) 1/150 (0.67%)	0/50 (0%) Mean 0.67%	1/50 (2%) SD 1.15%	Total	0/50 (0%) 1/150 (0.67%)	0/50 (0%) Mean 0.67%	1/50 (2%) SD 1.15%
<b>#Intestine Small: Site Unspecified: Carcinoma</b>								
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%
<b>#Intestine Small: Site Unspecified: Carcinoma or Adenoma</b>								
Overall Incidence	Total	0/50 (0%) 1/150 (0.67%)	0/50 (0%) Mean 0.67%	1/50 (2%) SD 1.15%	Total	0/50 (0%) 1/150 (0.67%)	0/50 (0%) Mean 0.67%	1/50 (2%) SD 1.15%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: SKIN  
 Vehicle: ETHANOL

Page: 297  
 Report Date: 11/17/2008

		Male			Female			
<b>#Intestine Small: Site Unspecified: Hemangiosarcoma</b>								
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%
<b>#Intestine Small: Site Unspecified: Leiomyosarcoma</b>								
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%
<b>#Intestine Small: Site Unspecified: Polyp Adenomatous</b>								
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%
<b>*Islets, Pancreatic: Adenoma</b>								
Overall Incidence	Total	0/50 (0%) 1/149 (0.67%)	0/50 (0%) Mean 0.68%	1/49 (2%) SD 1.18%	Total	0/50 (0%) 1/150 (0.67%)	1/50 (2%) Mean 0.67%	0/50 (0%) SD 1.15%
<b>*Islets, Pancreatic: Carcinoma</b>								
Overall Incidence	Total	0/50 (0%) 0/149 (0%)	0/50 (0%) Mean 0%	0/49 (0%) SD 0%	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%
<b>*Islets, Pancreatic: Carcinoma or Adenoma</b>								
Overall Incidence	Total	0/50 (0%) 1/149 (0.67%)	0/50 (0%) Mean 0.68%	1/49 (2%) SD 1.18%	Total	0/50 (0%) 1/150 (0.67%)	1/50 (2%) Mean 0.67%	0/50 (0%) SD 1.15%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: SKIN**  
**Vehicle: ETHANOL**

Page: 298  
 Report Date: 11/17/2008

		Male				Female			
<b>*Kidney: Renal Tubule: Adenoma</b>									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/48 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/148 (0%)	0/149 (0%)
			Mean 0%	SD 0%		Mean 0%	SD 0%		
.....									
<b>*Kidney: Renal Tubule: Carcinoma</b>									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/48 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/148 (0%)	0/149 (0%)
			Mean 0%	SD 0%		Mean 0%	SD 0%		
.....									
<b>*Kidney: Renal Tubule: Carcinoma or Adenoma</b>									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/48 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/148 (0%)	0/149 (0%)
			Mean 0%	SD 0%		Mean 0%	SD 0%		
.....									
<b>*Liver: Cholangiocarcinoma</b>									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/150 (0.67%)	0/150 (0%)
			Mean 0.67%	SD 1.15%		Mean 0%	SD 0%		
.....									
<b>*Liver: Fibrous Histiocytoma</b>									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/150 (0%)	0/150 (0%)
			Mean 0%	SD 0%		Mean 0.67%	SD 1.15%		
.....									
<b>*Liver: Hemangioma</b>									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/150 (0%)	0/150 (0%)
			Mean 0%	SD 0%		Mean 0%	SD 0%		

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: SKIN  
 Vehicle: ETHANOL

Page: 299  
 Report Date: 11/17/2008

	Male					Female								
<b>*Liver: Hemangiosarcoma</b>														
		1/50	(2%)	1/50	(2%)	0/50	(0%)	2/50	(4%)	1/50	(2%)	1/50	(2%)	
<b>Overall Incidence</b>	Total	2/150	(1.33%)	Mean	1.33%	SD	1.15%	Total	4/150	(2.67%)	Mean	2.67%	SD	1.15%
.....														
<b>*Liver: Hepatoblastoma</b>														
		2/50	(4%)	2/50	(4%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	
<b>Overall Incidence</b>	Total	4/150	(2.67%)	Mean	2.67%	SD	2.31%	Total	1/150	(0.67%)	Mean	0.67%	SD	1.15%
.....														
<b>*Liver: Hepatocellular Adenoma</b>														
		33/50	(66%)	35/50	(70%)	18/50	(36%)	22/50	(44%)	31/50	(62%)	21/50	(42%)	
<b>Overall Incidence</b>	Total	86/150	(57.33%)	Mean	57.33%	SD	18.58%	Total	74/150	(49.33%)	Mean	49.33%	SD	11.02%
.....														
<b>*Liver: Hepatocellular Carcinoma</b>														
		14/50	(28%)	17/50	(34%)	20/50	(40%)	3/50	(6%)	8/50	(16%)	10/50	(20%)	
<b>Overall Incidence</b>	Total	51/150	(34%)	Mean	34%	SD	6%	Total	21/150	(14%)	Mean	14%	SD	7.21%
.....														
<b>*Liver: Hepatocellular Carcinoma or Hepatoblastoma</b>														
		15/50	(30%)	19/50	(38%)	20/50	(40%)	3/50	(6%)	9/50	(18%)	10/50	(20%)	
<b>Overall Incidence</b>	Total	54/150	(36%)	Mean	36%	SD	5.29%	Total	22/150	(14.67%)	Mean	14.67%	SD	7.57%
.....														
<b>*Liver: Hepatocellular Carcinoma or Hepatocellular Adenoma</b>														
		40/50	(80%)	41/50	(82%)	35/50	(70%)	22/50	(44%)	32/50	(64%)	29/50	(58%)	
<b>Overall Incidence</b>	Total	116/150	(77.33%)	Mean	77.33%	SD	6.43%	Total	83/150	(55.33%)	Mean	55.33%	SD	10.26%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: SKIN**  
**Vehicle: ETHANOL**

Page: 300  
 Report Date: 11/17/2008

		Male			Female			
<b>*Liver:</b>								
<b>Hepatocellular Carcinoma, Hepatocellular Adenoma, or Hepatoblastoma</b>								
		40/50 (80%)	41/50 (82%)	35/50 (70%)	22/50 (44%)	32/50 (64%)	29/50 (58%)	
<b>Overall Incidence</b>	Total	116/150 (77.33%)	Mean 77.33%	SD 6.43%	Total	83/150 (55.33%)	Mean 55.33%	SD 10.26%
.....								
<b>*Liver:</b>								
<b>Hepatocholangiocarcinoma</b>								
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%
.....								
<b>*Liver:</b>								
<b>Ito Cell Tumor Benign</b>								
		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
<b>Overall Incidence</b>	Total	1/150 (0.67%)	Mean 0.67%	SD 1.15%	Total	0/150 (0%)	Mean 0%	SD 0%
.....								
<b>*Liver:</b>								
<b>Ito Cell Tumor Malignant</b>								
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%
.....								
<b>*Liver:</b>								
<b>Sarcoma</b>								
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%
.....								
<b>*Lung:</b>								
<b>Adenoma</b>								
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: SKIN  
 Vehicle: ETHANOL

Page: 301  
 Report Date: 11/17/2008

		Male				Female			
<b>*Lung:</b>									
<b>Alveolar/Bronchiolar Adenoma</b>									
		6/50 (12%)	10/50 (20%)	6/50 (12%)		1/50 (2%)	2/50 (4%)	4/50 (8%)	
<b>Overall Incidence</b>	Total	22/150 (14.67%)	Mean 14.67%	SD 4.62%	Total	7/150 (4.67%)	Mean 4.67%	SD 3.06%	
.....									
<b>*Lung:</b>									
<b>Alveolar/Bronchiolar Carcinoma</b>									
		5/50 (10%)	6/50 (12%)	2/50 (4%)		4/50 (8%)	3/50 (6%)	0/50 (0%)	
<b>Overall Incidence</b>	Total	13/150 (8.67%)	Mean 8.67%	SD 4.16%	Total	7/150 (4.67%)	Mean 4.67%	SD 4.16%	
.....									
<b>*Lung:</b>									
<b>Alveolar/Bronchiolar Carcinoma or Alveolar/Bronchiolar Adenoma</b>									
		11/50 (22%)	15/50 (30%)	8/50 (16%)		5/50 (10%)	5/50 (10%)	4/50 (8%)	
<b>Overall Incidence</b>	Total	34/150 (22.67%)	Mean 22.67%	SD 7.02%	Total	14/150 (9.33%)	Mean 9.33%	SD 1.15%	
.....									
<b>*Lung:</b>									
<b>Fibrosarcoma</b>									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
<b>*Lung:</b>									
<b>Fibrous Histiocytoma</b>									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total	1/150 (0.67%)	Mean 0.67%	SD 1.15%	
.....									
<b>*Lung:</b>									
<b>Hemangiosarcoma</b>									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: SKIN  
 Vehicle: ETHANOL

Page: 302  
 Report Date: 11/17/2008

		Male				Female			
<b>*Lung:</b>									
<b>Sarcoma</b>									
<b>Overall Incidence</b>	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
<b>#Lymph Node:</b>									
<b>Fibrous Histiocytoma</b>									
<b>Overall Incidence</b>	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	Total	0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/150 (0%)	Mean 0%	SD 0%	Total	1/150 (0.67%)	Mean 0.67%	SD 1.15%	
.....									
<b>#Lymph Node:</b>									
<b>Hemangioma</b>									
<b>Overall Incidence</b>	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
<b>#Lymph Node:</b>									
<b>Hemangiosarcoma</b>									
<b>Overall Incidence</b>	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
<b>#Lymph Node:</b>									
<b>Sarcoma</b>									
<b>Overall Incidence</b>	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
<b>#Lymph Node, Bronchial:</b>									
<b>Hemangiosarcoma</b>									
<b>Overall Incidence</b>	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: SKIN  
 Vehicle: ETHANOL

Page: 303  
 Report Date: 11/17/2008

		Male				Female					
<b>#Lymph Node, Mandibular: Fibrous Histiocytoma</b>											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	1/150	(0.67%)	Mean 0.67%	SD 1.15%	
.....											
<b>#Lymph Node, Mandibular: Hemangiosarcoma</b>											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
<b>#Lymph Node, Mandibular: Mast Cell Tumor Malignant</b>											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
<b>#Lymph Node, Mesenteric: Fibrous Histiocytoma</b>											
		0/50	(0%)	1/50	(2%)	0/50	(0%)	1/50	(2%)	0/50	(0%)
<b>Overall Incidence</b>	Total	1/150	(0.67%)	Mean 0.67%	SD 1.15%	Total	1/150	(0.67%)	Mean 0.67%	SD 1.15%	
.....											
<b>#Lymph Node, Mesenteric: Hemangioma</b>											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
<b>#Lymph Node, Mesenteric: Hemangiosarcoma</b>											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: SKIN  
 Vehicle: ETHANOL

Page: 304  
 Report Date: 11/17/2008

		Male				Female			
<b>#Mammary Gland: Adenoacanthoma</b>									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/150 (0%)	Mean 0%	SD 0%		0/150 (0%)	Mean 0%	SD 0%	
.....									
<b>#Mammary Gland: Adenoma</b>									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/150 (0%)	Mean 0%	SD 0%		0/150 (0%)	Mean 0%	SD 0%	
.....									
<b>#Mammary Gland: Carcinoma</b>									
Overall Incidence	Total	1/50 (2%)	0/50 (0%)	1/50 (2%)	2/50 (4%)	0/50 (0%)	1/50 (2%)	2/50 (4%)	0/50 (0%)
		2/150 (1.33%)	Mean 1.33%	SD 1.15%		3/150 (2%)	Mean 2%	SD 2%	
.....									
<b>#Mammary Gland: Carcinoma or Adenoma</b>									
Overall Incidence	Total	1/50 (2%)	0/50 (0%)	1/50 (2%)	2/50 (4%)	0/50 (0%)	1/50 (2%)	2/50 (4%)	0/50 (0%)
		2/150 (1.33%)	Mean 1.33%	SD 1.15%		3/150 (2%)	Mean 2%	SD 2%	
.....									
<b>#Mammary Gland: Fibroadenoma</b>									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/150 (0%)	Mean 0%	SD 0%		0/150 (0%)	Mean 0%	SD 0%	
.....									
<b>#Mammary Gland: Fibroma, Fibroadenoma or Adenoma</b>									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/150 (0%)	Mean 0%	SD 0%		0/150 (0%)	Mean 0%	SD 0%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: SKIN**  
**Vehicle: ETHANOL**

Page: 305  
 Report Date: 11/17/2008

		Male				Female								
<b>#Mammary Gland:</b>														
<b>Fibroma, Fibroadenoma, Carcinoma, or Adenoma</b>														
		1/50	(2%)	0/50	(0%)	1/50	(2%)	2/50	(4%)	0/50	(0%)	1/50	(2%)	
<b>Overall Incidence</b>	Total	2/150	(1.33%)	Mean	1.33%	SD	1.15%	Total	3/150	(2%)	Mean	2%	SD	2%
.....														
<b>#Mesentery:</b>														
<b>Fibrosarcoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/150	(0%)	Mean	0%	SD	0%
.....														
<b>#Mesentery:</b>														
<b>Hemangioma</b>														
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
<b>Overall Incidence</b>	Total	1/150	(0.67%)	Mean	0.67%	SD	1.15%	Total	0/150	(0%)	Mean	0%	SD	0%
.....														
<b>#Mesentery:</b>														
<b>Hemangiosarcoma</b>														
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
<b>Overall Incidence</b>	Total	1/150	(0.67%)	Mean	0.67%	SD	1.15%	Total	0/150	(0%)	Mean	0%	SD	0%
.....														
<b>#Mesentery:</b>														
<b>Sarcoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean	0%	SD	0%	Total	1/150	(0.67%)	Mean	0.67%	SD	1.15%
.....														
<b>*Nose:</b>														
<b>Hemangioma</b>														
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
<b>Overall Incidence</b>	Total	0/149	(0%)	Mean	0%	SD	0%	Total	0/150	(0%)	Mean	0%	SD	0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: SKIN**  
**Vehicle: ETHANOL**

Page: 306  
 Report Date: 11/17/2008

		Male			Female		
<b>*Nose:</b>							
<b>Mast Cell Tumor Malignant</b>							
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	
<b>Overall Incidence</b>	Total	0/149 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	
						Mean 0%	
						SD 0%	
.....							
<b>#Oral Cavity (Oral Mucosa, Tongue, Pharynx, Tooth, Gingiva):</b>							
<b>Papilloma Squamous or Papilloma</b>							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	
						Mean 0%	
						SD 0%	
.....							
<b>#Oral Cavity (Oral Mucosa, Tongue, Pharynx, Tooth, Gingiva):</b>							
<b>Squamous Cell Carcinoma</b>							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	
						Mean 0%	
						SD 0%	
.....							
<b>#Oral Cavity (Oral Mucosa, Tongue, Pharynx, Tooth, Gingiva):</b>							
<b>Squamous Cell Carcinoma, Papilloma Squamous, or Papilloma</b>							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	
						Mean 0%	
						SD 0%	
.....							
<b>#Oral Mucosa:</b>							
<b>Squamous Cell Carcinoma</b>							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	
						Mean 0%	
						SD 0%	
.....							
<b>*Ovary:</b>							
<b>Choriocarcinoma</b>							
					0/50 (0%)	0/50 (0%)	
<b>Overall Incidence</b>					Total	0/149 (0%)	
						Mean 0%	
						SD 0%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: SKIN  
 Vehicle: ETHANOL

Page: 307  
 Report Date: 11/17/2008

	Male		Female
<b>*Ovary:</b>			
<b>Cystadenoma</b>			
		2/50 (4%)	3/50 (6%)
<b>Overall Incidence</b>	Total	6/149 (4.03%)	Mean 4.01% SD 1.98%
.....			
<b>*Ovary:</b>			
<b>Fibrous Histiocytoma</b>			
		0/50 (0%)	1/50 (2%)
<b>Overall Incidence</b>	Total	1/149 (0.67%)	Mean 0.67% SD 1.15%
.....			
<b>*Ovary:</b>			
<b>Granulosa Cell Tumor Benign</b>			
		0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	1/149 (0.67%)	Mean 0.68% SD 1.18%
.....			
<b>*Ovary:</b>			
<b>Granulosa Cell Tumor Malignant</b>			
		0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/149 (0%)	Mean 0% SD 0%
.....			
<b>*Ovary:</b>			
<b>Granulosa Cell Tumor: Benign, Malignant, NOS</b>			
		0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	1/149 (0.67%)	Mean 0.68% SD 1.18%
.....			
<b>*Ovary:</b>			
<b>Hemangioma</b>			
		0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/149 (0%)	Mean 0% SD 0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: SKIN  
 Vehicle: ETHANOL

Page: 308  
 Report Date: 11/17/2008

	Male			Female
<b>*Ovary: Hemangiosarcoma</b>				
Overall Incidence	Total	0/50 1/149	(0%) (0.67%)	0/50 Mean 0.68% SD 1.18%
.....				
<b>*Ovary: Leiomyosarcoma</b>				
Overall Incidence	Total	0/50 0/149	(0%) (0%)	0/50 Mean 0% SD 0%
.....				
<b>*Ovary: Luteoma</b>				
Overall Incidence	Total	0/50 0/149	(0%) (0%)	0/50 Mean 0% SD 0%
.....				
<b>*Ovary: Teratoma Benign</b>				
Overall Incidence	Total	0/50 0/149	(0%) (0%)	0/50 Mean 0% SD 0%
.....				
<b>*Ovary: Teratoma Malignant</b>				
Overall Incidence	Total	0/50 0/149	(0%) (0%)	0/50 Mean 0% SD 0%
.....				
<b>*Ovary: Tubulostromal Adenoma</b>				
Overall Incidence	Total	0/50 0/149	(0%) (0%)	0/50 Mean 0% SD 0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: SKIN  
 Vehicle: ETHANOL

Page: 309  
 Report Date: 11/17/2008

		Male			Female			
<b>*Pancreas: Adenoma</b>								
Overall Incidence	Total	0/50 (0%) 0/149 (0%)	0/50 (0%) Mean 0%	0/49 (0%) SD 0%	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%
<b>*Pancreas: Carcinoma</b>								
Overall Incidence	Total	0/50 (0%) 0/149 (0%)	0/50 (0%) Mean 0%	0/49 (0%) SD 0%	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%
<b>*Pancreas: Carcinoma or Adenoma</b>								
Overall Incidence	Total	0/50 (0%) 0/149 (0%)	0/50 (0%) Mean 0%	0/49 (0%) SD 0%	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%
<b>*Pituitary Gland: Pars Distalis or Unspecified Site: Adenoma</b>								
Overall Incidence	Total	1/50 (2%) 1/148 (0.68%)	0/50 (0%) Mean 0.67%	0/48 (0%) SD 1.15%	Total	4/49 (8%) 13/147 (8.84%)	5/50 (10%) Mean 8.83%	4/48 (8%) SD 1.01%
<b>*Pituitary Gland: Pars Distalis or Unspecified Site: Carcinoma</b>								
Overall Incidence	Total	0/50 (0%) 0/148 (0%)	0/50 (0%) Mean 0%	0/48 (0%) SD 0%	Total	0/49 (0%) 1/147 (0.68%)	0/50 (0%) Mean 0.69%	1/48 (2%) SD 1.2%
<b>*Pituitary Gland: Pars Distalis or Unspecified Site: Carcinoma or Adenoma</b>								
Overall Incidence	Total	1/50 (2%) 1/148 (0.68%)	0/50 (0%) Mean 0.67%	0/48 (0%) SD 1.15%	Total	4/49 (8%) 14/147 (9.52%)	5/50 (10%) Mean 9.53%	5/48 (10%) SD 1.2%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: SKIN**  
**Vehicle: ETHANOL**

Page: 310  
 Report Date: 11/17/2008

		Male				Female								
<b>*Pituitary Gland: Pars Intermedia: Adenoma</b>														
		1/50	(2%)	0/50	(0%)	0/48	(0%)	0/49	(0%)	1/50	(2%)	0/48	(0%)	
<b>Overall Incidence</b>	Total	1/148	(0.68%)	Mean	0.67%	SD	1.15%	Total	1/147	(0.68%)	Mean	0.67%	SD	1.15%
.....														
<b>*Pituitary Gland: Pars Intermedia: Carcinoma or Adenoma</b>														
		1/50	(2%)	0/50	(0%)	0/48	(0%)	0/49	(0%)	1/50	(2%)	0/48	(0%)	
<b>Overall Incidence</b>	Total	1/148	(0.68%)	Mean	0.67%	SD	1.15%	Total	1/147	(0.68%)	Mean	0.67%	SD	1.15%
.....														
<b>*Prostate: Adenoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)							
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean	0%	SD	0%							
.....														
<b>*Prostate: Carcinoma or Adenoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)							
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean	0%	SD	0%							
.....														
<b>*Prostate: Hemangioma</b>														
		1/50	(2%)	0/50	(0%)	0/50	(0%)							
<b>Overall Incidence</b>	Total	1/150	(0.67%)	Mean	0.67%	SD	1.15%							
.....														
<b>*Salivary Glands: Carcinoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/150	(0%)	Mean	0%	SD	0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: SKIN  
 Vehicle: ETHANOL

Page: 311  
 Report Date: 11/17/2008

		Male				Female			
<b>*Salivary Glands: Carcinoma or Adenoma</b>									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
<b>*Salivary Glands: Mast Cell Tumor Malignant</b>									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
<b>#Seminal Vesicle: Adenoma</b>									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	1/50 (2%)					
		1/150 (0.67%)	Mean 0.67%	SD 1.15%					
.....									
<b>#Skeletal Muscle: Fibrosarcoma</b>									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
<b>#Skeletal Muscle: Hemangiosarcoma</b>									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
<b>#Skeletal Muscle: Myxosarcoma</b>									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: SKIN  
 Vehicle: ETHANOL

Page: 312  
 Report Date: 11/17/2008

		Male				Female								
<b>#Skeletal Muscle:</b>														
<b>Rhabdomyosarcoma</b>														
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	Total	1/150	(0.67%)	Mean	0.67%	SD	1.15%	Total	0/150	(0%)	Mean	0%	SD	0%
.....														
<b>#Skeletal Muscle:</b>														
<b>Rhabdomyosarcoma or Rhabdomyoma</b>														
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	Total	1/150	(0.67%)	Mean	0.67%	SD	1.15%	Total	0/150	(0%)	Mean	0%	SD	0%
.....														
<b>#Skeletal Muscle:</b>														
<b>Sarcoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/150	(0%)	Mean	0%	SD	0%
.....														
<b>#Skin:</b>														
<b>Basal Cell Adenoma or Basosquamous Tumor Benign</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/150	(0%)	Mean	0%	SD	0%
.....														
<b>#Skin:</b>														
<b>Basal Cell Adenoma, Basosquamous Tumor Benign, or Trichoepithelioma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/150	(0%)	Mean	0%	SD	0%
.....														
<b>#Skin:</b>														
<b>Basal Cell Carcinoma</b>														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)			
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean	0%	SD	0%	Total	1/150	(0.67%)	Mean	0.67%	SD	1.15%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: SKIN**  
**Vehicle: ETHANOL**

Page: 313  
 Report Date: 11/17/2008

		Male				Female					
<b>#Skin:</b>											
<b>Basal Cell Carcinoma or Basosquamous Tumor (malignant or NOS)</b>											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	1/150	(0.67%)	Mean 0.67%	SD 1.15%	
.....											
<b>#Skin:</b>											
<b>Basal Cell Carcinoma, Basal Cell Adenoma, Basosquamous Tumor (benign, malignant or NOS), or Trichoepithelioma</b>											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	1/150	(0.67%)	Mean 0.67%	SD 1.15%	
.....											
<b>#Skin:</b>											
<b>Basal or Sq. Cell Carcinoma, Carcinoma, Basosq. Tumor (M or B), Basal Cell Adenoma, Adenoma, Papilloma, Sq Papilloma, Keratoacanthoma, Trichoepithelioma</b>											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	1/150	(0.67%)	Mean 0.67%	SD 1.15%	
.....											
<b>#Skin:</b>											
<b>Basosquamous Tumor Benign</b>											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
<b>#Skin:</b>											
<b>Fibroma</b>											
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	1/150	(0.67%)	Mean 0.67%	SD 1.15%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
<b>#Skin:</b>											
<b>Fibroma, Fibrosarcoma, Sarcoma, Myxoma, Myxosarcoma, or Fibrous Histiocytoma</b>											
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	1/50	(2%)
<b>Overall Incidence</b>	Total	1/150	(0.67%)	Mean 0.67%	SD 1.15%	Total	2/150	(1.33%)	Mean 1.33%	SD 1.15%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: SKIN  
 Vehicle: ETHANOL

Page: 314  
 Report Date: 11/17/2008

		Male			Female		
<b>#Skin:</b>							
<b>Fibrosarcoma</b>							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total	1/150 (0.67%)	Mean 0.67% SD 1.15%
.....							
<b>#Skin:</b>							
<b>Fibrosarcoma, Sarcoma, Myxosarcoma, or Fibrous Histiocytoma</b>							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	1/50 (2%)
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total	2/150 (1.33%)	Mean 1.33% SD 1.15%
.....							
<b>#Skin:</b>							
<b>Fibrous Histiocytoma</b>							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0% SD 0%
.....							
<b>#Skin:</b>							
<b>Hemangioma</b>							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	2/50 (4%)
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total	2/150 (1.33%)	Mean 1.33% SD 2.31%
.....							
<b>#Skin:</b>							
<b>Hemangiosarcoma</b>							
		1/50 (2%)	2/50 (4%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	2/50 (4%)
<b>Overall Incidence</b>	Total	3/150 (2%)	Mean 2%	SD 2%	Total	3/150 (2%)	Mean 2% SD 2%
.....							
<b>#Skin:</b>							
<b>Liposarcoma</b>							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0% SD 0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: SKIN  
 Vehicle: ETHANOL

Page: 315  
 Report Date: 11/17/2008

		Male				Female			
<b>#Skin:</b>									
<b>Myxosarcoma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%
									SD 0%
.....									
<b>#Skin:</b>									
<b>Neural Crest Tumor</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%
									SD 0%
.....									
<b>#Skin:</b>									
<b>Neurofibrosarcoma or Schwannoma (malignant or NOS)</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	2/50	(4%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	3/150	(2%)	Mean 2%
									SD 2%
.....									
<b>#Skin:</b>									
<b>Neurofibrosarcoma, Neurofibroma, or Schwannoma (benign, malignant or NOS)</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	2/50	(4%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	3/150	(2%)	Mean 2%
									SD 2%
.....									
<b>#Skin:</b>									
<b>Osteosarcoma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%
									SD 0%
.....									
<b>#Skin:</b>									
<b>Sarcoma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	1/150	(0.67%)	Mean 0.67%
									SD 1.15%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: SKIN  
 Vehicle: ETHANOL

Page: 316  
 Report Date: 11/17/2008

		Male			Female		
<b>#Skin:</b>							
<b>Schwannoma Malignant</b>							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	2/50 (4%)	1/50 (2%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total 3/150 (2%)	Mean 2%	SD 2%
.....							
<b>#Skin:</b>							
<b>Squamous Cell Carcinoma</b>							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total 0/150 (0%)	Mean 0%	SD 0%
.....							
<b>#Skin:</b>							
<b>Squamous Cell Carcinoma, Basal Cell Carcinoma, Basosquamous Tumor (malignant or NOS), or Carcinoma</b>							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total 1/150 (0.67%)	Mean 0.67%	SD 1.15%
.....							
<b>#Skin:</b>							
<b>Squamous Cell Papilloma</b>							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total 0/150 (0%)	Mean 0%	SD 0%
.....							
<b>#Skin:</b>							
<b>Squamous Cell Papilloma or Papilloma</b>							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total 0/150 (0%)	Mean 0%	SD 0%
.....							
<b>#Skin:</b>							
<b>Squamous Cell Papilloma, Papilloma, Squamous Cell Carcinoma or Keratoacanthoma</b>							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total 0/150 (0%)	Mean 0%	SD 0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: SKIN  
 Vehicle: ETHANOL

Page: 317  
 Report Date: 11/17/2008

		Male				Female			
<b>#Skin:</b>									
<b>Squamous Cell Papilloma, Papilloma, or Keratoacanthoma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%
									SD 0%
.....									
<b>#Skin:</b>									
<b>Trichoepithelioma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%
									SD 0%
.....									
<b>#Skin: Sebaceous Gland:</b>									
<b>Adenoma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%
									SD 0%
.....									
<b>#Skin: Sebaceous Gland:</b>									
<b>Carcinoma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%
									SD 0%
.....									
<b>#Skin: Sebaceous Gland:</b>									
<b>Carcinoma or Adenoma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%
									SD 0%
.....									
<b>#Spinal Cord:</b>									
<b>Meningioma Malignant</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%
									SD 0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: SKIN  
 Vehicle: ETHANOL

Page: 318  
 Report Date: 11/17/2008

		Male				Female							
<b>*Spleen:</b>													
<b>Fibrous Histiocytoma</b>													
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	1/50	(2%)	0/49	(0%)
<b>Overall Incidence</b>	Total	0/149	(0%)	Mean 0%	SD 0%	Total	1/149	(0.67%)	Mean 0.67%	SD 1.15%			
.....													
<b>*Spleen:</b>													
<b>Hemangioma</b>													
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)
<b>Overall Incidence</b>	Total	0/149	(0%)	Mean 0%	SD 0%	Total	0/149	(0%)	Mean 0%	SD 0%			
.....													
<b>*Spleen:</b>													
<b>Hemangiosarcoma</b>													
		3/50	(6%)	1/50	(2%)	0/49	(0%)	5/50	(10%)	0/50	(0%)	1/49	(2%)
<b>Overall Incidence</b>	Total	4/149	(2.68%)	Mean 2.67%	SD 3.06%	Total	6/149	(4.03%)	Mean 4.01%	SD 5.28%			
.....													
<b>#Stomach, Forestomach:</b>													
<b>Mast Cell Tumor Malignant</b>													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%			
.....													
<b>#Stomach, Forestomach:</b>													
<b>Squamous Cell Carcinoma</b>													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%			
.....													
<b>#Stomach, Forestomach:</b>													
<b>Squamous Cell Carcinoma or Papilloma Squamous</b>													
		0/50	(0%)	0/50	(0%)	1/50	(2%)	1/50	(2%)	1/50	(2%)	1/50	(2%)
<b>Overall Incidence</b>	Total	1/150	(0.67%)	Mean 0.67%	SD 1.15%	Total	3/150	(2%)	Mean 2%	SD 0%			

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: SKIN**  
**Vehicle: ETHANOL**

Page: 319  
 Report Date: 11/17/2008

		Male			Female		
<b>#Stomach, Forestomach:</b>							
<b>Squamous Cell Papilloma</b>							
		0/50 (0%)	0/50 (0%)	1/50 (2%)	1/50 (2%)	1/50 (2%)	
<b>Overall Incidence</b>	Total	1/150 (0.67%)	Mean 0.67%	SD 1.15%	Total 3/150 (2%)	Mean 2%	SD 0%
.....							
<b>#Stomach, Glandular:</b>							
<b>Adenoma</b>							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total 0/150 (0%)	Mean 0%	SD 0%
.....							
<b>#Stomach, Glandular:</b>							
<b>Carcinoma</b>							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total 0/150 (0%)	Mean 0%	SD 0%
.....							
<b>#Stomach, Glandular:</b>							
<b>Carcinoma or Adenoma</b>							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total 0/150 (0%)	Mean 0%	SD 0%
.....							
<b>*Testes:</b>							
<b>Adenoma</b>							
		2/50 (4%)	2/50 (4%)	0/50 (0%)			
<b>Overall Incidence</b>	Total	4/150 (2.67%)	Mean 2.67%	SD 2.31%			
.....							
<b>*Testes:</b>							
<b>Hemangiosarcoma</b>							
		0/50 (0%)	0/50 (0%)	0/50 (0%)			
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%			

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: SKIN  
 Vehicle: ETHANOL

Page: 320  
 Report Date: 11/17/2008

		Male				Female								
<b>*Thymus:</b>														
<b>Thymoma Malignant</b>														
		0/49	(0%)	1/47	(2%)	0/47	(0%)	0/50	(0%)	1/47	(2%)	0/46	(0%)	
<b>Overall Incidence</b>	Total	1/143	(0.7%)	Mean	0.71%	SD	1.23%	Total	1/143	(0.7%)	Mean	0.71%	SD	1.23%
.....														
<b>*Thymus:</b>														
<b>Thymoma: Benign, Malignant, NOS</b>														
		0/49	(0%)	1/47	(2%)	0/47	(0%)	0/50	(0%)	1/47	(2%)	0/46	(0%)	
<b>Overall Incidence</b>	Total	1/143	(0.7%)	Mean	0.71%	SD	1.23%	Total	1/143	(0.7%)	Mean	0.71%	SD	1.23%
.....														
<b>*Thyroid Gland:</b>														
<b>Adenoma</b>														
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
<b>Overall Incidence</b>	Total	0/149	(0%)	Mean	0%	SD	0%	Total	0/150	(0%)	Mean	0%	SD	0%
.....														
<b>*Thyroid Gland: C-Cell:</b>														
<b>Carcinoma</b>														
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
<b>Overall Incidence</b>	Total	0/149	(0%)	Mean	0%	SD	0%	Total	0/150	(0%)	Mean	0%	SD	0%
.....														
<b>*Thyroid Gland: C-Cell:</b>														
<b>Carcinoma or Adenoma</b>														
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
<b>Overall Incidence</b>	Total	0/149	(0%)	Mean	0%	SD	0%	Total	0/150	(0%)	Mean	0%	SD	0%
.....														
<b>*Thyroid Gland: Follicular Cell:</b>														
<b>Adenoma</b>														
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	3/50	(6%)	
<b>Overall Incidence</b>	Total	0/149	(0%)	Mean	0%	SD	0%	Total	3/150	(2%)	Mean	2%	SD	3.46%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: SKIN**  
**Vehicle: ETHANOL**

Page: 321  
 Report Date: 11/17/2008

		Male				Female			
<b>*Thyroid Gland: Follicular Cell: Carcinoma</b>									
Overall Incidence	Total	1/50 (2%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/149 (0.67%)	Mean 0.67%	SD 1.15%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
<b>*Thyroid Gland: Follicular Cell: Carcinoma or Adenoma</b>									
Overall Incidence	Total	1/50 (2%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	3/50 (6%)	0/50 (0%)	3/50 (6%)
		1/149 (0.67%)	Mean 0.67%	SD 1.15%	Total	3/150 (2%)	Mean 2%	SD 3.46%	
.....									
<b>#Tissue NOS: Carcinoma</b>									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
<b>#Tissue NOS: Hemangiosarcoma</b>									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
<b>#Tissue NOS: Schwannoma Malignant</b>									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
<b>#Tongue: Squamous Cell Carcinoma</b>									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: SKIN**  
**Vehicle: ETHANOL**

Page: 322  
 Report Date: 11/17/2008

	Male					Female					
<b>#Tongue:</b>											
<b>Squamous Cell Carcinoma or Papilloma Squamous</b>											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
<b>#Tongue:</b>											
<b>Squamous Cell Papilloma</b>											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
<b>#Tooth:</b>											
<b>Odontoma</b>											
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	1/150	(0.67%)	Mean 0.67%	SD 1.15%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
<b>*Urinary Bladder:</b>											
<b>Hemangioma</b>											
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	1/150	(0.67%)	Mean 0.67%	SD 1.15%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
<b>*Urinary Bladder:</b>											
<b>Hemangiosarcoma</b>											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
<b>*Urinary Bladder:</b>											
<b>Sarcoma</b>											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%	SD 0%	Total	1/150	(0.67%)	Mean 0.67%	SD 1.15%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: SKIN  
 Vehicle: ETHANOL

Page: 323  
 Report Date: 11/17/2008

	Male			Female
<b>#Uterus:</b>				
<b>Adenoma</b>				
		0/50	(0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	1/150	(0.67%)	Mean 0.67% SD 1.15%
.....				
<b>#Uterus:</b>				
<b>Carcinoma</b>				
		0/50	(0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0% SD 0%
.....				
<b>#Uterus:</b>				
<b>Hemangioma</b>				
		0/50	(0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0% SD 0%
.....				
<b>#Uterus:</b>				
<b>Hemangiosarcoma</b>				
		0/50	(0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0% SD 0%
.....				
<b>#Uterus:</b>				
<b>Leiomyoma</b>				
		0/50	(0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0% SD 0%
.....				
<b>#Uterus:</b>				
<b>Leiomyosarcoma</b>				
		0/50	(0%)	0/50 (0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0% SD 0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: SKIN  
 Vehicle: ETHANOL

Page: 324  
 Report Date: 11/17/2008

	Male			Female
<b>#Uterus:</b>				
<b>Polyp Stromal</b>				
		0/50	(0%)	1/50
				(2%)
<b>Overall Incidence</b>	Total	5/150	(3.33%)	Mean 3.33%
				SD 4.16%
.....				
<b>#Uterus:</b>				
<b>Sarcoma Stromal</b>				
		0/50	(0%)	0/50
				(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%
				SD 0%
.....				
<b>#Uterus:</b>				
<b>Sarcoma Stromal or Polyp Stromal</b>				
		0/50	(0%)	1/50
				(2%)
<b>Overall Incidence</b>	Total	5/150	(3.33%)	Mean 3.33%
				SD 4.16%
.....				
<b>#Uterus:</b>				
<b>Schwannoma Malignant</b>				
		0/50	(0%)	0/50
				(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%
				SD 0%
.....				
<b>#Vagina:</b>				
<b>Squamous Cell Carcinoma</b>				
		0/50	(0%)	0/50
				(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%
				SD 0%
.....				
<b>#Vagina:</b>				
<b>Squamous Cell Papilloma</b>				
		0/50	(0%)	0/50
				(0%)
<b>Overall Incidence</b>	Total	0/150	(0%)	Mean 0%
				SD 0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Nov2008  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
**Route: SKIN**  
**Vehicle: ETHANOL**

Page: 325  
 Report Date: 11/17/2008

		Male			Female		
<b>#Zymbal's Gland:</b>							
<b>Carcinoma</b>							
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	
.....							
<b>#Zymbal's Gland:</b>							
<b>Carcinoma or Adenoma</b>							
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	
<b>Overall Incidence</b>	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied