



National Toxicology Program

U.S. Department of Health and Human Services

**LITERATURE SEARCH RESULTS FOR THE  
SYSTEMATIC REVIEW OF LONG-TERM  
NEUROLOGICAL EFFECTS FOLLOWING ACUTE  
EXPOSURE TO THE ORGANOPHOSPHORUS  
NERVE AGENT SARIN**

March 15, 2018

Office of Health Assessment and Translation  
Division of the National Toxicology Program  
National Institute of Environmental Health Sciences

## LITERATURE SEARCH RESULTS

### Literature Search

Search terms were developed to identify all relevant published evidence that addresses the research question on long-term neurological health effects potentially associated with acute, sublethal exposure to sarin in humans and animals by (1) using the search term “sarin” and related synonyms “GB” or sarin’s IUPAC ID “(RS)-propan-2-yl methylphosphonofluoridate”, (2) without restriction by health outcome or key words to identify long-term neurological effects. A test set of relevant studies was used to ensure that the search terms retrieved 100% of the test set. The following eight electronic databases were searched using a search strategy tailored for each database by an informationist on the evaluation team (specific search terms used for the PubMed search are presented in [Appendix 1](#)); the search strategy for other databases are available in the protocol. No language restrictions or publication year limits were imposed and the databases were searched in April 2016, with a final updated search on January 19, 2017.

#### **Databases Searched**

- Cochrane Library
- DITIC
- EMBASE
- NIOSHTIC
- PubMed
- Scopus
- Toxline
- Web of Science

#### **Searching Other Resources**

The reference lists of all included studies, relevant reviews or reports, commentaries or letters on specific studies, and other non-research articles were manually searched for additional relevant publications.


Given that incidents of human exposure to sarin includes terrorist attacks and military personnel, the search was conducted to identify the anticipated range of evidence for human studies; original papers may include non-peer-reviewed studies, for example, reports from US military observational studies, as well as uncontrolled studies, case series, or case reports. In all instances, the paper must: (1) document exposure to sarin; (2) confirm both acute symptoms, *i.e.*, cholinergic crisis; and (3) assess and report some long-term neurological health effects from the exposure.

### Literature Search Results

The electronic database searches retrieved 6,306 references. Ninety-three percent of the total references retrieved (5,837) were excluded during the title and abstract screening and 381 references were excluded during the full text review for not satisfying the PECO criteria. The screening results are outlined in the study selection diagram with reasons for exclusion documented at the full text review stage ([Figure 1](#)). After full text review, 87 studies were considered relevant, which included 34 human studies and 47 animal studies. However, 2 of the human publications and 4 of the animal publications included data published in another study, so there were 32 human datasets within the 34 human studies and 43 animal datasets within the 47 animal studies. When multiple publications presented the same

data, a single study was selected for extraction (e.g., the first or most complete reporting) and all of the studies were included in the HAWC project database for this sarin evaluation (<https://hawcproject.org/assessment/302/>) and were reviewed to answer risk-of-bias questions regarding the datasets that were extracted. In addition, 6 studies were identified that included unpublished data. The unpublished data were reviewed, but determined not to have any data that would change the hazard conclusions because the data were either subsequently published, were not published by authors who had published several other studies on the topics, the data did not add any useful evidence to the sections, or the data only added to the heterogeneity of the data; therefore, it was not extracted or included in the assessment. The list of included references are provided below.

**Figure 1. Study Selection Diagram**



## REFERENCES INCLUDED AFTER FULL-TEXT REVIEW

### List of Included Studies

#### *Studies in Humans*

- Baker D, Sedgwick E. 1996. Single fibre electromyographic changes in man after organophosphate exposure. *Hum Exp Toxicol* 15(5): 369-375.
- Grob D. 1956. The manifestations and treatment of poisoning due to nerve gas and other organic phosphate anticholinesterase compounds. *AMA Arch Intern Med* 98(2): 221-239.
- Grob D, Harvey J. 1958. Effects in man of the anticholinesterase compound sarin (isopropyl methyl phosphonofluoridate). *J Clin Invest* 37(3): 350-368.
- Himuro K, Murayama S, Nishiyama K, Shinoe T, Iwase H, Nagao M, Takatori T, Kanazawa I. 1998. Distal sensory axonopathy after sarin intoxication. *Neurology* 51(4): 1195-1197.
- Kawana N, Ishimatsu S, Kanda K. 2001. Psycho-physiological effects of the terrorist sarin attack on the Tokyo subway system. *Mil Med* 166(12 Suppl): 23-26.
- Kawana N, Ishimatsu S, Matsui Y, Tamaki S, Kanda K. 2005. Chronic posttraumatic stress symptoms in victims of Tokyo subway sarin gas attack. *Traumatology* 11(2): 87-102.
- Loh Y, Swanberg M, Ingram M, Newmark J. 2010. Case report: Long-term cognitive sequelae of sarin exposure. *Neurotox* 31(2): 244-246.
- Miyaki K, Nishiwaki Y, Maekawa K, Ogawa Y, Asukai N, Yoshimura K, Etoh N, Matsumoto Y, Kikuchi Y, Kumagai N, Omae K. 2005. Effects of sarin on the nervous system of subway workers seven years after the Tokyo subway sarin attack. *J Occup Health* 47(4): 299-304.
- Morita H, Yanagisawa N, Nakajima T, Shimizu M, Hirabayashi H, Okudera H, Nohara M, Midorikawa Y, Mimura S. 1995. Sarin poisoning in Matsumoto, Japan. *Lancet* 346(8970): 290-293.
- Murata K, Araki S, Yokoyama K, Okumura T, Ishimatsu S, Takasu N, White R. 1997. Asymptomatic sequelae to acute sarin poisoning in the central and autonomic nervous system 6 months after the Tokyo subway attack. *J Neurol* 244(10): 601-606.
- Nakajima T, Ohta S, Morita H, Midorikawa Y, Mimura S, Yanagisawa N. 1998. Epidemiological study of sarin poisoning in Matsumoto City, Japan. *J Epidemiol* 8(1): 33-41.
- Nakajima T, Ohta S, Fukushima Y, Yanagisawa N. 1999. Sequelae of sarin toxicity at one and three years after exposure in Matsumoto, Japan. *J Epidemiol* 9(5): 337-343.
- Nishiwaki Y, Maekawa K, Ogawa Y, Asukai N, Minami M, Omae K. 2001. Effects of sarin on the nervous system in rescue team staff members and police officers 3 years after the Tokyo subway sarin attack. *Environ Health Perspect* 109(11): 1169-1173.
- Nohara M, Segawa K. 1996. Ocular symptoms due to organophosphorus gas (Sarin) poisoning in Matsumoto. *Br J Ophthalmol* 80(11): 1023.
- Ogawa Y, Yamamura Y, Ando H, Kadokura M, Agata T, Fukumoto M, Satake T, Machida K, Sakai O, Miyata Y, Nonaka H, Nakajima K, Hamaya S, Miyazaki S, Ohida M, Yoshioka T, Takagi S, Shimizu H. 1999. An attack with sarin nerve gas on the Tokyo subway system and its effects on victims. *ACS Symposium Series* 745: 333-355.

- Ohbu S, Yamashina A, Takasu N, Yamaguchi T, Murai T, Nakano K, Matsui Y, Mikami R, Sakurai K, Hinohara S. 1997. Sarin poisoning on Tokyo subway. *South Med J* 90(6): 587-593.
- Ohtani T, Iwanami A, Kasai K, Yamasue H, Kato T, Sasaki T, Kato N. 2004. Post-traumatic stress disorder symptoms in victims of Tokyo subway attack: a 5-year follow-up study. *Psychiatry Clin Neurosci* 58(6): 624-629.
- Ohtomi S, Takase M, Kumagai F. 1996. Sarin poisoning in Japan. A clinical experience in Japan Self Defense Force (JSDF) Central Hospital. *Revue Internationale Des Services De Sante Des Forces Armees* 69(4-6): 97-102.
- Okudera H. 2002. Clinical features on nerve gas terrorism in Matsumoto. *J Clin Neurosci* 9(1): 17-21.
- Okumura T, Takasu N, Ishimatsu S, Miyanoki S, Mitsunashi A, Kumada K, Tanaka K, Hinohara S. 1996. Report on 640 victims of the Tokyo subway sarin attack. *Ann Emerg Med* 28(2): 129-135.
- Okumura T, Hisaoka T, Naito T, Isonuma H, Okumura S, Miura K, Maekawa H, Ishimatsu S, Takasu N, Suzuki K. 2005. Acute and chronic effects of sarin exposure from the Tokyo subway incident. *Environ Toxicol Pharmacol* 19(3): 447-450.
- Rengstorff R. 1985. Accidental exposure to sarin: vision effects. *Arch Toxicol* 56(3): 201-203.
- Rengstorff RH. 1994. Vision and ocular changes following accidental exposure to organophosphates. *J Appl Toxicol* 14(2): 115-118.
- Sekijima Y, Morita H, Shindo M, Okudera H, Shibata T. 1995. [A case of severe sarin poisoning in the sarin attack in Matsumoto--one-year follow-up of clinical findings, and laboratory data]. *Rinsho Shinkeigaku* 35(11): 1241-1245.
- Sekijima Y, Morita H, Yanagisawa N. 1997. Follow-up of sarin poisoning in Matsumoto. *Ann Intern Med* 127(11): 1042.
- Sidell F. 1974. Soman and sarin: clinical manifestations and treatment of accidental poisoning by organophosphates. *Clin Toxicol* 7(1): 1-17.
- Suzuki J, Kohno T, Tsukagosi M, Furuhashi T, Yamazaki K. 1997. Eighteen cases exposed to sarin in Matsumoto, Japan. *Intern Med* 36(7): 466-470.
- Tochigi M, Umekage T, Otani T, Kato T, Iwanami A, Asukai N, Sasaki T, Kato N. 2002. Serum cholesterol, uric acid and cholinesterase in victims of the Tokyo subway sarin poisoning: a relation with post-traumatic stress disorder. *Neurosci Res* 44(3): 267-272.
- Tochigi M, Otani T, Yamasue H, Kasai K, Kato T, Iwanami A, Kato N, Sasaki T. 2005. Support for relationship between serum cholinesterase and post-traumatic stress disorder; 5-year follow-ups of victims of the Tokyo subway sarin poisoning. *Neurosci Res* 52(2): 129-131.
- Yamasue H, Abe O, Kasai K, Suga M, Iwanami A, Yamada H, Tochigi M, Ohtani T, Rogers M, Sasaki T, Aoki S, Kato T, Kato N. 2007. Human brain structural change related to acute single exposure to sarin. *Ann Neurol* 61(1): 37-46.
- Yokoyama K, Araki S, Murata K, Nishikitani M, Okumura T, Ishimatsu S, Takasu N. 1998. Chronic neurobehavioral and central and autonomic nervous system effects of Tokyo subway sarin poisoning. *J Physiol Paris* 92(3-4): 317-323.
- Yokoyama K, Araki S, Murata K, Nishikitani M, Okumura T, Ishimatsu S, Takasu N. 1998. A preliminary study on delayed vestibulo-cerebellar effects of Tokyo Subway Sarin Poisoning in relation to gender difference: frequency analysis of postural sway. *J Occup Environ Med* 40(1): 17-21.

Yokoyama K, Araki S, Murata K, Nishikitani M, Okumura T, Ishimatsu S, Takasu N, White R. 1998. Chronic neurobehavioral effects of Tokyo subway sarin poisoning in relation to posttraumatic stress disorder. *Arch Environ Health* 53(4): 249-256.

Yokoyama K, Araki S, Nishikitani M, Sato H. 2002. Computerized posturography with sway frequency analysis: application in occupational and environmental health. *Ind Health* 40(1): 14-22.

### **Studies in Non-human Animals**

Abou Donia M, Dechkovskaia A, Goldstein L, Bullman S, Khan W. 2002. Sensorimotor deficit and cholinergic changes following coexposure with pyridostigmine bromide and sarin in rats. *Toxicol Sci* 66(1): 148-158.

Allon N, Chapman S, Egoz I, Rabinovitz I, Kapon J, Weissman B, Yacov G, Bloch-Shilderman E, Grauer E. 2011. Deterioration in brain and heart functions following a single sub-lethal (0.8 LC<sub>50</sub>) inhalation exposure of rats to sarin vapor: a putative mechanism of the long term toxicity. *Toxicol Appl Pharmacol* 253(1): 31-37.

Bansal I, Waghmare C, Anand T, Gupta A, Bhattacharya B. 2009. Differential mRNA expression of acetylcholinesterase in the central nervous system of rats with acute and chronic exposure of sarin & physostigmine. *J Appl Toxicol* 29(5): 386-394.

Bhardwaj S, Musalgaonkar N, Waghmare C, Bhattacharya B. 2012. Single dose exposure of sarin and physostigmine differentially regulates expression of choline acetyltransferase and vesicular acetylcholine transporter in rat brain. *Chem Biol Interact* 198(1-3): 57-64.

Bielavska M, Kassa J. 2000. Simultaneous determination of dopamine, serotonin and their metabolites in the rat brain by HPLC method with coulometric detection. *Collection of Czechoslovak Chemical Communications* 65(10): 1677-1682.

Bizot J. 1998. Effects of various drugs including organophosphorus compounds (OPC) and therapeutic compounds against OPC on DRL responding. *Pharmacol Biochem Behav* 59(4): 1069-1080.

Bloch-Shilderman E, Kadar T, Levy A, Sahar R, Rabinovitz I, Gilat E. 2005. Subcellular alterations of protein kinase C isozymes in the rat brain after organophosphate poisoning. *J Pharmacol Exp Ther* 313(3): 1082-1089.

Burchfiel J, Duffy F, Sim V. 1976. Persistent effects of sarin and dieldrin upon primate electroencephalogram. *Toxicol Appl Pharmacol* 35: 365-379.

Burchfiel J, Duffy F. 1982. Organophosphate neurotoxicity: chronic effects of sarin on the electroencephalogram of monkey and man. *Neurobehav Toxicol Teratol* 4(6): 767-778.

Chaubey K, Rao M, Alam S, Waghmare C, Bhattacharya B. 2016. Increased expression of immune modulator proteins and decreased expression of apolipoprotein A-1 and haptoglobin in blood plasma of sarin exposed rats. *Chem Biol Interact* 246: 36-44.

Damodaran T, Bilska M, Rahman A, Abou-Doni M. 2002. Sarin causes early differential alteration and persistent overexpression in mRNAs coding for glial fibrillary acidic protein (GFAP) and vimentin genes in the central nervous system of rats. *Neurochem Res* 27(5): 407-415.

- Damodaran T, Mecklai A, Abou-Donia M. 2002. Sarin causes altered time course of mRNA expression of alpha tubulin in the central nervous system of rats. *Neurochem Res* 27(3): 177-181.
- Damodaran T, Jones K, Patel A, Abou-Donia M. 2003. Sarin (nerve agent GB)-induced differential expression of mRNA coding for the acetylcholinesterase gene in the rat central nervous system. *Biochem Pharmacol* 65(12): 2041-2047.
- Damodaran T, Patel A, Greenfield S, Dressman H, Lin S, Abou-Donia M. 2006. Gene expression profiles of the rat brain both immediately and 3 months following acute sarin exposure. *Biochem Pharmacol* 71(4): 497-520.
- Duffy FH, Burchfield JL, Sim VM. 1976. Persistent Effects Of Organophosphate Exposure As Evidenced By Electroencephalographic Measurements, Pesticide Induced Delayed Neurotoxicity, Washington, DC: 102-151.
- Genovese R, Oubre J, Jakubowski E, Fleming P, Saxena A, Rockwood G, Tipparaju P, Willmore C. 2007. Evaluation of cognitive and biochemical effects of low-level exposure to sarin in rhesus and African green monkeys. *Toxicology* 231(1): 11-20.
- Genovese R, Benton B, Oubre J, Fleming P, Jakubowski E, Mioduszewski R. 2008. Determination of miosis threshold from whole-body vapor exposure to sarin in African green monkeys. *Toxicology* 244(2-3): 123-132.
- Genovese R, Mioduszewski R, Benton B, Pare M, Cooksey J. 2009. Behavioral evaluation of rats following low-level inhalation exposure to sarin. *Pharmacol Biochem Behav* 91(4): 517-525.
- Grauer E, Levy A. 2007. Oxotremorine-induced hypothermia as a method for evaluating long-term neuronal changes following poisoning by cholinesterase inhibitors in rats. *Toxicology* 242(1-3): 1-6.
- Grauer E, Chapman S, Rabinovitz I, Raveh L, Weissman B, Kadar T, Allon N. 2008. Single whole-body exposure to sarin vapor in rats: long-term neuronal and behavioral deficits. *Toxicol Appl Pharmacol* 227(2): 265-274.
- Gupta R, Patterson G, Dettbarn W. 1991. Comparison of cholinergic and neuromuscular toxicity following acute exposure to sarin and VX in rat. *Fundam Appl Toxicol* 16(3): 449-458.
- Jones K, Dechkovskaia A, Herrick E, Abdel RA, Khan W, Abou Donia M. 2000. Subchronic effects following a single sarin exposure on blood-brain and blood-testes barrier permeability, acetylcholinesterase, and acetylcholine receptors in the central nervous system of rat: a dose-response study. *J Toxicol Environ Health A* 61(8): 695-707.
- Kadar T, Shapira S, Cohen G, Sahar R, Alkalay D, Raveh L. 1995. Sarin-induced neuropathology in rats. *Hum Exp Toxicol* 14(3): 252-259.
- Kassa J, Koupilova M, Herink J, Vachek J. 2000. Long-term neurotoxicity in rats exposed to low-level sarin. *Homeostasis Hlth Dis* 40(1-2): 53-54.
- Kassa J, Koupilova M, Herink J, Vachek J. 2001. The long-term influence of low-level sarin exposure on behavioral and neurophysiological functions in rats. *Acta Medica (Hradec Kralove)* 44(1): 21-27.
- Kassa J, Koupilova M, Vachek J. 2001. Long-term effects of low-level sarin inhalation exposure on the spatial memory of rats in a T-maze. *Acta Medica (Hradec Kralove)* 44(3): 93-96.
- Kassa J, Koupilova M, Vachek J. 2001. The influence of low-level sarin inhalation exposure on the spatial memory of rats. *Pharmacol Biochem Behav* 70(1): 175-179.

- Kassa J, Koupilova M, Vachek J. 2001. The influence of low-level sarin inhalation exposure on the spatial memory of rats. *Homeostasis* 41(3-4): 157-159.
- Kassa J, Pecka M, Tichy M, Bajgar J, Koupilova M, Herink J, Krocova Z. 2001. Toxic effects of sarin in rats at three months following single or repeated low-level inhalation exposure. *Pharmacol Toxicol* 88(4): 209-212.
- Kassa J, Krejcova G, Vachek J. 2002. The impairment of spatial memory following low-level sarin inhalation exposure and antidotal treatment in rats. *Acta Medica (Hradec Kralove)* 45(4): 149-153.
- Kassa J, Krejcova G, Skopec F, Herink J, Bajgar J, Sevelova L, Tichy M, Pecka M. 2004. The influence of sarin on various physiological functions in rats following single or repeated low-level inhalation exposure. *Inhal Toxicol* 16(8): 517-530.
- Kawabuchi M, Cintra W, Deshpande S, Albuquerque E. 1991. Morphological and electrophysiological study of distal motor nerve fiber degeneration and sprouting after irreversible cholinesterase inhibition. *Synapse* 8(3): 218-228.
- Koelle G, Koelle W, Smyrl E. 1977. Effects of inactivation of butyrylcholinesterase on steady state and regenerating levels of ganglionic acetylcholinesterase. *J Neurochem* 28(2): 313-319.
- Landauer M, Romano J. 1984. Acute behavioral toxicity of the organophosphate sarin in rats. *Neurobehav Toxicol Teratol* 6(3): 239-243.
- Lazar S, Egoz I, Brandeis R, Chapman S, Bloch-Shilderman E, Grauer E. 2016. Propagation of damage in the rat brain following sarin exposure: Differential progression of early processes. *Toxicol Appl Pharmacol* 310: 87-97.
- Little P, Reynolds M, Bowman E, Martin B. 1986. Tissue disposition of [3H]sarin and its metabolites in mice. *Toxicol Appl Pharmacol* 83(3): 412-419.
- Meshul C, Boyne A, Deshpande S, Albuquerque E. 1985. Comparison of the ultrastructural myopathy induced by anticholinesterase agents at the end plates of rat soleus and extensor muscles. *Exp Neurol* 89(1): 96-114.
- Mioduszewski R, Manthei J, Way R, Burnett D, Gaviola B, Muse W, Thomson S, Sommerville D, Crosier R. 2002. Interaction of exposure concentration and duration in determining acute toxic effects of sarin vapor in rats. *Toxicol Sci* 66(2): 176-184.
- Muggleton N, Bowditch A, Crofts H, Scott E, Pearce P. 2003. Assessment of a combination of physostigmine and scopolamine as pretreatment against the behavioural effects of organophosphates in the common marmoset (*Callithrix jacchus*). *Psychopharmacology (Berl)* 166(3): 212-220.
- Nieminen S, Lecklin A, Heikkinen O, Ylitalo P. 1990. Acute behavioural effects of the organophosphates sarin and soman in rats. *Pharmacol Toxicol* 67(1): 36-40.
- Pearce P, Crofts H, Muggleton N, Ridout D, Scott E. 1999. The effects of acutely administered low dose sarin on cognitive behaviour and the electroencephalogram in the common marmoset. *J Psychopharmacol* 13(2): 128-135.
- RamaRao G, Acharya J, Bhattacharya B. 2011. Changes of protein oxidation, calpain and cytoskeletal proteins (alpha tubulin and pNF-H) levels in rat brain after nerve agent poisoning. *Toxicol Lett* 203(3): 227-236.



- Scaife J, Shuster J. 1960. Tissue cholinesterase levels in sarin poisoning. *Can J Biochem Physiol* 38: 1087-1093.
- Singer A, Jaax N, Graham J, McLeod C, Jr. 1987. Cardiomyopathy in Soman and Sarin intoxicated rats. *Toxicol Lett* 36(3): 243-249.
- Tripathi H, Dewey W. 1989. Comparison of the effects of diisopropylfluorophosphate, sarin, soman, and tabun on toxicity and brain acetylcholinesterase activity in mice. *J Toxicol Environ Health* 26(4): 437-446.
- Whalley C, Shih T. 1989. Effects of soman and sarin on high affinity choline uptake by rat brain synaptosomes. *Brain Res Bull* 22(5): 853-858.
- Wolthuis O, Groen B, Busker R, van Helden H. 1995. Effects of low doses of cholinesterase inhibitors on behavioral performance of robot-tested marmosets. *Pharmacol Biochem Behav* 51(2-3): 443-456.

## APPENDICES

### Appendix 1. Literature Search Strategy

The search terms and databases searched are provided below.

Database	Search Terms
Cochrane Library	(sarin or zarin or "o Isopropylmethyl Phosphonofluoridate" or "ortho Isopropylmethyl Phosphonofluoridate" or "ortho-Isopropylmethyl Phosphonofluoridate" or "Isopropyl methylphosphonofluoridate" or "Isopropyl Methylfluorophosphonate" or "(RS)-propan-2-yl methylphosphonofluoridate" or (GB and organophos*) or (GB and nerve)):ti,ab,kw
Embase	'sarin':ab,ti OR 'sarin'/exp OR 'o isopropylmethyl phosphonofluoridate':ab,ti OR 'ortho isopropylmethyl phosphonofluoridate':ab,ti OR 'ortho-isopropylmethyl phosphonofluoridate':ab,ti OR 'isopropyl methylphosphonofluoridate'/exp OR 'isopropyl methylphosphonofluoridate':ab,ti OR 'isopropyl methylfluorophosphonate':ab,ti OR '(rs)-propan-2-yl methylphosphonofluoridate':ab,ti OR (gb:ab,ti AND organophos*:ab,ti) OR (gb:ab,ti AND nerve:ab,ti)
NIOSHTIC-2 Publications	Sarin[title] OR sarin[abstract] OR zarin[title] OR zarin[abstract]
NIOSHTIC-2 Publications	GB[abstract] AND nerve[abstract]
NIOSHTIC-2 Publications	GB[title] AND nerve[title]
NIOSHTIC-2 Publications	GB[abstract] AND organophos*[abstract]
NIOSHTIC-2 Publications	GB[title] AND organophos*[title]
PubMed/MEDLINE	(sarin[tiab] OR sarin[mesh] OR zarin[tiab] OR "o Isopropylmethyl Phosphonofluoridate"[tiab] OR "ortho Isopropylmethyl Phosphonofluoridate"[tiab] OR "ortho-Isopropylmethyl Phosphonofluoridate"[tiab] OR "Isopropyl methylphosphonofluoridate"[tiab] OR "Isopropyl Methylfluorophosphonate"[tiab] OR "(RS)-propan-2-yl methylphosphonofluoridate"[tiab] OR (GB[tiab] AND organophos*[tiab]) OR (GB[tiab] AND nerve[tiab]))
Scopus	Title-Abs-Key((sarin OR zarin OR {o Isopropylmethyl Phosphonofluoridate} OR {ortho Isopropylmethyl Phosphonofluoridate} OR {ortho-Isopropylmethyl Phosphonofluoridate} OR {Isopropyl methylphosphonofluoridate} OR {Isopropyl Methylfluorophosphonate} OR {(RS)-propan-2-yl methylphosphonofluoridate} OR (GB AND organophos*) OR (GB AND nerve)))
TOXLINE	Title: sarin[ti] OR sarin[mh] OR zarin[ti] OR "o Isopropylmethyl Phosphonofluoridate"[ti] OR "ortho Isopropylmethyl Phosphonofluoridate"[ti] OR "ortho-Isopropylmethyl

Database	Search Terms
	Phosphonofluoridate"[ti] OR "Isopropyl methylphosphonofluoridate"[ti] OR "Isopropyl Methylfluorophosphonate"[ti] OR "(RS)-propan-2-yl methylphosphonofluoridate"[ti] OR (GB[ti] AND organophos*[ti]) OR (GB[ti] AND nerve[ti])
Toxline	Abstract: sarin[ab] OR sarin[mh] OR zarin[ab] OR "o Isopropylmethyl Phosphonofluoridate"[ab] OR "ortho Isopropylmethyl Phosphonofluoridate"[ab] OR "ortho-Isopropylmethyl Phosphonofluoridate"[ab] OR "Isopropyl methylphosphonofluoridate"[ab] OR "Isopropyl Methylfluorophosphonate"[ab] OR "(RS)-propan-2-yl methylphosphonofluoridate"[ab] OR (GB[ab] AND organophos*[ab]) OR (GB[ab] AND nerve[ab])
Web of Science	TS=(sarin OR zarin OR "o Isopropylmethyl Phosphonofluoridate" OR "ortho Isopropylmethyl Phosphonofluoridate" OR "ortho-Isopropylmethyl Phosphonofluoridate" OR "Isopropyl methylphosphonofluoridate" OR "Isopropyl Methylfluorophosphonate" OR "(RS)-propan-2-yl methylphosphonofluoridate" OR (GB AND organophos*) OR (GB AND nerve))