

TDMS No. 20101 - 02

Test Type: 26-39 WEEKS

Route: DOSED FEED

Species/Strain: MICE/P53(C57BL/6)

E08: FEED AND COMPOUND CONSUMPTION TABLE

Senna (powdered)

CAS Number: 8013-11-4

Date Report Requested: 09/22/2009

Time Report Requested: 11:35:15

First Dose M/F: 06/26/07 / 06/25/07

Lab: BAT

C Number: C20101B

Lock Date: 09/03/2008

Cage Range: ALL

Date Range: ALL

Reasons For Removal: ALL

Removal Date Range: ALL

Treatment Groups: Include ALL

Control List: Male: 001

Female: 002

Study Gender: Both

TDMSE Version: 2.1.0

MALE

WEEK	0 ppm				100 ppm						300 ppm					
	DAILY FEED(G)	FEED HOURS	BODY WT(G)	NUM WTS	DAILY FEED(G)	FEED HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY	DAILY FEED(G)	FEED HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1			25.3	25			25.2	25					25.5	25		
2	4.6	3979	25.9	25	4.7	4154	26.1	25	1.02	18.0	4.7	4182	26.0	25	1.02	54.3
3	4.8	4219	26.9	25	4.6	4236	26.7	25	0.96	17.2	4.9	4208	27.1	25	1.02	54.2
4	4.6	4194	27.8	25	4.7	4217	27.6	25	1.02	17.0	4.8	4047	28.0	25	1.04	51.5
5	4.7	4017	28.7	25	4.7	4167	28.9	25	1.00	16.3	4.7	4179	29.1	25	1.00	48.5
6	4.6	4194	30.0	25	4.7	4195	29.9	25	1.02	15.7	4.6	4198	30.2	25	1.00	45.7
7	4.4	4217	31.0	25	4.7	4244	30.7	25	1.07	15.3	5.0	4202	31.6	25	1.14	47.5
8	4.5	4189	31.7	25	4.8	4210	31.8	25	1.07	15.1	4.8	4191	32.3	25	1.07	44.6
9	4.9	4181	32.6	25	4.8	4149	32.9	25	0.98	14.6	4.8	4176	33.4	25	0.98	43.1
10	4.6	4040	33.4	25	4.7	4205	33.7	25	1.02	14.0	4.7	4194	34.4	25	1.02	41.0
11	4.5	4212	34.5	25	4.5	4237	34.3	25	1.00	13.1	4.7	4231	35.5	25	1.04	39.8
12	4.7	4185	35.1	25	4.7	3958	35.2	25	1.00	13.4	4.8	4162	36.3	25	1.02	39.7
13	4.7	4234	36.1	25	4.7	4203	36.3	25	1.00	12.9	4.8	4206	37.4	25	1.02	38.5
14	4.6	4190	36.7	25	4.4	4231	36.6	25	0.96	12.0	4.8	4232	37.9	25	1.04	38.0
15	4.5	4206	37.0	25	4.4	4199	36.8	25	0.98	11.9	4.7	4201	38.8	25	1.04	36.4
16	4.5	4190	38.0	25	4.7	4163	38.0	25	1.04	12.4	4.7	4178	39.5	25	1.04	35.7
17	4.6	4195	39.2	25	4.5	4207	38.6	25	0.98	11.6	4.7	4205	40.2	25	1.02	35.0
18	4.7	4163	40.1	25	4.6	4167	39.3	25	0.98	11.7	4.9	4146	41.5	25	1.04	35.4
19	4.4	4233	40.1	25	4.4	4220	39.6	25	1.00	11.1	4.5	4241	41.7	25	1.02	32.4
20	4.6	4195	41.0	25	4.6	4195	40.5	25	1.00	11.4	4.8	4200	42.8	25	1.04	33.6
21	4.4	4167	41.3	25	4.5	4178	41.0	25	1.02	11.0	4.8	4151	43.7	25	1.09	32.9
22	4.6	4197	41.9	25	4.5	4199	41.4	25	0.98	10.9	4.6	4198	43.9	25	1.00	31.4
23	4.8	4195	43.2	25	4.9	4194	42.4	25	1.02	11.6	4.9	4193	44.9	25	1.02	32.7
24	4.7	4200	43.7	25	4.7	4201	42.8	25	1.00	11.0	4.9	4201	45.7	25	1.04	32.2
25	4.7	4199	44.5	25	4.6	4199	43.2	25	0.98	10.6	4.7	4203	46.5	25	1.00	30.4
26	4.6	4208	44.8	25	4.8	4208	44.2	25	1.04	10.9	4.8	4204	47.1	25	1.04	30.6
27	4.8	4199	45.4	25	4.6	4198	44.6	25	0.96	10.3	4.7	4199	47.3	25	0.98	29.8
28	4.8	4191	46.4	25	4.6	4189	45.1	25	0.96	10.2	4.7	4190	47.7	25	0.98	29.6
29	4.5	4217	46.5	25	4.6	4217	45.5	25	1.02	10.1	4.8	4214	48.2	25	1.07	29.9
30	4.5	4196	46.9	25	4.7	4195	46.1	25	1.04	10.2	4.7	4194	48.3	25	1.04	29.2
31	4.6	4201	47.3	25	4.8	4202	46.9	25	1.04	10.2	4.9	4203	48.6	25	1.07	30.3
32	5.0	4199	47.7	25	4.9	4200	47.0	25	0.98	10.4	5.1	4199	48.8	25	1.02	31.4
33	4.6	4203	47.4	25	4.7	4353	47.2	25	1.02	10.0	5.2	4209	49.3	25	1.13	31.6
34	5.1	4199	48.1	25	5.1	4026	48.0	24	1.00	10.6	5.2	4195	49.5	25	1.02	31.5
35	4.8	4191	48.0	25	4.8	4027	47.9	24	1.00	10.0	5.0	4196	49.5	25	1.04	30.3
36	4.9	4200	48.3	25	5.1	4029	48.8	24	1.04	10.5	5.2	4195	50.1	25	1.06	31.2
37	4.9	4211	48.5	25	4.9	4042	48.8	24	1.00	10.0	5.2	4220	50.4	25	1.06	30.9
38	4.9	4192	48.8	25	4.9	4025	49.0	24	1.00	10.0	5.1	4184	50.5	25	1.04	30.3
39	4.9	4206	48.8	25	5.0	4039	49.3	24	1.02	10.1	5.2	4207	50.9	25	1.06	30.7
40	5.0	4225	49.3	25	5.0	4058	49.6	24	1.00	10.1	5.1	4224	51.1	25	1.02	30.0

MALE

WEEK	1000 ppm						3000 ppm						10,000 ppm					
	DAILY FEED(G)	FEED HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY	DAILY FEED(G)	FEED HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY	DAILY FEED(G)	FEED HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1			25.3	25					25.3	25					25.2	25		
2	4.7	4192	25.8	25	1.02	182.5	4.7	4208	25.8	25	1.02	546.0	4.6	4203	25.0	25	1.00	1843.5
3	4.7	4198	26.8	25	0.98	175.3	4.8	4200	26.8	25	1.00	537.4	4.8	4198	25.5	25	1.00	1883.8
4	4.5	4215	27.6	25	0.98	163.0	4.7	4170	27.6	25	1.02	510.1	4.5	4176	26.7	24	0.98	1688.6
5	4.5	4177	28.6	25	0.96	157.5	4.7	3999	28.9	25	1.00	487.2	4.5	4008	27.6	24	0.96	1631.9
6	4.5	4201	29.5	25	0.98	152.8	4.7	4204	29.8	25	1.02	473.0	4.6	4027	28.3	24	1.00	1626.6
7	4.5	4180	30.4	25	1.02	148.0	4.8	4211	31.2	25	1.09	461.5	4.7	4049	29.4	24	1.07	1599.8
8	4.6	4028	31.3	25	1.02	147.1	4.8	4035	31.9	25	1.07	450.8	4.6	3854	30.2	24	1.02	1523.0
9	4.6	4194	32.0	25	0.94	143.5	4.7	4193	33.0	25	0.96	427.2	4.7	4023	31.2	24	0.96	1508.6
10	4.8	4189	33.1	25	1.04	144.9	4.7	4199	33.8	25	1.02	416.6	4.7	4027	32.0	24	1.02	1468.2
11	4.6	4218	34.3	25	1.02	134.3	4.8	4219	34.6	25	1.07	415.7	4.6	4042	32.8	24	1.02	1402.1
12	4.7	4180	35.0	25	1.00	134.4	4.7	4195	35.3	25	1.00	399.0	4.4	4046	33.2	24	0.94	1326.3
13	4.5	4204	35.7	25	0.96	126.1	4.9	4142	36.8	25	1.04	399.5	4.6	3976	34.3	24	0.98	1341.4
14	4.6	4232	36.4	25	1.00	126.3	4.6	4281	37.1	25	1.00	371.8	4.7	4105	34.8	24	1.02	1350.9
15	4.6	3982	37.1	25	1.02	124.0	4.7	4218	37.9	25	1.04	372.4	4.6	4044	35.2	24	1.02	1307.4
16	4.6	4168	37.8	25	1.02	121.7	4.6	4180	38.4	25	1.02	358.9	4.6	4010	35.9	24	1.02	1280.0
17	4.8	4204	38.7	25	1.04	123.9	4.7	4201	39.2	25	1.02	359.5	4.4	4037	36.3	24	0.96	1211.4
18	4.8	4163	39.7	25	1.02	121.0	4.7	4127	39.8	25	1.00	354.6	4.7	3972	37.7	24	1.00	1248.1
19	4.4	4221	39.8	25	1.00	110.5	4.5	4265	40.3	25	1.02	335.0	4.3	4071	37.8	24	0.98	1138.6
20	4.4	4199	40.5	25	0.96	108.5	4.8	4182	41.6	25	1.04	346.4	4.6	4017	38.8	24	1.00	1186.2
21	4.6	3835	41.0	25	1.05	112.1	4.6	4142	42.1	25	1.05	327.9	4.5	3995	39.1	24	1.02	1150.8
22	4.6	4199	41.8	25	1.00	110.1	4.6	4198	42.5	25	1.00	324.5	4.4	4035	39.4	24	0.96	1117.6
23	4.7	4191	42.5	25	0.98	110.6	4.8	4192	43.5	25	1.00	331.4	4.5	4020	39.9	24	0.94	1126.8
24	4.6	4201	43.0	25	0.98	107.0	4.8	4201	44.2	25	1.02	325.9	4.8	4032	41.2	24	1.02	1166.3
25	4.6	4206	43.7	25	0.98	105.2	4.7	4205	44.8	25	1.00	314.8	4.5	4038	41.6	24	0.96	1081.8
26	4.7	4205	44.5	25	1.02	105.7	4.7	4204	45.4	25	1.02	310.9	4.6	4035	42.2	24	1.00	1090.6
27	4.6	4195	45.2	25	0.96	101.9	4.8	4196	46.1	25	1.00	312.3	4.6	4028	42.6	24	0.96	1079.3
28	4.7	4188	45.8	25	0.98	102.7	4.8	4187	46.7	25	1.00	308.6	4.6	4019	43.2	24	0.96	1063.9
29	4.7	4213	46.0	25	1.04	102.1	4.8	4213	47.2	25	1.07	305.2	4.5	4045	43.3	24	1.00	1038.5
30	4.6	4194	46.5	25	1.02	99.0	4.7	4192	47.4	25	1.04	297.4	4.5	4039	43.7	24	1.00	1030.2
31	4.7	4203	46.6	25	1.02	100.9	4.8	4204	47.7	25	1.04	302.0	4.8	4020	44.6	24	1.04	1076.4
32	4.7	4032	46.7	25	0.94	100.6	4.8	4201	47.8	25	0.96	301.4	4.8	4031	45.0	24	0.96	1065.9
33	4.9	4209	47.0	25	1.07	104.2	4.8	4211	47.7	25	1.04	301.6	4.8	4045	45.2	24	1.04	1061.5
34	5.1	4212	47.4	25	1.00	107.7	5.2	4209	48.5	25	1.02	321.5	5.0	4039	45.7	24	0.98	1095.1
35	5.1	4177	48.0	25	1.06	106.2	5.0	4178	48.8	25	1.04	307.5	4.9	4012	45.8	24	1.02	1070.9
36	5.0	4200	48.2	25	1.02	103.7	5.0	4200	49.1	25	1.02	305.8	4.7	4037	45.8	24	0.96	1025.9
37	4.9	4216	48.1	25	1.00	101.9	4.8	4291	48.6	25	0.98	296.2	4.8	4045	46.1	24	0.98	1041.0
38	5.0	4192	48.1	25	1.02	103.8	4.6	4165	48.7	24	0.94	283.6	4.9	4024	46.6	24	1.00	1051.8
39	4.8	4204	48.1	25	0.98	99.7	5.1	3869	49.1	23	1.04	311.3	4.8	4037	46.6	24	0.98	1029.0
40	4.9	4217	48.1	25	0.98	101.8	5.1	3877	49.6	23	1.02	308.2	4.9	4044	46.8	24	0.98	1046.4

TDMS No. 20101 - 02

Test Type: 26-39 WEEKS

Route: DOSED FEED

Species/Strain: MICE/P53(C57BL/6)

E08: FEED AND COMPOUND CONSUMPTION TABLE

Senna (powdered)

CAS Number: 8013-11-4

Date Report Requested: 09/22/2009

Time Report Requested: 11:35:15

First Dose M/F: 06/26/07 / 06/25/07

Lab: BAT

MALE

WEEK	1000 ppm						3000 ppm						10,000 ppm					
	DAILY FEED(G)	FEED HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY	DAILY FEED(G)	FEED HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY	DAILY FEED(G)	FEED HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY

*** END OF MALES ***

FEMALE

WEEK	0 ppm				100 ppm						300 ppm					
	DAILY FEED(G)	FEED HOURS	BODY WT(G)	NUM WTS	DAILY FEED(G)	FEED HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY	DAILY FEED(G)	FEED HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1			20.7	25			20.9	25					20.9	25		
2	4.4	4149	21.1	25	4.5	4174	21.2	25	1.02	21.3	4.7	4177	21.1	25	1.07	66.9
3	4.6	3834	22.6	25	4.5	3854	22.2	25	0.98	20.2	4.6	3863	21.9	25	1.00	63.1
4	4.5	4215	23.4	25	4.5	4049	22.9	25	1.00	19.6	4.2	4195	22.8	25	0.93	55.3
5	4.7	4000	24.6	25	4.5	4189	24.1	25	0.96	18.6	4.4	4170	23.9	25	0.94	55.2
6	4.1	4047	25.1	25	4.5	4043	24.5	25	1.10	18.4	4.5	4208	24.7	25	1.10	54.5
7	4.3	4030	25.9	25	4.3	4010	25.7	25	1.00	16.7	4.2	4225	25.4	25	0.98	49.6
8	4.4	4211	26.9	25	5.0	4216	26.9	25	1.14	18.6	4.6	4042	26.2	25	1.05	52.7
9	4.8	4180	28.5	25	4.9	3816	28.1	25	1.02	17.4	4.7	3654	27.2	25	0.98	51.8
10	4.6	4213	29.0	25	4.7	4058	28.4	25	1.02	16.6	4.6	4051	27.9	25	1.00	49.4
11	4.6	4221	29.9	25	4.4	4221	28.7	25	0.96	15.3	4.4	4226	28.4	25	0.96	46.5
12	4.8	4166	31.0	25	5.0	3968	30.3	25	1.04	16.5	4.7	4122	29.4	25	0.98	47.9
13	4.6	4035	31.3	25	4.5	4037	31.2	25	0.98	14.4	4.4	3874	30.3	25	0.96	43.6
14	4.6	4047	32.0	25	4.9	4048	31.5	25	1.07	15.6	4.5	3902	30.5	25	0.98	44.2
15	4.6	4210	32.5	25	4.3	4204	31.6	25	0.93	13.6	4.5	4183	31.1	25	0.98	43.3
16	4.6	4190	33.5	25	4.4	4193	32.6	25	0.96	13.5	4.5	4198	31.7	25	0.98	42.6
17	4.3	4198	33.8	25	4.5	4187	32.9	25	1.05	13.7	4.1	4030	32.0	25	0.95	38.4
18	4.8	4183	34.6	25	4.6	4196	34.0	25	0.96	13.5	4.4	4011	32.7	25	0.92	40.3
19	4.2	4232	34.8	25	4.3	4203	34.1	25	1.02	12.6	4.2	4251	33.3	25	1.00	37.8
20	4.4	4194	35.4	25	4.3	4028	34.5	25	0.98	12.5	4.0	4046	33.2	25	0.91	36.1
21	4.4	4146	35.9	25	4.5	4008	35.0	25	1.02	12.9	4.4	4083	34.1	25	1.00	38.7
22	4.6	4216	36.4	25	4.7	4204	35.9	25	1.02	13.1	4.4	4234	34.7	25	0.96	38.1
23	4.8	3512	36.8	25	5.1	4180	36.7	25	1.06	13.9	4.6	3676	35.2	25	0.96	39.2
24	4.6	4199	37.2	25	4.7	4201	37.2	25	1.02	12.6	4.4	4204	35.6	25	0.96	37.1
25	4.9	4204	38.1	25	4.7	4199	37.7	25	0.96	12.5	4.5	4196	36.1	25	0.92	37.4
26	4.5	4115	38.3	25	4.8	4234	38.4	25	1.07	12.5	4.7	4233	36.8	25	1.04	38.3
27	4.4	4220	38.4	25	4.6	4195	38.9	25	1.05	11.8	4.9	4199	37.8	25	1.11	38.9
28	4.3	4144	38.6	25	4.3	4004	38.7	25	1.00	11.1	4.1	4171	37.0	25	0.95	33.3
29	4.3	4035	38.7	25	4.6	4203	39.0	25	1.07	11.8	4.3	4213	37.2	25	1.00	34.7
30	4.4	4243	38.4	25	4.4	4239	38.9	25	1.00	11.3	4.3	4226	37.2	25	0.98	34.7
31	4.5	4175	38.8	25	4.7	4039	39.2	25	1.04	12.0	4.3	4016	37.0	25	0.96	34.8
32	4.8	4180	39.4	25	4.6	4252	39.2	25	0.96	11.7	4.7	4178	37.8	25	0.98	37.3
33	4.8	4206	39.8	25	4.8	4039	39.5	24	1.00	12.1	4.5	4208	37.7	25	0.94	35.8
34	4.8	3868	40.8	24	5.2	4027	40.5	24	1.08	12.8	4.5	4195	38.0	25	0.94	35.6
35	4.9	4026	41.4	24	4.8	4028	40.3	24	0.98	11.9	4.4	4024	38.4	24	0.90	34.4
36	4.5	4038	41.1	24	5.0	4037	40.7	24	1.11	12.3	4.6	4044	38.5	24	1.02	35.8
37	4.9	4015	41.8	24	4.7	3861	40.5	24	0.96	11.6	4.8	3731	39.2	23	0.98	36.7
38	4.9	4054	42.2	24	4.8	4067	40.3	24	0.98	11.9	4.8	3823	39.7	23	0.98	36.2
39	4.6	4035	42.3	24	4.6	3869	41.1	23	1.00	11.2	4.5	3704	39.6	23	0.98	34.1
40	4.5	3856	41.8	23	4.9	3852	41.2	23	1.09	11.9	4.8	3846	40.1	23	1.07	35.9

FEMALE

WEEK	1000 ppm						3000 ppm						10,000 ppm					
	DAILY FEED(G)	FEED HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY	DAILY FEED(G)	FEED HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY	DAILY FEED(G)	FEED HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1			20.8	25					20.9	25					21.0	25		
2	4.5	4182	21.2	25	1.02	212.3	4.5	4189	21.1	25	1.02	638.7	4.7	4187	21.0	25	1.07	2239.4
3	4.8	4158	22.4	25	1.04	213.9	4.7	4153	22.3	25	1.02	631.2	4.9	4156	21.7	25	1.07	2257.6
4	4.5	4224	23.2	25	1.00	193.7	4.6	4230	23.0	25	1.02	600.7	4.7	4190	22.8	25	1.04	2065.4
5	4.6	4007	24.3	25	0.98	189.3	4.5	4143	24.2	25	0.96	557.5	4.9	4179	23.8	25	1.04	2061.6
6	4.5	4210	24.9	25	1.10	180.8	4.5	4210	24.7	25	1.10	546.0	4.8	4208	24.2	25	1.17	1983.5
7	4.2	4178	26.0	25	0.98	161.7	4.3	4014	26.0	25	1.00	497.0	4.7	4231	25.3	25	1.09	1858.0
8	4.7	3880	27.0	25	1.07	174.4	4.8	4053	26.7	25	1.09	539.5	4.9	4198	26.1	25	1.11	1875.7
9	4.8	4027	28.2	25	1.00	170.1	4.8	4027	26.9	25	1.00	536.3	5.0	4183	27.2	25	1.04	1839.9
10	4.7	3894	28.6	25	1.02	164.3	4.6	4057	27.9	25	1.00	494.8	4.8	4057	27.4	25	1.04	1749.3
11	4.8	4175	29.7	25	1.04	161.4	4.7	4180	29.1	24	1.02	483.8	4.7	4199	27.8	25	1.02	1693.6
12	4.8	4002	30.8	25	1.00	155.8	4.6	3872	29.8	24	0.96	463.4	5.1	4191	28.8	25	1.06	1772.6
13	4.7	3705	31.3	25	1.02	150.2	4.7	3872	30.9	24	1.02	455.8	4.9	4209	29.4	25	1.07	1668.5
14	4.6	3900	32.2	25	1.00	142.9	4.9	3886	31.7	24	1.07	463.4	5.2	4037	30.5	25	1.13	1704.9
15	4.5	4013	32.6	25	0.98	138.0	4.7	4038	31.8	24	1.02	443.8	4.6	4197	30.6	25	1.00	1503.9
16	4.5	4200	33.2	25	0.98	135.4	4.6	4020	32.3	24	1.00	427.3	4.5	4209	30.8	25	0.98	1460.7
17	4.3	4182	33.5	25	1.00	128.3	4.3	3858	32.2	24	1.00	400.0	4.3	4193	31.2	25	1.00	1379.4
18	4.6	4022	34.4	25	0.96	133.7	4.6	4008	32.8	24	0.96	420.6	4.6	4013	31.8	25	0.96	1444.5
19	4.2	4234	34.9	25	1.00	120.5	4.3	4068	33.5	24	1.02	384.7	4.2	4215	32.0	25	1.00	1312.3
20	4.0	4217	35.0	25	0.91	114.4	4.4	4045	34.1	24	1.00	387.3	4.5	4220	32.9	25	1.02	1369.6
21	4.2	4131	35.4	25	0.95	118.6	4.3	3920	33.9	24	0.98	380.2	4.5	4112	32.9	25	1.02	1366.5
22	4.6	4200	36.2	25	1.00	127.0	4.5	3721	34.8	23	0.98	388.3	4.6	4218	33.7	25	1.00	1364.2
23	4.6	4176	36.7	25	0.96	125.2	5.0	3840	35.2	23	1.04	425.9	5.0	4003	34.3	25	1.04	1459.1
24	4.5	4207	36.8	25	0.98	122.4	4.5	3704	35.1	23	0.98	384.9	4.9	4212	34.9	25	1.07	1403.2
25	4.7	4191	37.6	25	0.96	125.1	4.6	3855	35.6	23	0.94	387.8	4.7	4189	34.8	25	0.96	1351.5
26	4.5	4233	37.6	25	1.00	119.5	4.9	3869	36.8	23	1.09	399.7	5.0	4229	35.8	25	1.11	1398.2
27	4.6	4041	38.2	25	1.05	120.4	4.9	3858	37.3	23	1.11	393.6	4.6	4172	35.8	25	1.05	1284.6
28	4.4	4163	38.5	25	1.02	114.4	4.5	3846	37.4	23	1.05	361.3	4.6	4202	36.0	25	1.07	1278.9
29	4.5	4044	38.9	25	1.05	115.7	4.7	3874	38.1	23	1.09	369.9	4.7	4212	36.5	25	1.09	1287.4
30	4.2	4344	38.8	24	0.95	108.3	4.5	3886	37.9	23	1.02	356.0	4.4	4221	36.5	25	1.00	1205.9
31	4.4	3849	38.9	23	0.98	113.2	4.7	3849	38.2	23	1.04	368.6	4.5	4184	36.9	25	1.00	1221.0
32	4.6	3919	39.2	23	0.96	117.3	4.8	3842	38.9	23	1.00	370.6	4.9	4178	37.6	25	1.02	1304.9
33	4.8	3705	39.9	22	1.00	120.3	4.8	3707	38.8	23	1.00	370.8	4.8	4140	37.5	25	1.00	1279.2
34	4.9	3361	40.0	22	1.02	122.5	5.0	3863	39.3	23	1.04	381.8	5.2	4200	38.0	25	1.08	1369.0
35	4.6	3584	40.3	22	0.94	114.1	4.9	3854	39.5	23	1.00	372.1	5.0	4194	38.5	25	1.02	1298.8
36	4.7	3711	40.2	22	1.04	116.8	4.9	3875	39.9	23	1.09	368.4	4.7	4206	38.6	25	1.04	1218.1
37	4.7	3735	40.1	22	0.96	117.2	4.9	3904	39.9	23	1.00	368.2	4.8	4244	38.5	25	0.98	1248.3
38	4.9	3655	40.5	22	1.00	120.9	4.9	3822	40.1	23	1.00	366.8	4.8	4255	38.5	25	0.98	1247.8
39	4.9	3704	40.8	22	1.07	120.0	4.5	3923	39.6	23	0.98	340.8	4.7	4038	38.6	24	1.02	1216.7
40	4.8	3681	41.3	22	1.07	116.1	4.9	3680	40.6	22	1.09	361.9	4.8	4016	38.9	24	1.07	1233.1

TDMS No. 20101 - 02

Test Type: 26-39 WEEKS

Route: DOSED FEED

Species/Strain: MICE/P53(C57BL/6)

E08: FEED AND COMPOUND CONSUMPTION TABLE

Senna (powdered)

CAS Number: 8013-11-4

Date Report Requested: 09/22/2009

Time Report Requested: 11:35:15

First Dose M/F: 06/26/07 / 06/25/07

Lab: BAT

FEMALE

WEEK	1000 ppm						3000 ppm						10,000 ppm					
	DAILY FEED(G)	FEED HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY	DAILY FEED(G)	FEED HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY	DAILY FEED(G)	FEED HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY

*** END OF REPORT ***