# Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: GAVAGE Vehicle: CORN OIL

				Stu	dy Summary		
Laboratory Name	Study Number	Study Start Date	Length of Study in Days	Number of Animals Total and (#/Cage)	Number Surviving and (Mean Life Span)	Maximum Mean Weekly Body Weight	Chemical
					Male		
Battelle Columbus Laboratory	058810503	04/22/02	729	50(3)	35(702)	521.9	Isoeugenol
Battelle Columbus Laboratory	052000705	08/18/04	727	49(3)	34(692)	515.2	Kava kava extract
Battelle Columbus Laboratory	059902303	03/25/02	729	50(3)	29(683)	501.9	beta-Myrcene
Battelle Columbus Laboratory	059902005	04/09/03	727	50(3)	39(685)	514.9	Pulegone
					Female		
Battelle Columbus Laboratory	058810503	04/23/02	730	50(5)	33(699)	339.3	Isoeugenol
Battelle Columbus Laboratory	052000705	08/19/04	728	50(5)	34(683)	354.3	Kava kava extract
Battelle Columbus Laboratory	059902303	03/26/02	730	50(5)	31(668)	323.8	beta-Myrcene
Battelle Columbus Laboratory	059902005	04/10/03	728	50(5)	31(682)	341.2	Pulegone

## Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: GAVAGE Vehicle: CORN OIL

#### Page: 5 Report Date: 03/20/2010

			Male				Female	
#All Organs: Benign Tumors								
		49/50 (98%) 47/50 (94%)	49/49 (100%)	49/50 (98%)		41/50 (82%) 42/50 (84%)	43/50 (86%)	40/50 (80%)
Overall Incidence	Total	194/199 (97.49%)	Mean 97.5%	SD 2.52%	Total	166/200 (83%)	Mean 83%	SD 2.58%
#All Organs: Malignant Tumors								
		29/50 (58%) 10/50 (20%)	17/49 (35%)	23/50 (46%)		18/50 (36%) 8/50 (16%)	11/50 (22%)	11/50 (22%)
Overall Incidence	Total	79/199 (39.7%)	Mean 39.67%	SD 16.2%	Total	48/200 (24%)	Mean 24%	SD 8.49%
#All Organs: Malignant and Benign Tu	umors	50/50 (100%) 47/50 (94%)	49/49 (100%)	50/50 (100%)		46/50 (92%) 44/50 (88%)	46/50 (92%)	45/50 (90%)
Overall Incidence	Total	196/199 (98.49%)	Mean 98.5%	SD 3%	Total	181/200 (90.5%)	Mean 90.5%	SD 1.91%
≉All Organs: Hemangioma		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)
Overall Incidence	Total	0/50 (0%) 0/199 (0%)	Mean 0%	SD 0%	Total	0/50 (0%) 1/200 (0.5%)	Mean 0.5%	SD 1%
#All Organs: Hemangiosarcoma								
		1/50 (2%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 2/50 (4%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	2/200 (1%)	Mean 1%	SD 2%

\*: Denominator is number of animals with tissues examined microscopically

## Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: GAVAGE Vehicle: CORN OIL

#### Page: 6 Report Date: 03/20/2010

			Male				Female	
#All Organs: Hemangiosarcoma or H	lemangioma							
		1/50 (2%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 2/50 (4%)	0/50 (0%)	1/50 (2%)
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	3/200 (1.5%)	Mean 1.5%	SD 1.91%
#All Organs: Histiocytic Sarcoma								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	1/50 (2%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%
#All Organs: Leukemia: Erythrocytic								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%
#All Organs:		lononuclear, or Undifferer		9/50 (18%)		8/50 (16%)	5/50 (10%)	5/50 (10%)
		4/50 (8%)	(1470)	0/00 (10/0)		4/50 (8%)	0/00 (10/0)	0,00 (10,0)
Overall Incidence	Total	30/199 (15.08%)	Mean 15.07%	SD 5.28%	Total	22/200 (11%)	Mean 11%	SD 3.46%
#All Organs: Malignant Lymphoma:	Histiocytic, Lvn	nphocytic, Mixed, NOS, o						
		0/50 (0%) 0/50 (0%)	1/49 (2%)	1/50 (2%)		0/50 (0%) 0/50 (0%)	1/50 (2%)	0/50 (0%)
Overall Incidence	Total	2/199 (1.01%)	Mean 1.01%	SD 1.17%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%

\*: Denominator is number of animals with tissues examined microscopically

## Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: GAVAGE Vehicle: CORN OIL

## Page: 7 Report Date: 03/20/2010

			Male				Female	
#All Organs: Mesothelioma: Benign								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%
#All Organs: Mesothelioma: Benign, Malig								
		3/50 (6%) 2/50 (4%)	3/49 (6%)	2/50 (4%)		0/50 (0%) 1/50 (2%)	0/50 (0%)	1/50 (2%)
Overall Incidence	Total	10/199 (5.03%)	Mean 5.03%	SD 1.19%	Total	2/200 (1%)	Mean 1%	SD 1.15%
#All Organs: Mesothelioma: Malignant								
		3/50 (6%) 2/50 (4%)	3/49 (6%)	2/50 (4%)		0/50 (0%) 1/50 (2%)	0/50 (0%)	1/50 (2%)
Overall Incidence	Total	10/199 (5.03%)	Mean 5.03%	SD 1.19%	Total	2/200 (1%)	Mean 1%	SD 1.15%
#All Organs: Osteoma								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%
#All Organs: Osteosarcoma								
		2/50 (4%) 0/50 (0%)	1/49 (2%)	1/50 (2%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	4/199 (2.01%)	Mean 2.01%	SD 1.63%	Total	0/200 (0%)	Mean 0%	SD 0%

\*: Denominator is number of animals with tissues examined microscopically

## Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: GAVAGE Vehicle: CORN OIL

#### Page: 8 Report Date: 03/20/2010

			Male				Female	
#All Organs: Osteosarcoma or Osteoma								
		2/50 (4%) 0/50 (0%)	1/49 (2%)	1/50 (2%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	4/199 (2.01%)	Mean 2.01%	SD 1.63%	Total	0/200 (0%)	Mean 0%	SD 0%
Adrenal Cortex: Adenoma								
		0/50 (0%) 2/50 (4%)	0/49 (0%)	1/50 (2%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	3/199 (1.51%)	Mean 1.5%	SD 1.91%	Total	0/200 (0%)	Mean 0%	SD 0%
*Adrenal Cortex: Carcinoma								
		0/50 (0%) 0/50 (0%)	1/49 (2%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/199 (0.5%)	Mean 0.51%	SD 1.02%	Total	0/200 (0%)	Mean 0%	SD 0%
*Adrenal Medulla: Ganglioneuroma								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	1/50 (2%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%
*Adrenal Medulla: Hemangioma								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	1/50 (2%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%

\*: Denominator is number of animals with tissues examined microscopically

## Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: GAVAGE Vehicle: CORN OIL

#### Page: 9 Report Date: 03/20/2010

			Male				Female	
*Adrenal Medulla: Pheochromocytoma Ber	nign							
		5/50 (10%) 8/50 (16%)	5/49 (10%)	11/50 (22%)		2/50 (4%) 3/50 (6%)	3/50 (6%)	1/50 (2%)
Overall Incidence	Total	29/199 (14.57%)	Mean 14.55%	SD 5.69%	Total	9/200 (4.5%)	Mean 4.5%	SD 1.91%
Adrenal Medulla: Pheochromocytoma Co								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%
*Adrenal Medulla: Pheochromocytoma Mal	lignant	3/50 (6%)	0/49 (0%)	2/50 (4%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/50 (0%) 5/199 (2.51%)	Mean 2.5%	SD 3%	Total	0/50 (0%) 0/200 (0%)	Mean 0%	SD 0%
*Adrenal Medulla: Pheochromocytoma: Be		<b>x, Malignant, NOS</b> 7/50 (14%)	5/49 (10%)	13/50 (26%)		2/50 (4%)	3/50 (6%)	1/50 (2%)
Overall Incidence	Total	8/50 (16%) 33/199 (16.58%)	Mean 16.55%	SD 6.74%	Total	3/50 (6%) 9/200 (4.5%)	Mean 4.5%	SD 1.91%
#Bone: Chondrosarcoma								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%

\*: Denominator is number of animals with tissues examined microscopically

## Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: GAVAGE Vehicle: CORN OIL

#### Page: 10 Report Date: 03/20/2010

			Male				Female	
#Bone: Chondrosarcoma or Chondr	oma							
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%
#Bone: Chordoma								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	1/50 (2%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%
#Bone: Osteoma								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%
#Bone: Osteosarcoma								
		2/50 (4%) 0/50 (0%)	1/49 (2%)	1/50 (2%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	4/199 (2.01%)	Mean 2.01%	SD 1.63%	Total	0/200 (0%)	Mean 0%	SD 0%
#Bone: Osteosarcoma or Osteoma								
		2/50 (4%) 0/50 (0%)	1/49 (2%)	1/50 (2%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	4/199 (2.01%)	Mean 2.01%	SD 1.63%	Total	0/200 (0%)	Mean 0%	SD 0%

\*: Denominator is number of animals with tissues examined microscopically

## Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: GAVAGE Vehicle: CORN OIL

#### Page: 11 Report Date: 03/20/2010

			Male				Female	
*Brain: Astrocytoma Malignant								
		0/50 (0%) 1/50 (2%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%
*Brain: Ependymoma Benign								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	1/50 (2%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%
*Brain: Ependymoma Malignant								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%
'Brain: Glioma Malignant								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%
*Brain: Granular Cell Tumor Benig	n							
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%

\*: Denominator is number of animals with tissues examined microscopically

## Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: GAVAGE Vehicle: CORN OIL

## Page: 12 Report Date: 03/20/2010

			Male				Female	
*Brain: Medulloblastoma Mal								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%
Brain: Oligodendroglioma Beni								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	1/50 (2%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%
*Brain: Oligodendroglioma Mali	gnant	1/50 (2%)	0/49 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/50 (0%) 1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/50 (0%) 1/200 (0.5%)	Mean 0.5%	SD 1%
*Brain: Oligodendroglioma, Glio								
		1/50 (2%) 1/50 (2%)	0/49 (0%)	1/50 (2%)		1/50 (2%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	3/199 (1.51%)	Mean 1.5%	SD 1%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%
*Brain: Osteosarcoma								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%

\*: Denominator is number of animals with tissues examined microscopically

## Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: GAVAGE Vehicle: CORN OIL

#### Page: 13 Report Date: 03/20/2010

			Male				Female	
'Brain: Schwannoma Malignant		0/50 /0%()	0/40 (02/)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0)()
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%
Clitoral/Preputial Gland: Adenoma								
		2/50 (4%) 3/50 (6%)	0/49 (0%)	5/50 (10%)		3/48 (6%) 3/50 (6%)	2/50 (4%)	7/50 (14%)
Overall Incidence	Total	10/199 (5.03%)	Mean 5%	SD 4.16%	Total	15/198 (7.58%)	Mean 7.56%	SD 4.41%
*Clitoral/Preputial Gland: Carcinoma								
		2/50 (4%) 1/50 (2%)	1/49 (2%)	0/50 (0%)		2/48 (4%) 0/50 (0%)	2/50 (4%)	0/50 (0%)
Overall Incidence	Total	4/199 (2.01%)	Mean 2.01%	SD 1.63%	Total	4/198 (2.02%)	Mean 2.04%	SD 2.36%
Clitoral/Preputial Gland: Carcinoma or Adenoma								
		4/50 (8%) 4/50 (8%)	1/49 (2%)	5/50 (10%)		5/48 (10%) 3/50 (6%)	4/50 (8%)	7/50 (14%)
Overall Incidence	Total	14/199 (7.04%)	Mean 7.01%	SD 3.44%	Total	19/198 (9.6%)	Mean 9.6%	SD 3.44%
Clitoral/Preputial Gland: Fibrosarcoma								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/48 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/198 (0%)	Mean 0%	SD 0%

\*: Denominator is number of animals with tissues examined microscopically

## Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: GAVAGE Vehicle: CORN OIL

#### Page: 14 Report Date: 03/20/2010

			Male				Female	
Clitoral/Preputial Gland: Sarcoma								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/48 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/198 (0%)	Mean 0%	SD 0%
≇Ear: Neural Crest Tumor								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	1/50 (2%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%
#Esophagus: Fibrosarcoma								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%
∕Esophagus: Lipoma								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%
#Eye: Melanoma Malignant								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%

\*: Denominator is number of animals with tissues examined microscopically

## Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: GAVAGE Vehicle: CORN OIL

#### Page: 15 Report Date: 03/20/2010

			Male				Female	
#Eye: Schwannoma Malignant								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%
Harderian Gland: Carcinoma								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%
#Harderian Gland: Carcinoma or Adenoma								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%
Heart: Schwannoma Benign								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 1/50 (2%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%
Heart: Schwannoma Malignant								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%

\*: Denominator is number of animals with tissues examined microscopically

## Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: GAVAGE Vehicle: CORN OIL

#### Page: 16 Report Date: 03/20/2010

			Male				Female	
#Intestine Large: Colon/F Adenoma	Rectum:							
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%
#Intestine Large: Colon/F Carcinoma								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%
#Intestine Large: Colon/F Carcinoma or Adenom	Rectum:	0/50 (00/)						
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%
#Intestine Large: Colon/F Hemangioma	Rectum:							
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%
#Intestine Small: Duoden Carcinoma	num:							
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%

\*: Denominator is number of animals with tissues examined microscopically

## Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: GAVAGE Vehicle: CORN OIL

#### Page: 17 Report Date: 03/20/2010

			Male				Female	
#Intestine Small: Duodenum: Leiomyoma								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%
#Intestine Small: Ileum: Adenoma								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%
#Intestine Small: Jejunum: Carcinoma								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%
#Intestine Small: Jejunum: Granular Cell Tumor Maligna								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%
#Intestine Small: Jejunum: Leiomyoma								
		1/50 (2%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%

\*: Denominator is number of animals with tissues examined microscopically

## Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: GAVAGE Vehicle: CORN OIL

#### Page: 18 Report Date: 03/20/2010

			Male				Female	
#Intestine Small: Jejunum: Leiomyosarcoma								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%
#Intestine Small: Site Unsp Adenoma								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%
#Intestine Small: Site Unsp Carcinoma								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%
Intestine Small: Site Unsp Carcinoma or Adenoma								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%
#Intestine Small: Site Unsp Granular Cell Tumor Mal	ecified:							
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%

\*: Denominator is number of animals with tissues examined microscopically

## Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: GAVAGE Vehicle: CORN OIL

#### Page: 19 Report Date: 03/20/2010

			Male				Female	
#Intestine Small: Site Unspec Leiomyoma	cified:							
		1/50 (2%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%
#Intestine Small: Site Unspec Leiomyosarcoma								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%
*Islets, Pancreatic: Adenoma								
		4/50 (8%) 2/50 (4%)	4/49 (8%)	2/50 (4%)		0/50 (0%) 1/50 (2%)	1/50 (2%)	1/50 (2%)
Overall Incidence	Total	12/199 (6.03%)	Mean 6.04%	SD 2.36%	Total	3/200 (1.5%)	Mean 1.5%	SD 1%
'Islets, Pancreatic: Carcinoma								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	1/50 (2%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%
*Islets, Pancreatic: Carcinoma or Adenoma								
		4/50 (8%) 2/50 (4%)	4/49 (8%)	3/50 (6%)		0/50 (0%) 1/50 (2%)	1/50 (2%)	1/50 (2%)
Overall Incidence	Total	13/199 (6.53%)	Mean 6.54%	SD 1.96%	Total	3/200 (1.5%)	Mean 1.5%	SD 1%

\*: Denominator is number of animals with tissues examined microscopically

## Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: GAVAGE Vehicle: CORN OIL

#### Page: 20 Report Date: 03/20/2010

			Male				Female	
Kidney: Pelvis and Trans Carcinoma	sitional Epitheliu	ım:						
		0/50 (0%) 0/50 (0%)	0/49 (0%)	1/50 (2%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%
Kidney: Pelvis and Trans Carcinoma or Adenoma	sitional Epitheliu							
		0/50 (0%) 0/50 (0%)	0/49 (0%)	1/50 (2%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%
*Kidney: Pelvis and Trans Papilloma								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%
Kidney: Renal Tubule: Adenoma								
		0/50 (0%) 1/50 (2%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%
*Kidney: Renal Tubule: Carcinoma								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%

\*: Denominator is number of animals with tissues examined microscopically

## Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: GAVAGE Vehicle: CORN OIL

#### Page: 21 Report Date: 03/20/2010

			Male				Female	
*Kidney: Renal Tubule: Carcinoma or Adenoma								
		0/50 (0%) 1/50 (2%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%
*Kidney: Renal Tubule: Hemangiosarcoma								
		1/50 (2%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%
*Kidney: Renal Tubule: Lipoma								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	1/50 (2%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%
*Kidney: Renal Tubule: Mesenchymal Tumor Benigr								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%
*Kidney: Renal Tubule: Mesenchymal Tumor Malign	ant							
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%

\*: Denominator is number of animals with tissues examined microscopically

## Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: GAVAGE Vehicle: CORN OIL

#### Page: 22 Report Date: 03/20/2010

			Male				Female	
Kidney: Renal Tubule: Nephroblastoma								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	1/50 (2%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%
Kidney: Renal Tubule: Sarcoma								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%
*Liver: Cholangioma								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%
'Liver: Hemangiosarcoma								
		1/50 (2%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%
'Liver: Hepatocellular Adenoma								
		1/50 (2%) 1/50 (2%)	1/49 (2%)	0/50 (0%)		0/50 (0%) 1/50 (2%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	3/199 (1.51%)	Mean 1.51%	SD 1.01%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%

\*: Denominator is number of animals with tissues examined microscopically

## Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: GAVAGE Vehicle: CORN OIL

#### Page: 23 Report Date: 03/20/2010

			Male				Female	
*Liver: Hepatocellular Carcinoma								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%
*Liver: Hepatocellular Carcinoma								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%
Hepatocellular Carcinoma Overall Incidence	Total	1/50 (2%) 1/50 (2%) 3/199 (1.51%)	1/49 (2%) Mean 1.51%	0/50 (0%) SD 1.01%	Total	0/50 (0%) 1/50 (2%) 1/200 (0.5%)	0/50 (0%) Mean 0.5%	0/50 (0%) SD 1%
<sup>*</sup> Liver: Hepatocellular Carcinoma,	Hepatocellu	ular Adenoma, or Hepato	blastoma					
······································		1/50 (2%) 1/50 (2%)	1/49 (2%)	0/50 (0%)		0/50 (0%) 1/50 (2%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	3/199 (1.51%)	Mean 1.51%	SD 1.01%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%
*Liver:								
Ito Cell Tumor Benign			0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%) 0/50 (0%)	0,10 (0,0)	· · · · ·		0/50 (0%)		

\*: Denominator is number of animals with tissues examined microscopically

## Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: GAVAGE Vehicle: CORN OIL

#### Page: 24 Report Date: 03/20/2010

			Male				Female	
<sup>t</sup> Lung: Alveolar/Bronchiolar Ac	lenoma							
		3/50 (6%) 0/50 (0%)	2/49 (4%)	3/50 (6%)		1/50 (2%) 2/50 (4%)	0/50 (0%)	4/50 (8%)
Overall Incidence	Total	8/199 (4.02%)	Mean 4.02%	SD 2.83%	Total	7/200 (3.5%)	Mean 3.5%	SD 3.42%
*Lung: Alveolar/Bronchiolar Ca				- / / /				
		1/50 (2%) 1/50 (2%)	1/49 (2%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	3/199 (1.51%)	Mean 1.51%	SD 1.01%	Total	0/200 (0%)	Mean 0%	SD 0%
*Lung: Alveolar/Bronchiolar Ca Overall Incidence	Total	veolar/Bronchiolar Adeno 4/50 (8%) 1/50 (2%) 10/199 (5.03%)	2/49 (4%) Mean 5.02%	3/50 (6%) SD 2.57%	Total	1/50 (2%) 2/50 (4%) 7/200 (3.5%)	0/50 (0%) Mean 3.5%	4/50 (8%) SD 3.42%
<sup>•</sup> Lung: Fibrosarcoma		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	1/50 (2%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%
*Lung: Hemangiosarcoma								
		1/50 (2%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%

\*: Denominator is number of animals with tissues examined microscopically

## Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: GAVAGE Vehicle: CORN OIL

#### Page: 25 Report Date: 03/20/2010

			Male				Female	
<sup>t</sup> Lung: Squamous Cell Carcinoma								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	1/50 (2%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%
#Lymph Node: Hemangiosarcoma								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%
#Mammary Gland: Adenolipoma								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	1/50 (2%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%
#Mammary Gland: Adenoma								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 2/50 (4%)	2/50 (4%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	4/200 (2%)	Mean 2%	SD 2.31%
#Mammary Gland: Carcinoma								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		4/50 (8%) 0/50 (0%)	1/50 (2%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	5/200 (2.5%)	Mean 2.5%	SD 3.79%

\*: Denominator is number of animals with tissues examined microscopically

## Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: GAVAGE Vehicle: CORN OIL

#### Page: 26 Report Date: 03/20/2010

			Male				Female	
#Mammary Gland: Carcinoma or Adenoma								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		4/50 (8%) 2/50 (4%)	3/50 (6%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	9/200 (4.5%)	Mean 4.5%	SD 3.42%
#Mammary Gland: Fibroadenoma								
		4/50 (8%) 1/50 (2%)	0/49 (0%)	0/50 (0%)		26/50 (52%) 21/50 (42%)	24/50 (48%)	17/50 (34%)
Overall Incidence	Total	5/199 (2.51%)	Mean 2.5%	SD 3.79%	Total	88/200 (44%)	Mean 44%	SD 7.83%
#Mammary Gland: Fibroma								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%
#Mammary Gland: Fibroma, Fibroadenoma or								
		4/50 (8%) 1/50 (2%)	0/49 (0%)	0/50 (0%)		26/50 (52%) 22/50 (44%)	25/50 (50%)	17/50 (34%)
Overall Incidence	Total	5/199 (2.51%)	Mean 2.5%	SD 3.79%	Total	90/200 (45%)	Mean 45%	SD 8.08%
#Mammary Gland: Fibroma, Fibroadenoma, Ca	arcinoma, o	r Adenoma						
		4/50 (8%) 1/50 (2%)	0/49 (0%)	0/50 (0%)		28/50 (56%) 22/50 (44%)	26/50 (52%)	17/50 (34%)
Overall Incidence	Total	5/199 (2.51%)	Mean 2.5%	SD 3.79%	Total	93/200 (46.5%)	Mean 46.5%	SD 9.71%

\*: Denominator is number of animals with tissues examined microscopically

## Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: GAVAGE Vehicle: CORN OIL

#### Page: 27 Report Date: 03/20/2010

			Male				Female	
#Mesentery: Fibrous Histiocytoma								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%
#Mesentery: Hemangiosarcoma								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%
#Mesentery: Lipoma								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%
#Mesentery: Schwannoma Malignant								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%
*Nose: Adenoma								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%

\*: Denominator is number of animals with tissues examined microscopically

## Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: GAVAGE Vehicle: CORN OIL

#### Page: 28 Report Date: 03/20/2010

			Male				Female	
*Nose: Chondroma								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%
*Nose: Squamous Cell Carcin								
		0/50 (0%) 1/50 (2%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%
Papilloma Squamous	<b>or Papilloma</b> Total	0/50 (0%) 0/50 (0%) 2/199 (1.01%)	1/49 (2%) Mean 1.01%	1/50 (2%) SD 1.17%	Total	0/50 (0%) 0/50 (0%) 1/200 (0.5%)	0/50 (0%) Mean 0.5%	1/50 (2%) SD 1%
#Oral Cavity (Oral Mucos	sa, Tongue, Pha							
Squamous Cell Carcin			0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)
Squamous Cell Carcin		1/50 (2%) 0/50 (0%)	0,10 (0,0)	( )		0/50 (0%)		
Squamous Cell Carcin Overall Incidence	Total	( )	Mean 0.5%	SD 1%	Total	0/50 (0%) 1/200 (0.5%)	Mean 0.5%	SD 1%
Overall Incidence #Oral Cavity (Oral Muco	sa, Tongue, Pha	0/50 (0%) 1/199 (0.5%)	· · · ·	SD 1%	Total	( )	Mean 0.5%	SD 1%
Overall Incidence #Oral Cavity (Oral Muco	sa, Tongue, Pha	0/50 (0%) 1/199 (0.5%) rynx, Tooth, Gingiva):	· · · ·	SD 1% 1/50 (2%)	Total	( )	Mean 0.5% 0/50 (0%)	SD 1% 2/50 (4%)

\*: Denominator is number of animals with tissues examined microscopically

## Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: GAVAGE Vehicle: CORN OIL

#### Page: 29 Report Date: 03/20/2010

				Male						F	emale		
#Oral Mucosa: Squamous Cell Carcinoma													
		(	2%) 0/49 9%)	(0%)	0/50	(0%)		0/50 0/50	(0%) (0%)	0/50	(0%)	1/50	(2%)
Overall Incidence	Total	1/199 (0.5%)	Mean	0.5%	SD 1%		Total	1/200 (0	.5%)	Mean	0.5%	SD	1%
#Oral Mucosa: Squamous Cell Papilloma				<i>(</i> )		/				_ /			<i></i>
		(	1/49 1%)	(2%)	1/50	(2%)		0/50 0/50	(0%) (0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	2/199 (1.01%)	Mean		SD 1.17%		Total	0/200 (	0%)		n 0%	SD	
*Ovary: Cystadenoma								0/50	(0%)	1/50	(2%)	0/50	(0%)
Overall Incidence							Total	0/50 1/200 (0	(0%) .5%)	Mean	0.5%	SD	1%
Ovary: Granulosa Cell Tumor Benig	ın												
								0/50 0/50	(0%) (0%)	0/50	(0%)	1/50	(2%)
Overall Incidence							Total	1/200 (0	.5%)	Mean	0.5%	SD	1%
ʻOvary: Granulosa Cell Tumor Maligi	nant							o /= -	(22.1)	- /	(00())	<b>a</b> ( <b>a</b> c	(00())
								0/50 0/50	(0%) (0%)	0/50	(0%)	0/50	(0%)
Overall Incidence							Total	0/200 (		Mear	n 0%	SD	0%

\*: Denominator is number of animals with tissues examined microscopically

Version: Mar2010 Contract/Lab: All Laboratories		Tu	Toxicolog mor Incidence	for Selected				Page: 30 Report Date: 03/20/2010				
Species: RATS				Route: GA								
Strain: F 344/N			,	Vehicle: CC	ORN OIL							
Length of Study: CHRONIC												
			Male						F	emale		
*Ovary: Granulosa Cell Tumor: Benign,	Malignant NOS				·							
Grandiosa Gen Famor. Beingin,	inanghant, 100						0/50 0/50	(0%) (0%)	0/50	(0%)	1/50	(2%)
Overall Incidence						Total	1/200 (0			0.5%	SD	
*Ovary: Granulosa-Theca Tumor Benign												
							0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence						Total	0/50 0/200 (	(0%) 0%)	Mea	n 0%	SD	0%
*Ovary: Granulosa-Theca Tumor Malign												
Granulosa-meca rumor mangn	ant						0/50 0/50	(0%) (0%)	0/50	(0%)	0/50	(0%)
Overall Incidence						Total	0/200 (		Mea	n 0%	SD	0%
*Ovary: Tubulostromal Adenoma												
							0/50 0/50	(0%) (0%)	0/50	(0%)	0/50	(0%)
Overall Incidence						Total	0/200 (		Mea	n 0%	SD	
*Pancreas: Adenoma												
	7/50 2/50	(14%) 1/49 (4%)	(2%)	1/50	(2%)		0/50 0/50	(0%) (0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	otal 11/199 (5.5		5 51%	SD 5.74%		Total	0/200 (		Mea	n 0%	SD	0%

\*: Denominator is number of animals with tissues examined microscopically

## Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: GAVAGE Vehicle: CORN OIL

#### Page: 31 Report Date: 03/20/2010

			Male				Female	
Pancreas: Carcinoma								
		1/50 (2%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%
Pancreas: Carcinoma or Adenoma								
		8/50 (16%) 2/50 (4%)	1/49 (2%)	1/50 (2%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	12/199 (6.03%)	Mean 6.01%	SD 6.72%	Total	0/200 (0%)	Mean 0%	SD 0%
*Pancreas: Mixed Tumor Benign								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%
'Pancreas: Mixed Tumor Malignant								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%
*Parathyroid Gland: Adenoma								
		0/47 (0%) 1/49 (2%)	1/49 (2%)	1/45 (2%)		0/47 (0%) 2/46 (4%)	0/44 (0%)	0/47 (0%)
Overall Incidence	Total	3/190 (1.58%)	Mean 1.58%	SD 1.05%	Total	2/184 (1.09%)	Mean 1.09%	SD 2.17%

\*: Denominator is number of animals with tissues examined microscopically

## Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: GAVAGE Vehicle: CORN OIL

#### Page: 32 Report Date: 03/20/2010

			Male				Female	
Pituitary Gland: Pars Di Adenoma	istalis or Unspec	cified Site:						
		19/50 (38%) 11/50 (22%)	21/49 (43%)	6/50 (12%)		25/50 (50%) 27/50 (54%)	29/50 (58%)	25/50 (50%)
Overall Incidence	Total	57/199 (28.64%)	Mean 28.71%	SD 14.27%	Total	106/200 (53%)	Mean 53%	SD 3.83%
Pituitary Gland: Pars Di Carcinoma								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	1/50 (2%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%
*Pituitary Gland: Pars Di Carcinoma or Adenon Overall Incidence		19/50 (38%) 11/50 (22%) 57/199 (28.64%)	21/49 (43%) Mean 28.71%	6/50 (12%) SD 14.27%	Total	25/50 (50%) 27/50 (54%) 107/200 (53.5%)	30/50 (60%) Mean 53.5%	25/50 (50%) SD 4.73%
*Pituitary Gland: Pars Di Ganglioneuroma			0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/49 (078)	0/30 (078)		0/50 (0%)	0/30 (078)	0/30 (078)
	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%
Overall Incidence								
Overall Incidence *Pituitary Gland: Pars In Adenoma	termedia:							
*Pituitary Gland: Pars In	termedia:	1/50 (2%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)

\*: Denominator is number of animals with tissues examined microscopically

## Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: GAVAGE Vehicle: CORN OIL

#### Page: 33 Report Date: 03/20/2010

			Male				Female	
*Pituitary Gland: Pars Interm Carcinoma or Adenoma	edia:							
		1/50 (2%) 0/50 (0%)	0/49 (0%)	0/50 (09	%)	0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%
Pituitary Gland: Pars Nervos Craniopharyngioma								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (09	%)	0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%
*Prostate: Adenoma								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (09	%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%				
Prostate: Carcinoma or Adenoma								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (09	%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%				
Salivary Glands: Carcinoma								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (09	%)	0/49 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/199 (0%)	Mean 0%	SD 0%

\*: Denominator is number of animals with tissues examined microscopically

## Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: GAVAGE Vehicle: CORN OIL

#### Page: 34 Report Date: 03/20/2010

			Male				Female	
Salivary Glands: Carcinoma or Adenoma								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/49 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/199 (0%)	Mean 0%	SD 0%
Salivary Glands: Sarcoma								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/49 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/199 (0%)	Mean 0%	SD 0%
*Salivary Glands: Schwannoma Malignant								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/49 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/199 (0%)	Mean 0%	SD 0%
#Seminal Vesicle: Adenoma								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)				
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%				
#Skeletal Muscle: Fibrous Histiocytoma								
		0/50 (0%) 0/50 (0%)	1/49 (2%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/199 (0.5%)	Mean 0.51%	SD 1.02%	Total	0/200 (0%)	Mean 0%	SD 0%

\*: Denominator is number of animals with tissues examined microscopically

## Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: GAVAGE Vehicle: CORN OIL

#### Page: 35 Report Date: 03/20/2010

			Male				Female	
#Skeletal Muscle: Hemangiosarcoma								
-		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%
#Skeletal Muscle: Rhabdomyosarcoma								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	1/50 (2%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%
#Skeletal Muscle: Rhabdomyosarcoma or F	·	0/50 (0%) 0/50 (0%)	0/49 (0%)	1/50 (2%)	<b>-</b>	0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%
<sup>#</sup> Skin: Basal Cell Adenoma		0/50 (0%) 0/50 (0%)	2/49 (4%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	1/50 (2%)
Overall Incidence	Total	2/199 (1.01%)	Mean 1.02%	SD 2.04%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%
#Skin: Basal Cell Adenoma or B	asosquamous	s Tumor Benign						
	·	0/50 (0%) 0/50 (0%)	2/49 (4%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	1/50 (2%)
Overall Incidence	Total	2/199 (1.01%)	Mean 1.02%	SD 2.04%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%

\*: Denominator is number of animals with tissues examined microscopically

## Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: GAVAGE Vehicle: CORN OIL

#### Page: 36 Report Date: 03/20/2010

			Male				Female	
∜Skin: Basal Cell Adenoma, Ba	asosquamous <sup>-</sup>	Tumor Benign, or Trichoe	pithelioma					
	·	0/50 (0%) 0/50 (0%)	. 2/49 (4%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	1/50 (2%)
Overall Incidence	Total	2/199 (1.01%)	Mean 1.02%	SD 2.04%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%
≮Skin: Basal Cell Carcinoma								
		1/50 (2%) 0/50 (0%)	0/49 (0%)	1/50 (2%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	2/199 (1.01%)	Mean 1%	SD 1.15%	Total	0/200 (0%)	Mean 0%	SD 0%
Overall Incidence	Total	2/199 (1.01%)	Mean 1%	SD 1.15%	Total	0/200 (0%)	Mean 0%	SD 0%
Overall Incidence	Total	0/50 (0%) 2/199 (1.01%)	Mean 1%	SD 1.15%	Total	0/50 (0%) 0/200 (0%)	Mean 0%	SD 0%
*Skin: Basal Cell Carcinoma, E NOS), or Trichoepithelic		noma, Basosquamous Tu						
<i>//</i>		1/50 (2%)	2/49 (4%)	1/50 (2%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	1/50 (2%)
		0/50 (0%)				0/30 (0/0)		
Overall Incidence	Total	4/199 (2.01%)	Mean 2.02%	SD 1.67%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%
Overall Incidence #Skin: Basal or Sq. Cell Carcin	noma, Carcinom	4/199 (2.01%)	B), Basal Cell Adenom		Total		Mean 0.5%	SD 1%
Overall Incidence #Skin: Basal or Sq. Cell Carcin	noma, Carcinom	4/199 (2.01%)	B), Basal Cell Adenom		Total		Mean 0.5% 0/50 (0%)	SD 1% 1/50 (2%)

\*: Denominator is number of animals with tissues examined microscopically

## Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: GAVAGE Vehicle: CORN OIL

#### Page: 37 Report Date: 03/20/2010

			Male				Female	
#Skin: Fibroma								
		5/50 (10%) 3/50 (6%)	7/49 (14%)	3/50 (6%)		0/50 (0%) 3/50 (6%)	1/50 (2%)	2/50 (4%)
Overall Incidence	Total	18/199 (9.05%)	Mean 9.07%	SD 3.95%	Total	6/200 (3%)	Mean 3%	SD 2.58%
#Skin: Fibroma, Fibrosarcoma, \$	Sarcoma, My		•					
		7/50 (14%) 3/50 (6%)	7/49 (14%)	4/50 (8%)		0/50 (0%) 3/50 (6%)	1/50 (2%)	3/50 (6%)
Overall Incidence	Total	21/199 (10.55%)	Mean 10.57%	SD 4.21%	Total	7/200 (3.5%)	Mean 3.5%	SD 3%
#Skin: Fibrosarcoma								
		1/50 (2%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	1/50 (2%)
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%
#Skin:		a, or Fibrous Histiocytom	a					
		2/50 (4%) 0/50 (0%)	0/49 (0%)	1/50 (2%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	1/50 (2%)
Overall Incidence	Total	3/199 (1.51%)	Mean 1.5%	SD 1.91%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%
#Skin: Fibrous Histiocytoma								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%

\*: Denominator is number of animals with tissues examined microscopically

## Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: GAVAGE Vehicle: CORN OIL

#### Page: 38 Report Date: 03/20/2010

			Male				Female	
#Skin: Hemangioma								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%
#Skin: Hemangiosarcoma								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%
#Skin: Keratoacanthoma								
		7/50 (14%) 3/50 (6%)	0/49 (0%)	2/50 (4%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	12/199 (6.03%)	Mean 6%	SD 5.89%	Total	0/200 (0%)	Mean 0%	SD 0%
#Skin: Lipoma								
		2/50 (4%) 0/50 (0%)	1/49 (2%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	3/199 (1.51%)	Mean 1.51%	SD 1.92%	Total	0/200 (0%)	Mean 0%	SD 0%
#Skin: Liposarcoma								
		0/50 (0%) 0/50 (0%)	1/49 (2%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/199 (0.5%)	Mean 0.51%	SD 1.02%	Total	0/200 (0%)	Mean 0%	SD 0%

\*: Denominator is number of animals with tissues examined microscopically

## Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: GAVAGE Vehicle: CORN OIL

## Page: 39 Report Date: 03/20/2010

			Male				Female	
#Skin: Neural Crest Tumor								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%
#Skin: Neural Crest Tumor, M								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%
#Skin: Neurofibroma or Schw Overall Incidence	<b>annoma benign</b> Total	0/50 (0%) 0/50 (0%) 0/199 (0%)	0/49 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/50 (0%) 0/50 (0%) 0/200 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%
		0,100 (0,0)				0/200 (0/0)		
Skin: Neurofibrosarcoma or	Schwannoma (n	nalignant or NOS)						
		0/50 (0%) 3/50 (6%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	3/199 (1.51%)	Mean 1.5%	SD 3%	Total	0/200 (0%)	Mean 0%	SD 0%
#Skin: Neurofibrosarcoma, Ne	eurofibroma, or s	Schwannoma (benign, m	alignant or NOS)					
		0/50 (0%) 3/50 (6%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	3/199 (1.51%)	Mean 1.5%	SD 3%	Total	0/200 (0%)	Mean 0%	SD 0%

\*: Denominator is number of animals with tissues examined microscopically

## Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: GAVAGE Vehicle: CORN OIL

## Page: 40 Report Date: 03/20/2010

			Male				Female	
#Skin: Sarcoma								
		1/50 (2%) 0/50 (0%)	0/49 (0%)	1/50 (2%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	2/199 (1.01%)	Mean 1%	SD 1.15%	Total	0/200 (0%)	Mean 0%	SD 0%
#Skin: Schwannoma Benign								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%
#Skin: Schwannoma Malignant								
		0/50 (0%) 3/50 (6%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	3/199 (1.51%)	Mean 1.5%	SD 3%	Total	0/200 (0%)	Mean 0%	SD 0%
#Skin: Squamous Cell Carcinoma								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%
#Skin: Squamous Cell Carcinoma, or Carcinoma								
		1/50 (2%) 0/50 (0%)	0/49 (0%)	1/50 (2%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	2/199 (1.01%)	Mean 1%	SD 1.15%	Total	0/200 (0%)	Mean 0%	SD 0%

\*: Denominator is number of animals with tissues examined microscopically

## Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: GAVAGE Vehicle: CORN OIL

### Page: 41 Report Date: 03/20/2010

			Male				Female	
#Skin: Squamous Cell Papilloma								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 1/50 (2%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%
#Skin: Squamous Cell Papilloma								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 1/50 (2%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%
		7/50 (14%)	0/49 (0%)	2/50 (10/)				
	Total	3/50 (6%) 12/199 (6.03%)	Mean 6%	2/50 (4%) SD 5.89%	Total	0/50 (0%) 1/50 (2%) 1/200 (0.5%)	0/50 (0%) Mean 0.5%	0/50 (0%) SD 1%
#Skin:		3/50 (6%) 12/199 (6.03%)	Mean 6%	SD 5.89%		1/50 (2%) 1/200 (0.5%)	Mean 0.5%	SD 1%
Overall Incidence #Skin: Squamous Cell Papilloma		3/50 (6%) 12/199 (6.03%)	Mean 6%	SD 5.89%		1/50 (2%) 1/200 (0.5%)	Mean 0.5%	SD 1%
#Skin: Squamous Cell Papilloma		3/50 (6%) 12/199 (6.03%) or Keratoacanthoma 7/50 (14%)	Mean 6%	SD 5.89%		1/50 (2%) 1/200 (0.5%) 0/50 (0%)	Mean 0.5%	SD 1%
#Skin: Squamous Cell Papilloma Overall Incidence	, Papilloma, c	3/50 (6%) 12/199 (6.03%) or Keratoacanthoma 7/50 (14%) 3/50 (6%)	Mean 6% 0/49 (0%)	SD 5.89% 2/50 (4%) SD 5.89%		1/50 (2%) 1/200 (0.5%) 0/50 (0%) 1/50 (2%)	Mean 0.5% 0/50 (0%)	SD 1% 0/50 (0%) SD 1%
#Skin: Squamous Cell Papilloma Overall Incidence #Skin:	, Papilloma, c	3/50 (6%) 12/199 (6.03%) or Keratoacanthoma 7/50 (14%) 3/50 (6%)	Mean 6% 0/49 (0%)	SD 5.89% 2/50 (4%)		1/50 (2%) 1/200 (0.5%) 0/50 (0%) 1/50 (2%)	Mean 0.5% 0/50 (0%)	SD 1% 0/50 (0%)

\*: Denominator is number of animals with tissues examined microscopically

## Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: GAVAGE Vehicle: CORN OIL

### Page: 42 Report Date: 03/20/2010

			Male				Female	
#Skin: Sebaceous Gland: Adenoma								
		1/50 (2%) 0/50 (0%)	0/49 (0%)	1/50 (2%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	2/199 (1.01%)	Mean 1%	SD 1.15%	Total	0/200 (0%)	Mean 0%	SD 0%
#Skin: Sebaceous Gland: Carcinoma or Adenoma								
		1/50 (2%) 0/50 (0%)	0/49 (0%)	1/50 (2%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	2/199 (1.01%)	Mean 1%	SD 1.15%	Total	0/200 (0%)	Mean 0%	SD 0%
#Spinal Cord: Astrocytoma Benign								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	1/50 (2%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%
#Spinal Cord: Astrocytoma Malignant								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%
≭Spinal Cord: Glioma Malignant								
		0/50 (0%) 0/50 (0%)	1/49 (2%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/199 (0.5%)	Mean 0.51%	SD 1.02%	Total	0/200 (0%)	Mean 0%	SD 0%

\*: Denominator is number of animals with tissues examined microscopically

## Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: GAVAGE Vehicle: CORN OIL

### Page: 43 Report Date: 03/20/2010

			Male				Female	
Spleen: Fibrosarcoma								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%
Spleen: Fibrous Histiocytoma								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%
*Spleen: Hemangiosarcoma								
		1/50 (2%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 2/50 (4%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	2/200 (1%)	Mean 1%	SD 2%
Spleen: Leiomyosarcoma								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%
<sup>•</sup> Spleen: Sarcoma								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%

\*: Denominator is number of animals with tissues examined microscopically

## Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: GAVAGE Vehicle: CORN OIL

### Page: 44 Report Date: 03/20/2010

			Male				Female	
#Stomach, Forestomach: Leiomyosarcoma								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%
#Stomach, Forestomach: Squamous Cell Carcinoma								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%
#Stomach, Forestomach: Squamous Cell Carcinoma o	or Papillom	a Squamous 0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 1/50 (2%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%
≭Stomach, Forestomach: Squamous Cell Papilloma		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/50 (0%) 0/199 (0%)	Mean 0%	SD 0%	Total	1/50 (2%) 1/200 (0.5%)	Mean 0.5%	SD 1%
		0/199 (070)		30 0%		1/200 (0.578)	Wear 0.5%	50 1%
#Stomach, Glandular: Carcinoma		0/50 (00%)	0/40 (0%)			0/50 (00//)		0/50 (00/)
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%

\*: Denominator is number of animals with tissues examined microscopically

## Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: GAVAGE Vehicle: CORN OIL

### Page: 45 Report Date: 03/20/2010

			Male				Female	
#Stomach, Glandular: Carcinoma or Adenoma								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%
∜Stomach, Glandular: Lipoma								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%
#Stomach, Glandular: Sarcoma								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	1/50 (2%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%
'Testes: Adenoma								
		46/50 (92%) 46/50 (92%)	37/49 (76%)	47/50 (94%)				
Overall Incidence	Total	176/199 (88.44%)	Mean 88.38%	SD 8.63%				
'Testes: Hemangioma								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)				
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%				

\*: Denominator is number of animals with tissues examined microscopically

## Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: GAVAGE Vehicle: CORN OIL

### Page: 46 Report Date: 03/20/2010

			Male				Female	
*Thymus: Thymoma Benign								
		0/47 (0%) 0/50 (0%)	0/48 (0%)	0/47 (0%)		0/47 (0%) 0/50 (0%)	0/50 (0%)	0/49 (0%)
Overall Incidence	Total	0/192 (0%)	Mean 0%	SD 0%	Total	0/196 (0%)	Mean 0%	SD 0%
*Thymus: Thymoma Malignant								
		0/47 (0%) 0/50 (0%)	0/48 (0%)	0/47 (0%)		0/47 (0%) 0/50 (0%)	0/50 (0%)	0/49 (0%)
Overall Incidence	Total	0/192 (0%)	Mean 0%	SD 0%	Total	0/196 (0%)	Mean 0%	SD 0%
*Thymus: Thymoma NOS								
		0/47 (0%) 0/50 (0%)	0/48 (0%)	0/47 (0%)		0/47 (0%) 0/50 (0%)	0/50 (0%)	0/49 (0%)
Overall Incidence	Total	0/192 (0%)	Mean 0%	SD 0%	Total	0/196 (0%)	Mean 0%	SD 0%
*Thymus: Thymoma: Benign, Malign								
		0/47 (0%) 0/50 (0%)	0/48 (0%)	0/47 (0%)		0/47 (0%) 0/50 (0%)	0/50 (0%)	0/49 (0%)
Overall Incidence	Total	0/192 (0%)	Mean 0%	SD 0%	Total	0/196 (0%)	Mean 0%	SD 0%
*Thyroid Gland: C-Cell: Adenoma								
		9/50 (18%) 8/50 (16%)	8/49 (16%)	12/50 (24%)		7/50 (14%) 8/50 (16%)	5/50 (10%)	5/50 (10%)
Overall Incidence	Total	37/199 (18.59%)	Mean 18.58%	SD 3.72%	Total	25/200 (12.5%)	Mean 12.5%	SD 3%

\*: Denominator is number of animals with tissues examined microscopically

## Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: GAVAGE Vehicle: CORN OIL

### Page: 47 Report Date: 03/20/2010

			Male				Female	
*Thyroid Gland: C-Cell: Carcinoma								
		6/50 (12%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		3/50 (6%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	6/199 (3.02%)	Mean 3%	SD 6%	Total	3/200 (1.5%)	Mean 1.5%	SD 3%
*Thyroid Gland: C-Cell: Carcinoma or Adenoma								
		15/50 (30%) 8/50 (16%)	8/49 (16%)	12/50 (24%)		9/50 (18%) 8/50 (16%)	5/50 (10%)	5/50 (10%)
Overall Incidence	Total	43/199 (21.61%)	Mean 21.58%	SD 6.72%	Total	27/200 (13.5%)	Mean 13.5%	SD 4.12%
*Thyroid Gland: Follicular Cell: Adenoma								
		1/50 (2%) 0/50 (0%)	1/49 (2%)	1/50 (2%)		0/50 (0%) 0/50 (0%)	1/50 (2%)	0/50 (0%)
Overall Incidence	Total	3/199 (1.51%)	Mean 1.51%	SD 1.01%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%
'Thyroid Gland: Follicular Cell: Carcinoma								
		1/50 (2%) 0/50 (0%)	0/49 (0%)	2/50 (4%)		1/50 (2%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	3/199 (1.51%)	Mean 1.5%	SD 1.91%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%
*Thyroid Gland: Follicular Cell: Carcinoma or Adenoma								
		2/50 (4%) 0/50 (0%)	1/49 (2%)	3/50 (6%)		1/50 (2%) 0/50 (0%)	1/50 (2%)	0/50 (0%)
Overall Incidence	Total	6/199 (3.02%)	Mean 3.01%	SD 2.58%	Total	2/200 (1%)	Mean 1%	SD 1.15%

\*: Denominator is number of animals with tissues examined microscopically

## Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: GAVAGE Vehicle: CORN OIL

### Page: 48 Report Date: 03/20/2010

			Male				Female	
#Tissue NOS: Lipoma								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%
#Tissue NOS: Paraganglioma								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%
#Tongue: Squamous Cell Carcinor								0/50 (00/)
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%
#Tongue: Squamous Cell Carcinor			0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)
		0/50 (0%)	0/49 (078)	0/30 (0 %)		0/50 (0%)	0/30 (078)	1/30 (278)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%
#Tongue: Squamous Cell Papillom	a							
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	1/50 (2%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%

\*: Denominator is number of animals with tissues examined microscopically

## Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: GAVAGE Vehicle: CORN OIL

### Page: 49 Report Date: 03/20/2010

			Male				Female	
#Tooth: Adamantinoma Malignant								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%
#Tooth: Odontoma								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 1/50 (2%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%
*Urinary Bladder: Carcinoma or Papilloma								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	1/50 (2%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%
'Urinary Bladder: Hemangiosarcoma								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%
*Urinary Bladder: Leiomyosarcoma								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%

\*: Denominator is number of animals with tissues examined microscopically

Version: Mar2010
Contract/Lab: All Laboratories
Species: RATS
Strain: F 344/N
Length of Study: CHRONIC

# Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: GAVAGE Vehicle: CORN OIL

### Page: 50 Report Date: 03/20/2010

			Male				Female	
Urinary Bladder: Papilloma								
		0/50 (0%) 0/50 (0%)	0/49 (0%)	1/50 (2%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%
#Uterus: Adenoma								
						0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence					Total	0/200 (0%)	Mean 0%	SD 0%
#Uterus: Carcinoma								
						0/50 (0%) 0/50 (0%)	0/50 (0%)	1/50 (2%)
Overall Incidence					Total	1/200 (0.5%)	Mean 0.5%	SD 1%
#Uterus: Deciduoma Benign								
						1/50 (2%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence					Total	1/200 (0.5%)	Mean 0.5%	SD 1%
#Uterus: Hemangioma								
						0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence					Total	0/200 (0%)	Mean 0%	SD 0%

\*: Denominator is number of animals with tissues examined microscopically

Version: Mar2010 Contract/Lab: All Laboratories Species: RATS Strain: F 344/N Length of Study: CHRONIC	Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: GAVAGE Vehicle: CORN OIL		Page: 51 Report Date: 03/20/2010			
	Male	Female				
#Uterus:						
Hemangiosarcoma		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%		
#Uterus:						
Leiomyosarcoma		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%		
#Uterus: Polyp Stromal		8/50 (16%)	7/50 (14%)	8/50 (16%)		
		8/50 (16%) 5/50 (10%)	7/50 (14%)	8/50 (16%)		
Overall Incidence	Total	28/200 (14%)	Mean 14%	SD 2.83%		
#Uterus:						
Sarcoma		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%		
#Uterus: Sarcoma Stromal						
		0/50 (0%) 0/50 (0%)	1/50 (2%)	0/50 (0%)		
Overall Incidence	Total	1/200 (0.5%)	Mean 0.5%	SD 1%		

Version: Mar2010 Contract/Lab: All Laboratories Species: RATS Strain: F 344/N Length of Study: CHRONIC		Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: GAVAGE Vehicle: CORN OIL								Page: 52 Report Date: 03/20/2010				
		Male						Female						
fUterus:	tromol													
Sarcoma Stromal or Polyp S	tromai								8/50 5/50	(16%) (10%)	7/50	(14%)	8/50	(16%)
Overall Incidence								Total	28/200	· /		า 14%	SD 2	.83%
Uterus: Schwannoma Malignant														
									0/50 0/50	(0%) (0%)	0/50	(0%)	0/50	(0%)
Overall Incidence								Total	0/200	. ,	Mea	n 0%	SD	0%
Vagina: Polyp														
									1/50 0/50	(2%) (0%)	0/50	(0%)	0/50	(0%)
verall Incidence								Total	1/200 (	0.5%)	Mear	0.5%	SD	1%
Vagina: Sarcoma														
									0/50 0/50	(0%) (0%)	0/50	(0%)	0/50	(0%)
overall Incidence								Total	0/200	(0%)	Mea	n 0%	SD	0%
Zymbal's Gland: Adenoma														
			(0%) (0%)	0/49	(0%)	0/50	(0%)		0/50 0/50	(0%) (0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/199 (0%)	(0,0)	Mean	0%	SD 0%		Total	0/200		Mea	n 0%	SD	0%

\*: Denominator is number of animals with tissues examined microscopically

## Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: GAVAGE Vehicle: CORN OIL

## Page: 53 Report Date: 03/20/2010

			Male		Female				
#Zymbal's Gland: Carcinoma									
		2/50 (4%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 1/50 (2%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	2/199 (1.01%)	Mean 1%	SD 2%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
≭Zymbal's Gland: Carcinoma or Adenoma									
		2/50 (4%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 1/50 (2%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	2/199 (1.01%)	Mean 1%	SD 2%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	

\*: Denominator is number of animals with tissues examined microscopically