

Version: Jun2013

Contract/Lab: All Laboratories

Species: MICE

Strain: B6C3F1

Length of Study: CHRONIC

Toxicology Data Management System

Tumor Incidence for Selected Control Animal Groups

Route: GAVAGE

Vehicle: CORN OIL

Page: 4

Report Date: 06/05/2013

Study Summary

Laboratory Name	Study Number	Study Start Date	Length of Study in Days	Number of Animals Total and (#/Cage)	Number Surviving and (Mean Life Span)	Maximum Mean Weekly Body Weight	Chemical
Male							
Battelle Columbus Laboratory	059903104	03/17/05	726	50(1)	34(687)	54.6	Ginkgo biloba extract
Battelle Columbus Laboratory	052000604	04/03/07	730	50(1)	26(663)	55.6	Indole-3-carbinol
Battelle Columbus Laboratory	052000706	08/24/04	730	50(1)	34(689)	56.4	Kava kava extract
Battelle Columbus Laboratory	052010704	10/26/04	730	50(1)	34(665)	55.7	N,N-Dimethyl-p-toluidine
Battelle Columbus Laboratory	052032004	08/07/07	730	50(1)	33(687)	55.8	Tetrabromobisphenol A
Female							
Battelle Columbus Laboratory	059903104	03/18/05	727	50(5)	31(628)	64.5	Ginkgo biloba extract
Battelle Columbus Laboratory	052000604	04/02/07	729	50(5)	33(702)	66.6	Indole-3-carbinol
Battelle Columbus Laboratory	052000706	08/23/04	729	50(5)	38(695)	66.2	Kava kava extract
Battelle Columbus Laboratory	052010704	10/25/04	729	50(5)	43(715)	66.6	N,N-Dimethyl-p-toluidine
Battelle Columbus Laboratory	052032004	08/06/07	729	50(5)	40(711)	66.5	Tetrabromobisphenol A

NOTE: The text on page 2 ("Report Description") describes how the studies listed here are displayed on the data pages that follow.

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 5
 Report Date: 06/05/2013

		Male			Female			
#All Organs:								
Benign Tumors								
		38/50 (76%)	33/50 (66%)	34/50 (68%)	25/50 (50%)	17/50 (34%)	26/50 (52%)	
		36/50 (72%)	38/50 (76%)		24/50 (48%)	22/50 (44%)		
Overall Incidence	Total	179/250 (71.6%)	Mean 71.6%	SD 4.56%	Total	114/250 (45.6%)	Mean 45.6%	SD 7.13%
.....								
#All Organs:								
Malignant Tumors								
		35/50 (70%)	27/50 (54%)	32/50 (64%)	28/50 (56%)	19/50 (38%)	19/50 (38%)	
		29/50 (58%)	21/50 (42%)		21/50 (42%)	18/50 (36%)		
Overall Incidence	Total	144/250 (57.6%)	Mean 57.6%	SD 10.62%	Total	105/250 (42%)	Mean 42%	SD 8.12%
.....								
#All Organs:								
Malignant and Benign Tumors								
		44/50 (88%)	48/50 (96%)	47/50 (94%)	35/50 (70%)	30/50 (60%)	39/50 (78%)	
		45/50 (90%)	47/50 (94%)		35/50 (70%)	32/50 (64%)		
Overall Incidence	Total	231/250 (92.4%)	Mean 92.4%	SD 3.29%	Total	171/250 (68.4%)	Mean 68.4%	SD 6.84%
.....								
#All Organs:								
Hemangioma								
		0/50 (0%)	0/50 (0%)	2/50 (4%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	2/50 (4%)		1/50 (2%)	1/50 (2%)		
Overall Incidence	Total	4/250 (1.6%)	Mean 1.6%	SD 2.19%	Total	3/250 (1.2%)	Mean 1.2%	SD 1.1%
.....								
#All Organs:								
Hemangiosarcoma								
		9/50 (18%)	4/50 (8%)	6/50 (12%)	2/50 (4%)	0/50 (0%)	1/50 (2%)	
		8/50 (16%)	1/50 (2%)		0/50 (0%)	1/50 (2%)		
Overall Incidence	Total	28/250 (11.2%)	Mean 11.2%	SD 6.42%	Total	4/250 (1.6%)	Mean 1.6%	SD 1.67%

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 6
 Report Date: 06/05/2013

		Male			Female		
#All Organs:							
Hemangiosarcoma or Hemangioma							
		9/50 (18%)	4/50 (8%)	8/50 (16%)	2/50 (4%)	1/50 (2%)	1/50 (2%)
		8/50 (16%)	3/50 (6%)		1/50 (2%)	2/50 (4%)	
Overall Incidence	Total	32/250 (12.8%)	Mean 12.8%	SD 5.4%	Total	7/250 (2.8%)	Mean 2.8% SD 1.1%
.....							
#All Organs:							
Histiocytic Sarcoma							
		0/50 (0%)	2/50 (4%)	0/50 (0%)	1/50 (2%)	1/50 (2%)	3/50 (6%)
		0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	
Overall Incidence	Total	2/250 (0.8%)	Mean 0.8%	SD 1.79%	Total	6/250 (2.4%)	Mean 2.4% SD 2.19%
.....							
#All Organs:							
Malignant Lymphoma: Histiocytic, Lymphocytic, Mixed, NOS, or Undifferentiated Cell Type							
		1/50 (2%)	3/50 (6%)	2/50 (4%)	11/50 (22%)	6/50 (12%)	6/50 (12%)
		4/50 (8%)	3/50 (6%)		15/50 (30%)	9/50 (18%)	
Overall Incidence	Total	13/250 (5.2%)	Mean 5.2%	SD 2.28%	Total	47/250 (18.8%)	Mean 18.8% SD 7.56%
.....							
#All Organs:							
Mesothelioma: Benign							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0% SD 0%
.....							
#All Organs:							
Mesothelioma: Benign, Malignant, NOS							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0% SD 0%

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 7
 Report Date: 06/05/2013

		Male				Female			
#All Organs:									
Mesothelioma: Malignant									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
#All Organs:									
Osteoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
#All Organs:									
Osteosarcoma									
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
#All Organs:									
Osteosarcoma or Osteoma									
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
*Adrenal Cortex:									
Adenoma									
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	2/49 (4%)	0/50 (0%)	
		3/50 (6%)	1/50 (2%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	5/250 (2%)	Mean 2%	SD 2.45%	Total	2/249 (0.8%)	Mean 0.82%	SD 1.83%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 8
 Report Date: 06/05/2013

		Male				Female			
*Adrenal Cortex:									
Plasma Cell Tumor Malignant									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/249 (0%)	Mean 0%	SD 0%	
.....									
*Adrenal Medulla:									
Pheochromocytoma Benign									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			2/50 (4%)	1/50 (2%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	3/249 (1.2%)	Mean 1.2%	SD 1.79%	
.....									
*Adrenal Medulla:									
Pheochromocytoma Malignant									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/249 (0%)	Mean 0%	SD 0%	
.....									
*Adrenal Medulla:									
Pheochromocytoma: Benign, Complex, Malignant, NOS									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			2/50 (4%)	1/50 (2%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	3/249 (1.2%)	Mean 1.2%	SD 1.79%	
.....									
#Blood Vessel:									
Hemangioma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 9
 Report Date: 06/05/2013

		Male				Female			
*Bone Marrow:									
Hemangioma									
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
*Bone Marrow:									
Hemangiosarcoma									
		0/50 (0%)	1/50 (2%)	2/50 (4%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	3/250 (1.2%)	Mean 1.2%	SD 1.79%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
*Bone Marrow:									
Mast Cell Tumor Malignant									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
*Bone Marrow:									
Plasma Cell Tumor Malignant									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
*Bone Marrow:									
Sarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 10
 Report Date: 06/05/2013

		Male				Female			
#Bone:									
Fibroma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	1/50 (2%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	
.....									
#Bone:									
Hemangiosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
#Bone:									
Osteoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
#Bone:									
Osteosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
#Bone:									
Osteosarcoma or Osteoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 11
 Report Date: 06/05/2013

		Male				Female			
#Bone:									
Sarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
*Brain:									
Granular Cell Tumor Benign									
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
*Brain:									
Meningioma Benign									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
*Brain:									
Meningioma Malignant									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
*Brain:									
Meningioma: Benign, Malignant, NOS									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%	

#: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 12
 Report Date: 06/05/2013

		Male				Female			
*Brain:									
 Oligodendroglioma Malignant									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
*Brain:									
 Oligodendroglioma, Glioma, or Astrocytoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
*Brain:									
 Schwannoma Malignant									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
*Clitoral/Preputial Gland:									
 Hemangioma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/49 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/248 (0%)	Mean 0%	SD 0%	
.....									
*Clitoral/Preputial Gland:									
 Hemangiosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/49 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/248 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 13
 Report Date: 06/05/2013

		Male				Female			
#Coagulating Gland:									
Granular Cell Tumor									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
#Coagulating Gland:									
Sarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
#Esophagus:									
Squamous Cell Carcinoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
#Eye:									
Melanoma Malignant									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
#Harderian Gland:									
Adenoma									
		4/50 (8%)	6/50 (12%)	5/50 (10%)		5/50 (10%)	3/50 (6%)	5/50 (10%)	
		11/50 (22%)	7/50 (14%)			1/50 (2%)	2/50 (4%)		
Overall Incidence	Total	33/250 (13.2%)	Mean 13.2%	SD 5.4%	Total	16/250 (6.4%)	Mean 6.4%	SD 3.58%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 14
 Report Date: 06/05/2013

		Male				Female			
#Harderian Gland:									
Carcinoma									
		3/50 (6%)	1/50 (2%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)			0/50 (0%)	1/50 (2%)		
Overall Incidence	Total	5/250 (2%)	Mean 2%	SD 2.45%	Total	2/250 (0.8%)	Mean 0.8%	SD 1.1%	
.....									
#Harderian Gland:									
Carcinoma or Adenoma									
		7/50 (14%)	7/50 (14%)	5/50 (10%)		6/50 (12%)	3/50 (6%)	5/50 (10%)	
		11/50 (22%)	8/50 (16%)			1/50 (2%)	3/50 (6%)		
Overall Incidence	Total	38/250 (15.2%)	Mean 15.2%	SD 4.38%	Total	18/250 (7.2%)	Mean 7.2%	SD 3.9%	
.....									
*Heart:									
Hemangiosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Large: Cecum:									
Adenoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Large: Cecum:									
Carcinoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 15
 Report Date: 06/05/2013

		Male				Female			
#Intestine Large: Cecum:									
Carcinoma or Adenoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Large: Cecum:									
Leiomyoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Large: Cecum:									
Leiomyosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	
.....									
#Intestine Large: Colon/Rectum:									
Leiomyosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Small: Duodenum:									
Adenoma									
		0/50 (0%)	2/50 (4%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	1/50 (2%)		
Overall Incidence	Total	3/250 (1.2%)	Mean 1.2%	SD 1.79%	Total	2/250 (0.8%)	Mean 0.8%	SD 1.1%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 16
 Report Date: 06/05/2013

		Male				Female			
#Intestine Small: Duodenum:									
Carcinoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Small: Duodenum:									
Leiomyosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Small: Duodenum:									
Polyp Adenomatous									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Small: Ileum:									
Adenoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Small: Ileum:									
Carcinoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 17
 Report Date: 06/05/2013

		Male				Female			
#Intestine Small: Ileum:									
Polyp Adenomatous									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Small: Jejunum:									
Adenoma									
		0/50 (0%)	1/50 (2%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)	1/50 (2%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	3/250 (1.2%)	Mean 1.2%	SD 1.1%	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	
.....									
#Intestine Small: Jejunum:									
Carcinoma									
		1/50 (2%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	3/250 (1.2%)	Mean 1.2%	SD 1.1%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Small: Jejunum:									
Hemangiosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Small: Jejunum:									
Leiomyosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 18
 Report Date: 06/05/2013

		Male				Female			
#Intestine Small: Site Unspecified:									
Adenoma									
		0/50 (0%)	3/50 (6%)	2/50 (4%)		0/50 (0%)	0/50 (0%)	2/50 (4%)	
		0/50 (0%)	1/50 (2%)			0/50 (0%)	1/50 (2%)		
Overall Incidence	Total	6/250 (2.4%)	Mean 2.4%	SD 2.61%	Total	3/250 (1.2%)	Mean 1.2%	SD 1.79%	
.....									
#Intestine Small: Site Unspecified:									
Carcinoma									
		1/50 (2%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	3/250 (1.2%)	Mean 1.2%	SD 1.1%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Small: Site Unspecified:									
Carcinoma or Adenoma									
		1/50 (2%)	3/50 (6%)	3/50 (6%)		0/50 (0%)	0/50 (0%)	2/50 (4%)	
		0/50 (0%)	2/50 (4%)			0/50 (0%)	1/50 (2%)		
Overall Incidence	Total	9/250 (3.6%)	Mean 3.6%	SD 2.61%	Total	3/250 (1.2%)	Mean 1.2%	SD 1.79%	
.....									
#Intestine Small: Site Unspecified:									
Hemangiosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Small: Site Unspecified:									
Leiomyosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 19
 Report Date: 06/05/2013

		Male				Female			
#Intestine Small: Site Unspecified:									
Polyp Adenomatous									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
*Islets, Pancreatic:									
Adenoma									
		1/50 (2%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		1/50 (2%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	3/250 (1.2%)	Mean 1.2%	SD 1.1%	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	
.....									
*Islets, Pancreatic:									
Carcinoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
*Islets, Pancreatic:									
Carcinoma or Adenoma									
		1/50 (2%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		2/50 (4%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	4/250 (1.6%)	Mean 1.6%	SD 1.67%	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	
.....									
*Kidney: Pelvis and Transitional Epithelium:									
Carcinoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 20
 Report Date: 06/05/2013

		Male				Female			
*Kidney: Pelvis and Transitional Epithelium: Carcinoma or Adenoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
*Kidney: Renal Tubule: Adenoma									
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	2/250 (0.8%)	Mean 0.8%	SD 1.1%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
*Kidney: Renal Tubule: Carcinoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
*Kidney: Renal Tubule: Carcinoma or Adenoma									
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	2/250 (0.8%)	Mean 0.8%	SD 1.1%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
*Kidney: Renal Tubule: Hemangioma									
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	Total	0/250 (0%)	Mean 0%	SD 0%	

#: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 21
 Report Date: 06/05/2013

		Male				Female			
*Kidney: Renal Tubule:									
Hemangiosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
*Kidney: Renal Tubule:									
Plasma Cell Tumor Malignant									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
*Kidney: Renal Tubule:									
Sarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
*Liver:									
Hemangioma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	2/50 (4%)			1/50 (2%)	0/50 (0%)		0/50 (0%)
Overall Incidence	Total	2/250 (0.8%)	Mean 0.8%	SD 1.79%	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	
.....									
*Liver:									
Hemangiosarcoma									
		9/50 (18%)	4/50 (8%)	5/50 (10%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		6/50 (12%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	24/250 (9.6%)	Mean 9.6%	SD 6.54%	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	

#: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 22
 Report Date: 06/05/2013

		Male				Female			
*Liver:									
Hepatoblastoma									
		3/50 (6%)	3/50 (6%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	2/50 (4%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	9/250 (3.6%)	Mean 3.6%	SD 2.61%	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	
.....									
*Liver:									
Hepatocellular Adenoma									
		31/50 (62%)	26/50 (52%)	27/50 (54%)		17/50 (34%)	7/50 (14%)	8/50 (16%)	
		29/50 (58%)	32/50 (64%)			17/50 (34%)	13/50 (26%)		
Overall Incidence	Total	145/250 (58%)	Mean 58%	SD 5.1%	Total	62/250 (24.8%)	Mean 24.8%	SD 9.55%	
.....									
*Liver:									
Hepatocellular Carcinoma									
		22/50 (44%)	12/50 (24%)	20/50 (40%)		9/50 (18%)	6/50 (12%)	3/50 (6%)	
		22/50 (44%)	11/50 (22%)			6/50 (12%)	2/50 (4%)		
Overall Incidence	Total	87/250 (34.8%)	Mean 34.8%	SD 10.92%	Total	26/250 (10.4%)	Mean 10.4%	SD 5.55%	
.....									
*Liver:									
Hepatocellular Carcinoma or Hepatoblastoma									
		24/50 (48%)	15/50 (30%)	20/50 (40%)		10/50 (20%)	6/50 (12%)	3/50 (6%)	
		22/50 (44%)	12/50 (24%)			6/50 (12%)	2/50 (4%)		
Overall Incidence	Total	93/250 (37.2%)	Mean 37.2%	SD 9.96%	Total	27/250 (10.8%)	Mean 10.8%	SD 6.26%	
.....									
*Liver:									
Hepatocellular Carcinoma or Hepatocellular Adenoma									
		39/50 (78%)	35/50 (70%)	38/50 (76%)		20/50 (40%)	12/50 (24%)	10/50 (20%)	
		38/50 (76%)	39/50 (78%)			20/50 (40%)	15/50 (30%)		
Overall Incidence	Total	189/250 (75.6%)	Mean 75.6%	SD 3.29%	Total	77/250 (30.8%)	Mean 30.8%	SD 9.12%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 23
 Report Date: 06/05/2013

		Male				Female			
*Liver:									
Hepatocellular Carcinoma, Hepatocellular Adenoma, or Hepatoblastoma									
		39/50 (78%)	36/50 (72%)	38/50 (76%)		20/50 (40%)	12/50 (24%)	10/50 (20%)	
		38/50 (76%)	39/50 (78%)			20/50 (40%)	15/50 (30%)		
Overall Incidence	Total	190/250 (76%)	Mean 76%	SD 2.45%	Total	77/250 (30.8%)	Mean 30.8%	SD 9.12%	
.....									
*Liver:									
Hepatocholangiocarcinoma									
		0/50 (0%)	0/50 (0%)	4/50 (8%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	4/250 (1.6%)	Mean 1.6%	SD 3.58%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
*Liver:									
Hepatocholangioma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
*Liver:									
Ito Cell Tumor Benign									
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
*Liver:									
Mast Cell Tumor Malignant									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 24
 Report Date: 06/05/2013

		Male				Female			
*Liver:									
Plasma Cell Tumor Malignant									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
*Liver:									
Sarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	
.....									
*Lung:									
Alveolar/Bronchiolar Adenoma									
		8/50 (16%)	4/50 (8%)	9/50 (18%)		0/50 (0%)	1/50 (2%)	2/50 (4%)	
		11/50 (22%)	6/50 (12%)			2/50 (4%)	5/50 (10%)		
Overall Incidence	Total	38/250 (15.2%)	Mean 15.2%	SD 5.4%	Total	10/250 (4%)	Mean 4%	SD 3.74%	
.....									
*Lung:									
Alveolar/Bronchiolar Carcinoma									
		11/50 (22%)	4/50 (8%)	2/50 (4%)		1/50 (2%)	2/50 (4%)	2/50 (4%)	
		2/50 (4%)	4/50 (8%)			0/50 (0%)	1/50 (2%)		
Overall Incidence	Total	23/250 (9.2%)	Mean 9.2%	SD 7.43%	Total	6/250 (2.4%)	Mean 2.4%	SD 1.67%	
.....									
*Lung:									
Alveolar/Bronchiolar Carcinoma or Alveolar/Bronchiolar Adenoma									
		17/50 (34%)	8/50 (16%)	11/50 (22%)		1/50 (2%)	3/50 (6%)	4/50 (8%)	
		13/50 (26%)	10/50 (20%)			2/50 (4%)	6/50 (12%)		
Overall Incidence	Total	59/250 (23.6%)	Mean 23.6%	SD 6.84%	Total	16/250 (6.4%)	Mean 6.4%	SD 3.85%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 25
 Report Date: 06/05/2013

		Male				Female			
*Lung:									
Hemangiosarcoma									
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	2/250 (0.8%)	Mean 0.8%	SD 1.1%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
*Lung:									
Plasma Cell Tumor Malignant									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
#Lymph Node:									
Plasma Cell Tumor Malignant									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
#Lymph Node, Bronchial:									
Hemangiosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
#Lymph Node, Mandibular:									
Hemangiosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 26
 Report Date: 06/05/2013

		Male				Female			
#Lymph Node, Mandibular: Mast Cell Tumor Malignant									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
#Lymph Node, Mandibular: Plasma Cell Tumor Malignant									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
#Lymph Node, Mediastinal: Mast Cell Tumor Malignant									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
#Lymph Node, Mesenteric: Hemangiosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
#Lymph Node, Mesenteric: Plasma Cell Tumor Malignant									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 27
 Report Date: 06/05/2013

		Male				Female			
#Mammary Gland:									
Adenoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
#Mammary Gland:									
Carcinoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			1/50 (2%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	2/250 (0.8%)	Mean 0.8%	SD 1.1%	
.....									
#Mammary Gland:									
Carcinoma or Adenoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			1/50 (2%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	2/250 (0.8%)	Mean 0.8%	SD 1.1%	
.....									
#Mammary Gland:									
Fibroadenoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
#Mammary Gland:									
Fibroma, Fibroadenoma or Adenoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 28
 Report Date: 06/05/2013

		Male				Female			
#Mammary Gland:									
Fibroma, Fibroadenoma, Carcinoma, or Adenoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			1/50 (2%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	2/250 (0.8%)	Mean 0.8%	SD 1.1%	
.....									
#Mesentery:									
Hemangioma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
#Mesentery:									
Hemangiosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
#Mesentery:									
Lipoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
#Mesentery:									
Sarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 29
 Report Date: 06/05/2013

		Male				Female			
*Nose:									
Adenoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/249 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
*Nose:									
Hemangiosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/249 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
#Oral Cavity (Oral Mucosa, Tongue, Pharynx, Tooth, Gingiva):									
Papilloma Squamous or Papilloma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	1/50 (2%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	
.....									
#Oral Cavity (Oral Mucosa, Tongue, Pharynx, Tooth, Gingiva):									
Squamous Cell Carcinoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	1/50 (2%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	2/250 (0.8%)	Mean 0.8%	SD 1.1%	
.....									
#Oral Cavity (Oral Mucosa, Tongue, Pharynx, Tooth, Gingiva):									
Squamous Cell Carcinoma, Papilloma Squamous, or Papilloma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	2/50 (4%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	3/250 (1.2%)	Mean 1.2%	SD 1.79%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 30
 Report Date: 06/05/2013

		Male			Female		
#Oral Mucosa:							
Squamous Cell Carcinoma							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	2/250 (0.8%)	Mean 0.8% SD 1.1%
.....							
*Ovary:							
Choriocarcinoma							
					1/50 (2%)	0/50 (0%)	0/49 (0%)
					0/50 (0%)	0/50 (0%)	
Overall Incidence	Total				1/249 (0.4%)	Mean 0.4%	SD 0.89%
.....							
*Ovary:							
Cystadenocarcinoma							
					0/50 (0%)	0/50 (0%)	0/49 (0%)
					0/50 (0%)	0/50 (0%)	
Overall Incidence	Total				0/249 (0%)	Mean 0%	SD 0%
.....							
*Ovary:							
Cystadenoma							
					2/50 (4%)	1/50 (2%)	5/49 (10%)
					1/50 (2%)	2/50 (4%)	
Overall Incidence	Total				11/249 (4.42%)	Mean 4.44%	SD 3.37%
.....							
*Ovary:							
Granulosa Cell Tumor Benign							
					0/50 (0%)	0/50 (0%)	0/49 (0%)
					0/50 (0%)	0/50 (0%)	
Overall Incidence	Total				0/249 (0%)	Mean 0%	SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 31
 Report Date: 06/05/2013

	Male	Female
*Ovary:		
Granulosa Cell Tumor: Benign, Malignant, NOS		
	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/49 (0%)
Overall Incidence	Total 0/249 (0%)	Mean 0% SD 0%
.....		
*Ovary:		
Hemangioma		
	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/49 (0%)
Overall Incidence	Total 0/249 (0%)	Mean 0% SD 0%
.....		
*Ovary:		
Hemangiosarcoma		
	1/50 (2%)	0/50 (0%)
	0/50 (0%)	0/49 (0%)
Overall Incidence	Total 1/249 (0.4%)	Mean 0.4% SD 0.89%
.....		
*Ovary:		
Luteoma		
	0/50 (0%)	0/50 (0%)
	0/50 (0%)	1/49 (2%)
Overall Incidence	Total 1/249 (0.4%)	Mean 0.41% SD 0.91%
.....		
*Ovary:		
Plasma Cell Tumor Malignant		
	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/49 (0%)
Overall Incidence	Total 0/249 (0%)	Mean 0% SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 32
 Report Date: 06/05/2013

	Male	Female
*Ovary:		
Sarcoma		
	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)
Overall Incidence	Total 0/249 (0%)	Mean 0% SD 0%
.....		
*Ovary:		
Teratoma Benign		
	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)
Overall Incidence	Total 0/249 (0%)	Mean 0% SD 0%
.....		
*Ovary:		
Teratoma Malignant		
	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)
Overall Incidence	Total 0/249 (0%)	Mean 0% SD 0%
.....		
*Ovary:		
Tubulostromal Adenoma		
	0/50 (0%)	1/50 (2%)
	1/50 (2%)	0/50 (0%)
Overall Incidence	Total 2/249 (0.8%)	Mean 0.8% SD 1.1%
.....		
*Ovary:		
Yolk Sac Carcinoma		
	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)
Overall Incidence	Total 0/249 (0%)	Mean 0% SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 33
 Report Date: 06/05/2013

		Male				Female			
*Pancreas:									
Carcinoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/249 (0%)	Mean 0%	SD 0%	
.....									
*Pancreas:									
Carcinoma or Adenoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/249 (0%)	Mean 0%	SD 0%	
.....									
*Pituitary Gland: Pars Distalis or Unspecified Site:									
Adenoma									
		0/49 (0%)	0/50 (0%)	0/49 (0%)		4/50 (8%)	3/49 (6%)	2/50 (4%)	
		0/50 (0%)	0/50 (0%)			0/48 (0%)	1/50 (2%)		
Overall Incidence	Total	0/248 (0%)	Mean 0%	SD 0%	Total	10/247 (4.05%)	Mean 4.02%	SD 3.18%	
.....									
*Pituitary Gland: Pars Distalis or Unspecified Site:									
Carcinoma									
		0/49 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/48 (0%)	0/50 (0%)		
Overall Incidence	Total	0/248 (0%)	Mean 0%	SD 0%	Total	0/247 (0%)	Mean 0%	SD 0%	
.....									
*Pituitary Gland: Pars Distalis or Unspecified Site:									
Carcinoma or Adenoma									
		0/49 (0%)	0/50 (0%)	0/49 (0%)		4/50 (8%)	3/49 (6%)	2/50 (4%)	
		0/50 (0%)	0/50 (0%)			0/48 (0%)	1/50 (2%)		
Overall Incidence	Total	0/248 (0%)	Mean 0%	SD 0%	Total	10/247 (4.05%)	Mean 4.02%	SD 3.18%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 34
 Report Date: 06/05/2013

		Male				Female			
*Pituitary Gland: Pars Intermedia:									
Adenoma									
		0/49 (0%)	0/50 (0%)	1/49 (2%)		1/50 (2%)	1/49 (2%)	1/50 (2%)	
		0/50 (0%)	0/50 (0%)			0/48 (0%)	0/50 (0%)		
Overall Incidence	Total	1/248 (0.4%)	Mean 0.41%	SD 0.91%	Total	3/247 (1.21%)	Mean 1.21%	SD 1.1%	
.....									
*Pituitary Gland: Pars Intermedia:									
Carcinoma or Adenoma									
		0/49 (0%)	0/50 (0%)	1/49 (2%)		1/50 (2%)	1/49 (2%)	1/50 (2%)	
		0/50 (0%)	0/50 (0%)			0/48 (0%)	0/50 (0%)		
Overall Incidence	Total	1/248 (0.4%)	Mean 0.41%	SD 0.91%	Total	3/247 (1.21%)	Mean 1.21%	SD 1.1%	
.....									
*Salivary Glands:									
Adenoma									
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
		0/50 (0%)	0/50 (0%)			1/50 (2%)	0/50 (0%)		
Overall Incidence	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	Total	1/249 (0.4%)	Mean 0.4%	SD 0.89%	
.....									
*Salivary Glands:									
Carcinoma or Adenoma									
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
		0/50 (0%)	0/50 (0%)			1/50 (2%)	0/50 (0%)		
Overall Incidence	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	Total	1/249 (0.4%)	Mean 0.4%	SD 0.89%	
.....									
*Salivary Glands:									
Hemangiosarcoma									
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	Total	0/249 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 35
 Report Date: 06/05/2013

		Male				Female			
*Salivary Glands:									
Mast Cell Tumor Malignant									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/249 (0%)	Mean 0%	SD 0%	
.....									
*Salivary Glands:									
Myxoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/249 (0%)	Mean 0%	SD 0%	
.....									
#Seminal Vesicle:									
Adenoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)					
		0/50 (0%)	0/50 (0%)						
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%					
.....									
#Skeletal Muscle:									
Hemangiosarcoma									
		0/50 (0%)	0/50 (0%)	1/50 (2%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	
.....									
#Skeletal Muscle:									
Rhabdomyosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	3/50 (6%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	3/250 (1.2%)	Mean 1.2%	SD 2.68%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 36
 Report Date: 06/05/2013

		Male				Female			
#Skeletal Muscle:									
Rhabdomyosarcoma or Rhabdomyoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	3/50 (6%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	3/250 (1.2%)	Mean 1.2%	SD 2.68%	
.....									
#Skeletal Muscle:									
Sarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Basal Cell Carcinoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	1/50 (2%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	2/250 (0.8%)	Mean 0.8%	SD 1.1%	
.....									
#Skin:									
Basal Cell Carcinoma or Basosquamous Tumor (malignant or NOS)									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	1/50 (2%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	2/250 (0.8%)	Mean 0.8%	SD 1.1%	
.....									
#Skin:									
Basal Cell Carcinoma, Basal Cell Adenoma, Basosquamous Tumor (benign, malignant or NOS), or Trichoepithelioma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	1/50 (2%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	2/250 (0.8%)	Mean 0.8%	SD 1.1%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 37
 Report Date: 06/05/2013

	Male					Female							
#Skin:													
Basal or Sq. Cell Carcinoma, Carcinoma, Basosq. Tumor (M or B), Basal Cell Adenoma, Adenoma, Papilloma, Sq Papilloma, Keratoacanthoma, Trichoepithelioma													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	1/50	(2%)			1/50	(2%)	1/50	(2%)		
Overall Incidence	Total	1/250 (0.4%)			Mean 0.4%	SD 0.89%	Total	3/250 (1.2%)			Mean 1.2%	SD 1.1%	
.....													
#Skin:													
Fibroma, Fibrosarcoma, Sarcoma, Myxoma, Myxosarcoma, or Fibrous Histiocytoma													
		0/50	(0%)	1/50	(2%)	0/50	(0%)	3/50	(6%)	1/50	(2%)	0/50	(0%)
		0/50	(0%)	1/50	(2%)			2/50	(4%)	1/50	(2%)		
Overall Incidence	Total	2/250 (0.8%)			Mean 0.8%	SD 1.1%	Total	7/250 (2.8%)			Mean 2.8%	SD 2.28%	
.....													
#Skin:													
Fibrosarcoma													
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)			2/50	(4%)	1/50	(2%)		
Overall Incidence	Total	1/250 (0.4%)			Mean 0.4%	SD 0.89%	Total	3/250 (1.2%)			Mean 1.2%	SD 1.79%	
.....													
#Skin:													
Fibrosarcoma, Sarcoma, Myxosarcoma, or Fibrous Histiocytoma													
		0/50	(0%)	1/50	(2%)	0/50	(0%)	3/50	(6%)	1/50	(2%)	0/50	(0%)
		0/50	(0%)	1/50	(2%)			2/50	(4%)	1/50	(2%)		
Overall Incidence	Total	2/250 (0.8%)			Mean 0.8%	SD 1.1%	Total	7/250 (2.8%)			Mean 2.8%	SD 2.28%	
.....													
#Skin:													
Fibrous Histiocytoma													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)		
Overall Incidence	Total	0/250 (0%)			Mean 0%	SD 0%	Total	0/250 (0%)			Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 38
 Report Date: 06/05/2013

		Male				Female			
#Skin:									
Granular Cell Tumor Benign									
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Hemangioma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	1/50 (2%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	
.....									
#Skin:									
Hemangiosarcoma									
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	1/50 (2%)		
Overall Incidence	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	
.....									
#Skin:									
Keratoacanthoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)			1/50 (2%)	0/50 (0%)		
Overall Incidence	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	
.....									
#Skin:									
Lipoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	Total	0/250 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 39
 Report Date: 06/05/2013

		Male				Female			
#Skin:									
Liposarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Mast Cell Tumor Benign									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Mast Cell Tumor Malignant									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Melanoma Benign									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Melanoma Malignant									
		1/50 (2%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 40
 Report Date: 06/05/2013

		Male				Female			
#Skin:									
Neural Crest Tumor									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Neurofibroma or Schwannoma benign									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Neurofibrosarcoma or Schwannoma (malignant or NOS)									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	1/50 (2%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	
.....									
#Skin:									
Neurofibrosarcoma, Neurofibroma, or Schwannoma (benign, malignant or NOS)									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	1/50 (2%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	
.....									
#Skin:									
Osteosarcoma									
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	Total	0/250 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 41
 Report Date: 06/05/2013

		Male			Female			
#Skin:								
Sarcoma								
		0/50 (0%)	0/50 (0%)	0/50 (0%)	3/50 (6%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	Total	4/250 (1.6%)	Mean 1.6%	SD 2.61%
.....								
#Skin:								
Schwannoma Benign								
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%
.....								
#Skin:								
Schwannoma Malignant								
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%
.....								
#Skin:								
Squamous Cell Carcinoma, Basal Cell Carcinoma, Basosquamous Tumor (malignant or NOS), or Carcinoma								
		0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	2/250 (0.8%)	Mean 0.8%	SD 1.1%
.....								
#Skin:								
Squamous Cell Papilloma								
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 42
 Report Date: 06/05/2013

		Male				Female			
#Skin:									
Squamous Cell Papilloma or Papilloma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Squamous Cell Papilloma, Papilloma, Squamous Cell Carcinoma or Keratoacanthoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)			1/50 (2%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	
.....									
#Skin:									
Squamous Cell Papilloma, Papilloma, or Keratoacanthoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)			1/50 (2%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	
.....									
#Skin: Sebaceous Gland:									
Adenoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
#Skin: Sebaceous Gland:									
Carcinoma or Adenoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 43
 Report Date: 06/05/2013

		Male				Female			
#Spinal Cord:									
Hemangiosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
*Spleen:									
Hemangioma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
		0/48 (0%)	0/50 (0%)			0/49 (0%)	0/50 (0%)		
Overall Incidence	Total	0/248 (0%)	Mean 0%	SD 0%	Total	0/248 (0%)	Mean 0%	SD 0%	
.....									
*Spleen:									
Hemangiosarcoma									
		0/50 (0%)	1/50 (2%)	2/50 (4%)		1/50 (2%)	0/50 (0%)	0/49 (0%)	
		3/48 (6%)	1/50 (2%)			0/49 (0%)	1/50 (2%)		
Overall Incidence	Total	7/248 (2.82%)	Mean 2.85%	SD 2.37%	Total	2/248 (0.81%)	Mean 0.8%	SD 1.1%	
.....									
*Spleen:									
Mast Cell Tumor Malignant									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/49 (2%)	
		0/48 (0%)	0/50 (0%)			0/49 (0%)	0/50 (0%)		
Overall Incidence	Total	0/248 (0%)	Mean 0%	SD 0%	Total	1/248 (0.4%)	Mean 0.41%	SD 0.91%	
.....									
*Spleen:									
Plasma Cell Tumor Malignant									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
		0/48 (0%)	0/50 (0%)			0/49 (0%)	0/50 (0%)		
Overall Incidence	Total	0/248 (0%)	Mean 0%	SD 0%	Total	0/248 (0%)	Mean 0%	SD 0%	

#: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 44
 Report Date: 06/05/2013

		Male				Female			
#Stomach, Forestomach:									
Squamous Cell Carcinoma									
		0/50 (0%)	1/50 (2%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	2/250 (0.8%)	Mean 0.8%	SD 1.1%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
#Stomach, Forestomach:									
Squamous Cell Carcinoma or Papilloma Squamous									
		0/50 (0%)	2/50 (4%)	9/50 (18%)		2/50 (4%)	1/50 (2%)	3/50 (6%)	
		1/50 (2%)	5/50 (10%)			1/50 (2%)	0/50 (0%)		
Overall Incidence	Total	17/250 (6.8%)	Mean 6.8%	SD 7.29%	Total	7/250 (2.8%)	Mean 2.8%	SD 2.28%	
.....									
#Stomach, Forestomach:									
Squamous Cell Papilloma									
		0/50 (0%)	1/50 (2%)	8/50 (16%)		2/50 (4%)	1/50 (2%)	3/50 (6%)	
		1/50 (2%)	5/50 (10%)			1/50 (2%)	0/50 (0%)		
Overall Incidence	Total	15/250 (6%)	Mean 6%	SD 6.78%	Total	7/250 (2.8%)	Mean 2.8%	SD 2.28%	
.....									
#Stomach, Glandular:									
Adenoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	
.....									
#Stomach, Glandular:									
Carcinoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 45
 Report Date: 06/05/2013

		Male			Female		
#Stomach, Glandular:							
Carcinoma or Adenoma							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	1/250 (0.4%)	Mean 0.4% SD 0.89%
.....							
*Testes:							
Adenoma							
		1/50 (2%)	0/50 (0%)	1/50 (2%)			
		0/50 (0%)	0/50 (0%)				
Overall Incidence	Total	2/250 (0.8%)	Mean 0.8%	SD 1.1%			
.....							
*Testes:							
Hemangioma							
		0/50 (0%)	0/50 (0%)	0/50 (0%)			
		0/50 (0%)	0/50 (0%)				
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%			
.....							
*Thymus:							
Neoplasm NOS							
		0/50 (0%)	0/49 (0%)	0/48 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)
		0/48 (0%)	0/47 (0%)		0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/242 (0%)	Mean 0%	SD 0%	Total	0/249 (0%)	Mean 0% SD 0%
.....							
*Thymus:							
Thymoma Benign							
		0/50 (0%)	1/49 (2%)	0/48 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)
		0/48 (0%)	0/47 (0%)		0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/242 (0.41%)	Mean 0.41%	SD 0.91%	Total	0/249 (0%)	Mean 0% SD 0%

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 46
 Report Date: 06/05/2013

		Male				Female			
*Thymus:									
Thymoma Malignant									
		0/50 (0%)	0/49 (0%)	0/48 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/48 (0%)	0/47 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/242 (0%)	Mean 0%	SD 0%	Total	0/249 (0%)	Mean 0%	SD 0%	
.....									
*Thymus:									
Thymoma: Benign, Malignant, NOS									
		0/50 (0%)	1/49 (2%)	0/48 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/48 (0%)	0/47 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	1/242 (0.41%)	Mean 0.41%	SD 0.91%	Total	0/249 (0%)	Mean 0%	SD 0%	
.....									
*Thyroid Gland: C-Cell:									
Carcinoma									
		0/49 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/249 (0%)	Mean 0%	SD 0%	Total	1/249 (0.4%)	Mean 0.4%	SD 0.89%	
.....									
*Thyroid Gland: C-Cell:									
Carcinoma or Adenoma									
		0/49 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/249 (0%)	Mean 0%	SD 0%	Total	1/249 (0.4%)	Mean 0.4%	SD 0.89%	
.....									
*Thyroid Gland: Follicular Cell:									
Adenoma									
		0/49 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	1/50 (2%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	1/249 (0.4%)	Mean 0.4%	SD 0.89%	Total	1/249 (0.4%)	Mean 0.4%	SD 0.89%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 47
 Report Date: 06/05/2013

		Male				Female			
*Thyroid Gland: Follicular Cell: Carcinoma									
		0/49 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/249 (0%)	Mean 0%	SD 0%	Total	0/249 (0%)	Mean 0%	SD 0%	
.....									
*Thyroid Gland: Follicular Cell: Carcinoma or Adenoma									
		0/49 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	1/50 (2%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	1/249 (0.4%)	Mean 0.4%	SD 0.89%	Total	1/249 (0.4%)	Mean 0.4%	SD 0.89%	
.....									
#Tissue NOS: Fibrosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
#Tissue NOS: Hemangiosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
#Tissue NOS: Plasma Cell Tumor Malignant									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 48
 Report Date: 06/05/2013

		Male				Female			
#Tissue NOS:									
Sarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
#Tongue:									
Fibroma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0%	SD 0%	
.....									
#Tongue:									
Squamous Cell Carcinoma or Papilloma Squamous									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	1/50 (2%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	
.....									
#Tongue:									
Squamous Cell Papilloma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	1/50 (2%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	
.....									
#Tooth:									
Odontoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		5/50 (10%)	2/50 (4%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	7/250 (2.8%)	Mean 2.8%	SD 4.38%	Total	0/250 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 49
 Report Date: 06/05/2013

		Male			Female		
#Urethra:							
Hemangiosarcoma							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0% SD 0%
.....							
*Urinary Bladder:							
Hemangiosarcoma							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0% SD 0%
.....							
*Urinary Bladder:							
Plasma Cell Tumor Malignant							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/250 (0%)	Mean 0% SD 0%
.....							
#Uterus:							
Adenoma							
					0/50 (0%)	0/50 (0%)	0/50 (0%)
					0/50 (0%)	0/50 (0%)	
Overall Incidence					Total	0/250 (0%)	Mean 0% SD 0%
.....							
#Uterus:							
Carcinoma							
					0/50 (0%)	0/50 (0%)	0/50 (0%)
					0/50 (0%)	0/50 (0%)	
Overall Incidence					Total	0/250 (0%)	Mean 0% SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 50
 Report Date: 06/05/2013

	Male		Female		
#Uterus:					
Hemangiosarcoma					
		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	
.....					
#Uterus:					
Leiomyoma					
		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	
.....					
#Uterus:					
Leiomyosarcoma					
		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	
.....					
#Uterus:					
Polyp Stromal					
		1/50 (2%)	0/50 (0%)	2/50 (4%)	
		0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	3/250 (1.2%)	Mean 1.2%	SD 1.79%	
.....					
#Uterus:					
Sarcoma					
		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 51
 Report Date: 06/05/2013

		Male			Female		
#Uterus:							
Sarcoma Stromal							
			1/50 (2%)		0/50 (0%)		0/50 (0%)
			0/50 (0%)		2/50 (4%)		
Overall Incidence			Total 3/250 (1.2%)		Mean 1.2%		SD 1.79%
.....							
#Uterus:							
Sarcoma Stromal or Polyp Stromal							
			2/50 (4%)		0/50 (0%)		2/50 (4%)
			0/50 (0%)		2/50 (4%)		
Overall Incidence			Total 6/250 (2.4%)		Mean 2.4%		SD 2.19%
.....							
#Vagina:							
Liposarcoma							
			0/50 (0%)		0/50 (0%)		0/50 (0%)
			0/50 (0%)		0/50 (0%)		
Overall Incidence			Total 0/250 (0%)		Mean 0%		SD 0%
.....							
#Zymbal's Gland:							
Carcinoma							
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)
		1/50 (2%)	0/50 (0%)			0/50 (0%)	
Overall Incidence	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	Total	0/250 (0%)	Mean 0%
							SD 0%
.....							
#Zymbal's Gland:							
Carcinoma or Adenoma							
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)
		1/50 (2%)	0/50 (0%)			0/50 (0%)	
Overall Incidence	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	Total	0/250 (0%)	Mean 0%
							SD 0%

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied