

NTP Historical Controls Report

All Routes and Vehicles

Wistar-Han RATS

August 2016

This report shows the tumor rates of control group animals from selected studies. The studies used are shown on the Study Summary page.

The report combines all the data from all of the historical control studies into one section. To see this data broken up by route and vehicle you must run the "By Route And Vehicle" report.

The individual tumor rates shown on the data pages of the report relate to the Study Summary page as follows: the tumor rates are shown in the same order as the Study Summary page, except that they are grouped horizontally in sets of three, with the males in the first set of three and the females in the second set. For example if the study summary showed the studies like this:

Male M1 M2 M3 M4 M5 Female F1 F2 F3 F4 F5

the data would be shown as:

	Male			Female	
M1	M2	М3	F1	F2	F3
M4	M5		F4	F5	

Directly beneath the individual tumor rates on the data pages are the overall totals for that tumor/site combination. This includes the total tumors/animals, the overall mean (in parentheses), the mean of the study means, and the standard deviation of the study means.

Studies with no control animals of a particular gender are listed on the summary page with the Number of Animals shown as zero and the Start Date and Length of Study shown as "N/A". On the data pages there are blank spaces where tumor rates for these studies would normally be found, so that the male and female rates for the remaining studies can be easily compared.

Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: ALL ROUTES Vehicle: ALL VEHICLES

				Stu	dy Summary		
Laboratory Name	Study Number	Study Start Date	Length of Study in Days	Number of Animals Total and (#/Cage)	Number Surviving and (Mean Life Span)	Maximum Mean Weekly Body Weight	Chemical
					Male		
Battelle Northwest	052060103	09/22/08	729	50(5)	30(672)	606.7	Antimony trioxide
Battelle Northwest	052072503	08/17/09	729	50(5)	36(692)	615.2	2,3-Butanedione
Battelle Columbus Laboratory	052020303	07/18/07	727	50(3)	35(687)	632.7	Green Tea Extract
Battelle Northwest	052051503	04/14/08	729	50(5)	33(688)	602.8	Metal Working Fluids: CIMSTAR 3800
Battelle Northwest	052052303	07/20/09	729	50(5)	36(696)	622.2	Metal Working Fluids: TRIM VX
Southern Research Institute	052020903	08/26/08	729	49(3)	36(671)	673.4	Pentabromodiphenyl Ether Mixture [DE-71 (Technical Grade)]
Battelle Columbus Laboratory	052032003	07/25/07	727	50(3)	33(642)	662.9	Tetrabromobisphenol A
					Female		
Battelle Northwest	052060103	09/22/08	730	50(5)	39(704)	395.6	Antimony trioxide
Battelle Northwest	052072503	08/17/09	731	50(5)	34(688)	400.0	2,3-Butanedione
Battelle Columbus Laboratory	052020303	07/19/07	729	50(5)	26(671)	369.7	Green Tea Extract
Battelle Northwest	052051503	04/14/08	731	50(5)	35(700)	384.9	Metal Working Fluids: CIMSTAR 3800
Battelle Northwest	052052303	07/20/09	731	50(5)	30(681)	391.1	Metal Working Fluids: TRIM VX
Southern Research Institute	052020903	08/26/08	732	50(5)	37(678)	389.6	Pentabromodiphenyl Ether Mixture [DE-71 (Technical Grade)]
Battelle Columbus Laboratory	052032003	07/26/07	728	50(5)	34(678)	375.2	Tetrabromobisphenol A

NOTE: The text on page 2 ("Report Description") describes how the studies listed here are displayed on the data pages that follow.

Contract/Lab: All Laboratories

Species: RATS

Strain: Wistar-Han

Length of Study: CHRONIC

Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: ALL ROUTES Vehicle: ALL VEHICLES

Page: 4 Report Date: 08/04/2016

			Male				Female	
#All Organs: Benign Tumors								
-		34/50 (68%) 32/50 (64%) 30/50 (60%)	27/50 (54%) 24/50 (48%)	26/50 (52%) 33/49 (67%)		33/50 (66%) 42/50 (84%) 38/50 (76%)	39/50 (78%) 42/50 (84%)	38/50 (76%) 37/50 (74%)
Overall Incidence	Total	206/349 (59.03%)	Mean 59.05%	SD 7.87%	Total	269/350 (76.86%)	Mean 76.86%	SD 6.2%
All Organs: Malignant Tumors								
		6/50 (12%) 13/50 (26%) 8/50 (16%)	13/50 (26%) 4/50 (8%)	12/50 (24%) 13/49 (27%)		17/50 (34%) 11/50 (22%) 10/50 (20%)	12/50 (24%) 13/50 (26%)	16/50 (32%) 10/50 (20%)
Overall Incidence	Total	69/349 (19.77%)	Mean 19.79%	SD 7.68%	Total	89/350 (25.43%)	Mean 25.43%	SD 5.62%
#All Organs: Malignant and Benign 1								
		36/50 (72%) 37/50 (74%) 34/50 (68%)	35/50 (70%) 26/50 (52%)	36/50 (72%) 36/49 (73%)		40/50 (80%) 43/50 (86%) 40/50 (80%)	40/50 (80%) 47/50 (94%)	43/50 (86%) 40/50 (80%)
Overall Incidence	Total	240/349 (68.77%)	Mean 68.78%	SD 7.68%	Total	293/350 (83.71%)	Mean 83.71%	SD 5.35%
#All Organs: Hemangioma								
		1/50 (2%) 0/50 (0%) 1/50 (2%)	1/50 (2%) 1/50 (2%)	0/50 (0%) 1/49 (2%)		0/50 (0%) 0/50 (0%) 0/50 (0%)	1/50 (2%) 0/50 (0%)	0/50 (0%) 0/50 (0%)
Overall Incidence	Total	5/349 (1.43%)	Mean 1.43%	SD 0.98%	Total	1/350 (0.29%)	Mean 0.29%	SD 0.76%

*: Denominator is number of animals with tissues examined microscopically

Contract/Lab: All Laboratories

Species: RATS

Strain: Wistar-Han

Length of Study: CHRONIC

Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: ALL ROUTES Vehicle: ALL VEHICLES

Page: 5 Report Date: 08/04/2016

			Male				Female	
#All Organs: Hemangiosarcoma								
-		3/50 (6%) 3/50 (6%)	3/50 (6%) 0/50 (0%)	0/50 (0%) 8/49 (16%)		1/50 (2%) 1/50 (2%)	2/50 (4%) 0/50 (0%)	2/50 (4%) 2/50 (4%)
Overall Incidence	Total	3/50 (6%) 20/349 (5.73%)	Mean 5.76%	SD 5.45%	Total	2/50 (4%) 10/350 (2.86%)	Mean 2.86%	SD 1.57%
#All Organs: Hemangiosarcoma or H								
nomangiocal coma or m	omangioma	4/50 (8%)	4/50 (8%)	0/50 (0%)		1/50 (2%)	3/50 (6%)	2/50 (4%)
		3/50 (6%) 4/50 (8%)	1/50 (2%)	9/49 (18%)		1/50 (2%) 2/50 (4%)	0/50 (0%)	2/50 (4%)
Overall Incidence	Total	25/349 (7.16%)	Mean 7.2%	SD 5.87%	Total	11/350 (3.14%)	Mean 3.14%	SD 1.95%
#All Organs: Histiocytic Sarcoma								
-		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%) 0/50 (0%)	2/50 (4%)	0/50 (0%)
Overall Incidence	Total	1/349 (0.29%)	Mean 0.29%	SD 0.76%	Total	2/350 (0.57%)	Mean 0.57%	SD 1.51%
#All Organs: Leukemia: Lymphocytic								
	, ,. ,	1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%) 1/50 (2%)	0/50 (0%)	1/49 (2%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	3/349 (0.86%)	Mean 0.86%	SD 1.08%	Total	0/350 (0%)	Mean 0%	SD 0%

*: Denominator is number of animals with tissues examined microscopically

Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: ALL ROUTES Vehicle: ALL VEHICLES

Page: 6 Report Date: 08/04/2016

			Male				Female	
#All Organs: Malignant Lymphoma:	Histiocytic, Lvm	phocytic, Mixed, NOS, or	Undifferentiated Cel	Гуре				
0 91		0/50 (0%) 0/50 (0%) 0/50 (0%)	3/50 (6%) 1/50 (2%)	0/50 (0%) 0/49 (0%)		0/50 (0%) 2/50 (4%) 0/50 (0%)	1/50 (2%) 1/50 (2%)	1/50 (2%) 0/50 (0%)
Overall Incidence	Total	4/349 (1.15%)	Mean 1.14%	SD 2.27%	Total	5/350 (1.43%)	Mean 1.43%	SD 1.51%
#All Organs: Mesothelioma: Benign								
		0/50 (0%) 1/50 (2%) 0/50 (0%)	1/50 (2%) 2/50 (4%)	2/50 (4%) 0/49 (0%)		0/50 (0%) 0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)
Overall Incidence	Total	6/349 (1.72%)	Mean 1.71%	SD 1.8%	Total	0/350 (0%)	Mean 0%	SD 0%
#All Organs: Mesothelioma: Maligna	ant							
		0/50 (0%) 1/50 (2%) 0/50 (0%)	1/50 (2%) 1/50 (2%)	2/50 (4%) 0/49 (0%)		0/50 (0%) 0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)
Overall Incidence	Total	5/349 (1.43%)	Mean 1.43%	SD 1.51%	Total	0/350 (0%)	Mean 0%	SD 0%
#All Organs: Osteoma								
		0/50 (0%) 0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)	1/50 (2%) 0/49 (0%)		0/50 (0%) 0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)
Overall Incidence	Total	1/349 (0.29%)	Mean 0.29%	SD 0.76%	Total	0/350 (0%)	Mean 0%	SD 0%

*: Denominator is number of animals with tissues examined microscopically

Contract/Lab: All Laboratories

Species: RATS

Strain: Wistar-Han

Length of Study: CHRONIC

Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: ALL ROUTES Vehicle: ALL VEHICLES

Page: 7 Report Date: 08/04/2016

			Male				Female	
#All Organs: Osteosarcoma								
		0/50 (0%) 1/50 (2%)	0/50 (0%) 0/50 (0%)	1/50 (2%) 0/49 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)	0/50 (0%) 1/50 (2%)
overall Incidence	Total	0/50 (0%) 2/349 (0.57%)	Mean 0.57%	SD 0.98%	Total	0/50 (0%) 1/350 (0.29%)	Mean 0.29%	SD 0.76%
All Organs: Osteosarcoma or Osteoma								
		0/50 (0%)	0/50 (0%)	2/50 (4%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)
		0/50 (0%)	()			0/50 (0%)	· · · ·	
Verall Incidence	Total	3/349 (0.86%)	Mean 0.86%	SD 1.57%	Total	1/350 (0.29%)	Mean 0.29%	SD 0.76%
Adrenal Cortex: Adenoma								
		3/50 (6%)	2/50 (4%)	1/50 (2%)		0/50 (0%)	1/50 (2%)	0/50 (0%)
		2/50 (4%)	1/50 (2%)	0/49 (0%)		2/50 (4%)	0/50 (0%)	1/50 (2%)
		0/50 (0%)				1/50 (2%)		
Verall Incidence	Total	9/349 (2.58%)	Mean 2.57%	SD 2.23%	Total	5/350 (1.43%)	Mean 1.43%	SD 1.51%
Adrenal Cortex: Carcinoma								
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	0/50 (0%)	1/49 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	. ,	. /		1/50 (2%)	· · ·	
Overall Incidence	Total	2/349 (0.57%)	Mean 0.58%	SD 0.99%	Total	1/350 (0.29%)	Mean 0.29%	SD 0.76%

*: Denominator is number of animals with tissues examined microscopically

Contract/Lab: All Laboratories

Species: RATS

Strain: Wistar-Han Length of Study: CHRONIC

Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: ALL ROUTES Vehicle: ALL VEHICLES

Page: 8 Report Date: 08/04/2016

			Male				Female	
Adrenal Medulla: Pheochromocytoma Be	nign							
	-	1/49 (2%) 4/50 (8%) 0/49 (0%)	1/50 (2%) 0/50 (0%)	1/50 (2%) 0/49 (0%)		0/49 (0%) 1/49 (2%) 2/49 (4%)	3/50 (6%) 0/50 (0%)	1/50 (2%) 1/50 (2%)
Overall Incidence	Total	7/347 (2.02%)	Mean 2.01%	SD 2.83%	Total	8/347 (2.31%)	Mean 2.3%	SD 2.15%
*Adrenal Medulla: Pheochromocytoma Co								
-	-	1/49 (2%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%) 0/49 (0%)	0/50 (0%)	0/49 (0%)		0/49 (0%) 0/49 (0%)	0/50 (0%)	1/50 (2%)
Overall Incidence	Total	1/347 (0.29%)	Mean 0.29%	SD 0.77%	Total	1/347 (0.29%)	Mean 0.29%	SD 0.76%
Adrenal Medulla: Pheochromocytoma Ma	llignant							
		0/49 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%) 0/49 (0%)	0/50 (0%)	1/49 (2%)		1/49 (2%) 0/49 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/347 (0.29%)	Mean 0.29%	SD 0.77%	Total	1/347 (0.29%)	Mean 0.29%	SD 0.77%
Adrenal Medulla: Pheochromocytoma: Be								
·		2/49 (4%) 4/50 (8%)	1/50 (2%) 0/50 (0%)	1/50 (2%) 1/49 (2%)		0/49 (0%) 2/49 (4%)	3/50 (6%) 0/50 (0%)	1/50 (2%) 2/50 (4%)
• ••• ••		0/49 (0%)		00.0.000		2/49 (4%)		65 6 6 6 6
Overall Incidence	Total	9/347 (2.59%)	Mean 2.59%	SD 2.77%	Total	10/347 (2.88%)	Mean 2.88%	SD 2.28%

*: Denominator is number of animals with tissues examined microscopically

Contract/Lab: All Laboratories

Species: RATS

Strain: Wistar-Han

Length of Study: CHRONIC

Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: ALL ROUTES Vehicle: ALL VEHICLES

Page: 9 Report Date: 08/04/2016

			Male				Female	
#Blood Vessel: Hemangiosarcoma								
•		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%) 1/50 (2%)	0/50 (0%)	0/49 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/349 (0.29%)	Mean 0.29%	SD 0.76%	Total	0/350 (0%)	Mean 0%	SD 0%
Bone Marrow: Hemangiosarcoma								
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%) 0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/349 (0.29%)	Mean 0.29%	SD 0.76%	Total	0/350 (0%)	Mean 0%	SD 0%
Bone: Osteoma								
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Verall Incidence	Total	1/349 (0.29%)	Mean 0.29%	SD 0.76%	Total	0/350 (0%)	Mean 0%	SD 0%
Bone: Osteosarcoma								
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%) 0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	1/50 (2%)
Overall Incidence	Total	2/349 (0.57%)	Mean 0.57%	SD 0.98%	Total	1/350 (0.29%)	Mean 0.29%	SD 0.76%

*: Denominator is number of animals with tissues examined microscopically

Contract/Lab: All Laboratories

Species: RATS

Strain: Wistar-Han

Length of Study: CHRONIC

Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: ALL ROUTES Vehicle: ALL VEHICLES

Page: 10 Report Date: 08/04/2016

			Male				Female	
#Bone: Osteosarcoma or Osteoma	I							
		0/50 (0%) 1/50 (2%) 0/50 (0%)	0/50 (0%) 0/50 (0%)	2/50 (4%) 0/49 (0%)		0/50 (0%) 0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)	0/50 (0%) 1/50 (2%)
Overall Incidence	Total	3/349 (0.86%)	Mean 0.86%	SD 1.57%	Total	1/350 (0.29%)	Mean 0.29%	SD 0.76%
#Bone: Sarcoma								
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/349 (0.29%)	Mean 0.29%	SD 0.76%	Total	0/350 (0%)	Mean 0%	SD 0%
Brain: Glioma								
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
		2/50 (4%) 0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	2/349 (0.57%)	Mean 0.57%	SD 1.51%	Total	0/350 (0%)	Mean 0%	SD 0%
'Brain: Glioma Malignant								
-		0/50 (0%)	1/50 (2%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%) 0/50 (0%)	0/50 (0%)	1/49 (2%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	3/349 (0.86%)	Mean 0.86%	SD 1.08%	Total	0/350 (0%)	Mean 0%	SD 0%

*: Denominator is number of animals with tissues examined microscopically

Contract/Lab: All Laboratories

Species: RATS

Strain: Wistar-Han Length of Study: CHRONIC

Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: ALL ROUTES Vehicle: ALL VEHICLES

Page: 11 Report Date: 08/04/2016

			Male				Female	
Brain: Granular Cell Tumor Be	enian							
	5	1/50 (2%) 0/50 (0%) 1/50 (2%)	3/50 (6%) 0/50 (0%)	2/50 (4%) 1/49 (2%)		1/50 (2%) 2/50 (4%) 0/50 (0%)	1/50 (2%) 0/50 (0%)	0/50 (0%) 0/50 (0%)
Overall Incidence	Total	8/349 (2.29%)	Mean 2.29%	SD 2.14%	Total	4/350 (1.14%)	Mean 1.14%	SD 1.57%
Brain: Granular Cell Tumor Ma								
	-	0/50 (0%) 0/50 (0%) 0/50 (0%)	1/50 (2%) 0/50 (0%)	0/50 (0%) 0/49 (0%)		1/50 (2%) 0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)
Overall Incidence	Total	1/349 (0.29%)	Mean 0.29%	SD 0.76%	Total	1/350 (0.29%)	Mean 0.29%	SD 0.76%
Brain: Meningioma Malignant								
		0/50 (0%) 1/50 (2%) 0/50 (0%)	0/50 (0%) 0/50 (0%)	0/50 (0%) 0/49 (0%)		0/50 (0%) 0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)
Overall Incidence	Total	1/349 (0.29%)	Mean 0.29%	SD 0.76%	Total	0/350 (0%)	Mean 0%	SD 0%
*Brain: Meningioma: Benign, N								
	.	0/50 (0%) 1/50 (2%) 0/50 (0%)	0/50 (0%) 0/50 (0%)	0/50 (0%) 0/49 (0%)		0/50 (0%) 0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)
Overall Incidence	Total	1/349 (0.29%)	Mean 0.29%	SD 0.76%	Total	0/350 (0%)	Mean 0%	SD 0%

*: Denominator is number of animals with tissues examined microscopically

Contract/Lab: All Laboratories

Species: RATS

Strain: Wistar-Han

Length of Study: CHRONIC

Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: ALL ROUTES Vehicle: ALL VEHICLES

Page: 12 Report Date: 08/04/2016

			Male				Female	
Brain: Oligodendroglioma Benig	n							
ongodendrognoma berng		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)
		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/349 (0%)	Mean 0%	SD 0%	Total	1/350 (0.29%)	Mean 0.29%	SD 0.76%
Brain: Oligodendroglioma, Glion	na, or Astrocy	ytoma						
		0/50 (0%)	1/50 (2%)	1/50 (2%)		0/50 (0%)	1/50 (2%)	0/50 (0%)
		0/50 (0%) 0/50 (0%)	0/50 (0%)	1/49 (2%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	3/349 (0.86%)	Mean 0.86%	SD 1.08%	Total	1/350 (0.29%)	Mean 0.29%	SD 0.76%
Clitoral/Preputial Gland: Carcinoma								
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/49 (0%)	0/49 (0%)
		0/50 (0%) 0/50 (0%)	0/49 (0%)	1/49 (2%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/49 (0%)
Overall Incidence	Total	2/348 (0.57%)	Mean 0.58%	SD 0.99%	Total	0/347 (0%)	Mean 0%	SD 0%
Clitoral/Preputial Gland: Carcinoma or Adenoma								
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/49 (0%)	0/49 (0%)
		0/50 (0%) 0/50 (0%)	0/49 (0%)	1/49 (2%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/49 (0%)
Overall Incidence	Total	2/348 (0.57%)	Mean 0.58%	SD 0.99%	Total	0/347 (0%)	Mean 0%	SD 0%

*: Denominator is number of animals with tissues examined microscopically

Contract/Lab: All Laboratories

Species: RATS

Strain: Wistar-Han

Length of Study: CHRONIC

Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: ALL ROUTES Vehicle: ALL VEHICLES

Page: 13 Report Date: 08/04/2016

			Male				Female	
Heart: Schwannoma Benign								
-		0/50 (0%) 1/50 (2%)	0/50 (0%) 0/50 (0%)	0/50 (0%) 0/49 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)
Overall Incidence	Total	0/50 (0%) 1/349 (0.29%)	Mean 0.29%	SD 0.76%	Total	1/50 (2%) 1/350 (0.29%)	Mean 0.29%	SD 0.76%
Heart: Schwannoma NOS								
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)		
Overall Incidence	Total	1/349 (0.29%)	Mean 0.29%	SD 0.76%	Total	0/350 (0%)	Mean 0%	SD 0%
fIntestine Small: Duodenun Fibroma								
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	1/49 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)		
Overall Incidence	Total	1/349 (0.29%)	Mean 0.29%	SD 0.77%	Total	0/350 (0%)	Mean 0%	SD 0%
fIntestine Small: Duodenun Leiomyosarcoma								
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				1/50 (2%)		
Overall Incidence	Total	0/349 (0%)	Mean 0%	SD 0%	Total	1/350 (0.29%)	Mean 0.29%	SD 0.76%

*: Denominator is number of animals with tissues examined microscopically

Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: ALL ROUTES Vehicle: ALL VEHICLES

Page: 14 Report Date: 08/04/2016

			Male				Female	
#Intestine Small: Jejunum: Leiomyoma								
		0/50 (0%) 0/50 (0%) 0/50 (0%)	1/50 (2%) 0/50 (0%)	0/50 (0%) 0/49 (0%)		1/50 (2%) 0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)
Overall Incidence	Total	1/349 (0.29%)	Mean 0.29%	SD 0.76%	Total	1/350 (0.29%)	Mean 0.29%	SD 0.76%
#Intestine Small: Jejunum: Leiomyosarcoma								
-		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)
		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/349 (0%)	Mean 0%	SD 0%	Total	1/350 (0.29%)	Mean 0.29%	SD 0.76%
#Intestine Small: Site Unspe Fibroma								
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	1/49 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/50 (0%) 1/349 (0.29%)	Mean 0.29%	SD 0.77%	Total	0/50 (0%) 0/350 (0%)	Mean 0%	SD 0%
#Intestine Small: Site Unspe Leiomyoma								
-		0/50 (0%)	1/50 (2%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
	Tatal	0/50 (0%)	Maan 0.00%	CD 0.70%	Tatal	0/50 (0%)	Maan 0.00%	CD 0.70%
Overall Incidence	Total	1/349 (0.29%)	Mean 0.29%	SD 0.76%	Total	1/350 (0.29%)	Mean 0.29%	SD 0.76%

*: Denominator is number of animals with tissues examined microscopically

Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: ALL ROUTES Vehicle: ALL VEHICLES

Page: 15 Report Date: 08/04/2016

			Male				Female	
#Intestine Small: Site Unspe Leiomyosarcoma	cified:							
		0/50 (0%) 0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)	0/50 (0%) 0/49 (0%)		0/50 (0%) 0/50 (0%) 1/50 (2%)	0/50 (0%) 0/50 (0%)	1/50 (2%) 0/50 (0%)
Overall Incidence	Total	0/349 (0%)	Mean 0%	SD 0%	Total	2/350 (0.57%)	Mean 0.57%	SD 0.98%
Islets, Pancreatic: Adenoma								
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%) 1/50 (2%)	5/50 (10%)	4/49 (8%)		1/49 (2%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	10/349 (2.87%)	Mean 2.88%	SD 4.33%	Total	1/349 (0.29%)	Mean 0.29%	SD 0.77%
'Islets, Pancreatic: Carcinoma								
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	2/49 (4%)		0/49 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)		
Overall Incidence	Total	2/349 (0.57%)	Mean 0.58%	SD 1.54%	Total	0/349 (0%)	Mean 0%	SD 0%
*Islets, Pancreatic: Carcinoma or Adenoma								
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%) 1/50 (2%)	5/50 (10%)	6/49 (12%)		1/49 (2%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	12/349 (3.44%)	Mean 3.46%	SD 5.32%	Total	1/349 (0.29%)	Mean 0.29%	SD 0.77%

*: Denominator is number of animals with tissues examined microscopically

Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: ALL ROUTES Vehicle: ALL VEHICLES

Page: 16 Report Date: 08/04/2016

			Male				Female	
*Kidney: Pelvis and Transitic Papilloma	onal Epitheli	um:						
		0/50 (0%) 1/50 (2%) 0/50 (0%)	0/50 (0%) 0/50 (0%)	0/50 (0%) 0/49 (0%)		0/50 (0%) 0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)
Overall Incidence	Total	1/349 (0.29%)	Mean 0.29%	SD 0.76%	Total	0/350 (0%)	Mean 0%	SD 0%
*Kidney: Renal Tubule: Adenoma								
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/49 (0%)		1/50 (2%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/349 (0%)	Mean 0%	SD 0%	Total	1/350 (0.29%)	Mean 0.29%	SD 0.76%
Kidney: Renal Tubule: Carcinoma								
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%) 0/50 (0%)	1/50 (2%)	0/49 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/349 (0.29%)	Mean 0.29%	SD 0.76%	Total	0/350 (0%)	Mean 0%	SD 0%
*Kidney: Renal Tubule: Carcinoma or Adenoma								
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%) 0/50 (0%)	1/50 (2%)	0/49 (0%)		1/50 (2%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/349 (0.29%)	Mean 0.29%	SD 0.76%	Total	1/350 (0.29%)	Mean 0.29%	SD 0.76%

*: Denominator is number of animals with tissues examined microscopically

Version: Aug2016 Contract/Lab: All Laboratories Species: RATS Strain: Wistar-Han

Laboratories

Length of Study: CHRONIC

Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: ALL ROUTES Vehicle: ALL VEHICLES

Page: 17 Report Date: 08/04/2016

			Male				Female	
Kidney: Renal Tubule: Lipoma								
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)
		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/349 (0%)	Mean 0%	SD 0%	Total	1/350 (0.29%)	Mean 0.29%	SD 0.76%
Kidney: Renal Tubule: Liposarcoma								
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)		
Overall Incidence	Total	1/349 (0.29%)	Mean 0.29%	SD 0.76%	Total	0/350 (0%)	Mean 0%	SD 0%
Liver: Cholangioma								
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	3/50 (6%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)		
Overall Incidence	Total	0/349 (0%)	Mean 0%	SD 0%	Total	3/350 (0.86%)	Mean 0.86%	SD 2.27%
^t Liver: Hemangioma								
-		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)		
Overall Incidence	Total	1/349 (0.29%)	Mean 0.29%	SD 0.76%	Total	0/350 (0%)	Mean 0%	SD 0%

*: Denominator is number of animals with tissues examined microscopically

Contract/Lab: All Laboratories

Species: RATS

Strain: Wistar-Han Length of Study: CHRONIC

Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: ALL ROUTES Vehicle: ALL VEHICLES

Page: 18 Report Date: 08/04/2016

			Male				Female	
*Liver: Hepatocellular Adenom	าล							
		0/50 (0%) 0/50 (0%)	0/50 (0%) 1/50 (2%)	0/50 (0%) 3/49 (6%)		1/50 (2%) 0/50 (0%) 1/50 (2%)	0/50 (0%) 0/50 (0%)	1/50 (2%) 3/50 (6%)
Overall Incidence	Total	0/50 (0%) 4/349 (1.15%)	Mean 1.16%	SD 2.31%	Total	1/50 (2%) 6/350 (1.71%)	Mean 1.71%	SD 2.14%
Liver: Hepatocellular Carcino								
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	1/50 (2%)
		0/50 (0%) 0/50 (0%)	1/50 (2%)	3/49 (6%)		0/50 (0%) 1/50 (2%)	0/50 (0%)	3/50 (6%)
Overall Incidence	Total	4/349 (1.15%)	Mean 1.16%	SD 2.31%	Total	6/350 (1.71%)	Mean 1.71%	SD 2.14%
*Liver: Hepatocellular Carcino	ma. Hepatocelli	ular Adenoma, or Hepato	blastoma					
	,	0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	1/50 (2%)
		0/50 (0%) 0/50 (0%)	1/50 (2%)	3/49 (6%)		0/50 (0%) 1/50 (2%)	0/50 (0%)	3/50 (6%)
Overall Incidence	Total	4/349 (1.15%)	Mean 1.16%	SD 2.31%	Total	6/350 (1.71%)	Mean 1.71%	SD 2.14%
*Lung: Alveolar/Bronchiolar A								
		3/50 (6%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%) 0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	5/349 (1.43%)	Mean 1.43%	SD 2.23%	Total	0/350 (0%)	Mean 0%	SD 0%

*: Denominator is number of animals with tissues examined microscopically

Contract/Lab: All Laboratories

Species: RATS

Strain: Wistar-Han Length of Study: CHRONIC

Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: ALL ROUTES Vehicle: ALL VEHICLES

Page: 19 Report Date: 08/04/2016

			Male				Female	
*Lung: Alveolar/Bronchiolar Carci	nome or Ab	veeler/Prenchicler Aden						
Alveolar/Bronchiolar Carci	noma or AN	3/50 (6%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/00 (0/0)	0/40 (0/0)		0/50 (0%)	0/00 (0/0)	0/00 (0/0)
Overall Incidence	Total	5/349 (1.43%)	Mean 1.43%	SD 2.23%	Total	0/350 (0%)	Mean 0%	SD 0%
#Lymph Node: Hemangioma								
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)		
Overall Incidence	Total	1/349 (0.29%)	Mean 0.29%	SD 0.76%	Total	0/350 (0%)	Mean 0%	SD 0%
¥Lymph Node, Mandibular: Hemangioma								
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)		
Overall Incidence	Total	0/349 (0%)	Mean 0%	SD 0%	Total	1/350 (0.29%)	Mean 0.29%	SD 0.76%
#Lymph Node, Mesenteric: Hemangioma								
-		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	1/49 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)		(-,,,)		0/50 (0%)		
Overall Incidence	Total	3/349 (0.86%)	Mean 0.86%	SD 1.08%	Total	0/350 (0%)	Mean 0%	SD 0%
		0,010 (0.0070)				0,000 (0,0)		

*: Denominator is number of animals with tissues examined microscopically

Version: Aug2016 Contract/Lab: All Laboratories Species: RATS Strain: Wistar-Han

Length of Study: CHRONIC

Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: ALL ROUTES Vehicle: ALL VEHICLES

Page: 20 Report Date: 08/04/2016

			Male				Female	
#Lymph Node, Mesenteric: Hemangiosarcoma								
		2/50 (4%) 3/50 (6%) 1/50 (2%)	2/50 (4%) 0/50 (0%)	0/50 (0%) 7/49 (14%)		0/50 (0%) 1/50 (2%) 1/50 (2%)	2/50 (4%) 0/50 (0%)	1/50 (2%) 2/50 (4%)
Overall Incidence	Total	15/349 (4.3%)	Mean 4.33%	SD 4.92%	Total	7/350 (2%)	Mean 2%	SD 1.63%
#Mammary Gland: Adenoma								
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	5/50 (10%)	2/50 (4%)
		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/49 (0%)		2/50 (4%) 4/50 (8%)	4/50 (8%)	0/50 (0%)
Overall Incidence	Total	0/349 (0%)	Mean 0%	SD 0%	Total	17/350 (4.86%)	Mean 4.86%	SD 3.98%
#Mammary Gland: Carcinoma								
		0/50 (0%)	1/50 (2%)	0/50 (0%)		5/50 (10%)	4/50 (8%)	6/50 (12%)
		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/49 (0%)		4/50 (8%) 1/50 (2%)	4/50 (8%)	1/50 (2%)
Overall Incidence	Total	1/349 (0.29%)	Mean 0.29%	SD 0.76%	Total	25/350 (7.14%)	Mean 7.14%	SD 3.8%
#Mammary Gland: Carcinoma or Adenoma								
		0/50 (0%)	1/50 (2%)	0/50 (0%)		5/50 (10%)	8/50 (16%)	8/50 (16%)
		0/50 (0%)	0/50 (0%)	0/49 (0%)		6/50 (12%)	8/50 (16%)́	1/50 (2%)
		0/50 (0%)				4/50 (8%)		
Overall Incidence	Total	1/349 (0.29%)	Mean 0.29%	SD 0.76%	Total	40/350 (11.43%)	Mean 11.43%	SD 5.26%

*: Denominator is number of animals with tissues examined microscopically

Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: ALL ROUTES Vehicle: ALL VEHICLES

Page: 21 Report Date: 08/04/2016

			Male				Female	
#Mammary Gland: Fibroadenoma								
		0/50 (0%) 0/50 (0%) 1/50 (2%)	0/50 (0%) 0/50 (0%)	0/50 (0%) 0/49 (0%)		7/50 (14%) 9/50 (18%) 8/50 (16%)	13/50 (26%) 2/50 (4%)	11/50 (22%) 9/50 (18%)
Overall Incidence	Total	1/349 (0.29%)	Mean 0.29%	SD 0.76%	Total	59/350 (16.86%)	Mean 16.86%	SD 6.91%
#Mammary Gland: Fibroma, Fibroadenoma								
		0/50 (0%)	0/50 (0%)	0/50 (0%)		7/50 (14%)	15/50 (30%)	11/50 (22%)
		0/50 (0%) 1/50 (2%)	0/50 (0%)	0/49 (0%)		11/50 (22%) 12/50 (24%)	6/50 (12%)	9/50 (18%)
Overall Incidence	Total	1/349 (0.29%)	Mean 0.29%	SD 0.76%	Total	71/350 (20.29%)	Mean 20.29%	SD 6.16%
#Mammary Gland: Fibroma, Fibroadenoma	a, Carcinoma, o	r Adenoma						
		0/50 (0%)	1/50 (2%)	0/50 (0%)		10/50 (20%)	15/50 (30%)	15/50 (30%)
		0/50 (0%) 1/50 (2%)	0/50 (0%)	0/49 (0%)		13/50 (26%) 12/50 (24%)	9/50 (18%)	10/50 (20%)
Overall Incidence	Total	2/349 (0.57%)	Mean 0.57%	SD 0.98%	Total	84/350 (24%)	Mean 24%	SD 4.9%
#Mesentery: Hemangiosarcoma								
-		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)
		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/349 (0%)	Mean 0%	SD 0%	Total	1/350 (0.29%)	Mean 0.29%	SD 0.76%

*: Denominator is number of animals with tissues examined microscopically

Contract/Lab: All Laboratories

Species: RATS

Strain: Wistar-Han

Length of Study: CHRONIC

Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: ALL ROUTES Vehicle: ALL VEHICLES

Page: 22 Report Date: 08/04/2016

			Male				Female	
#Mesentery: Lipoma								
-		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	1/49 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/50 (0%) 1/349 (0.29%)	Mean 0.29%	SD 0.77%	Total	0/50 (0%) 0/350 (0%)	Mean 0%	SD 0%
Mesentery: Schwannoma Malignant								
_		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/349 (0.29%)	Mean 0.29%	SD 0.76%	Total	0/350 (0%)	Mean 0%	SD 0%
Nose: Adenoma								
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)
		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/349 (0.29%)	Mean 0.29%	SD 0.76%	Total	0/349 (0%)	Mean 0%	SD 0%
Nose: Chondroma								
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)
		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	1/50 (2%)
Overall Incidence	Total	1/349 (0.29%)	Mean 0.29%	SD 0.76%	Total	1/349 (0.29%)	Mean 0.29%	SD 0.76%

*: Denominator is number of animals with tissues examined microscopically

Contract/Lab: All Laboratories

Species: RATS

Strain: Wistar-Han Length of Study: CHRONIC

Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: ALL ROUTES Vehicle: ALL VEHICLES

Page: 23 Report Date: 08/04/2016

			Male				Female	
*Nose: Olfactory Neuroblasto	ma			· · · · · · · · · · · · · · · · · · ·				
		0/50 (0%) 0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)	0/50 (0%) 0/49 (0%)		0/50 (0%) 0/50 (0%) 1/50 (2%)	0/50 (0%) 0/50 (0%)	0/49 (0%) 0/50 (0%)
Overall Incidence	Total	0/349 (0%)	Mean 0%	SD 0%	Total	1/349 (0.29%)	Mean 0.29%	SD 0.76%
#Oral Cavity (Oral Mucos Squamous Cell Carcin	sa, Tongue, Phar	ynx, Tooth, Gingiva):						
		0/50 (0%) 0/50 (0%) 0/50 (0%)	1/50 (2%) 0/50 (0%)	1/50 (2%) 0/49 (0%)		0/50 (0%) 0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)	1/50 (2%) 0/50 (0%)
Overall Incidence	Total	2/349 (0.57%)	Mean 0.57%	SD 0.98%	Total	1/350 (0.29%)	Mean 0.29%	SD 0.76%
#Oral Cavity (Oral Mucos	sa, Tongue, Phar	ynx, Tooth, Gingiva): Squamous, or Papilloma 0/50 (0%) 0/50 (0%) 0/50 (0%)	1/50 (2%) 0/50 (0%)	1/50 (2%) 0/49 (0%)		0/50 (0%) 0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)	1/50 (2%) 0/50 (0%)
O	Total	2/349 (0.57%)	Mean 0.57%	SD 0.98%	Total	1/350 (0.29%)	Mean 0.29%	SD 0.76%
#Oral Mucosa:		0/50 (0%) 0/50 (0%) 0/50 (0%)	1/50 (2%) 0/50 (0%)	1/50 (2%) 0/49 (0%)		0/50 (0%) 0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)	1/50 (2%) 0/50 (0%)

*: Denominator is number of animals with tissues examined microscopically

Version: Aug2016 Contract/Lab: All Laboratories Species: RATS Strain: Wistar-Han Length of Study: CHRONIC	Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: ALL ROUTES Vehicle: ALL VEHICLES		Page: 24 Report Dat	e: 08/04/2016
	Male		Female	
*Ovary:				
Adenoma		2/50 (4%) 0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)
Overall Incidence	Total	2/350 (0.57%)	Mean 0.57%	SD 1.51%
*Ovary: Cystadenoma				
		1/50 (2%) 0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)
Overall Incidence	Total	1/350 (0.29%)	Mean 0.29%	SD 0.76%
*Ovary: Granulosa Cell Tumor Benign				
		0/50 (0%) 1/50 (2%) 0/50 (0%)	0/50 (0%) 0/50 (0%)	0/50 (0%) 1/50 (2%)
Overall Incidence	Total	2/350 (0.57%)	Mean 0.57%	SD 0.98%
*Ovary: Granulosa Cell Tumor Malignant				
-		0/50 (0%) 0/50 (0%) 1/50 (2%)	0/50 (0%) 1/50 (2%)	0/50 (0%) 1/50 (2%)
Overall Incidence	Total	3/350 (0.86%)	Mean 0.86%	SD 1.07%

*: Denominator is number of animals with tissues examined microscopically #: Denominator is number of animals necropsied

Version: Aug2016 Contract/Lab: All Laboratories Species: RATS Strain: Wistar-Han Length of Study: CHRONIC	Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: ALL ROUTES Vehicle: ALL VEHICLES		Page: 25 Report Dat	e: 08/04/2016
	Male		Female	
*Ovary: Granulosa Cell Tumor: Benign, Malignant, NOS				
Granulosa Cell Tumor. Berlign, Malignant, NOS		0/50 (0%) 1/50 (2%) 1/50 (2%)	0/50 (0%) 1/50 (2%)	0/50 (0%) 2/50 (4%)
Overall Incidence	Total	5/350 (1.43%)	Mean 1.43%	SD 1.51%
*Ovary: Granulosa-Theca Tumor Malignant				
		0/50 (0%) 0/50 (0%) 0/50 (0%)	1/50 (2%) 0/50 (0%)	0/50 (0%) 0/50 (0%)
Overall Incidence	Total	1/350 (0.29%)	Mean 0.29%	SD 0.76%
Ovary:			••••••	
Sex Cord Stromal Tumor, Benign		0/50 (0%) 0/50 (0%) 2/50 (4%)	0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)
Overall Incidence	Total	2/350 (0.57%)	Mean 0.57%	SD 1.51%
*Ovary: Tubulostromal Adenoma				
		2/50 (4%) 0/50 (0%) 0/50 (0%)	1/50 (2%) 0/50 (0%)	0/50 (0%) 0/50 (0%)
Overall Incidence	Total	3/350 (0.86%)	Mean 0.86%	SD 1.57%

*: Denominator is number of animals with tissues examined microscopically #: Denominator is number of animals necropsied

Contract/Lab: All Laboratories

Species: RATS

Strain: Wistar-Han Length of Study: CHRONIC

Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: ALL ROUTES Vehicle: ALL VEHICLES

Page: 26 Report Date: 08/04/2016

			Male				Female	
*Pancreas: Adenoma								
		0/50 (0%) 1/50 (2%) 1/50 (2%)	0/50 (0%) 1/50 (2%)	0/50 (0%) 1/46 (2%)		0/50 (0%) 0/49 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)
Overall Incidence	Total	4/346 (1.16%)	Mean 1.17%	SD 1.09%	Total	0/349 (0%)	Mean 0%	SD 0%
*Pancreas: Carcinoma or Adenoma								
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%) 1/50 (2%)	1/50 (2%)	1/46 (2%)		0/49 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	4/346 (1.16%)	Mean 1.17%	SD 1.09%	Total	0/349 (0%)	Mean 0%	SD 0%
*Parathyroid Gland: Adenoma								
		0/44 (0%)	1/49 (2%)	0/47 (0%)		0/39 (0%)	0/46 (0%)	0/47 (0%)
		0/43 (0%) 0/45 (0%)	0/39 (0%)	2/47 (4%)		0/47 (0%) 0/48 (0%)	1/42 (2%)	1/49 (2%)
Overall Incidence	Total	3/314 (0.96%)	Mean 0.9%	SD 1.66%	Total	2/318 (0.63%)	Mean 0.63%	SD 1.08%
*Pituitary Gland: Pars Distali Adenoma								
		14/50 (28%)	9/50 (18%)	17/50 (34%)		19/50 (38%)	26/50 (52%)	32/50 (64%)
		16/49 (33%) 21/50 (42%)	14/50 (28%)	19/49 (39%)		35/50 (70%) 21/50 (42%)	34/50 (68%)	23/50 (46%)
Overall Incidence	Total	110/348 (31.61%)	Mean 31.63%	SD 7.93%	Total	190/350 (54.29%)	Mean 54.29%	SD 13.03%

*: Denominator is number of animals with tissues examined microscopically

Contract/Lab: All Laboratories

Species: RATS

Strain: Wistar-Han Length of Study: CHRONIC

Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: ALL ROUTES Vehicle: ALL VEHICLES

Page: 27 Report Date: 08/04/2016

			Male				Female	
Pituitary Gland: Pars Dis Carcinoma	stalis or Unspe	cified Site:						
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)
		0/49 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)		65 and		0/50 (0%)		05 0 500/
Overall Incidence	Total	0/348 (0%)	Mean 0%	SD 0%	Total	1/350 (0.29%)	Mean 0.29%	SD 0.76%
Pituitary Gland: Pars Dis Carcinoma or Adenom	stalis or Unspe							
		14/50 (28%)	9/50 (18%)	17/50 (34%)		20/50 (40%)	26/50 (52%)	32/50 (64%)
		16/49 (33%)	14/50 (28%)	19/49 (39%)		35/50 (70%)	34/50 (68%)	23/50 (46%)
		21/50 (42%)				21/50 (42%)		
Overall Incidence	Total	110/348 (31.61%)	Mean 31.63%	SD 7.93%	Total	191/350 (54.57%)	Mean 54.57%	SD 12.63%
Pituitary Gland: Pars Int Adenoma								
		1/50 (2%)	2/50 (4%)	1/50 (2%)		0/50 (0%)	1/50 (2%)	2/50 (4%)
		2/49 (4%)	1/50 (2%)	0/49 (0%)		1/50 (2%)	1/50 (2%)	1/50 (2%)
		2/50 (4%)				4/50 (8%)		
Overall Incidence	Total	9/348 (2.59%)	Mean 2.58%	SD 1.52%	Total	10/350 (2.86%)	Mean 2.86%	SD 2.54%
Pituitary Gland: Pars Int Carcinoma or Adenom	ermedia:							
		1/50 (2%)	2/50 (4%)	1/50 (2%)		0/50 (0%)	1/50 (2%)	2/50 (4%)
		2/49 (4%)	1/50 (2%)	0/49 (0%)		1/50 (2%)	1/50 (2%)	1/50 (2%)
		2/50 (4%)				4/50 (8%)		
Overall Incidence	Total	9/348 (2.59%)	Mean 2.58%	SD 1.52%	Total	10/350 (2.86%)	Mean 2.86%	SD 2.54%

*: Denominator is number of animals with tissues examined microscopically

Contract/Lab: All Laboratories

Species: RATS

Strain: Wistar-Han Length of Study: CHRONIC

Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: ALL ROUTES Vehicle: ALL VEHICLES

Page: 28 Report Date: 08/04/2016

			Male				Female	
*Prostate: Adenoma								
		1/50 (2%)	0/50 (0%)	0/50 (0%)				
		1/50 (2%) 0/50 (0%)	0/50 (0%)	0/49 (0%)				
Overall Incidence	Total	2/349 (0.57%)	Mean 0.57%	SD 0.98%				
*Prostate: Carcinoma								
		0/50 (0%)	1/50 (2%)	0/50 (0%)				
		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/49 (0%)				
Overall Incidence	Total	1/349 (0.29%)	Mean 0.29%	SD 0.76%				
*Prostate: Carcinoma or Adenoma								
		1/50 (2%)	1/50 (2%)	0/50 (0%)				
		1/50 (2%) 0/50 (0%)	0/50 (0%)	0/49 (0%)				
Overall Incidence	Total	3/349 (0.86%)	Mean 0.86%	SD 1.07%				
*Salivary Glands: Adenoma								
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)
		0/50 (0%)	0/50 (0%)	1/46 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)		
Overall Incidence	Total	1/346 (0.29%)	Mean 0.31%	SD 0.82%	Total	0/349 (0%)	Mean 0%	SD 0%

*: Denominator is number of animals with tissues examined microscopically

Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: ALL ROUTES Vehicle: ALL VEHICLES

Page: 29 Report Date: 08/04/2016

			Male				Female	
Salivary Glands: Carcinoma								
		0/50 (0%) 0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)	0/50 (0%) 0/46 (0%)		0/50 (0%) 0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)	0/49 (0%) 1/50 (2%)
Overall Incidence	Total	0/346 (0%)	Mean 0%	SD 0%	Total	1/349 (0.29%)	Mean 0.29%	SD 0.76%
Salivary Glands: Carcinoma or Adenoma								
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)
		0/50 (0%) 0/50 (0%)	0/50 (0%)	1/46 (2%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	1/50 (2%)
Overall Incidence	Total	1/346 (0.29%)	Mean 0.31%	SD 0.82%	Total	1/349 (0.29%)	Mean 0.29%	SD 0.76%
Salivary Glands: Myoepithelioma								
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)
		0/50 (0%) 1/50 (2%)	0/50 (0%)	0/46 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	2/346 (0.58%)	Mean 0.57%	SD 0.98%	Total	0/349 (0%)	Mean 0%	SD 0%
Salivary Glands: Schwannoma Malignant								
-		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)
		1/50 (2%) 0/50 (0%)	0/50 (0%)	0/46 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/346 (0.29%)	Mean 0.29%	SD 0.76%	Total	0/349 (0%)	Mean 0%	SD 0%

*: Denominator is number of animals with tissues examined microscopically

Contract/Lab: All Laboratories

Species: RATS

Strain: Wistar-Han Length of Study: CHRONIC

Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: ALL ROUTES Vehicle: ALL VEHICLES

Page: 30 Report Date: 08/04/2016

0/50 (0%) 1/50 (2%) 0/50 (0%) 1/349 (0.29%)	0/50 (0%) 0/50 (0%) Mean 0.29%	0/50 (0%) 0/49 (0%)				
1/50 (2%) 0/50 (0%) 1/349 (0.29%)	0/50 (0%)	()				
1/349 (0.29%)	Moon 0 20%					
		SD 0.76%				
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%) 0/50 (0%)	0/50 (0%)	1/49 (2%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
1/349 (0.29%)	Mean 0.29%	SD 0.77%	Total	0/350 (0%)	Mean 0%	SD 0%
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
1/50 (2%)				0/50 (0%)		
1/349 (0.29%)	Mean 0.29%	SD 0.76%	Total	0/350 (0%)	Mean 0%	SD 0%
0/50 (0%)	0/50 (0%)	2/50 (4%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	1/49 (2%)		0/50 (0%)	0/50 (0%)	1/50 (2%)
2/50 (4%)	Mean 143%	SD 1.9%	Total	()	Mean 0.29%	SD 0.76%
	0/50 (0%) 0/50 (0%) 2/50 (4%) 5/349 (1.43%)	0/50 (0%) 0/50 (0%) 2/50 (4%)	0/50 (0%) 0/50 (0%) 1/49 (2%) 2/50 (4%)	0/50 (0%) 0/50 (0%) 1/49 (2%) 2/50 (4%)	0/50 (0%) 0/50 (0%) 1/49 (2%) 0/50 (0%) 2/50 (4%) 0/50 (0%)	0/50 (0%) 0/50 (0%) 1/49 (2%) 0/50 (0%) 0/50 (0%) 0/50 (0%) 2/50 (4%) 0/50 (0%)

*: Denominator is number of animals with tissues examined microscopically

Contract/Lab: All Laboratories

Species: RATS

Strain: Wistar-Han

Length of Study: CHRONIC

Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: ALL ROUTES Vehicle: ALL VEHICLES

Page: 31 Report Date: 08/04/2016

			Male				Female	
#Skin:								<u>.</u>
Basal Cell Adenoma or	Basosquamous	s Tumor Benign						
		0/50 (0%)	0/50 (0%)	2/50 (4%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	1/49 (2%)		0/50 (0%)	0/50 (0%)	1/50 (2%)
		2/50 (4%)				0/50 (0%)		
Overall Incidence	Total	5/349 (1.43%)	Mean 1.43%	SD 1.9%	Total	1/350 (0.29%)	Mean 0.29%	SD 0.76%
#Skin:								
Basal Cell Adenoma, Ba	asosquamous T	Tumor Benign, or Trichoe	epithelioma					
		0/50 (0%)	0/50 (0%)	2/50 (4%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	1/49 (2%)		0/50 (0%)	0/50 (0%)	1/50 (2%)
		2/50 (4%)				0/50 (0%)		
Overall Incidence	Total	5/349 (1.43%)	Mean 1.43%	SD 1.9%	Total	1/350 (0.29%)	Mean 0.29%	SD 0.76%
#Skin:								
Basal Cell Carcinoma								
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)				0/50 (0%)		
Overall Incidence	Total	2/349 (0.57%)	Mean 0.57%	SD 0.98%	Total	0/350 (0%)	Mean 0%	SD 0%
#Skin:								
Basal Cell Carcinoma o	r Basosquamou	us Tumor (malignant or I	NOS)					
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	()	()		0/50 (0%)	()	()
Overall Incidence	Total	2/349 (0.57%)	Mean 0.57%	SD 0.98%	Total	0/350 (0%)	Mean 0%	SD 0%
Overall incluence	TOLAI	2/349 (0.37%)		3D 0.98%	TOLAI	0/350 (0%)	Mean 0%	30 0%

*: Denominator is number of animals with tissues examined microscopically

Version: Aug2016 Contract/Lab: All Laboratories Species: RATS Strain: Wistar-Han Length of Study: CHRONIC		Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: ALL ROUTES Vehicle: ALL VEHICLES								Page: 32 Report Date: 08/04/2016				
		Male									F	emale		
#Skin: Basal Cell Carcinoma, B NOS), or Trichoepithelio		oma, Basosqua	amous Tur	nor (benign	, maligna	nt or								
<i>"</i> '		0/50 1/50 2/50	(0%) (2%) (4%)	0/50 0/50	(0%) (0%)	2/50 1/49	(4%) (2%)		0/50 0/50 0/50	(0%) (0%) (0%)	0/50 0/50	(0%) (0%)	0/50 1/50	(0%) (2%)
Overall Incidence	Total	6/349 (1.72	()	Mean 1	.72%	SD 1.8%	, D	Total	1/350 (0.	()	Mean	0.29%	SD 0	76%
*Skin: Basal or Sq. Cell Carcin Adenoma, Papilloma, Sc	oma, Carcinom q Papilloma, Ke	eratoacanthoma	a, Trichoep	bithelioma			<i></i>			()	- /	<i>(</i>)	- /-	()
Basal or Sq. Cell Carcin Adenoma, Papilloma, Sc Overall Incidence	q Papilloma, Ke Total	eratoacanthoma 1/50 2/50 7/50 23/349 (6.5	a, Trichoer (2%) (4%) (14%) 9%)	bithelioma 3/50 1/50 Mean 6	(6%) (2%) .59%	6/50 3/49 SD 4.729		Total	0/50 0/50 0/50 1/350 (0.	,		(0%) (0%) 0.29%	0/50 1/50 SD 0	
Basal or Sq. Cell Carcin	q Papilloma, Ke Total	eratoacanthoma 1/50 2/50 7/50 23/349 (6.5	a, Trichoer (2%) (4%) (14%) 9%)	bithelioma 3/50 1/50 Mean 6	(6%) (2%) .59%	6/50 3/49 SD 4.729	`(6%)́ %		0/50 0/50 1/350 (0.	(0%) (0%) 29%)	0/50 Mean	(0%) 0.29%	1/50 SD 0	(2%)
Basal or Sq. Cell Carcin Adenoma, Papilloma, Sc Overall Incidence #Skin:	q Papilloma, Ke Total	eratoacanthoma 1/50 2/50 7/50 23/349 (6.5	a, Trichoer (2%) (4%) (14%) 9%)	bithelioma 3/50 1/50 Mean 6	(6%) (2%) .59%	6/50 3/49 SD 4.729	`(6%)́ %		0/50 0/50 1/350 (0.	(0%) (0%) 29%)	0/50 Mean	(0%) 0.29%	1/50 SD 0	(2%) 76%
Basal or Sq. Cell Carcin Adenoma, Papilloma, Sc Overall Incidence #Skin:	q Papilloma, Ke Total	eratoacanthoma 1/50 2/50 7/50 23/349 (6.5 2/50 1/50	a, Trichoeg (2%) (4%) (14%) 9%) 	Dithelioma 3/50 1/50 Mean 6	(6%) (2%) .59% 	6/50 3/49 SD 4.729 1/50	(6%) % (2%) (2%)		0/50 0/50 1/350 (0. 2/50 0/50	(0%) (0%) 29%) 	0/50 Mean 0/50 0/50	(0%) 0.29% 	1/50 SD 0	(2%) 76% (0%) (0%)
Basal or Sq. Cell Carcin Adenoma, Papilloma, Sc Overall Incidence #Skin: Fibroma	q Papilloma, Ke Total 	eratoacanthoma 1/50 2/50 7/50 23/349 (6.5 2/50 1/50 0/50 6/349 (1.72	a, Trichoeg (2%) (4%) (14%) 9%) (4%) (2%) (2%) (0%) 2%)	Dithelioma 3/50 1/50 Mean 6 0/50 1/50 Mean 1	(6%) (2%) .59% 	6/50 3/49 SD 4.729 1/50 1/49	(6%) % (2%) (2%)		0/50 0/50 1/350 (0. 2/50 0/50 0/50	(0%) (0%) 29%) 	0/50 Mean 0/50 0/50	(0%) 0.29% (0%) (0%)	1/50 SD 0 0/50 0/50	(2%) 76% (0%) (0%)

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Contract/Lab: All Laboratories

Species: RATS

Strain: Wistar-Han

Length of Study: CHRONIC

Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: ALL ROUTES Vehicle: ALL VEHICLES

Page: 33 Report Date: 08/04/2016

			Male				Female	
#Skin: Fibrosarcoma								
		0/50 (0%) 1/50 (2%) 0/50 (0%)	0/50 (0%) 0/50 (0%)	0/50 (0%) 0/49 (0%)		0/50 (0%) 0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)
Overall Incidence	Total	1/349 (0.29%)	Mean 0.29%	SD 0.76%	Total	0/350 (0%)	Mean 0%	SD 0%
#Skin: Fibrosarcoma, Sarcoma		a. or Fibrous Histiocytom						
	, ,	0/50 (0%) 1/50 (2%) 0/50 (0%)	1/50 (2%) 0/50 (0%)	0/50 (0%) 0/49 (0%)		0/50 (0%) 0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)
Overall Incidence	Total	2/349 (0.57%)	Mean 0.57%	SD 0.98%	Total	0/350 (0%)	Mean 0%	SD 0%
/Skin: Fibrous Histiocytoma								
		0/50 (0%) 0/50 (0%) 0/50 (0%)	1/50 (2%) 0/50 (0%)	0/50 (0%) 0/49 (0%)		0/50 (0%) 0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)
Overall Incidence	Total	1/349 (0.29%)	Mean 0.29%	SD 0.76%	Total	0/350 (0%)	Mean 0%	SD 0%
≠Skin: Hamartoma								
		0/50 (0%) 0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)	1/50 (2%) 0/49 (0%)		0/50 (0%) 0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)
Overall Incidence	Total	1/349 (0.29%)	Mean 0.29%	SD 0.76%	Total	0/350 (0%)	Mean 0%	SD 0%

*: Denominator is number of animals with tissues examined microscopically

Contract/Lab: All Laboratories

Species: RATS

Strain: Wistar-Han

Length of Study: CHRONIC

Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: ALL ROUTES Vehicle: ALL VEHICLES

Page: 34 Report Date: 08/04/2016

			Male				Female	
#Skin: Hemangiosarcoma								
J		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%) 1/50 (2%)	0/50 (0%)	0/50 (0%)
verall Incidence	Total	0/349 (0%)	Mean 0%	SD 0%	Total	1/350 (0.29%)	Mean 0.29%	SD 0.76%
Skin: Keratoacanthoma								
		1/50 (2%)	3/50 (6%)	2/50 (4%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%) 4/50 (8%)	1/50 (2%)	2/49 (4%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Verall Incidence	Total	14/349 (4.01%)	Mean 4.01%	SD 2.31%	Total	0/350 (0%)	Mean 0%	SD 0%
Skin: Lipoma								
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%) 0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Verall Incidence	Total	2/349 (0.57%)	Mean 0.57%	SD 0.98%	Total	0/350 (0%)	Mean 0%	SD 0%
Skin: Liposarcoma								
•		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/49 (0%)		1/50 (2%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/349 (0%)	Mean 0%	SD 0%	Total	1/350 (0.29%)	Mean 0.29%	SD 0.76%

*: Denominator is number of animals with tissues examined microscopically

Contract/Lab: All Laboratories

Species: RATS

Strain: Wistar-Han Length of Study: CHRONIC

Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: ALL ROUTES Vehicle: ALL VEHICLES

Page: 35 Report Date: 08/04/2016

			Male				Female	
#Skin: Myxoma								
		0/50 (0%) 0/50 (0%)	1/50 (2%) 0/50 (0%)	0/50 (0%) 0/49 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)
Overall Incidence	Total	0/50 (0%) 1/349 (0.29%)	Mean 0.29%	SD 0.76%	Total	0/50 (0%) 0/350 (0%)	Mean 0%	SD 0%
#Skin:								
Neurofibrosarcoma or S	Schwannoma (n	0/50 (0%)	0/50 (0%)	2/50 (4%)		0/50 (0%)	0/50 (0%)	2/50 (4%)
		0/50 (0%) 0/50 (0%) 2/50 (4%)	0/50 (0%)	0/49 (0%)		0/50 (0%) 0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	4/349 (1.15%)	Mean 1.14%	SD 1.95%	Total	2/350 (0.57%)	Mean 0.57%	SD 1.51%
		• • • • • • • • • • • • • • • • • • • •						
-								
-	eurofibroma, or S	Schwannoma (benign, ma					- ()	
-	eurofibroma, or S	0/50 (0%)	0/50 (0%)	2/50 (4%)		0/50 (0%)	0/50 (0%)	2/50 (4%)
-	eurofibroma, or s			2/50 (4%) 0/49 (0%)		0/50 (0%) 0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)	2/50 (4%) 0/50 (0%)
Neurofibrosarcoma, Ne Overall Incidence	Total	0/50 (0%) 0/50 (0%) 2/50 (4%) 4/349 (1.15%)	0/50 (0%) 0/50 (0%) Mean 1.14%	0/49 (0%) SD 1.95%	Total	0/50 (0%) 0/50 (0%) 2/350 (0.57%)	0/50 (0%) Mean 0.57%	0/50 (0%) SD 1.51%
Neurofibrosarcoma, Ne Overall Incidence #Skin:	Total	0/50 (0%) 0/50 (0%) 2/50 (4%) 4/349 (1.15%)	0/50 (0%) 0/50 (0%) Mean 1.14%	0/49 (0%) SD 1.95%		0/50 (0%) 0/50 (0%) 2/350 (0.57%)	0/50 (0%) Mean 0.57%	0/50 (0%) SD 1.51%
Neurofibrosarcoma, Ne Overall Incidence	Total	0/50 (0%) 0/50 (0%) 2/50 (4%) 4/349 (1.15%)	0/50 (0%) 0/50 (0%) Mean 1.14%	0/49 (0%) SD 1.95%		0/50 (0%) 0/50 (0%) 2/350 (0.57%)	0/50 (0%) Mean 0.57%	0/50 (0%) SD 1.51%
Overall Incidence #Skin:	Total	0/50 (0%) 0/50 (0%) 2/50 (4%) 4/349 (1.15%)	0/50 (0%) 0/50 (0%) Mean 1.14%	0/49 (0%) SD 1.95%		0/50 (0%) 0/50 (0%) 2/350 (0.57%)	0/50 (0%) Mean 0.57%	0/50 (0%) SD 1.51%

*: Denominator is number of animals with tissues examined microscopically

Contract/Lab: All Laboratories

Species: RATS

Strain: Wistar-Han

Length of Study: CHRONIC

Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: ALL ROUTES Vehicle: ALL VEHICLES

Page: 36 Report Date: 08/04/2016

			Male				Female	
#Skin: Squamous Cell Carcinoma								
•		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)		
Verall Incidence	Total	1/349 (0.29%)	Mean 0.29%	SD 0.76%	Total	0/350 (0%)	Mean 0%	SD 0%
Skin:								
Squamous Cell Carcinoma, or Carcinoma	Basal Cell C	arcinoma, Basosqua	mous Tumor (malignan	t or NOS),				
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)				0/50 (0%)		
Overall Incidence	Total	3/349 (0.86%)	Mean 0.86%	SD 1.07%	Total	0/350 (0%)	Mean 0%	SD 0%
/Skin: Squamous Cell Papilloma								
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)				0/50 (0%)		
Overall Incidence	Total	2/349 (0.57%)	Mean 0.57%	SD 0.98%	Total	0/350 (0%)	Mean 0%	SD 0%
/Skin: Squamous Cell Papilloma o								
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	0/30 (076)	0/43 (070)		0/50 (0%)	0/00 (076)	0/00 (078)
Overall Incidence	Total	2/349 (0.57%)	Mean 0.57%	SD 0.98%	Total	0/350 (0%)	Mean 0%	SD 0%
	TULAI	2/349 (0.37 /0)		50 0.30 /0	TULAI	0/00 (0/0)		30 0/0

*: Denominator is number of animals with tissues examined microscopically

Version: Aug2016 Contract/Lab: All Laboratories Species: RATS Strain: Wistar-Han Length of Study: CHRONIC

Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: ALL ROUTES Vehicle: ALL VEHICLES

			Male			Female						
#Skin: Squamous Cell Papilloma	ı, Papilloma, S	Squamous Cell Carcinom	a or Keratoacanthoma	9								
	-	1/50 (2%) 1/50 (2%) 5/50 (10%)	3/50 (6%) 1/50 (2%)	4/50 (8%) 2/49 (4%)		0/50 (0%) 0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)				
Overall Incidence	Total	17/349 (4.87%)	Mean 4.87%	SD 3.23%	Total	0/350 (0%)	Mean 0%	SD 0%				
#Skin: Squamous Cell Papilloma												
	, , ,	1/50 (2%) 1/50 (2%) 5/50 (10%)	3/50 (6%) 1/50 (2%)	3/50 (6%) 2/49 (4%)		0/50 (0%) 0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)				
Overall Incidence	Total	16/349 (4.58%)	Mean 4.58%	SD 2.99%	Total	0/350 (0%)	Mean 0%	SD 0%				
#Skin: Sebaceous Gland: Adenoma												
		0/50 (0%) 0/50 (0%) 0/50 (0%)	1/50 (2%) 1/50 (2%)	1/50 (2%) 0/49 (0%)		0/50 (0%) 0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)				
Overall Incidence	Total	3/349 (0.86%)	Mean 0.86%	SD 1.07%	Total	0/350 (0%)	Mean 0%	SD 0%				
#Skin: Sebaceous Gland: Carcinoma or Adenoma												
		0/50 (0%) 0/50 (0%) 0/50 (0%)	1/50 (2%) 1/50 (2%)	1/50 (2%) 0/49 (0%)		0/50 (0%) 0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)				
Overall Incidence	Total	3/349 (0.86%)	Mean 0.86%	SD 1.07%	Total	0/350 (0%)	Mean 0%	SD 0%				

*: Denominator is number of animals with tissues examined microscopically

Version: Aug2016

Contract/Lab: All Laboratories

Species: RATS

Strain: Wistar-Han

Length of Study: CHRONIC

Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: ALL ROUTES Vehicle: ALL VEHICLES

Page: 38 Report Date: 08/04/2016

			Male				Female						
Spleen: Hemangiosarcoma													
-		0/50 (0%) 0/50 (0%)	1/50 (2%) 0/50 (0%)	0/50 (0%) 1/47 (2%)		0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)					
Overall Incidence	Total	1/50 (2%) 3/347 (0.86%)	Mean 0.88%	SD 1.09%	Total	0/50 (0%) 0/350 (0%)	Mean 0%	SD 0%					
fStomach, Forestomach: Fibrosarcoma													
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)					
		0/50 (0%) 0/50 (0%)	0/50 (0%)	1/49 (2%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)					
Overall Incidence	Total	1/349 (0.29%)	Mean 0.29%	SD 0.77%	Total	0/350 (0%)	Mean 0%	SD 0%					
fStomach, Forestomach: Leiomyoma													
-		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)					
		1/50 (2%) 0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)					
Overall Incidence	Total	1/349 (0.29%)	Mean 0.29%	SD 0.76%	Total	1/350 (0.29%)	Mean 0.29%	SD 0.76%					
#Stomach, Forestomach: Leiomyosarcoma													
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)					
		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/49 (0%)		1/50 (2%) 0/50 (0%)	0/50 (0%)	0/50 (0%)					
Overall Incidence	Total	1/349 (0.29%)	Mean 0.29%	SD 0.76%	Total	1/350 (0.29%)	Mean 0.29%	SD 0.76%					

*: Denominator is number of animals with tissues examined microscopically

Version: Aug2016

Contract/Lab: All Laboratories

Species: RATS Strain: Wistar-Han

Length of Study: CHRONIC

Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: ALL ROUTES Vehicle: ALL VEHICLES

Page: 39 Report Date: 08/04/2016

			Male				Female	
#Stomach, Forestomach: Sarcoma								
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%) 0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/349 (0.29%)	Mean 0.29%	SD 0.76%	Total	0/350 (0%)	Mean 0%	SD 0%
#Stomach, Forestomach: Squamous Cell Carcinoma								
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)
		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/349 (0%)	Mean 0%	SD 0%	Total	1/350 (0.29%)	Mean 0.29%	SD 0.76%
#Stomach, Forestomach: Squamous Cell Carcinoma	or Papillom	a Squamous						
	•	0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	1/50 (2%)
		0/50 (0%) 0/50 (0%)	0/50 (0%)	1/49 (2%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/349 (0.29%)	Mean 0.29%	SD 0.77%	Total	2/350 (0.57%)	Mean 0.57%	SD 0.98%
#Stomach, Forestomach: Squamous Cell Papilloma								
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)
		0/50 (0%) 0/50 (0%)	0/50 (0%)	1/49 (2%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/349 (0.29%)	Mean 0.29%	SD 0.77%	Total	1/350 (0.29%)	Mean 0.29%	SD 0.76%

*: Denominator is number of animals with tissues examined microscopically

Version: Aug2016 Contract/Lab: All Laboratories Species: RATS

Length of Study: CHRONIC

Strain: Wistar-Han

Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: ALL ROUTES Vehicle: ALL VEHICLES

Page: 40 Report Date: 08/04/2016

			Male		Female						
*Stomach, Glandular: Fibrosarcoma											
		0/50 (0%) 0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)	0/50 (0%) 1/49 (2%)		0/50 (0%) 0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)			
Overall Incidence	Total	1/349 (0.29%)	Mean 0.29%	SD 0.77%	Total	0/350 (0%)	Mean 0%	SD 0%			
fStomach, Glandular: Leiomyosarcoma											
-		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)			
		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/49 (0%)		1/50 (2%) 1/50 (2%)	0/50 (0%)	0/50 (0%)			
Overall Incidence	Total	0/349 (0%)	Mean 0%	SD 0%	Total	2/350 (0.57%)	Mean 0.57%	SD 0.98%			
Stomach, Glandular: Sarcoma											
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)			
		1/50 (2%) 0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)			
Overall Incidence	Total	1/349 (0.29%)	Mean 0.29%	SD 0.76%	Total	0/350 (0%)	Mean 0%	SD 0%			
Testes: Adenoma											
		6/50 (12%)	3/50 (6%)	2/50 (4%)							
		2/50 (4%) 0/50 (0%)	0/50 (0%)	2/49 (4%)							
Overall Incidence	Total	15/349 (4.3%)	Mean 4.3%	SD 4.07%							

*: Denominator is number of animals with tissues examined microscopically

Version: Aug2016

Contract/Lab: All Laboratories

Species: RATS

Strain: Wistar-Han Length of Study: CHRONIC

Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: ALL ROUTES Vehicle: ALL VEHICLES

Page: 41 Report Date: 08/04/2016

			Male				Female	
Testes: Hemangiosarcoma								
		1/50 (2%) 0/50 (0%)	0/50 (0%) 0/50 (0%)	0/50 (0%) 0/49 (0%)				
Overall Incidence	Total	0/50 (0%) 1/349 (0.29%)	Mean 0.29%	SD 0.76%				
Thymus: Sarcoma								
		0/41 (0%)	0/47 (0%)	0/49 (0%)		0/46 (0%)	0/49 (0%)	0/49 (0%)
		0/40 (0%) 0/49 (0%)	0/48 (0%)	0/45 (0%)		0/48 (0%) 1/50 (2%)	0/48 (0%)	0/50 (0%)
Overall Incidence	Total	0/319 (0%)	Mean 0%	SD 0%	Total	1/340 (0.29%)	Mean 0.29%	SD 0.76%
Thymus: Thymoma Benign								
_		3/41 (7%)	1/47 (2%)	2/49 (4%)		6/46 (13%)	0/49 (0%)	3/49 (6%)
		1/40 (3%) 1/49 (2%)	3/48 (6%)	0/45 (0%)		5/48 (10%) 1/50 (2%)	8/48 (17%)	0/50 (0%)
Overall Incidence	Total	11/319 (3.45%)	Mean 3.47%	SD 2.57%	Total	23/340 (6.76%)	Mean 6.89%	SD 6.65%
'Thymus: Thymoma: Benign, Malignan								
		3/41 (7%) 1/40 (3%)	1/47 (2%) 3/48 (6%)	2/49 (4%) 0/45 (0%)		6/46 (13%) 5/48 (10%)	0/49 (0%) 8/48 (17%)	3/49 (6%) 0/50 (0%)
		1/49 (2%)				1/50 (2%)		
Overall Incidence	Total	11/319 (3.45%)	Mean 3.47%	SD 2.57%	Total	23/340 (6.76%)	Mean 6.89%	SD 6.65%

*: Denominator is number of animals with tissues examined microscopically

Version: Aug2016 Contract/Lab: All Laboratories Species: RATS Strain: Wistar-Han Length of Study: CHRONIC

Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: ALL ROUTES Vehicle: ALL VEHICLES

Page: 42 Report Date: 08/04/2016

			Male				Female	
*Thyroid Gland: Carcinoma								
		0/50 (0%) 0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)	0/50 (0%) 0/45 (0%)		1/50 (2%) 0/50 (0%) 0/50 (0%)	0/50 (0%) 0/49 (0%)	0/50 (0%) 0/45 (0%)
Overall Incidence	Total	0/345 (0%)	Mean 0%	SD 0%	Total	1/344 (0.29%)	Mean 0.29%	SD 0.76%
*Thyroid Gland: C-Cell: Adenoma								
		5/50 (10%)	6/50 (12%)	4/50 (8%)		4/50 (8%)	2/50 (4%)	3/50 (6%)
		7/50 (14%) 5/50 (10%)	3/50 (6%)	11/45 (24%)		3/50 (6%) 7/50 (14%)	7/49 (14%)	7/45 (16%)
Overall Incidence	Total	41/345 (11.88%)	Mean 12.06%	SD 6.04%	Total	33/344 (9.59%)	Mean 9.69%	SD 4.77%
*Thyroid Gland: C-Cell: Carcinoma								
		1/50 (2%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	1/50 (2%)	1/50 (2%)
		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/45 (0%)		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/45 (0%)
Overall Incidence	Total	1/345 (0.29%)	Mean 0.29%	SD 0.76%	Total	3/344 (0.87%)	Mean 0.86%	SD 1.07%
*Thyroid Gland: C-Cell: Carcinoma or Adenoma								
		6/50 (12%)	6/50 (12%)	4/50 (8%)		5/50 (10%)	3/50 (6%)	4/50 (8%)
		7/50 (14%) 5/50 (10%)	3/50 (6%)	11/45 (24%)		3/50 (6%) 7/50 (14%)	7/49 (14%)	7/45 (16%)
Overall Incidence	Total	42/345 (12.17%)	Mean 12.35%	SD 5.97%	Total	36/344 (10.47%)	Mean 10.55%	SD 4.06%

*: Denominator is number of animals with tissues examined microscopically

Version: Aug2016 Contract/Lab: All Laboratories Species: RATS Strain: Wistar-Han Length of Study: CHRONIC

Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: ALL ROUTES Vehicle: ALL VEHICLES

Page: 43 Report Date: 08/04/2016

			Male		Female							
Thyroid Gland: Follicular Cel Adenoma	l:											
		0/50 (0%) 1/50 (2%) 3/50 (6%)	2/50 (4%) 0/50 (0%)	0/50 (0%) 1/45 (2%)		1/50 (2%) 1/50 (2%) 3/50 (6%)	2/50 (4%) 0/49 (0%)	1/50 (2%) 1/45 (2%)				
Overall Incidence	Total	7/345 (2.03%)	Mean 2.03%	SD 2.31%	Total	9/344 (2.62%)	Mean 2.6%	SD 1.89%				
*Thyroid Gland: Follicular Cel Carcinoma												
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)				
		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/45 (0%)		1/50 (2%) 0/50 (0%)	1/49 (2%)	0/45 (0%)				
Overall Incidence	Total	0/345 (0%)	Mean 0%	SD 0%	Total	3/344 (0.87%)	Mean 0.86%	SD 1.08%				
Thyroid Gland: Follicular Cel Carcinoma or Adenoma	l:											
		0/50 (0%)	2/50 (4%)	0/50 (0%)		2/50 (4%)	2/50 (4%)	1/50 (2%)				
		1/50 (2%) 3/50 (6%)	0/50 (0%)	1/45 (2%)		2/50 (4%) 3/50 (6%)	1/49 (2%)	1/45 (2%)				
Overall Incidence	Total	7/345 (2.03%)	Mean 2.03%	SD 2.31%	Total	12/344 (3.49%)	Mean 3.47%	SD 1.47%				
*Urinary Bladder: Carcinoma or Papilloma												
-		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)				
		0/50 (0%) 1/50 (2%)	0/50 (0%)	0/49 (0%)		0/50 (0%) 1/50 (2%)	0/50 (0%)	0/50 (0%)				
Overall Incidence	Total	1/349 (0.29%)	Mean 0.29%	SD 0.76%	Total	1/349 (0.29%)	Mean 0.29%	SD 0.76%				

*: Denominator is number of animals with tissues examined microscopically

Version: Aug2016 Contract/Lab: All Laboratories

Species: RATS

. Strain: Wistar-Han

Length of Study: CHRONIC

Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: ALL ROUTES Vehicle: ALL VEHICLES

Page: 44 Report Date: 08/04/2016

				Male				Female						
Urinary Bladder: Papilloma														
		0/50 (0%	,	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)	0/49	(0%)	
		0/50 (0% 1/50 (2%	,	(0%)	0/49	(0%)		0/50 1/50	(0%) (2%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	1/349 (0.29%)	Mean 0.		SD 0.769		Total	1/349 (0.			0.29%	SD 0.		
ℓUterus: Adenoma														
								0/50	(0%)	0/50	(0%)	0/50	(0%)	
								0/50	(0%)	1/50	(2%)	1/50	(2%)	
								0/50	(0%)					
Overall Incidence							Total	2/350 (0.	,		0.57%	SD 0.		
Uterus: Carcinoma														
								3/50	(6%)	2/50	(4%)	3/50	(6%)	
								1/50	(2%)	1/50	(2%)	1/50	(2%)	
								3/50	(6%)					
Overall Incidence							Total	14/350	· · ·		n 4%	SD		
/Uterus: Granular Cell Tumor Beni														
	-							0/50	(0%)	0/50	(0%)	0/50	(0%)	
								0/50	(0%)	1/50	(2%)	1/50	(2%)	
								0/50	(0%)					
Overall Incidence							Total	2/350 (0.	57%)	Mean	0.57%	SD 0.	.98%	

*: Denominator is number of animals with tissues examined microscopically

Version: Aug2016 Contract/Lab: All Laboratories Species: RATS Strain: Wistar-Han Length of Study: CHRONIC	Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: ALL ROUTES Vehicle: ALL VEHICLES		Page: 45 Report Da	ite: 08/04/2016
	Male		Female	
Uterus:				
Hemangiosarcoma		1/50 (2%) 0/4 0/50 (0%) 0/4 0/50 (0%)		0/50 (0%) 0/50 (0%)
Overall Incidence	Total	. ,	ean 0.29%	SD 0.76%
Uterus: Leiomyosarcoma				
		1/50 (2%) 0/4 0/50 (0%) 0/4 0/50 (0%)	()	0/50 (0%) 0/50 (0%)
Overall Incidence	Total	1/350 (0.29%) N	ean 0.29%	SD 0.76%
Uterus:				
Malignant Mixed Mullerian Tumor		0/50 (0%) 0/4 0/50 (0%) 0/4 0/50 (0%)	· · ·	0/50 (0%) 1/50 (2%)
Overall Incidence	Total	. ,	ean 0.29%	SD 0.76%
ℓUterus: Polyp Stromal				
		2/50 (4%) 9/ 5/50 (10%) 6/ 2/50 (4%)	()	3/50 (6%) 3/50 (6%)
Overall Incidence	Total	. ,	ean 8.57%	SD 5.13%

*: Denominator is number of animals with tissues examined microscopically #: Denominator is number of animals necropsied

Version: Aug2016 Contract/Lab: All Laboratories Species: RATS Strain: Wistar-Han Length of Study: CHRONIC	Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: ALL ROUTES Vehicle: ALL VEHICLES		Page: 46 Report Da	te: 08/04/2016
	Male		Female	
#Uterus:				
Sarcoma Stromal		2/50 (4%) 1/	50 (2%) 50 (2%)	1/50 (2%) 0/50 (0%)
Overall Incidence	Total	()	lean 1.71%	SD 1.38%
fUterus: Sarcoma Stromal or Polyp Stromal				
		3/50 (6%) 10/ 6/50 (12%) 7/ 2/50 (4%)	50 (20%) 50 (14%)	4/50 (8%) 3/50 (6%)
Overall Incidence	Total	· · ·	Mean 10%	SD 5.66%
Uterus:				
Schwannoma Malignant			50 (2%) 50 (4%)	1/50 (2%) 1/50 (2%)
Dverall Incidence	Total	5/350 (1.43%) N	lean 1.43%	SD 1.51%
ℓUterus: Squamous Cell Papilloma				
Squamous cen rapinoma			50 (0%) 50 (0%)	0/50 (0%) 0/50 (0%)
Overall Incidence	Total	. ,	lean 0.29%	SD 0.76%

*: Denominator is number of animals with tissues examined microscopically #: Denominator is number of animals necropsied

Version: Aug2016 Contract/Lab: All Laboratories Species: RATS Strain: Wistar-Han Length of Study: CHRONIC												Page: 47 Report Dat	t e: 08/04/20	016
					Male						F	emale		
#Vagina: Fibrosarcoma														
									0/50 0/50 0/50	(0%) (0%) (0%)	0/50 1/50	(0%) (2%)	0/50 0/50	(0%) (0%)
Overall Incidence								Total	1/350 (0.	29%)	Mean	0.29%	SD 0.	76%
#Vagina: Leiomyoma									0/50 0/50	(0%) (0%)	0/50 0/50	(0%) (0%)	0/50 0/50	(0%) (0%)
Overall Incidence								Total	1/50 1/350 (0.	(2%)		0.29%	SD 0.	
≭Vagina: Polyp														
									0/50 0/50 0/50	(0%) (0%) (0%)	0/50 0/50	(0%) (0%)	1/50 0/50	(2%) (0%)
Overall Incidence								Total	1/350 (0.	. ,	Mean	0.29%	SD 0.	76%
#Zymbal's Gland: Carcinoma														
		0/50 2/50 0/50	(0%) (4%) (0%)	0/50 1/50	(0%) (2%)	1/50 0/49	(2%) (0%)		0/50 0/50 0/50	(0%) (0%) (0%)	0/50 0/50	(0%) (0%)	0/50 0/50	(0%) (0%)
Overall Incidence	Total	4/349 (1.15	. ,	Mean 1	.14%	SD 1.579	%	Total	0/350 (Mea	in 0%	SD	0%

Version: Aug2016 Contract/Lab: All Laboratories Species: RATS Strain: Wistar-Han Length of Study: CHRONIC		Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: ALL ROUTES Vehicle: ALL VEHICLES									Page: 48 Report Date: 08/04/2016					
				Female												
#Zymbal's Gland: Carcinoma or Adenoma		0/50 (0%) 0/50 (0%) 2/50 (4%) 1/50 (2%) 0/50 (0%)				1/50 (2%) 0/49 (0%)			0/50 (0%) 0/50 (0%) 0/50 (0%)		0/50 (0%) 0/50 (0%) 0/50 (0%) 0/50 (0%)			· · ·		
Overall Incidence	Total	4/349 (1.15	()	Mean 1	.14%	SD 1.57%	6	Total	0/350 (· · ·	Mea	an 0%	SD	0%		

*: Denominator is number of animals with tissues examined microscopically