

NTP Historical Controls Report

All Routes and Vehicles

Harlan Sprague-Dawley RATS

November 2017

This report shows the tumor rates of control group animals from selected studies. The studies used are shown on the Study Summary page.

The report combines all the data from all of the historical control studies into one section. To see this data broken up by route and vehicle you must run the "By Route And Vehicle" report.

The individual tumor rates shown on the data pages of the report relate to the Study Summary page as follows: the tumor rates are shown in the same order as the Study Summary page, except that they are grouped horizontally in sets of three, with the males in the first set of three and the females in the second set. For example if the study summary showed the studies like this:

Male M1 M2 M3 M4 M5 Female F1 F2 F3 F4 F5

the data would be shown as:

	Male			Female	
M1	M2	М3	F1	F2	F3
M4	M5		F4	F5	

Directly beneath the individual tumor rates on the data pages are the overall totals for that tumor/site combination. This includes the total tumors/animals, the overall mean (in parentheses), the mean of the study means, and the standard deviation of the study means.

Studies with no control animals of a particular gender are listed on the summary page with the Number of Animals shown as zero and the Start Date and Length of Study shown as "N/A". On the data pages there are blank spaces where tumor rates for these studies would normally be found, so that the male and female rates for the remaining studies can be easily compared.

Version: Nov2017 Contract/Lab: All Laboratories Species: RATS Strain: Harlan Sprague-Dawley Length of Study: CHRONIC

Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: ALL ROUTES Vehicle: ALL VEHICLES

				Stu	dy Summary		
Laboratory Name	Study Number	Study Start Date	Length of Study in Days	Number of Animals Total and (#/Cage)	Number Surviving and (Mean Life Span)	Maximum Mean Weekly Body Weight	Chemical
					Male		
Battelle Columbus Laboratory Battelle Columbus Laboratory Battelle Northwest I. I. T. Research Institute	051026001 052000603 051047203 052010556	11/08/10 03/14/07 01/17/11 09/16/12	729 727 729 730	50(2) 50(3) 50(5) 90(1)	30(706) 20(644) 25(661) 25(642)	615.3 584.8 609.4 658.1	2-Hydroxy-4-methoxybenzophenone Indole-3-carbinol p-Chloro-a,a,a-trifluorotoluene Radiofrequency Radiation
					Female		
Battelle Columbus Laboratory Battelle Columbus Laboratory Battelle Northwest I. I. T. Research Institute	051026001 052000603 051047203 052010556	11/09/10 03/15/07 01/17/11 09/16/12	730 729 731 737	50(4) 50(5) 50(5) 90(1)	30(657) 21(637) 22(626) 48(659)	379.6 353.0 377.3 462.4	2-Hydroxy-4-methoxybenzophenone Indole-3-carbinol p-Chloro-a,a,a-trifluorotoluene Radiofrequency Radiation

Contract/Lab: All Laboratories

Species: RATS

Strain: Harlan Sprague-Dawley Length of Study: CHRONIC Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: ALL ROUTES Vehicle: ALL VEHICLES Page: 4 Report Date: 01/20/2018

			Male				Female	
#All Organs: Benign Tumors								
		38/50 (76%) 49/90 (54%)	27/50 (54%)	30/50 (60%)		41/50 (82%) 82/90 (91%)	40/50 (80%)	39/50 (78%)
overall Incidence	Total	144/240 (60%)	Mean 61.11%	SD 10.29%	Total	202/240 (84.17%)	Mean 82.78%	SD 5.79%
All Organs: Malignant Tumors								
		11/50 (22%) 24/90 (27%)	12/50 (24%)	12/50 (24%)		15/50 (30%) 37/90 (41%)	14/50 (28%)	11/50 (22%)
Verall Incidence	Total	59/240 (24.58%)	Mean 24.17%	SD 1.91%	Total	77/240 (32.08%)	Mean 30.28%	SD 7.98%
All Organs: Malignant and Benign T	umors	42/50 (84%)	33/50 (66%)	37/50 (74%)		47/50 (94%)	46/50 (92%)	41/50 (82%)
Overall Incidence	Total	57/90 (63%) 169/240 (70.42%)	Mean 71.83%	SD 9.29%	Total	89/90 (99%) 223/240 (92.92%)	Mean 91.72%	SD 7.1%
All Organs: Hemangioma								
		0/50 (0%) 0/90 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%) 0/90 (0%)	0/50 (0%)	0/50 (0%)
verall Incidence	Total	1/240 (0.42%)	Mean 0.5%	SD 1%	Total	0/240 (0%)	Mean 0%	SD 0%
All Organs: Hemangiosarcoma								
		0/50 (0%) 3/90 (3%)	1/50 (2%)	0/50 (0%)		0/50 (0%) 3/90 (3%)	1/50 (2%)	0/50 (0%)
Overall Incidence	Total	4/240 (1.67%)	Mean 1.33%	SD 1.63%	Total	4/240 (1.67%)	Mean 1.33%	SD 1.63%

*: Denominator is number of animals with tissues examined microscopically

Contract/Lab: All Laboratories

Species: RATS

Strain: Harlan Sprague-Dawley Length of Study: CHRONIC Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: ALL ROUTES Vehicle: ALL VEHICLES Page: 5 Report Date: 01/20/2018

			Male				Female	
#All Organs: Hemangiosarcoma or H	lemangioma							
		0/50 (0%) 3/90 (3%)	1/50 (2%)	1/50 (2%)		0/50 (0%) 3/90 (3%)	1/50 (2%)	0/50 (0%)
Overall Incidence	Total	5/240 (2.08%)	Mean 1.83%	SD 1.37%	Total	4/240 (1.67%)	Mean 1.33%	SD 1.63%
#All Organs: Histiocytic Sarcoma								
		0/50 (0%) 0/90 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%) 0/90 (0%)	1/50 (2%)	0/50 (0%)
Overall Incidence	Total	0/240 (0%)	Mean 0%	SD 0%	Total	1/240 (0.42%)	Mean 0.5%	SD 1%
#All Organs: Leukemia: Granulocyti	c							
		0/50 (0%) 0/90 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%) 0/90 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/240 (0.42%)	Mean 0.5%	SD 1%	Total	0/240 (0%)	Mean 0%	SD 0%
All Organs: Leukemia: Lymphocyti	c, Monocytic, M	ononuclear, or Undiffere	ntiated					
		0/50 (0%) 0/90 (0%)	0/50 (0%)	3/50 (6%)		0/50 (0%) 0/90 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	3/240 (1.25%)	Mean 1.5%	SD 3%	Total	0/240 (0%)	Mean 0%	SD 0%
#All Organs: Malignant Lymphoma:	Histiocytic, Lvm	nphocytic, Mixed, NOS, o	r Undifferentiated Cel	Туре				
	• · •	0/50 (0%) 2/90 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%) 5/90 (6%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	2/240 (0.83%)	Mean 0.56%	SD 1.11%	Total	5/240 (2.08%)	Mean 1.39%	SD 2.78%

*: Denominator is number of animals with tissues examined microscopically

Contract/Lab: All Laboratories

Species: RATS

Strain: Harlan Sprague-Dawley Length of Study: CHRONIC Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: ALL ROUTES Vehicle: ALL VEHICLES Page: 6 Report Date: 01/20/2018

			Male				Female	
#All Organs: Malignant Schwannoma								
		1/50 (2%) 3/90 (3%)	2/50 (4%)	0/50 (0%)		0/50 (0%) 4/90 (4%)	2/50 (4%)	2/50 (4%)
Overall Incidence	Total	6/240 (2.5%)	Mean 2.33%	SD 1.76%	Total	8/240 (3.33%)	Mean 3.11%	SD 2.08%
All Organs: Mesothelioma: Benign, Mal								
		1/50 (2%) 2/90 (2%)	1/50 (2%)	1/50 (2%)		0/50 (0%) 0/90 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	5/240 (2.08%)	Mean 2.06%	SD 0.11%	Total	0/240 (0%)	Mean 0%	SD 0%
#All Organs: Mesothelioma: Malignant								
		1/50 (2%) 2/90 (2%)	1/50 (2%)	1/50 (2%)		0/50 (0%) 0/90 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	5/240 (2.08%)	Mean 2.06%	SD 0.11%	Total	0/240 (0%)	Mean 0%	SD 0%
Adrenal Cortex: Adenoma								
		3/50 (6%) 1/90 (1%)	0/50 (0%)	3/50 (6%)		3/50 (6%) 1/90 (1%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	7/240 (2.92%)	Mean 3.28%	SD 3.18%	Total	4/240 (1.67%)	Mean 1.78%	SD 2.86%
Adrenal Cortex: Carcinoma								
		0/50 (0%) 0/90 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%) 1/90 (1%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/240 (0%)	Mean 0%	SD 0%	Total	1/240 (0.42%)	Mean 0.28%	SD 0.56%

*: Denominator is number of animals with tissues examined microscopically

Contract/Lab: All Laboratories

Species: RATS

Strain: Harlan Sprague-Dawley Length of Study: CHRONIC

Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: ALL ROUTES Vehicle: ALL VEHICLES

Page: 7 Report Date: 01/20/2018

			Male				Female	
Adrenal Medulla: Pheochromocytoma Be	enign							
		9/50 (18%) 10/88 (11%)	5/50 (10%)	12/50 (24%)		3/50 (6%) 1/86 (1%)	0/50 (0%)	0/49 (0%)
Overall Incidence	Total	36/238 (15.13%)	Mean 15.84%	SD 6.47%	Total	4/235 (1.7%)	Mean 1.79%	SD 2.86%
Adrenal Medulla: Pheochromocytoma Co								0/40 (0%)
		0/50 (0%) 1/88 (1%)	1/50 (2%)	0/50 (0%)		0/50 (0%) 0/86 (0%)	0/50 (0%)	0/49 (0%)
Overall Incidence	Total	2/238 (0.84%)	Mean 0.78%	SD 0.97%	Total	0/235 (0%)	Mean 0%	SD 0%
*Adrenal Medulla: Pheochromocytoma Ma	alignant	3/50 (6%) 1/88 (1%)	2/50 (4%)	2/50 (4%)		2/50 (4%) 0/86 (0%)	0/50 (0%)	0/49 (0%)
Overall Incidence	Total	8/238 (3.36%)	Mean 3.78%	SD 2%	Total	2/235 (0.85%)	Mean 1%	SD 2%
Adrenal Medulla: Pheochromocytoma: B	enign, Complex	x, Malignant, NOS 12/50 (24%)	8/50 (16%)	14/50 (28%)		5/50 (10%)	0/50 (0%)	0/49 (0%)
Overall Incidence	Total	11/88 (13%) 45/238 (18.91%)	Mean 20.12%	SD 7.12%	Total	1/86 (1%) 6/235 (2.55%)	Mean 2.79%	SD 4.84%
Brain: Glioma Malignant								
-		0/50 (0%) 0/90 (0%)		2/50 (4%)		0/50 (0%) 0/90 (0%)		1/50 (2%)
Overall Incidence	Total	2/190 (1.05%)	Mean 1.33%	SD 2.31%	Total	1/190 (0.53%)	Mean 0.67%	SD 1.15%

*: Denominator is number of animals with tissues examined microscopically

Version: Nov2017 Contract/Lab: All Laboratories Species: RATS Strain: Harlan Sprague-Dawley

Length of Study: CHRONIC

Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: ALL ROUTES Vehicle: ALL VEHICLES

Page: 8 Report Date: 01/20/2018

			Male				Female	
Brain: Granular Cell Tumor Benig	ın							
-		2/50 (4%) 1/90 (1%)		0/50 (0%)		1/50 (2%) 1/90 (1%)		0/50 (0%)
Overall Incidence	Total	3/190 (1.58%)	Mean 1.7%	SD 2.06%	Total	2/190 (1.05%)	Mean 1.04%	SD 1%
Brain: Oligodendroglioma, Gliom								
		0/50 (0%) 0/90 (0%)		2/50 (4%)		0/50 (0%) 0/90 (0%)		1/50 (2%)
Overall Incidence	Total	2/190 (1.05%)	Mean 1.33%	SD 2.31%	Total	1/190 (0.53%)	Mean 0.67%	SD 1.15%
Brain: Schwannoma Malignant						0/50 (00())		4/50 (00())
		0/50 (0%) 0/90 (0%)		0/50 (0%)		0/50 (0%) 0/90 (0%)		1/50 (2%)
Overall Incidence	Total	0/190 (0%)	Mean 0%	SD 0%	Total	1/190 (0.53%)	Mean 0.67%	SD 1.15%
Clitoral/Preputial Gland: Carcinoma								
		1/49 (2%) 0/88 (0%)	0/50 (0%)	0/50 (0%)		0/48 (0%) 0/87 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/237 (0.42%)	Mean 0.51%	SD 1.02%	Total	0/235 (0%)	Mean 0%	SD 0%
Clitoral/Preputial Gland: Carcinoma or Adenoma								
		1/49 (2%) 0/88 (0%)	0/50 (0%)	0/50 (0%)		0/48 (0%) 0/87 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/237 (0.42%)	Mean 0.51%	SD 1.02%	Total	0/235 (0%)	Mean 0%	SD 0%

*: Denominator is number of animals with tissues examined microscopically

Contract/Lab: All Laboratories Species: RATS

Strain: Harlan Sprague-Dawley

Length of Study: CHRONIC

Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: ALL ROUTES Vehicle: ALL VEHICLES

Page: 9 Report Date: 01/20/2018

			Male				Female	
*Epididymis: Sarcoma								
		0/50 (0%) 0/90 (0%)	0/50 (0%)	1/50 (2%)				
Overall Incidence	Total	1/240 (0.42%)	Mean 0.5%	SD 1%				
[#] Eye: Leiomyoma								
		0/50 (0%) 0/90 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%) 0/90 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/240 (0.42%)	Mean 0.5%	SD 1%	Total	0/240 (0%)	Mean 0%	SD 0%
*Heart: Schwannoma Malignan								
		1/50 (2%) 0/90 (0%)	1/50 (2%)	0/50 (0%)		0/49 (0%) 0/90 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	2/240 (0.83%)	Mean 1%	SD 1.15%	Total	0/239 (0%)	Mean 0%	SD 0%
fIntestine Large: Colon/R Granular Cell Tumor Be								
		0/50 (0%) 0/90 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%) 1/90 (1%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/240 (0%)	Mean 0%	SD 0%	Total	1/240 (0.42%)	Mean 0.28%	SD 0.56%
#Intestine Large: Colon/R Leiomyoma	Rectum:							
		0/50 (0%) 0/90 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%) 0/90 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/240 (0.42%)	Mean 0.5%	SD 1%	Total	0/240 (0%)	Mean 0%	SD 0%

*: Denominator is number of animals with tissues examined microscopically

Contract/Lab: All Laboratories

Species: RATS

Strain: Harlan Sprague-Dawley Length of Study: CHRONIC

Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: ALL ROUTES Vehicle: ALL VEHICLES

Page: 10 Report Date: 01/20/2018

			Male				Female	
#Intestine Small: Jejunum: Carcinoma								
		1/50 (2%) 2/90 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%) 0/90 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	3/240 (1.25%)	Mean 1.06%	SD 1.22%	Total	0/240 (0%)	Mean 0%	SD 0%
#Intestine Small: Jejunum: Leiomyosarcoma								
		0/50 (0%) 0/90 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%) 1/90 (1%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/240 (0.42%)	Mean 0.5%	SD 1%	Total	1/240 (0.42%)	Mean 0.28%	SD 0.56%
#Intestine Small: Site Unspe Carcinoma								
		1/50 (2%) 2/90 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%) 0/90 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	3/240 (1.25%)	Mean 1.06%	SD 1.22%	Total	0/240 (0%)	Mean 0%	SD 0%
#Intestine Small: Site Unspe Carcinoma or Adenoma								
		1/50 (2%) 2/90 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%) 0/90 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	3/240 (1.25%)	Mean 1.06%	SD 1.22%	Total	0/240 (0%)	Mean 0%	SD 0%
#Intestine Small: Site Unspe Leiomyosarcoma								
		0/50 (0%) 0/90 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%) 1/90 (1%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/240 (0.42%)	Mean 0.5%	SD 1%	Total	1/240 (0.42%)	Mean 0.28%	SD 0.56%

*: Denominator is number of animals with tissues examined microscopically

Contract/Lab: All Laboratories

Species: RATS

Strain: Harlan Sprague-Dawley Length of Study: CHRONIC

Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: ALL ROUTES Vehicle: ALL VEHICLES

Page: 11 Report Date: 01/20/2018

			Male				Female	
Islets, Pancreatic: Adenoma								
		3/50 (6%) 5/90 (6%)	2/50 (4%)	8/50 (16%)		0/50 (0%) 5/90 (6%)	0/50 (0%)	1/50 (2%)
Overall Incidence	Total	18/240 (7.5%)	Mean 7.89%	SD 5.47%	Total	6/240 (2.5%)	Mean 1.89%	SD 2.62%
Islets, Pancreatic: Carcinoma								
		0/50 (0%) 8/90 (9%)	0/50 (0%)	0/50 (0%)		1/50 (2%) 2/90 (2%)	0/50 (0%)	1/50 (2%)
Overall Incidence	Total	8/240 (3.33%)	Mean 2.22%	SD 4.44%	Total	4/240 (1.67%)	Mean 1.56%	SD 1.04%
Islets, Pancreatic: Carcinoma or Adenoma								
		3/50 (6%) 13/90 (14%)	2/50 (4%)	8/50 (16%)		1/50 (2%) 7/90 (8%)	0/50 (0%)	2/50 (4%)
Overall Incidence	Total	26/240 (10.83%)	Mean 10.11%	SD 5.99%	Total	10/240 (4.17%)	Mean 3.44%	SD 3.32%
Kidney: Pelvis and Transitic Papilloma								
		1/50 (2%) 0/90 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%) 0/90 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/240 (0.42%)	Mean 0.5%	SD 1%	Total	0/240 (0%)	Mean 0%	SD 0%
Kidney: Renal Tubule: Adenoma								
		0/50 (0%) 3/90 (3%)	1/50 (2%)	0/50 (0%)		0/50 (0%) 1/90 (1%)	0/50 (0%)	1/50 (2%)
Overall Incidence	Total	4/240 (1.67%)	Mean 1.33%	SD 1.63%	Total	2/240 (0.83%)	Mean 0.78%	SD 0.97%

*: Denominator is number of animals with tissues examined microscopically

Contract/Lab: All Laboratories Species: RATS

Strain: Harlan Sprague-Dawley Length of Study: CHRONIC

Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: ALL ROUTES Vehicle: ALL VEHICLES

Page: 12 Report Date: 01/20/2018

			Male				Female	
Kidney: Renal Tubule: Carcinoma								
		0/50 (0%) 1/90 (1%)	0/50 (0%)	0/50 (0%)		0/50 (0%) 1/90 (1%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/240 (0.42%)	Mean 0.28%	SD 0.56%	Total	1/240 (0.42%)	Mean 0.28%	SD 0.56%
Kidney: Renal Tubule: Carcinoma or Adenoma								
		0/50 (0%) 3/90 (3%)	1/50 (2%)	0/50 (0%)		0/50 (0%) 2/90 (2%)	0/50 (0%)	1/50 (2%)
Overall Incidence	Total	4/240 (1.67%)	Mean 1.33%	SD 1.63%	Total	3/240 (1.25%)	Mean 1.06%	SD 1.22%
Kidney: Renal Tubule: Lipoma								
		0/50 (0%) 1/90 (1%)	0/50 (0%)	0/50 (0%)		0/50 (0%) 0/90 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/240 (0.42%)	Mean 0.28%	SD 0.56%	Total	0/240 (0%)	Mean 0%	SD 0%
Kidney: Renal Tubule: Oncocytoma Benign								
		0/50 (0%) 1/90 (1%)	0/50 (0%)	0/50 (0%)		0/50 (0%) 0/90 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/240 (0.42%)	Mean 0.28%	SD 0.56%	Total	0/240 (0%)	Mean 0%	SD 0%
Liver: Hepatocellular Adenoma								
		0/50 (0%) 0/90 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%) 7/90 (8%)	2/50 (4%)	2/50 (4%)
Overall Incidence	Total	1/240 (0.42%)	Mean 0.5%	SD 1%	Total	11/240 (4.58%)	Mean 3.94%	SD 3.18%

*: Denominator is number of animals with tissues examined microscopically

Version: Nov2017 Contract/Lab: All Laboratories

Species: RATS

Strain: Harlan Sprague-Dawley

Length of Study: CHRONIC

Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: ALL ROUTES Vehicle: ALL VEHICLES

Page: 13 Report Date: 01/20/2018

			Male				Female	
Liver: Hepatocellular Carcino	oma or Hepatoce	Ilular Adenoma						
		0/50 (0%) 0/90 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%) 7/90 (8%)	2/50 (4%)	2/50 (4%)
Overall Incidence	Total	1/240 (0.42%)	Mean 0.5%	SD 1%	Total	11/240 (4.58%)	Mean 3.94%	SD 3.18%
Liver: Hepatocellular Carcinc	oma, Hepatocellu	ılar Adenoma, or Hepatok						
		0/50 (0%) 0/90 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%) 7/90 (8%)	2/50 (4%)	2/50 (4%)
Overall Incidence	Total	1/240 (0.42%)	Mean 0.5%	SD 1%	Total	11/240 (4.58%)	Mean 3.94%	SD 3.18%
'Lung: Alveolar/Bronchiolar A	denoma	0/50 (0%) 1/90 (1%)	0/49 (0%)	0/50 (0%)		0/49 (0%) 0/90 (0%)	1/50 (2%)	0/50 (0%)
Overall Incidence	Total	1/239 (0.42%)	Mean 0.28%	SD 0.56%	Total	1/239 (0.42%)	Mean 0.5%	SD 1%
Lung: Alveolar/Bronchiolar C		1/50 (2%)	0/49 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)
		0/90 (0%)	0/43 (078)	0/30 (078)		0/90 (0%)	0/00 (0/8)	0/30 (078)
Overall Incidence	Total	1/239 (0.42%)	Mean 0.5%	SD 1%	Total	0/239 (0%)	Mean 0%	SD 0%
*Lung: Alveolar/Bronchiolar C	arcinoma or Alv	eolar/Bronchiolar Adeno	na					
		1/50 (2%) 1/90 (1%)	0/49 (0%)	0/50 (0%)		0/49 (0%) 0/90 (0%)	1/50 (2%)	0/50 (0%)
Overall Incidence	Total	2/239 (0.84%)	Mean 0.78%	SD 0.97%	Total	1/239 (0.42%)	Mean 0.5%	SD 1%

*: Denominator is number of animals with tissues examined microscopically

Contract/Lab: All Laboratories Species: RATS

opecies. INATO

Strain: Harlan Sprague-Dawley Length of Study: CHRONIC

Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: ALL ROUTES Vehicle: ALL VEHICLES

Page: 14 Report Date: 01/20/2018

			Male				Female	
ʿLung: Sarcoma		0/50 (0%)	0/40 (0%)	0/50 (00/)		0/40 (00/)	4/50 (00/)	0/50 (00/)
		0/50 (0%) 0/90 (0%)	0/49 (0%)	0/50 (0%)		0/49 (0%) 0/90 (0%)	1/50 (2%)	0/50 (0%)
Overall Incidence	Total	0/239 (0%)	Mean 0%	SD 0%	Total	1/239 (0.42%)	Mean 0.5%	SD 1%
Lymph Node, Mesenteric: Hemangiosarcoma								
		0/50 (0%) 0/90 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%) 0/90 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/240 (0.42%)	Mean 0.5%	SD 1%	Total	0/240 (0%)	Mean 0%	SD 0%
Mammary Gland: Adenolipoma								
		0/50 (0%) 0/90 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%) 0/90 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/240 (0%)	Mean 0%	SD 0%	Total	1/240 (0.42%)	Mean 0.5%	SD 1%
Mammary Gland: Adenoma								
		0/50 (0%) 0/90 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%) 8/90 (9%)	3/50 (6%)	4/50 (8%)
Overall Incidence	Total	0/240 (0%)	Mean 0%	SD 0%	Total	15/240 (6.25%)	Mean 5.72%	SD 4%
Mammary Gland: Carcinoma								
		2/50 (4%) 0/90 (0%)	0/50 (0%)	0/50 (0%)		7/50 (14%) 10/90 (11%)	3/50 (6%)	5/50 (10%)
Overall Incidence	Total	2/240 (0.83%)	Mean 1%	SD 2%	Total	25/240 (10.42%)	Mean 10.28%	SD 3.31%

*: Denominator is number of animals with tissues examined microscopically

Contract/Lab: All Laboratories

Species: RATS

Strain: Harlan Sprague-Dawley Length of Study: CHRONIC

Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: ALL ROUTES Vehicle: ALL VEHICLES

Page: 15 Report Date: 01/20/2018

			Male				Female	
#Mammary Gland: Carcinoma or Adenoma								
		2/50 (4%) 0/90 (0%)	0/50 (0%)	0/50 (0%)		7/50 (14%) 16/90 (18%)	6/50 (12%)	9/50 (18%)
Overall Incidence	Total	2/240 (0.83%)	Mean 1%	SD 2%	Total	38/240 (15.83%)	Mean 15.44%	SD 2.94%
#Mammary Gland: Fibroadenoma								
		2/50 (4%) 2/90 (2%)	1/50 (2%)	2/50 (4%)		32/50 (64%) 63/90 (70%)	29/50 (58%)	20/50 (40%)
Overall Incidence	Total	7/240 (2.92%)	Mean 3.06%	SD 1.09%	Total	144/240 (60%)	Mean 58%	SD 12.96%
#Mammary Gland: Fibroma, Fibroadenoma	or Adenoma	2/50 (4%) 2/90 (2%)	1/50 (2%)	2/50 (4%)		32/50 (64%) 64/90 (71%)	30/50 (60%)	23/50 (46%)
Overall Incidence	Total	7/240 (2.92%)	Mean 3.06%	SD 1.09%	Total	149/240 (62.08%)	Mean 60.28%	SD 10.57%
#Mammary Gland: Fibroma, Fibroadenoma,		r Adenoma						
		3/50 (6%) 2/90 (2%)	1/50 (2%)	2/50 (4%)		36/50 (72%) 66/90 (73%)	32/50 (64%)	27/50 (54%)
Overall Incidence	Total	8/240 (3.33%)	Mean 3.56%	SD 1.86%	Total	161/240 (67.08%)	Mean 65.83%	SD 8.9%
#Mammary Gland: Myoepithelioma								
		0/50 (0%) 0/90 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%) 0/90 (0%)	1/50 (2%)	0/50 (0%)
Overall Incidence	Total	0/240 (0%)	Mean 0%	SD 0%	Total	1/240 (0.42%)	Mean 0.5%	SD 1%

*: Denominator is number of animals with tissues examined microscopically

Version: Nov2017 Contract/Lab: All Laboratories Species: RATS Strain: Harlan Sprague-Dawley Length of Study: CHRONIC

Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: ALL ROUTES Vehicle: ALL VEHICLES

Page: 16 Report Date: 01/20/2018

			Male				Female	
Oral Cavity (Oral Mucosa, Squamous Cell Carcinom		rynx, Tooth, Gingiva):						
		0/50 (0%) 0/90 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%) 2/90 (2%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/240 (0.42%)	Mean 0.5%	SD 1%	Total	2/240 (0.83%)	Mean 0.56%	SD 1.11%
Oral Cavity (Oral Mucosa, Squamous Cell Carcinom	Tongue, Phar	Squamous, or Papilloma						
		0/50 (0%) 0/90 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%) 2/90 (2%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/240 (0.42%)	Mean 0.5%	SD 1%	Total	2/240 (0.83%)	Mean 0.56%	SD 1.11%
#Oral Mucosa: Squamous Cell Carcinom	na							
		0/50 (0%) 0/90 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%) 1/90 (1%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/240 (0.42%)	Mean 0.5%	SD 1%	Total	1/240 (0.42%)	Mean 0.28%	SD 0.56%
Ovary: Cystadenoma								
-						0/50 (0%) 1/90 (1%)	0/50 (0%)	0/50 (0%)
Overall Incidence					Total	1/240 (0.42%)	Mean 0.28%	SD 0.56%
Ovary: Granulosa Cell Tumor Be	nign							
						0/50 (0%) 1/90 (1%)	0/50 (0%)	3/50 (6%)
Overall Incidence					Total	4/240 (1.67%)	Mean 1.78%	SD 2.86%

*: Denominator is number of animals with tissues examined microscopically

Version: Nov2017 Contract/Lab: All Laboratories Species: RATS Strain: Harlan Sprague-Dawley Length of Study: CHRONIC	Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: ALL ROUTES Vehicle: ALL VEHICLES		Page: 17 Report Dat	t e: 01/20/2018
	Male		Female	
*Ovary: Granulosa Cell Tumor Malignant				
		0/50 (0%) 2/90 (2%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	2/240 (0.83%)	Mean 0.56%	SD 1.11%
'Ovary: Granulosa Cell Tumor: Benign, Malignant, NOS				
Granulosa Cen Tumor. Demyn, Manghant, NOS		0/50 (0%) 3/90 (3%)	0/50 (0%)	3/50 (6%)
Overall Incidence	Total	6/240 (2.5%)	Mean 2.33%	SD 2.91%
Ovary: Granulosa-Theca Tumor Benign		0/50 (0%)	1/50 (2%)	0/50 (0%)
		0/90 (0%)	~ /	
Overall Incidence	Total	1/240 (0.42%)	Mean 0.5%	SD 1%
[:] Ovary: Sertoli Cell Tumor Benign				
		0/50 (0%) 1/90 (1%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/240 (0.42%)	Mean 0.28%	SD 0.56%
*Ovary: Thecoma Benign				
		0/50 (0%) 0/90 (0%)	0/50 (0%)	1/50 (2%)
Overall Incidence	Total	1/240 (0.42%)	Mean 0.5%	SD 1%

Version: Nov2017 Contract/Lab: All Laboratories Species: RATS Strain: Harlan Sprague-Dawley Length of Study: CHRONIC			Tumor Incider	ogy Data Management ace for Selected Control A Route: ALL ROUTES Vehicle: ALL VEHICLES	nimal Groups		Page: 18 Report Dat	e: 01/20/2018
			Male				Female	
*Ovary: Tubulostromal Carcinoma Overall Incidence					Total	0/50 (0%) 0/90 (0%) 1/240 (0.42%)	1/50 (2%) Mean 0.5%	0/50 (0%) SD 1%
*Pancreas: Adenoma		5/50 (10%)	5/50 (10%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	18/90 (20%) 28/240 (11.67%)	Mean 10%	SD 8.16%	Total	0/90 (0%) 0/240 (0%)	Mean 0%	SD 0%
*Pancreas: Carcinoma		0/50 (0%) 1/90 (1%)	0/50 (0%)	0/50 (0%)		0/50 (0%) 0/90 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/240 (0.42%)	Mean 0.28%	SD 0.56%	Total	0/240 (0%)	Mean 0%	SD 0%
*Pancreas: Carcinoma or Adenoma		5/50 (10%) 18/90 (20%)	5/50 (10%)	0/50 (0%)		0/50 (0%) 0/90 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	28/240 (11.67%)	Mean 10%	SD 8.16%	Total	0/240 (0%)	Mean 0%	SD 0%
*Parathyroid Gland: Adenoma								
		0/49 (0%) 1/83 (1%)	0/43 (0%)	0/48 (0%)		1/41 (2%) 0/87 (0%)	0/47 (0%)	0/45 (0%)
Overall Incidence	Total	1/223 (0.45%)	Mean 0.3%	SD 0.6%	Total	1/220 (0.45%)	Mean 0.61%	SD 1.22%

*: Denominator is number of animals with tissues examined microscopically

Contract/Lab: All Laboratories

Species: RATS

Strain: Harlan Sprague-Dawley Length of Study: CHRONIC

Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: ALL ROUTES Vehicle: ALL VEHICLES

Page: 19 Report Date: 01/20/2018

			Male				Female	
Pituitary Gland: Pars Di Adenoma	stalis or Unspec	cified Site:						
		14/50 (28%) 17/89 (19%)	5/50 (10%)	11/50 (22%)		19/50 (38%) 43/90 (48%)	18/50 (36%)	18/50 (36%)
Verall Incidence	Total	47/239 (19.67%)	Mean 19.78%	SD 7.5%	Total	98/240 (40.83%)	Mean 39.44%	SD 5.63%
Pituitary Gland: Pars Di Carcinoma		cified Site:						
		0/50 (0%) 0/89 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%) 1/90 (1%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/239 (0%)	Mean 0%	SD 0%	Total	1/240 (0.42%)	Mean 0.28%	SD 0.56%
Pituitary Gland: Pars Dia Carcinoma or Adenom Overall Incidence	•	14/50 (28%) 17/89 (19%) 47/239 (19.67%)	5/50 (10%) Mean 19.78%	11/50 (22%) SD 7.5%	Total	19/50 (38%) 44/90 (49%) 99/240 (41.25%)	18/50 (36%) Mean 39.72%	18/50 (36%) SD 6.18%
					•••••			
Pituitary Gland: Pars Int Adenoma	ermedia:							
•	ermedia:	2/50 (4%) 0/89 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%) 0/90 (0%)	0/50 (0%)	0/50 (0%)
Adenoma	ermedia: Total		0/50 (0%) Mean 1%	0/50 (0%) SD 2%	Total	()	0/50 (0%) Mean 0%	0/50 (0%) SD 0%
Adenoma Dverall Incidence	Total termedia:	0/89 (0%)	(Total	0/90 (0%)		
Overall Incidence Pituitary Gland: Pars Inf	Total termedia:	0/89 (0%)	(Total	0/90 (0%)		

*: Denominator is number of animals with tissues examined microscopically

Contract/Lab: All Laboratories Species: RATS

Strain: Harlan Sprague-Dawley

Length of Study: CHRONIC

Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: ALL ROUTES Vehicle: ALL VEHICLES

Page: 20 Report Date: 01/20/2018

			Male				Female	
*Prostate: Adenoma		0/50 / (531)		0/50 /08/1				
		0/50 (0%) 2/90 (2%)	0/50 (0%)	0/50 (0%)				
Overall Incidence	Total	2/240 (0.83%)	Mean 0.56%	SD 1.11%				
Prostate: Carcinoma or Adenoma								
		0/50 (0%) 2/90 (2%)	0/50 (0%)	0/50 (0%)				
Overall Incidence	Total	2/240 (0.83%)	Mean 0.56%	SD 1.11%				
Salivary Glands: Schwannoma Malignant								
		0/50 (0%) 0/90 (0%)	1/50 (2%)	0/50 (0%)		0/49 (0%) 0/90 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/240 (0.42%)	Mean 0.5%	SD 1%	Total	0/239 (0%)	Mean 0%	SD 0%
Skeletal Muscle: Liposarcoma								
		0/50 (0%) 0/90 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%) 0/90 (0%)	0/50 (0%)	1/50 (2%)
Overall Incidence	Total	0/240 (0%)	Mean 0%	SD 0%	Total	1/240 (0.42%)	Mean 0.5%	SD 1%
/Skeletal Muscle: Sarcoma								
		0/50 (0%) 0/90 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%) 0/90 (0%)	1/50 (2%)	0/50 (0%)
Overall Incidence	Total	0/240 (0%)	Mean 0%	SD 0%	Total	1/240 (0.42%)	Mean 0.5%	SD 1%

*: Denominator is number of animals with tissues examined microscopically

Contract/Lab: All Laboratories

Species: RATS

Strain: Harlan Sprague-Dawley Length of Study: CHRONIC

Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: ALL ROUTES Vehicle: ALL VEHICLES

Page: 21 Report Date: 01/20/2018

			Male				Female	
#Skin: Basal Cell Adenoma								
		0/50 (0%) 1/90 (1%)	0/50 (0%)	0/50 (0%)		0/50 (0%) 0/90 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/240 (0.42%)	Mean 0.28%	SD 0.56%	Total	0/240 (0%)	Mean 0%	SD 0%
≇Skin: Basal Cell Adenoma or B	asosquamous	s Tumor Benign						
		0/50 (0%) 1/90 (1%)	0/50 (0%)	0/50 (0%)		0/50 (0%) 0/90 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/240 (0.42%)	Mean 0.28%	SD 0.56%	Total	0/240 (0%)	Mean 0%	SD 0%
Basal Cell Adenoma, Bas Overall Incidence	Total	0/50 (0%) 1/90 (1%) 1/240 (0.42%)	0/50 (0%) Mean 0.28%	0/50 (0%) SD 0.56%	Total	0/50 (0%) 0/90 (0%) 0/240 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%
#Skin: Basal Cell Carcinoma		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)
Overall Incidence	Total	0/90 (0%) 1/240 (0.42%)	Mean 0.5%	SD 1%	Total	0/90 (0%) 1/240 (0.42%)	Mean 0.5%	SD 1%
¥Skin: Basal Cell Carcinoma or ∣	Basosquamo	us Tumor (malignant or N	IOS)					
		0/50 (0%) 0/90 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%) 0/90 (0%)	0/50 (0%)	1/50 (2%)

*: Denominator is number of animals with tissues examined microscopically

Contract/Lab: All Laboratories Species: RATS Strain: Harlan Sprague-Dawley Length of Study: CHRONIC			Τι	umor Incide	nce for Selected Route: ALL F Vehicle: ALL \	d Control / ROUTES	Animal Groups				Report Da	te: 01/20/20	018
				Male						F	emale		
#Skin: Basal Cell Carcinoma, Bas NOS), or Trichoepithelioma		oma, Basosquamo	us Tumor (beniç	ın, maligna	int or								
		0/50 (0 1/90 (1	%) 1/50 %)	(2%)	0/50	(0%)		0/50 0/90	(0%) (0%)	0/50	(0%)	1/50	(2%)
Overall Incidence	Total	2/240 (0.83%)		0.78%	SD 0.97%		Total	1/240 (0.			0.5%	SD	1%
≮Skin: Basal or Sq. Cell Carcinom Adenoma, Papilloma, Sq P	a, Carcinon apilloma, Ke	eratoacanthoma, Tri 4/50 (8	ichoepithelioma %) 6/50			(8%)		0/50	(0%)	0/50	(0%)	1/50	(2%)
Overall Incidence	Total	22/240 (9.17%)		9.22%	SD 1.9%		Total	0/90 1/240 (0.	,		0.5%	SD	
≮Skin: Fibroma		3/50 (6	%) 5/50			(0%)		0/50	(0%)	1/50	(2%)	0/50	(0%)
Overall Incidence	Total	2/90 (2 10/240 (4.17%)	%) Mean	4.56%	SD 4.39%		Total	2/90 3/240 (1.	(2%) 25%)	Mean	1.06%	SD 1.	22%
Skin: Fibroma, Fibrosarcoma, Sa Hemangiopericytoma		oma, Myxosarcoma			cytoma, or								
		· · ·	%) 7/50 %)	(14%)	1/50	(2%)		0/50 5/90	(0%) (6%)	2/50	(4%)	0/50	(0%)
Overall Incidence	Total	16/240 (6.67%)	Mean	6.89%	SD 5.07%		Total	7/240 (2.	()	Mean	2.39%	SD 2.	83%
Skin: Fibroma, Fibrosarcoma, Sa		oma, Myxosarcoma	a, or Malignant F		tiocytoma	(2%)		0/50	(0%)	2/50	(4%)	0/50	(0%)
		`	%) 7/50 %)	(1470)	1/50	(2 /0)		0/50 5/90	(0%) (6%)	2/30	(4 /0)	0/50	(0 /0)
Overall Incidence	Total	16/240 (6.67%)	Mean	6.89%	SD 5.07%		Total	7/240 (2.			2.39%	SD 2.	

Toxicology Data Management System

Page: 22

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Nov2017

Contract/Lab: All Laboratories

Species: RATS

Strain: Harlan Sprague-Dawley Length of Study: CHRONIC

Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: ALL ROUTES Vehicle: ALL VEHICLES

Page: 23 Report Date: 01/20/2018

			Male				Female	
∕Skin: Fibrosarcoma								
		0/50 (0%) 1/90 (1%)	1/50 (2%)	0/50 (0%)		0/50 (0%) 0/90 (0%)	1/50 (2%)	0/50 (0%)
Overall Incidence	Total	2/240 (0.83%)	Mean 0.78%	SD 0.97%	Total	1/240 (0.42%)	Mean 0.5%	SD 1%
/Skin:		a, or Malignant Fibrous H						
		0/50 (0%) 3/90 (3%)	2/50 (4%)	1/50 (2%)		0/50 (0%) 3/90 (3%)	1/50 (2%)	0/50 (0%)
Overall Incidence	Total	6/240 (2.5%)	Mean 2.33%	SD 1.76%	Total	4/240 (1.67%)	Mean 1.33%	SD 1.63%
Skin: Hemangioma		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/90 (0%) 1/240 (0.42%)	Mean 0.5%	SD 1%	Total	0/90 (0%) 0/240 (0%)	Mean 0%	SD 0%
Skin: Hemangiosarcoma								
		0/50 (0%) 0/90 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%) 0/90 (0%)	1/50 (2%)	0/50 (0%)
Overall Incidence	Total	0/240 (0%)	Mean 0%	SD 0%	Total	1/240 (0.42%)	Mean 0.5%	SD 1%
Skin: Keratoacanthoma								
		2/50 (4%) 5/90 (6%)	4/50 (8%)	3/50 (6%)		0/50 (0%) 0/90 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	14/240 (5.83%)	Mean 5.89%	SD 1.65%	Total	0/240 (0%)	Mean 0%	SD 0%

*: Denominator is number of animals with tissues examined microscopically

Contract/Lab: All Laboratories

Species: RATS

Strain: Harlan Sprague-Dawley Length of Study: CHRONIC

Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: ALL ROUTES Vehicle: ALL VEHICLES

Page: 24 Report Date: 01/20/2018

			Male				Female	
#Skin: Lipoma								
		2/50 (4%) 2/90 (2%)	0/50 (0%)	1/50 (2%)		0/50 (0%) 0/90 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	5/240 (2.08%)	Mean 2.06%	SD 1.64%	Total	0/240 (0%)	Mean 0%	SD 0%
Skin: Malignant Fibrous His								
		0/50 (0%) 0/90 (0%)	1/50 (2%)	1/50 (2%)		0/50 (0%) 1/90 (1%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	2/240 (0.83%)	Mean 1%	SD 1.15%	Total	1/240 (0.42%)	Mean 0.28%	SD 0.56%
Neurofibrosarcoma or Overall Incidence	Total	0/50 (0%) 0/90 (0%) 0/240 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/50 (0%) 0/90 (0%) 1/240 (0.42%)	1/50 (2%) Mean 0.5%	0/50 (0%) SD 1%
Skin: Neurofibrosarcoma, N	leurofibroma, or	Schwannoma (benign, m	alignant or NOS)					
,	····, ··	0/50 (0%) 0/90 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%) 0/90 (0%)	1/50 (2%)	0/50 (0%)
Overall Incidence	Total	0/240 (0%)	Mean 0%	SD 0%	Total	1/240 (0.42%)	Mean 0.5%	SD 1%
#Skin: Sarcoma								
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%) 2/90 (2%)	0/50 (0%)	0/50 (0%)
		2/90 (2%)				2/90 (2%)		

*: Denominator is number of animals with tissues examined microscopically

Contract/Lab: All Laboratories

Species: RATS

Strain: Harlan Sprague-Dawley Length of Study: CHRONIC

Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: ALL ROUTES Vehicle: ALL VEHICLES

Page: 25 Report Date: 01/20/2018

				Male				Female	
#Skin: Schwannoma Malignant									
			(0%) (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%) 0/90 (0%)	1/50 (2%)	0/50 (0%)
Overall Incidence	Total	0/240 (0%)		Mean 0%	SD 0%	Total	1/240 (0.42%)	Mean 0.5%	SD 1%
#Skin: Squamous Cell Carcinoma					0/50 (0%	、	0/50 (00/.)	0/50 (00()	0/50 (0%)
			(0%) (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%) 0/90 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/240 (0.42%	· · ·	Mean 0.5%	SD 1%	Total	0/240 (0%)	Mean 0%	SD 0%
or Carcinoma			- 1	us Tumor (malignar					
or Carcinoma	Total	0/50	(0%) (0%)	2/50 (4%) Mean 1%	0/50 (0% SD 2%) Total	0/50 (0%) 0/90 (0%) 1/240 (0.42%)	0/50 (0%) Mean 0.5%	1/50 (2%) SD 1%
or Carcinoma Dverall Incidence	Total	0/50 0/90 2/240 (0.83%	(0%) (0%) %)	2/50 (4%) Mean 1%	0/50 (0% SD 2%	Total	0/90 (0%) 1/240 (0.42%)	Mean 0.5%	SD 1%
or Carcinoma Dverall Incidence #Skin:	Total	0/50 0/90 2/240 (0.83% 2/50	(0%) (0%) %)	2/50 (4%) Mean 1%	0/50 (0% SD 2%	, Total	0/90 (0%) 1/240 (0.42%)	Mean 0.5%	SD 1%
or Carcinoma Overall Incidence #Skin: Squamous Cell Papilloma Overall Incidence	Total Total	0/50 0/90 2/240 (0.83% 2/50 2/90 6/240 (2.5%)	(0%) (0%) 5) (4%) (2%))	2/50 (4%) Mean 1% 1/50 (2%) Mean 2.56%	0/50 (0% SD 2%	, Total	0/90 (0%) 1/240 (0.42%) 0/50 (0%)	Mean 0.5%	SD 1%
or Carcinoma Overall Incidence #Skin: Squamous Cell Papilloma Overall Incidence	Total Total	0/50 0/90 2/240 (0.83% 2/50 2/90 6/240 (2.5%)	(0%) (0%) 5) (4%) (2%))	2/50 (4%) Mean 1% 1/50 (2%) Mean 2.56%	0/50 (0% SD 2% 1/50 (2%)	0/90 (0%) 1/240 (0.42%) 0/50 (0%) 0/90 (0%)	Mean 0.5% 0/50 (0%)	SD 1% 0/50 (0%)
or Carcinoma Overall Incidence #Skin: Squamous Cell Papilloma Overall Incidence #Skin:	Total Total	0/50 0/90 2/240 (0.83% 2/50 2/90 6/240 (2.5%) 2/50	(0%) (0%) 5) (4%) (2%))	2/50 (4%) Mean 1% 1/50 (2%) Mean 2.56%	0/50 (0% SD 2% 1/50 (2%	,) Total	0/90 (0%) 1/240 (0.42%) 0/50 (0%) 0/90 (0%)	Mean 0.5% 0/50 (0%)	SD 1% 0/50 (0%)

*: Denominator is number of animals with tissues examined microscopically

Version: Nov2017 Contract/Lab: All Laboratories Species: RATS Strain: Harlan Sprague-Dawley Length of Study: CHRONIC

Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: ALL ROUTES Vehicle: ALL VEHICLES

Page: 26 Report Date: 01/20/2018

			Male				Female	
#Skin:								
Squamous Cell Papilloma,	Papilloma,							
		4/50 (8%) 7/90 (8%)	5/50 (10%)	4/50 (8%)		0/50 (0%) 0/90 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	20/240 (8.33%)	Mean 8.44%	SD 1.04%	Total	0/240 (0%)	Mean 0%	SD 0%
#Skin: Squamous Cell Papilloma,								
Squamous Cell Fapillollia,	i apinonia, i	4/50 (8%) 7/90 (8%)	5/50 (10%)	4/50 (8%)		0/50 (0%) 0/90 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	20/240 (8.33%)	Mean 8.44%	SD 1.04%	Total	0/240 (0%)	Mean 0%	SD 0%
#Skin: Sebaceous Gland: Adenoma								
		0/50 (0%) 1/90 (1%)	0/50 (0%)	1/50 (2%)		0/50 (0%) 0/90 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	2/240 (0.83%)	Mean 0.78%	SD 0.97%	Total	0/240 (0%)	Mean 0%	SD 0%
#Skin: Sebaceous Gland: Carcinoma or Adenoma								
		0/50 (0%) 1/90 (1%)	0/50 (0%)	1/50 (2%)		0/50 (0%) 0/90 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	2/240 (0.83%)	Mean 0.78%	SD 0.97%	Total	0/240 (0%)	Mean 0%	SD 0%
*Spleen: Hemangiosarcoma								
-		0/50 (0%) 3/90 (3%)	0/50 (0%)	0/50 (0%)		0/50 (0%) 1/90 (1%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	3/240 (1.25%)	Mean 0.83%	SD 1.67%	Total	1/240 (0.42%)	Mean 0.28%	SD 0.56%

*: Denominator is number of animals with tissues examined microscopically

Contract/Lab: All Laboratories

Species: RATS

Strain: Harlan Sprague-Dawley Length of Study: CHRONIC Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: ALL ROUTES Vehicle: ALL VEHICLES Page: 27 Report Date: 01/20/2018

			Male				Female						
#Stomach, Forestomach: Sarcoma 0/50 (0%) 0/50 (0%) 0/50 (0%) 0/50 (0%) 0/50 (0%) 0/50 (0%) 0/50 (0%)													
		0/50 (0%) 0/90 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%) 1/90 (1%)	0/50 (0%)	0/50 (0%)					
Overall Incidence	Total	0/240 (0%)	Mean 0%	SD 0%	Total	1/240 (0.42%)	Mean 0.28%	SD 0.56%					
#Stomach, Forestomach: Squamous Cell Carcinoma		0/50 (0%)		0/50 (0%)		0/50 (00())	1/E0 (20/)	0/50 (0%)					
		0/90 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%) 0/90 (0%)	1/50 (2%)	0/50 (0%)					
Overall Incidence	Total	1/240 (0.42%)	Mean 0.5%	SD 1%	Total	1/240 (0.42%)	Mean 0.5%	SD 1%					
Overall Incidence	Total	0/50 (0%) 1/90 (1%) 2/240 (0.83%)	1/50 (2%) Mean 0.78%	0/50 (0%) SD 0.97%	Total	0/50 (0%) 0/90 (0%) 1/240 (0.42%)	1/50 (2%) Mean 0.5%	0/50 (0%) SD 1%					
#Stomach, Forestomach: Squamous Cell Papilloma													
-4		0/50 (0%) 1/90 (1%)	0/50 (0%)	0/50 (0%)		0/50 (0%) 0/90 (0%)	0/50 (0%)	0/50 (0%)					
		1/00 (1/0)											
Overall Incidence	Total	1/240 (0.42%)	Mean 0.28%	SD 0.56%	Total	0/240 (0%)	Mean 0%	SD 0%					
	Total	()	Mean 0.28%	SD 0.56%	Total	0/240 (0%)	Mean 0%	SD 0%					
Overall Incidence *Testis: Adenoma Overall Incidence	Total	()	Mean 0.28% 3/49 (6%)	SD 0.56% 0/50 (0%)	Total	0/240 (0%)	Mean 0%	SD 0%					

*: Denominator is number of animals with tissues examined microscopically

Contract/Lab: All Laboratories Species: RATS

Strain: Harlan Sprague-Dawley Length of Study: CHRONIC

Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: ALL ROUTES Vehicle: ALL VEHICLES

Page: 28 Report Date: 01/20/2018

			Male				Female	
*Thymus: Thymoma Benign								
		0/46 (0%) 0/88 (0%)	1/46 (2%)	0/48 (0%)		0/49 (0%) 1/87 (1%)	0/47 (0%)	0/50 (0%)
Dverall Incidence	Total	1/228 (0.44%)	Mean 0.54%	SD 1.09%	Total	1/233 (0.43%)	Mean 0.29%	SD 0.57%
Thymus: Thymoma Malignant								
		0/46 (0%) 0/88 (0%)	0/46 (0%)	0/48 (0%)		0/49 (0%) 1/87 (1%)	0/47 (0%)	0/50 (0%)
Overall Incidence	Total	0/228 (0%)	Mean 0%	SD 0%	Total	1/233 (0.43%)	Mean 0.29%	SD 0.57%
'Thymus: Thymoma: Benign, Malignant, I	NOS	0/46 (0%) 0/88 (0%)	1/46 (2%)	0/48 (0%)		0/49 (0%) 2/87 (2%)	0/47 (0%)	0/50 (0%)
Overall Incidence	Total	1/228 (0.44%)	Mean 0.54%	SD 1.09%	Total	2/233 (0.86%)	Mean 0.57%	SD 1.15%
Thyroid Gland: C-Cell: Adenoma								
		7/50 (14%) 8/89 (9%)	13/50 (26%)	2/50 (4%)		5/50 (10%) 6/90 (7%)	11/49 (22%)	2/50 (4%)
Overall Incidence	Total	30/239 (12.55%)	Mean 13.25%	SD 9.43%	Total	24/239 (10.04%)	Mean 10.78%	SD 8.16%
Thyroid Gland: C-Cell: Carcinoma								
		1/50 (2%) 2/89 (2%)	0/50 (0%)	1/50 (2%)		1/50 (2%) 0/90 (0%)	0/49 (0%)	0/50 (0%)
Overall Incidence T	Fotal	4/239 (1.67%)	Mean 1.56%	SD 1.05%	Total	1/239 (0.42%)	Mean 0.5%	SD 1%

*: Denominator is number of animals with tissues examined microscopically

Contract/Lab: All Laboratories Species: RATS

Strain: Harlan Sprague-Dawley

Length of Study: CHRONIC

Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: ALL ROUTES Vehicle: ALL VEHICLES

Page: 29 Report Date: 01/20/2018

			Male				Female	
'Thyroid Gland: C-Cell: Carcinoma or Adenoma								
		8/50 (16%) 10/89 (11%)	13/50 (26%)	3/50 (6%)		6/50 (12%) 6/90 (7%)	11/49 (22%)	2/50 (4%)
Overall Incidence	Total	34/239 (14.23%)	Mean 14.81%	SD 8.51%	Total	25/239 (10.46%)	Mean 11.28%	SD 8.16%
Thyroid Gland: Follicular Cell: Carcinoma								
		0/50 (0%) 0/89 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%) 1/90 (1%)	0/49 (0%)	0/50 (0%)
Overall Incidence	Total	0/239 (0%)	Mean 0%	SD 0%	Total	1/239 (0.42%)	Mean 0.28%	SD 0.56%
Thyroid Gland: Follicular Cell: Carcinoma or Adenoma								
		0/50 (0%) 0/89 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%) 1/90 (1%)	0/49 (0%)	0/50 (0%)
Overall Incidence	Total	0/239 (0%)	Mean 0%	SD 0%	Total	1/239 (0.42%)	Mean 0.28%	SD 0.56%
Tissue NOS: Schwannoma Malignant								
		0/50 (0%) 1/90 (1%)	0/50 (0%)	0/50 (0%)		0/50 (0%) 1/90 (1%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/240 (0.42%)	Mean 0.28%	SD 0.56%	Total	1/240 (0.42%)	Mean 0.28%	SD 0.56%
≭Tongue: Squamous Cell Carcinoma								
		0/50 (0%) 0/90 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%) 1/90 (1%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/240 (0%)	Mean 0%	SD 0%	Total	1/240 (0.42%)	Mean 0.28%	SD 0.56%

*: Denominator is number of animals with tissues examined microscopically

Version: Nov2017 Contract/Lab: All Laboratories Species: RATS Vehicle: ALL VEHICLES Strain: Harlan Sprague-Dawley Length of Study: CHRONIC

			Male				Female						
Tongue: Squamous Cell Carcinoma or Papilloma Squamous													
Squamous Cen Carcino		0/50 (0%) 0/90 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%) 1/90 (1%)	0/50 (0%)	0/50 (0%)					
verall Incidence	Total	0/240 (0%)	Mean 0%	SD 0%	Total	1/240 (0.42%)	Mean 0.28%	SD 0.56%					
Tooth: Odontoma													
		0/50 (0%) 0/90 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%) 0/90 (0%)	0/50 (0%)	0/50 (0%)					
Verall Incidence	Total	1/240 (0.42%)	Mean 0.5%	SD 1%	Total	0/240 (0%)	Mean 0%	SD 0%					
Urinary Bladder: Leiomyosarcoma													
-		0/50 (0%) 0/89 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%) 1/88 (1%)	0/49 (0%)	0/50 (0%)					
Verall Incidence	Total	0/239 (0%)	Mean 0%	SD 0%	Total	1/236 (0.42%)	Mean 0.28%	SD 0.57%					
Uterus: Carcinoma													
						5/50 (10%) 3/90 (3%)	0/50 (0%)	1/50 (2%)					
overall Incidence					Total	9/240 (3.75%)	Mean 3.83%	SD 4.33%					
Uterus: Hemangiosarcoma													
						0/50 (0%) 2/90 (2%)	0/50 (0%)	0/50 (0%)					
Overall Incidence					Total	2/240 (0.83%)	Mean 0.56%	SD 1.11%					

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: ALL ROUTES

ersion: Nov2017 ontract/Lab: All Laboratories pecies: RATS train: Harlan Sprague-Dawley ength of Study: CHRONIC	Toxicology Data Management System Tumor Incidence for Selected Control Animal Groups Route: ALL ROUTES Vehicle: ALL VEHICLES		Page: 31 Report Date: 01/20/2018				
	Male		Female	,			
Uterus:							
Leiomyosarcoma		0/50 (0%) 1/90 (1%)	0/50 (0%)	0/50 (0%)			
verall Incidence	Total	1/240 (0.42%)	Mean 0.28%	SD 0.56%			
Jterus:							
Polyp Stromal		8/50 (16%) 16/90 (18%)	10/50 (20%)	7/50 (14%)			
verall Incidence	Total	41/240 (17.08%)	Mean 16.94%	SD 2.56%			
lterus: Sarcoma Stromal							
		0/50 (0%) 0/90 (0%)	2/50 (4%)	0/50 (0%)			
verall Incidence	Total	2/240 (0.83%)	Mean 1%	SD 2%			
Jterus:							
Sarcoma Stromal or Polyp Stromal		8/50 (16%) 16/90 (18%)	12/50 (24%)	7/50 (14%)			
verall Incidence	Total	43/240 (17.92%)	Mean 17.94%	SD 4.32%			
Iterus: Schwannoma Malignant							
		0/50 (0%) 2/90 (2%)	0/50 (0%)	0/50 (0%)			
verall Incidence	Total	2/240 (0.83%)	Mean 0.56%	SD 1.11%			

/ersion: Nov2017 Contract/Lab: All Laboratories Species: RATS Strain: Harlan Sprague-Dawley Length of Study: CHRONIC		Toxicol Tumor Inciden	Page: 32 Report Date: 01/20/2018				
		Male				Female	
#Uterus: Squamous Cell Carcinoma							
					0/50 (0%) 0/90 (0%)	0/50 (0%)	1/50 (2%)
Overall Incidence				Total	1/240 (0.42%)	Mean 0.5%	SD 1%
Vagina: Granular Cell Tumor Benign							
					0/50 (0%) 0/90 (0%)	0/50 (0%)	1/50 (2%)
Overall Incidence				Total	1/240 (0.42%)	Mean 0.5%	SD 1%
Vagina: Polyp							
					0/50 (0%) 0/90 (0%)	1/50 (2%)	0/50 (0%)
overall Incidence				Total	1/240 (0.42%)	Mean 0.5%	SD 1%
Vagina: Schwannoma Malignant							
					0/50 (0%) 1/90 (1%)	1/50 (2%)	1/50 (2%)
overall Incidence				Total	3/240 (1.25%)	Mean 1.28%	SD 0.95%
Zymbal's Gland: Carcinoma							
	0/50 (0%) 0/90 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%) 0/90 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence Tota		Mean 0.5%	SD 1%	Total	0/240 (0%)	Mean 0%	SD 0%

*: Denominator is number of animals with tissues examined microscopically

Version: Nov2017 Contract/Lab: All Laboratories Species: RATS Strain: Harlan Sprague-Dawley Length of Study: CHRONIC				Tun	nor Incidend	ogy Data Ma ce for Selecto Route: ALL /ehicle: ALL	ed Control A ROUTES	Animal Groups				Page: 33 Report Da	i te: 01/20/20	018
					Male						F	emale		
#Zymbal's Gland: Carcinoma or Adenoma		0/50 0/90	(0%) (0%)	0/50	(0%)	1/50	(2%)		0/50 0/90	(0%) (0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	1/240 (0.42	2%)	Mean ().5%	SD 1%		Total	0/240 (0%)	Mea	an 0%	SD	0%

*: Denominator is number of animals with tissues examined microscopically