



NTP

National Toxicology Program

2021

NTP Publications in FY 2021

APPENDIX I

NTP Reports and Documents

NTP Monographs

National Toxicology Program (NTP). 2021. NTP cancer hazard assessment report on night shift work and light at night. Research Triangle Park, NC: National Toxicology Program. <https://doi.org/10.22427/NTP-CHR-NSWLAN>

Toxicity Reports

National Toxicology Program (NTP). 2021. NTP technical report on the toxicity studies of hexachlorobenzene (CASRN 118-74-1) administered by gavage to female Sprague Dawley (Hsd:Sprague Dawley SD) rats. Research Triangle Park, NC: National Toxicology Program: Toxicity Report 77. <https://doi.org/10.22427/NTP-TOX-77>

National Toxicology Program (NTP). 2021. NTP technical report on the toxicity studies of *Aspergillus fumigatus* administered by inhalation to B6C3F1/N mice. Research Triangle Park, NC: National Toxicology Program. Toxicity Report 100. <https://doi.org/10.22427/NTP-TOX-100>

National Toxicology Program (NTP). 2021. NTP technical report on the toxicity studies of trimethylsilyldiazomethane (CASRN 18107-18-1) administered by nose-only inhalation to Sprague Dawley (Hsd:Sprague Dawley SD) rats and B6C3F1/N mice. Research Triangle Park, NC: National Toxicology Program. Toxicity Report 101. <https://doi.org/10.22427/NTP-TOX-101>

Journal Articles and Book Chapters

Research funding sources for each publication are indicated as follows:

[1] Funded by the NIEHS/NIOSH Interagency Agreement

[2] Funded by NIOSH voluntary allocations to NTP

[3] Funded by the NIEHS/NCTR Interagency Agreement

[4] Funded by NCTR voluntary allocations to NTP

[5] Funded by NIEHS voluntary allocations to NTP

- Ahn Y, Jung JY, Kweon O, Veach BT, Khare S, Gokulan K, Piñeiro SA, Cerniglia CE. Impact of chronic tetracycline exposure on human intestinal microbiota in a continuous flow bioreactor model. *Antibiotics (Basel)*. 2021; 10(8):886. <http://dx.doi.org/10.3390/antibiotics10080886> [4]
- Allan J, Belz S, Hoeveler A, Hugas M, Okuda H, Patri A, Rauscher H, Silva P, Slikker W, Sokull-Kluettgen B et al. Regulatory landscape of nanotechnology and nanoplastics from a global perspective. *Regul Toxicol Pharmacol*. 2021; 122:104885. <http://dx.doi.org/10.1016/j.yrtph.2021.104885> [4]
- Allen DG, Rooney J, Kleinstreuer N, Lowit A, Perron M. Retrospective analysis of dermal absorption triple pack data. *Altex*. 2021; 38(3):463-476. <https://doi.org/10.14573/altex.2101121> [5]
- Alves VM, Auerbach SS, Kleinstreuer N, Rooney JP, Muratov EN, Rusyn I, Tropsha A, Schmitt C. Curated data in - trustworthy in silico models out: The impact of data quality on the reliability of artificial intelligence models as alternatives to animal testing. *Altern Lab Anim*. 2021; 49(3):73-82. <https://doi.org/10.1177/02611929211029635> [5]
- Barouki R, Kogevinas M, Audouze K, Belesova K, Bergman A, Birnbaum L, Boekhold S, Denys S, Desseille C, Drakvik E et al. The COVID-19 pandemic and global environmental change: Emerging research needs. *Environment International*. 2021; 146:106272. <https://doi.org/10.1016/j.envint.2020.106272> [5]
- Birnbaum LS, Bornehag CG. Phthalates should be regulated as a class to protect the brains of our children. *Am J Public Health*. 2021; 111(4):551-552. <https://doi.org/10.2105/ajph.2021.306193> [5]
- Blossom SJ, Gokulan K, Arnold M, Khare S. Sex-dependent effects on liver inflammation and gut microbial dysbiosis after continuous developmental exposure to trichloroethylene in autoimmune-prone mice. *Front Pharmacol*. 2020; 11:569008. <http://dx.doi.org/10.3389/fphar.2020.569008> [4]
- Bobst S, Ryan K, Plunkett LM, Willett KL. ToxPoint: Toxicology studies on Δ 9-tetrahydrocannabinol and cannabidiol-containing products available to consumers are lacking. *Toxicol Sci*. 2020; 178(1):1-2. <https://doi.org/10.1093/toxsci/kfaa135> [5]
- Boyle MH, Bennet B, Colman K, Frisk AL, Garcia B, Houle CD, Romeike A, Sura R, Werner J, Elmore SA. Publication categories in toxicologic pathology. *Toxicol Pathol*. 2021; 49(5):1042-1047. <https://doi.org/10.1177/0192623321992305> [5]
- Boyles AL, Beverly BE, Fenton SE, Jackson CL, Jukic AMZ, Sutherland VL, Baird DD, Collman GW, Dixon D, Ferguson KK et al. Environmental factors involved in maternal morbidity and mortality. *J Womens Health (Larchmt)*. 2020; 30(2):245-252. <https://doi.org/10.1089/jwh.2020.8855> [5]
- Breen MS, Isakov V, Prince S, McGuinness K, Egeghy PP, Stephens B, Arunachalam S, Stout D, Walker R, Alston L et al. Integrating personal air sensor and GPS to determine microenvironment-specific exposures to volatile organic compounds. *Sensors (Basel)*. 2021; 21(16):5659. <https://doi.org/10.3390/s21165659> [5]
- Brockway-Lunardi L, Nelson S, Pandiri AR, Tricoli JV, Umar A, Wali A, Daschner PJ. Early-onset colorectal cancer research: Gaps and opportunities. *Colorectal Cancer*. 2020; 9(3). <https://doi.org/10.2217/crc-2020-0028> [5]
- Brown J, Clippinger AJ, Fritz Briglia C, Casey W, Coleman K, Fritsch A, Hartung T, Maouyo D, Muller T, Reich J et al. Using the monocyte activation test as a stand-alone release test for medical devices. *Altex*. 2021; 38(1):151-156. <https://doi.org/10.14573/altex.2012021> [5]

- Buick JK, Williams A, Meier MJ, Swartz CD, Recio L, Gagné R, Ferguson SS, Engelward BP, Yauk CL. A modern genotoxicity testing paradigm: Integration of the high-throughput CometChip® and the TGx-DDI transcriptomic biomarker in human HepaRG™ cell cultures. *Front Public Health*. 2021; 9:694834. <https://doi.org/10.3389/fpubh.2021.694834> [5]
- Cao X, Coyle JP, Xiong R, Wang Y, Heflich RH, Ren B, Gwinn WM, Hayden P, Rojanasakul L. Invited review: Human air-liquid-interface organotypic airway tissue models derived from primary tracheobronchial epithelial cells-overview and perspectives. *In Vitro Cell Dev Biol Anim*. 2021; 57(2):104-132. <http://dx.doi.org/10.1007/s11626-020-00517-7> [3]
- Cao X, Coyle JP, Xiong R, Wang Y, Heflich RH, Ren B, Gwinn WM, Hayden P, Rojanasakul L. Invited review: Human air-liquid-interface organotypic airway tissue models derived from primary tracheobronchial epithelial cells-overview and perspectives. *In Vitro Cell Dev Biol Anim*. 2021; 57(2):104-132. <http://dx.doi.org/10.1007/s11626-020-00517-7> [3]
- Cao X, Coyle JP, Xiong R, Wang Y, Heflich RH, Ren B, Gwinn WM, Hayden P, Rojanasakul L. Invited review: Human air-liquid-interface organotypic airway tissue models derived from primary tracheobronchial epithelial cells-overview and perspectives. *In Vitro Cell Dev Biol Anim*. 2021; 57(2):104-132. <http://dx.doi.org/10.1007/s11626-020-00517-7> [3]
- Cao X, Khare S, DeLoid GM, Gokulan K, Demokritou P. Co-exposure to boscalid and TiO₂ (E171) or SiO₂ (E551) downregulates cell junction gene expression in small intestinal epithelium cellular model and increases pesticide translocation. *NanoImpact*. 2021; 22:100306. <http://dx.doi.org/10.1016/j.impact.2021.100306> [4]
- Cao X, Khare S, DeLoid GM, Gokulan K, Demokritou P. Co-exposure to boscalid and TiO₂ (E171) or SiO₂ (E551) downregulates cell junction gene expression in small intestinal epithelium cellular model and increases pesticide translocation. *NanoImpact*. 2021; 22:100306. <http://dx.doi.org/10.1016/j.impact.2021.100306> [4]
- Cao Z, Sloper DT, Nakamura N. Identification of altered proteins in the plasma of rats with chronic prostatic inflammation induced by estradiol benzoate and sex hormones. *ACS Omega*. 2021; 6(22):14361-14370. <http://dx.doi.org/10.1021/acsomega.1c01191> [4]
- Cao Z, Sloper DT, Nakamura N. Identification of altered proteins in the plasma of rats with chronic prostatic inflammation induced by estradiol benzoate and sex hormones. *ACS Omega*. 2021; 6(22):14361-14370. <http://dx.doi.org/10.1021/acsomega.1c01191> [4]
- Chambliss SE, Pinon CPR, Messier KP, LaFranchi B, Upperman CR, Lunden MM, Robinson AL, Marshall JD, Apte JS. Local- and regional-scale racial and ethnic disparities in air pollution determined by long-term mobile monitoring. *Proc Natl Acad Sci U S A*. 2021; 118(37). <https://doi.org/10.1073/pnas.2109249118> [5]
- Childers G, Harry GJ. 2021. Mitochondrial stress assay and glycolytic rate assay in microglia using agilent seahorse extracellular flux analyzers. *Neuromethods*. p. 305-324. https://doi.org/10.1007/978-1-0716-1637-6_14 [5]
- Childers GM, Perry CA, Blachut B, Martin N, Bortner CD, Sieber S, Li JL, Fessler MB, Harry GJ. Assessing the association of mitochondrial function and inflammasome activation in murine macrophages exposed to select mitotoxic tri-organotin compounds. *Environ Health Perspect*. 2021; 129(4):47015. <https://ehp.niehs.nih.gov/doi/10.1289/EHP8314> [5]
- Chorley B, Ellinger-Ziegelbauer H, Tackett M, Simutis FJ, Harrill AH, McDuffie J, Atabakhsh E, Nassirpour R, Whiteley LO, Léonard JF et al. Urinary miRNA biomarkers of drug-induced kidney injury and their site specificity within the nephron. *Toxicol Sci*. 2020; 180(1):1-16. <https://doi.org/10.1093/toxsci/kfaa181> [5]
- Chorley BN, Atabakhsh E, Doran G, Gautier JC, Ellinger-Ziegelbauer H, Jackson D, Sharapova T, Yuen PST, Church RJ, Couttet P et al. Methodological considerations for measuring biofluid-based microRNA biomarkers. *Crit Rev Toxicol*. 2021; 51(3):1-37. <https://doi.org/10.1080/10408444.2021.1907530> [5]
- Clippinger AJ, Raabe HA, Allen DG, Choksi N, van der Zalm A, Kleinstreuer N, Barroso J, Lowit AB. Human-relevant approaches to assess eye corrosion/irritation potential of agrochemical formulations. *Cutan Ocul Toxicol*. 2021; 40(2):1-41. <https://doi.org/10.1080/15569527.2021.1910291> [5]
- Cordner A, Goldenman G, Birnbaum LS, Brown P, Miller MF, Mueller R, Patton S, Salvatore DH, Trasande L. The true cost of PFAS and the benefits of acting now. *Environ Sci Technol*. 2021; 55(14):9630-9633. <https://doi.org/10.1021/acs.est.1c03565> [5]
- Crizer DM, Ramaiahgari SC, Ferguson SS, Rice JR, Dunlap PE, Sipes NS, Auerbach SS, Merrick BA, DeVito MJ. Benchmark concentrations for untargeted metabolomics vs. transcriptomics for liver injury compounds in in vitro liver models. *Toxicol Sci*. 2021; 181(2):175-186. <https://doi.org/10.1093/toxsci/kfab036> [5]

- Cuevas E, Burks S, Raymick J, Robinson B, Gómez-Crisóstomo NP, Escudero-Lourdes C, Lopez AGG, Chigurupati S, Hanig J, Ferguson SA et al. Tauroursodeoxycholic acid (TUDCA) is neuroprotective in a chronic mouse model of Parkinson's disease. *Nutr Neurosci.* 2020:1-18. <http://dx.doi.org/10.1080/1028415x.2020.1859729> [4]
- Cuevas E, Burks S, Raymick J, Robinson B, Gómez-Crisóstomo NP, Escudero-Lourdes C, Lopez AGG, Chigurupati S, Hanig J, Ferguson SA et al. Tauroursodeoxycholic acid (TUDCA) is neuroprotective in a chronic mouse model of Parkinson's disease. *Nutr Neurosci.* 2020:1-18. <http://dx.doi.org/10.1080/1028415x.2020.1859729> [4]
- Dad A, Dobrovolsky VN, Heflich RH, Revollo JR. Molecular analysis of GPI-anchor biosynthesis pathway genes in rat strains used for the Pig-a gene mutation assay. *Mutat Res Genet Toxicol Environ Mutagen.* 2020; 858-860:503256. <http://dx.doi.org/10.1016/j.mrgentox.2020.503256> [4]
- Dad A, Dobrovolsky VN, Heflich RH, Revollo JR. Molecular analysis of GPI-anchor biosynthesis pathway genes in rat strains used for the Pig-a gene mutation assay. *Mutat Res Genet Toxicol Environ Mutagen.* 2020; 858-860:503256. <http://dx.doi.org/10.1016/j.mrgentox.2020.503256> [4]
- Dad A, Revollo JR, Pearce MG, McKinzie PB, Heflich RH, Dobrovolsky VN. Pig-a gene mutations in bone marrow granulocytes of procarbazine-treated F344 rats. *Environmental and molecular mutagenesis.* 2021; 62(4):265-272. <http://dx.doi.org/10.1002/em.22430> [4]
- Dad A, Revollo JR, Pearce MG, McKinzie PB, Heflich RH, Dobrovolsky VN. Pig-a gene mutations in bone marrow granulocytes of procarbazine-treated F344 rats. *Environmental and molecular mutagenesis.* 2021; 62(4):265-272. <http://dx.doi.org/10.1002/em.22430> [4]
- de Conti A, Tryndyak V, Heidor R, Jimenez L, Moreno FS, Beland FA, Rusyn I, Pogribny IP. Butyrate-containing structured lipids inhibit RAC1 and epithelial-to-mesenchymal transition markers: A chemopreventive mechanism against hepatocarcinogenesis. *J Nutr Biochem.* 2020; 86:108496. <http://dx.doi.org/10.1016/j.jnutbio.2020.108496> [4]
- de Conti A, Tryndyak V, Heidor R, Jimenez L, Moreno FS, Beland FA, Rusyn I, Pogribny IP. Butyrate-containing structured lipids inhibit RAC1 and epithelial-to-mesenchymal transition markers: A chemopreventive mechanism against hepatocarcinogenesis. *J Nutr Biochem.* 2020; 86:108496. <http://dx.doi.org/10.1016/j.jnutbio.2020.108496> [4]
- De Vries RBM, Angrish M, Browne P, Brozek J, Rooney AA, Wikoff DS, Whaley P, Edwards SW, Morgan RL, Druwe IL et al. Applying evidence-based methods to the development and use of adverse outcome pathways. *Altex.* 2021; 38(2):336-347. <https://doi.org/10.14573/altex.2101211> [5]
- DeFlorio-Barker S, Egorov A, Smith GS, Murphy MS, Stout JE, Ghio AJ, Hudgens EE, Messier KP, Maillard JM, Hilborn ED. Environmental risk factors associated with pulmonary isolation of nontuberculous mycobacteria, a population-based study in the southeastern United States. *Science of the Total Environment.* 2021; 763:144552. <https://doi.org/10.1016/j.scitotenv.2020.144552> [5]
- Dertinger SD, Bhalli JA, Roberts DJ, Stankowski LF, Jr., Gollapudi BB, Lovell DP, Recio L, Kimoto T, Miura D, Heflich RH. Recommendations for conducting the rodent erythrocyte Pig-a assay: A report from the HESI GTTC Pig-a Workgroup. *Environmental and molecular mutagenesis.* 2021; 62(3):227-237. <http://dx.doi.org/10.1002/em.22427> [4]
- Dertinger SD, Bhalli JA, Roberts DJ, Stankowski LF, Jr., Gollapudi BB, Lovell DP, Recio L, Kimoto T, Miura D, Heflich RH. Recommendations for conducting the rodent erythrocyte Pig-a assay: A report from the HESI GTTC Pig-a Workgroup. *Environmental and molecular mutagenesis.* 2021; 62(3):227-237. <http://dx.doi.org/10.1002/em.22427> [4]
- Dobi A, Rosanaly S, Devin A, Baret P, Meilhac O, Harry GJ, d'Hellencourt CL, Rondeau P. Advanced glycation end-products disrupt brain microvascular endothelial cell barrier: The role of mitochondria and oxidative stress. *Microvasc Res.* 2020; 133:104098. <https://doi.org/10.1016/j.mvr.2020.104098> [5]
- Emond C, DeVito MJ, Birnbaum LS. A PBPK model describing the pharmacokinetics of γ -HBCD exposure in mice. *Toxicol Appl Pharmacol.* 2021; 428:115678. <https://doi.org/10.1016/j.taap.2021.115678> [5]
- Eskes C, Casati S, Kleinstreuer N, Ezendam J. Usefulness and applicability of integrated strategy approaches in toxicology. *Applied In Vitro Toxicology.* 2021; 7(3):89-90. <https://doi.org/10.1089/aivt.2021.0021> [5]
- Fang JL, Beland FA, Tang Y, Roffler SR. Flow cytometry analysis of anti-polyethylene glycol antibodies in human plasma. *Toxicol Rep.* 2021; 8:148-154. <http://dx.doi.org/10.1016/j.toxrep.2020.12.022> [3]
- Fang JL, Beland FA, Tang Y, Roffler SR. Flow cytometry analysis of anti-polyethylene glycol antibodies in human plasma. *Toxicol Rep.* 2021; 8:148-154. <http://dx.doi.org/10.1016/j.toxrep.2020.12.022> [3]

- Faraone SV, Banaschewski T, Coghill D, Zheng Y, Biederman J, Bellgrove MA, Newcorn JH, Gignac M, Al Saud NM, Manor I et al. The World Federation of ADHD International Consensus Statement: 208 evidence-based conclusions about the disorder. *Neurosci Biobehav Rev.* 2021; 128:789-818. <https://doi.org/10.1016/j.neubiorev.2021.01.022> [5]
- Fenton SE, Boyles AL. Looking for proof in the wrong generation? *Cancer Epidemiol Biomarkers Prev.* 2021; 30(8):1459-1461. <https://doi.org/10.1158/1055-9965.Epi-21-0475> [5]
- Fenton SE, Ducatman A, Boobis A, DeWitt JC, Lau C, Ng C, Smith JS, Roberts SM. Per- and polyfluoroalkyl substance toxicity and human health review: Current state of knowledge and strategies for informing future research. *Environ Toxicol Chem.* 2021; 40(3):606-630. <https://doi.org/10.1002/etc.4890> [5]
- Fernando RA, Fennell TR, Watson SL, Silinski MAR, Blake JC, Robinson VG, Waidyanatha S. Development and validation of an analytical method for quantitation of alpha-pinene oxide in rodent blood and mammary gland by GC-MS. *Journal of analytical toxicology.* 2021. <https://doi.org/10.1093/jat/bkab007> [5]
- Flanigan TJ, Law CD, Ferguson SA. Minimal effects from a single exposure to sevoflurane in adult male and female Sprague-Dawley rats. *Neurotoxicol Teratol.* 2021; 84:106955. <http://dx.doi.org/10.1016/j.ntf.2021.106955> [4]
- Flanigan TJ, Law CD, Ferguson SA. Minimal effects from a single exposure to sevoflurane in adult male and female Sprague-Dawley rats. *Neurotoxicol Teratol.* 2021; 84:106955. <http://dx.doi.org/10.1016/j.ntf.2021.106955> [4]
- Foley JF, Elgart B, Alex Merrick B, Phadke DP, Cook ME, Malphurs JA, Solomon GG, Shah RR, Fessler MB, Miller FW et al. Whole genome sequencing of low input circulating cell-free DNA obtained from normal human subjects. *Physiol Rep.* 2021; 9(15):14993. <https://doi.org/10.14814/phy2.14993> [5]
- Franzosa JA, Bonzo JA, Jack J, Baker NC, Kothiya P, Witek RP, Hurban P, Siferd S, Hester S, Shah I et al. High-throughput toxicogenomic screening of chemicals in the environment using metabolically competent hepatic cell cultures. *NPJ Syst Biol Appl.* 2021; 7(1):7. <https://doi.org/10.1038/s41540-020-00166-2> [5]
- Frawley RP, Germolec DR, Johnson VJ, Gulledege T, Manheng W, White K, Jr., Shockley KR, Harris SF, Hooth M, Ryan K. Evaluation of skin sensitization induced by four ionic liquids. *J Appl Toxicol.* 2021. <https://doi.org/10.1002/jat.4224> [5]
- Gokulan K, Kumar A, Lahiani MH, Sutherland VL, Cerniglia CE, Khare S. Differential toxicological outcome of corn oil exposure in rats and mice as assessed by microbial composition, epithelial permeability, and ileal mucosa-associated immune status. *Toxicol Sci.* 2021; 180(1):89-102. <http://dx.doi.org/10.1093/toxsci/kfaa177> [3]
- Gokulan K, Kumar A, Lahiani MH, Sutherland VL, Cerniglia CE, Khare S. Differential toxicological outcome of corn oil exposure in rats and mice as assessed by microbial composition, epithelial permeability and ileal mucosa associated immune status. *Toxicol Sci.* 2020; 180(1):89-102. <https://doi.org/10.1093/toxsci/kfaa177> [5]
- Gokulan K, Kumar A, Lahiani MH, Sutherland VL, Cerniglia CE, Khare S. Differential toxicological outcome of corn oil exposure in rats and mice as assessed by microbial composition, epithelial permeability, and ileal mucosa-associated immune status. *Toxicol Sci.* 2021; 180(1):89-102. <http://dx.doi.org/10.1093/toxsci/kfaa177> [3]
- Gokulan K, Williams K, Orr S, Khare S. Human intestinal tissue explant exposure to silver nanoparticles reveals sex dependent alterations in inflammatory responses and epithelial cell permeability. *Int J Mol Sci.* 2020; 22(1). <http://dx.doi.org/10.3390/ijms22010009> [3]
- Gokulan K, Williams K, Orr S, Khare S. Human intestinal tissue explant exposure to silver nanoparticles reveals sex dependent alterations in inflammatory responses and epithelial cell permeability. *Int J Mol Sci.* 2020; 22(1). <http://dx.doi.org/10.3390/ijms22010009> [3]
- Gwinn WM, MF Cesta, D Dixon, R Barnewall, CR Blystone, P Brown, BL Burbach, M C Cora, TA Cristy, JM Fostel et al. Toxicity studies of trimethylsilyldiazomethane administered by nose-only inhalation to Sprague Dawley (Hsd:Sprague Dawley SD) rats and B6C3F1/N mice. *Toxic Rep Ser.* 2021; (101). <https://doi.org/10.22427/ntp-tox-101> [5]
- Hagstrom AL, Anastas P, Boissevain A, Borrel A, Deziel NC, Fenton SE, Fields C, Fortner JD, Franceschi-Hofmann N, Frigon R et al. Yale school of Public Health Symposium: An overview of the challenges and opportunities associated with per- and polyfluoroalkyl substances (PFAS). *The Science of the total environment.* 2021; 778:146192. <https://doi.org/10.1016/j.scitotenv.2021.146192> [5]

- Hamm J, Allen D, Ceger P, Flint T, Lowit A, O'Dell L, Tao J, Kleinstreuer N. Performance of the GHS mixtures equation for predicting acute oral toxicity. *Regul Toxicol Pharmacol.* 2021; 125:105007. <https://doi.org/10.1016/j.yrtph.2021.105007> [5]
- Harjivan SG, Charneira C, Martins IL, Pereira SA, Espadas G, Sabidó E, Beland FA, Marques MM, Antunes AMM. Covalent histone modification by an electrophilic derivative of the anti-HIV drug nevirapine. *Molecules.* 2021; 26(5). <http://dx.doi.org/10.3390/molecules26051349> [4]
- Harjivan SG, Charneira C, Martins IL, Pereira SA, Espadas G, Sabidó E, Beland FA, Marques MM, Antunes AMM. Covalent histone modification by an electrophilic derivative of the anti-HIV drug nevirapine. *Molecules.* 2021; 26(5). <http://dx.doi.org/10.3390/molecules26051349> [4]
- Harrill JA, Viant MR, Yauk CL, Sachana M, Gant TW, Auerbach SS, Beger RD, Bouhifd M, O'Brien J, Burgoon L et al. Progress towards an OECD reporting framework for transcriptomics and metabolomics in regulatory toxicology. *Regul Toxicol Pharmacol.* 2021; 125:105020. <https://doi.org/10.1016/j.yrtph.2021.105020> [5]
- Harrington JM, Haines LG, Essader AS, Liyanapatirana C, Poitras EP, Weber FX, Levine KE, Fernando RA, Robinson VG, Waidyanatha S. Quantitation of total vanadium in rodent plasma and urine by inductively coupled plasma-mass spectrometry (ICP-MS). *Analytical Letters.* 2021; 54(17):2777-2788. <https://doi.org/10.1080/00032719.2021.1890107> [5]
- Harrington JM, Haines LG, Levine KE, Liyanapatirana C, Essader AS, Fernando RA, Robinson VG, Roberts GK, Stout MD, Hooth MJ et al. Internal dose of vanadium in rats following repeated exposure to vanadyl sulfate and sodium orthovanadate via drinking water. *Toxicol Appl Pharmacol.* 2021; 412:115395. <https://doi.org/10.1016/j.taap.2021.115395> [5]
- Harrington JM, Haines LG, Levine KE, Liyanapatirana C, Essader AS, Fernando RA, Robinson VG, Roberts GK, Stout MD, Hooth MJ et al. Internal dose of vanadium in rats following repeated exposure to vanadyl sulfate and sodium orthovanadate via drinking water. *Toxicology and Applied Pharmacology.* 2021; 412:115395. <https://doi.org/10.1016/j.taap.2021.115395> [5]
- Harry GJ. Microglia in neurodegenerative events-An initiator or a significant other? *Int J Mol Sci.* 2021; 22(11). <https://doi.org/10.3390/ijms22115818> [5]
- Hoang TT, Qi C, Paul KC, Lee M, White JD, Richards M, Auerbach SS, Long S, Shrestha S, Wang T et al. Epigenome-wide DNA methylation and pesticide use in the agricultural lung health study. *Environ Health Perspect.* 2021; 129(9):97008. <https://doi.org/10.1289/ehp8928> [5]
- Hogberg HT, de Cássia da Silveira ESR, Kleensang A, Bouhifd M, Cemiloglu Ulker O, Smirnova L, Behl M, Maertens A, Zhao L, Hartung T. Organophosphorus flame retardants are developmental neurotoxicants in a rat primary brainsphere in vitro model. *Arch Toxicol.* 2020; 95(1):207-228. <https://doi.org/10.1007/s00204-020-02903-2> [5]
- Holmgren SD, Boyles RR, Cronk RD, Duncan CG, Kwok RK, Lunn RM, Osborn KC, Thessen AE, Schmitt CP. Catalyzing knowledge-driven discovery in environmental health sciences through a community-driven harmonized language. *International Journal of Environmental Research and Public Health.* 2021; 18(17):8985. <https://doi.org/10.3390/ijerph18178985> [5]
- Hölzl-Armstrong L, Kucab JE, Moody S, Zwart EP, Loutkotová L, Duffy V, Luijten M, Gamboa da Costa G, Stratton MR, Phillips DH et al. Mutagenicity of acrylamide and glycidamide in human TP53 knock-in (Hupki) mouse embryo fibroblasts. *Arch Toxicol.* 2020; 94(12):4173-4196. <http://dx.doi.org/10.1007/s00204-020-02878-0> [4]
- Hölzl-Armstrong L, Kucab JE, Moody S, Zwart EP, Loutkotová L, Duffy V, Luijten M, Gamboa da Costa G, Stratton MR, Phillips DH et al. Mutagenicity of acrylamide and glycidamide in human TP53 knock-in (Hupki) mouse embryo fibroblasts. *Arch Toxicol.* 2020; 94(12):4173-4196. <http://dx.doi.org/10.1007/s00204-020-02878-0> [4]
- Hsieh J-H, Sedykh A, Mutlu E, Germolec DR, Auerbach SS, Rider CV. Harnessing in silico, in vitro, and in vivo data to understand the toxicity landscape of polycyclic aromatic compounds (PACs). *Chemical research in toxicology.* 2020; 34(2):268-285. <https://doi.org/10.1021/acs.chemrestox.0c00213> [5]
- Huang MC, Dzierlenga AL, Robinson VG, Waidyanatha S, DeVito MJ, Eifrid MA, Granville CA, Gibbs ST, Blystone CR. Toxicokinetics of perfluorobutane sulfonate (PFBS), perfluorohexane-1-sulphonic acid (PFHxS), and perfluorooctane sulfonic acid (PFOS) in male and female Hsd:Sprague Dawley SD rats after intravenous and gavage administration (vol 6, pg 645, 2019). *Toxicology Reports.* 2021; 8:365-365. <http://dx.doi.org/10.1016/j.toxrep.2021.02.001> [5]

- Huang MC, Furr JR, Robinson VG, Betz L, Shockley K, Cunny H, Witt K, Waidyanatha S, Germolec D. Oral deoxynivalenol toxicity in Harlan Sprague Dawley (Hsd:Sprague Dawley® SD®) rat dams and their offspring. *Food Chem Toxicol.* 2020; 148:111963. <https://doi.org/10.1016/j.fct.2020.111963> [5]
- Huang MC, Turner KJ, Vallant M, Robinson VG, Lu Y, Price CJ, Fennell TR, Silinski MA, Waidyanatha S, Ryan KR et al. Tolerability and age-dependent toxicokinetics following perinatal hydroxyurea treatment in Sprague Dawley rats. *J Appl Toxicol.* 2020; 41(7):1007-1020. <https://doi.org/10.1002/jat.4087> [5]
- Huang MC, White KL, Jr., Elmore SA, Guo TL, Germolec D. Immunotoxicity studies of trans-resveratrol in male B(6)C(3)F(1)/N mice. *J Immunotoxicol.* 2020; 17(1):194-201. <https://doi.org/10.1080/1547691x.2020.1833113> [5]
- Huang MC, Willson CJ, Jaligama S, Baker GL, Singer AW, Cao Y, Pierfelice J, Mutlu E, Burbach B, Xie G et al. Whole-body inhalation exposure to 2-ethyltoluene for two weeks produced nasal lesions in rats and mice. *Inhalation Toxicology.* 2021; 33(9-14):334-346. <https://doi.org/10.1080/08958378.2021.2002480> [5]
- Huffman A, Masci AM, Zheng J, Sanati N, Brunson T, Wu G, He Y. CIDO ontology updates and secondary analysis of host responses to COVID-19 infection based on ImmPort reports and literature. *J Biomed Semantics.* 2021; 12(1):18. <https://doi.org/10.1186/s13326-021-00250-4> [5]
- Ibrahim R, Brix A, Malarkey DE, Nyska A, Asif M, Ramot Y. Chemical-induced oral squamous cell neoplasms in rodents: An overview of NTP 2-year cancer studies. *Toxicol Pathol.* 2021; 49(5):1062-1076. <https://doi.org/10.1177/0192623321989956> [5]
- Ibrahim R, Nyska A, Dunnick J, Ramot Y. The toxicologic pathology aspects of selected natural herbal products and related compounds. *J Toxicol Pathol.* 2021; 34(3):181-211. <https://doi.org/10.1293/tox.2021-0016> [5]
- Jain S, Siramshetty VB, Alves VM, Muratov EN, Kleinstreuer N, Tropsha A, Nicklaus MC, Simeonov A, Zakharov AV. Large-scale modeling of multispecies acute toxicity end points using consensus of multitask deep learning methods. *J Chem Inf Model.* 2021; 61(2):653-663. <https://doi.org/10.1021/acs.jcim.0c01164> [5]
- Jiang X, Boudreau MD, Fu PP, Yin J-J. Applications of electron spin resonance spectroscopy in photoinduced nanomaterial charge separation and reactive oxygen species generation. *Journal of Environmental Science and Health Part C-Toxicology and Carcinogenesis.* 2021; 39(4):435-459. <https://www.tandfonline.com/doi/abs/10.1080/26896583.2021.1971477> [4]
- Jiang X, Boudreau MD, Fu PP, Yin J-J. Applications of electron spin resonance spectroscopy in photoinduced nanomaterial charge separation and reactive oxygen species generation. *Journal of Environmental Science and Health Part C-Toxicology and Carcinogenesis.* 2021; 39(4):435-459. <https://www.tandfonline.com/doi/abs/10.1080/26896583.2021.1971477> [4]
- Kang I, Smirnova L, Kuhn JH, Hogberg HT, Kleinstreuer NC, Hartung T. COVID-19 - prime time for microphysiological systems, as illustrated for the brain. *Altex.* 2021; 38(4):535-549. <https://doi.org/10.14573/altex.2110131> [5]
- Karlsson O, Rocklöv J, Lehoux AP, Bergquist J, Rutgersson A, Blunt MJ, Birnbaum LS. The human exposome and health in the Anthropocene. *Int J Epidemiol.* 2020; 50(2):378-389. <https://doi.org/10.1093/ije/dyaa231> [5]
- Kassotis CD, Hoffman K, Völker J, Pu Y, Veiga-Lopez A, Kim SM, Schlezinger JJ, Bovolin P, Cottone E, Saraceni A et al. Reproducibility of adipogenic responses to metabolism disrupting chemicals in the 3T3-L1 pre-adipocyte model system: An interlaboratory study. *Toxicology.* 2021; 461:152900. <https://doi.org/10.1016/j.tox.2021.152900> [5]
- King-Herbert A, Vasbinder MA. 2020. *Toxicology. Laboratory Rat, 3rd Edition.* p. 849-862. <https://doi.org/10.1016/b978-0-12-814338-4.00022-2> [5]
- King-Herbert AP, Janardhan KS, Herbert RA. 2020. *Neoplastic disease. Laboratory Rat, 3rd Edition.* p. 601-650. <https://doi.org/10.1016/b978-0-12-814338-4.00015-5> [5]
- Klose J, Pahl M, Bartmann K, Bendt F, Blum J, Dolde X, Förster N, Holzer AK, Hübenthal U, Keßel HE et al. Neurodevelopmental toxicity assessment of flame retardants using a human DNT in vitro testing battery. *Cell Biol Toxicol.* 2021. <https://doi.org/10.1007/s10565-021-09603-2> [5]
- Knudsen TB, Fitzpatrick SC, De Abrew KN, Birnbaum LS, Chappelle A, Daston GP, Dolinoy DC, Elder A, Euling S, Faustman EM et al. FutureTox IV workshop summary: Predictive toxicology for healthy children. *Toxicol Sci.* 2021; 180(2):198-211. <https://doi.org/10.1093/toxsci/kfab013> [5]

- Krane GA, O'Dea CA, Malarkey DE, Miller AD, Miller CR, Tokarz DA, Jensen HL, Janardhan KS, Shockley KR, Flagler N et al. Immunohistochemical evaluation of immune cell infiltration in canine gliomas. *Vet Pathol.* 2021; 58(5):952-963. <https://doi.org/10.1177/03009858211023946> [5]
- Krishna S, Berridge B, Kleinstreuer N. High-throughput screening to identify chemical cardiotoxic potential. *Chem Res Toxicol.* 2020; 34(2):566-583. <https://doi.org/10.1021/acs.chemrestox.0c00382> [5]
- Kwiatkowski CF, Andrews DQ, Birnbaum LS, Bruton TA, Dewitt JC, Knappe DRU, Maffini MV, Miller MF, Pelch KE, Reade A et al. Response to "Comment on scientific basis for managing PFAS as a chemical class". *Environmental Science and Technology Letters.* 2021; 8(2):195-197. <http://dx.doi.org/10.1021/acs.estlett.1c00049> [5]
- Landi M, Everitt J, Berridge B. Bioethical, reproducibility, and translational challenges of animal models. *Ilar j.* 2021. <http://dx.doi.org/10.1093/ilar/ilaa027> [5]
- Langendam MW, Magnuson K, Williams AR, Walker VR, Howdeshell KL, Rooney AA, Hooijmans CR. Developing a database of systematic reviews of animal studies. *Regul Toxicol Pharmacol.* 2021; 123:104940. <https://doi.org/10.1016/j.yrtph.2021.104940> [5]
- Leakey JEA, Ali AA, Babb AR, Badgley HL, Davis KJ, Juliar BE, Leakey TI, Lewis SM, Patton RE, Seng JE. Subchronic toxicity evaluation of glucosamine and glucosamine in combination with chondroitin sulfate in obese Zucker rats. *Toxicol Appl Pharmacol.* 2021; 412:115371. <http://dx.doi.org/10.1016/j.taap.2020.115371> [3]
- Leakey JEA, Ali AA, Babb AR, Badgley HL, Davis KJ, Juliar BE, Leakey TI, Lewis SM, Patton RE, Seng JE. Subchronic toxicity evaluation of glucosamine and glucosamine in combination with chondroitin sulfate in obese Zucker rats. *Toxicol Appl Pharmacol.* 2021; 412:115371. <http://dx.doi.org/10.1016/j.taap.2020.115371> [3]
- Leppert PC, Al-Hendy A, Baird DD, Bulun S, Catherino W, Dixon D, Ducharme M, Harmon QE, Jayes FL, Paul E et al. Summary of the proceedings of the Basic Science of Uterine Fibroids meeting: New developments February 28, 2020. *F S Sci.* 2021; 2(1):88-100. <https://doi.org/10.1016/j.xfss.2020.11.001> [5]
- Li S, Zhang L, Huang R, Xu T, Parham F, Behl M, Xia M. Evaluation of chemical compounds that inhibit neurite outgrowth using GFP-labeled iPSC-derived human neurons. *Neurotoxicology.* 2021; 83:137-145. <https://doi.org/10.1016/j.neuro.2021.01.003> [5]
- Li S, Zhao J, Huang R, Travers J, Klumpp-Thomas C, Yu W, MacKerell AD, Jr., Sakamuru S, Ooka M, Xue F et al. Profiling the Tox21 chemical collection for acetylcholinesterase inhibition. *Environ Health Perspect.* 2021; 129(4):47008. <https://doi.org/10.1289/ehp6993> [5]
- Li X, He X, Chen S, Le Y, Bryant MS, Guo L, Witt KL, Mei N. The genotoxicity potential of luteolin is enhanced by CYP1A1 and CYP1A2 in human lymphoblastoid TK6 cells. *Toxicol Lett.* 2021; 344:58-68. <https://doi.org/10.1016/j.toxlet.2021.03.006> [5]
- Lichtveld M, Birnbaum L. Advances in environmental health and disaster research 15 years after Hurricane Katrina. *Am J Public Health.* 2020; 110(10):1478-1479. <https://doi.org/10.2105/ajph.2020.305739> [5]
- Lind L, Araujo JA, Barchowsky A, Belcher S, Berridge BR, Chiamvimonvat N, Chiu WA, Cogliano VJ, Elmore S, Farraj AK et al. Key characteristics of cardiovascular toxicants. *Environ Health Perspect.* 2021; 129(9):95001. <https://doi.org/10.1289/ehp9321> [5]
- Lynch C, Sakamuru S, Huang R, Niebler J, Ferguson SS, Xia M. Characterization of human pregnane X receptor activators identified from a screening of the Tox21 compound library. *Biochem Pharmacol.* 2020; 184:114368. <https://doi.org/10.1016/j.bcp.2020.114368> [5]
- Mansouri K, Karmaus AL, Fitzpatrick J, Patlewicz G, Pradeep P, Alberga D, Alepee N, Allen TEH, Allen D, Alves VM et al. CATMoS: Collaborative acute toxicity modeling suite. *Environ Health Perspect.* 2021; 129(4):47013. <https://ehp.niehs.nih.gov/doi/10.1289/EHP8495> [5]
- Mav D, Phadke DP, Balik-Meisner MR, Merrick BA, Auerbach S, Niemeijer M, Huppelschoten S, Baze A, Parmentier C, Richert L et al. Utility of extrapolating human S1500+ genes to the whole transcriptome: Tunicamycin case study. *Bioinformatics and Biology Insights.* 2020; 14:1-14. <https://doi.org/10.1177/1177932220952742> [5]
- McPherson CA, Harry GJ. 2021. Assessing neurotoxicant-induced inflammation in the central nervous system: Cytokine mRNA with immunostaining of microglia morphology. *NeuroMethods.* p. 277-304. https://doi.org/10.1007/978-1-0716-1637-6_13 [5]
- Messier KP, Katzfuss M. Scalable penalized spatiotemporal land-use regression for ground-level nitrogen dioxide. *Annals of Applied Statistics.* 2021; 15(2):688-710. <http://dx.doi.org/10.1214/20-aas1422> [5]

- Meurs KM, Williams BG, DeProspero D, FriedenberG SG, Malarkey DE, Ezzell JA, Keene BW, Adin DB, DeFrancesco TC, Tou S. A deleterious mutation in the ALMS1 gene in a naturally occurring model of hypertrophic cardiomyopathy in the Sphynx cat. *Orphanet J Rare Dis.* 2021; 16(1):108. <https://doi.org/10.1186/s13023-021-01740-5> [5]
- Milcamps A, Liska R, Langezaal I, Casey W, Dent M, Odum J. Reliability of the AR-CALUX® in vitro method used to detect chemicals with (anti)androgen activity: Results of an international ring trial. *Toxicol Sci.* 2021; 184(1):170-182. <https://doi.org/10.1093/toxsci/kfab078> [5]
- Miller CN, Dye JA, Henriquez AR, Stewart EJ, Lavrich KS, Carswell G, Ren H, Freeborn DL, Snow SJ, Schladweiler MC et al. Ozone-induced fetal growth restriction in rats is associated with sexually dimorphic placental and fetal metabolic adaptation. *Mol Metab.* 2020; 42:101094. <https://doi.org/10.1016/j.molmet.2020.101094> [5]
- Mutlu E, Cao Y, Pierfelice J, Graber B, Burbach B, Waidyanatha S. Validated gas chromatography - mass spectrometry (GC-MS) method for simultaneous quantitation of tris(4-chlorophenyl)methane and tris(4-chlorophenyl)methanol in rat plasma and fetus. *Analytical Letters.* 2021:1-16. <https://doi.org/10.1080/00032719.2021.1946554> [5]
- Nagumalli SK, Jacob CC, Gamboa da Costa G. A rapid and highly sensitive UPLC-ESI-MS/MS method for the analysis of the fatty acid profile of edible vegetable oils. *J Chromatogr B Analyt Technol Biomed Life Sci.* 2020; 1161:122415. <http://dx.doi.org/10.1016/j.jchromb.2020.122415> [3]
- Nagumalli SK, Jacob CC, Gamboa da Costa G. A rapid and highly sensitive UPLC-ESI-MS/MS method for the analysis of the fatty acid profile of edible vegetable oils. *J Chromatogr B Analyt Technol Biomed Life Sci.* 2020; 1161:122415. <http://dx.doi.org/10.1016/j.jchromb.2020.122415> [3]
- Nakamura N, Sloper DT. Altered expression of genes identified in rats with prostatic chronic inflammation in a prostate spheroid model treated by estradiol/testosterone. *J Toxicol Sci.* 2021; 46(11):515-523. <http://dx.doi.org/10.2131/jts.46.515> [4]
- Nakamura N, Sloper DT. Altered expression of genes identified in rats with prostatic chronic inflammation in a prostate spheroid model treated by estradiol/testosterone. *J Toxicol Sci.* 2021; 46(11):515-523. <http://dx.doi.org/10.2131/jts.46.515> [4]
- Nakamura N, Sloper DT. Comparison of germ cell differentiation of rat testis fragments cultured in knockout serum replacement versus Albumax™ I. *Birth Defects Res.* 2021; 113(4):359-370. <http://dx.doi.org/10.1002/bdr2.1859> [4]
- Nakamura N, Sloper DT. Comparison of germ cell differentiation of rat testis fragments cultured in knockout serum replacement versus Albumax™ I. *Birth Defects Res.* 2021; 113(4):359-370. <http://dx.doi.org/10.1002/bdr2.1859> [4]
- Nautiyal M, Qasem RJ, Fallon JK, Wolf KK, Liu J, Dixon D, Smith PC, Mosedale M. Characterization of primary mouse hepatocyte spheroids as a model system to support investigations of drug-induced liver injury. *Toxicol In Vitro.* 2020; 70:105010. <https://doi.org/10.1016/j.tiv.2020.105010> [5]
- Nho SW, Cui X, Kweon O, Jin J, Chen H, Moon MS, Kim SJ, Cerniglia CE. Phylogenetically diverse bacteria isolated from tattoo inks, an azo dye-rich environment, decolorize a wide range of azo dyes. *Ann Microbiol.* 2021; 71(35). <http://dx.doi.org/10.1186/s13213-021-01648-2> [4]
- Nho SW, Cui X, Kweon O, Jin J, Chen H, Moon MS, Kim SJ, Cerniglia CE. Phylogenetically diverse bacteria isolated from tattoo inks, an azo dye-rich environment, decolorize a wide range of azo dyes. *Ann Microbiol.* 2021; 71(35). <http://dx.doi.org/10.1186/s13213-021-01648-2> [4]
- Nho SW, Kim M, Kim SJ, Foley SL, Nayak R, Kweon O, Cerniglia CE. Pragmatic strategy for fecal specimen storage and the corresponding test methods for *Clostridioides difficile* diagnosis. *Pathogens.* 2021; 10(8):1049. <http://dx.doi.org/10.3390/pathogens10081049> [4]
- Nho SW, Kim M, Kim SJ, Foley SL, Nayak R, Kweon O, Cerniglia CE. Pragmatic strategy for fecal specimen storage and the corresponding test methods for *Clostridioides difficile* diagnosis. *Pathogens.* 2021; 10(8):1049. <http://dx.doi.org/10.3390/pathogens10081049> [4]
- Nho SW, Kim M, Kweon O, Kim SJ, Moon MS, Periz G, Huang MJ, Dewan K, Sadrieh NK, Cerniglia CE. Microbial contamination of tattoo and permanent makeup inks marketed in the US: A follow-up study. *Letf Appl Microbiol.* 2020; 71(4):351-358. <http://dx.doi.org/10.1111/lam.13353> [4]
- Nho SW, Kim M, Kweon O, Kim SJ, Moon MS, Periz G, Huang MJ, Dewan K, Sadrieh NK, Cerniglia CE. Microbial contamination of tattoo and permanent makeup inks marketed in the US: A follow-up study. *Letf Appl Microbiol.* 2020; 71(4):351-358. <http://dx.doi.org/10.1111/lam.13353> [4]

- Niehoff NM, O'Brien KM, Keil AP, Levine KE, Liyanapatirana C, Haines LG, Waidyanatha S, Weinberg CR, White AJ. Metals and breast cancer risk: A prospective study using toenail biomarkers. *American journal of epidemiology*. 2021; 190(11):2360-2373. <https://doi.org/10.1093/aje/kwab204> [5]
- Obert LA, Elmore SA, Ennulat D, Frazier KS. A review of specific biomarkers of chronic renal injury and their potential application in nonclinical safety assessment studies. *Toxicol Pathol*. 2021; 49(5):996-1023. <https://doi.org/10.1177/0192623320985045> [5]
- Patel AP, Mehta SS, White AJ, Niehoff NM, Arroyave WD, Wang A, Lunn RM. Urinary polycyclic aromatic hydrocarbon metabolites and mortality in the United States: A prospective analysis. *PLoS One*. 2021; 16(6):0252719. <https://doi.org/10.1371/journal.pone.0252719> [5]
- Petersen EJ, Nguyen A, Brown J, Elliott JT, Clippinger A, Gordon J, Kleinstreuer N, Roesslein M. Characteristics to consider when selecting a positive control material for an in vitro assay. *Altex*. 2021; 38(2):365-376. <https://doi.org/10.14573/altex.2102111> [5]
- Qu W, Crizer DM, DeVito MJ, Waidyanatha S, Xia M, Houck K, Ferguson SS. Exploration of xenobiotic metabolism within cell lines used for Tox21 chemical screening. *Toxicol In Vitro*. 2021; 73:105109. <https://doi.org/10.1016/j.tiv.2021.105109> [5]
- Rai P, Janardhan KS, Meacham J, Madenspacher JH, Lin WC, Karmaus PWF, Martinez J, Li QZ, Yan M, Zeng J et al. IRGM1 links mitochondrial quality control to autoimmunity. *Nat Immunol*. 2021; 22(3):312-321. <https://doi.org/10.1038/s41590-020-00859-0> [5]
- Reardon AJF, Rowan-Carroll A, Ferguson SS, Leingartner K, Gagne R, Kuo B, Williams A, Lorusso L, Bourdon-Lacombe JA, Carrier R et al. Potency ranking of per- and polyfluoroalkyl substances using high-throughput transcriptomic analysis of human liver spheroids. *Toxicol Sci*. 2021; 184(1):154-169. <https://doi.org/10.1093/toxsci/kfab102> [5]
- Rehder Silinski MA, Fletcher BL, Fernando RA, Robinson VG, Waidyanatha S. Development and validation of an analytical method for quantitation of bisphenol S in rodent plasma, amniotic fluid and fetuses by UPLC-MS-MS. *Journal of analytical toxicology*. 2021. <https://doi.org/10.1093/jat/bkab008> [5]
- Rehder Silinski MA, Gilliam JA, Fernando RA, Robinson VG, Germolec D, Cunny H, Huang MC, Furr J, Waidyanatha S. Development of an analytical method for quantitation of deoxynivalenol by UPLC-MS-MS: A preliminary assessment of gestational and lactational transfer in rats. *Journal of analytical toxicology*. 2021; 45(6):566-572. <https://doi.org/10.1093/jat/bkaa119> [5]
- Rehder Silinski MA, Uenoyama T, Fernando RA, Robinson VG, Roberts G, Cunny H, Hubbard T, Waidyanatha S. Development of an analytical method for quantitation of 2,2'-dimorpholinodiethyl ether (DMDEE) in rat plasma, amniotic fluid, and fetal homogenate by UPLC-MS-MS for determination of gestational and lactational transfer in rats. *Journal of analytical toxicology*. 2020; 45(9):1036-1041. <https://doi.org/10.1093/jat/bkaa158> [5]
- Richard AM, Huang R, Waidyanatha S, Shinn P, Collins BJ, Thillainadarajah I, Grulke CM, Williams AJ, Lougee RR, Judson RS et al. The Tox21 10K compound library: Collaborative chemistry advancing toxicology. *Chem Res Toxicol*. 2020; 34(2):189-216. <https://doi.org/10.1021/acs.chemrestox.0c00264> [5]
- Rider CV, McHale CM, Webster TF, Lowe L, Goodson WH, 3rd, La MA, Merrill, Rice G, Zeise L, Zhang L et al. Using the key characteristics of carcinogens to develop research on chemical mixtures and cancer. *Environ Health Perspect*. 2021; 129(3):35003. <https://doi.org/10.1289/ehp8525> [5]
- Ring C, Sipes NS, Hsieh JH, Carberry C, Koval LE, Klaren WD, Harris MA, Auerbach SS, Rager JE. Predictive modeling of biological responses in the rat liver using in vitro Tox21 bioactivity: Benefits from high-throughput toxicokinetics. *Computational Toxicology*. 2021; 18:100166. <https://doi.org/10.1016/j.comtox.2021.100166> [5]
- Robison TW, Heflich RH, Manjanatha MG, Elespuru R, Atrakchi A, Mei N, Ding W. Appropriate in vivo follow-up assays to an in vitro bacterial reverse mutation (Ames) test positive investigational drug candidate (active pharmaceutical ingredient), drug-related metabolite, or drug-related impurity. *Mutat Res Genet Toxicol Environ Mutagen*. 2021; 868-869:503386. <http://dx.doi.org/10.1016/j.mrgentox.2021.503386> [4]
- Robison TW, Heflich RH, Manjanatha MG, Elespuru R, Atrakchi A, Mei N, Ding W. Appropriate in vivo follow-up assays to an in vitro bacterial reverse mutation (Ames) test positive investigational drug candidate (active pharmaceutical ingredient), drug-related metabolite, or drug-related impurity. *Mutat Res Genet Toxicol Environ Mutagen*. 2021; 868-869:503386. <http://dx.doi.org/10.1016/j.mrgentox.2021.503386> [4]

- Rooney JP, Choksi NY, Ceger P, Daniel AB, Truax J, Allen D, Kleinstreuer N. Analysis of variability in the rabbit skin irritation assay. *Regul Toxicol Pharmacol*. 2021; 122:104920. <https://doi.org/10.1016/j.yrtph.2021.104920> [5]
- Rovida C, Escher SE, Herzler M, Bennekou SH, Kamp H, Kroese DE, Maslankiewicz L, Moné MJ, Patlewicz G, Sipes N et al. NAM-supported read-across: From case studies to regulatory guidance in safety assessment. *Altex*. 2021; 38(1):140-150. <https://doi.org/10.14573/altex.2010062> [5]
- Rusyn I, Arzuaga X, Cattley RC, Corton JC, Ferguson SS, Godoy P, Guyton KZ, Kaplowitz N, Khetani SR, Roberts R et al. Key characteristics of human hepatotoxicants as a basis for identification and characterization of the causes of liver toxicity. *Hepatology*. 2021; 74(6):3486-3496. <https://doi.org/10.1002/hep.31999> [5]
- Ruyle BJ, Thackray CP, McCord JP, Strynar MJ, Mauge-Lewis KA, Fenton SE, Sunderland EM. Reconstructing the composition of per- and polyfluoroalkyl substances in contemporary aqueous film-forming foams. *Environmental Science and Technology Letters*. 2020; 8(1):59-65. <https://doi.org/10.1021/acs.estlett.0c00798> [5]
- Salvador C, Cortes AL, Pandiri AR, Gimeno IM. Cytokine expression in the eye and brain of chickens following infection with a very virulent plus Marek's disease virus strain. *Veterinary Immunology and Immunopathology*. 2021; 237:110277. <http://dx.doi.org/10.1016/j.vetimm.2021.110277> [5]
- Santos JH. Mitochondria signaling to the epigenome: A novel role for an old organelle. *Free Radic Biol Med*. 2020; 170:59-69. <https://doi.org/10.1016/j.freeradbiomed.2020.11.016> [5]
- Sarkar S, Raymick J, Cuevas E, Rosas-Hernandez H, Hanig J. Modification of methods to use Congo-red stain to simultaneously visualize amyloid plaques and tangles in human and rodent brain tissue sections. *Metab Brain Dis*. 2020; 35(8):1371-1383. <http://dx.doi.org/10.1007/s11011-020-00608-0> [4]
- Sarkar S, Raymick J, Cuevas E, Rosas-Hernandez H, Hanig J. Modification of methods to use Congo-red stain to simultaneously visualize amyloid plaques and tangles in human and rodent brain tissue sections. *Metab Brain Dis*. 2020; 35(8):1371-1383. <http://dx.doi.org/10.1007/s11011-020-00608-0> [4]
- Schwingl PJ, Lunn RM, Mehta SS. A tiered approach to prioritizing registered pesticides for potential cancer hazard evaluations: Implications for decision making. *Environ Health*. 2021; 20(1):13. <https://doi.org/10.1186/s12940-021-00696-0> [5]
- Sedykh AY, Shah RR, Kleinstreuer NC, Auerbach SS, Gombar VK, Saagar-A new, extensible set of molecular substructures for QSAR/QSPR and read-across predictions. *Chem Res Toxicol*. 2020; 34(2):634-640. <https://doi.org/10.1021/acs.chemrestox.0c00464> [5]
- Seo JE, Guo X, Petibone DM, Shelton SD, Chen Y, Li X, Tryndyak V, Smith-Roe SL, Witt KL, Mei N et al. Mechanistic evaluation of black cohosh extract-induced genotoxicity in human cells. *Toxicol Sci*. 2021; 182(1):96-106. <https://doi.org/10.1093/toxsci/kfab044> [3]
- Seo JE, Guo X, Petibone DM, Shelton SD, Chen Y, Li X, Tryndyak V, Smith-Roe SL, Witt KL, Mei N et al. Mechanistic evaluation of black cohosh extract-induced genotoxicity in human cells. *Toxicol Sci*. 2021; 182(1):96-106. <https://doi.org/10.1093/toxsci/kfab044> [5]
- Seo JE, Guo X, Petibone DM, Shelton SD, Chen Y, Li X, Tryndyak V, Smith-Roe SL, Witt KL, Mei N et al. Mechanistic evaluation of black cohosh extract-induced genotoxicity in human cells. *Toxicol Sci*. 2021; 182(1):96-106. <https://doi.org/10.1093/toxsci/kfab044> [3]
- Shipkowski KA, Cora MC, Cesta MF, Robinson VG, Waidyanatha S, Witt KL, Vallant MK, Fallacara DM, Hejtmancik MR, Masten SA et al. Comparison of sulfolane effects in Sprague Dawley rats, B6C3F1/N mice, and Hartley guinea pigs after 28 days of exposure via oral gavage. *Toxicol Rep*. 2021; 8:581-591. <https://doi.org/10.1016/j.toxrep.2021.02.004> [5]
- Silinski MAR, Licause J, Uenoyama T, Blake JC, Fernando RA, Robinson VG, Waidyanatha S. Development and validation of an analytical method for quantitation of alpha-pinene in rodent blood and mammary gland by headspace GC-MS. *Journal of analytical toxicology*. 2020. <https://doi.org/10.1093/jat/bkaa195> [5]
- Sills RC, Johnson GA, Anderson RJ, Johnson CL, Staup M, Brown DL, Churchill SR, Kurtz DM, Cushman JD, Waidyanatha S et al. Qualitative and quantitative neuropathology approaches using magnetic resonance microscopy (diffusion tensor imaging) and stereology in a hexachlorophene model of myelinopathy in Sprague-Dawley rats. *Toxicologic Pathology*. 2020; 48(8):965-980. <https://doi.org/10.1177/0192623320968210> [5]

- Sullivan K, Allen DG, Clippinger AJ, Wilson DM, Edwards SW, Glover K, Mansouri K, Settivari R, Wijeyesakere SJ, Casey W. Mind the gaps: Prioritizing activities to meet regulatory needs for acute systemic lethality. *Altex*. 2021; 38(2):327-335. <https://doi.org/10.14573/altex.2012121> [5]
- Sung K, Chon J, Kweon O, Nho S, Kim S, Park M, Paredes A, Lim JH, Khan SA, Phillips KS et al. Dynamic adaptive response of *Pseudomonas aeruginosa* to clindamycin/rifampicin-impregnated catheters. *Antibiotics (Basel)*. 2021; 10(7):752. <http://dx.doi.org/10.3390/antibiotics10070752> [4]
- Sung K, Chon J, Kweon O, Nho S, Kim S, Park M, Paredes A, Lim JH, Khan SA, Phillips KS et al. Dynamic adaptive response of *Pseudomonas aeruginosa* to clindamycin/rifampicin-impregnated catheters. *Antibiotics (Basel)*. 2021; 10(7):752. <http://dx.doi.org/10.3390/antibiotics10070752> [4]
- Tokarz DA, Steinbach TJ, Lokhande A, Srivastava G, Ugalmugle R, Co CA, Shockley KR, Singletary E, Cesta MF, Thomas HC et al. Using artificial intelligence to detect, classify, and objectively score severity of rodent cardiomyopathy. *Toxicol Pathol*. 2020; 49(4):888-869. <https://doi.org/10.1177/0192623320972614> [5]
- Ton TT, Kovi RC, Peddada TN, Chhabria RM, Shockley KR, Flagler ND, Gerrish KE, Herbert RA, Behl M, Hoenerhoff MJ et al. Cobalt-induced oxidative stress contributes to alveolar/bronchiolar carcinogenesis in B6C3F1/N mice. *Arch Toxicol*. 2021; 95(10):3171-3190. <https://doi.org/10.1007/s00204-021-03146-5> [5]
- Tryndyak VP, Borowa-Mazgaj B, Steward CR, Beland FA, Pogribny IP. Epigenetic effects of low-level sodium arsenite exposure on human liver HepaRG cells. *Arch Toxicol*. 2020; 94(12):3993-4005. <http://dx.doi.org/10.1007/s00204-020-02872-6> [3]
- Tryndyak VP, Borowa-Mazgaj B, Steward CR, Beland FA, Pogribny IP. Epigenetic effects of low-level sodium arsenite exposure on human liver HepaRG cells. *Arch Toxicol*. 2020; 94(12):3993-4005. <http://dx.doi.org/10.1007/s00204-020-02872-6> [3]
- Upton K, Harmon QE, Heffron R, Hall JE, Wise LA, Wegienka G, Tokar EJ, Baird DD. Depot medroxyprogesterone acetate use and blood lead levels in a cohort of young women. *Environ Health Perspect*. 2020; 128(11):117004. <https://doi.org/10.1289/ehp7017> [5]
- VanEtten SL, Bonner MR, Ren X, Birnbaum LS, Kostyniak PJ, Wang J, Olson JR. Effect of exposure to 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) and polychlorinated biphenyls (PCBs) on mitochondrial DNA (mtDNA) copy number in rats. *Toxicology*. 2021; 454:152744. <https://doi.org/10.1016/j.tox.2021.152744> [5]
- Vellers HL, Massett MP, Avila JJ, Kim SK, Marzec JM, Santos JH, Lightfoot JT, Kleeberger SR. Mitochondrial DNA lesions and copy number are strain dependent in endurance-trained mice. *Physiol Rep*. 2020; 8(21):14605. <https://doi.org/10.14814/phy2.14605> [5]
- Verbeek JH, Whaley P, Morgan RL, Taylor KW, Rooney AA, Schwingshackl L, Hoving JL, Vittal Katikireddi S, Shea B, Mustafa RA et al. An approach to quantifying the potential importance of residual confounding in systematic reviews of observational studies: A GRADE concept paper. *Environ Int*. 2021; 157:106868. <https://doi.org/10.1016/j.envint.2021.106868> [5]
- Verner MA, Salame H, Housand C, Birnbaum LS, Bouchard MF, Chevrier J, Aylward LL, Naiman DQ, LaKind JS. How many urine samples are needed to accurately assess exposure to non-persistent chemicals? The biomarker reliability assessment tool (BRAT) for scientists, research sponsors, and risk managers. *Int J Environ Res Public Health*. 2020; 17(23):9102. <https://doi.org/10.3390/ijerph17239102> [5]
- Von Tungeln LS, Jacob CC, Olson GR, da Costa GG, Beland FA. Effect of urinary pH upon the renal toxicity of melamine and cyanuric acid. *Journal of Environmental Science and Health Part C-Toxicology and Carcinogenesis*. 2021; 39(3):340-355. <https://www.tandfonline.com/doi/abs/10.1080/26896583.2021.1943270> [3]
- Von Tungeln LS, Jacob CC, Olson GR, da Costa GG, Beland FA. Effect of urinary pH upon the renal toxicity of melamine and cyanuric acid. *Journal of Environmental Science and Health Part C-Toxicology and Carcinogenesis*. 2021; 39(3):340-355. <https://www.tandfonline.com/doi/abs/10.1080/26896583.2021.1943270> [3]
- Waidyanatha S, Black SR, Crutch CR, Collins BJ, Silinski MAR, Kerns S, Sutherland V, Robinson VG, Aillon K, Fernando RA et al. Comparative toxicokinetics of bisphenol S and bisphenol AF in male rats and mice following repeated exposure via feed. *Xenobiotica*. 2021; 51(2):210-221. <https://doi.org/10.1080/00498254.2020.1829171> [5]

- Waidyanatha S, Collins BJ, Cunny H, Aillon K, Riordan F, Turner K, McBride S, Betz L, Sutherland V. An investigation of systemic exposure to bisphenol AF during critical periods of development in the rat. *Toxicology and applied pharmacology*. 2020; 411:115369. <https://doi.org/10.1016/j.taap.2020.115369> [5]
- Waidyanatha S, Fletcher BL, Fernando RA, Cora MC, Silinski MAR. Development and validation of an ultraperformance liquid chromatography-tandem mass spectrometry method for quantitation of total 3,3',5-triiodo-L-thyronine and 3,3',5,5'-tetraiodo-L-thyronine in rodent serum. *Analytical Letters*. 2021:16. <https://doi.org/10.1080/00032719.2021.1967969> [5]
- Waidyanatha S, Hackett M, Black SR, Stout MD, Fennell TR, Silinski MR, Watson SL, Licause J, Robinson VG, Sparrow B et al. Toxicokinetic evaluation of the common indoor air pollutant, α -pinene, and its potential reactive metabolite, α -pinene oxide, following inhalation exposure in rodents. *Toxicol Appl Pharmacol*. 2021; 418:115496. <https://doi.org/10.1016/j.taap.2021.115496> [5]
- Waidyanatha S, Mutlu E, Gibbs S, Pierfelice J, Smith JP, Burbach B, Blystone CT. Phenolic benzotriazoles: A class comparison of toxicokinetics of ultraviolet-light absorbers in male rats. *Xenobiotica*. 2021; 51(7):1-27. <https://doi.org/10.1080/00498254.2021.1927239> [5]
- Wang H, Brown PC, Chow ECY, Ewart L, Ferguson SS, Fitzpatrick S, Freedman BS, Guo GL, Hedrich W, Heyward S et al. 3D cell culture models: Drug pharmacokinetics, safety assessment, and regulatory consideration. *Clin Transl Sci*. 2021; 14:1659-1680. <https://doi.org/10.1111/cts.13066> [5]
- Wang Y, Mittelstaedt RA, Wynne R, Chen Y, Cao X, Muskhelishvili L, Davis K, Robison TW, Sun W, Schmidt EK et al. Genetic toxicity testing using human in vitro organotypic airway cultures: Assessing DNA damage with the CometChip and mutagenesis by Duplex Sequencing. *Environmental and molecular mutagenesis*. 2021; 62(5):306-318. <http://dx.doi.org/10.1002/em.22444> [4]
- Wang Y, Mittelstaedt RA, Wynne R, Chen Y, Cao X, Muskhelishvili L, Davis K, Robison TW, Sun W, Schmidt EK et al. Genetic toxicity testing using human in vitro organotypic airway cultures: Assessing DNA damage with the CometChip and mutagenesis by Duplex Sequencing. *Environmental and molecular mutagenesis*. 2021; 62(5):306-318. <http://dx.doi.org/10.1002/em.22444> [4]
- Wang Y, Wu Q, Muskhelishvili L, Davis K, Wynne R, Tripathi P, Bryant MS, Rua D, Cao X. Toxicity of ortho-phthalaldehyde aerosols in a human in vitro airway tissue model. *Chem Res Toxicol*. 2021; 34(3):754-766. <http://dx.doi.org/10.1021/acs.chemrestox.0c00379> [3]
- Wang Y, Wu Q, Muskhelishvili L, Davis K, Wynne R, Tripathi P, Bryant MS, Rua D, Cao X. Toxicity of ortho-phthalaldehyde aerosols in a human in vitro airway tissue model. *Chem Res Toxicol*. 2021; 34(3):754-766. <http://dx.doi.org/10.1021/acs.chemrestox.0c00379> [3]
- Watson A, Moeller BC, Doyle-Eisele M, Garner CE, Blystone CR, McDonald JD, Waidyanatha S. Disposition and metabolism of ethylene glycol 2-ethylhexyl ether in Sprague Dawley rats, B6C3F1/N mice, and in vitro in rat hepatocytes. *Xenobiotica*. 2021; 51(6):1-36. <https://doi.org/10.1080/00498254.2021.1898062> [5]
- Webb DR, Churchill SR, Hill GD, McGee CA, Shi M, King-Herbert AP, Blankenship-Paris TL. Effects of buprenorphine, chlorhexidine, and low-level laser therapy on wound healing in mice. *Comparative medicine*. 2021; 71(3):191-202. <https://doi.org/10.30802/aalas-cm-20-000104> [5]
- Whaley P, Blaauboer BJ, Brozek J, Cohen Hubal EA, Hair K, Kacew S, Knudsen TB, Kwiatkowski CF, Mellor DT, Olshan AF et al. Improving the quality of toxicology and environmental health systematic reviews: What journal editors can do. *Altex*. 2021; 38(3):513-522. <https://doi.org/10.14573/altex.2106111> [5]
- White AJ, Gregoire AM, Taylor KW, Eberle C, Gaston S, O'Brien KM, Jackson CL, Sandler DP. Adolescent use of hair dyes, straighteners and perms in relation to breast cancer risk. *International journal of cancer*. 2020; 148(9):2255-2263. <https://doi.org/10.1002/ijc.33413> [5]
- Woicke J, Al-Haddawi MM, Bienvenu J-G, Caverly Rae JM, Chanut FJ, Colman K, Cullen JM, Davis W, Fukuda R, Huisinga M et al. International harmonization of nomenclature and diagnostic criteria (INHAND): Nonproliferative and proliferative lesions of the dog. *Toxicologic pathology*. 2021; 49(1):5-109. <https://doi.org/10.1177/0192623320968181> [5]
- Xiong R, Wu Q, Bryant M, Rosenfeldt H, Healy S, Cao X. In vitro dosimetry analyses for acrolein exposure in normal human lung epithelial cells and human lung cancer cells. *Environ Toxicol Pharmacol*. 2021; 83:103576. <http://dx.doi.org/10.1016/j.etap.2020.103576> [4]
- Xiong R, Wu Q, Bryant M, Rosenfeldt H, Healy S, Cao X. In vitro dosimetry analyses for acrolein exposure in normal human lung epithelial cells and human lung cancer cells. *Environ Toxicol Pharmacol*. 2021; 83:103576. <http://dx.doi.org/10.1016/j.etap.2020.103576> [4]

- Xu Y, Tokar EJ, Pi J. Arsenic as an environmental toxicant and a therapeutic agent: Foe and friend. *Toxicol Appl Pharmacol*. 2021; 415:115438. <https://doi.org/10.1016/j.taap.2021.115438> [5]
- Yan Y, Liu J, Lawrence A, Dykstra MJ, Fannin R, Gerrish K, Tucker CJ, Scappini E, Dixon D. Prolonged cadmium exposure alters benign uterine fibroid cell behavior, extracellular matrix components, and TGF β signaling. *FASEB journal : official publication of the Federation of American Societies for Experimental Biology*. 2021; 35(8):21738. <https://doi.org/10.1096/fj.202100354R> [5]
- Yu L, Liu J, Yan Y, Burwell A, Castro L, Shi M, Dixon D. "Metalloestrogenic" effects of cadmium downstream of G protein-coupled estrogen receptor and mitogen-activated protein kinase pathways in human uterine fibroid cells. *Arch Toxicol*. 2021; 95(6):1995-2006. <https://doi.org/10.1007/s00204-021-03033-z> [5]
- Yu L, Rios E, Castro L, Liu J, Yan Y, Dixon D. Genistein: Dual role in women's health. *Nutrients*. 2021; 13(9):3048. <https://doi.org/10.3390/nu13093048> [5]
- Zhou Q, Xu M, Wang X, Yu M, Chen X, Lu J, Zhou R, Zhang J, Ling X, Ji J. Deficiency of TBL1XR1 causes asthenozoospermia. *Andrologia*. 2021; 53(3):13980. <https://doi.org/10.1111/and.13980> [5]