

Appendix I: NTP Publications in FY 2019

NTP Reports and Documents

NTP Monographs

National Toxicology Program (NTP). 2019. NTP monograph on the systematic review of long-term neurological effects following acute exposure to the organophosphorus nerve agent sarin. Research Triangle Park, NC: National Toxicology Program. Monograph 6.

<https://ntp.niehs.nih.gov/publications/monographs/mgraph06/index.html>

National Toxicology Program (NTP). 2019. NTP monograph on the systematic review of occupational exposure to cancer chemotherapy agents and adverse health outcomes. Research Triangle Park, NC: National Toxicology Program. Monograph 5. <https://doi.org/10.22427/NTP-MGRAPH-5>

Toxicity Reports

National Toxicology Program (NTP). 2019. NTP technical report on the toxicity studies of perfluoroalkyl carboxylates administered by gavage to Hsd: Sprague Dawley SD rats. Research Triangle Park, NC: National Toxicology Program. Toxicity Report 97. <https://doi.org/10.22427/NTP-TOX-97>

National Toxicology Program (NTP). 2019. NTP technical report on the toxicity studies of perfluoroalkyl sulfonates administered by gavage to Sprague Dawley (Hsd:Sprague Dawley SD) rats. Research Triangle Park, NC: National Toxicology Program. Toxicity Report 96.
<https://doi.org/10.22427/NTP-TOX-96>

National Toxicology Program (NTP). 2019. NTP technical report on the toxicity studies of myristicin administered to F344/NTac rats and B6C3F1 mice. Research Triangle Park, NC: National Toxicology Program. Toxicity Report 95. https://ntp.niehs.nih.gov/ntp/htdocs/st_rpts/tox095_508.pdf

Technical Reports

National Toxicology Program (NTP). 2019. NTP technical report on the toxicology and carcinogenesis study of dietary zinc[1] in Sprague Dawley Rats (Hsd:Sprague Dawley SD) (feed study). Research Triangle Park, NC: National Toxicology Program. Technical Report 592.
https://ntp.niehs.nih.gov/ntp/htdocs/lt_rpts/tr592.pdf

National Toxicology Program (NTP). 2018. NTP technical report on the toxicology and carcinogenesis studies in B6C3F1/N mice exposed to whole-body radio frequency radiation at a frequency (1,900 MHz) and modulations (GSM and CDMA) used by cell phones. Research Triangle Park, NC: National Toxicology Program. Technical Report 596. <https://doi.org/10.22427/NTP-TR-596>

National Toxicology Program (NTP). 2018. NTP technical report on the toxicology and carcinogenesis studies in Hsd:Sprague Dawley SD rats exposed to whole-body radio frequency radiation at a frequency (900 MHz) and modulations (GSM and CDMA) used by cell phones. Research Triangle Park, NC: National Toxicology Program. Technical Report 595. <https://doi.org/10.22427/NTP-TR-595>

Research Reports

National Toxicology Program (NTP). 2019. NTP research report on synthetic turf/recycled tire crumb rubber: 14-day exposure characterization studies of crumb rubber in female mice housed on mixed

bedding or dosed via feed or oral gavage. Research Triangle Park, NC: National Toxicology Program. Research Report 14. <https://doi.org/10.22427/NTP-RR-14>

National Toxicology Program (NTP). 2019. NTP research report on synthetic turf/recycled tire crumb rubber: feasibility study in support of non-inhalation In vivo exposures of synthetic turf/recycled tire crumb rubber. Research Triangle Park, NC: National Toxicology Program. Research Report 13. <https://doi.org/10.22427/NTP-RR-13>

National Toxicology Program (NTP). 2019. NTP research report on synthetic turf/recycled tire crumb rubber: characterization of the biological activity of crumb rubber In vitro. Research Triangle Park, NC: National Toxicology Program. Research Report 12. <https://doi.org/10.22427/NTP-RR-12>

National Toxicology Program (NTP). 2019. NTP research report on the chemical and physical characterization of recycled tire crumb rubber. Research Triangle Park, NC: National Toxicology Program. Research Report 11. <https://doi.org/10.22427/NTP-RR-11>

National Toxicology Program (NTP). 2019. NTP research report on respiratory tract toxicity of the flavoring agent 2,3-hexanedione in mice exposed by inhalation. Research Triangle Park, NC: National Toxicology Program. Research Report 10. <https://doi.org/10.22427/NTP-RR-10>

National Toxicology Program (NTP). 2018. NTP research report on in vivo repeat dose biological potency study of triphenyl phosphate (CAS No. 115-86-6) in male Sprague Dawley rats (Hsd: Sprague Dawley SD) (gavage studies). Research Triangle Park, NC: National Toxicology Program. Research Report 8. <https://doi.org/10.22427/NTP-RR-8>

National Toxicology Program (NTP). 2018. NTP research report on the preliminary evaluation of 4-methylcyclohexylmethanol in an in vitro human airway model. Research Triangle Park, NC: National Toxicology Program. Research Report 7. <https://doi.org/10.22427/NTP-RR-7>

Report on Carcinogens Monographs

National Toxicology Program (NTP). 2018. Report on carcinogens monograph on helicobacter pylori (chronic infection). Research Triangle Park, NC: National Toxicology Program. RoC Monograph. https://ntp.niehs.nih.gov/ntp/roc/monographs/hpylori_final20181026_508.pdf

Journal Articles and Book Chapters

Research funding sources for each publication are indicated as follows:

- [1] Funded by the NIEHS/NIOSH Interagency Agreement
- [2] Funded by NIOSH voluntary allocations to the NTP
- [3] Funded by the NIEHS/NCTR Interagency Agreement
- [4] Funded by NCTR voluntary allocations to the NTP
- [5] Funded by NIEHS voluntary allocations to the NTP

Aloor JJ, Azzam KM, Guardiola JJ, Gowdy KM, Madenspacher JH, Gabor KA, Mueller GA, Lin WC, Lowe JM, Gruzdev A et al. Leucine-rich repeats and calponin homology containing 4 (Lrch4) regulates the innate immune response. *J Biol Chem.* 2019; 294(6):1997-2008.
<https://doi.org/10.1074/jbc.RA118.004300> [5]

Alzualde A, Behl M, Sipes NS, Hsieh JH, Alday A, Tice RR, Paules RS, Muriana A, Quevedo C. Toxicity profiling of flame retardants in zebrafish embryos using a battery of assays for developmental toxicity, neurotoxicity, cardiotoxicity and hepatotoxicity toward human relevance. *Neurotoxicol Teratol.* 2018; 70:40-50. <http://dx.doi.org/10.1016/j.ntt.2018.10.002> [5]

Antonini JM, Kodali V, Meighan TG, Roach KA, Roberts JR, Salmen R, Boyce GR, Zeidler-Erdely PC, Kashon M, Erdely A et al. Effect of age, high-fat diet, and rat strain on serum biomarkers and telomere length and global DNA methylation in peripheral blood mononuclear cells. *Sci Rep.* 2019; 9(1):1996. <https://doi.org/10.1038/s41598-018-38192-0> [2]

Arnold MG, Gokulan K, Doerge DR, Vanlandingham M, Cerniglia CE, Khare S. A single or short time repeated arsenic oral exposure in mice impacts mRNA expression for signaling and immunity related genes in the gut. *Food Chem Toxicol.* 2019; 132:110597. <https://doi.org/10.1016/j.fct.2019.110597> [3]

Arzuaga X, Smith MT, Gibbons CF, Skakkebaek NE, Yost EE, Beverly BEJ, Hotchkiss AK, Hauser R, Pagani RL, Schrader SM et al. Proposed key characteristics of male reproductive toxicants as an approach for organizing and evaluating mechanistic evidence in human health hazard assessments. *Environ Health Perspect.* 2019; 127(6):65001. <https://doi.org/10.1289/ehp5045> [5]

Auerbach SS, Paules RS. Genomic dose response: Successes, challenges, and next steps. *Curr Opin Toxicol.* 2018;11-12:84-92. <https://doi.org/10.1016/j.cotox.2019.04.002> [5]

Axelrad DA, Setzer RW, Bateson TF, DeVito M, Dzubow RC, Fitzpatrick JW, Frame AM, Hogan KA, Houck K, Stewart M. Methods for evaluating variability in human health dose-response characterization. *Hum Ecol Risk Assess.* 2019; 1-24. <https://doi.org/10.1080/10807039.2019.1615828> [5]

Baker NC, Sipes NS, Franzosa J, Belair DG, Abbott BD, Judson RS, Knudsen TB. Characterizing cleft palate toxicants using ToxCast data, chemical structure, and the biomedical literature. *Birth Defects Res.* 2020; 112(1):19-39. <https://doi.org/10.1002/bdr2.1581> [5]

Balik-Meisner MR, Mav D, Phadke DP, Everett LJ, Shah RR, Tal T, Shepard PJ, Merrick BA, Paules RS. Development of a zebrafish S1500+ sentinel gene set for high-throughput transcriptomics. *Zebrafish.* 2019; 16(4):331-347. <https://doi.org/10.1089/zeb.2018.1720> [5]

Behl M, Ryan K, Hsieh JH, Parham F, Shapiro AJ, Collins BJ, Sipes NS, Birnbaum LS, Bucher JR, Foster PMD et al. Screening for developmental neurotoxicity at the National Toxicology Program: The future is here. *Toxicol Sci.* 2019; 167(1):6-14. <http://dx.doi.org/10.1093/toxsci/kfy278> [5]

Erratum to "Screening for developmental neurotoxicity at the National Toxicology Program: The future Is here". *Toxicol Sci.* 2019; 168(2):644. <https://doi.org/10.1093/toxsci/kfz036>

Beverly BEJ, Furr JR, Lambright CS, Wilson VS, McIntyre BS, Foster PMD, Travlos G, Earl Gray L Jr. In utero exposure to simvastatin reduces postnatal survival and permanently alters reproductive tract development in the Crl:CD(SD) male rat. *Toxicol Appl Pharmacol.* 2019; 365:112-123. <http://dx.doi.org/10.1016/j.taap.2019.01.001> [5]

B'Hymer C. A brief overview of HPLC-MS analysis of alkyl methylphosphonic acid degradation products of nerve agents. *J Chromatogr Sci.* 2019; 57(7):606-617.
<https://doi.org/10.1093/chromsci/bmz034> [2]

Bilinsky LM, Thomas DJ, Fisher JW. Using mathematical modeling to infer the valence state of arsenicals in tissues: A PBPK model for dimethylarsinic acid (DMA(V)) and dimethylarsinous acid (DMA(III)) in mice. *J Theor Biol.* 2019; 461:215-229. <https://doi.org/10.1016/j.jtbi.2018.10.051> [3]

Borland D, Christopherson L, Schmitt C. Ontology-based interactive visualization of patient-generated research questions. *Appl Clin Inform.* 2019; 10(3):377-386. <https://doi.org/10.1055/s-0039-1688938> [5]

Borowa-Mazgaj B, de Conti A, Tryndyak V, Steward CR, Jimenez L, Melnyk S, Seneshaw M, Mirshahi F, Rusyn I, Beland FA, Sanyal AJ, Pogribny IP. Gene expression and DNA methylation alterations in the glycine N-methyltransferase gene in diet-induced nonalcoholic fatty liver disease-associated carcinogenesis. *Toxicol Sci.* 2019; 170(2):273-282.
<https://doi.org/10.1093/toxsci/kfz110> [4]

Borsh FB, Sleeth DK, Handy RG, Pahler LF, Andrews R, Ashley K. Evaluation of a 25-mm disposable sampler relative to the inhalable aerosol convention. *J Occup Environ Hyg.* 2019; 16(9):634-642. <https://doi.org/10.1080/15459624.2019.1632463> [2]

Bowyer JF, Tranter KM, Robinson BL, Hanig JP, Faubion MG, Sarkar S. The time course of blood brain barrier leakage and its implications on the progression of methamphetamine-induced seizures. *Neurotoxicology.* 2018; 69:130-140. <https://doi.org/10.1016/j.neuro.2018.09.008> [4]

Browne P, Kleinstreuer NC, Ceger P, Deisenroth C, Baker N, Markey K, Thomas RS, Judson RJ, Casey W. Development of a curated Hershberger database. *Reprod Toxicol.* 2018; 81:259-271. <http://dx.doi.org/10.1016/j.reprotox.2018.08.016> [5]

Burgdorf T, Piersma AH, Landsiedel R, Clewell R, Kleinstreuer N, Oelgeschlager M, Desprez B, Kienhuis A, Bos P, de Vries R et al. Workshop on the validation and regulatory acceptance of innovative 3R approaches in regulatory toxicology - Evolution versus revolution. *Toxicol In Vitro.* 2019; 59:1-11. <https://doi.org/10.1016/j.tiv.2019.03.039> [5]

Burks S, Raymick J, Robinson B, Hanig J, Sarkar S. Neuroprotective effects of acetyl-l-carnitine (ALC) in a chronic MPTP-induced Parkinson's disease mouse model: Endothelial and microglial effects. *Neurosci Lett.* 2019; 703:86-95. <https://doi.org/10.1016/j.neulet.2019.03.015> [4]

Bushel PR, Paules RS, Auerbach SS. A Comparison of the TempO-Seq S1500+ platform to RNA-Seq and microarray using rat liver mode of action samples. *Front Genet.* 2018; 9:485. <http://dx.doi.org/10.3389/fgene.2018.00485> [5]

Camacho L, Lewis SM, Vanlandingham MM, Olson GR, Davis KJ, Patton RE, Twaddle NC, Doerge DR, Churchwell MI, Bryant MS et al. A two-year toxicology study of bisphenol A (BPA) in Sprague-Dawley rats: CLARITY-BPA core study results. *Food Chem Toxicol.* 2019; 132:110728. <https://doi.org/10.1016/j.fct.2019.110728> [3]

Camacho L, Porter-Gill P, Silva CS. Data on the effect of heat and other technical variables on the detection of microRNAs in human serum. *Data Brief.* 2019; 24:103750.
<https://doi.org/10.1016/j.dib.2019.103750> [4]

Camacho L, Silva CS, Hanig JP, Schleimer RP, George NI, Bowyer JF. Identification of whole blood mRNA and microRNA biomarkers of tissue damage and immune function resulting from amphetamine exposure or heat stroke in adult male rats. *PLoS One.* 2019; 14(2):e0210273. <https://doi.org/10.1371/journal.pone.0210273> [4]

Cao Z, Kamlage B, Wagner-Golbs A, Maisha M, Sun J, Schnackenberg LK, Pence L, Schmitt TC, Daniels JR, Rogstad S et al. An integrated analysis of metabolites, peptides, and inflammation biomarkers for assessment of preanalytical variability of human plasma. *J Proteome Res.* 2019; 18(6):2411-2421. <https://doi.org/10.1021/acs.jproteome.8b00903> [4]

Caridi MN, Humann MJ, Liang X, Su FC, Stefaniak AB, LeBouf RF, Stanton ML, Virji MA, Henneberger PK. Occupation and task as risk factors for asthma-related outcomes among healthcare workers in New York City. *Int J Hyg Environ Health.* 2019; 222(2):211-220. <https://doi.org/10.1016/j.ijheh.2018.10.001> [2]

Casey W, Lowit A. USA: ICCVAM and NICEATM. In: Balls M, Combes R, Worth A, editors. *The History of Alternative Test Methods in Toxicology.* London:Academic Press; 2019. p. 119-127. <https://doi.org/10.1016/b978-0-12-813697-3.00015-9> [5]

Catlin N, Waidyanatha S, Mylchreest E, Miller-Pinsler L, Cunny H, Foster P, Sutherland V, McIntyre B. Response to the letter to the editor for “Embryo-fetal development studies with the dietary supplement vincopetine in the rat and rabbit”. *Birth Defects Res.* 2018; 110(18):1374-1375. <http://dx.doi.org/10.1002/bdr2.1401> [5]

Chappell VA, Janesick A, Blumberg B, Fenton SE. Tetrabromobisphenol-A promotes early adipogenesis and lipogenesis in 3T3-L1 cells. *Toxicol Sci.* 2018; 166(2):332-344. <http://dx.doi.org/10.1093/toxsci/kfy209> [5]

Chiu SK, Hornsby-Myers JL, de Perio MA, Snawder JE, Wiegand DM, Trout D, Howard J. Health effects from unintentional occupational exposure to opioids among law enforcement officers: Two case investigations. *Am J Ind Med.* 2019; 62(5):439-447. <https://doi.org/10.1002/ajim.22967> [2]

Cho HY, Miller-DeGraff L, Blankenship-Paris T, Wang X, Bell DA, Lih F, Deterding L, Panduri V, Morgan DL, Yamamoto M et al. Sulforaphane enriched transcriptome of lung mitochondrial energy metabolism and provided pulmonary injury protection via Nrf2 in mice. *Toxicol Appl Pharmacol.* 2019; 364:29-44. <http://dx.doi.org/10.1016/j.taap.2018.12.004> [5]

Choksi NY, Truax J, Layton A, Matheson J, Mattie D, Varney T, Tao J, Yozzo K, McDougal AJ, Merrill J et al. United States regulatory requirements for skin and eye irritation testing. *Cutan Ocul Toxicol.* 2019; 38(2):141-155. <http://dx.doi.org/10.1080/15569527.2018.1540494> [5]

Chow NA, Toda M, Pennington AF, Anassi E, Atmar RL, Cox-Ganser JM, Da Silva J, Garcia B, Kontoyiannis DP, Ostrosky-Zeichner L et al. Hurricane-associated mold exposures among patients at risk for invasive mold infections after Hurricane Harvey - Houston, Texas, 2017. *MMWR Morb Mortal Wkly Rep.* 2019; 68(21):469-473. <https://doi.org/10.15585/mmwr.mm6821a1> [2]

Conley JM, Lambright CS, Evans N, Strynar MJ, McCord J, McIntyre BS, Travlos GS, Cardon MC, Medlock-Kakaley E, Hartig PC et al. Adverse maternal, fetal, and postnatal effects of hexafluoropropylene oxide dimer acid (GenX) from oral gestational exposure in Sprague-Dawley rats. *Environ Health Perspect.* 2019; 127(3):37008. <https://doi.org/10.1289/ehp4372> [5]

Corton JC, Kleinstreuer NC, Judson RS. Identification of potential endocrine disrupting chemicals using gene expression biomarkers. *Toxicol Appl Pharmacol.* 2019; 380:114683.
<https://doi.org/10.1016/j.taap.2019.114683> [5]

Corton JC, Witt KL, Yauk CL. Identification of p53 activators in a human microarray compendium. *Chem Res Toxicol.* 2019; 32(9):1748-1759. <https://doi.org/10.1021/acs.chemrestox.9b00052> [5]

Couch JR, Burton NC, Victory KR, Green BJ, Lemons AR, Nayak AP, Beezhold DH. Endotoxin exposures during harvesting and processing cannabis at an outdoor cannabis farm. *Aerobiologia.* 2019; 35(2):367-371. <https://doi.org/10.1007/s10453-018-09552-0> [2]

Czamara D, Eraslan G, Page CM, Lahti J, Lahti-Pulkkinen M, Hamalainen E, Kajantie E, Laivuori H, Villa PM, Reynolds RM et al. Integrated analysis of environmental and genetic influences on cord blood DNA methylation in newborns. *Nat Commun.* 2019; 10(1):2548.
<https://doi.org/10.1038/s41467-019-10461-0> [5]

Dagli MLZ, Pandiri A, Wolf J, Groeters S, Haschek-Hock WM. Global perspective on careers in environmental toxicologic pathology: The 2019 Society of Toxicologic Pathology Annual Symposium lunchtime career development session. *Toxicol Pathol.* 2019; 47(8):1088-1095. incomplete citation <https://doi.org/10.1177/0192623319877859> [5]

Dahm MM, Bertke S, Schubauer-Berigan MK. Predicting occupational exposures to carbon nanotubes and nanofibers based on workplace determinants modeling. *Ann Work Expo Health.* 2019; 63(2):158-172. <https://doi.org/10.1093/annweh/wxy102> [2]

Dahm MM, Evans DE, Bertke S, Grinshpun SA. Evaluation of total and inhalable samplers for the collection of carbon nanotube and carbon nanofiber aerosols. *Aerosol Sci Tech.* 2019; 53(8):958-970. <https://doi.org/10.1080/02786826.2019.1618437> [2]

de Conti A, Tryndyak V, VonTungeln LS, Churchwell MI, Beland FA, Antunes AMM, Pogribny IP. Genotoxic and epigenotoxic alterations in the lung and liver of mice induced by acrylamide: A 28 day drinking water study. *Chem Res Toxicol.* 2019; 32(5):869-877.
<https://doi.org/10.1021/acs.chemrestox.9b00020> [4]

Delclos KB, Camacho L, Gamboa da Costa G. Letter to the Editor Re: Historical perspective: bisphenol A and phthalates: How environmental chemicals are reshaping toxicology. *Toxicol Sci.* 2019; 169(1):3. <https://doi.org/10.1093/toxsci/kfz072> [3]

Dorman DC, Chiu W, Hales BF, Hauser R, Johnson KJ, Mantus E, Martel S, Robinson KA, Rooney AA, Rudel R et al. Polybrominated diphenyl ether (PBDE) neurotoxicity: A systematic review and meta-analysis of animal evidence. *J Toxicol Environ Health B Crit Rev.* 2018; 21(4):269-289. <http://dx.doi.org/10.1080/10937404.2018.1514829> [5]

Dreval K, Pogribny IP. 2019. Chemical carcinogen exposure, DNA damage, and epigenetic alterations. In: Poirier, MC, editor. *Carcinogens, DNA Damage and Cancer Risk: Mechanisms of Chemical Carcinogenesis.* Singapore:World Scientific; 2018. p. 309-340.
https://doi.org/10.1142/9789813237209_0011 [4]

Dreval K, Tryndyak V, de Conti A, Beland FA, Pogribny IP. Gene expression and DNA methylation alterations during non-alcoholic steatohepatitis-associated liver carcinogenesis. *Front Genet.* 2019; 10:486. <https://doi.org/10.3389/fgene.2019.00486> [4]

Duan P, Wu F, Moore JN, Fisher J, Crentsil V, Gonzalez D, Zhang L, Burckart GJ, Wang J. Assessing CYP2C19 ontogeny in neonates and infants using physiologically based pharmacokinetic models: Impact of enzyme maturation versus inhibition. *CPT Pharmacometrics Syst Pharmacol.* 2019; 8(3):158-166. <https://doi.org/10.1002/psp4.12350> [4]

Duke KS, Thompson EA, Ihrie MD, Taylor-Just AJ, Ash EA, Shipkowski KA, Hall JR, Tokarz DA, Cesta MF, Hubbs AF et al. Role of p53 in the chronic pulmonary immune response to tangled or rod-like multi-walled carbon nanotubes. *Nanotoxicology.* 2018; 12(9):975-991. <http://dx.doi.org/10.1080/17435390.2018.1502830> [5]

Dunnick JK, Pandiri AR, Merrick BA, Kissling GE, Cunny H, Mutlu E, Waidyanatha S, Sills RC, Hong HHL, Ton TV et al. Mutational analysis of pentabrominated diphenyl-induced hepatocellular tumors in rats and mice, tissue levels of PBDE congeners in rats and mice, and AhR genotyping of Wistar Han rats. *Data Brief.* 2018; 21:2125-2128. <http://dx.doi.org/10.1016/j.dib.2018.10.104> [5]

Ellison CA, Blackburn KL, Carmichael PL, Clewell HJ, 3rd, Cronin MTD, Desprez B, Escher SE, Ferguson SS, Gregoire S, Hewitt NJ et al. Challenges in working towards an internal threshold of toxicological concern (iTTC) for use in the safety assessment of cosmetics: Discussions from the Cosmetics Europe iTTC Working Group workshop. *Regul Toxicol Pharmacol.* 2019; 103:63-72. <http://dx.doi.org/10.1016/j.yrtph.2019.01.016> [5]

Elmore SA, Cardiff R, Cesta MF, Gkoutos GV, Hoehndorf R, Keenan CM, McKerlie C, Schofield PN, Sundberg JP, Ward JM. A review of current standards and the evolution of histopathology nomenclature for laboratory animals. *ILAR J.* 2018; 59(1):29-39. <http://dx.doi.org/10.1093/ilar/ily005> [5]

Elmore SA, Carreira V, Labriola CS, Mahapatra D, McKeag SR, Rinke M, Shackelford C, Singh B, Talley A, Wallace SM et al. Proceedings of the 2018 National Toxicology Program Satellite Symposium. *Toxicol Pathol.* 2018; 46(8):865-897. <http://dx.doi.org/10.1177/0192623318800734> [5]

Estill CF, Slone J, Mayer AC, Phillips K, Lu J, Chen IC, Christianson A, Streicher R, Guardia MJ, Jayatilaka N et al. Assessment of spray polyurethane foam worker exposure to organophosphate flame retardants through measures in air, hand wipes, and urine. *J Occup Environ Hyg.* 2019; 16(7):477-488. <https://doi.org/10.1080/15459624.2019.1609004> [1]

Eustaquio T, Wang C, Dugard CK, George NI, Liu F, Slikker W, Jr, Paule MG, Howard PC, Paredes AM. Electron microscopy techniques employed to explore mitochondrial defects in the developing rat brain following ketamine treatment. *Exp Cell Res.* 2018; 373(1-2):164-170. <https://doi.org/10.1016/j.yexcr.2018.10.009> [4]

Farcas D, Blachere FM, Kashon ML, Sbarra D, Schwegler-Berry D, Stull JO, Noti JD. Survival of *Staphylococcus aureus* on the outer shell of fire fighter turnout gear after sanitation in a commercial washer/extractor. *J Occup Med Toxicol.* 2019; 14:10. <https://doi.org/10.1186/s12995-019-0230-4> [2]

Fujita M, Yamamoto Y, Watanabe S, Sugawara T, Wakabayashi K, Tahara Y, Horie N, Fujimoto K, Kusakari K, Kurokawa Y et al. The within- and between-laboratory reproducibility and predictive capacity of the in chemico amino acid derivative reactivity assay: Results of validation study implemented in four participating laboratories. *J Appl Toxicol.* 2019; 39(11):1491-1505. <https://doi.org/10.1002/jat.3834> [5]

Furuya S, Cichocki JA, Konganti K, Dreval K, Uehara T, Katou Y, Fukushima H, Kono H, Pogribny IP, Argemi J et al. Histopathological and molecular signatures of a mouse model of acute-on-chronic alcoholic liver injury demonstrate concordance with human alcoholic hepatitis. *Toxicol Sci.* 2019; 170(2):427-437. <https://doi.org/10.1093/toxsci/kfy292> [4]

Gadaleta D, Vukovic K, Toma C, Lavado GJ, Karmaus AL, Mansouri K, Kleinstreuer NC, Benfenati E, Roncaglioni A. SAR and QSAR modeling of a large collection of LD50 rat acute oral toxicity data. *J Cheminformatics.* 2019; 11:58. <https://doi.org/10.1186/s13321-019-0383-2> [5]

Galli CL, Walker NJ, Oberlies NH, Roe AL, Edwards J, Fitzpatrick S, Griffiths JC, Hayes AW, Mahony C, Marsman DS et al. Development of a consensus approach for botanical safety evaluation - A roundtable report. *Toxicol Lett.* 2019; 314:1-17.
<https://doi.org/10.1016/j.toxlet.2019.05.008> [5]

Gokulan K, Kolluru P, Cerniglia CE, Khare S. Dose-dependent effects of aloin on the intestinal bacterial community structure, short chain fatty acids metabolism and intestinal epithelial cell permeability. *Front Microbiol.* 2019; 10:474. <https://doi.org/10.3389/fmicb.2019.00474> [3]

Goulding DR, Kraft A, Mouton PR, McPherson CA, Avdoshina V, Mocchetti I, Harry GJ. Age-related decrease in tyrosine hydroxylase immunoreactivity in the substantia nigra and region-specific changes in microglia morphology in HIV-1 Tg rats. *Neurotox Res.* 2019; 36:563-682.
<https://doi.org/10.1007/s12640-019-00077-z> [5]

Gray LE, Furr JR, Conley JM, Lambright CS, Evans N, Cardon MC, Wilson VS, Foster PM, Hartig PC. A Conflicted tale of two novel AR antagonists in vitro and in vivo: Pyrifluquinazon versus bisphenol C. *Toxicol Sci.* 2019; 168(2):632-643. <https://doi.org/10.1093/toxsci/kfz010> [5]

Grimm SA, Shimbo T, Takaku M, Thomas JW, Auerbach S, Bennett BD, Bucher JR, Burkholder AB, Day F, Du Y et al. DNA methylation in mice is influenced by genetics as well as sex and life experience. *Nat Commun.* 2019; 10(1):305. <http://dx.doi.org/10.1038/s41467-018-08067-z> [5]

Guth BD, Engwall M, Eldridge S, Foley CM, Guo L, Gintant G, Koerner J, Parish ST, Pierson JB, Ribeiro AJS et al. Considerations for an in vitro, cell-based testing platform for detection of adverse drug-induced inotropic effects in early drug development. Part 1: General considerations for development of novel testing platforms. *Front Pharmacol.* 2019; 10:884.
<https://doi.org/10.3389/fphar.2019.00884> [5]

Guyton KZ, Rieswijk L, Wang A, Chiu WA, Smith MT. Key characteristics approach to carcinogenic hazard identification. *Chem Res Toxicol.* 2018; 17:31(12):1290-1292.
<http://dx.doi.org/10.1021/acs.chemrestox.8b00321> [5]

Halamoda-Kenzaoui B, Baconnier S, Bastogne T, Bazile D, Boisseau P, Borchard G, Borgos SE, Calzolai L, Cederbrant K, Di Felice G et al. Bridging communities in the field of nanomedicine. *Regul Toxicol Pharmacol.* 2019; 106:187-196. <https://doi.org/10.1016/j.yrtph.2019.04.011> [4]

Hamm JT, Ceger P, Allen D, Stout M, Maull EA, Baker G, Zmarowski A, Padilla S, Perkins E, Planchart A et al. Characterizing sources of variability in zebrafish embryo screening protocols. *ALTEX.* 2019; 36(1):103-120. <http://dx.doi.org/10.14573/altex.1804162> [5]

Han X, Wang Y, Chen T, Wilson MJ, Pan F, Wu X, Rui C, Chen D, Tang Q, Wu W. Inhibition of progesterone biosynthesis induced by deca-brominated diphenyl ether (BDE-209) in mouse

Leydig tumor cell (MLTC-1). *Toxicol In Vitro*. 2019; 60:383-388.
<https://doi.org/10.1016/j.tiv.2019.05.016> [5]

Hao H, Gokulan K, Pineiro SA, Williams KM, Yuan Z, Cerniglia CE, Khare S. Effects of acute and chronic exposure to residual level erythromycin on human intestinal epithelium cell permeability and cytotoxicity. *Microorganisms*. 2019; 7(9):325. <https://doi.org/10.3390/microorganisms7090325> [4]

Harrill J, Shah I, Setzer RW, Haggard D, Auerbach S, Judson R, Thomas RS. Considerations for strategic use of high-throughput transcriptomics chemical screening data in regulatory decisions. *Curr Opin Toxicol*. 2019; 15:64-75. <https://doi.org/10.1016/j.cotox.2019.05.004> [5]

Hasselgren C, Ahlberg E, Akahori Y, Amberg A, Anger LT, Atienzar F, Auerbach S, Beilke L, Bellion P, Benigni R et al. Genetic toxicology in silico protocol. *Regul Toxicol Pharmacol*. 2019; 107:104403. <https://doi.org/10.1016/j.yrtph.2019.104403> [5]

Hausner EA, Elmore SA, Yang X. Overview of the components of cardiac metabolism. *Drug Metab Dispos*. 2019; 47(6):673-688. <https://doi.org/10.1124/dmd.119.086611> [5]

Hawley Blackley B, Gibbs JL, Cummings KJ, Stefaniak AB, Park JY, Stanton M, Virji MA. A field evaluation of a single sampler for respirable and inhalable indium and dust measurements at an indium-tin oxide manufacturing facility. *J Occup Environ Hyg*. 2019; 16(1):66-77.
<https://doi.org/10.1080/15459624.2018.1536826> [2]

He X, Xia Q, Wu Q, Tolleson WH, Lin G, Fu PP. Primary and secondary pyrrolic metabolites of pyrrolizidine alkaloids form DNA adducts in human A549 cells. *Toxicol In Vitro*. 2019; 54:286-294. <https://doi.org/10.1016/j.tiv.2018.10.009> [4]

He Z, Panos J, Raymick J, Konak T, Cui L, Miller DB, O'Callaghan JP, Liachenko S, Paule MG, Imam SZ. A method for sampling rat cerebrospinal fluid with minimal blood contamination: A critical tool for biomarker studies. In: Aschner M, Costa L, editors. *Cell Culture Techniques. Neuromethods*, Vol 145. New York:Humana; 2019. p. 233-243, https://doi.org/10.1007/978-1-4939-9228-7_12 [4]

Hiemstra S, Ramaiahgari SC, Wink S, Callegaro G, Coonen M, Meerman J, Jennen D, van den Nieuwendijk K, Dankers A, Snoeys J et al. High-throughput confocal imaging of differentiated 3D liver-like spheroid cellular stress response reporters for identification of drug-induced liver injury liability. *Arch Toxicol*. 2019; 93:2895-2911. <https://doi.org/10.1007/s00204-019-02552-0> [5]

Hines CJ, Lentz TJ, McKernan L, Rane P, Whittaker C. Application of the draft NIOSH occupational exposure banding process to bisphenol A: A case study. *J Occup Environ Hyg* 2019; 16(2):120-128. <https://doi.org/10.1080/15459624.2018.1542495> [1]

Honaryar MK, Lunn RM, Luce D, Ahrens W, t Mannetje A, Hansen J, Bouaoun L, Loomis D, Byrnes G, Vilahur N et al. Welding fumes and lung cancer: A meta-analysis of case-control and cohort studies. *Occup Environ Med*. 2019; 76(6):422-431. <https://doi.org/10.1136/oemed-2018-105447> [5]

Honda GS, Pearce RG, Pham LL, Setzer RW, Wetmore BA, Sipes NS, Gilbert J, Franz B, Thomas RS, Wambaugh JF. Using the concordance of in vitro and in vivo data to evaluate extrapolation assumptions. *PLoS One*. 2019; 14(5):e0217564.
<https://doi.org/10.1371/journal.pone.0217564> [5]

Hsieh JH, Ryan K, Sedykh A, Lin JA, Shapiro AJ, Parham F, Behl M. Application of benchmark concentration (BMC) analysis on zebrafish data - a new perspective for quantifying toxicity in alternative animal models. *Toxicol Sci.* 2019; 167(1):92-104.
<http://dx.doi.org/10.1093/toxsci/kfy258> [5]

Hsieh JH, Smith-Roe SL, Huang R, Sedykh A, Shockley KR, Auerbach SS, Merrick BA, Xia M, Tice RR, Witt KL. Identifying compounds with genotoxicity potential using Tox21 high-throughput screening assays. *Chem Res Toxicol.* 2019; 32(7):1384-1401.
<https://doi.org/10.1021/acs.chemrestox.9b00053> [5]

Huang MC, Dzierlenga AL, Robinson VG, Waidyanatha S, DeVito MJ, Eifrid MA, Granville CA, Gibbs ST, Blystone CR. Toxicokinetics of perfluorobutane sulfonate (PFBS), perfluorohexane-1-sulphonic acid (PFHxS), and perfluorooctane sulfonic acid (PFOS) in male and female Hsd:Sprague Dawley SD rats after intravenous and gavage administration. *Toxicol Rep.* 2019; 6:645-655. <https://doi.org/10.1016/j.toxrep.2019.06.016> [5]

Huang MC, Robinson VG, Waidyanatha S, Dzierlenga AL, DeVito MJ, Eifrid MA, Gibbs ST, Blystone CR. Toxicokinetics of 8:2 fluorotelomer alcohol (8:2-FTOH) in male and female Hsd:Sprague Dawley SD rats after intravenous and gavage administration. *Toxicol Rep.* 2019; 6:924-932. <https://doi.org/10.1016/j.toxrep.2019.08.009> [5]

Hubbard TD, Hsieh JH, Rider CV, Sipes NS, Sedykh A, Collins BJ, Auerbach SS, Xia M, Huang R, Walker NJ et al. Using Tox21 high-throughput screening assays for the evaluation of botanical and dietary supplements. *Appl In Vitro Toxicol.* 2019; 5(1):10-25.
<https://doi.org/10.1089/aitv.2018.0020> [5]

Ihrie MD, Taylor-Just AJ, Walker NJ, Stout MD, Gupta A, Richey JS, Hayden BK, Baker GL, Sparrow BR, Duke KS et al. Inhalation exposure to multi-walled carbon nanotubes alters the pulmonary allergic response of mice to house dust mite allergen. *Inhal Toxicol.* 2019; 31(5):192-202. <https://doi.org/10.1080/08958378.2019.1643955> [5]

Jaderson M, Park JH. Evaluation of matrix effects in quantifying microbial secondary metabolites in indoor dust using ultraperformance liquid chromatograph-tandem mass spectrometer. *Saf Health Work.* 2019; 10(2):196-204. <https://doi.org/10.1016/j.shaw.2018.12.004> [1]

Janardhan KS, Venkannagari P, Jensen H, Hoenerhoff MJ, Herbert RA, Malarkey DE, Sills RC, Pandiri AR. Do GISTS occur in rats and mice? Immunohistochemical characterization of gastrointestinal tumors diagnosed as smooth muscle tumors in the National Toxicology Program. *Toxicol Pathol.* 2019; 47(5):577-584. <https://doi.org/10.1177/0192623319845838> [5]

Judson RS, Thomas RS, Baker N, Simha A, Howey XM, Marable C, Kleinstreuer NC, Houck KA. Workflow for defining reference chemicals for assessing performance of in vitro assays. *ALTEX.* 2019; 36(2):261-276. <http://dx.doi.org/10.14573/altex.1809281> [5]

Kang S, Liang H, Qian Y, Qi C. The composition of emissions from sawing Corian(R), a solid surface composite material. *Ann Work Expo Health.* 2019; 63(4):480-483.
<https://doi.org/10.1093/annweh/wxz009> [2]

Kennedy A, Brame J, Rycroft T, Wood M, Zemba V, Weiss C, Hull M, Hill C, Geraci C, Linkov I. A definition and categorization system for advanced materials: The foundation for risk-informed environmental health and safety testing. *Risk Anal.* 2019; 39(8):1783-1795.
<https://doi.org/10.1111/risa.13304> [2]

Kiratipaiboon C, Stueckle TA, Ghosh R, Rojanasakul LW, Chen YC, Dinu CZ, Rojanasakul Y. Acquisition of cancer stem cell-like properties in human small airway epithelial cells after a long-term exposure to carbon nanomaterials. *Environ Sci Nano.* 2019; 6(7):2152-2170.
<https://doi.org/10.1039/c9en00183b> [2]

Kirkland D, Levy DD, LeBaron MJ, Aardema MJ, Beevers C, Bhalli J, Douglas GR, Escobar PA, Farabaugh CS, Guerard M et al. A comparison of transgenic rodent mutation and in vivo comet assay responses for 91 chemicals. *Mutat Res Genet Toxicol Environ Mutagen.* 2019; 839:21-35.
<http://dx.doi.org/10.1016/j.mrgentox.2019.01.007> [5]

Kolanjiyil AV, Kleinstreuer C, Kleinstreuer NC, Pham W, Sadikot RT. Mice-to-men comparison of inhaled drug-aerosol deposition and clearance. *Respir Physiol Neurobiol.* 2019; 260:82-94.
<http://dx.doi.org/10.1016/j.resp.2018.11.003> [5]

Kovi RC, Bhusari S, Mav D, Shah RR, Ton TV, Hoenerhoff MJ, Sills RC, Pandiri AR. Genome-wide promoter DNA methylation profiling of hepatocellular carcinomas arising either spontaneously or due to chronic exposure to Ginkgo biloba extract (GBE) in B6C3F1/N mice. *Arch Toxicol.* 2019; 93(8):2219-2235. <https://doi.org/10.1007/s00204-019-02505-7> [5]

Kraeling MEK, Topping VD, Belgrave KR, Schlick K, Simanek E, Man S, Dadiboyena S, Patri AK, Sprando RL, Yourick JJ. In vitro skin penetration of dendrimer nanoparticles. *Appl In Vitro Toxicol.* 2019; 5(3):134-149. <https://doi.org/10.1089/aitv.2019.0004> [4]

Ku BK, Birch ME. Aerosolization and characterization of carbon nanotube and nanofiber materials: Relationship between aerosol properties and bulk density. *J Aerosol Sci.* 2019; 127:38-48.
<https://doi.org/10.1016/j.jaerosci.2018.10.004> [2]

Kurtz DM, Glascoe R, Caviness G, Locklear J, Whiteside T, Ward T, Adsit F, Lih F, Deterding LJ, Churchwell MI et al. Acrylamide production in autoclaved rodent feed. *J Am Assoc Lab Anim Sci.* 2018; 57(6):703-711. <https://doi.org/10.30802/aalas-jaalas-18-000011> [4]

Lahiani MH, Gokulan K, Williams K, Khare S. Impact of pristine graphene on intestinal microbiota assessed using a bioreactor-rotary cell culture system. *ACS Appl Mater Interfaces.* 2019; 11(29):25708-25719. <https://doi.org/10.1021/acsami.9b07635> [4]

Lahiani MH, Khare S, Cerniglia CE, Boy R, Ivanov IN, Khodakovskaya M. The impact of tomato fruits containing multi-walled carbon nanotube residues on human intestinal epithelial cell barrier function and intestinal microbiome composition. *Nanoscale.* 2019; 11(8):3639-3655.
<https://doi.org/10.1039/c8nr08604d> [4]

Lanzoni A, Castoldi AF, Kass GEN, Terron A, De Seze G, Bal-Price A, Bois FY, Delclos KB, Doerge DR, Fritzsche E et al. Advancing human health risk assessment. *EFSA J.* 2019; 17(S1):e170712. <https://doi.org/10.2903/j.efsa.2019.e170712> [3]

Lewis L, Borowa-Mazgaj B, de Conti A, Chappell GA, Luo YS, Bodnar W, Konganti K, Wright FA, Threadgill DW, Chiu WA et al. Population-based analysis of DNA damage and epigenetic effects of 1,3-butadiene in the mouse. *Chem Res Toxicol.* 2019; 32(5):887-898.
<https://doi.org/10.1021/acs.chemrestox.9b00035> [4]

Lewis L, Chappell GA, Kobets T, O'Brian BE, Sangaraju D, Kosyk O, Bodnar W, Tretyakova NY, Pogribny IP, Rusyn I. Sex-specific differences in genotoxic and epigenetic effects of 1,3-butadiene

among mouse tissues. *Arch Toxicol.* 2019; 93(3):791-800. <https://doi.org/10.1007/s00204-018-2374-x> [4]

Li A, Lu X, Natoli T, Bittker J, Sipes NS, Subramanian A, Auerbach S, Sherr DH, Monti S. The Carcinogenome Project: In vitro gene expression profiling of chemical perturbations to predict long-term carcinogenicity. *Environ Health Perspect.* 2019; 127(4):47002. <https://doi.org/10.1289/ehp3986> [5]

Li C, Sun Y, Li X, Fan S, Liu Y, Jiang X, Boudreau MD, Pan Y, Tian X, Yin JJ. Bactericidal effects and accelerated wound healing using Tb4O7 nanoparticles with intrinsic oxidase-like activity. *J Nanobiotechnology.* 2019; 17(1):54. <https://doi.org/10.1186/s12951-019-0487-x> [4]

Li Y, Li M, Shats I, Krahn JM, Flake GP, Umbach DM, Li X, Li L. Glypican 6 is a putative biomarker for metastatic progression of cutaneous melanoma. *PLoS One.* 2019; 14(6):e0218067. <https://doi.org/10.1371/journal.pone.0218067> [5]

Liu F, Liu S, Patterson TA, Fogle C, Hanig JP, Slikker W, Jr, Wang C. Effects of xenon-based anesthetic exposure on the expression levels of polysialic acid neural cell adhesion molecule (PSA-NCAM) on human neural stem cell-derived neurons. *Mol Neurobiol.* 2019; 57:217-225. <https://doi.org/10.1007/s12035-019-01771-x> [4]

Liu J, Wang T, Creighton CJ, Wu SP, Ray M, Janardhan KS, Willson CJ, Cho SN, Castro PD, Ittmann MM et al. JNK(1/2) represses Lkb(1)-deficiency-induced lung squamous cell carcinoma progression. *Nat Commun.* 2019; 10(1):2148. <https://doi.org/10.1038/s41467-019-09843-1> [5]

Liu J, Yu L, Castro L, Yan Y, Sifre MI, Bortner CD, Dixon D. A nongenomic mechanism for "metalloestrogenic" effects of cadmium in human uterine leiomyoma cells through G protein-coupled estrogen receptor. *Arch Toxicol.* 2019; 93:2773–2785. <https://doi.org/10.1007/s00204-019-02544-0> [5]

Lynch C, Zhao J, Sakamuru S, Zhang L, Huang R, Witt KL, Merrick BA, Teng CT, Xia M. Identification of compounds that inhibit estrogen-related receptor alpha signaling using high-throughput screening assays. *Molecules.* 2019; 24(5):841. <http://dx.doi.org/10.3390/molecules24050841> [5]

Mandler WK, Qi C, Orandle MS, Sarkisian K, Mercer RR, Stefaniak AB, Knepp AK, Bowers LN, Battelli LA, Shaffer J et al. Mouse pulmonary response to dust from sawing Corian(R), a solid-surface composite material. *J Toxicol Environ Health A.* 2019; 82(11):645-663. <https://doi.org/10.1080/15287394.2019.1640816> [2]

Mansouri K, Cariello NF, Korotcov A, Tkachenko V, Grulke CM, Sprankle CS, Allen D, Casey WM, Kleinstreuer NC, Williams AJ. Open-source QSAR models for pKa prediction using multiple machine learning approaches. *J Cheminform.* 2019; 11:60. <https://doi.org/10.1186/s13321-019-0384-1> [5]

Merrick BA, Phadke DP, Bostrom MA, Shah RR, Wright GM, Wang X, Gordon O, Pelch KE, Auerbach SS, Paules RS et al. Arsenite malignantly transforms human prostate epithelial cells in vitro by gene amplification of mutated KRAS. *PLoS One.* 2019; 14(4):e0215504. <https://doi.org/10.1371/journal.pone.0215504> [5]

Mittelstaedt RA, Dobrovolsky VN, Revollo JR, Pearce MG, Wang Y, Dad A, McKinzie PB, Rosenfeldt H, Yucesoy B, Yeager R et al. Evaluation of 4-(methylnitrosamino)-1-(3-pyridyl)-1-

butanone (NNK) mutagenicity using in vitro and in vivo Pig-a assays. *Mutat Res Genet Toxicol Environ Mutagen.* 2019; 837:65-72. <https://doi.org/10.1016/j.mrgentox.2018.10.007> [4]

Moore CL, Flanigan TJ, Law CD, Loukotkova L, Woodling KA, da Costa GG, Fitzpatrick SC, Ferguson SA. Developmental neurotoxicity of inorganic arsenic exposure in Sprague-Dawley rats. *Neurotoxicol Teratol.* 2019; 72:49-57. <https://doi.org/10.1016/j.ntt.2019.01.007> [3]

Moore RR, Nagai H, Miller RA, Hardisty JF, Allison N, Shockley KR, Malarkey DE. Comparative incidences and biological outcomes for thymoma in various rat strains in National Toxicology Program studies. *Toxicol Pathol.* 2019; 47(7):833-841. <https://doi.org/10.1177/0192623319863119> [5]

Morgan RL, Beverly B, Ghersi D, Schunemann HJ, Rooney AA, Whaley P, Zhu YG, Thayer KA. GRADE guidelines for environmental and occupational health: A new series of articles in Environment International. *Environ Int.* 2019; 128:11-12.
<https://doi.org/10.1016/j.envint.2019.04.016> [5]

Mostovenko E, Young T, Muldoon PP, Bishop L, Canal CG, Vucetic A, Zeidler-Erdely PC, Erdely A, Campen MJ, Ottens AK. Nanoparticle exposure driven circulating bioactive peptidome causes systemic inflammation and vascular dysfunction. Part Fibre Toxicol. 2019; 16(1):20.
<https://doi.org/10.1186/s12989-019-0304-6> [2]

Mudalige T, Qu HO, Van Haute D, Ansar SM, Paredes A, Ingle T. Characterization of nanomaterials: Tools and challenges. In: Rubio AL, Rovira MJF, Sanz MM, Gómez-Mascaraque, editors. *Nanomaterials for Food Applications.* Amsterdam:Elsevier; 2019. p. 313-353.
<https://doi.org/10.1016/B978-0-12-814130-4.00011-7> [4]

Nakamura N, Sloper DT, Del Valle PL. Evaluation of an in vitro mouse testis organ culture system for assessing male reproductive toxicity. *Birth Defects Res.* 2019; 111(2):70-77.
<https://doi.org/10.1002/bdr2.1431> [4]

Nakamura N, Vijay V, Desai VG, Hansen DK, Han T, Chang CW, Chen YC, Harrouk W, McIntyre B, Foster PM et al. Rebuttal to the comments by Dr. Yan Xu on the article "Transcript profiling in the testes and prostates of postnatal day 30 Sprague-Dawley rats exposed prenatally and lactationally to 2-hydroxy-4-methoxybenzophenone." *Reprod Toxicol.* 2019.
<https://doi.org/10.1016/j.reprotox.2019.07.018> [3]

Nakamura N, Vijay V, Desai VG, Hansen DK, Han T, Chang C-W, Chen Y-C, Harrouk W, McIntyre B, Foster PM et al. Transcript profiling in the testes and prostates of postnatal day 30 Sprague-Dawley rats exposed prenatally and lactationally to 2-hydroxy-4-methoxybenzophenone. *Reprod Toxicol.* 2018; 82:111-123. <http://dx.doi.org/10.1016/j.reprotox.2018.10.001> [5]

Neal-Kluever A, Fisher J, Grylack L, Kakiuchi-Kiyota S, Halpern W. Physiology of the neonatal gastrointestinal system relevant to the disposition of orally administered medications. *Drug Metab Dispos.* 2019; 47(3):296-313. <https://doi.org/10.1124/dmd.118.084418> [4]

Norton AE, Doepke A, Nourian F, Connick WB, Brown KK. Assessing flammable storage cabinets as sources of VOC exposure in laboratories using real-time direct reading wireless detectors. *J Chem Health Saf.* 2018; 25(5):2-9. <https://doi.org/10.1016/j.jchas.2018.01.001> [2]

Oakley RH, Cruz-Topete D, He B, Foley JF, Myers PH, Xu X, Gomez-Sanchez CE, Chambon P, Willis MS, Cidlowski JA. Cardiomyocyte glucocorticoid and mineralocorticoid receptors directly

and antagonistically regulate heart disease in mice. *Sci Signal.* 2019; 12(577):eaaau9685. <https://doi.org/10.1126/scisignal.aau9685> [5]

O'Connor AM, Tsafnat G, Gilbert SB, Thayer KA, Shemilt I, Thomas J, Glasziou P, Wolfe MS. Still moving toward automation of the systematic review process: A summary of discussions at the third meeting of the International Collaboration for Automation of Systematic Reviews (ICASR). *Syst Rev.* 2019; 8(1):57. <https://doi.org/10.1186/s13643-019-0975-y> [5]

Orr SE, Gokulan K, Boudreau M, Cerniglia CE, Khare S. Alteration in the mRNA expression of genes associated with gastrointestinal permeability and ileal TNF-alpha secretion due to the exposure of silver nanoparticles in Sprague-Dawley rats. *J Nanobiotechnology.* 2019; 17(1):63. <https://doi.org/10.1186/s12951-019-0499-6> [3]

Othumpangat S, Noti JD. Antiviral drugs. In: Ray SD, editor. *Side Effects of Drugs Annual: A Worldwide Yearly Survey of New Data in Adverse Drug Reactions.* Vol 40. Elsevier; 2018. p. 345-361. <https://doi.org/10.1016/bs.seda.2018.08.005> [2]

Pande P, Fleck SC, Twaddle NC, Churchwell MI, Doerge DR, Teeguarden JG. Comparative estrogenicity of endogenous, environmental and dietary estrogens in pregnant women II: Total estrogenicity calculations accounting for competitive protein and receptor binding and potency. *Food Chem Toxicol.* 2019; 125:341-353. <https://doi.org/10.1016/j.fct.2018.12.013> [4]

Pang L, Sager P, Yang X, Shi H, Sannajust F, Brock M, Wu JC, Abi-Gerges N, Lyn-Cook B, Berridge BR et al. Workshop report: FDA workshop on improving cardiotoxicity assessment with human-relevant platforms. *Circ Res.* 2019; 125(9):855-867. <https://doi.org/10.1161/CIRCRESAHA.119.315378> [5]

Panzacchi S, Gnudi F, Mandrioli D, Montella R, Strollo V, Merrick BA, Belpoggi F, Tibaldi E. Effects of short and long-term alcohol-based fixation on Sprague-Dawley rat tissue morphology, protein and nucleic acid preservation. *Acta Histochem.* 2019; 121(6):750-760. <https://doi.org/10.1016/j.acthis.2019.05.011> [5]

Patlewicz G, Lizarraga L, Rua D, Allen DG, Daniel A, Fitzpatrick SC, Garcia-Reyero N, Gordon J, Hakkinen P, Howard AS et al. Exploring current read-across applications and needs among selected U.S. federal agencies. *Regul Toxicol Pharmacol.* 2019; 106:197-209. <https://doi.org/10.1016/j.yrtpb.2019.05.011> [5]

Patlewicz G, Richard AM, Williams AJ, Grulke CM, Sams R, Lambert J, Noyes PD, DeVito MJ, Hines RN, Strynar M et al. A chemical category-based prioritization approach for selecting 75 per- and polyfluoroalkyl substances (PFAS) for tiered toxicity and toxicokinetic testing. *Environ Health Perspect.* 2019; 127(1):14501. <https://doi.org/10.1289/ehp4555> [5]

Pelch K, Wignall JA, Goldstone AE, Ross PK, Blain RB, Shapiro AJ, Holmgren SD, Hsieh JH, Svoboda D, Auerbach SS et al. A scoping review of the health and toxicological activity of bisphenol A (BPA) structural analogues and functional alternatives. *Toxicology.* 2019; 424:152235. <https://doi.org/10.1016/j.tox.2019.06.006> [5]

Pelch KE, Li Y, Perera L, Thayer KA, Korach KS. Characterization of estrogenic and androgenic activities for bisphenol A-like chemicals (BPs): In vitro estrogen and androgen receptors transcriptional activation, gene regulation, and binding profiles. *Toxicol Sci.* 2019; 172(1):23-37. <https://doi.org/10.1093/toxsci/kfz173> [5]

Pence LM, Schmitt TC, Beger RD, Del Valle PL, Nakamura N. Testicular function in cultured postnatal mouse testis fragments is similar to that of animals during the first wave of spermatogenesis. *Birth Defects Res.* 2019; 111(5):270-280. <https://doi.org/10.1002/bdr2.1451> [4]

Perkins AN, Inayat-Hussain SH, Deziel NC, Johnson CH, Ferguson SS, Garcia-Milian R, Thompson DC, Vasilious V. Evaluation of potential carcinogenicity of organic chemicals in synthetic turf crumb rubber. *Environ Res.* 2019; 169:163-172.
<http://dx.doi.org/10.1016/j.envres.2018.10.018> [5]

Pham LL, Watford S, Friedman KP, Wignall J, Shapiro AJ. Python BMDS: A Python interface library and web application for the canonical EPA dose-response modeling software. *Reprod Toxicol.* 2019; 90:102-108. <https://doi.org/10.1016/j.reprotox.2019.07.013> [5]

Phillips JR, Svoboda DL, Tandon A, Patel S, Sedykh A, Mav D, Kuo B, Yauk CL, Yang L, Thomas RS et al. BMDExpress 2: Enhanced transcriptomic dose-response analysis workflow. *Bioinformatics.* 2019; 35(10):1780-1782. <http://dx.doi.org/10.1093/bioinformatics/bty878> [5]

Pirela SV, Bhattacharya K, Wang Y, Zhang YP, Wang GH, Christophi CA, Godleski J, Thomas T, Qian Y, Orandle MS et al. A 21-day sub-acute, whole-body inhalation exposure to printer-emitted engineered nanoparticles in rats: Exploring pulmonary and systemic effects. *Nanoimpact.* 2019; 15:100176. <https://doi.org/10.1016/j.impact.2019.100176> [2]

Poston R, Hill R, Allen C, Casey W, Gatewood D, Levis R, Mallet L, Smith D, Srinivas G, Stirling C et al. Achieving scientific and regulatory success in implementing non-animal approaches to human and veterinary rabies vaccine testing: A NICEATM and IABS workshop report. *Biologicals.* 2019; 60:8-14. <https://doi.org/10.1016/j.biologicals.2019.06.005> [5]

Prior H, Casey W, Kimber I, Whelan M, Sewell F. Reflections on the progress towards non-animal methods for acute toxicity testing of chemicals. *Regul Toxicol Pharmacol.* 2019; 102:330-33.
<http://dx.doi.org/10.1016/j.yrtph.2018.12.008> [5]

Qin Q, Wu Q, Wang Y, Xiong R, Guo L, Fu X, Rosenfeldt H, Bryant M, Cao X. Effects of cellular differentiation in human primary bronchial epithelial cells: Metabolism of 4-(methylnitrosamine)-1-(3-pyridyl)-1-butanone. *Toxicol In Vitro.* 2019; 55:185-194.
<https://doi.org/10.1016/j.tiv.2018.12.006> [4]

Quevedo C, Behl M, Ryan K, Paules RS, Alday A, Muriana A, Alzualde A. Detection and prioritization of developmentally neurotoxic and/or neurotoxic compounds using zebrafish. *Toxicol Sci.* 2019; 168(1):225-240. <http://dx.doi.org/10.1093/toxsci/kfy291> [5]

Ramaiahgari SC, Auerbach SS, Saddler TO, Rice JR, Dunlap PE, Sipes NS, DeVito MJ, Shah RR, Bushel PR, Merrick BA et al. The power of resolution: Contextualized understanding of biological responses to liver injury chemicals using high-throughput transcriptomics and benchmark concentration modeling. *Toxicol Sci.* 2019; 169(2):553-566.
<https://doi.org/10.1093/toxsci/kfz065> [5]

Ramaiahgari SC, Ferguson SS. Organotypic 3D HepaRG liver model for assessment of drug-induced cholestasis. *Methods Mol Biol.* 2019; 1981:313-323. https://doi.org/10.1007/978-1-4939-9420-5_20 [5]

Ribeiro A, Guth B, Engwall M, Eldridge S, Foley CM, Guo L, Gintant G, Koerner J, Parish ST, Pierson J et al. Considerations for an in vitro, cell-based testing platform for detection of drug-

induced inotropic effects in early drug development. Part 2: Designing and fabricating microsystems for assaying cardiac contractility with physiological relevance using human iPSC-cardiomyocytes. *Front Pharmacol.* 2019; 10:934. <https://doi.org/10.3389/fphar.2019.00934> [5]

Roach KA, Stefaniak AB, Roberts JR. Metal nanomaterials: Immune effects and implications of physicochemical properties on sensitization, elicitation, and exacerbation of allergic disease. *J Immunotoxicol.* 2019; 16(1):87-124. <https://doi.org/10.1080/1547691x.2019.1605553> [2]

Roberts GK, Gardner D, Foster PM, Howard PC, Lui E, Walker L, van Breemen RB, Auerbach SS, Rider C. Finding the bad actor: Challenges in identifying toxic constituents in botanical dietary supplements. *Food Chem Toxicol.* 2019; 124:431-438. <http://dx.doi.org/10.1016/j.fct.2018.12.026> [5]

Robinson B, Gu Q, Ali SF, Dumas M, Kanungo J. Ketamine-induced attenuation of reactive oxygen species in zebrafish is prevented by acetyl l-carnitine in vivo. *Neurosci Lett.* 2019; 706:36-42. <https://doi.org/10.1016/j.neulet.2019.05.009> [4]

Robinson BL, Dumas M, Ali SF, Paule MG, Gu Q, Kanungo J. Mechanistic studies on ketamine-induced mitochondrial toxicity in zebrafish embryos. *Neurotoxicol Teratol.* 2018; 69:63-72. <https://doi.org/10.1016/j.ntt.2017.12.005> [4]

Rock KD, Gillera SEA, Devarasetty P, Horman B, Knudsen G, Birnbaum LS, Fenton SE, Patisaul HB. Sex-specific behavioral effects following developmental exposure to tetrabromobisphenol A (TBBPA) in Wistar rats. *Neurotoxicology.* 2019; 75:136-147. <https://doi.org/10.1016/j.neuro.2019.09.003> [5]

Roe AL, Dever JT, Gafner S, Marsman DS, Rider CV, Swift S. The Botanical Safety Consortium. *Applied In Vitro Toxicol.* 2019; 5(1):4-9. <https://doi.org/10.1089/aitv.2018.29018.rtl> [5]

Rosas-Hernandez H, Cuevas E, Raymick JB, Robinson BL, Ali SF, Hanig J, Sarkar S. Characterization of serum exosomes from a transgenic mouse model of Alzheimer's Disease. *Curr Alzheimer Res.* 2019; 16(5):388-395. <https://doi.org/10.2174/1567205016666190321155422> [4]

Rosas-Hernandez H, Escudero-Lourdes C, Ramirez-Lee MA, Cuevas E, Lantz SM, Imam SZ, Majeed W, Bourdo SE, Paule MG, Biris AS et al. Cytotoxicity profile of pristine graphene on brain microvascular endothelial cells. *J Appl Toxicol.* 2019; 39(7):966-973. <https://doi.org/10.1002/jat.3786> [4]

Roth GA, Geraci CL, Stefaniak A, Murashov V, Howard J. Potential occupational hazards of additive manufacturing. *J Occup Environ Hyg.* 2019; 16(5):321-328. <https://doi.org/10.1080/15459624.2019.1591627> [2]

Roussel C, Witt KL, Shaw PB, Connor TH. Meta-analysis of chromosomal aberrations as a biomarker of exposure in healthcare workers occupationally exposed to antineoplastic drugs. *Mutat Res.* 2019; 781:207-217. <https://doi.org/10.1016/j.mrrev.2017.08.002> [5]

Russ KA, Thompson JA, Kashon M, Porter DW, Friend SA, McKinney W, Fedan JS. Comparison of multi-wall carbon nanotube and nitrogen-doped multi-wall carbon nanotube effects on lung function and airway reactivity in rats. *Toxicol Appl Pharmacol.* 2019; 364:153-163. <https://doi.org/10.1016/j.taap.2018.11.004> [2]

Ryan KR, Huang MC, Ferguson SS, Waidyanatha S, Ramaiahgari S, Rice JR, Dunlap PE, Auerbach SS, Mutlu E, Cristy T et al. Evaluating sufficient similarity of botanical dietary supplements: combining chemical and in vitro biological data. *Toxicol Sci.* 2019; 172(2):316-329. <https://doi.org/10.1093/toxsci/kfz189> [5]

Sachana M, Bal-Price A, Crofton KM, Bennekou SH, Shafer TJ, Behl M, Terron A. International regulatory and scientific effort for improved developmental neurotoxicity testing. *Toxicol Sci.* 2018; 167(1):45-57. <https://doi.org/10.1093/toxsci/kfy211> [5]

Saili KS, Franzosa JA, Baker NC, Ellis-Hutchings RG, Settivari RS, Carney EW, Spencer RM, Zurlinden TJ, Kleinstreuer NC, Li S et al. Systems modeling of developmental vascular toxicity. *Curr Opin Toxicol.* 2019; 15:55-63. <https://doi.org/10.1016/j.cotox.2019.04.004> [5]

Samet JM, Chiu WA, Cogliano V, Jinot J, Kriebel D, Lunn RM, Beland FA, Bero L, Browne P, Fritschi L et al. The IARC Monographs: Updated procedures for modern and transparent evidence synthesis in cancer hazard identification. *J Natl Cancer Inst.* 2019; 112(1):30-37. <https://doi.org/10.1093/jnci/djz169> [5]

Sarkar S, Lu E, Raymick J, Hanig J, Gu Q. ERK/MAP kinase activation is evident in activated microglia of the striatum and substantia nigra in an acute and chronically-induced mouse model of Parkinson's Disease. *Curr Neurovasc Res.* 2018; 15(4):336-344. <https://doi.org/10.2174/1567202616666181123152601> [4]

Schmued L, Raymick J, Sarkar S. High contrast and resolution labeling of amyloid plaques in tissue sections from APP-PS1 mice and humans with Alzheimer's Disease with the zinc chelator HQ-O: Practical and theoretical considerations. *Curr Alzheimer Res.* 2019; 16(7):577-586. <https://doi.org/10.2174/1567205016666190725155038> [4]

Seo JE, Tryndyak V, Wu Q, Dreval K, Pogribny I, Bryant M, Zhou T, Robison TW, Mei N, Guo X. Quantitative comparison of in vitro genotoxicity between metabolically competent HepaRG cells and HepG2 cells using the high-throughput high-content CometChip assay. *Arch Toxicol.* 2019; 93(5):1433-1448. <https://doi.org/10.1007/s00204-019-02406-9> [4]

Shane HL, Lukomska E, Kashon ML, Anderson SE. Topical application of the quaternary ammonium compound didecyldimethylammonium chloride activates type 2 innate lymphoid cells and initiates a mixed-type allergic response. *Toxicol Sci.* 2019; 168(2):508-518. <https://doi.org/10.1093/toxsci/kfz002> [2]

Shapiro AJ, Antoni S, Guyton KZ, Lunn RM, Loomis D, Rusyn I, Jahnke GD, Schwingl PJ, Mehta SS, Addington J et al. Software tools to facilitate systematic review used for cancer hazard identification. *Environ Health Perspect.* 2018; 126(10):104501. <http://dx.doi.org/10.1289/EHP4224> [5]

Shipkowski KA, Sanders JM, McDonald JD, Garner CE, Doyle-Eisele M, Wegerski CJ, Waidyanatha S. Comparative disposition of dimethylaminoethanol and choline in rats and mice following oral or intravenous administration. *Toxicol Appl Pharmacol.* 2019; 378:114592. <https://doi.org/10.1016/j.taap.2019.05.011> [5]

Shoeb M, Mustafa GM, Joseph P, Umbricht C, Kodali V, Roach KA, Meighan T, Roberts JR, Erdely A, Antonini JM. Initiation of pulmonary fibrosis after silica inhalation in rats is linked with dysfunctional shelterin complex and DNA damage response. *Sci Rep.* 2019; 9(1):471. <https://doi.org/10.1038/s41598-018-36712-6> [2]

Silinski MAR, Uenoyama T, Cooper SD, Fernando RA, Robinson VG, Waidyanatha S. Development and validation of an analytical method for quantitation of sulfolane in rat and mouse plasma by GC-MS. *J Anal Toxicol.* 2019; 43(6):477-481. <https://doi.org/10.1093/jat/bkz031> [5]

Sills RC, Cesta MF, Willson CJ, Brix AE, Berridge BR. National Toxicology Program position statement on informed ("nonblinded") analysis in toxicologic pathology evaluation. *Toxicol Pathol.* 2019; 47(7):887-890. <https://doi.org/10.1177/0192623319873974> [5]

Sisler JD, Mandler WK, Shaffer J, Lee T, McKinney WG, Battelli LA, Orandle MS, Thomas TA, Castranova VC, Qi C et al. Toxicological assessment of dust from sanding micronized copper-treated lumber in vivo. *J Hazard Mater.* 2019; 373:630-639.
<https://doi.org/10.1016/j.jhazmat.2019.02.068> [2]

Smith LC, Moreno S, Robinson S, Orandle M, Porter DW, Das D, Saleh NB, Sabo-Attwood T. Multi-walled carbon nanotubes inhibit estrogen receptor expression in vivo and in vitro through transforming growth factor beta1. *Nanoimpact.* 2019; 14:100152.
<https://doi.org/10.1016/j.impact.2019.100152> [2]

Snyder-Talkington BN, Dong C, Singh S, Raese R, Qian Y, Porter DW, Wolfarth MG, Guo NL. Multi-walled carbon nanotube-induced gene expression biomarkers for medical and occupational surveillance. *Int J Mol Sci.* 2019; 20(11):2635. <https://doi.org/10.3390/ijms20112635> [2]

Solecki R, Rauch M, Gall A, Buschmann J, Kellner R, Kucheryavenko O, Schmitt A, Delrue N, Li W, Hu J et al. Update of the DevTox data database for harmonized risk assessment and alternative methodologies in developmental toxicology: Report of the 9th Berlin Workshop on Developmental Toxicity. *Reprod Toxicol.* 2019; 89:124-129.
<https://doi.org/10.1016/j.reprotox.2019.07.003> [5]

Stefaniak AB, Bowers LN, Knepp AK, Luxton TP, Peloquin DM, Baumann EJ, Ham JE, Wells JR, Johnson AR, LeBouf RF et al. Particle and vapor emissions from vat polymerization desktop-scale 3-dimensional printers. *J Occup Environ Hyg.* 2019; 16(8):519-531.
<https://doi.org/10.1080/15459624.2019.1612068> [2]

Stefaniak AB, Johnson AR, du Preez S, Hammond DR, Wells JR, Ham JE, LeBouf RF, Martin SB Jr, Duling MG, Bowers LN et al. Insights into emissions and exposures from use of industrial-scale additive manufacturing machines. *Saf Health Work.* 2019; 10(2):229-236.
<https://doi.org/10.1016/j.shaw.2018.10.003> [2]

Strickland J, Daniel AB, Allen D, Aguila C, Ahir S, Bancos S, Craig E, Germolec D, Ghosh C, Hudson NL et al. Skin sensitization testing needs and data uses by US regulatory and research agencies. *Arch Toxicol.* 2019; 93(2):273-291. <http://dx.doi.org/10.1007/s00204-018-2341-6> [5]

Strickland J, Paris MW, Allen D, Casey W. Approaches to reducing animal use for acute toxicity testing: Retrospective analyses of pesticide data. In: Kojima H, Seidle T, Spielmann H, editors. *Alternatives to Animal Testing: Proceedings of Asian Congress 2016.* Singapore:Springer Nature. p. 37-49, 2019. https://doi.org/10.1007/978-981-13-2447-5_5 [5]

Su FC, Friesen MC, Humann M, Stefaniak AB, Stanton ML, Liang X, LeBouf RF, Henneberger PK, Virji MA. Clustering asthma symptoms and cleaning and disinfecting activities and evaluating their associations among healthcare workers. *Int J Hyg Environ Health.* 2019; 222(5):873-883.
<https://doi.org/10.1016/j.ijheh.2019.04.001> [2]

Svoboda DL, Saddler T, Auerbach SS. An Overview of National Toxicology Program's toxicogenomic applications: DrugMatrix and ToxFX. In: Hong H, editor. *Advances in Computational Toxicology: Methodologies and Applications in Regulatory Science*. Switzerland: Springer Nature; 2019. vol. 30, p. 141-157. https://doi.org/10.1007/978-3-030-16443-0_8 [5]

Tang Q, Gui J, Wu X, Wu W. Downregulation of miR-424 in placenta is associated with severe preeclampsia. *Pregnancy Hypertens.* 2019; 17:109-112.
<https://doi.org/10.1016/j.preghy.2019.05.017> [5]

Tang Q, Pan F, Wu X, Nichols CE, Wang X, Xia Y, London SJ, Wu W. Semen quality and cigarette smoking in a cohort of healthy fertile men. *Environ Epidemiol.* 2019; 3(4):e055.
<https://doi.org/10.1097/ee9.0000000000000055> [5]

Tang Q, Pan F, Yang J, Fu Z, Lu Y, Wu X, Han X, Chen M, Lu C, Xia Y et al. Idiopathic male infertility is strongly associated with aberrant DNA methylation of imprinted loci in sperm: A case-control study. *Clin Epigenetics.* 2018; 10:134. <http://dx.doi.org/10.1186/s13148-018-0568-y> [5]

Tian X, Sun Y, Fan S, Boudreau MD, Chen C, Ge C, Yin JJ. Photogenerated charge carriers in molybdenum disulfide quantum dots with enhanced antibacterial activity. *ACS Appl Mater Interfaces.* 2019; 11(5):4858-4866. <https://doi.org/10.1021/acsami.8b19958> [4]

Turner J, McCabe K, Snawder J, Hernandez M. (1 -> 3) beta-Glucan induces multimodal toxicity responses in parallel exposures of model human lung epithelial cells and immature macrophage. *Air Qual Atmos Health.* 2019; 12(4):379-387. <https://doi.org/10.1007/s11869-018-0649-2> [2]

Twaddle NC, Beland FA, Doerge DR. Metabolism and disposition of arsenic species from controlled dosing with sodium arsenite in neonatal and adult rhesus monkeys. VI. Toxicokinetic studies following oral administration. *Food Chem Toxicol.* 2019; 133:110760.
<https://doi.org/10.1016/j.fct.2019.110760> [3]

Twaddle NC, Vanlandingham M, Beland FA, Doerge DR. Metabolism and disposition of arsenic species from controlled dosing with dimethylarsinic acid (DMA(V)) in adult female CD-1 mice. V. Toxicokinetic studies following oral and intravenous administration. *Food Chem Toxicol.* 2019; 130:22-31. <https://doi.org/10.1016/j.fct.2019.04.045> [3]

Twaddle NC, Vanlandingham M, Beland FA, Fisher JW, Doerge DR. Metabolism and disposition of arsenic species from oral dosing with sodium arsenite in neonatal CD-1 mice. IV. Toxicokinetics following gavage administration and lactational transfer. *Food Chem Toxicol.* 2019; 123:28-41.
<https://doi.org/10.1016/j.fct.2018.10.046> [3]

Ulrich EM, Sobus JR, Grulke CM, Richard AM, Newton SR, Strynar MJ, Mansouri K, Williams AJ. EPA's non-targeted analysis collaborative trial (ENTACT): Genesis, design, and initial findings. *Anal Bioanal Chem.* 2019; 411(4):853-866. <http://dx.doi.org/10.1007/s00216-018-1435-6> [5]

Upaassana VT, Ghosh S, Chakraborty A, Birch ME, Joseph P, Han J, Ku BK, Ahn CH. Highly sensitive lab on a chip (LOC) immunoassay for early diagnosis of respiratory disease caused by respirable crystalline silica (RCS). *Anal Chem.* 2019; 91(10):6652-6660.
<https://doi.org/10.1021/acs.analchem.9b00582> [2]

Virji MA, Liang X, Su FC, LeBouf RF, Stefaniak AB, Stanton ML, Henneberger PK, Houseman EA. Peaks, means, and determinants of real-time TVOC exposures associated with cleaning and

disinfecting tasks in healthcare settings. *Ann Work Expo Health.* 2019; 63(7):759-772.
<https://doi.org/10.1093/annweh/wxz043> [2]

Waidyanatha S, Black SR, Aillon K, Collins B, Patel PR, Riordan F, Sutherland V, Robinson VG, Fernando R, Fennell TR. Toxicokinetics and bioavailability of bisphenol AF following oral administration in rodents: A dose, species, and sex comparison. *Toxicol Appl Pharmacol.* 2019; 373:39-47. <https://doi.org/10.1016/j.taap.2019.04.015> [5]

Waidyanatha S, Black SR, Blystone CR, Patel PR, Watson SL, Snyder RW, Fennell TR. Disposition and metabolism of sulfolane in Harlan Sprague Dawley rats and B6C3F1/N mice and in vitro in hepatocytes from rats, mice, and humans. *Xenobiotica.* 2019; 50(4):442-453.
<https://doi.org/10.1080/00498254.2019.1630786> [5]

Waidyanatha S, Black SR, Fennell TR, Watson SL, Patel PR, Cooper SD, Blake J, Robinson VG, Fernando RA, Blystone CR. Toxicokinetics and bioavailability of sulfolane, a ground water contaminant, following oral and intravenous administration in rodents: A dose, species, and sex comparison. *Toxicol Appl Pharmacol.* 2019; 379:114690.
<https://doi.org/10.1016/j.taap.2019.114690> [5]

Waidyanatha S, Mutlu E, Gibbs S, Stiffler B, Andre J, Burback B, Rider CV. Systemic exposure to Ginkgo biloba extract in male F344/NCrl rats: Relevance to humans. *Food Chem Toxicol.* 2019; 131:110586. <https://doi.org/10.1016/j.fct.2019.110586> [5]

Wang K, Shi L, Linthicum W, Man K, He X, Wen Q, Rojanasakul LW, Rojanasakul Y, Yang Y. Substrate stiffness-dependent carbon nanotube-induced lung fibrogenesis. *Nano Lett.* 2019; 19(8):5443-5451. <https://doi.org/10.1021/acs.nanolett.9b01943> [2]

Wang Y, Wu Q, Muskhelishvili L, Davis K, Bryant M, Cao X. Assessing the respiratory toxicity of dihydroxyacetone using an in vitro human airway epithelial tissue model. *Toxicol In Vitro.* 2019; 59:78-86. <https://doi.org/10.1016/j.tiv.2019.04.007> [3]

Wilkinson JD, Callicott R, Salminen WF, Sandhu SK, Greenhaw J, Paredes A, Davis K, Jones Y, Paule MG, Slikker W Jr et al. A randomized controlled laboratory study on the long-term effects of methylphenidate on cardiovascular function and structure in rhesus monkeys. *Pediatr Res.* 2019; 85(3):398-404. <https://doi.org/10.1038/s41390-018-0256-9> [4]

Willard-Mack CL, Elmore SA, Hall WC, Harleman J, Kuper CF, Losco P, Rehg JE, Ruhl-Fehlert C, Ward JM, Weinstock D et al. Nonproliferative and proliferative lesions of the rat and mouse hematolymphoid system. *Toxicol Pathol.* 2019; 47(6):665-783.
<https://doi.org/10.1177/0192623319867053> [5]

Wolffe TAM, Whaley P, Halsall C, Rooney AA, Walker VR. Systematic evidence maps as a novel tool to support evidence-based decision-making in chemicals policy and risk management. *Environ Int.* 2019; 130:104871. <https://doi.org/10.1016/j.envint.2019.05.065> [5]

Xiong R, Wu Q, Trbojevich R, Muskhelishvili L, Davis K, Bryant M, Richter P, Cao X. Disease-related responses induced by cadmium in an in vitro human airway tissue model. *Toxicol Lett.* 2019; 303:16-27. <https://doi.org/10.1016/j.toxlet.2018.12.009> [4]

Yang X, Wu H, Mehta D, Sullivan MC, Wang J, Burkart GJ, Troutman JA, Fisher JW. Ontogeny equations with probability distributions for anthropomorphic measurements in preterm and term

neonates and infants for use in a PBPK model. *Computat Toxicol.* 2019; 11:101-117.
<https://doi.org/10.1016/j.comtox.2019.03.007> [4]

Yu L, Das P, Vall AJ, Yan Y, Gao X, Sifre MI, Bortner CD, Castro L, Kissling GE, Moore AB et al. Bisphenol A induces human uterine leiomyoma cell proliferation through membrane-associated ERalpha36 via nongenomic signaling pathways. *Mol Cell Endocrinol.* 2019; 484:59-68.
<https://doi.org/10.1016/j.mce.2019.01.001> [5]

Zhang S, Ireland D, Sipes NS, Behl M, Collins ES. Screening for neurotoxic potential of 15 flame retardants using freshwater planarians. *Neurotoxicol Teratol.* 2019; 73:54-66.
<https://doi.org/10.1016/j.ntt.2019.03.003> [5]

Zhang X, Jiang X, Croley TR, Boudreau MD, He W, Cai J, Li P, Yin JJ. Ferroxidase-like and antibacterial activity of PtCu alloy nanoparticles. *J Environ Sci Health C Environ Carcinog Ecotoxicol Rev.* 2019; 37(2):99-115. <https://doi.org/10.1080/10590501.2019.1602991> [4]

Zhivagui M, Ng AWT, Ardin M, Churchwell MI, Pandey M, Renard C, Villar S, Cahais V, Robitaille A, Bouaoun L et al. Experimental and pan-cancer genome analyses reveal widespread contribution of acrylamide exposure to carcinogenesis in humans. *Genome Res.* 2019; 29(4):521-531. <https://doi.org/10.1101/gr.242453.118> [4]

Zhu S, Jiang X, Boudreau MD, Feng G, Miao Y, Dong S, Wu H, Zeng M, Yin JJ. Orally administered gold nanoparticles protect against colitis by attenuating toll-like receptor 4- and reactive oxygen/nitrogen species-mediated inflammatory responses but could induce gut dysbiosis in mice. *J Nanobiotechnol.* 2018; 16(1):86. <https://doi.org/10.1186/s12951-018-0415-5> [4]