

## 12.0 REFERENCES

Adegunloye BI, Sofola OA. 1997. Differential responses of rat aorta and mesenteric artery to norepinephrine and serotonin *in vitro*. *Pharmacology* 55:25-31.

Ames A III. 2000. CNS energy metabolism as related to function. *Brain Res Rev* 34:42-68.

Anon. 1993. Annexes I, II, III, and IV to Commission Directive 93/21/EEC of 27 April 1993 adapting to technical progress for the 18<sup>th</sup> time Council Directive 67/548/EEC on the approximation of laws, regulations and administrative provisions relating to the classification, packaging and labeling of dangerous substances. *Official Journal of the European Communities* L110A, 1-86.

ASTM. 1999. American Society of Testing and Materials (ASTM) Standard E691-99, Standard Practice for Conducting an Interlaboratory Study to Determine the Precision of a Test Method. American National Standards Institute. Washington, D.C. Available: <http://www.ansi.org/> [accessed 01 November 2006].

ATSDR. 1999a. Toxicological Profile for Cadmium. Update PB/99/166621. U.S. Dept. of Health and Human Services. Atlanta, GA:Agency for Toxic Substances and Disease Registry. Available: <http://www.atsdr.cdc.gov/toxpro2.html> [accessed 01 November 2006].

ATSDR. 1999b. Toxicological Profile for Diethyl phthalate. PB/95/264214/AS. U.S. Dept. of Health and Human Services. Atlanta, GA:Agency for Toxic Substances and Disease Registry. Available: <http://www.atsdr.cdc.gov/toxpro2.html> [accessed 01 November 2006].

ATSDR. 2000a. Toxicological Profile for Endosulfan. Update. PB/2000/108023. U.S. Dept. of Health and Human Services. Atlanta, GA:Agency for Toxic Substances and Disease Registry. Available: <http://www.atsdr.cdc.gov/toxpro2.html> [accessed 01 November 2006].

ATSDR. 2000b. Toxicological Profile for Chromium. Update. PB/2000/108022. U.S. Dept. of Health and Human Services. Atlanta, GA:Agency for Toxic Substances and Disease Registry. Available: <http://www.atsdr.cdc.gov/toxpro2.html> [accessed 01 November 2006].

ATSDR. 2001. Toxicological Profile for Di-n-butyl phthalate. Update. PB/2001/109104/AS. U.S. Dept. of Health and Human Services. Atlanta, GA:Agency for Toxic Substances and Disease Registry. Available: <http://www.atsdr.cdc.gov/toxpro2.html> [accessed 01 November 2006].

ATSDR. 2004a. Toxicological Profile for Pyrethrins and Pyrethroids. Update. PB2004-100004. U.S. Dept. of Health and Human Services. Atlanta, GA:Agency for Toxic Substances and Disease Registry. Available: <http://www.atsdr.cdc.gov/toxpro2.html> [accessed 01 November 2006].

ATSDR. 2004b. Toxicological Profile for Selenium. Update. PB2004-100005. U.S. Dept. of Health and Human Services. Atlanta, GA: Agency for Toxic Substances and Disease Registry. Available: <http://www.atsdr.cdc.gov/toxpro2.html> [accessed 01 November 2006].

Babich H, Martin-Alguacil N, Raul C, Rosenberg DW, Borenfreund E. 1991. Response of human cell cultures to cytotoxicants requiring metabolic activation. In: *Alternative Methods in Toxicology* (Goldberg AM, ed.), Vol. 8. New York: Mary Ann Liebert, Inc., 263-276.

Balls M, Botham PA, Bruner LH, Spielmann H. 1995. The EC/HO international validation study on alternatives to the Draize eye irritation test for classification and labelling of chemicals. *Toxicol In Vitro* 9:871-929.

Bernson V, Bondesson I, Ekwall B, Stenberg K, Walum E. 1987. A Multicentre evaluation study of *in vitro* cytotoxicity. *Altern Lab Anim* 14:144-146.

Bliss CI. 1938. The determination of the dosage-mortality curve from small numbers. *Q J Pharm Pharmacol* 11:192-214.

Bondesson I, Ekwall B, Hellberg S, Romert L, Stenberg K, Walum E. 1989. MEIC - A new international multicenter project to evaluate the relevance to human toxicity of *in vitro* cytotoxicity tests. *Cell Biol Toxicol* 5:331-347.

Borenfreund E, Puerner J. 1984. A simple quantitative procedure using monolayer cultures for cytotoxicity assays (HTD/ NR-90). *J Tissue Culture Meth* 9:7-9.

Borenfreund E, Puerner JA. 1985. Toxicity determination *in vitro* by morphological alterations and neutral red absorption. *Toxicol Lett* 24:119-124.

Botham PA. 2004. The validation of *in vitro* methods for skin irritation. *Toxicol Lett* 149:387-390.

Brantom PG, Bruner LH, Chamberlain M, De Silva O, Dupuis J, Earl LK, et al. 1997. A summary report of the COLIPA international validation study on alternatives to the Draize rabbit eye irritation test. *Toxicol In Vitro* 11:141-179.

Calabrese EJ. 2005. Cancer biology and hormesis: human tumor cell lines commonly display hormetic (biphasic) dose responses. *Crit Rev Toxicol* 35:463-582.

Canadian Centre for Occupational Health and Safety. 2005. IPCS INTOX Database. Available: <http://www.intox.org/databank/index.htm> [accessed 01 November 2006].

Casarett LJ, Klaassen CD, Doull J, eds. 2001. *Casarett and Doull's Toxicology, The Basic Science of Poisons*. 6<sup>th</sup> Edition. New York: McGraw-Hill.

Charles River Laboratories Catalog. 2002. Available: <http://www.criver.com> [accessed 01 November 2006].

Clemedson C, McFarlane-Abdulla E, Andersson M, Barile FA, Calleja MC, Chesné C, et al. 1996a. MEIC evaluation of acute systemic toxicity. Part I. Methodology of 68 *in vitro* toxicity assays used to test the first 30 reference chemicals. *Altern Lab Anim* 24 (suppl 1):51-272.

Clemedson C, McFarlane-Abdulla E, Andersson M, Barile FA, Calleja MC, Chesné C, et al. 1996b. MEIC evaluation of acute systemic toxicity. Part II. *In vitro* results from 68 toxicity assays used to test the first 30 reference chemicals and a comparative cytotoxicity analysis. *Altern Lab Anim* 24 (suppl 1):273-311.

Clemedson C, Barile FA, Ekwall Ba, Gómez-Lechón MJ, Hall T, Imai K, et al. 1998a. MEIC evaluation of acute systemic toxicity. Part III. *In vitro* results from 16 additional methods used to test the first 30 reference chemicals and a comparative cytotoxicity analysis. *Altern Lab Anim* 26 (suppl 1):93-129.

Clemedson C, Andersson M, Aoki Y, Barile FA, Bassi AM, Calleja MC, et al. 1998b. MEIC evaluation of acute systemic toxicity. Part IV. *In vitro* results from 67 toxicity assays used to test reference chemicals 31-50 and a comparative cytotoxicity analysis. *Altern Lab Anim* 26 (suppl 1):131-183.

Clemedson C, Nordin-Andersson M, Bjerregaard H.F, Clausen J, Forsby A, Gustafsson H, Hansson U, Isomaa B, Jorgensen C, et al. 2002. Development of an *in vitro* test battery for the estimation of acute human systemic toxicity: an outline of the EDIT project. *Altern Lab Anim* 30:313-321.

Clemedson C. 2005. A-Cute-Tox project, an integrated project under the EU 6FP with the aim to optimize and pre-validate an *in vitro* test strategy for predicting human acute toxicity. *European Society of Toxicology In Vitro Newsletter* 18:6.

Clothier R, Willshaw A, Cox H, Garle M, Bowler H, Combes R. 1999. The use of human keratinocytes in the EU/COLIPA international *in vitro* phototoxicity test validation study and the ECVAM/COLIPA study on UV filter chemicals. *Altern Lab Anim* 27:247-259.

Coeck S, Balls M, Bowe G, Davis J, Gstraunthaler G, Hartung T, et al. 2005. Guidance on Good Cell Culture Practice. A Report of the Second ECVAM Task Force on Good Cell Culture Practice. *Altern Lab Anim* 33:261-287.

Coldwell BB, Boyd EM. 1966. The acute rectal toxicity of acetylsalicylic acid. *Can J Physiol Pharmacol* 44: 909-918.

Conolly RB, Lutz WK. 2004. Nonmonotonic dose-response relationships: mechanistic basis, kinetic modeling, and implications for risk assessment. *Toxicol Sci* 77:151-157.

Cooper-Hannan R, Harbell JW, Coecke S, Balls M, Bowe G, Cervinka, et al. 1999. The Principles of Good Laboratory Practice: application to *in vitro* toxicology studies. *Altern Lab Anim* 27:539-577.

Cosmetic Ingredient Review Panel. 1983. Final report on the safety assessment of sodium borate and boric acid. *J Am Coll Toxicol* 2:87-125.

CPSC. 2003. Commercial Practices. Hazardous Substances and Articles; Administration and Enforcement Regulations. 16CFR1500.42.

Creppy EE, Chiarappa P, Baudrimont I, Borracci P, Moukha S, Carratu MR. 2004. Synergistic effects of fumonisin B1 and ochratoxin A: are *in vitro* cytotoxicity data predictive of *in vivo* acute toxicity? *Toxicology* 201:115-23.

Curren R, Bruner L, Goldberg A, Walum E. 1998. 13th meeting of the Scientific Group on Methodologies for the Safety Evaluation of Chemicals (SGOMSEC): validation and acute toxicity testing. *Environ Health Perspect* 106 (suppl 2): 419-425.

Curren RD, Moyer GO, Wilt N, Clear ML, Sizemore AM, Mun G. 2003. Assessment of protocol variables in cytotoxicity assays utilizing BALB/c 3T3 cells and normal human keratinocytes [Abstract]. *Toxicologist* 72:157. Available: [http://www.iivs.org/pages/publication\\_view.php?doc\\_id=43](http://www.iivs.org/pages/publication_view.php?doc_id=43) [accessed 01 November 2006].

Dal Negro G, Vandin L, Bonato M, Sciuscio D. 2006. Toward refinement of the colony-forming unit-granulocyte/macrophage clonogenic assay: inclusion of a metabolic system. *Toxicol In Vitro* 20:743-9.

DOT. 2003. Shippers--General Requirements for Shipments and Packagings. Class 6, Division 6.1 – Definitions. 49CFR173.132. Available: <http://www.gpoaccess.gov/cfr/index.html> [accessed 01 November 2006].

DOT. 2003. Shippers--General Requirements for Shipments and Packagings. Assignment of Packing Group and Hazard Zones for Division 6.1 Materials. 49CFR173.133. Available: <http://www.gpoaccess.gov/cfr/index.html> [accessed 01 November 2006].

DOT. 1999. Assignment of packing group and hazard zones for Division 6.1 materials. 49CFR. SubChapter C. Available: <http://www.gpoaccess.gov/cfr/index.html> [accessed 01 November 2006].

Deichmann WB. 1969. *Toxicology of Drugs and Chemicals*. New York:Academic Press, Inc., 67.

Dixon WJ, Massey FJ. 1981. *Introduction to Statistical Analysis*, 4th ed. Milwaukee:Quality Press.

Ekwall B. 1983. Screening of toxic compounds in mammalian cell cultures. *Ann New York Acad Sci* 407:64-77.

Ekwall B, Clemedson C, Craaford B, Ekwall B, Hallander S, Walum E, Bondesson I. 1998a. MEIC evaluation of acute systemic toxicity. Part V. Rodent and human toxicity data for the 50 reference chemicals. *Altern Lab Anim* 26 (suppl 2):571-616.

Ekwall B, Clemedson C, Craaford B, Ekwall B, Hallander S, Walum E, Bondesson I. 1998b. MEIC evaluation of acute systemic toxicity. Part VI. The prediction of human toxicity by rodent LD50 values and results from 61 *in vitro* methods. *Altern Lab Anim* 26 (suppl 2):617-658.

Ekwall B, Clemedson C, Ekwall B, Ring P, Romert L. 1999. EDIT: A new international multicentre programme to develop and evaluate batteries on *in vitro* tests for acute and chronic systemic toxicity. *Altern Lab Anim* 27:339-349.

Ekwall B, Ekwall B, Sjoström M. 2000. MEIC evaluation of acute systemic toxicity: Part VIII. Multivariate partial least squares evaluation, including the selection of a battery cell line tests with a good prediction of human acute lethal peak blood concentrations for 50 chemicals. *Altern Lab Anim* 28 (suppl 1):201-234.

EPA. 1992. Reregistration Eligibility Document Citric Acid. List D, Case 4204. Office of Pesticide Programs. Washington, DC:U.S. Environmental Protection Agency. Available: <http://www.epa.gov/oppsrrd1/REDs/factsheets/4024fact.pdf> [accessed 01 November 2006].

EPA. 1995. Reregistration Eligibility Decision (RED) Diquat Dibromide. EPA 738-R-95-016. Office of Prevention, Pesticides and Toxic Substances. Washington, DC:U.S. Environmental Protection Agency. Available: <http://www.epa.gov/oppsrrd1/REDs/0288.pdf> [accessed 01 November 2006].

EPA. 1996. Trichloroacetic acid (CASRN 76-03-9) file in the Integrated Risk Information System. Office of Research and Development. Washington, DC:U.S. Environmental Protection Agency. Available: <http://www.epa.gov/iris> [accessed 01 November 2006].

EPA. 1998. Product Properties Test Guidelines OPPTS 830.7840 Water Solubility: Column Elution Method; Shake Flask Method. EPA 712-C-98-041. Washington, DC:U.S. Environmental Protection Agency.

EPA. 2000a. High Production Challenge Program. Office of Pollution Prevention and Toxics (OPPT). Washington, DC:U.S. Environmental Protection Agency. Available: <http://www.epa.gov/chemrtk/> [accessed 01 November 2006].

EPA. 2000b. Toxicological Review of Chloral Hydrate. EPA/635/R-00/006. Washington, DC:U.S. Environmental Protection Agency. Available: [www.epa.gov/iris](http://www.epa.gov/iris) [accessed 01 November 2006].

EPA. 2002a. Health Effects Test Guidelines OPPTS 870.1100 Acute Oral Toxicity. EPA 712-C-02-190. Washington, DC: U.S. Environmental Protection Agency. Available: <http://www.epa.gov/opptsfrs/home/testmeth.htm> [accessed 01 November 2006].

- EPA. 2002b. Statements of Policies and Interpretations. Toxicological and Ecological Studies. 40CFR159.165. Available: <http://www.gpoaccess.gov/cfr/index.html> [accessed 01 November 2006].
- EPA. 2002c. Health Effects Test Guidelines OPPTS 870.1000 Acute Toxicity Testing - Background. EPA 712-C-02-189. Washington, DC: U.S. Environmental Protection Agency. Available: <http://www.epa.gov/opptsfrs/home/testmeth.htm/> [accessed 01 November 2006].
- EPA. 2002d. Emergency Planning and Notification. 40CFR355. Available: [http://www.access.gpo.gov/nara/cfr/waisidx\\_00/40cfr355\\_00.html](http://www.access.gpo.gov/nara/cfr/waisidx_00/40cfr355_00.html) [accessed 01 November 2006].
- EPA. 2003a. Good Laboratory Practice Standards. Toxic Substances Control Act. 40CFR792. Available: [http://www.access.gpo.gov/nara/cfr/waisidx\\_03/40cfr792\\_03.html](http://www.access.gpo.gov/nara/cfr/waisidx_03/40cfr792_03.html) [accessed 01 November 2006].
- EPA. 2003b. Good Laboratory Practice Standards. Federal Insecticide, Fungicide, and Rodenticide Act. 40CFR160. Available: [http://www.access.gpo.gov/nara/cfr/waisidx\\_03/40cfr160\\_03.html](http://www.access.gpo.gov/nara/cfr/waisidx_03/40cfr160_03.html) [accessed 01 November 2006].
- EPA. 2004. U.S. EPA HPV Challenge Program Submission. Propanoic acid, 2-hydroxy-, compd. with 3-[2-(dimethylamino)ethyl] 1-(2-ethylhexyl) (4-methyl-1,3-phenylene)bis[carbamate] (1:1) [CASRN 68227-46-3]. Submitted by PPG Industries, Inc. Revised December 17, 2004. Available: <http://www.epa.gov/chemrtk/pubs/hpvrstp.htm> [accessed 01 November 2006].
- European Centre for the Validation of Alternative Methods. (ECVAM). 1997. Statement on the scientific validity of the 3T3 NRU PT test (an *in vitro* test for phototoxic potential). Available: <http://ecvam.jrc.it/index.htm> [accessed 01 November 2006].
- EU. 2003. Report from the Commission to the Council and the European Parliament. Third Report from the commission to the Council and the European Parliament of the statistics on the number of animals used for experimental and other scientific purposes in the member states of the European Union. Brussels, 22.01.2003, COM (2003) 19 final.
- Fautrel A, Chesné C, Guillouzo A, De Sousa G, Placidi M, Rahmani R, et al. 1993. A multicentre study of acute *in vitro* cytotoxicity in rat hepatocytes: tentative correlation between *in vitro* toxicity and *in vivo* data. *Altern Lab Anim* 21:281-284.
- FDA. 1993. Toxicological Principles for the Safety Assessment of Direct Food Additives and Color Additives Used in Food. Center for Food Safety and Applied Nutrition. Washington, DC: U.S. Food and Drug Administration.

FDA. 2003. Good Laboratory Practice for Nonclinical Laboratory Studies. 21CFR Part 58. Available: [http://www.access.gpo.gov/nara/cfr/waisidx\\_03/21cfr58\\_03.html](http://www.access.gpo.gov/nara/cfr/waisidx_03/21cfr58_03.html) [accessed 01 November 2006].

Fentem J, Fry J, Garle M, Gülden M, Seibert H, Voss J-U, et al. 1993. An International Evaluation of Selected *In Vitro* Toxicity Test Systems for Predicting Acute Systemic Toxicity. A report prepared for DGXI, CEC; Contract Numbers B92/B4-3063/14086 & B92/B4-3040/14087. Nottingham, UK:Fund for Replacement of Animals in Medical Experiments.

Fentem JH, Archer GEB, Balls M, Botham PA, Curren RD, Earl LK, et al. 1998. The ECVAM international validation study on *in vitro* tests for skin corrosivity. 2. Results and evaluation by the Management Team. *Toxicol In Vitro* 12:483-524.

Fentem JH, Briggs D, Chesne C, Elliott GR, Harbell JW, Heylings JR, et al. 2001. A prevalidation study on *in vitro* tests for acute skin irritation: results and evaluation by the Management Team. *Toxicol In Vitro* 15:57-93.

Freshney RI. 2000. Culture of Animal Cells: A Manual of Basic Technique, 4th edition. New York:Wiley-Liss.

Garle M., Fentem JH, Fry JR. 1994. *In vitro* cytotoxicity tests for the prediction of acute toxicity *in vivo*. *Toxicol In Vitro* 8:1303-1312.

Gennari A, van den Berghe C, Casati S, Castell J, Clemenson C, Coecke S, et al. 2004. Strategies to replace *in vivo* acute systemic toxicity testing. The report and recommendations of ECVAM Workshop 50. *Altern Lab Anim* 32:437-459.

Gettings SD, Bagley DM, Demetrulias JL, Dipasquale LC, Hintze KL, Rozen MG, et al. 1991. The CTFA evaluation alternatives program: An evaluation of *in vitro* alternatives to the Draize primary eye irritation test. (Phase I) Hydro-alcoholic formulations; (Part 2) Data analysis and biological significance. *In Vitro Toxicol* 4:247-288.

Gettings SD, Bagley DM, Chudkowski M, Demetrulias JL, Dipasquale LC, Galli CL et al. 1992. Development of potential alternatives to the Draize eye test - The CTFA evaluation of alternatives program - Phase II - Review of materials and methods. *Altern Lab Anim* 20:164-171.

Gettings SD, Dipasquale LC, Bagley DM, Casterton PL, Chudkowski M, Curren RD, et al. 1994a. The CTFA evaluation of alternatives program: An evaluation of *in vitro* alternatives to the Draize primary eye irritation test. (Phase II) Oil/water emulsions. *Food Chem Toxicol* 32:943-976.

Gettings SD, Hintze KL, Bagley DM, Casterton PL, Chudkowski M, Curren RD, et al. 1994b. The CTFA evaluation of alternatives program: Phase III (surfactant-based formulations). *In Vitro Toxicol* 7:166.



Gettings SD, Lordo RA, Hintze KL, Bagley DM, Casterton PL, Chudkowski M, et al. 1996. The CFTA evaluation of alternatives program: An evaluation of *in vitro* alternatives to the Draize primary eye irritation test. (Phase III) Surfactant-based Formulations. *Food Chem Toxicol* 34:79-117.

Gilman AG, Goodman LS, Rall TW, Murad F (eds.). 1985. Goodman and Gilman's *The Pharmacological Basis of Therapeutics*, 7th Edition. New York:Macmillan Publishing Co.

Glaxo Wellcome. 2000. Myleran (busulfan) Product Information. Research Triangle Park, NC:Glaxo Wellcome, Inc.

GraphPad Software. 1994-2000. Prism<sup>®</sup> version 3.0a for Macintosh. GraphPad Software, San Diego, California. Available: [www.graphpad.com](http://www.graphpad.com) [accessed 01 November 2006].

Grisham JW, Smith GJ. 1984. Predictive and Mechanistic Evaluation of Toxic Responses in Mammalian Cell Culture Systems. *Pharmacol Rev* 36(suppl):151S-171S.

Gülden M, Dierickx P, Seibert H. 2006. Validation of a prediction model for estimating serum concentrations of chemicals which are equivalent to toxic concentrations *in vitro*. *Toxicol In Vitro* 20:1114-1124.

Guzzie PJ. 1994. Lethality testing. In: *In Vitro Toxicology* (Gad SC, ed). New York:Raven Press, 57-86.

Hackenberg U, Bartling H. 1959. Messen und Rechnen im pharmakologischen Laboratorium mit einem speziellen Zahlensystem (WL24-System). *Arch Exp Pathol Pharmacol* 235:437-463.

Halle W, Liebsch M, Traue D, Spielmann H. 1997. Reduktion der Tierzahlen bei der Einstufung von Stoffen in die EU-Toxizitätsklassen für akute orale Toxizität mit Hilfe von Daten aus dem Register der Zytotoxizität (RC). *ALTEX* 14:8-15.

Halle W. 1998. Toxizitätsprüfungen in Zellkulturen für eine Vorhersage der akuten Toxizität (LD<sub>50</sub>) zur Einsparung von Tierversuchen. *Life Sciences/ Lebenswissenschaften*, Volume 1, Jülich: Forschungszentrum Jülich.

Halle W. 2003. The Registry of Cytotoxicity: Toxicity testing in cell cultures to predict acute toxicity (LD<sub>50</sub>) and to reduce testing in animals. *Altern Lab Anim* 31:89-198. (*English translation of Halle 1998*)

Halle W, Spielmann H. 1992. Two procedures for the prediction of acute toxicity (LD<sub>50</sub>) from cytotoxicity data. *Altern Lab Anim* 20:40-49.

Hardman JG, Limbird LE, Molinoff PB, Ruddon RW, Gilman AG, eds. 1996. Goodman and Gilman's *The Pharmacological Basis of Therapeutics*, 9th Edition. New York:McGraw-Hill.



Harlan Company. 2002. Available: <http://www.harlan.com/us/index.htm> [accessed 01 November 2006].

Harbell JW, Koontz SW, Lewis RW, Lovell D, Acosta D. 1997. IRAG working group 4. Cell cytotoxicity assays. Interagency Regulatory Alternatives Group. Food Chem Toxicol 35:79-126.

Hartung T, Balls M, Bardouille C, Blanck O, Coecke S, Gstrauchaler G, et al. 2002. Good cell culture practice: ECVAM Good Cell Culture Practice Task Force report 1. Altern Lab Anim 30:407-414. Available: <http://ecvam.jrc.it/publication/index5007.html> [accessed 01 November 2006].

Heimann R, Rice RH. 1983. Rat esophageal and epidermal-keratinocytes - intrinsic differences in culture and derivation of continuous lines. J Cell Physiol 117:362-367.

Hintze KL, Janus J, Marenus KD, Muscatiello MJ, Pape WJW, Renskers KJ, et al. 1992. Development of potential alternatives to the Draize eye test - The CTFA evaluation of alternatives program - Phase II - Review of materials and methods. Altern Lab Anim 20:164-171.

Hunter WJ, Lingk W, Recht JP. 1979. Intercomparison study on the determination of single administration toxicity in rats. J Assoc Off Anal Chem 62:864-873.

Hyclone<sup>®</sup>. 1996. Heat inactivation – are you wasting your time? Art to Science 15:1-5. Available: <http://www.hyclone.com/library/arttoscience.htm> [accessed 27 July 2006].

ICCVAM. 2000. The Revised Up-and-Down Procedure: A Test Method for Determining the Acute Oral Toxicity of Chemicals and Products. Proposed Test Method and Background Review Document. Research Triangle Park, NC:National Institute for Environmental Health Sciences. Available: <http://iccvam.niehs.nih.gov/> [01 November 2006].

ICCVAM. 2001a. Report Of The International Workshop On *In Vitro* Methods For Assessing Acute Systemic Toxicity. NIH Publication No. 01-4499. Research Triangle Park, NC:National Institute for Environmental Health Sciences. Available: <http://iccvam.niehs.nih.gov/> [accessed 01 November 2006].

ICCVAM. 2001b. Guidance Document On Using *In Vitro* Data To Estimate In Vivo Starting Doses For Acute Toxicity. NIH Publication No. 01-4500. Research Triangle Park, NC:National Institute for Environmental Health Sciences. Available: <http://iccvam.niehs.nih.gov/> [accessed 01 November 2006].

ICCVAM. 2001c. The Revised Up-and-Down Procedure: A Test Method for Determining the Acute Oral Toxicity of Chemicals. NIH Publication No. 02-4501. Research Triangle Park, NC:National Institute for Environmental Health Sciences. Available: <http://iccvam.niehs.nih.gov/> [accessed 01 November 2006].

ICCVAM. 2003. ICCVAM Guidelines for the Nomination and Submission of New, Revised, and Alternative Test Methods. NIH Publication No. 03-4508. Research Triangle Park, NC:National Institute for Environmental Health Sciences. Available: <http://iccvam.niehs.nih.gov/> [accessed 01 November 2006].

ICCVAM. 2006. Peer Review Panel Report: The Use of *In Vitro* Basal Cytotoxicity Test Methods for Estimating Starting Doses for Acute Oral Systemic Toxicity Testing. Research Triangle Park, NC: National Institute for Environmental Health Sciences. Available: <http://iccvam.niehs.nih.gov/methods/invitro.htm> [accessed 02 August 2006].

IOM. 2004. Forging a Poison Prevention and Control System. Washington: National Academies Press.

INVITTOX. 1991. The FRAME Modified Neutral Red Uptake Cytotoxicity Test. Protocol Number 3 (IP-3A). Available: <http://embryo.ib.amwaw.edu.pl/invittox/> [accessed 01 November 2006].

Karczmar A. 1998. Invited review: Anticholinesterases: dramatic aspects of their use and misuse. *Neurochem Int* 32:401-411.

King AV, Jones PA. 2003. In-house assessment of a modified *in vitro* cytotoxicity assay for higher throughput estimation of acute toxicity. *Toxicol In Vitro* 17:717-22.

Knox P, Uphill PF, Fry JR, Benford J, Balls M. 1986. The FRAME multicentre project on *in vitro* cytotoxicity. *Food Chem Toxicol* 24:457-463.

Kohn J, Durham HD. 1993. S9 liver fraction is cytotoxic to neurons in dissociated culture. *Neurotoxicology* 14:381-386.

Life Technologies, Inc. 1997. Culture of human keratinocytes in defined serum-free medium. *Focus* 19:1-5. Available: <http://www.invitrogen.co.jp/focus/191002.pdf> [accessed 27 July 2006].

Lipnick RL, Cotruvo JA, Hill RN, Bruce RD, Stitzel KA, Walker AP, et al. 1995. Comparison of the up-and-down, conventional LD50, and fixed-dose acute toxicity procedures. *Food Chem Toxicol* 33:223-231.

Litchfield JT, Wilcoxon F. 1949. A simplified method of evaluating dose-effect experiments. *J Pharmacol Exp Therap* 96:99-113.

Litovitz TL, Klein-Schwartz W, White S, Cobaugh DJ, Youniss J, Drab A, et al. 2000. 1999 Annual report of the american association of poison control centers toxic exposure surveillance system. *Am J Emerg Med* 18:517-574.

The MathWorks. 1996-2004. MATLAB<sup>®</sup> software. Natick, MA:The MathWorks, Inc.

Matsuno T, Masuda, Shimizu. 1971. Pipobroman: acute toxicity and general toxicological reaction. *Kiso to Rinsho Clinical Report* 5:1894-1917.

MDL Information Systems 2001, 2002. Registry of Toxic Effects of Chemical Substances (RTECS<sup>®</sup>) accessed online by subscription.

Mediatech, Inc. 2006. Heat Inactivation of Serum. Technical Information #S055.0303.001. Available: <http://cellgro.bizatomic.net/shop/customer/home.php> [accessed 27 July 2006].

Microsoft Corporation. 1998-2001. Microsoft<sup>®</sup> Excel<sup>®</sup> 2000 software for Mac<sup>®</sup>. Redmond, WA:Microsoft Corporation.

Miller LC, Tainter ML. 1944. Estimation of the LD50 and its error by means of logarithmic-probit graph paper. *Proc Soc Exp Biol Med* 57:261-264.

Miyazaki H, Sekine T, Endou H. 2004. The multispecific organic anion transport family: properties and pharmacological significance. *Trends Pharmacol Sci* 25:654-662.

National Toxicology Program. 2002. Annual Plan For Fiscal Year 2002. Public Health Service, Department of Health and Human Services. NIH Publication No. 03-5309. Research Triangle Park, NC:National Institute for Environmental Health Sciences. Available: <http://ntp.niehs.nih.gov/index.cfm?objectid=03611496-026C-BB0F-B2A1527014B2D4B1> [accessed 01 November 2006].

NLM. 2005. Haz-Map, Occupational Exposure to Hazardous Agents, Specialized Information Services, National Institutes of Health, Department of Health & Human Services. Washington, DC:National Library of Medicine. Available: <http://hazmap.nlm.nih.gov/> [accessed 01 November 2006].

NLM. 2000, 2001, 2002, 2005. Hazardous Substances Data Bank. Accessed online via TOXNET. National Institutes of Health, Department of Health & Human Services. Washington, DC:National Library of Medicine. Available: <http://toxnet.nlm.nih.gov/cgi-bin/sis/htmlgen?HSDB> [accessed 01 November 2006].

Occupational Safety and Health Act. 2003. Toxic and Hazardous Substances. Hazard Communication 29CFR1910.1200. Available: <http://www.gpoaccess.gov/cfr/index.html> [accessed 01 November 2006].

Occupational Safety and Health Act. 2000. Labeling Requirements for Pesticides and Devices. Labeling Requirements. 40CFR156.10. Available: <http://www.gpoaccess.gov/cfr/index.html> [accessed 01 November 2006].

OECD. 1998. OECD Series on Principles of Good Laboratory Practice and Compliance Monitoring Number 1: OECD principles on Good Laboratory Practice. (as revised in 1997). ENV/MC/CHEM(98)17. Paris:Organisation for Economic Co-operation and Development. Available: <http://www.oecd.org> [accessed 01 November 2006].

- OECD. 2000. Guidance Document on the Recognition, Assessment and Use of Clinical Signs as Humane Endpoints for Experimental Animals Used in Safety Evaluation. Environmental Health and Safety Monograph Series on Testing and Assessment No. 19. Paris, France:Organisation for Economic Co-operation and Development. Available: <http://www.oecd.org> [accessed 01 November 2006].
- OECD. 2001a. Guideline for Testing of Chemicals, 425, Acute Oral Toxicity – Up-and-Down Procedure. Paris, France:Organisation for Economic Co-operation and Development. Available: <http://www.oecd.org> [accessed 01 November 2006].
- OECD. 2001b. OECD Series on Testing and Assessment, 33, Harmonized Integrated Classification System for Human Health and Environmental Hazards of Chemical Substances and Mixtures. ENV/JM/MONO(2001)6. Paris, France:Organisation for Economic Co-operation and Development. Available: <http://www.oecd.org> [accessed 01 November 2006].
- OECD. 2001c. Guideline for Testing of Chemicals, 420, Acute Oral Toxicity – Fixed Dose Method. Paris, France:Organisation for Economic Co-operation and Development. Available: <http://www.oecd.org> [accessed 01 November 2006].
- OECD. 2001d. Guideline For Testing of Chemicals, 423, Acute Oral Toxicity – Acute Toxic Class Method. Paris, France:Organisation for Economic Co-operation and Development. Available: <http://www.oecd.org> [accessed 01 November 2006].
- OECD. 2001e. Guidance Document on Acute Oral Toxicity Testing. 24. Paris, France:Organisation for Economic Co-operation and Development. Available: <http://www.oecd.org> [accessed 01 November 2006].
- OECD. 2004a. OECD Series on Principles of Good Laboratory Practice and Compliance Monitoring Number 14: Advisory Document of the Working Group on Good Laboratory Practice: The Application of the Principles of GLP to *In Vitro* Studies. ENV/JM/MONO (2004)26. Paris, France:Organisation for Economic Co-operation and Development. Available: <http://www.oecd.org> [accessed 01 November 2006].
- OECD. 2004b. Guideline for Testing of Chemicals, 432, *In Vitro* 3T3 NRU Phototoxicity Test. Paris, France:Organisation for Economic Co-operation and Development. Available: <http://www.oecd.org> [accessed 01 November 2006].
- Orphan Medical, Inc. 1999. NDA 20-954 Busulfex™ (busulfan) Injection. NDA 20-954. Available: [www.fda.gov/cder/foi/label/1999/20954lbl.pdf](http://www.fda.gov/cder/foi/label/1999/20954lbl.pdf) [accessed 01 November 2006].
- Pesticide Action Network North America. 2005. Pesticide Action Network [PAN] Pesticides Database. Available: <http://www.pesticideinfo.org/Index.html> [accessed 01 November 2006].
- Peloux AF, Federici C, Bichet N, Gouy D, Cano JP. 1992. Hepatocytes in primary culture: an alternative to LD<sub>50</sub> testing? Validation of a predictive model by multivariate analysis. *Altern Lab Anim* 20:8-26.

Phillips JC, Gibson WB, Yam J, Alden CL, Hard GC. 1990. Survey of the QSAR and *in vitro* approaches for developing non-animal methods to supersede the *in vivo* LD50 test. Food Chem Toxicol 28:375-394.

Raabe HA, Moyer GO, Mun GC, Sizemore AM, Harbell JW, Merrill JC. 2004. Induction of a zone of cell death in multi-well plates by refeeding [Abstract]. Toxicologist 78:50. Available: [http://www.iivs.org/pages/publication\\_view.php?doc\\_id=45](http://www.iivs.org/pages/publication_view.php?doc_id=45) [accessed 28 August 2006].

Rasmussen ES. 1999 Cytotoxicity of MEIC chemicals nos. 11-30 in 3T3 mouse fibroblasts with and without microsomal activation. In Vitro Mol Toxicol 12:125-132.

Riddell RJ, Panacer DS, Wilde SM, Clothier RH, Balls M. 1986. The importance of exposure period and cell type in *in vitro* cytotoxicity tests. Altern Lab Anim 14:86-92.

Roguet R, Colovio J, Gaetani Q., Sossou KG, Rogier A. 1993. Cytotoxicity of 28 MEIC chemicals to rat hepatocytes using two viability endpoints: correlation with acute toxicity data in rat and man. Altern Lab Anim 21:216-224.

SAS Institute, Inc. 1999. SAS/STAT User's Guide Version 8. Cary, NC:SAS Institute, Inc.

Schlede E, Mischke U, Roll R, Kayser D. 1992. A national validation study of the acute-toxic-class method--an alternative to the LD50 test. Arch Toxicol 66:455-470.

Schlede E, Mischke U, Diener W, Kayser D. 1995. The international study of the acute toxic class method (oral). Arch Toxicol 69:659-670.

Schmahl D, Osswald H. 1970. Experimental studies on the carcinogenic effects of anticancer chemotherapeutics and immunosuppressive agents. Arzneimittelforschung 20:1461-1467.

Seibert H, Gulden M, Kolossa M, Schepers G. 1992. Evaluation of the relevance of selected *in vitro* toxicity test systems for acute systemic toxicity. Altern Lab Anim 20:240-245.

Seibert H, Balls M, Fentem JH, Bianchi V, Clothier RH, Dierickx PJ, et al. 1996. Acute toxicity testing *in vitro* and the classification and labelling of chemicals. The report and recommendations of ECVAM Workshop 16. Altern Lab Anim 24:499-510.

Sina JF, Galer DM, Sussman RG, Gautheron PD, Sargent EV, Leong B, et al. 1995. A collaborative evaluation of seven alternatives to the Draize eye irritation test using pharmaceutical intermediates. Fundam Appl Toxicol 26:20-31.

Sekine T, Cha SH, Endou H. 2000. The multispecific organic anion transporter (OAT) family. Pflugers Arch 440:337-350.

Spielmann H, Genschow E, Liebsch M, Halle W. 1999. Determination of the starting dose for acute oral toxicity (LD<sub>50</sub>) testing in the up and down procedure (UDP) from cytotoxicity data. *Altern Lab Anim* 27:957-966.

Spielmann H, Balls M, Dupuis J, Pape WJW, Pechovitch G, de Silva O, et al. 1998. EU/COLIPA "In Vitro Phototoxicity" Validation Study, Results of Phase II (blind trial), Part 1: the 3T3 NRU phototoxicity test. *Toxicol In Vitro* 12:305-327.

Spielmann H, Balls M, Dupuis J, Pape WJW, De Silva O, Holzhütter HG, et al. 1998b. A study on the phototoxic potential of UV filter chemicals from Annex VII of EU Directive 76/768/EEC in the 3T3 NRU *in vitro* phototoxicity test. *Altern Lab Anim* 26:679-705.

Spielmann H, Liebsch M, Kalweit S, Moldenhauer F, Wirnsberger T, Holzhütter HG, et al. 1996. Results of a validation study in Germany on two *in vitro* alternatives to the Draize eye irritation test, the HET-CAM test and the 3T3 NRU cytotoxicity test. *Altern Lab Anim* 24:741-858.

Spielmann H, Kalweit S, Liebsch M, Wirnsberger T, Gerner I, Bertram-Neis E, et al. 1993. Validation study of alternatives to the Draize eye irritation test in Germany: Cytotoxicity testing and HET-CAM test with 136 industrial chemicals. *Toxicol In Vitro* 7:505-510.

Spielmann H, Gerner S, Kalweit S, Moog R, Wirnsberger T, Krauser K, et al. 1991. Interlaboratory assessment of alternatives to the Draize eye irritation test in Germany. *Toxicol In Vitro* 5:539-542.

Stallard N, Whitehead A. 2004. A statistical evaluation of the fixed dose procedure. *Altern Lab Anim* 32(suppl 2):13-21.

Taconic Farms, Inc. 2002. Taconic Farms Animal Models, Sprague Dawley® Outbred Rats. Available: <http://www.taconic.com/anmodels/spragued.htm> [accessed 01 November 2006].

Thompson WR. 1947. Use of moving averages and interpolation to estimate median-effective dose. *Bacteriol Rev* 11:115-145.

Thomson PDR®. 2004. Physicians' Desk Reference, 58th edition. Montvale, NJ:Thomson PDR.

Triglia D, Wegener PT, Harbell J, Wallace K, Mathesen D, Shopsis C. 1989. Interlaboratory validation study of the keratinocyte neutral red bioassay from Clonetics Corporation. In: *In Vitro Toxicology, New Directions* (Goldberg A, ed ). *Alternative Methods in Toxicology*, Volume 7. New York:Mary Ann Liebert, 357-365.

Tsao MC, Walthall BJ, Ham RG. 1982. Clonal growth of normal human epidermal-keratinocytes in a defined medium. *J Cell Physiol* 110: 219-229.

UN. 1977. United Nations Economic and Social Council. Joint meeting of the RID safety committee and the group of experts on the transportation of dangerous goods. Trans/GE 15/R 274, 2. New York and Geneva:United Nations.

UN. 2005. Globally Harmonized System of Classification and Labelling of Chemicals (GHS), First Revised Edition. [ST/SG/AC.10/30/Rev.1]. New York and Geneva:United Nations. Available: [http://www.unece.org/trans/danger/publi/ghs/ghs\\_rev01/01files\\_e.html](http://www.unece.org/trans/danger/publi/ghs/ghs_rev01/01files_e.html) [accessed 01 November 2006].

Vernot EH, MacEwen JD, Haun CC, Kinkead ER. 1977. Acute toxicity and skin corrosion data for some organic and inorganic compounds and aqueous solutions. *Toxicol Appl Pharmacol* 42:417-423.

Wallum E. 1998. Acute oral toxicity. *Environ Health Perspect* 106:497-503.

Weil CS. 1952. Tables for convenient calculation of median effective dose (LD50 or ED50) and instructions in their use. *Biometrics* 8:249-263.

Weil CS, Wright GJ. 1967. Intra- and interlaboratory comparative evaluation of single oral test. *Toxicol Appl Pharmacol* 11:378-388.

WHO. 1998. The WHO Recommended Classification of Pesticides by Hazard and Guidelines to Classification 1998-1999. International Programme of Chemical Safety. WHO/PCS/98.21. Geneva:World Health Organization.

Willshaw A, Moore LJ, Balls M. 1994. *In vitro* alternatives for the detection of photoirritant chemicals - the EEC COLIPA trial. *Toxicol In Vitro* 8:723-725.

Zbinden G, Flury-Roversi M. 1981. Significance of the LD50-test for the toxicological evaluation of chemical substances. *Arch Toxicol* 47:77-99.

Zuang V, Balls M, Botham PA, Coquett A, Corsini E, Curren RD, et al. 2002. Follow-up to the ECVAM prevalidation study on *in vitro* tests for acute skin irritation. *Altern Lab Anim* 30:109-129.



***[This Page Intentionally Left Blank]***