

ICCVAM Evaluation of the Current Validation Status of *In Vitro* Test Methods Proposed for Identifying Eye Injury Hazard Potential of Chemicals and Products

Relevant References

Key General References

Draize J, Woodard G, Calvery H. 1944. Methods for the study of irritation and toxicity of substances applied topically to the skin and mucous membranes. *J Pharmacol Exp Ther* 82:377-390.

EPA. 1998. Health Effects Test Guideline, OPPTS 870.2400 Acute Eye Irritation. EPA 712-C-98-195. U.S. Environmental Protection Agency: Washington, DC.

ICCVAM. 1997. Validation and Regulatory Acceptance of Toxicological Test Methods: A Report of the ad hoc Interagency Coordinating Committee on the Validation of Alternative Methods. NIH Publication No.: 97-3981. Research Triangle Park:National Institute of Environmental Health Sciences.

ICCVAM. 2003. ICCVAM Guidelines for the Nomination and Submission of New, Revised, and Alternative Test Methods. NIH Publication No: 03-4508. Research Triangle Park:National Institute of Environmental Health Sciences.

ICCVAM. 2006. ICCVAM Test Method Evaluation Report: In Vitro Ocular Toxicity Methods for Identifying Severe Irritants and Corrosives. NIH Publication No: 07-4517. Research Triangle Park:National Institute of Environmental Health Sciences.

National Research Council (NRC). 2009. Recognition and Alleviation of Pain in Laboratory Animals: A Report of the NRC Committee on Recognition and Alleviation of Pain in Laboratory Animals (Available <http://www.nap.edu/catalog/12526.html>).

OECD. 2002. Test guideline 405. Acute eye irritation/corrosion, adopted April 24, 2002. In: OECD Guidelines for Testing of Chemicals. OECD, Paris.

Spielmann H et al. 1996. Results of a Validation Study in Germany on Two In Vitro Alternatives to the Draize Eye Irritation Test, the HET-CAM Test and the 3T3 NRU Cytotoxicity Test. *ATLA* 24:741-858.

UN. 2007. Globally Harmonised System of Classification and Labelling of Chemicals (GHS). New York & Geneva:United Nations Publications.

Isolated Chicken Eye Test Method

Balls M, Botham PA, Bruner LH, Spielmann H. 1995. The EC/HO international validation study on alternatives to the Draize eye irritation test. *Toxicol In Vitro* 9:871-929.

Botham JW, McKillop CM, Purchase IFH. 1989. Acute and topical toxicity profiles for substances involved in the in vitro validation of the in vivo ocular irritation model. In: Collaborative Study on the Evaluation of Alternative Methods to the Eye Irritation Test. EC Document XI/632/91, V/E/1/131/91. Commission of the European Communities.

CPSC. 2003. Commercial practices. Hazardous Substances and Articles; Administration and Enforcement Regulations. 16 CFR 1500.42.

EPA. 1996. Label Review Manual: 2nd Ed. EPA737-B-96-001. Washington:U.S. Environmental Protection Agency.

EPA. 2003a. Good Laboratory Practice Standards. Toxic Substances Control Act. 40 CFR 792.

EPA. 2003b. Good laboratory practice standards. 40CFR160.

EU. 2001. Commission Directive 2001/59/EC of 6 August 2001 adapting to technical progress for the 28th time Council Directive 67/548/EEC on the approximation of the laws, regulations and administrative provisions relating to the classification, packaging and labelling of dangerous substances. Official Journal of the European Communities L255:1-333.

EU. 2004. Commission Directive 2004/73/EC of 29 April 2004 adapting to technical progress for the 29th time Council Directive 67/548/EEC on the approximation of laws, regulations and administrative provisions relating to the classification, packaging and labeling of dangerous substances. Official Journal of the European Union L152:1-316.

FDA. 2003. Good laboratory practice for nonclinical laboratory studies. 21CFR58.

ICCVAM. 2006. Current Status of In Vitro Test Methods for Identifying Ocular Corrosives and Severe Irritants: Isolated Chicken Eye Test Method. NIH Publication No. 06-4513. Research Triangle Park, NC:National Institute of Environmental Health Sciences.

ICCVAM Authorization Act of 2000. 2000. Public Law 106-545 [114 Stat. 2721].

INVITTOX. 1994. Protocol No. 80: Chicken enucleated eye test (CEET). Available: <http://ecvam-sis.jrc.it/invittox/static/index.html>. [accessed 18 February 2004].

MeSH Medical Subject Heading. Available: <http://www.nlm.nih.gov/mesh> [accessed 12 July 2005].

Occupational Safety and Health Act of 1970 (OSHA) (link to webpage on U.S. Occupational Safety and Health Administration website). 1970. Public Law 91-596

OECD. 1998. OECD Series on Principles of Good Laboratory Practice and Compliance Monitoring Number 1: OECD principles on Good Laboratory Practice (as revised in 1997). ENV/MC/CHEM(98)17. OECD, Paris.

Prinsen MK. 1991a. Acute eye irritation/corrosion study with 1-butanol in albino rabbits. TNO-report V91.187/210069, November 1991. Dept. of Biological Toxicology, TNO Toxicology and Nutrition Institute, Zeist, The Netherlands. (Available on request)

Prinsen MK. 1991b. Acute eye irritation/corrosion study with 2-methoxyethanol in albino rabbits. TNO-report V91.188/210069, November 1991. Dept. of Biological Toxicology, TNO Toxicology and Nutrition Institute, Zeist, The Netherlands. (Available on request)

Prinsen MK. 1996. The chicken enucleated eye test (CEET): A practical (pre)screen for the assessment of eye irritation/corrosion potential of test materials. Food Chem Toxicol 34:291-296.

Prinsen MK. 2000. Chicken enucleated eye test with reference surfactants and siloxane polymers in Phase II of the reference standard validation project; an ex vivo alternative to the Draize eye irritation test with rabbits. TNO Report V99.521b. Unpublished report provided directly to NICEATM by M Prinsen, TNO Nutrition and Food Research Institute.

Prinsen MK. 2005. In vitro and in vivo data for 94 substances tested in the isolated chicken eye test. Unpublished data provided directly to NICEATM by MK Prinsen, TNO Nutrition and Food Research Institute.

Prinsen MK, Koëter BWM. 1993. Justification of the enucleated eye test with eyes of slaughterhouse animals as an alternative to the Draize eye irritation test with rabbits. Food Chem Toxicol 31:69-76.

Russell WMS, Burch RL. 1992. The Principles of Humane Experimental Technique. 14th ed. South Mimms, Potters Bar, Herts:Universities Federation for Animal Welfare.

Bovine Corneal Opacity and Permeability Test Method

AMCP Background Review Document (BRD). 2008. Submission to ICCVAM: An in vitro approach of EPA toxicity labeling of anti-microbial cleaning products and annexes A-G (<http://iccvam.niehs.nih.gov/methods/ocutox/antimicro/BRD.pdf>).

Bailey PT, Freeman JJ, Phillips RD, Merrill JC. 2004. Validation of the BCOP assay as a predictor of ocular irritation of various petrochemical products. Poster presentation at the Society of Toxicology 2004 meeting.

Balls M, Botham PA, Bruner LH, Spielmann H. 1995. The EC/HO international validation study on alternatives to the Draize eye irritation test. Toxicol In Vitro 9:871- 929.

- Berdasco N, Gilbert K, Lacher J, and Mattsson J. 1996. Low rate of severe injury from dermal and ocular irritation tests and the validity of using fewer animals. *Journal of the American College of Toxicology*. 15:177-193.
- Calabrese EJ. 1983. *Dermatotoxicity: Predictive Models*. In: *Principles of Animal Extrapolation*. Wiley Interscience: New York.
- Carpenter CP, Smyth HF. 1946. Chemical burns of the rabbit cornea. *Am J Ophthalmol*. 29:60-73.
- Cater KC and Harbell JW. 2006. Prediction of eye irritation potential of surfactant-based rinse-off personal care formulations by the bovine corneal opacity and permeability (BCOP) assay. *Cut and Ocular Toxicol* 25:217-233.
- Cater KC and Harbell JW. 2008. Comparison of in vitro eye irritation potential by bovine corneal opacity and permeability (BCOP) assay to erythema scores in human eye sting test of surfactant-based formulations. *Cut and Ocular Toxicol* 27:77-85.
- CPSC. 2003. Commercial practices. Hazardous Substances and Articles. 16CFR1500.42.
- Debbasch C, Ebenhahn C, Dami N, Pericoi M, Van den Berghe C, Cottin M, and Nohynek GJ. 2005. Eye irritation of low-irritant cosmetic formulations: correlation of in vitro results with clinical data and product comparison. *Food and Chem Toxicol*. 43:155-165.
- ECETOC. 1998. Eye Irritation – Reference Chemicals Data Bank. Technical Report No. 48(2). European Centre for Ecotoxicology and Toxicology of Chemicals, Brussels.
- EEC. 1984. Acute Toxicity – Eye Irritation. In Directive 67/548 (6th adaption); Annex V, Part B: Methods for the Determination of Toxicity. Official Journal of the European Community 27 L251, 109.
- EEC. 1991. Classification of irritant substances and preparations. Official Journal of the European Community. L180, 52.
- EPA. 1996. Label Review Manual. 2nd Edition. EPA737-B-96-001. U.S. Environmental Protection Agency: Washington, DC.
- EPA. 2003a. Good Laboratory Practice Standards. Toxic Substances Control Act. 40 CFR 792.
- EPA. 2003b. Good laboratory practice standards. 40CFR160.
- EU. 2001. Commission Directive 2001/59/EC of 6 August 2001 adapting to technical progress for the 28th time Council Directive 67/548/EEC on the approximation of the laws, regulations and administrative provisions relating to the classification, packaging and

labelling of dangerous substances. Official Journal of the European Communities L255:1-333.

EU. 2004. Manual of Decisions for Implementation of the Sixth and Seventh Amendments to Directive 67/548/EEC on Dangerous Substances (Directives 79/831/EEC and 92/32/EEC). European Chemicals Bureau, IHCP, European Commission DG-JRC, report n. EUR 20519 EN, updated version of July 2004. Available: <http://ecb.jrc.it/new-chemicals> [accessed 14 October 2004].

FDA. 2003. Good laboratory practice for nonclinical laboratory studies. 21CFR58.

Gautheron P, Giroux J, Cottin M, Audegond L, Morilla A, Mayordomo-Blanco L, Tortajada A, Haynes G, Vericat JA, Pirovano R, Tos EG, Hagemann C, Vanparys P, Deknudt G, Jacobs G, Prinsen M, Kalweit S, Spielmann H. 1994. Interlaboratory assessment of the bovine corneal opacity and permeability (BCOP) assay. *Toxicol In Vitro* 8(3):381-392.

ICCVAM Authorization Act of 2000. 2000. Public Law 106-545 [114 Stat. 2721].

ICCVAM. 2006. Background Review Document: Current Status of In Vitro Test Methods for Identifying Ocular Corrosives and Severe Irritants: Bovine Corneal Opacity and Permeability Test Method. NIH Publication No: 06-4512. Research Triangle Park: National Toxicology Program.

Kay JH, Calandra JC. 1962. Interpretation of eye irritation tests. *J Soc Cosmet Chem* 13:281-289.

OECD. 1998. OECD Series on Principles of Good Laboratory Practice and Compliance Monitoring Number 1: OECD principles on Good Laboratory Practice (as revised in 1997). ENV/MC/CHEM(98)17. OECD, Paris.

Prinsen MK and Koeter HB. 1993. Justification of the enucleated eye test with eyes of slaughterhouse animals as an alternative to the Draize eye irritation test with rabbits. 1993. *Food Chem Toxicol.* 31(1):69-76.

Prinsen MK. 2000. Chicken enucleated eye test with reference surfactants and siloxane polymers in Phase II of the reference standard validation project; an ex vivo alternative to the Draize eye irritation test with rabbits. TNO Report V99.521b. Unpublished report provided directly to NICEATM by M Prinsen TNO Nutrition and Food Research Institute.

Russell WMS, Burch RL. 1992. The principles of humane experimental technique. 14th ed. Universities Federation for Animal Welfare: South Mimms, Potters Bar, Herts, England.

Sina JF, Galer DM, Sussman RG, Gautheron PD, Sargent EV, Leong B, Shah PV, Curren RD, Miller K. 1995. A collaborative evaluation of seven alternatives to the Draize eye irritation test using pharmaceutical intermediates. *Fundam Appl Toxicol* 26:20-31.

Southee JA. 1998. Evaluation of the Prevalidation Process. Part 2, final report. Volume 2. The Bovine Corneal Opacity and Permeability (BCOP) Assay. European Community Contract No. 11279-95-10F 1ED ISP GB.

Swanson JE, Harbell JW. 2000. Evaluating the eye irritancy potential of ethanolic test materials with the bovine corneal opacity and permeability assay. *The Toxicologist* 54(1):188-189.

Swanson JE, Lake LK, Donnelly TA, Harbell JW, Huggins J. 1995. Prediction of ocular irritancy of full-strength cleaners and strippers by tissue equivalent and bovine corneal assays. *J Toxicol - Cut and Ocular Toxicol* 14(3):179-195.

Van Goethem F, Adriaens E, Alepee N, Straube F, De Wever B, Cappadoro M, Catoire S, Hansen E, Wolf A, and Vanparys P. 2006. Prevalidation of a new in vitro reconstituted human cornea model to assess the eye irritating potential of chemicals. *Toxicol in Vitro*. 20:1-17.

Hen's Egg Test–Chorioallantoic Membrane Test Method

Animals (Scientific Procedures) Act 1986. 1986. Chapter 14.

Bagley D, Bruner L, DeSilva O, Cottin M, O'Brien K, Uttley M, Walker AP. 1992. An evaluation of five potential alternatives in vitro to the rabbit eye irritation test in vivo. *Toxic In Vitro* 6:275-284.

Balls M, Botham P, Bruner L, Spielmann H. 1995. The EC/HO international validation study on alternatives to the Draize eye irritation test. *Toxic In Vitro* 9:871-929.

CEC. 1991. Collaborative Study on the Evaluation of Alternative Methods to the Eye Irritation Test. Doc. XI/632/91/V/E/1/131/91 Part I and II.

CPSC. 1995. Test for eye irritants. 16CFR1500.42.

Debbasch C, Ebenhahn C, Dami N, Pericoi M, Van den Berghe C, Cottin M, and Nohynek GJ. 2005. Eye irritation of low-irritant cosmetic formulations: correlation of in vitro results with clinical data and product comparison. *Food and Chem Toxicol*. 43:155-165.

EEC. 1984. Acute Toxicity – Eye Irritation. In Directive 67/548 (6th adaption); Annex V, Part B: Methods for the Determination of Toxicity. *Official Journal of the European Communities* 27 L251, 109.

EEC. 1991. Classification of irritant substances and preparations. Official Journal of the European Communities. L180:52.

EPA. 1996. Label Review Manual. 2nd Edition. EPA737-B-96-001. Washington, DC: U.S. Environmental Protection Agency.

EPA. 2003. Label Review Manual: 3rd Ed. EPA735-B-03-001. Office of Prevention, Pesticides & Toxic Substances (OPPTS). Washington, DC: U.S. Environmental Protection Agency.

EPA. 2003a. Good Laboratory Practice Standards. Toxic Substances Control Act. 40 CFR 792.

EPA. 2003b. Good laboratory practice standards. 40CFR160.

EU. 1986. Council Directive 86/69/EEC. Official Journal of the European Economic Community. L358: 1-28.

EU. 1992. Commission Directive 92/69/EEC of 31 July 1992 adapting to technical progress for the seventeenth time Council Directive 67/548/EEC on the approximation of laws, regulations and administrative provisions relating to the classification, packaging and labelling of dangerous substances. Official Journal of the European Communities L383:113-115.

EU. 1993. Commission Directive 93/21/EEC of 27 April 1993 adapting to technical progress for the eighteenth time Council Directive 67/548/EEC on the approximation of laws, regulations and administrative provisions relating to the classification, packaging and labelling of dangerous substances. Official Journal of the European Communities L110A:1-86.

EU. 2001. Commission Directive 2001/59/EC of 6 August 2001 adapting to technical progress for the 28th time Council Directive 67/548/EEC on the approximation of the laws, regulations and administrative provisions relating to the classification, packaging and labelling of dangerous substances. Official Journal of the European Communities L255:1-333.

FDA. 2003. Good laboratory practice for nonclinical laboratory studies. 21CFR58.

Gautheron P, Giroux J, Cottin M, Audegond L, Morilla A, Mayordomo-Blanco L, et al. 1994. Interlaboratory assessment of the bovine corneal opacity and permeability (BCOP) assay. *Toxicol In Vitro* 8:381-392.

Gettings S, Teal J, Bagley D, Demetrulias J, DiPasquale L, Hintze K, et al. 1991. The CTFA evaluation of alternatives program: An evaluation of in vitro alternatives to the Draize

primary eye irritation test (Phase 1) Hydro-alcoholic formulations; (Part 2) Data analysis and biological significance. *In Vitro Toxicol* 4:247-288.

Gettings S, Dipasquale L, Bagley D, Casterton P, Chudkowski M, Curren R, et al. 1994. The CTFA evaluation of alternatives program: an evaluation of in vitro alternatives to the Draize primary eye irritation test. (Phase II) oil/water emulsions. *Food Chem Toxicol* 32:943-976.

Gettings S, Lordo R, Hintze K, Bagley D, Casterton P, Chudkowski M, et al. 1996. The CTFA evaluation of alternatives program: An evaluation of in vitro alternatives to the Draize primary eye irritation test. (Phase III) surfactant-based formulations. *Food Chem Toxicol* 34:79-117.

Gilleron L, Coecke S, Sysmans M, Hansen E, van Oproy S, Marzin D, et al. 1996. Evaluation of a modified HET-CAM assay as a screening test for eye irritancy. *Toxicol In Vitro* 10:431-446.

Gilleron L, Coecke S, Sysmans M, Hansen E, van Oproy S, Marzin D, et al. 1997. Evaluation of the HET-CAM-TSA method as an alternative to the Draize eye irritation test. *Toxicol In Vitro* 11:641-644.

Hagino S, Kinoshita S, Tani N, Nakamura T, Ono N, Konishi K, et al. 1999. Interlaboratory validation of in vitro eye irritation tests for cosmetic ingredients. (2) Chorioallantoic membrane (CAM) test. *Toxicol In Vitro* 13:99-113.

ICCVAM. 2006. Background Review Document: Current Status of In Vitro Test Methods for Identifying Ocular Corrosives and Severe Irritants: Hen's Egg Test – Chorioallantoic Membrane Test Method. NIH Publication No: 06-4515. Research Triangle Park: National Institute of Environmental Health Sciences.

ICCVAM Authorization Act of 2000. 2000. Public Law 106-545 [114 Stat. 2721].

Kalweit S, Gerner I, Spielmann H. 1987. Validation project of alternatives for the Draize eye test. *Mol Toxicol* 1:597-603.

Kalweit S, Besoke R, Gerner I, Spielmann H. 1990. A national validation project of alternative methods to the Draize rabbit eye test. *Toxicol In Vitro* 4:702-706.

Kojima H, Hanamura A, Miyamoto S, Sato A, Konishi H, Yoshimura I. 1995. Evaluation of seven alternative assays on the main ingredients in cosmetics as predictors of Draize eye irritation scores. *Toxicol In Vitro* 9:333-340.

Luepke N. 1985. Hen's egg chorioallantoic membrane test for irritation potential. *Food Chem Toxicol* 23:287-291.

- Mancebo A, Hernandez O, Gonzalez Y, Aldana L, Carballo O. 2008. Assessment of skin and eye irritation of 14 products under the stepwise approach of the OECD. *Cutan Ocul Toxicol* 27:173-185.
- Mehling A, Kleber M, Hensen H. 2007. Comparative studies on the ocular and dermal irritation potential of surfactants. *Food Chem Toxicol* 45:747-758.
- Moldenhauer F. 2003. Using in vitro prediction models instead of the rabbit eye irritation test to classify and label new chemicals: a post hoc data analysis of the international EC/HO validation study. *ATLA* 31:31-46.
- MSPCA. 2005. *Animals in Education: Laws and Regulations*. Available: <http://www.mspca.org>.
- NIH. 2000. *The Public Health Service Responds to Commonly Asked Questions*. Available: <http://grants.nih.gov>.
- OECD. 1998. *OECD Series on Principles of Good Laboratory Practice and Compliance Monitoring Number 1: OECD principles on Good Laboratory Practice (as revised in 1997)*. ENV/MC/CHEM(98)17. Paris: Organisation for Economic Co-operation and Development.
- Romanoff AL. 1960. *The Avian Embryo: Structural and Functional Development*. New York: The Macmillan Company.
- Russell and Burch. 1992. *The Principles of Humane Experimental Technique*. 14th ed. South Mimms, Potters Bar, Herts, England: Universities Federation for Animal Welfare.
- Spielmann H, Liebsch M, Kalweit S, Moldenhauer F, Wirnsberger T, Holzhütter H, et al. 1996. Results of a validation study in Germany on two in vitro alternatives to the Draize eye irritation test, HET-CAM test and the 3T3 NRU cytotoxicity test. *ATLA* 24:741-858.
- Vinardell M, Macián M. 1994. Comparative study of the HET-CAM test and the Draize eye test for assessment of irritancy potential. *Toxic In Vitro* 8:467-470.
- Vinardell MP, Mitjans M. 2006. The chorioallantoic membrane test as a model to predict the potential human eye irritation induced by commonly used laboratory solvents. *Toxicol In Vitro* 20:1066-1070.
- Worth A, Cronin MTD. 2001. Prediction models for eye irritation potential based on endpoints of the HETCAM and neutral red uptake tests. *In Vitro Molecular Toxicol* 14:143-156.
- Boue-Grabot M, Bernardin G, Chaumond S, Pinon JF. 1995. Alternative methods: hen's egg chorioallantoic membrane and in vitro cytotoxicity - a complementary approach. *Intl J Cosmetic Science* 17:207-215.

- Budai P, Varnagy L, Fejes S, Somlyay IM, Linczmayer K, Pongracz A. 2004. Irritative effects of some pesticides and a technical component on tissue structure of the chorioallantoic membrane. *Comm App Biol Sci, Ghent University* 69:807-809.
- Chiou GCY. 1999. *Ophthalmic Toxicology - Target Organ Toxicology Series* (Hayes AW, Thomas JA, Gardner DG, series eds). Philadelphia, PA: CRC Press.
- Gettings S, Lordo R, Demetrulias J, Feder PI, Hintze KL. 1996. Comparison of low-volume, Draize and in vitro eye irritation test data. I. Hydroalcoholic formulations. *Food Chem Toxicol* 34:737-749.
- Heppenheimer A, Poth A, Fautz R, Fuchs A. 2007. Comparative evaluation of cosmetic formulations with different alternative methods for eye irritation. *AATEX* 14:505-507.
- Keith AB, De Propso J, Demetrulias J, Dreidger A, John FG, Grochoski G, et al. 1989. The SDA alternatives program: comparison of in vitro data with Draize test data. *Cutaneous and Ocular Toxicology* 8:35-49.
- Kramer A, Below H, Behrens-Baumann W, Muller G, Rudolph P, Reimer K. 2002. New aspects of the tolerance of the antiseptic povidone-iodine in different ex vivo models. *Dermatology* 204(suppl 1):86-91
- Tavaszi J, Budai P. 2006. Toxicity study of agrochemicals on chorioallantoic membrane of the egg. *Comm App Biol Sci, Ghent University* 71:101-105.
- Tavaszi J, Budai P. 2007. The use of HET-CAM test in detecting the ocular irritation. *Comm App Biol Sci, Ghent University* 72:137-141.
- Tavaszi J, Budai P, Palovics A, Kismanyoki A. 2008. An alternative test battery in detecting ocular irritancy of agrochemicals. *Comm App Biol Sci, Ghent University* 73:891-895.