

ICCVAM Evaluation of Five *In Vitro* Pyrogen Test Methods

Relevant References

G Duff, E Atkins. 1982. The detection of endotoxin by *in vitro* production of endogenous pyrogen: comparison with amebocyte lysate gelation. J Immunol Methods 52: 323-331.

E Hansen, J Christensen. 1990. Comparison of cultured human mononuclear cells, *Limulus* amebocyte lysate and rabbits in the detection of pyrogens. J Clin Pharm Ther. 15: 425-433.

T Hartung, I Aaberge, S Berthold et al. 2001. Novel pyrogen tests based on the human fever reaction. Altern Lab Anim 29: 99-123.

S Hoffmann, A Pertbauer, S Schindler et al. 2005. International validation of novel pyrogen tests based on human monocytoid cell lines. J Immunol Meth 298:161-173.

M Jahnke, M Weigand, H-G Sonntag. 2000. Comparative testing for pyrogens in parenteral drugs using the human whole blood pyrogen test, the rabbit *in vivo* pyrogen test and the LAL test. European Journal of Parenteral Science 5(2):39-44.

E Pool, G Johaar, S James, I Petersen, P Bouic. 1999. Differentiation between endotoxin and non-endotoxin pyrogens in human albumin solutions using an *ex vivo* whole blood culture assay. J Immunoassay 20:79-89.

I Spreitzer, M Fischer, K Hartzsch, U Luederitz-Pueschel, T Montag. 2000. Comparative study of rabbit pyrogen test and human whole blood assay on human serum albumin. ALTEX 19. Suppl. 1:73-75.