

TDMS No. 05212 - 03
Test Type: CHRONIC
Route: DOSED FEED
Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
Oxazepam
CAS Number: 604-75-1

Date Report Requested: 01/07/2009
Time Report Requested: 07:39:32
First Dose M/F: 06/22/89 / 06/23/89
Lab: BAT

C Number: C62453

Lock Date: 02/20/1992

Cage Range: ALL

Date Range: ALL

Reasons For Removal: ALL

Removal Date Range: ALL

Treatment Groups: Include 001 0 PPM

Include 002 0 PPM

Include 003 125 PPM

Include 004 125 PPM

Include 005 2500 PPM

Include 006 2500 PPM

Include 007 5000 PPM

Include 008 5000 PPM

Study Gender: Both

TDMSE Version: 2.1.0

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

DAY ON TEST	0																								
	7	7	6	7	7	7	7	7	4	7	7	7	4	7	4	7	7	4	7	5	1	7	7	7	4
2	2	2	3	2	2	3	3	6	3	2	2	6	3	6	3	3	6	2	8	1	3	3	3	6	
9	9	4	0	9	9	0	0	0	0	9	9	0	0	0	0	0	0	9	6	7	0	0	0	0	
ANIMAL ID	0																								
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
0	0	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	2	2	2	2		
1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4		

B6C3F1 MICE MALE
0 PPM

males (cont...)

ALIMENTARY SYSTEM

Esophagus	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
Gallbladder	+	+	+	+	+	M	+	+	+	+	+	+	+	+	+	+	+	+	+	M	+	+	+	+
Intestine Large, Cecum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	A	+	+	+	+
Intestine Large, Colon	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	A	+	+	+	+
Intestine Large, Rectum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	A	+	+	+	+
Intestine Small, Duodenum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	A	+	+	+	+
Polyp Adenomatous																								
Intestine Small, Ileum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	A	+	+	+	+
Intestine Small, Jejunum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	A	+	+	+	+
Carcinoma						X																		
Peyer's Patch, Lymphoma Malignant Mixed																								
Liver	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	A	+	+	+	+
Hemangiosarcoma, Multiple			X																					
Hepatocellular Adenoma					X					X							X							

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam

CAS Number: 604-75-1

Date Report Requested: 01/07/2009

Time Report Requested: 07:39:32

First Dose M/F: 06/22/89 / 06/23/89

Lab: BAT

DAY ON TEST	ANIMAL ID																									males (cont...)
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
7	7	6	7	7	7	7	7	4	7	7	7	4	7	4	7	7	4	7	5	1	7	7	7	4	0	
2	2	2	3	2	2	3	3	6	3	2	2	6	3	6	3	3	6	2	8	1	3	3	3	6	0	
9	9	4	0	9	9	0	0	0	0	9	9	0	0	0	0	0	0	9	6	7	0	0	0	0	0	

B6C3F1 MICE MALE

0 PPM

Hepatocellular Adenoma, Multiple
 Hepatocellular Carcinoma
 Hepatocellular Carcinoma, Multiple
 Histiocytic Sarcoma

X X X X

X

X

X

Mesentery
 Histiocytic Sarcoma

+

Pancreas
 Histiocytic Sarcoma

+ A + + + +

Salivary Glands

+ +

Stomach, Forestomach
 Squamous Cell Carcinoma
 Squamous Cell Papilloma

+ +

X

Stomach, Glandular

+ +

Tooth

CARDIOVASCULAR SYSTEM

Blood Vessel

+ +

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 6 7 7 7 7 7 4 7 7 7 4 7 4 7 7 4 7 5 1 7 7 7 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 2 2 3 2 2 3 3 6 3 2 2 6 3 6 3 3 6 2 8 1 3 3 3 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 9 4 0 9 9 0 0 0 0 9 9 0 0 0 0 0 0 9 6 7 0 0 0 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
0 PPM | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 0 0 0 0 0 0 0 0 0 1 1 1 1 1 1 1 1 1 1 2 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | | |

males
(cont...)

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Epididymis | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Preputial Gland | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Prostate | + M + + + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Seminal Vesicle | + M + + + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Testes | + | | | | | | | | | | | | | | | | | | | | | | | | |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Bone Marrow | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lumbar, Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mandibular | + + + + + + + M + M + M + + + + + + + M M + + + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mesenteric | + M + + + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant Mixed | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 7 7 6 7 7 7 7 7 4 7 7 7 4 7 4 7 7 4 7 5 1 7 7 7 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 2 2 3 2 2 3 3 6 3 2 2 6 3 6 3 3 6 2 8 1 3 3 3 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 9 4 0 9 9 0 0 0 0 9 9 0 0 0 0 0 0 9 6 7 0 0 0 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |

males (cont...)

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant Mixed | | | | | | | | | | | | | | | | | | | | | | | | | |
| Thymus | + | + | + | + | + | + | + | M | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mammary Gland | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Skeletal Muscle | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | |
|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 4 | 7 | 7 | 7 | 4 | 7 | 4 | 7 | 7 | 4 | 7 | 5 | 1 | 7 | 7 | 7 |
| 2 | 2 | 2 | 3 | 2 | 2 | 3 | 3 | 6 | 3 | 2 | 2 | 6 | 3 | 6 | 3 | 3 | 6 | 2 | 8 | 1 | 3 | 3 | 3 | 6 |
| 9 | 9 | 4 | 0 | 9 | 9 | 0 | 0 | 0 | 0 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 9 | 6 | 7 | 0 | 0 | 0 | 0 |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | |

B6C3F1 MICE MALE

0 PPM

males (cont...)

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Alveolar/Bronchiolar Adenoma | | | | X | X | X | | X | | | | | X | | | | | | | | | | |
| Alveolar/Bronchiolar Adenoma, Multiple | | | | | | | | | | | | X | | | | | | | | | | | |
| Alveolar/Bronchiolar Carcinoma | | | | | | | | | | | | | | | | | | | | X | | | |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | X | | |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

SPECIAL SENSES SYSTEM

| | |
|--|---|
| Eye | + |
| Carcinoma, Metastatic, Harderian Gland | X |
| Harderian Gland | + |
| Adenoma | |
| Carcinoma | X |
| Bilateral, Adenoma | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 4 | 7 | 7 | 7 | 4 | 7 | 4 | 7 | 7 | 4 | 7 | 5 | 1 | 7 | 7 | 7 | 4 |
| 2 | 2 | 2 | 3 | 2 | 2 | 3 | 3 | 6 | 3 | 2 | 2 | 6 | 3 | 6 | 3 | 3 | 6 | 2 | 8 | 1 | 3 | 3 | 3 | 6 | |
| 9 | 9 | 4 | 0 | 9 | 9 | 0 | 0 | 0 | 0 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 9 | 6 | 7 | 0 | 0 | 0 | 0 | |
| B6C3F1 MICE MALE
0 PPM
ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 |

males
(cont...)

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Kidney | + | | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Urinary Bladder | + M + + + + | | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | |

SYSTEMIC LESIONS

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Multiple Organ | + | | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant Mixed | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | males
(cont...) | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------------|---|---|
| | 7 | 7 | 7 | 4 | 7 | 4 | 7 | 7 | 7 | 7 | 4 | 7 | 4 | 7 | 7 | 7 | 7 | 7 | 4 | 7 | 7 | 7 | 7 | 7 | | 0 | 0 |
| 2 | 3 | 2 | 6 | 2 | 6 | 2 | 3 | 2 | 2 | 6 | 3 | 6 | 3 | 3 | 3 | 3 | 3 | 6 | 2 | 3 | 3 | 0 | 2 | 3 | | | |
| 9 | 0 | 9 | 0 | 9 | 0 | 9 | 0 | 9 | 0 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 9 | 0 | 0 | 7 | 9 | 0 | | | |
| B6C3F1 MICE MALE
0 PPM
ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | males
(cont...) | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 |
| | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | | 4 | 5 |
| 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | | | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Polyp Adenomatous | | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peyer's Patch, Lymphoma Malignant Mixed | | | | | | | | | X | | | | | | | | | | | | | | | | X |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hemangiosarcoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Adenoma | | | | | | | | | X | X | | | | | | | | | | | | | | | X |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam

CAS Number: 604-75-1

Date Report Requested: 01/07/2009

Time Report Requested: 07:39:32

First Dose M/F: 06/22/89 / 06/23/89

Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | 0 |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|
| | 7 7 7 4 7 4 7 7 7 7 4 7 4 7 7 7 7 4 7 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 3 2 6 2 6 2 3 2 2 6 3 6 3 3 3 3 6 2 3 3 0 2 3 | | | | | | | | | | | | | | | | | | | | | | | | 0 |
| | 9 0 9 0 9 0 9 0 9 9 0 0 0 0 0 0 0 0 9 0 0 0 7 9 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
0 PPM | 0 | | | | | | | | | | | | | | | | | | | | | | | | 0 |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | 0 |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | 0 |
| | 2 2 2 2 3 3 3 3 3 3 3 3 3 3 3 3 4 4 4 4 4 4 4 4 | | | | | | | | | | | | | | | | | | | | | | | | 5 |
| | 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 | | | | | | | | | | | | | | | | | | | | | | | | 0 |

males
(cont...)

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Epididymis | + | | | | | | | | | | | | | | | | | | | | | | | |
| Preputial Gland | + | | | | | | | | | | | | | | | | | | | | | | | |
| Prostate | + | | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Seminal Vesicle | + | | | | | | | | | | | | | | | | | | | | | | | |
| Testes | + | | | | | | | | | | | | | | | | | | | | | | | |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------|---|--|--|--|--|--|--|--|--|--|--|--|---|--|--|--|--|--|--|--|--|--|--|--|
| Bone Marrow | + | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node | | | | | | | | | | | | | | | | | | | | | | | | |
| Lumbar, Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mandibular | + + + + + + + + + + + + + + + + M + + + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mesenteric | + M + + | | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant Mixed | X | | | | | | | | | | | | X | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam

CAS Number: 604-75-1

Date Report Requested: 01/07/2009

Time Report Requested: 07:39:32

First Dose M/F: 06/22/89 / 06/23/89

Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | males
(cont...) | |
|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------------|---|
| | 7 | 7 | 7 | 4 | 7 | 4 | 7 | 7 | 7 | 7 | 4 | 7 | 4 | 7 | 7 | 7 | 7 | 4 | 7 | 7 | 7 | 7 | 7 | 7 | | |
| | 2 | 3 | 2 | 6 | 2 | 6 | 2 | 3 | 2 | 2 | 6 | 3 | 6 | 3 | 3 | 3 | 3 | 6 | 2 | 3 | 3 | 0 | 2 | 3 | | |
| | 9 | 0 | 9 | 0 | 9 | 0 | 9 | 0 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 9 | 0 | 0 | 7 | 9 | 0 | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | males
(cont...) | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|--|
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant Mixed | | | | | | | | X | | | | | | | | | | | | | | | | | | | |
| Thymus | + | + | + | M | + | + | + | M | + | M | + | + | + | M | + | + | + | + | + | + | + | + | + | M | + | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Mammary Gland | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Skeletal Muscle | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 7 4 7 4 7 7 7 7 4 7 4 7 7 7 7 4 7 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
0 PPM | 2 3 2 6 2 6 2 3 2 2 6 3 6 3 3 3 3 6 2 3 3 0 2 3 | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 0 9 0 9 0 9 0 9 9 0 0 0 0 0 0 0 0 9 0 0 7 9 0 | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| 0 PPM | 2 2 2 2 3 3 3 3 3 3 3 3 3 3 3 4 4 4 4 4 4 4 4 5 | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | | | | | | | | | | | | | | | |

males
(cont...)

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Alveolar/Bronchiolar Adenoma | | X | | X | | | | | | X | | | | | | | X | | | | | | | X |
| Alveolar/Bronchiolar Adenoma, Multiple | | | | | | | | | X | | | | | | | | | | | | | | | |
| Alveolar/Bronchiolar Carcinoma | | | | | | | | | | | | | | | | | | | X | | | | | |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|
| Eye | | | | | | | | | | | | | | | | | | | | | | | | + |
| Carcinoma, Metastatic, Harderian Gland | | | | | | | | | | | | | | | | | | | | | | | | |
| Harderian Gland | | | | | | | | | | | | | | | | | | | | | | | | + |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | | | X |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Bilateral, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | X |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|------------------|--|---|---|---|---|---|---|---|---|---|---|
| | | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | | 3 | 2 | 2 | 3 | 2 | 3 | 3 | 2 | 3 | 2 |
| | | 0 | 9 | 7 | 0 | 9 | 0 | 0 | 9 | 0 | 9 |
| B6C3F1 MICE MALE | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 PPM | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ANIMAL ID | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| * TOTALS | | | | | | | | | | | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Esophagus | + | + | + | + | + | + | + | + | + | + | 60 |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | 57 |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | 59 |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | 59 |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | 59 |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | 59 |
| Polyp Adenomatous | X | | | | | | | | | | 1 |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | 59 |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | 59 |
| Carcinoma | | | | | | | | | | | 1 |
| Peyer's Patch, Lymphoma Malignant Mixed | | | | | | | | | | | 2 |
| Liver | + | + | + | + | + | + | + | + | + | + | 59 |
| Hemangiosarcoma, Multiple | | | | | | | | | | | 1 |
| Hepatocellular Adenoma | | | | X | X | | | X | | | 10 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam

CAS Number: 604-75-1

Date Report Requested: 01/07/2009

Time Report Requested: 07:39:32

First Dose M/F: 06/22/89 / 06/23/89

Lab: BAT

| | DAY ON TEST | | | | | | | | | | |
|------------------------------------|-----------------|---|---|---|---|---|---|---|---|---|--|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | 3 | 2 | 2 | 3 | 2 | 3 | 3 | 2 | 3 | 2 | |
| | 0 | 9 | 7 | 0 | 9 | 0 | 0 | 9 | 0 | 9 | |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 0 PPM | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | |
| | * TOTALS | | | | | | | | | | |
| Hepatocellular Adenoma, Multiple | X | | | | | | | X | X | | |
| Hepatocellular Carcinoma | | | X | | | | | X | | | |
| Hepatocellular Carcinoma, Multiple | | | | | | | | | | | |
| Histiocytic Sarcoma | | | | | | | | X | | | |
| Mesentery | | | | | | | | | | | |
| Histiocytic Sarcoma | | | | | | | | | + | | |
| | | | | | | | | | X | | |
| Pancreas | + | + | + | + | + | + | + | + | + | + | |
| Histiocytic Sarcoma | | | | | | | | | X | | |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | |
| Squamous Cell Carcinoma | | | | | | | | | | | |
| Squamous Cell Papilloma | | | X | | | | | | | | |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | |
| Tooth | | | | | | | | | | | |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | |
|--------------|---|---|---|---|---|---|---|---|---|---|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + |
|--------------|---|---|---|---|---|---|---|---|---|---|

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|---|-----------|---|---|---|---|---|---|---|---|---|
| | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | 3 | 2 | 2 | 3 | 2 | 3 | 3 | 2 | 3 | 2 |
| | 0 | 9 | 7 | 0 | 9 | 0 | 0 | 9 | 0 | 9 |
| B6C3F1 MICE MALE
0 PPM | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| * TOTALS | | | | | | | | | | |

| | | | | | | | | | | | |
|-------|---|---|---|---|---|---|---|---|---|---|-----------|
| Heart | + | + | + | + | + | + | + | + | + | + | 60 |
|-------|---|---|---|---|---|---|---|---|---|---|-----------|

ENDOCRINE SYSTEM

| | | | | | | | | | | | |
|------------------------------|---|---|---|---|---|---|---|---|---|---|-----------|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | 59 |
| Capsule, Adenoma | | | | | | | | | | | 6 |
| Capsule, Histiocytic Sarcoma | | | | | | | X | | | | 1 |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | 59 |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | 59 |
| Parathyroid Gland | + | + | M | + | + | + | + | + | + | + | 57 |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | 58 |
| Pars Distalis, Adenoma | | | | | | | | | | | 1 |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | 59 |

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam

CAS Number: 604-75-1

Date Report Requested: 01/07/2009

Time Report Requested: 07:39:32

First Dose M/F: 06/22/89 / 06/23/89

Lab: BAT

| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|-------------------------|---|---|---|---|---|---|---|---|---|-----------------|
| | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | 3 | 2 | 2 | 3 | 2 | 3 | 3 | 2 | 3 | 2 |
| | 0 | 9 | 7 | 0 | 9 | 0 | 0 | 9 | 0 | 9 |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| 0 PPM | | | | | | | | | | |
| | | | | | | | | | | * TOTALS |

| | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|-----------|
| Epididymis | + | + | + | + | + | + | + | + | + | + | 60 |
| Preputial Gland | + | + | + | + | + | + | + | + | + | + | 60 |
| Prostate | + | + | + | + | + | + | + | + | + | + | 59 |
| Histiocytic Sarcoma | | | | | | | X | | | | 1 |
| Seminal Vesicle | + | + | + | + | + | + | + | + | + | + | 59 |
| Testes | + | + | + | + | + | + | + | + | + | + | 60 |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | |
|-----------------------------|---|---|---|---|---|---|---|---|---|---|-----------|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | 60 |
| Lymph Node | | | | | | | | | | + | 2 |
| Lumbar, Histiocytic Sarcoma | | | | | | | X | | | | 1 |
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | + | + | 54 |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | 58 |
| Histiocytic Sarcoma | | | | | | | X | | | | 1 |
| Lymphoma Malignant Mixed | | | | | | | | | | | 2 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam

CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| | DAY ON TEST | | | | | | | | | | |
|-------------------------------|-------------|---|---|---|---|---|---|---|---|---|-----------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | ANIMAL ID | | | | | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| B6C3F1 MICE MALE | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| 0 PPM | 3 | 2 | 2 | 3 | 2 | 3 | 3 | 2 | 3 | 2 | |
| | 0 | 9 | 7 | 0 | 9 | 0 | 0 | 9 | 0 | 9 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | * TOTALS |
| Spleen | + | + | + | + | + | + | + | + | + | + | 59 |
| Histiocytic Sarcoma | | | | | | | | X | | | 1 |
| Lymphoma Malignant Mixed | | | | | | | | | | | 2 |
| Thymus | + | + | + | + | + | M | + | + | + | + | 52 |
| Histiocytic Sarcoma | | | | | | | | X | | | 1 |
| INTEGUMENTARY SYSTEM | | | | | | | | | | | |
| Mammary Gland | M | M | M | M | M | M | M | M | M | M | 0 |
| Skin | + | + | + | + | + | + | + | + | + | + | 60 |
| MUSCULOSKELETAL SYSTEM | | | | | | | | | | | |
| Bone | + | + | + | + | + | + | + | + | + | + | 60 |
| Skeletal Muscle | + | + | + | + | + | + | + | + | + | + | 60 |
| NERVOUS SYSTEM | | | | | | | | | | | |
| Brain | + | + | + | + | + | + | + | + | + | + | 60 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|-------------------------|--|---|---|---|---|---|---|---|---|---|---|
| | | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | | 3 | 2 | 2 | 3 | 2 | 3 | 3 | 2 | 3 | 2 |
| | | 0 | 9 | 7 | 0 | 9 | 0 | 0 | 9 | 0 | 9 |
| B6C3F1 MICE MALE | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 PPM | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ANIMAL ID | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| * TOTALS | | | | | | | | | | | |

RESPIRATORY SYSTEM

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Lung | + | + | + | + | + | + | + | + | + | + | 60 |
| Alveolar/Bronchiolar Adenoma | | | X | | | | | | | | 11 |
| Alveolar/Bronchiolar Adenoma, Multiple | | | | | | | | | | | 2 |
| Alveolar/Bronchiolar Carcinoma | | | | | | | | | | | 2 |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | | | | | 1 |
| Nose | + | + | + | + | + | + | + | + | + | + | 60 |
| Trachea | + | + | + | + | + | + | + | + | + | + | 60 |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|--|----------|
| Eye | | | | | | | | | | | 2 |
| Carcinoma, Metastatic, Harderian Gland | | | | | | | | | | | 1 |
| Harderian Gland | | | | | | | | | | | 3 |
| Adenoma | | | | | | | | | | | 1 |
| Carcinoma | | | | | | | | | | | 1 |
| Bilateral, Adenoma | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|-------------------------|--|---|---|---|---|---|---|---|---|---|---|
| | | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | | 3 | 2 | 2 | 3 | 2 | 3 | 3 | 2 | 3 | 2 |
| | | 0 | 9 | 7 | 0 | 9 | 0 | 0 | 9 | 0 | 9 |
| B6C3F1 MICE MALE | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 PPM | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ANIMAL ID | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| * TOTALS | | | | | | | | | | | |

URINARY SYSTEM

| | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|-----------|
| Kidney | + | + | + | + | + | + | + | + | + | + | 60 |
| Histiocytic Sarcoma | | | | | | | | X | | | 1 |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | 59 |
| Histiocytic Sarcoma | | | | | | | | X | | | 1 |

SYSTEMIC LESIONS

| | | | | | | | | | | | |
|--------------------------|---|---|---|---|---|---|---|---|---|---|-----------|
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | 60 |
| Histiocytic Sarcoma | | | | | | | | X | | | 1 |
| Lymphoma Malignant Mixed | | | | | | | | | | | 2 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | | males
(cont...) |
|-----------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--------------------|
| | 7 7 7 7 7 7 7 4 7 4 7 4 7 7 7 7 7 4 4 7 5 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
125 PPM | 3 2 3 0 3 3 3 6 2 6 3 6 1 2 2 2 2 3 6 5 3 2 2 2 3 | | | | | | | | | | | | | | | | | | | | | | | | | males
(cont...) |
| | 0 9 0 1 0 0 0 0 9 0 0 0 5 9 9 9 9 0 0 3 0 7 9 9 0 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | | males
(cont...) |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 125 PPM | 6 6 6 6 6 6 6 6 6 6 7 7 7 7 7 7 7 7 8 8 8 8 8 8 8 | | | | | | | | | | | | | | | | | | | | | | | | | males
(cont...) |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | | | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Esophagus | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Gallbladder | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Cecum | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Colon | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant Mixed | | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Rectum | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Duodenum | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Ileum | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Jejunum | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Carcinoma | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Liver | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemangiosarcoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatoblastoma | X | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | males
(cont...) | | |
|-------------|-----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------------------|-------|-------|
| | 07300 | 07700 | 07701 | 07702 | 07703 | 07704 | 07705 | 07706 | 07707 | 07708 | 07709 | 07710 | 07711 | 07712 | 07713 | 07714 | 07715 | 07716 | 07717 | 07718 | 07719 | 07720 | 07721 | 07722 | 07723 | | 07724 | 07725 |
| 07300 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 07700 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 4 | 7 | 4 | 7 | 4 | 7 | 7 | 7 | 7 | 7 | 4 | 4 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | |
| 07301 | 3 | 2 | 3 | 0 | 3 | 3 | 3 | 6 | 2 | 6 | 3 | 6 | 1 | 2 | 2 | 2 | 2 | 3 | 6 | 5 | 3 | 2 | 2 | 2 | 3 | 3 | 3 | |
| 07900 | 0 | 9 | 0 | 1 | 0 | 0 | 0 | 0 | 9 | 0 | 0 | 0 | 5 | 9 | 9 | 9 | 9 | 0 | 0 | 3 | 0 | 7 | 9 | 9 | 0 | 0 | 0 | |

B6C3F1 MICE MALE
125 PPM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Hepatocellular Adenoma | | | | X | | | | X | | | | X | X | X | | | X | | X | | | | | | | | X |
| Hepatocellular Adenoma, Multiple | X | | | | | | | | | | | | | | X | | | | | | X | | | | | | X |
| Hepatocellular Carcinoma | X | | | | | | X | | | | | | | | | | | | X | | | | | | | | |
| Hepatocellular Carcinoma, Multiple | | | | | | | | | | | | X | | | | | | | | | | | | | | | X |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | X | | | | | | |
| Mesentery | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | + | | | | | | | | | | | | | | | | | | | | | | | | | | + |
| Pancreas | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Salivary Glands | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Forestomach | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Glandular | | | | | | | | | | | | | | | | | | | | | | | | | | | |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 7 7 7 7 7 4 7 4 7 4 7 7 7 7 7 4 4 7 5 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
125 PPM | 3 2 3 0 3 3 3 6 2 6 3 6 1 2 2 2 2 3 6 5 3 2 2 2 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 9 0 1 0 0 0 0 9 0 0 0 5 9 9 9 9 0 0 3 0 7 9 9 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| 6 6 6 6 6 6 6 6 6 6 7 7 7 7 7 7 7 7 8 8 8 8 8 8 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | | | |

males
(cont...)

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Adrenal Cortex | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Capsule, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Adrenal Medulla | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Pheochromocytoma Benign | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Islets, Pancreatic | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Parathyroid Gland | + + + + + + + M + + + M + + + + + + M + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Pituitary Gland | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Thyroid Gland | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Follicular Cell, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | |

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Epididymis | + | | | | | | | | | | | | | | | | | | | | | | | | |
|------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam

CAS Number: 604-75-1

Date Report Requested: 01/07/2009

Time Report Requested: 07:39:32

First Dose M/F: 06/22/89 / 06/23/89

Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | | males
(cont...) |
|-----------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--------------------|
| | 7 7 7 7 7 7 7 4 7 4 7 4 7 7 7 7 7 4 4 7 5 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
125 PPM | 3 2 3 0 3 3 3 6 2 6 3 6 1 2 2 2 2 3 6 5 3 2 2 2 3 | | | | | | | | | | | | | | | | | | | | | | | | | males
(cont...) |
| | 0 9 0 1 0 0 0 0 9 0 0 0 5 9 9 9 9 0 0 3 0 7 9 9 0 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | | males
(cont...) |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 125 PPM | 6 6 6 6 6 6 6 6 6 7 7 7 7 7 7 7 7 8 8 8 8 8 8 8 | | | | | | | | | | | | | | | | | | | | | | | | | males
(cont...) |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Preputial Gland | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Prostate | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Seminal Vesicle | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Testes | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Interstitial Cell, Adenoma | X | | | | | | | | | | | | | | | | | | | | | | | | |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Bone Marrow | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node | | | | | | | | | | | | | | | | | | | | | | | | | |
| Popliteal, Histiocytic Sarcoma | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mandibular | | | | | | | | | | | | | | | | | | | | | | | | | |
| Carcinoma, Metastatic, Harderian Gland | + + + + M + + + + + + + + + + + M + + + + M + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mediastinal | | | | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mesenteric | | | | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mesenteric | + | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 7 7 7 7 7 4 7 4 7 4 7 7 7 7 7 4 4 7 5 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
125 PPM | 3 2 3 0 3 3 3 6 2 6 3 6 1 2 2 2 2 3 6 5 3 2 2 2 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 9 0 1 0 0 0 0 9 0 0 0 5 9 9 9 9 0 0 3 0 7 9 9 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| 6 6 6 6 6 6 6 6 6 7 7 7 7 7 7 7 7 8 8 8 8 8 8 8 | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | | | |

males
(cont...)

Histiocytic Sarcoma X
 Lymphoma Malignant Mixed

Spleen +
 Hemangiosarcoma
 Histiocytic Sarcoma X

Thymus + + + + M + + + + + + M + + + + + + + + + + + + + + +
 Histiocytic Sarcoma X

INTEGUMENTARY SYSTEM

Mammary Gland M
 Skin +
 Subcutaneous Tissue,
 Hemangiosarcoma

MUSCULOSKELETAL SYSTEM

Bone +
 Skeletal Muscle +
 Hemangiosarcoma X

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 7 7 7 7 7 4 7 4 7 4 7 7 7 7 7 4 4 7 5 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
125 PPM | 3 2 3 0 3 3 3 6 2 6 3 6 1 2 2 2 2 3 6 5 3 2 2 2 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 9 0 1 0 0 0 0 9 0 0 0 5 9 9 9 9 0 0 3 0 7 9 9 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| 125 PPM | 6 6 6 6 6 6 6 6 6 6 7 7 7 7 7 7 7 7 8 8 8 8 8 8 8 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | | |

males
(cont...)

Trachea +

SPECIAL SENSES SYSTEM

Ear
 External Ear, Fibrosarcoma +
 X

Eye
 Carcinoma, Metastatic, Harderian Gland +
 X
 Ciliary Body, Adenoma

Harderian Gland
 Adenoma +
 Carcinoma X

URINARY SYSTEM

Kidney
 Histiocytic Sarcoma + X

Urinary Bladder
 +

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam

CAS Number: 604-75-1

Date Report Requested: 01/07/2009

Time Report Requested: 07:39:32

First Dose M/F: 06/22/89 / 06/23/89

Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 4 4 7 7 7 7 7 7 7 7 7 7 6 7 7 7 7 7 7 4 7 7 4 5 | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
125 PPM | 6 6 3 2 2 2 3 3 2 2 2 2 2 3 3 2 2 3 3 3 6 3 2 6 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 0 0 9 9 9 0 0 9 9 9 9 5 0 0 9 9 0 0 0 0 0 9 0 8 | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| males
(cont...) | 8 8 8 8 9 9 9 9 9 9 9 9 9 9 0 0 0 0 0 0 0 0 0 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | | | | | | | | | | | | | | | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant Mixed | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hemangiosarcoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatoblastoma | | | | | | | | | | | | | | | | | | | | | | | | X |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 4 4 7 7 7 7 7 7 7 7 7 7 6 7 7 7 7 7 7 4 7 7 4 5 | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
125 PPM | 6 6 3 2 2 2 3 3 2 2 2 2 3 3 2 2 3 3 3 6 3 2 6 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 0 0 9 9 9 0 0 9 9 9 9 5 0 0 9 9 0 0 0 0 9 0 8 | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| 125 PPM | 8 8 8 8 9 9 9 9 9 9 9 9 9 9 9 9 0 0 0 0 0 0 0 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 | | | | | | | | | | | | | | | | | | | | | | | |
| males (cont...) | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Preputial Gland | + | | | | | | | | | | | | | | | | | | | | | | | |
| Prostate | + | | | | | | | | | | | | | | | | | | | | | | | |
| Seminal Vesicle | + | | | | | | | | | | | | | | | | | | | | | | | |
| Testes | + | | | | | | | | | | | | | | | | | | | | | | | |
| Interstitial Cell, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Bone Marrow | + | | | | | | | | | | | | | | | | | | | | | | | |
| Hemangiosarcoma | X | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node | | | | | | | | | | | | | | | | | | | | | | | | |
| Popliteal, Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mandibular | M + | | | | | | | | | | | | | | | | | | | | | | | |
| Carcinoma, Metastatic, Harderian Gland | | | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mediastinal | | | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mesenteric | + M + M + + + M | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam

CAS Number: 604-75-1

Date Report Requested: 01/07/2009

Time Report Requested: 07:39:32

First Dose M/F: 06/22/89 / 06/23/89

Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 4 4 7 7 7 7 7 7 7 7 7 7 6 7 7 7 7 7 7 4 7 7 4 5 | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
125 PPM | 6 6 3 2 2 2 3 3 2 2 2 2 2 3 3 2 2 3 3 3 6 3 2 6 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 0 0 9 9 9 0 0 9 9 9 9 5 0 0 9 9 0 0 0 0 0 9 0 8 | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| 125 PPM | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 8 8 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 0 0 0 0 1 | | | | | | | | | | | | | | | | | | | | | | | |
| 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | | | | | | | | | | | | | | | | |

males
(cont...)

Histiocytic Sarcoma
 Lymphoma Malignant Mixed

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Thymus | + | + | + | + | + | + | + | + | M | M | + | + | M | M | + | + | + | + | + | M | + | + | + | + |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mammary Gland | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Subcutaneous Tissue,
Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Skeletal Muscle | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 4 4 7 7 7 7 7 7 7 7 7 7 6 7 7 7 7 7 7 4 7 7 4 5 | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
125 PPM | 6 6 3 2 2 2 3 3 2 2 2 2 3 3 2 2 3 3 3 6 3 2 6 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 0 0 9 9 9 0 0 9 9 9 9 5 0 0 9 9 0 0 0 0 9 0 8 | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| 125 PPM | 8 8 8 8 9 9 9 9 9 9 9 9 9 9 9 9 0 0 0 0 0 0 0 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | | | | | | | | | | | | | | | |

males
(cont...)

Trachea +

SPECIAL SENSES SYSTEM

Ear
 External Ear, Fibrosarcoma

Eye
 Carcinoma, Metastatic, Harderian Gland
 Ciliary Body, Adenoma

Harderian Gland
 Adenoma
 Carcinoma

URINARY SYSTEM

Kidney
 Histiocytic Sarcoma

Urinary Bladder

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam

CAS Number: 604-75-1

Date Report Requested: 01/07/2009

Time Report Requested: 07:39:32

First Dose M/F: 06/22/89 / 06/23/89

Lab: BAT

| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|---|---|---|---|---|---|---|---|---|---|---|
| | 4 | 7 | 7 | 7 | 7 | 7 | 7 | 4 | 7 | 7 |
| | 6 | 3 | 3 | 3 | 3 | 3 | 3 | 6 | 3 | 2 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 9 |
| B6C3F1 MICE MALE
125 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| * TOTALS | | | | | | | | | | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|-----------|
| Esophagus | + | + | + | + | + | + | + | + | + | + | 60 |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | 60 |
| Histiocytic Sarcoma | | | | | | | | | | | 1 |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | 60 |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | 60 |
| Lymphoma Malignant Mixed | | | | | | X | | | | | 1 |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | 60 |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | 60 |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | 60 |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | 60 |
| Carcinoma | | | | | | | | | | | 1 |
| Liver | + | + | + | + | + | + | + | + | + | + | 60 |
| Hemangiosarcoma, Multiple | | | X | | | | | | | | 1 |
| Hepatoblastoma | | | | | | | | | | | 2 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|---|-----------|---|---|---|---|---|---|---|---|---|
| | 4 | 7 | 7 | 7 | 7 | 7 | 4 | 7 | 7 | |
| | 6 | 3 | 3 | 3 | 3 | 3 | 6 | 3 | 2 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 9 | |
| B6C3F1 MICE MALE
125 PPM | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |

*** TOTALS**

| | | | | | | | | | | | |
|------------------------------------|--|---|---|---|---|---|---|---|---|---|-----------|
| Hepatocellular Adenoma | | | | | | X | | | | | 12 |
| Hepatocellular Adenoma, Multiple | | | X | | | | | | | | 9 |
| Hepatocellular Carcinoma | | | | | | | | | | | 4 |
| Hepatocellular Carcinoma, Multiple | | | | | | | | | | | 2 |
| Histiocytic Sarcoma | | | | | | | | | | | 1 |
| | | | | | | | | | | | |
| Mesentery | | | | | | | | | | | 2 |
| Histiocytic Sarcoma | | | | | | | | | | | 1 |
| | | | | | | | | | | | |
| Pancreas | | + | + | + | + | + | + | + | + | + | 60 |
| Histiocytic Sarcoma | | | | | | | | | | | 1 |
| | | | | | | | | | | | |
| Salivary Glands | | + | + | + | + | + | + | + | + | + | 60 |
| | | | | | | | | | | | |
| Stomach, Forestomach | | + | + | + | + | + | + | + | + | + | 60 |
| | | | | | | | | | | | |
| Stomach, Glandular | | + | + | + | + | + | + | + | + | + | 60 |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | |
|--------------|--|---|---|---|---|---|---|---|---|---|-----------|
| | | | | | | | | | | | |
| Blood Vessel | | + | + | + | + | + | + | + | + | + | 60 |
| | | | | | | | | | | | |
| Heart | | + | + | + | + | + | + | + | + | + | 60 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam

CAS Number: 604-75-1

Date Report Requested: 01/07/2009

Time Report Requested: 07:39:32

First Dose M/F: 06/22/89 / 06/23/89

Lab: BAT

| | | | | | | | | | | | | |
|---|-------------|---|---|---|---|---|---|---|---|---|---|-----------------|
| | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 4 | 7 | 7 | 7 | 7 | 7 | 4 | 7 | 7 | | |
| | | 6 | 3 | 3 | 3 | 3 | 3 | 6 | 3 | 2 | | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 9 | | |
| B6C3F1 MICE MALE
125 PPM | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | * TOTALS |

ENDOCRINE SYSTEM

| | | | | | | | | | | | |
|--------------------------|---|---|---|---|---|---|---|---|---|---|-----------|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | 60 |
| Capsule, Adenoma | | | | | | X | | | | | 4 |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | 60 |
| Pheochromocytoma Benign | | | | | | | | | | | 1 |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | 60 |
| Parathyroid Gland | + | + | + | + | + | + | + | + | + | + | 54 |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | 60 |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | 60 |
| Follicular Cell, Adenoma | | | | | | | | | | | 1 |

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

| | | | | | | | | | | | |
|------------|---|---|---|---|---|---|---|---|---|---|-----------|
| Epididymis | + | + | + | + | + | + | + | + | + | + | 60 |
|------------|---|---|---|---|---|---|---|---|---|---|-----------|

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|---|---|---|---|---|---|---|---|---|---|---|
| | 4 | 7 | 7 | 7 | 7 | 7 | 7 | 4 | 7 | 7 |
| | 6 | 3 | 3 | 3 | 3 | 3 | 3 | 6 | 3 | 2 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 9 |
| B6C3F1 MICE MALE
125 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |

*** TOTALS**

| | | | | | | | | | | | |
|----------------------------|---|---|---|---|---|---|---|---|---|---|-----------|
| Preputial Gland | + | + | + | + | + | + | + | + | + | + | 60 |
| Prostate | + | + | + | + | + | + | + | + | + | + | 60 |
| Seminal Vesicle | + | + | + | + | + | + | + | + | + | + | 60 |
| Testes | + | + | + | + | + | + | + | + | + | + | 60 |
| Interstitial Cell, Adenoma | | | | | | | | | | | 1 |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|-----------|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | 60 |
| Hemangiosarcoma | | | | | | | | | | | 1 |
| Lymph Node | | | | | | | | | | | 1 |
| Popliteal, Histiocytic Sarcoma | | | | | | | | | | | 1 |
| Lymph Node, Mandibular | + | + | M | M | + | + | + | + | + | + | 54 |
| Carcinoma, Metastatic, Harderian Gland | | | | | | | | | | | 1 |
| Histiocytic Sarcoma | | | | | | | | | | | 1 |
| Lymph Node, Mediastinal | | | | | | | | | | | 1 |
| Histiocytic Sarcoma | | | | | | | | | | | 1 |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | 57 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|---|-----------|---|---|---|---|---|---|---|---|---|
| | 4 | 7 | 7 | 7 | 7 | 7 | 7 | 4 | 7 | 7 |
| | 6 | 3 | 3 | 3 | 3 | 3 | 3 | 6 | 3 | 2 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 9 |
| B6C3F1 MICE MALE
125 PPM | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| * TOTALS | | | | | | | | | | |

| | | | | | | | | | | | |
|--------------------------|---|---|---|---|---|---|---|---|---|---|-----------|
| Histiocytic Sarcoma | | | | | | | | | | | 1 |
| Lymphoma Malignant Mixed | | | | | | X | | | | | 1 |
| Spleen | + | + | + | + | + | + | + | + | + | + | 60 |
| Hemangiosarcoma | | | | | | | | | | | 1 |
| Histiocytic Sarcoma | | | | | | | | | | | 1 |
| Thymus | + | + | + | + | + | M | + | + | + | + | 52 |
| Histiocytic Sarcoma | | | | | | | | | | | 1 |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Mammary Gland | M | M | M | M | M | M | M | M | M | M | 0 |
| Skin | + | + | + | + | + | + | + | + | + | + | 60 |
| Subcutaneous Tissue,
Hemangiosarcoma | | | | | | | | | | | 1 |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|-----------|
| Bone | + | + | + | + | + | + | + | + | + | + | 60 |
| Skeletal Muscle | + | + | + | + | + | + | + | + | + | + | 60 |
| Hemangiosarcoma | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| | | | | | | | | | | | | |
|-------------------------|-------------|---|---|---|---|---|---|---|---|---|---|-----------------|
| | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 4 | 7 | 7 | 7 | 7 | 7 | 4 | 7 | 7 | | |
| | | 6 | 3 | 3 | 3 | 3 | 3 | 6 | 3 | 2 | | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 9 | | |
| B6C3F1 MICE MALE | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| 125 PPM | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | * TOTALS |

NERVOUS SYSTEM

| | | | | | | | | | | | |
|------------------|---|---|---|---|---|---|---|---|---|---|-----------|
| Brain | + | + | + | + | + | + | + | + | + | + | 60 |
| Peripheral Nerve | | | | | | | | | | | 1 |
| Spinal Cord | | | | | | | | | | | 1 |

RESPIRATORY SYSTEM

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Lung | + | + | + | + | + | + | + | + | + | + | 60 |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | | | 12 |
| Alveolar/Bronchiolar Adenoma, Multiple | X | | | | | | | | | | 6 |
| Alveolar/Bronchiolar Carcinoma | | | | | | | | | | | 1 |
| Alveolar/Bronchiolar Carcinoma, Multiple | | | | | | | | | | | 1 |
| Carcinoma, Metastatic, Harderian Gland | | | | | | | | | | | 1 |
| Hemangiosarcoma | | | | | | | | | | | 1 |
| Hepatoblastoma, Metastatic, Liver | | | | | | | | | | | 1 |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | | | | | 3 |
| Histiocytic Sarcoma | | | | | | | | | | | 1 |
| Nose | + | + | + | + | + | + | + | + | + | + | 60 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| | DAY ON TEST | | | | | | | | | | |
|-------------------------|-------------|---|---|---|---|---|---|---|---|---|-----------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 4 | 7 | 7 | 7 | 7 | 7 | 7 | 4 | 7 | 7 | |
| | 6 | 3 | 3 | 3 | 3 | 3 | 3 | 6 | 3 | 2 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 9 | |
| | | | | | | | | | | | |
| B6C3F1 MICE MALE | ANIMAL ID | | | | | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| 125 PPM | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | * TOTALS |

| | | | | | | | | | | | |
|---------|---|---|---|---|---|---|---|---|---|---|-----------|
| Trachea | + | + | + | + | + | + | + | + | + | + | 60 |
|---------|---|---|---|---|---|---|---|---|---|---|-----------|

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | |
|--|--|--|--|--|--|--|---|--|--|--|----------|
| Ear | | | | | | | | | | | 1 |
| External Ear, Fibrosarcoma | | | | | | | | | | | 1 |
| Eye | | | | | | | | | | | 2 |
| Carcinoma, Metastatic, Harderian Gland | | | | | | | | | | | 1 |
| Ciliary Body, Adenoma | | | | | | | | | | | 1 |
| Harderian Gland | | | | | | | + | | | | 2 |
| Adenoma | | | | | | | X | | | | 1 |
| Carcinoma | | | | | | | | | | | 1 |

URINARY SYSTEM

| | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|-----------|
| Kidney | + | + | + | + | + | + | + | + | + | + | 60 |
| Histiocytic Sarcoma | | | | | | | | | | | 1 |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | 60 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|------------------|--|---|---|---|---|---|---|---|---|---|-----------------|
| | | 4 | 7 | 7 | 7 | 7 | 7 | 7 | 4 | 7 | 7 |
| | | 6 | 3 | 3 | 3 | 3 | 3 | 3 | 6 | 3 | 2 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 9 |
| | | | | | | | | | | | |
| B6C3F1 MICE MALE | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ANIMAL ID | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 125 PPM | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| | | | | | | | | | | | * TOTALS |

SYSTEMIC LESIONS

| | | | | | | | | | | | | |
|--------------------------|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | 60 |
| Histiocytic Sarcoma | | | | | | | | | | | | 1 |
| Lymphoma Malignant Mixed | | | | | | X | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 4 5 7 6 4 6 4 7 4 7 4 5 7 4 6 6 7 5 7 7 5 6 7 7 4 | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
2500 PPM | 8 9 2 4 6 6 6 2 6 0 6 4 2 6 1 7 2 6 0 2 9 0 2 2 6 | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 4 9 6 0 9 0 9 0 3 0 0 9 0 5 3 2 7 0 9 8 8 9 9 0 | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 2 2 2 2 2 2 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | |

males
(cont...)

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Esophagus | + | | | | | | | | | | | | | | | | | | | | | | | |
| Gallbladder | + + + + + + + + + + + + + + + + + M + M + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Cecum | + | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Colon | + | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Rectum | + | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Duodenum | + | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Ileum | + | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Jejunum | + | | | | | | | | | | | | | | | | | | | | | | | |
| Peyer's Patch, Lymphoma Malignant Mixed | X | | | | | | | | | | | | | | | | | | | | | | | |
| Liver | + | | | | | | | | | | | | | | | | | | | | | | | |
| Hemangiosarcoma, Metastatic, Skin | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatoblastoma | X X X X X X X X | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatoblastoma, Multiple | X | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Adenoma | X | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam

CAS Number: 604-75-1

Date Report Requested: 01/07/2009

Time Report Requested: 07:39:32

First Dose M/F: 06/22/89 / 06/23/89

Lab: BAT

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | males
(cont...) | |
|-------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------------|--|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| 4 | 5 | 7 | 6 | 4 | 6 | 4 | 7 | 4 | 7 | 4 | 5 | 7 | 4 | 6 | 6 | 7 | 5 | 7 | 7 | 5 | 6 | 7 | 7 | 4 | | |
| 8 | 9 | 2 | 4 | 6 | 6 | 6 | 2 | 6 | 0 | 6 | 4 | 2 | 6 | 1 | 7 | 2 | 6 | 0 | 2 | 9 | 0 | 2 | 2 | 6 | | |
| 6 | 4 | 9 | 6 | 0 | 9 | 0 | 9 | 0 | 3 | 0 | 0 | 9 | 0 | 5 | 3 | 2 | 7 | 0 | 9 | 8 | 8 | 9 | 9 | 0 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|---|---|---|---|---|---|---|---|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Hepatocellular Adenoma, Multiple | X | X | X | X | X | | X | | | X | X | X | X | X | | X | X | | X | X | X | X | X | X | | |
| Hepatocellular Carcinoma | | | | X | | | | | | | X | | | X | X | | | | | | | | | | X | |
| Hepatocellular Carcinoma, Multiple | | X | X | | | X | | X | | X | | X | | | | X | X | X | X | X | X | X | | X | | |
| Sarcoma, Metastatic, Kidney | | | | | | | | | | | | | | | | | | | | | | | | | | |

Mesentery

Fat, Hepatocellular Carcinoma,
Metastatic, Liver

Pancreas

Hepatoblastoma, Metastatic, Liver

Salivary Glands

Stomach, Forestomach

Squamous Cell Papilloma

Stomach, Glandular

Tooth

CARDIOVASCULAR SYSTEM

Blood Vessel

- * .. Total animals with tissue examined microscopically; Total animals with tumor
- + .. Tissue examined microscopically
- x .. Lesion present
- I .. Insufficient tissue

- M .. Missing tissue
- A .. Autolysis precludes evaluation
- BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam

CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | males
(cont...) |
|------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--------------------|
| | 4 5 7 6 4 6 4 7 4 7 4 5 7 4 6 6 7 5 7 7 5 6 7 7 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
2500 PPM | 8 9 2 4 6 6 6 2 6 0 6 4 2 6 1 7 2 6 0 2 9 0 2 2 6 | | | | | | | | | | | | | | | | | | | | | | | | males
(cont...) |
| | 6 4 9 6 0 9 0 9 0 3 0 0 9 0 5 3 2 7 0 9 8 8 9 9 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | males
(cont...) |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 2 2 2 2 2 2 2 2 3 3 3 3 3 3 3 3 3 4 4 4 4 4 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | | |

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Epididymis | + | | | | | | | | | | | | | | | | | | | | | | | |
| Preputial Gland | + | | | | | | | | | | | | | | | | | | | | | | | |
| Prostate | + | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatoblastoma, Metastatic, Liver | X | | | | | | | | | | | | | | | | | | | | | | | |
| Seminal Vesicle | + | | | | | | | | | | | | | | | | | | | | | | | |
| Testes | + | | | | | | | | | | | | | | | | | | | | | | | |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Bone Marrow | + | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node | + | | | | | | | | | | | | | | | | | | | | | | | |
| Renal, Hepatoblastoma, Metastatic, Liver | X | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mandibular | + + + + + + + + + + + + + + + + + + M M + + M + M + | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mesenteric | + + + + + + + + + + + + + + + + M + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | |
| Sarcoma, Metastatic, Kidney | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | males
(cont...) |
|------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--------------------|
| | 4 5 7 6 4 6 4 7 4 7 4 5 7 4 6 6 7 5 7 7 5 6 7 7 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
2500 PPM | 8 9 2 4 6 6 6 2 6 0 6 4 2 6 1 7 2 6 0 2 9 0 2 2 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 4 9 6 0 9 0 9 0 3 0 0 9 0 5 3 2 7 0 9 8 8 9 9 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 2 2 2 2 2 2 2 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Spleen | + | | | | | | | | | | | | | | | | | | | | | | | |
| Hemangiosarcoma, Metastatic, Skin | | | | | | | | | | | | | | | | | | | | | | | | |
| Thymus | + + + + + M + + + M M + + + + M M + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Mammary Gland | M | | | | | | | | | | | | | | | | | | | | | | | |
| Skin | + | | | | | | | | | | | | | | | | | | | | | | | |
| Subcutaneous Tissue, Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Subcutaneous Tissue, Melanoma Nos | | | | | | | | | | | | | | | | | | | | | | | | |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Bone | + | | | | | | | | | | | | | | | | | | | | | | | |
| Skeletal Muscle | + | | | | | | | | | | | | | | | | | | | | | | | |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Brain | + | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 4 5 7 6 4 6 4 7 4 7 4 5 7 4 6 6 7 5 7 7 5 6 7 7 4 | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
2500 PPM | 8 9 2 4 6 6 6 2 6 0 6 4 2 6 1 7 2 6 0 2 9 0 2 2 6 | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 4 9 6 0 9 0 9 0 3 0 0 9 0 5 3 2 7 0 9 8 8 9 9 0 | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 2 2 2 2 2 2 2 2 3 3 3 3 3 3 3 3 3 4 4 4 4 4 4 | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | |

males (cont...)

Peripheral Nerve
 Spinal Cord

RESPIRATORY SYSTEM

Lung
 Alveolar/Bronchiolar Adenoma
 Hepatoblastoma, Metastatic, Liver
 Hepatocellular Carcinoma, Metastatic, Liver
 Sarcoma, Metastatic, Kidney

Nose
 Trachea

SPECIAL SENSES SYSTEM

NONE

URINARY SYSTEM

Kidney

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 4 4 6 6 4 7 6 7 6 7 7 6 7 5 7 7 7 6 6 6 7 6 4 6 7 | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
2500 PPM | 6 6 6 6 6 2 4 2 3 2 2 7 1 2 1 2 2 6 7 2 2 1 6 4 2 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 0 5 7 0 9 2 9 9 9 2 3 0 3 4 9 9 6 9 8 7 6 0 5 9 | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| 2500 PPM | 1 | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 4 4 4 5 5 5 5 5 5 5 5 5 5 6 6 6 6 6 6 6 6 6 7 | | | | | | | | | | | | | | | | | | | | | | | |
| 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | | | | | | | | | | | | | | | | |

males
(cont...)

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Esophagus | + | | | | | | | | | | | | | | | | | | | | | | | |
| Gallbladder | + + M + + + + + + + + + + + + + + + + + + M + M + + + | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Cecum | + | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Colon | + | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Rectum | + | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Duodenum | + + + + + + + + M + + + + + + + + + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Ileum | + | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Jejunum | + | | | | | | | | | | | | | | | | | | | | | | | |
| Peyer's Patch, Lymphoma Malignant Mixed | | | | | | | | | | | | | | | | | | | | | | | | |
| Liver | + | | | | | | | | | | | | | | | | | | | | | | | |
| Hemangiosarcoma, Metastatic, Skin | X | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatoblastoma | X X X X X X X X X | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatoblastoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Adenoma | X X | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03

Test Type: CHRONIC

Route: DOSED FEED

Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam

CAS Number: 604-75-1

Date Report Requested: 01/07/2009

Time Report Requested: 07:39:32

First Dose M/F: 06/22/89 / 06/23/89

Lab: BAT

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | males
(cont...) |
|--|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 4 | 4 | 6 | 6 | 4 | 7 | 6 | 7 | 6 | 7 | 7 | 6 | 7 | 5 | 7 | 7 | 7 | 6 | 6 | 6 | 7 | 6 | 4 | 6 | 7 | |
| 6 | 6 | 6 | 6 | 6 | 2 | 4 | 2 | 3 | 2 | 2 | 7 | 1 | 2 | 1 | 2 | 2 | 6 | 7 | 2 | 2 | 1 | 6 | 4 | 2 | |
| 0 | 0 | 5 | 7 | 0 | 9 | 2 | 9 | 9 | 9 | 2 | 3 | 0 | 3 | 4 | 9 | 9 | 6 | 9 | 8 | 7 | 6 | 0 | 5 | 9 | |
| <hr/> | | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
2500 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | 4 | 4 | 4 | 4 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | |

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Hepatocellular Adenoma, Multiple | X | X | | X | X | | X | | X | X | X | | X | | X | X | X | X | | | | | X | X |
| Hepatocellular Carcinoma | X | | | | | | | | | | | | | | | | | | | | | | | X |
| Hepatocellular Carcinoma, Multiple | | | X | X | | X | X | X | X | X | X | X | | X | X | X | X | | X | X | X | | X | |
| Sarcoma, Metastatic, Kidney | | | | | | | | | X | | | | | | | | | | | | | | | |
| <hr/> | | | | | | | | | | | | | | | | | | | | | | | | |
| Mesentery | | | | | | | | | | | | | | | | | | | | | | | | |
| Fat, Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | |
| <hr/> | | | | | | | | | | | | | | | | | | | | | | | | |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hepatoblastoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | |
| <hr/> | | | | | | | | | | | | | | | | | | | | | | | | |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| <hr/> | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Squamous Cell Papilloma | | | | | | | | | | | | | | | | | | | | | | | | |
| <hr/> | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| <hr/> | | | | | | | | | | | | | | | | | | | | | | | | |
| Tooth | | | | | | | | | | | | | | | | | | | | | | | | |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
x .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam

CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 4 4 6 6 4 7 6 7 6 7 7 6 7 5 7 7 7 6 6 6 7 6 4 6 7 | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
2500 PPM | 6 6 6 6 6 2 4 2 3 2 2 7 1 2 1 2 2 6 7 2 2 1 6 4 2 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 0 5 7 0 9 2 9 9 9 2 3 0 3 4 9 9 6 9 8 7 6 0 5 9 | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| 2500 PPM | 1 | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 4 4 4 5 5 5 5 5 5 5 5 5 5 6 6 6 6 6 6 6 6 6 7 | | | | | | | | | | | | | | | | | | | | | | | |
| 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| males (cont...) | | | | | | | | | | | | | | | | | | | | | | | | |

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Epididymis | + | | | | | | | | | | | | | | | | | | | | | | | |
| Preputial Gland | + | | | | | | | | | | | | | | | | | | | | | | | |
| Prostate | + | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatoblastoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | |
| Seminal Vesicle | + | | | | | | | | | | | | | | | | | | | | | | | |
| Testes | + | | | | | | | | | | | | | | | | | | | | | | | |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Bone Marrow | + | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node | | | | | | | | | | | | | | | | | | | | | | | | |
| Renal, Hepatoblastoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mandibular | + + + + + + + + + + + + + + + + + M + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mesenteric | + + + + + + + + + + + + + + + M + + + + M + + + + + | | | | | | | | | | | | | | | | | | | | | | | |
| Sarcoma, Metastatic, Kidney | X | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | males
(cont...) |
|-------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 4 | 4 | 6 | 6 | 4 | 7 | 6 | 7 | 6 | 7 | 7 | 6 | 7 | 5 | 7 | 7 | 7 | 6 | 6 | 6 | 7 | 6 | 4 | 6 | 7 | |
| 6 | 6 | 6 | 6 | 6 | 2 | 4 | 2 | 3 | 2 | 2 | 7 | 1 | 2 | 1 | 2 | 2 | 6 | 7 | 2 | 2 | 1 | 6 | 4 | 2 | |
| 0 | 0 | 5 | 7 | 0 | 9 | 2 | 9 | 9 | 9 | 2 | 3 | 0 | 3 | 4 | 9 | 9 | 6 | 9 | 8 | 7 | 6 | 0 | 5 | 9 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | 4 | 4 | 4 | 4 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Hemangiosarcoma, Metastatic, Skin | | | | | | | X | | | | | | | | | | | | | | | | | | |
| Thymus | + | + | + | + | + | + | + | M | + | + | + | M | M | + | M | + | + | + | M | M | + | + | + | M | + |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mammary Gland | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Subcutaneous Tissue, Hemangiosarcoma | | | | | | | X | | | | | | | | | | | | | | | | | |
| Subcutaneous Tissue, Melanoma Nos | | | | | | | | | | | | | X | | | | | | | | | | | |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Skeletal Muscle | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | males
(cont...) |
|------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|--------------------|
| | 4 4 6 6 4 7 6 7 6 7 7 6 7 5 7 7 7 6 6 6 7 6 4 6 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
2500 PPM | 6 6 6 6 6 2 4 2 3 2 2 7 1 2 1 2 2 6 7 2 2 1 6 4 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 0 5 7 0 9 2 9 9 9 2 3 0 3 4 9 9 6 9 8 7 6 0 5 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| 2500 PPM | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 4 4 4 5 5 5 5 5 5 5 5 5 5 6 6 6 6 6 6 6 6 6 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | 0 | |

Peripheral Nerve

+ +

Spinal Cord

+ +

RESPIRATORY SYSTEM

Lung

+ +

Alveolar/Bronchiolar Adenoma

X

Hepatoblastoma, Metastatic, Liver

X

X

X

Hepatocellular Carcinoma, Metastatic, Liver

X

X

X

X

X

Sarcoma, Metastatic, Kidney

X

Nose

+ +

Trachea

+ +

SPECIAL SENSES SYSTEM

NONE

URINARY SYSTEM

Kidney

+ +

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 4 | 4 | 6 | 6 | 4 | 7 | 6 | 7 | 6 | 7 | 7 | 6 | 7 | 5 | 7 | 7 | 7 | 6 | 6 | 6 | 7 | 6 | 4 | 6 | 7 |
| | | 6 | 6 | 6 | 6 | 6 | 2 | 4 | 2 | 3 | 2 | 2 | 7 | 1 | 2 | 1 | 2 | 2 | 6 | 7 | 2 | 2 | 1 | 6 | 4 | 2 |
| | | 0 | 0 | 5 | 7 | 0 | 9 | 2 | 9 | 9 | 9 | 2 | 3 | 0 | 3 | 4 | 9 | 9 | 6 | 9 | 8 | 7 | 6 | 0 | 5 | 9 |
| B6C3F1 MICE MALE
2500 PPM | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | | 4 | 4 | 4 | 4 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |

males
(cont...)

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Sarcoma | X | | | | | | | | | | | | | | | | | | | | | | | |
| Urinary Bladder | + | | | | | | | | | | | | | | | | | | | | | | | |

SYSTEMIC LESIONS

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Multiple Organ | + | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant Mixed | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|--|---|---|---|---|---|---|---|---|---|---|
| | 7 | 7 | 7 | 6 | 7 | 6 | 7 | 6 | 7 | 6 |
| | 2 | 2 | 2 | 8 | 2 | 9 | 2 | 7 | 2 | 3 |
| | 9 | 9 | 0 | 2 | 0 | 7 | 9 | 9 | 0 | 8 |
| B6C3F1 MICE MALE
2500 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 8 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| * TOTALS | | | | | | | | | | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|-----------|
| Esophagus | + | + | + | + | + | + | + | + | + | + | 60 |
| Gallbladder | + | + | + | M | + | + | + | + | + | + | 54 |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | 60 |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | 60 |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | 60 |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | 59 |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | 60 |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | 60 |
| Peyer's Patch, Lymphoma Malignant
Mixed | | | | | | | | | | | 1 |
| Liver | + | + | + | + | + | + | + | + | + | + | 60 |
| Hemangiosarcoma, Metastatic, Skin | | | | | | | | | | | 1 |
| Hepatoblastoma | | X | X | X | X | | X | | X | | 20 |
| Hepatoblastoma, Multiple | | | | | | | | | | | 1 |
| Hepatocellular Adenoma | X | | | X | | | X | | X | | 7 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam

CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | * TOTALS |
|--|-----------|---|---|---|---|---|---|---|---|---|----------|
| | 7 | 7 | 7 | 6 | 7 | 6 | 7 | 6 | 7 | 6 | |
| | 2 | 2 | 2 | 8 | 2 | 9 | 2 | 7 | 2 | 3 | |
| | 9 | 9 | 0 | 2 | 0 | 7 | 9 | 9 | 0 | 8 | |
| B6C3F1 MICE MALE
2500 PPM | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 8 | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| Hepatocellular Adenoma, Multiple | | X | | | | | X | | | | 36 |
| Hepatocellular Carcinoma | | | | | | | | | | | 7 |
| Hepatocellular Carcinoma, Multiple | X | X | X | X | X | X | X | X | X | X | 42 |
| Sarcoma, Metastatic, Kidney | | | | | | | | | | | 1 |
| Mesentery | | | | | | | | | | + | 2 |
| Fat, Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | | | | X | 1 |
| Pancreas | | + | + | + | + | + | + | + | + | + | 60 |
| Hepatoblastoma, Metastatic, Liver | | | | | | | | | | | 1 |
| Salivary Glands | | + | + | + | + | + | + | + | + | + | 60 |
| Stomach, Forestomach | | + | + | + | + | + | + | + | + | + | 60 |
| Squamous Cell Papilloma | | | | | | | | | | | 1 |
| Stomach, Glandular | | + | + | + | + | + | + | + | + | + | 60 |
| Tooth | | | | | | | | | | | 1 |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | |
|--------------|---|---|---|---|---|---|---|---|---|---|----|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | 60 |
|--------------|---|---|---|---|---|---|---|---|---|---|----|

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|--|---|---|---|---|---|---|---|---|---|---|
| | 7 | 7 | 7 | 6 | 7 | 6 | 7 | 6 | 7 | 6 |
| | 2 | 2 | 2 | 8 | 2 | 9 | 2 | 7 | 2 | 3 |
| | 9 | 9 | 0 | 2 | 0 | 7 | 9 | 9 | 0 | 8 |
| B6C3F1 MICE MALE
2500 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 8 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| * TOTALS | | | | | | | | | | |

| | | | | | | | | | | | |
|-------|---|---|---|---|---|---|---|---|---|---|-----------|
| Heart | + | + | + | + | + | + | + | + | + | + | 60 |
|-------|---|---|---|---|---|---|---|---|---|---|-----------|

ENDOCRINE SYSTEM

| | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|-----------|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | 59 |
| Adenoma | | | | | | | | | | | 1 |
| Capsule, Hepatoblastoma, Metastatic, Liver | | | | | | | | | | | 1 |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | 60 |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | 60 |
| Parathyroid Gland | + | + | + | + | M | + | + | + | M | + | 51 |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | M | 52 |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | 60 |
| Follicular Cell, Adenoma | | | | | X | | | | | | 1 |

GENERAL BODY SYSTEM

NONE

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam

CAS Number: 604-75-1

Date Report Requested: 01/07/2009

Time Report Requested: 07:39:32

First Dose M/F: 06/22/89 / 06/23/89

Lab: BAT

| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|--|---|---|---|---|---|---|---|---|---|---|
| | 7 | 7 | 7 | 6 | 7 | 6 | 7 | 6 | 7 | 6 |
| | 2 | 2 | 2 | 8 | 2 | 9 | 2 | 7 | 2 | 3 |
| | 9 | 9 | 0 | 2 | 0 | 7 | 9 | 9 | 0 | 8 |
| B6C3F1 MICE MALE
2500 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 8 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| * TOTALS | | | | | | | | | | |

GENITAL SYSTEM

| | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|-----------|
| Epididymis | + | + | + | + | + | + | + | + | + | + | 60 |
| Preputial Gland | + | + | + | + | + | + | + | + | + | + | 60 |
| Prostate | + | + | + | + | + | + | + | + | + | + | 60 |
| Hepatoblastoma, Metastatic, Liver | | | | | | | | | | | 1 |
| Seminal Vesicle | + | + | + | + | + | + | + | + | + | + | 60 |
| Testes | + | + | + | + | + | + | + | + | + | + | 60 |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|-----------|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | 60 |
| Lymph Node | | | | | | | | | | | 1 |
| Renal, Hepatoblastoma, Metastatic, Liver | | | | | | | | | | | 1 |
| Lymph Node, Mandibular | + | + | + | M | + | + | + | M | + | M | 52 |
| Lymph Node, Mesenteric | + | + | + | + | M | + | + | M | + | + | 55 |
| Sarcoma, Metastatic, Kidney | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|--|-----------|---|---|---|---|---|---|---|---|---|
| | 7 | 7 | 7 | 6 | 7 | 6 | 7 | 6 | 7 | 6 |
| | 2 | 2 | 2 | 8 | 2 | 9 | 2 | 7 | 2 | 3 |
| | 9 | 9 | 0 | 2 | 0 | 7 | 9 | 9 | 0 | 8 |
| B6C3F1 MICE MALE
2500 PPM | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 8 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |

*** TOTALS**

| | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|-----------|
| Spleen | + | + | + | + | + | + | + | + | + | + | 60 |
| Hemangiosarcoma, Metastatic, Skin | | | | | | | | | | | 1 |
| Thymus | M | + | + | + | + | M | + | + | + | + | 46 |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Mammary Gland | M | M | M | M | M | M | M | M | M | M | 0 |
| Skin | + | + | + | + | + | + | + | + | + | + | 60 |
| Subcutaneous Tissue,
Hemangiosarcoma | | | | | | | | | | | 1 |
| Subcutaneous Tissue, Melanoma Nos | | | | | | | | | | | 1 |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|-----------|
| Bone | + | + | + | + | + | + | + | + | + | + | 60 |
| Skeletal Muscle | + | + | + | + | + | + | + | + | + | + | 60 |

NERVOUS SYSTEM

| | | | | | | | | | | | |
|-------|---|---|---|---|---|---|---|---|---|---|-----------|
| Brain | + | + | + | + | + | + | + | + | + | + | 60 |
|-------|---|---|---|---|---|---|---|---|---|---|-----------|

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|--|-----------|---|---|---|---|---|---|---|---|---|
| | 7 | 7 | 7 | 6 | 7 | 6 | 7 | 6 | 7 | 6 |
| | 2 | 2 | 2 | 8 | 2 | 9 | 2 | 7 | 2 | 3 |
| | 9 | 9 | 0 | 2 | 0 | 7 | 9 | 9 | 0 | 8 |
| B6C3F1 MICE MALE
2500 PPM | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 8 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| * TOTALS | | | | | | | | | | |

| | |
|------------------|----------|
| Peripheral Nerve | 2 |
| Spinal Cord | 2 |

RESPIRATORY SYSTEM

| | | |
|---|---------------------|-----------|
| Lung | + + + + + + + + + + | 60 |
| Alveolar/Bronchiolar Adenoma | X | 5 |
| Hepatoblastoma, Metastatic, Liver | X | 7 |
| Hepatocellular Carcinoma, Metastatic, Liver | X | 10 |
| Sarcoma, Metastatic, Kidney | | 1 |
| Nose | + + + + + + + + + + | 60 |
| Trachea | + + + + + + + + + + | 60 |

SPECIAL SENSES SYSTEM

NONE

URINARY SYSTEM

| | | |
|--------|---------------------|-----------|
| Kidney | + + + + + + + + + + | 60 |
|--------|---------------------|-----------|

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| | | | | | | | | | | | | |
|-------------------------|-------------|---|---|---|---|---|---|---|---|---|---|-----------------|
| | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 7 | 7 | 7 | 6 | 7 | 6 | 7 | 6 | 7 | 6 | |
| | | 2 | 2 | 2 | 8 | 2 | 9 | 2 | 7 | 2 | 3 | |
| | | 9 | 9 | 0 | 2 | 0 | 7 | 9 | 9 | 0 | 8 | |
| B6C3F1 MICE MALE | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| 2500 PPM | | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 8 | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | * TOTALS |

Sarcoma **1**

Urinary Bladder **60**

SYSTEMIC LESIONS

Multiple Organ **60**

Lymphoma Malignant Mixed **1**

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 5 6 5 4 4 4 5 4 4 5 5 4 6 5 5 5 4 6 6 4 4 5 6 5 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 9 2 3 6 7 6 0 6 6 8 7 6 2 7 6 3 6 2 0 1 6 8 2 1 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 5 1 0 9 0 7 0 0 9 5 0 8 5 8 9 0 4 9 3 4 7 5 4 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
5000 PPM | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 2 2 2 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 8 8 8 8 8 8 8 8 8 9 9 9 9 9 9 9 9 9 9 0 0 0 0 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 males (cont...) | | | | | | | | | | | | | | | | | | | | | | | | |

Hepatocellular Carcinoma, Multiple X
 Lymphoma Malignant Lymphocytic

Mesentery
 Lymphoma Malignant Lymphocytic

Pancreas +
 Lymphoma Malignant Lymphocytic

Salivary Glands +
 Lymphoma Malignant Lymphocytic

Stomach, Forestomach +

Stomach, Glandular +

CARDIOVASCULAR SYSTEM

Blood Vessel +

Heart +

ENDOCRINE SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam

CAS Number: 604-75-1

Date Report Requested: 01/07/2009

Time Report Requested: 07:39:32

First Dose M/F: 06/22/89 / 06/23/89

Lab: BAT

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | males
(cont...) | |
|--|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------------|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 |
| 5 | 6 | 5 | 4 | 4 | 4 | 5 | 4 | 4 | 5 | 5 | 4 | 6 | 5 | 5 | 5 | 4 | 6 | 6 | 4 | 4 | 5 | 6 | 5 | 5 | 0 | | |
| 9 | 2 | 3 | 6 | 7 | 6 | 0 | 6 | 6 | 8 | 7 | 6 | 2 | 7 | 6 | 3 | 6 | 2 | 0 | 1 | 6 | 8 | 2 | 1 | 6 | 0 | | |
| 6 | 5 | 1 | 0 | 9 | 0 | 7 | 0 | 0 | 9 | 5 | 0 | 8 | 5 | 8 | 9 | 0 | 4 | 9 | 3 | 4 | 7 | 5 | 4 | 7 | 0 | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
5000 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 0 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|--|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Capsule, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphocytic | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Parathyroid Gland | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | M | + | M | + | + | + | + | M | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pituitary Gland | + | + | M | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | M | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | |
| Lymphoma Malignant Lymphocytic | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Follicular Cell, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | | |

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|--|--|
| Epididymis | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Preputial Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 5 6 5 4 4 4 5 4 4 5 5 4 6 5 5 5 4 6 6 4 4 5 6 5 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
5000 PPM | 9 2 3 6 7 6 0 6 6 8 7 6 2 7 6 3 6 2 0 1 6 8 2 1 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 5 1 0 9 0 7 0 0 9 5 0 8 5 8 9 0 4 9 3 4 7 5 4 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| 5000 PPM | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 2 2 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 8 8 8 8 8 8 8 8 8 9 9 9 9 9 9 9 9 9 9 0 0 0 0 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| | males (cont...) | | | | | | | | | | | | | | | | | | | | | | | | |
| Prostate | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Seminal Vesicle | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Testes | + | | | | | | | | | | | | | | | | | | | | | | | | |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Bone Marrow | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mandibular
Lymphoma Malignant Lymphocytic | + M + + + + + + + + + + + + + + + + + M + M + + M + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mediastinal
Lymphoma Malignant Lymphocytic | + + M + + + + + + + + + + + + + + + + + M + M + M + | | | | | | | | | | | | | | | | | | | | | | | | |
| Spleen | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Thymus
Lymphoma Malignant Lymphocytic | I + + M + + + + + M M + + + + M + M + + M M M + + | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 5 6 5 4 4 4 5 4 4 5 5 4 6 5 5 5 4 6 6 4 4 5 6 5 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
5000 PPM | 9 2 3 6 7 6 0 6 6 8 7 6 2 7 6 3 6 2 0 1 6 8 2 1 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 5 1 0 9 0 7 0 0 9 5 0 8 5 8 9 0 4 9 3 4 7 5 4 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 2 2 2 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 8 8 8 8 8 8 8 8 8 9 9 9 9 9 9 9 9 9 9 0 0 0 0 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | | |

males
(cont...)

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mammary Gland | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Subcutaneous Tissue, Lymphoma
Malignant Lymphocytic | | | | | | | | | | | | | | | | | | | | | | | | | |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Skeletal Muscle | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant Lymphocytic | | | | | | | | | | | | | | | | | | | | | | | | | |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | males
(cont...) |
|------------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 6 | 6 | 6 | 6 | 4 | 6 | 5 | 4 | 6 | 4 | 6 | 4 | 5 | 6 | 6 | 5 | 5 | 5 | 4 | 5 | 5 | 4 | 5 | 5 | 0 | |
| 1 | 2 | 1 | 1 | 6 | 2 | 9 | 3 | 2 | 7 | 2 | 6 | 9 | 1 | 1 | 6 | 4 | 3 | 5 | 6 | 6 | 6 | 6 | 9 | 0 | |
| 4 | 8 | 7 | 5 | 0 | 3 | 8 | 4 | 2 | 9 | 4 | 0 | 6 | 7 | 2 | 9 | 2 | 7 | 0 | 6 | 7 | 9 | 0 | 9 | 6 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
5000 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Gallbladder | M | + | M | M | + | M | M | + | M | M | + | + | + | M | + | M | M | M | M | + | + | + | M | + | M |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Hepatoblastoma | X | | | | X | | | X | X | | | X | X | | | | | | | | | | | | |
| Hepatoblastoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | X | | |
| Hepatocellular Adenoma | | | | | | | | | | | | | X | | | X | | | | X | | | | | |
| Hepatocellular Adenoma, Multiple | | | | | X | | | X | X | X | X | | X | | | X | | X | | | X | X | X | X | |
| Hepatocellular Carcinoma | | | | | | | | | | | | | | | | | | | | | X | X | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam

CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 6 6 6 6 4 6 5 4 6 4 6 4 5 6 6 5 5 5 4 5 5 5 4 5 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 1 2 1 1 6 2 9 3 2 7 2 6 9 1 1 6 4 3 5 6 6 6 6 6 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 8 7 5 0 3 8 4 2 9 4 0 6 7 2 9 2 7 0 6 7 9 0 9 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5000 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |

males
(cont...)

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Hepatocellular Carcinoma, Multiple | X | X | X | X | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | |
| Lymphoma Malignant Lymphocytic | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mesentery | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant Lymphocytic | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant Lymphocytic | | | | | | | | | | | | | | | | | | | | | | | | | |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant Lymphocytic | | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam

CAS Number: 604-75-1

Date Report Requested: 01/07/2009

Time Report Requested: 07:39:32

First Dose M/F: 06/22/89 / 06/23/89

Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 6 6 6 6 4 6 5 4 6 4 6 4 5 6 6 5 5 5 4 5 5 5 4 5 5 | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
5000 PPM | 1 2 1 1 6 2 9 3 2 7 2 6 9 1 1 6 4 3 5 6 6 6 6 6 9 | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 8 7 5 0 3 8 4 2 9 4 0 6 7 2 9 2 7 0 6 7 9 0 9 6 | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 0 0 0 1 | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | | | | | | | | | | | | | | | |

males
(cont...)

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Capsule, Lymphoma Malignant Lymphocytic | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Parathyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + |
| Pituitary Gland | M | + | M | + | + | + | M | + | + | + | + | + | + | + | + | + | M | M | + | M | + | + | + | + | + |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant Lymphocytic | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Follicular Cell, Adenoma | | | X | | | | | | | | | | | | | | | | | | | | | | |

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Epididymis | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Preputial Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam

CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | males
(cont...) | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------------|--------------------|
| | 6 6 6 6 4 6 5 4 6 4 6 4 5 6 6 5 5 5 4 5 5 5 4 5 5 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 1 2 1 1 6 2 9 3 2 7 2 6 9 1 1 6 4 3 5 6 6 6 6 6 9 | | | | | | | | | | | | | | | | | | | | | | | | males
(cont...) | |
| | 4 8 7 5 0 3 8 4 2 9 4 0 6 7 2 9 2 7 0 6 7 9 0 9 6 | | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | males
(cont...) |
| 5000 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Prostate | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Seminal Vesicle | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Testes | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymph Node | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | M | + | + | + | + | + | + | + |
| Lymphoma Malignant Lymphocytic | | | | | | | | | | | | | | | | | X | | | | | | | | |
| Lymph Node, Mediastinal | | | | | | | | | | | | | | | | | | + | | | | | | | |
| Lymphoma Malignant Lymphocytic | | | | | | | | | | | | | | | | | | X | | | | | | | |
| Lymph Node, Mesenteric | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant Lymphocytic | | | | | | | | | | | | | | | | | | X | | | | | | | |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Thymus | M | + | M | M | + | M | + | + | + | + | + | + | + | + | + | M | + | + | + | M | M | + | + | M | + |
| Lymphoma Malignant Lymphocytic | | | | | | | | | | | | | | | | | X | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam

CAS Number: 604-75-1

Date Report Requested: 01/07/2009

Time Report Requested: 07:39:32

First Dose M/F: 06/22/89 / 06/23/89

Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 6 6 6 6 4 6 5 4 6 4 6 4 5 6 6 5 5 5 4 5 5 5 4 5 5 | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
5000 PPM | 1 2 1 1 6 2 9 3 2 7 2 6 9 1 1 6 4 3 5 6 6 6 6 6 9 | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 8 7 5 0 3 8 4 2 9 4 0 6 7 2 9 2 7 0 6 7 9 0 9 6 | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 0 0 0 1 1 1 1 1 1 1 1 1 1 1 1 2 2 2 2 2 2 2 2 3 | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | | | | | | | | | | | | | | | |

males
(cont...)

Hepatoblastoma, Metastatic, Liver

X

Hepatocellular Carcinoma, Metastatic, Liver

X X X

X

X X

X

X

Lymphoma Malignant Lymphocytic

X

Nose

+ +

Trachea

+ +

SPECIAL SENSES SYSTEM

Harderian Gland

Adenoma

URINARY SYSTEM

Kidney

+ +

Lymphoma Malignant Lymphocytic

X

Urinary Bladder

+ +

SYSTEMIC LESIONS

Multiple Organ

+ +

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam

CAS Number: 604-75-1

Date Report Requested: 01/07/2009

Time Report Requested: 07:39:32

First Dose M/F: 06/22/89 / 06/23/89

Lab: BAT

| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|--|---|---|---|---|---|---|---|---|---|---|
| | 4 | 4 | 4 | 5 | 6 | 4 | 6 | 5 | 5 | 5 |
| | 5 | 6 | 0 | 3 | 2 | 6 | 2 | 4 | 9 | 9 |
| | 1 | 1 | 1 | 5 | 2 | 0 | 3 | 7 | 3 | 5 |
| B6C3F1 MICE MALE
5000 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| * TOTALS | | | | | | | | | | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | |
|----------------------------------|---|---|---|---|---|---|---|---|---|---|-----------|
| Esophagus | + | + | + | + | + | + | + | + | + | + | 60 |
| Gallbladder | + | + | + | + | + | + | M | + | M | + | 32 |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | 59 |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | 59 |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | 59 |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | 60 |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | 60 |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | 60 |
| Liver | + | + | + | + | + | + | + | + | + | + | 60 |
| Hepatoblastoma | | X | | | X | | | X | X | | 13 |
| Hepatoblastoma, Multiple | | | | | | | | | | | 1 |
| Hepatocellular Adenoma | | | | | | | | | | | 5 |
| Hepatocellular Adenoma, Multiple | X | X | X | X | X | | X | X | | | 36 |
| Hepatocellular Carcinoma | | | X | | | | | | X | | 6 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam

CAS Number: 604-75-1

Date Report Requested: 01/07/2009

Time Report Requested: 07:39:32

First Dose M/F: 06/22/89 / 06/23/89

Lab: BAT

| | DAY ON TEST | | | | | | | | | | |
|------------------------------------|-------------|---|---|---|---|---|---|---|---|---|-----------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 4 | 4 | 4 | 5 | 6 | 4 | 6 | 5 | 5 | 5 | |
| | 5 | 6 | 0 | 3 | 2 | 6 | 2 | 4 | 9 | 9 | |
| | 1 | 1 | 1 | 5 | 2 | 0 | 3 | 7 | 3 | 5 | |
| | | | | | | | | | | | |
| B6C3F1 MICE MALE | ANIMAL ID | | | | | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | |
| | | | | | | | | | | | * TOTALS |
| Hepatocellular Carcinoma, Multiple | X | X | | X | X | X | X | X | | X | 53 |
| Lymphoma Malignant Lymphocytic | | | | | | | | | | | 1 |
| | | | | | | | | | | | |
| Mesentery | | | | | | | | | | | 2 |
| Lymphoma Malignant Lymphocytic | | | | | | | | | | | 1 |
| | | | | | | | | | | | |
| Pancreas | + | + | + | + | + | + | + | + | + | + | 60 |
| Lymphoma Malignant Lymphocytic | | | | | | | | | | | 1 |
| | | | | | | | | | | | |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | 60 |
| Lymphoma Malignant Lymphocytic | | | | | | | | | | | 1 |
| | | | | | | | | | | | |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | 60 |
| | | | | | | | | | | | |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | 60 |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | |
|--------------|---|---|---|---|---|---|---|---|---|---|-----------|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | 60 |
| | | | | | | | | | | | |
| Heart | + | + | + | + | + | + | + | + | + | + | 60 |

ENDOCRINE SYSTEM

| | | | | | | | | | | | |
|-------|--|--|--|--|--|--|--|--|--|--|--|
| | | | | | | | | | | | |
|-------|--|--|--|--|--|--|--|--|--|--|--|

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam

CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|--|-----------|---|---|---|---|---|---|---|---|---|
| | 4 | 4 | 4 | 5 | 6 | 4 | 6 | 5 | 5 | 5 |
| | 5 | 6 | 0 | 3 | 2 | 6 | 2 | 4 | 9 | 9 |
| | 1 | 1 | 1 | 5 | 2 | 0 | 3 | 7 | 3 | 5 |
| B6C3F1 MICE MALE
5000 PPM | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |

*** TOTALS**

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | 60 |
| Capsule, Lymphoma Malignant Lymphocytic | | | | | | | | | | | 1 |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | 60 |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | 60 |
| Parathyroid Gland | M | M | M | + | + | + | M | + | + | + | 51 |
| Pituitary Gland | + | + | + | I | M | + | M | + | + | + | 47 |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | 60 |
| Lymphoma Malignant Lymphocytic | | | | | | | | | | | 1 |
| Follicular Cell, Adenoma | | | | | | | | | | | 1 |

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

| | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|-----------|
| Epididymis | + | + | + | + | + | + | + | + | + | + | 60 |
| Preputial Gland | + | + | + | + | + | + | + | + | + | + | 59 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| | DAY ON TEST | | | | | | | | | | |
|--------------------------------|-------------|---|---|---|---|---|---|---|---|---|-----------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 4 | 4 | 4 | 5 | 6 | 4 | 6 | 5 | 5 | 5 | |
| | 5 | 6 | 0 | 3 | 2 | 6 | 2 | 4 | 9 | 9 | |
| | 1 | 1 | 1 | 5 | 2 | 0 | 3 | 7 | 3 | 5 | |
| | | | | | | | | | | | |
| B6C3F1 MICE MALE
5000 PPM | ANIMAL ID | | | | | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | |
| | | | | | | | | | | | |
| Prostate | + | + | + | + | + | + | + | + | + | + | 60 |
| | | | | | | | | | | | |
| Seminal Vesicle | + | + | + | + | + | + | + | + | + | + | 60 |
| | | | | | | | | | | | |
| Testes | + | + | + | + | + | + | + | + | + | + | 60 |
| | | | | | | | | | | | |
| HEMATOPOIETIC SYSTEM | | | | | | | | | | | |
| | | | | | | | | | | | |
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | 60 |
| | | | | | | | | | | | |
| Lymph Node | | | | + | | | | | | | 2 |
| | | | | | | | | | | | |
| Lymph Node, Mandibular | M | + | + | + | + | + | + | M | + | + | 52 |
| Lymphoma Malignant Lymphocytic | | | | | | | | | | | 1 |
| | | | | | | | | | | | |
| Lymph Node, Mediastinal | | | | | | | | | | | 1 |
| Lymphoma Malignant Lymphocytic | | | | | | | | | | | 1 |
| | | | | | | | | | | | |
| Lymph Node, Mesenteric | M | + | M | M | M | + | + | + | + | + | 50 |
| Lymphoma Malignant Lymphocytic | | | | | | | | | | | 1 |
| | | | | | | | | | | | |
| Spleen | + | + | + | + | + | + | + | + | + | + | 60 |
| | | | | | | | | | | | |
| Thymus | + | + | + | + | + | + | M | + | M | M | 40 |
| Lymphoma Malignant Lymphocytic | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| | | | | | | | | | | | | |
|-------------------------|-------------|---|---|---|---|---|---|---|---|---|---|-----------------|
| | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 4 | 4 | 4 | 5 | 6 | 4 | 6 | 5 | 5 | 5 | |
| | | 5 | 6 | 0 | 3 | 2 | 6 | 2 | 4 | 9 | 9 | |
| | | 1 | 1 | 1 | 5 | 2 | 0 | 3 | 7 | 3 | 5 | |
| B6C3F1 MICE MALE | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 5000 PPM | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | * TOTALS |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|-----------|
| Mammary Gland | M | M | M | M | M | M | M | M | M | M | 0 |
| Skin | + | + | + | + | + | + | + | + | + | + | 60 |
| Subcutaneous Tissue, Lymphoma
Malignant Lymphocytic | | | | | | | | | | | 1 |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | |
|--------------------------------|---|---|---|---|---|---|---|---|---|---|-----------|
| Bone | + | + | + | + | + | + | + | + | + | + | 60 |
| Skeletal Muscle | + | + | + | + | + | + | + | + | + | + | 60 |
| Lymphoma Malignant Lymphocytic | | | | | | | | | | | 1 |

NERVOUS SYSTEM

| | | | | | | | | | | | |
|-------|---|---|---|---|---|---|---|---|---|---|-----------|
| Brain | + | + | + | + | + | + | + | + | + | + | 60 |
|-------|---|---|---|---|---|---|---|---|---|---|-----------|

RESPIRATORY SYSTEM

| | | | | | | | | | | | |
|------------------------------|---|---|---|---|---|---|---|---|---|---|-----------|
| Lung | + | + | + | + | + | + | + | + | + | + | 60 |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|--|-----------|---|---|---|---|---|---|---|---|---|
| | 4 | 4 | 4 | 5 | 6 | 4 | 6 | 5 | 5 | 5 |
| | 5 | 6 | 0 | 3 | 2 | 6 | 2 | 4 | 9 | 9 |
| | 1 | 1 | 1 | 5 | 2 | 0 | 3 | 7 | 3 | 5 |
| B6C3F1 MICE MALE
5000 PPM | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| * TOTALS | | | | | | | | | | |

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Hepatoblastoma, Metastatic, Liver | X | | | | | | X | | | | 5 |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | X | | | | 17 |
| Lymphoma Malignant Lymphocytic | | | | | | | | | | | 1 |
| Nose | + | + | + | + | + | + | + | + | + | + | 60 |
| Trachea | + | + | + | + | + | + | + | + | + | + | 60 |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | |
|-----------------|--|--|--|--|--|--|--|--|--|--|----------|
| Harderian Gland | | | | | | | | | | | 1 |
| Adenoma | | | | | | | | | | | 1 |

URINARY SYSTEM

| | | | | | | | | | | | |
|--------------------------------|---|---|---|---|---|---|---|---|---|---|-----------|
| Kidney | + | + | + | + | + | + | + | + | + | + | 60 |
| Lymphoma Malignant Lymphocytic | | | | | | | | | | | 1 |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | 59 |

SYSTEMIC LESIONS

| | | | | | | | | | | | |
|----------------|---|---|---|---|---|---|---|---|---|---|-----------|
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | 60 |
|----------------|---|---|---|---|---|---|---|---|---|---|-----------|

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam

CAS Number: 604-75-1

Date Report Requested: 01/07/2009

Time Report Requested: 07:39:32

First Dose M/F: 06/22/89 / 06/23/89

Lab: BAT

| | | | | | | | | | | | |
|-------------------------|-------------|---|---|---|---|---|---|---|---|---|-----------------|
| | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 4 | 4 | 4 | 5 | 6 | 4 | 6 | 5 | 5 | |
| | | 5 | 6 | 0 | 3 | 2 | 6 | 2 | 4 | 9 | |
| | | 1 | 1 | 1 | 5 | 2 | 0 | 3 | 7 | 3 | |
| | | | | | | | | | | | |
| B6C3F1 MICE MALE | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| 5000 PPM | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | |
| | | | | | | | | | | | |
| | | | | | | | | | | | * TOTALS |

Lymphoma Malignant Lymphocytic

1

*** END OF MALE DATA ***

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|
| | 6 7 7 7 5 4 7 7 7 4 7 7 7 7 7 7 7 6 4 6 4 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
0 PPM | 5 3 3 3 7 6 3 3 3 6 3 3 3 3 3 3 3 2 6 7 6 3 3 3 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 6 5 6 6 0 6 5 5 0 5 5 5 6 6 6 5 6 4 0 0 6 6 6 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| 0 PPM | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 4 4 4 4 4 4 4 4 5 5 5 5 5 5 5 5 5 6 6 6 6 6 6 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 |

females
(cont...)

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Esophagus | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Gallbladder | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Cecum | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Colon | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Rectum | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Duodenum | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Ileum | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Jejunum | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Liver | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Adenoma | X X X X | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Adenoma, Multiple | X X X | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Carcinoma | X X | | | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant Mixed | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam

CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|
| | 6 7 7 7 5 4 7 7 7 4 7 7 7 7 7 7 7 6 4 6 4 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
0 PPM | 5 3 3 3 7 6 3 3 3 6 3 3 3 3 3 3 3 2 6 7 6 3 3 3 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 6 5 6 6 0 6 5 5 0 5 5 5 6 6 6 5 6 4 0 0 6 6 6 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| 0 PPM | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 4 4 4 4 4 4 4 4 4 5 5 5 5 5 5 5 5 6 6 6 6 6 6 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 |

females
(cont...)

Mesentery
 Teratoma Malignant, Metastatic, Ovary
 Fat, Lipoma

Pancreas

Salivary Glands
 Fibrosarcoma, Metastatic, Skin
 Lymphoma Malignant Lymphocytic

Stomach, Forestomach
 Squamous Cell Papilloma

Stomach, Glandular

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | | | | | | | | | | | | | | | | | | | | | | | | |
| + | | | | | | | | | | | | | | | | | | | | | | | | |
| + | | | | | | | | | | | | | | | | | | | | | | | | |
| X | | | | | | | | | | | | | | | | | | | | | | | | |
| + | | | | | | | | | | | | | | | | | | | | | | | | |
| X | | | | | | | | | | | | | | | | | | | | | | | | |
| + | | | | | | | | | | | | | | | | | | | | | | | | |

CARDIOVASCULAR SYSTEM

Blood Vessel

Heart

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | | | | | | | | | | | | | | | | | | | | | | | | |
| + | | | | | | | | | | | | | | | | | | | | | | | | |
| + | | | | | | | | | | | | | | | | | | | | | | | | |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam

CAS Number: 604-75-1

Date Report Requested: 01/07/2009

Time Report Requested: 07:39:32

First Dose M/F: 06/22/89 / 06/23/89

Lab: BAT

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|---------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 6 | 7 | 7 | 7 | 5 | 4 | 7 | 7 | 7 | 4 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 4 | 6 | 4 | 7 | 7 | 7 | | |
| 5 | 3 | 3 | 3 | 7 | 6 | 3 | 3 | 3 | 6 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 2 | 6 | 7 | 6 | 3 | 3 | 3 | | |
| 9 | 6 | 5 | 6 | 6 | 0 | 6 | 5 | 5 | 0 | 5 | 5 | 5 | 6 | 6 | 6 | 5 | 6 | 4 | 0 | 0 | 0 | 6 | 6 | 5 | | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| 0 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | | |
| | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | |

| | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Parathyroid Gland | M | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | M | + | + |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Pars Distalis, Adenoma | | | | | | | | | | | | | | | | | X | | | | | X | | |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Clitoral Gland | M | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Cystadenoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Granulosa Cell Tumor Malignant | | | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 6 | 7 | 7 | 7 | 5 | 4 | 7 | 7 | 7 | 4 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 4 | 6 | 4 | 7 | 7 | 7 |
| 5 | 3 | 3 | 3 | 7 | 6 | 3 | 3 | 3 | 6 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 2 | 6 | 7 | 6 | 3 | 3 | 3 | |
| 9 | 6 | 5 | 6 | 6 | 0 | 6 | 5 | 5 | 0 | 5 | 5 | 5 | 6 | 6 | 6 | 5 | 6 | 4 | 0 | 0 | 0 | 6 | 6 | 5 | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | |

females
(cont...)

Luteoma
 Teratoma Malignant
 Follicle, Adenoma
 Periovarian Tissue, Lymphoma Malignant
 Lymphocytic

Uterus +
 Histiocytic Sarcoma
 Polyp Stromal
 Cervix, Histiocytic Sarcoma

HEMATOPOIETIC SYSTEM

Bone Marrow +
 Lymph Node +
 Renal, Teratoma Malignant, Metastatic, Ovary
 Lymph Node, Bronchial
 Lymphoma Malignant Lymphocytic
 Lymph Node, Mandibular + M +
 Fibrosarcoma, Metastatic, Skin

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 6 7 7 7 5 4 7 7 7 4 7 7 7 7 7 7 7 6 4 6 4 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
0 PPM | 5 3 3 3 7 6 3 3 3 6 3 3 3 3 3 3 3 2 6 7 6 3 3 3 | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 6 5 6 6 0 6 5 5 0 5 5 5 6 6 6 5 6 4 0 0 6 6 5 | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 4 4 4 4 4 4 4 4 4 5 5 5 5 5 5 5 5 6 6 6 6 6 6 | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | |

females
(cont...)

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Skin | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Subcutaneous Tissue, Fibrosarcoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Subcutaneous Tissue, Fibrosarcoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | |
| Subcutaneous Tissue, Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Skeletal Muscle | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Diaphragm, Teratoma Malignant, Metastatic, Ovary | | | | | | | | | | | | | | | | | | | | | | | | |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Peripheral Nerve | | | | | | | | | | | | | | | | | | | | | | | | |
| Spinal Cord | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 6 7 7 7 5 4 7 7 7 4 7 7 7 7 7 7 7 6 4 6 4 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
0 PPM | 5 3 3 3 7 6 3 3 3 6 3 3 3 3 3 3 3 2 6 7 6 3 3 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 6 5 6 6 0 6 5 5 0 5 5 5 6 6 6 5 6 4 0 0 6 6 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| 0 PPM | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 4 4 4 4 4 4 4 4 5 5 5 5 5 5 5 5 6 6 6 6 6 6 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | | |

females
(cont...)

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Lung | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Alveolar/Bronchiolar Adenoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | | |
| Alveolar/Bronchiolar Carcinoma | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Fibrosarcoma, Metastatic, Skin | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Carcinoma, Metastatic, Liver | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant Lymphocytic | | | | | | | | | | | | | | | | | | | | | | | | | |
| Teratoma Malignant, Metastatic, Ovary | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mediastinum, Lymphoma Malignant Lymphocytic | | | | | | | | | | | | | | | | | | | | | | | | | |
| Nose | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Trachea | + | | | | | | | | | | | | | | | | | | | | | | | | |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Ear | | | | | | | | | | | | | | | | | | | | | | | | | |
| Eye | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam

CAS Number: 604-75-1

Date Report Requested: 01/07/2009

Time Report Requested: 07:39:32

First Dose M/F: 06/22/89 / 06/23/89

Lab: BAT

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------------------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 6 | 7 | 7 | 7 | 5 | 4 | 7 | 7 | 7 | 4 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 4 | 6 | 4 | 7 | 7 | 7 | | |
| | 5 | 3 | 3 | 3 | 7 | 6 | 3 | 3 | 3 | 6 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 2 | 6 | 7 | 6 | 3 | 3 | 3 | | |
| | 9 | 6 | 5 | 6 | 6 | 0 | 6 | 5 | 5 | 0 | 5 | 5 | 5 | 6 | 6 | 6 | 5 | 6 | 4 | 0 | 0 | 6 | 6 | 5 | | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| 0 PPM | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | | |
| | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | females
(cont...) |

Harderian Gland

+ +

Adenoma

Carcinoma

X

URINARY SYSTEM

Kidney

+ +

Lymphoma Malignant Lymphocytic

X

Teratoma Malignant, Metastatic, Ovary

Urinary Bladder

+ +

SYSTEMIC LESIONS

Multiple Organ

+ +

Histiocytic Sarcoma

Lymphoma Malignant Lymphocytic

X

Lymphoma Malignant Mixed

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|-------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 7 | 6 | 4 | 4 | 6 | 7 | 3 | 7 | 4 | 7 | 7 | 7 | 7 | 7 | 4 | 7 | 5 | 7 | 7 | 7 | 5 | 7 | 6 | 7 | 7 | 0 |
| 3 | 2 | 6 | 6 | 5 | 3 | 5 | 3 | 6 | 3 | 3 | 3 | 3 | 3 | 6 | 3 | 9 | 3 | 3 | 3 | 1 | 3 | 3 | 3 | 3 | 0 |
| 5 | 2 | 0 | 0 | 2 | 5 | 7 | 5 | 0 | 6 | 5 | 5 | 6 | 5 | 0 | 5 | 8 | 6 | 5 | 6 | 6 | 5 | 0 | 5 | 6 | 0 |

B6C3F1 MICE FEMALE
0 PPM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Parathyroid Gland | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Pars Distalis, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | X | |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |

GENERAL BODY SYSTEM
 NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Clitoral Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Cystadenoma | | | | | | | | | | | | | | | | | | | | | | | | X | |
| Granulosa Cell Tumor Malignant | | | | | | | | | | | | | | | | | | | | | | | | X | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam

CAS Number: 604-75-1

Date Report Requested: 01/07/2009

Time Report Requested: 07:39:32

First Dose M/F: 06/22/89 / 06/23/89

Lab: BAT

| DAY ON TEST | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
|---------------------------|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 7 | | 6 | 4 | 4 | 6 | 7 | 3 | 7 | 4 | 7 | 7 | 7 | 7 | 4 | 7 | 5 | 7 | 7 | 7 | 5 | 7 | 6 | 7 | 7 | | |
| 3 | | 2 | 6 | 6 | 5 | 3 | 5 | 3 | 6 | 3 | 3 | 3 | 3 | 6 | 3 | 9 | 3 | 3 | 3 | 1 | 3 | 3 | 3 | 3 | | |
| 5 | | 2 | 0 | 0 | 2 | 5 | 7 | 5 | 0 | 6 | 5 | 5 | 6 | 5 | 0 | 5 | 8 | 6 | 5 | 6 | 6 | 5 | 0 | 5 | 6 | |
| B6C3F1 MICE FEMALE | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 0 PPM | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| ANIMAL ID | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |

females
(cont...)

Harderian Gland
 Adenoma
 Carcinoma

+
X

URINARY SYSTEM

Kidney
 Lymphoma Malignant Lymphocytic
 Teratoma Malignant, Metastatic, Ovary

+
 X

Urinary Bladder

+ +

SYSTEMIC LESIONS

Multiple Organ
 Histiocytic Sarcoma
 Lymphoma Malignant Lymphocytic
 Lymphoma Malignant Mixed

+
 X
 X

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|---------------------------|--|---|---|---|---|---|---|---|---|---|---|
| | | 7 | 7 | 7 | 4 | 7 | 7 | 6 | 7 | 7 | 4 |
| | | 3 | 3 | 3 | 6 | 3 | 3 | 3 | 3 | 3 | 6 |
| | | 6 | 5 | 6 | 0 | 6 | 6 | 8 | 5 | 6 | 0 |
| B6C3F1 MICE FEMALE | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 PPM | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ANIMAL ID | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 |
| | | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| * TOTALS | | | | | | | | | | | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | |
|----------------------------------|---|---|---|---|---|---|---|---|---|---|-----------|
| Esophagus | + | + | + | + | + | + | + | + | + | + | 60 |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | 60 |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | 60 |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | 60 |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | 60 |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | 60 |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | 60 |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | 60 |
| Liver | + | + | + | + | + | + | + | + | + | + | 60 |
| Hepatocellular Adenoma | | | | X | | X | X | | | | 13 |
| Hepatocellular Adenoma, Multiple | | X | X | | X | | | X | | | 13 |
| Hepatocellular Carcinoma | | | X | | | | | X | | X | 10 |
| Histiocytic Sarcoma | | | | | | | | | | | 1 |
| Lymphoma Malignant Mixed | | | | | | X | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|---------------------------|--|---|---|---|---|---|---|---|---|---|---|
| | | 7 | 7 | 7 | 4 | 7 | 7 | 6 | 7 | 7 | 4 |
| | | 3 | 3 | 3 | 6 | 3 | 3 | 3 | 3 | 3 | 6 |
| | | 6 | 5 | 6 | 0 | 6 | 6 | 8 | 5 | 6 | 0 |
| B6C3F1 MICE FEMALE | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 PPM | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ANIMAL ID | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 |
| | | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| * TOTALS | | | | | | | | | | | |

| | | | | | | | | | | | |
|---------------------------------------|---|---|---|---|---|---|---|---|---|---|-----------|
| Mesentery | | | | | | | | | | | 3 |
| Teratoma Malignant, Metastatic, Ovary | | | | | | | | | | | 1 |
| Fat, Lipoma | | | | | | | | | | | 1 |
| Pancreas | + | + | + | + | + | + | + | + | + | + | 60 |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | 60 |
| Fibrosarcoma, Metastatic, Skin | | | | | | | | | | | 1 |
| Lymphoma Malignant Lymphocytic | | | | | | | | | | | 1 |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | 60 |
| Squamous Cell Papilloma | | | | | | | | | | | 1 |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | 60 |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | |
|--------------|---|---|---|---|---|---|---|---|---|---|-----------|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | 60 |
| Heart | + | + | + | + | + | + | + | + | + | + | 60 |

ENDOCRINE SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam

CAS Number: 604-75-1

Date Report Requested: 01/07/2009

Time Report Requested: 07:39:32

First Dose M/F: 06/22/89 / 06/23/89

Lab: BAT

| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | * TOTALS |
|---|-----------|---|---|---|---|---|---|---|---|---|----------|
| | 7 | 7 | 7 | 4 | 7 | 7 | 6 | 7 | 7 | 4 | |
| | 3 | 3 | 3 | 6 | 3 | 3 | 3 | 3 | 3 | 6 | |
| | 6 | 5 | 6 | 0 | 6 | 6 | 8 | 5 | 6 | 0 | |
| <hr/> | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
0 PPM | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | |
| | | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | |
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | 60 |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | 60 |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | 60 |
| Parathyroid Gland | + | + | + | M | + | + | + | M | + | M | 52 |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | 60 |
| Pars Distalis, Adenoma | | | | | | | | | | | 3 |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | 60 |

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

| | | | | | | | | | | | |
|--------------------------------|---|---|---|---|---|---|---|---|---|---|----|
| Clitoral Gland | + | + | + | + | + | + | + | + | + | + | 58 |
| Ovary | + | + | + | + | + | + | + | + | + | + | 60 |
| Cystadenoma | | | | | | | | | | | 1 |
| Granulosa Cell Tumor Malignant | | | | | | | | | | | 1 |
| Histiocytic Sarcoma | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|---|-----------|---|---|---|---|---|---|---|---|---|
| | 7 | 7 | 7 | 4 | 7 | 7 | 6 | 7 | 7 | 4 |
| | 3 | 3 | 3 | 6 | 3 | 3 | 3 | 3 | 3 | 6 |
| | 6 | 5 | 6 | 0 | 6 | 6 | 8 | 5 | 6 | 0 |
| <hr/> | | | | | | | | | | |
| B6C3F1 MICE FEMALE
0 PPM | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 |
| | | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |

*** TOTALS**

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Luteoma | | | | | | | X | | | | 2 |
| Teratoma Malignant | | | | | | | | | | | 1 |
| Follicle, Adenoma | | | | | | | | | | | 1 |
| Periovarian Tissue, Lymphoma Malignant
Lymphocytic | | | | | | | | | | | 1 |
| <hr/> | | | | | | | | | | | |
| Uterus | + | + | + | + | + | + | + | + | + | + | 60 |
| Histiocytic Sarcoma | | | | | | | | | | | 1 |
| Polyp Stromal | | | | | | | | | | | 1 |
| Cervix, Histiocytic Sarcoma | | | | | | | | | | | 1 |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | 60 |
| <hr/> | | | | | | | | | | | |
| Lymph Node | | | | | | | | | | | 3 |
| Renal, Teratoma Malignant, Metastatic,
Ovary | | | | | | | | | | | 1 |
| <hr/> | | | | | | | | | | | |
| Lymph Node, Bronchial | | | | | | | | | | | 1 |
| Lymphoma Malignant Lymphocytic | | | | | | | | | | | 1 |
| <hr/> | | | | | | | | | | | |
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | + | + | 58 |
| Fibrosarcoma, Metastatic, Skin | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|--------------------|--|---|---|---|---|---|---|---|---|---|-----------------|
| | | 7 | 7 | 7 | 4 | 7 | 7 | 6 | 7 | 7 | 4 |
| | | 3 | 3 | 3 | 6 | 3 | 3 | 3 | 3 | 3 | 6 |
| | | 6 | 5 | 6 | 0 | 6 | 6 | 8 | 5 | 6 | 0 |
| | | | | | | | | | | | |
| B6C3F1 MICE FEMALE | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ANIMAL ID | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 PPM | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 |
| | | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| | | | | | | | | | | | * TOTALS |

| | | | | | | | | | | | | |
|---------------------------------------|--|---|---|---|---|---|---|---|---|---|---|-----------|
| Histiocytic Sarcoma | | | | | | | | | | | | 1 |
| Lymphoma Malignant Lymphocytic | | | | | | | | | | | | 1 |
| Lymphoma Malignant Mixed | | | | | | X | | | | | | 1 |
| | | | | | | | | | | | | |
| Lymph Node, Mediastinal | | | | | | | | | | | | 1 |
| Lymphoma Malignant Lymphocytic | | | | | | | | | | | | 1 |
| | | | | | | | | | | | | |
| Lymph Node, Mesenteric | | + | + | + | + | + | + | + | + | + | + | 58 |
| Lymphoma Malignant Lymphocytic | | | | | | | | | | | | 1 |
| Teratoma Malignant, Metastatic, Ovary | | | | | | | | | | | | 1 |
| | | | | | | | | | | | | |
| Spleen | | + | + | + | + | + | + | + | + | + | + | 60 |
| Lymphoma Malignant Lymphocytic | | | | | | | | | | | | 1 |
| Lymphoma Malignant Mixed | | | | | | X | | | | | | 1 |
| | | | | | | | | | | | | |
| Thymus | | + | + | + | + | + | + | + | + | + | + | 60 |
| Histiocytic Sarcoma | | | | | | | | | | | | 1 |
| Lymphoma Malignant Lymphocytic | | | | | | | | | | | | 1 |
| Thymoma Nos | | | | | | | | | | | | 1 |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | |
|---------------|--|---|---|---|---|---|---|---|---|---|---|-----------|
| Mammary Gland | | + | + | + | + | + | + | + | + | + | + | 60 |
|---------------|--|---|---|---|---|---|---|---|---|---|---|-----------|

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|--------------------|--|---|---|---|---|---|---|---|---|---|-----------------|
| | | 7 | 7 | 7 | 4 | 7 | 7 | 6 | 7 | 7 | 4 |
| | | 3 | 3 | 3 | 6 | 3 | 3 | 3 | 3 | 3 | 6 |
| | | 6 | 5 | 6 | 0 | 6 | 6 | 8 | 5 | 6 | 0 |
| | | | | | | | | | | | |
| B6C3F1 MICE FEMALE | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ANIMAL ID | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 PPM | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 |
| | | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| | | | | | | | | | | | * TOTALS |

| | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Skin | + | + | + | + | + | + | + | + | + | + | + | 59 |
| Subcutaneous Tissue, Fibrosarcoma | | | | | | | | | | | | 1 |
| Subcutaneous Tissue, Fibrosarcoma, Multiple | | | | | | | | | | | | 1 |
| Subcutaneous Tissue, Hemangiosarcoma | | | | | | | | | | | | 1 |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Bone | + | + | + | + | + | + | + | + | + | + | + | 60 |
| Skeletal Muscle | + | + | + | + | + | + | + | + | + | + | + | 60 |
| Diaphragm, Teratoma Malignant, Metastatic, Ovary | | | | | | | | | | | | 1 |

NERVOUS SYSTEM

| | | | | | | | | | | | | |
|------------------|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Brain | + | + | + | + | + | + | + | + | + | + | + | 60 |
| Peripheral Nerve | | | | | | | | | | | | 2 |
| Spinal Cord | | | | | | | | | | | | 2 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|---------------------------|---|---|---|---|---|---|---|---|---|-----------------|
| | 7 | 7 | 7 | 4 | 7 | 7 | 6 | 7 | 7 | 4 |
| | 3 | 3 | 3 | 6 | 3 | 3 | 3 | 3 | 3 | 6 |
| | 6 | 5 | 6 | 0 | 6 | 6 | 8 | 5 | 6 | 0 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 |
| | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| 0 PPM | | | | | | | | | | |
| | | | | | | | | | | * TOTALS |

RESPIRATORY SYSTEM

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Lung | + | + | + | + | + | + | + | + | + | + | 60 |
| Alveolar/Bronchiolar Adenoma | | | | | | X | | | | | 3 |
| Alveolar/Bronchiolar Adenoma, Multiple | | | | | | | | | | | 1 |
| Alveolar/Bronchiolar Carcinoma | | | | | | | | | | | 1 |
| Fibrosarcoma, Metastatic, Skin | | | | | | | | | | | 1 |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | X | | | | 3 |
| Lymphoma Malignant Lymphocytic | | | | | | | | | | | 1 |
| Teratoma Malignant, Metastatic, Ovary | | | | | | | | | | | 1 |
| Mediastinum, Lymphoma Malignant Lymphocytic | | | | | | | | | | | 1 |
| Nose | + | + | + | + | + | + | + | + | + | + | 60 |
| Trachea | + | + | + | + | + | + | + | + | + | + | 60 |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | |
|-----|--|--|--|--|--|--|--|--|--|--|----------|
| Ear | | | | | | | | | | | 1 |
| Eye | | | | | | | | | | | 2 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|---------------------------|--|---|---|---|---|---|---|---|---|---|---|
| | | 7 | 7 | 7 | 4 | 7 | 7 | 6 | 7 | 7 | 4 |
| | | 3 | 3 | 3 | 6 | 3 | 3 | 3 | 3 | 3 | 6 |
| | | 6 | 5 | 6 | 0 | 6 | 6 | 8 | 5 | 6 | 0 |
| B6C3F1 MICE FEMALE | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 PPM | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ANIMAL ID | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 |
| | | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| * TOTALS | | | | | | | | | | | |

| | |
|-----------------|----------|
| Harderian Gland | 3 |
| Adenoma | 1 |
| Carcinoma | 1 |

URINARY SYSTEM

| | | |
|---------------------------------------|---------------------|-----------|
| Kidney | + + + + + + + + + + | 60 |
| Lymphoma Malignant Lymphocytic | | 1 |
| Teratoma Malignant, Metastatic, Ovary | | 1 |
| Urinary Bladder | + + + + + + + + + + | 60 |

SYSTEMIC LESIONS

| | | |
|--------------------------------|---------------------|-----------|
| Multiple Organ | + + + + + + + + + + | 60 |
| Histiocytic Sarcoma | | 1 |
| Lymphoma Malignant Lymphocytic | | 2 |
| Lymphoma Malignant Mixed | X | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 7 7 7 4 7 4 4 7 4 4 7 7 7 7 7 7 4 7 7 7 7 4 | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
125 PPM | 3 3 3 3 3 6 3 6 6 3 6 6 3 3 3 3 1 3 3 9 3 3 3 6 | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 6 6 5 5 0 5 0 0 5 0 0 5 6 5 6 4 5 2 2 5 6 6 5 0 | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 3 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 0 0 0 0 0 0 0 0 0 1 1 1 1 1 1 1 1 1 2 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | |

females
(cont...)

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Esophagus | + | | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Gallbladder | + + + + + + + M + + + + + + + + + + + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Cecum | + | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Colon | + | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Rectum | + | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Duodenum | + | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Ileum | + | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Jejunum | + | | | | | | | | | | | | | | | | | | | | | | | |
| Peyer's Patch, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | |
| Mixed | | | | | | | | | | | | | | | | | | | | | | | | |
| Liver | + | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatoblastoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Adenoma | X X X X X | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Adenoma, Multiple | X X X X X X X | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 7 7 7 4 7 4 4 7 4 4 7 7 7 7 7 7 4 7 7 7 7 4 | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
125 PPM | 3 3 3 3 3 6 3 6 6 3 6 6 3 3 3 3 1 3 3 9 3 3 3 6 | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 6 6 5 5 0 5 0 0 5 0 0 5 6 5 6 4 5 2 2 5 6 6 5 0 | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 3 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 0 0 0 0 0 0 0 0 1 1 1 1 1 1 1 1 1 1 2 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | |

females
(cont...)

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Adrenal Cortex | + | | | | | | | | | | | | | | | | | | | | | | | |
| Capsule, Adenoma | X | | | | | | | | | | | | | | | | | | | | | | | |
| Capsule, Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Adrenal Medulla | + | | | | | | | | | | | | | | | | | | | | | | | |
| Islets, Pancreatic | + | | | | | | | | | | | | | | | | | | | | | | | |
| Parathyroid Gland | + + + + + M + + + + + + + + + + + + + + + M + + + | | | | | | | | | | | | | | | | | | | | | | | |
| Pituitary Gland | + + + + + M + | | | | | | | | | | | | | | | | | | | | | | | |
| Pars Distalis, Adenoma | X X X | | | | | | | | | | | | | | | | | | | | | | | |
| Pars Intermedia, Adenoma | X | | | | | | | | | | | | | | | | | | | | | | | |
| Thyroid Gland | + | | | | | | | | | | | | | | | | | | | | | | | |
| Follicular Cell, Adenoma | X | | | | | | | | | | | | | | | | | | | | | | | |

GENERAL BODY SYSTEM

Tissue NOS

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam

CAS Number: 604-75-1

Date Report Requested: 01/07/2009

Time Report Requested: 07:39:32

First Dose M/F: 06/22/89 / 06/23/89

Lab: BAT

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|---|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 7 | 7 | 7 | 7 | 7 | 4 | 7 | 4 | 4 | 7 | 4 | 4 | 7 | 7 | 7 | 7 | 7 | 7 | 4 | 7 | 7 | 7 | 4 | 0 | 0 | |
| 3 | 3 | 3 | 3 | 3 | 6 | 3 | 6 | 6 | 3 | 6 | 6 | 3 | 3 | 3 | 3 | 1 | 3 | 3 | 9 | 3 | 3 | 3 | 3 | 6 | 6 |
| 6 | 6 | 6 | 5 | 5 | 0 | 5 | 0 | 0 | 5 | 0 | 0 | 5 | 6 | 5 | 6 | 4 | 5 | 2 | 2 | 5 | 6 | 6 | 5 | 0 | 0 |
| <hr/> | | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
125 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 |

Thymoma Nos

INTEGUMENTARY SYSTEM

Mammary Gland

+ + + + + + + + + + + + + + + + M + + + + + + + +

Skin

+ +

MUSCULOSKELETAL SYSTEM

Bone

+ +

Skeletal Muscle

+ +

NERVOUS SYSTEM

Brain

+ +

Peripheral Nerve

+

Spinal Cord

+

RESPIRATORY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|-------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----------------------|
| | 7 7 7 7 7 4 7 4 4 7 4 4 7 7 7 7 7 7 4 7 7 7 7 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
125 PPM | 3 3 3 3 3 6 3 6 6 3 6 6 3 3 3 3 1 3 3 9 3 3 3 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 6 6 5 5 0 5 0 0 5 0 0 5 6 5 6 4 5 2 2 5 6 6 5 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | | |

Lung +
 Alveolar/Bronchiolar Adenoma
 Alveolar/Bronchiolar Carcinoma X
 Hepatocellular Carcinoma, Metastatic, Liver X X
 Histiocytic Sarcoma
 Lymphoma Malignant Lymphocytic

Nose +

Trachea +
 Histiocytic Sarcoma

SPECIAL SENSES SYSTEM

Ear
 Eye +
 Harderian Gland + + +
 Adenoma X X X

URINARY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam

CAS Number: 604-75-1

Date Report Requested: 01/07/2009

Time Report Requested: 07:39:32

First Dose M/F: 06/22/89 / 06/23/89

Lab: BAT

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|---------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 4 | 7 | 7 | 7 | 6 | 4 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 4 | 7 | 7 | 7 | 7 | 3 | 4 | 7 | 7 | 7 | 7 | 7 | 0 |
| 6 | 3 | 3 | 3 | 4 | 6 | 3 | 3 | 3 | 3 | 0 | 3 | 6 | 6 | 3 | 3 | 3 | 3 | 9 | 9 | 3 | 3 | 3 | 3 | 3 | 0 |
| 0 | 6 | 5 | 5 | 9 | 0 | 6 | 6 | 5 | 6 | 1 | 6 | 2 | 0 | 5 | 5 | 5 | 6 | 1 | 0 | 5 | 6 | 5 | 6 | 5 | 0 |
| B6C3F1 MICE FEMALE | | | | | | | | | | | | | | | | | | | | | | | | | |
| 125 PPM | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 0 |

Hepatocellular Carcinoma

X

X

Hepatocellular Carcinoma, Multiple

Histiocytic Sarcoma

X

Lymphoma Malignant Lymphocytic

X

Mesentery

+

+

Histiocytic Sarcoma

X

Pancreas

+ +

Histiocytic Sarcoma

X

Lymphoma Malignant Lymphocytic

X

Salivary Glands

+ +

Lymphoma Malignant Lymphocytic

X

Stomach, Forestomach

+ +

Stomach, Glandular

+ +

CARDIOVASCULAR SYSTEM

Blood Vessel

+ +

Heart

+ +

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|-------------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 4 | 7 | 7 | 7 | 6 | 4 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 4 | 7 | 7 | 7 | 7 | 3 | 4 | 7 | 7 | 7 | 7 | 0 | |
| 6 | 3 | 3 | 3 | 4 | 6 | 3 | 3 | 3 | 3 | 0 | 3 | 6 | 6 | 3 | 3 | 3 | 3 | 9 | 9 | 3 | 3 | 3 | 3 | 0 | |
| 0 | 6 | 5 | 5 | 9 | 0 | 6 | 6 | 5 | 6 | 1 | 6 | 2 | 0 | 5 | 5 | 5 | 6 | 1 | 0 | 5 | 6 | 5 | 6 | 0 | |
| B6C3F1 MICE FEMALE
125 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 0 | |

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Clitoral Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + |
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Cystadenoma | | | | | | | | | | | | X | X | | | | | | | | | | | | | |
| Granulosa Cell Tumor Benign | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | X | | | | | | | | | | | | | | |
| Teratoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Periovarian Tissue, Lymphoma Malignant Lymphocytic | | | | | | | | | | | | | | | | | X | | | | | | | | | |
| Uterus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Leiomyosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Lymphoma Malignant Lymphocytic | | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Endometrium, Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | | |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymph Node | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Inguinal, Lymphoma Malignant Lymphocytic | | | | | | | | | | | | | | | | | | | | | | | | | | X |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|-------------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 4 | 7 | 7 | 7 | 6 | 4 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 4 | 7 | 7 | 7 | 7 | 3 | 4 | 7 | 7 | 7 | 7 | 7 | 0 |
| 6 | 3 | 3 | 3 | 4 | 6 | 3 | 3 | 3 | 3 | 0 | 3 | 6 | 6 | 3 | 3 | 3 | 3 | 9 | 9 | 3 | 3 | 3 | 3 | 3 | 0 |
| 0 | 6 | 5 | 5 | 9 | 0 | 6 | 6 | 5 | 6 | 1 | 6 | 2 | 0 | 5 | 5 | 5 | 6 | 1 | 0 | 5 | 6 | 5 | 6 | 5 | 0 |
| B6C3F1 MICE FEMALE
125 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 0 |

Thymoma Nos

X

INTEGUMENTARY SYSTEM

Mammary Gland

+ +

Skin

+ +

MUSCULOSKELETAL SYSTEM

Bone

+ +

Skeletal Muscle

+ +

NERVOUS SYSTEM

Brain

+ +

Peripheral Nerve

+ +

Spinal Cord

+ +

RESPIRATORY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|---|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 4 | 7 | 7 | 7 | 6 | 4 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 4 | 7 | 7 | 7 | 7 | 3 | 4 | 7 | 7 | 7 | 7 | 7 | 0 |
| 6 | 3 | 3 | 3 | 4 | 6 | 3 | 3 | 3 | 3 | 0 | 3 | 6 | 6 | 3 | 3 | 3 | 3 | 9 | 9 | 3 | 3 | 3 | 3 | 3 | 0 |
| 0 | 6 | 5 | 5 | 9 | 0 | 6 | 6 | 5 | 6 | 1 | 6 | 2 | 0 | 5 | 5 | 5 | 6 | 1 | 0 | 5 | 6 | 5 | 6 | 5 | 0 |
| <hr/> | | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
125 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Histiocytic Sarcoma | | | | | | | | | | | X | | | | | | | X | | | | | | |
| Lymphoma Malignant Lymphocytic | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant Lymphocytic | | | | | | | | | | | | | | | | | | | | | | | | |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant Lymphocytic | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant Lymphocytic | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant Lymphocytic | | | | | | | | | | | | | | | | | | | | | | | | |

SYSTEMIC LESIONS

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant Lymphocytic | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant Mixed | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant Mixed | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant Mixed | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|---|---|---|---|---|---|---|---|---|---|---|
| | 7 | 7 | 7 | 4 | 7 | 7 | 7 | 4 | 7 | 7 |
| | 3 | 3 | 3 | 6 | 3 | 3 | 3 | 7 | 3 | 3 |
| | 6 | 5 | 5 | 0 | 6 | 6 | 5 | 1 | 6 | 6 |
| B6C3F1 MICE FEMALE
125 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| * TOTALS | | | | | | | | | | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|-----------|
| Esophagus | + | + | + | + | + | + | + | + | + | + | 60 |
| Histiocytic Sarcoma | | | | | | | | | | | 1 |
| Gallbladder | + | + | + | + | + | + | + | M | + | + | 58 |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | 60 |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | 60 |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | 60 |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | 60 |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | 60 |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | 60 |
| Peyer's Patch, Lymphoma Malignant | | | | | | | | | | | 1 |
| Mixed | | | | | | | | | | | 1 |
| Liver | + | + | + | + | + | + | + | + | + | + | 60 |
| Hepatoblastoma | | | | | | | | | | | 1 |
| Hepatocellular Adenoma | | | X | | | | | X | X | | 17 |
| Hepatocellular Adenoma, Multiple | X | X | | | X | X | X | X | | | 19 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam

CAS Number: 604-75-1

Date Report Requested: 01/07/2009

Time Report Requested: 07:39:32

First Dose M/F: 06/22/89 / 06/23/89

Lab: BAT

| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|---------------------------|---|---|---|---|---|---|---|---|---|-----------------|
| | 7 | 7 | 7 | 4 | 7 | 7 | 7 | 4 | 7 | 7 |
| | 3 | 3 | 3 | 6 | 3 | 3 | 3 | 7 | 3 | 3 |
| | 6 | 5 | 5 | 0 | 6 | 6 | 5 | 1 | 6 | 6 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| 125 PPM | | | | | | | | | | |
| | | | | | | | | | | * TOTALS |

| | | | | | | | | | | |
|------------------------------------|---|---|---|---|---|---|---|---|---|-----------|
| Hepatocellular Carcinoma | | | | | | | | | | 4 |
| Hepatocellular Carcinoma, Multiple | | | | | | | | | | 1 |
| Histiocytic Sarcoma | | | | | | | | | | 1 |
| Lymphoma Malignant Lymphocytic | | | | | | | | | | 1 |
| Mesentery | | | | | | | | | | 3 |
| Histiocytic Sarcoma | | | | | | | | | | 1 |
| Pancreas | + | + | + | + | + | + | + | + | + | 60 |
| Histiocytic Sarcoma | | | | | | | | | | 1 |
| Lymphoma Malignant Lymphocytic | | | | | | | | | | 1 |
| Salivary Glands | + | + | + | + | + | + | + | + | + | 60 |
| Lymphoma Malignant Lymphocytic | | | | | | | | | | 1 |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | 60 |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | 60 |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | |
|--------------|---|---|---|---|---|---|---|---|---|-----------|
| Blood Vessel | + | + | + | + | + | + | + | + | + | 60 |
| Heart | + | + | + | + | + | + | + | + | + | 60 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|---------------------------|--|---|---|---|---|---|---|---|---|---|---|
| | | 7 | 7 | 7 | 4 | 7 | 7 | 7 | 4 | 7 | 7 |
| | | 3 | 3 | 3 | 6 | 3 | 3 | 3 | 7 | 3 | 3 |
| | | 6 | 5 | 5 | 0 | 6 | 6 | 5 | 1 | 6 | 6 |
| B6C3F1 MICE FEMALE | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 125 PPM | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ANIMAL ID | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| * TOTALS | | | | | | | | | | | |

ENDOCRINE SYSTEM

| | | | | | | | | | | | |
|------------------------------|---|---|---|---|---|---|---|---|---|---|-----------|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | 60 |
| Capsule, Adenoma | | | | | | | | | | | 1 |
| Capsule, Histiocytic Sarcoma | | | | | | | | | | | 1 |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | 60 |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | 60 |
| Parathyroid Gland | M | + | + | + | + | + | + | + | + | + | 56 |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | 59 |
| Pars Distalis, Adenoma | X | | | | X | | X | | | | 9 |
| Pars Intermedia, Adenoma | | | | | | | | | | | 1 |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | 60 |
| Follicular Cell, Adenoma | | X | | | | X | | | | | 4 |

GENERAL BODY SYSTEM

| | | | | | | | | | | | |
|------------|--|--|--|--|--|--|--|--|--|--|----------|
| Tissue NOS | | | | | | | | | | | 1 |
|------------|--|--|--|--|--|--|--|--|--|--|----------|

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|---------------------------|--|---|---|---|---|---|---|---|---|---|---|
| | | 7 | 7 | 7 | 4 | 7 | 7 | 7 | 4 | 7 | 7 |
| | | 3 | 3 | 3 | 6 | 3 | 3 | 3 | 7 | 3 | 3 |
| | | 6 | 5 | 5 | 0 | 6 | 6 | 5 | 1 | 6 | 6 |
| B6C3F1 MICE FEMALE | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 125 PPM | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ANIMAL ID | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| * TOTALS | | | | | | | | | | | |

GENITAL SYSTEM

| | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|-----------|
| Clitoral Gland | + | + | + | + | + | + | + | + | + | + | 57 |
| Ovary | + | + | + | + | + | + | + | + | + | + | 60 |
| Cystadenoma | | | | | | | | | | | 3 |
| Granulosa Cell Tumor Benign | | | | | | | | | | | 1 |
| Histiocytic Sarcoma | | | | | | | | | | | 1 |
| Teratoma Malignant | | | | | | | | | | | 1 |
| Periovarian Tissue, Lymphoma Malignant Lymphocytic | | | | | | | | | | | 1 |
| Uterus | + | + | + | + | + | + | + | + | + | + | 60 |
| Leiomyosarcoma | | | | | | | | | | | 1 |
| Lymphoma Malignant Lymphocytic | | | | | | | | | | | 1 |
| Endometrium, Carcinoma | | | | | | | | | | | 1 |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|-----------|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | 60 |
| Lymph Node | | | | | | | | | | | 2 |
| Inguinal, Lymphoma Malignant Lymphocytic | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|---------------------------|---|---|---|---|---|---|---|---|---|-----------------|
| | 7 | 7 | 7 | 4 | 7 | 7 | 7 | 4 | 7 | 7 |
| | 3 | 3 | 3 | 6 | 3 | 3 | 3 | 7 | 3 | 3 |
| | 6 | 5 | 5 | 0 | 6 | 6 | 5 | 1 | 6 | 6 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| 125 PPM | | | | | | | | | | |
| | | | | | | | | | | * TOTALS |

| | | | | | | | | | | | |
|---------------------------------------|---|---|---|---|---|---|---|---|---|---|-----------|
| Pancreatic, Histiocytic Sarcoma | | | | | | | | | | | 1 |
| Renal, Lymphoma Malignant Lymphocytic | | | | | | | | | | | 1 |
| Thoracic, Histiocytic Sarcoma | | | | | | | | | | | 1 |
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | + | + | 57 |
| Lymphoma Malignant Lymphocytic | | | | | | | | | | | 2 |
| Lymph Node, Mediastinal | | | | | | | | | | | 2 |
| Histiocytic Sarcoma | | | | | | | | | | | 1 |
| Lymphoma Malignant Lymphocytic | | | | | | | | | | | 1 |
| Lymph Node, Mesenteric | + | + | + | + | M | M | + | M | + | M | 56 |
| Histiocytic Sarcoma | | | | | | | | | | | 1 |
| Lymphoma Malignant Lymphocytic | | | | | | | | | | | 1 |
| Lymphoma Malignant Mixed | | | | | | | | | | | 1 |
| Spleen | + | + | + | + | + | + | + | + | + | + | 60 |
| Histiocytic Sarcoma | | | | | | | | | | | 1 |
| Lymphoma Malignant Lymphocytic | | | | | | | | | | | 2 |
| Thymus | + | + | + | + | + | + | + | M | + | + | 58 |
| Histiocytic Sarcoma | | | | | | | | | | | 1 |
| Lymphoma Malignant Lymphocytic | | | | | | | | | | | 2 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|---------------------------|--|---|---|---|---|---|---|---|---|---|---|
| | | 7 | 7 | 7 | 4 | 7 | 7 | 7 | 4 | 7 | 7 |
| | | 3 | 3 | 3 | 6 | 3 | 3 | 3 | 7 | 3 | 3 |
| | | 6 | 5 | 5 | 0 | 6 | 6 | 5 | 1 | 6 | 6 |
| B6C3F1 MICE FEMALE | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 125 PPM | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ANIMAL ID | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| * TOTALS | | | | | | | | | | | |

Thymoma Nos

1

INTEGUMENTARY SYSTEM

Mammary Gland

+ + + + + + + + + +

59

Skin

+ + + + + + + + + +

60

MUSCULOSKELETAL SYSTEM

Bone

+ + + + + + + + + +

60

Skeletal Muscle

+ + + + + + + + + +

60

NERVOUS SYSTEM

Brain

+ + + + + + + + + +

60

Peripheral Nerve

3

Spinal Cord

3

RESPIRATORY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|---------------------------|---|---|---|---|---|---|---|---|---|---|
| | 7 | 7 | 7 | 4 | 7 | 7 | 7 | 4 | 7 | 7 |
| | 3 | 3 | 3 | 6 | 3 | 3 | 3 | 7 | 3 | 3 |
| | 6 | 5 | 5 | 0 | 6 | 6 | 5 | 1 | 6 | 6 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 125 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ANIMAL ID | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| * TOTALS | | | | | | | | | | |

| | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|-----------|
| Lung | + | + | + | + | + | + | + | + | + | + | 60 |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | | | 1 |
| Alveolar/Bronchiolar Carcinoma | | | | | | X | | | | | 3 |
| Hepatocellular Carcinoma, Metastatic,
Liver | | | | | | | | | | | 2 |
| Histiocytic Sarcoma | | | | | | | | | | | 1 |
| Lymphoma Malignant Lymphocytic | | | | | | | | | | | 1 |
| Nose | + | + | + | + | + | + | + | + | + | + | 60 |
| Trachea | + | + | + | + | + | + | + | + | + | + | 60 |
| Histiocytic Sarcoma | | | | | | | | | | | 1 |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | |
|-----------------|--|--|--|--|--|--|--|--|--|--|----------|
| Ear | | | | | | | | | | | 2 |
| Eye | | | | | | | | | | | 1 |
| Harderian Gland | | | | | | | | | | | 3 |
| Adenoma | | | | | | | | | | | 3 |

URINARY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|---|---|---|---|---|---|---|---|---|---|---|
| | 7 | 7 | 7 | 4 | 7 | 7 | 7 | 4 | 7 | 7 |
| | 3 | 3 | 3 | 6 | 3 | 3 | 3 | 7 | 3 | 3 |
| | 6 | 5 | 5 | 0 | 6 | 6 | 5 | 1 | 6 | 6 |
| B6C3F1 MICE FEMALE
125 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| * TOTALS | | | | | | | | | | |

| | | | | | | | | | | | |
|--------------------------------|---|---|---|---|---|---|---|---|---|---|-----------|
| Kidney | + | + | + | + | + | + | + | + | + | + | 60 |
| Histiocytic Sarcoma | | | | | | | | | | | 2 |
| Lymphoma Malignant Lymphocytic | | | | | | | | | | | 1 |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | 60 |
| Lymphoma Malignant Lymphocytic | | | | | | | | | | | 1 |

SYSTEMIC LESIONS

| | | | | | | | | | | | |
|--------------------------------|---|---|---|---|---|---|---|---|---|---|-----------|
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | 60 |
| Histiocytic Sarcoma | | | | | | | | | | | 2 |
| Lymphoma Malignant Lymphocytic | | | | | | | | | | | 2 |
| Lymphoma Malignant Mixed | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|-------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 7 | 7 | 7 | 7 | 6 | 6 | 6 | 4 | 5 | 7 | 3 | 7 | 4 | 6 | 6 | 6 | 4 | 6 | 7 | 4 | 6 | 7 | 7 | 6 | 7 | 0 | |
| 1 | 1 | 1 | 1 | 6 | 6 | 3 | 6 | 9 | 0 | 9 | 1 | 6 | 3 | 1 | 1 | 6 | 8 | 0 | 6 | 3 | 1 | 1 | 4 | 1 | 0 | |
| 2 | 9 | 9 | 9 | 5 | 3 | 0 | 0 | 6 | 2 | 6 | 2 | 0 | 6 | 5 | 4 | 0 | 9 | 6 | 0 | 8 | 9 | 9 | 4 | 2 | 0 | |

B6C3F1 MICE FEMALE
2500 PPM

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Gallbladder | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | M | M | M |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Peyer's Patch, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Hepatoblastoma | | X | | | | X | X | | | | | | | | X | | | | | | | | X | | |
| Hepatocellular Adenoma | | X | X | | | | | X | | | | | | | | | | | | | | | | | |
| Hepatocellular Adenoma, Multiple | X | | | X | X | | X | | | | X | X | X | X | | X | X | X | X | | X | X | | X | |
| Hepatocellular Carcinoma | | | | | | | | | | X | | | | | | X | | | | | X | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam

CAS Number: 604-75-1

Date Report Requested: 01/07/2009

Time Report Requested: 07:39:32

First Dose M/F: 06/22/89 / 06/23/89

Lab: BAT

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|---------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 7 | 7 | 7 | 7 | 6 | 6 | 6 | 4 | 5 | 7 | 3 | 7 | 4 | 6 | 6 | 6 | 4 | 6 | 7 | 4 | 6 | 7 | 7 | 6 | 7 | | |
| 1 | 1 | 1 | 1 | 6 | 6 | 3 | 6 | 9 | 0 | 9 | 1 | 6 | 3 | 1 | 1 | 6 | 8 | 0 | 6 | 3 | 1 | 1 | 4 | 1 | | |
| 2 | 9 | 9 | 9 | 5 | 3 | 0 | 0 | 6 | 2 | 6 | 2 | 0 | 6 | 5 | 4 | 0 | 9 | 6 | 0 | 8 | 9 | 9 | 4 | 2 | | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| 2500 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | | |
| | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Hepatocellular Carcinoma, Multiple | X | X | | X | X | X | X | | X | X | | X | X | X | | X | X | | X | X | | X | X | X | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant Mixed | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Squamous Cell Papilloma | | | | X | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|--|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 7 | 7 | 7 | 7 | 6 | 6 | 6 | 4 | 5 | 7 | 3 | 7 | 4 | 6 | 6 | 6 | 4 | 6 | 7 | 4 | 6 | 7 | 7 | 6 | 7 | 0 | |
| 1 | 1 | 1 | 1 | 6 | 6 | 3 | 6 | 9 | 0 | 9 | 1 | 6 | 3 | 1 | 1 | 6 | 8 | 0 | 6 | 3 | 1 | 1 | 4 | 1 | 0 | |
| 2 | 9 | 9 | 9 | 5 | 3 | 0 | 0 | 6 | 2 | 6 | 2 | 0 | 6 | 5 | 4 | 0 | 9 | 6 | 0 | 8 | 9 | 9 | 4 | 2 | 0 | |
| <hr/> | | | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
2500 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | |

Islets, Pancreatic

+ +

Parathyroid Gland

+ + + M + + + + + + + + + M + M + + + M + + + M +

Pituitary Gland

+ + + M + M +

Thyroid Gland

+ +

Follicular Cell, Adenoma

X X

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

Clitoral Gland

+ + + + + + + + + + + + + + + + M + + + + + M +

Ovary

+ +

Cystadenoma

Follicle, Adenoma

X X

Periovarian Tissue, Lymphoma Malignant Lymphocytic

Periovarian Tissue, Lymphoma Malignant Mixed

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 7 7 6 6 6 4 5 7 3 7 4 6 6 6 4 6 7 4 6 7 7 6 7 | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
2500 PPM | 1 1 1 1 6 6 3 6 9 0 9 1 6 3 1 1 6 8 0 6 3 1 1 4 1 | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 9 9 9 5 3 0 0 6 2 6 2 0 6 5 4 0 9 6 0 8 9 9 4 2 | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 3 | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | |

females
(cont...)

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Uterus | + | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant Mixed | | | | | | | | | | | | | | | | | | | | | | | | |
| Polyp Stromal | | | | | | | | | | | | | | | | | | | | | | | | |
| Cervix, Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | |
| | X | | | | | | | | | | | | | | | | | | | | | | | |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Bone Marrow | + | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant Mixed | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node | | | | | | | | | | | | | | | | | | | | | | | | |
| Media, Lymphoma Malignant Mixed | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mandibular | + + + + + + + + + + + + + + + M + + + M + + + + + + | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant Mixed | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mediastinal | + + + + + + + + + M + + + M + + + M M + + M + M + | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant Lymphocytic | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mesenteric | + + + M + + + + + M + + + M + + + M M + + M + M + | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant Lymphocytic | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant Mixed | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|---------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 7 | 7 | 7 | 7 | 6 | 6 | 6 | 4 | 5 | 7 | 3 | 7 | 4 | 6 | 6 | 6 | 4 | 6 | 7 | 4 | 6 | 7 | 7 | 6 | 7 | | |
| 1 | 1 | 1 | 1 | 6 | 6 | 3 | 6 | 9 | 0 | 9 | 1 | 6 | 3 | 1 | 1 | 6 | 8 | 0 | 6 | 3 | 1 | 1 | 4 | 1 | | |
| 2 | 9 | 9 | 9 | 5 | 3 | 0 | 0 | 6 | 2 | 6 | 2 | 0 | 6 | 5 | 4 | 0 | 9 | 6 | 0 | 8 | 9 | 9 | 4 | 2 | | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| 2500 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | | |
| | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Lymphoma Malignant Lymphocytic | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant Mixed | | | | | | | | | | | | | | | | | | | | | | | | | X | |
| Thymus | M | + | + | + | M | + | M | + | + | + | + | + | + | + | M | M | + | + | + | + | + | M | M | M | M | |
| Lymphoma Malignant Mixed | | | | | | | | | | | | | | | | | | | | | | | | | | |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Mammary Gland | + | M | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Dermis, Lymphoma Malignant Mixed | | | | | | | | | | | | | | | | | | | | | | | | | |
| Subcutaneous Tissue, Melanoma Nos | | | | | | | X | | | | | | | | | | | | | | | | | | |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Skeletal Muscle | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) | |
|---------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|--|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| 7 | 7 | 7 | 7 | 6 | 6 | 6 | 4 | 5 | 7 | 3 | 7 | 4 | 6 | 6 | 6 | 4 | 6 | 7 | 4 | 6 | 7 | 7 | 6 | 7 | | |
| 1 | 1 | 1 | 1 | 6 | 6 | 3 | 6 | 9 | 0 | 9 | 1 | 6 | 3 | 1 | 1 | 6 | 8 | 0 | 6 | 3 | 1 | 1 | 4 | 1 | | |
| 2 | 9 | 9 | 9 | 5 | 3 | 0 | 0 | 6 | 2 | 6 | 2 | 0 | 6 | 5 | 4 | 0 | 9 | 6 | 0 | 8 | 9 | 9 | 4 | 2 | | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| 2500 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | | |
| | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | |

Peripheral Nerve

Spinal Cord

RESPIRATORY SYSTEM

Lung +
 Alveolar/Bronchiolar Carcinoma
 Hepatoblastoma, Metastatic, Liver X X
 Hepatocellular Carcinoma, Metastatic, Liver X X X X X X
 Lymphoma Malignant Mixed

Nose +

Trachea +

SPECIAL SENSES SYSTEM

Ear
 External Ear, Fibrosarcoma

Harderian Gland

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam

CAS Number: 604-75-1

Date Report Requested: 01/07/2009

Time Report Requested: 07:39:32

First Dose M/F: 06/22/89 / 06/23/89

Lab: BAT

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|--------------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 7 | 4 | 4 | 6 | 7 | 7 | 7 | 6 | 5 | 6 | 7 | 6 | 6 | 4 | 6 | 3 | 6 | 6 | 7 | 7 | 7 | 4 | 7 | 4 | 7 | 0 |
| 1 | 6 | 6 | 6 | 0 | 1 | 1 | 9 | 7 | 6 | 1 | 4 | 9 | 6 | 3 | 9 | 9 | 6 | 1 | 3 | 1 | 7 | 1 | 6 | 1 | 0 |
| 9 | 0 | 0 | 6 | 1 | 2 | 9 | 2 | 5 | 7 | 1 | 2 | 1 | 0 | 5 | 3 | 9 | 4 | 9 | 5 | 1 | 0 | 2 | 0 | 0 | 0 |
| | | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
2500 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | M | M | + | + | M | + | + | + | + |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Peyer's Patch, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hepatoblastoma | | | | | | | | | | | | | X | | | | | | | | | | | |
| Hepatocellular Adenoma | | | | | | | | X | | | | X | | | X | | | | | | | | | |
| Hepatocellular Adenoma, Multiple | X | X | X | | X | X | | | X | | X | X | | X | | | X | | X | X | X | X | X | X |
| Hepatocellular Carcinoma | | | X | | | | | | X | | | | | X | X | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam

CAS Number: 604-75-1

Date Report Requested: 01/07/2009

Time Report Requested: 07:39:32

First Dose M/F: 06/22/89 / 06/23/89

Lab: BAT

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|---------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 7 | 4 | 4 | 6 | 7 | 7 | 7 | 6 | 5 | 6 | 7 | 6 | 6 | 4 | 6 | 3 | 6 | 6 | 7 | 7 | 7 | 4 | 7 | 4 | 7 | |
| 1 | 6 | 6 | 6 | 0 | 1 | 1 | 9 | 7 | 6 | 1 | 4 | 9 | 6 | 3 | 9 | 9 | 6 | 1 | 3 | 1 | 7 | 1 | 6 | 1 | |
| 9 | 0 | 0 | 6 | 1 | 2 | 9 | 2 | 5 | 7 | 1 | 2 | 1 | 0 | 5 | 3 | 9 | 4 | 9 | 5 | 1 | 0 | 2 | 0 | 0 | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 2500 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | |
| | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | |

| | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Hepatocellular Carcinoma, Multiple | X | | | X | X | X | X | X | X | | X | X | X | | | | X | X | X | X | X | X | X | X |
| Histiocytic Sarcoma | | | | | | | | | | | | | | X | | | | | | | | | | |
| Lymphoma Malignant Mixed | | | | | | | | | | | | | | | X | | | | | | | | | |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Squamous Cell Papilloma | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|--------------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 7 | 4 | 4 | 6 | 7 | 7 | 7 | 6 | 5 | 6 | 7 | 6 | 6 | 4 | 6 | 3 | 6 | 6 | 7 | 7 | 7 | 4 | 7 | 4 | 7 | 0 |
| 1 | 6 | 6 | 6 | 0 | 1 | 1 | 9 | 7 | 6 | 1 | 4 | 9 | 6 | 3 | 9 | 9 | 6 | 1 | 3 | 1 | 7 | 1 | 6 | 1 | 0 |
| 9 | 0 | 0 | 6 | 1 | 2 | 9 | 2 | 5 | 7 | 1 | 2 | 1 | 0 | 5 | 3 | 9 | 4 | 9 | 5 | 1 | 0 | 2 | 0 | 0 | 0 |
| B6C3F1 MICE FEMALE
2500 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | |

Islets, Pancreatic

+ +

Parathyroid Gland

+ + + + + + M + + + + M + + M + + + + M + + + M +

Pituitary Gland

+ + + M + + + I M + + + + + + + + + + + + + + + +

Thyroid Gland

+ +

Follicular Cell, Adenoma

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

Clitoral Gland

+ I + + +

Ovary

+ + + + + + + + + + M + + + + + + + + + + + + + + +

Cystadenoma

X

Follicle, Adenoma

Periovarian Tissue, Lymphoma Malignant
Lymphocytic

Periovarian Tissue, Lymphoma Malignant
Mixed

X

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam

CAS Number: 604-75-1

Date Report Requested: 01/07/2009

Time Report Requested: 07:39:32

First Dose M/F: 06/22/89 / 06/23/89

Lab: BAT

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|---------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 7 | 4 | 4 | 6 | 7 | 7 | 7 | 6 | 5 | 6 | 7 | 6 | 6 | 4 | 6 | 3 | 6 | 6 | 7 | 7 | 7 | 4 | 7 | 4 | 7 | |
| 1 | 6 | 6 | 6 | 0 | 1 | 1 | 9 | 7 | 6 | 1 | 4 | 9 | 6 | 3 | 9 | 9 | 6 | 1 | 3 | 1 | 7 | 1 | 6 | 1 | |
| 9 | 0 | 0 | 6 | 1 | 2 | 9 | 2 | 5 | 7 | 1 | 2 | 1 | 0 | 5 | 3 | 9 | 4 | 9 | 5 | 1 | 0 | 2 | 0 | 0 | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 2500 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | |
| | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Uterus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Lymphoma Malignant Mixed | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Polyp Stromal | | | | | | | | | | | | | | | | | | | | | | | | | |
| Cervix, Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | X |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Lymphoma Malignant Mixed | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Lymph Node | | | | | | | | | | | | | | | | | | | | | | | | | + |
| Media, Lymphoma Malignant Mixed | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Lymphoma Malignant Mixed | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Lymph Node, Mediastinal | | | | | | | | | | | | | | | | | | | | | | | | | + |
| Lymphoma Malignant Lymphocytic | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | M | M | + | M | + | + | + | + | + | + | + | + | + | + | M | + | + | + |
| Lymphoma Malignant Lymphocytic | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant Mixed | | | | | | | | | | | | | | | | | | | | | | | | | X |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|---------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 7 | 4 | 4 | 6 | 7 | 7 | 7 | 6 | 5 | 6 | 7 | 6 | 6 | 4 | 6 | 3 | 6 | 6 | 7 | 7 | 7 | 4 | 7 | 4 | 7 | |
| 1 | 6 | 6 | 6 | 0 | 1 | 1 | 9 | 7 | 6 | 1 | 4 | 9 | 6 | 3 | 9 | 9 | 6 | 1 | 3 | 1 | 7 | 1 | 6 | 1 | |
| 9 | 0 | 0 | 6 | 1 | 2 | 9 | 2 | 5 | 7 | 1 | 2 | 1 | 0 | 5 | 3 | 9 | 4 | 9 | 5 | 1 | 0 | 2 | 0 | 0 | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 2500 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | |
| | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Lymphoma Malignant Lymphocytic | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant Mixed | | | | | | | | | | | | | | | X | | | | | | | | | | |
| Thymus | + | + | + | + | + | + | + | M | + | + | + | + | + | + | M | + | + | + | M | M | + | + | + | + | |
| Lymphoma Malignant Mixed | | | | | | | | | | | | | | | X | | | | | | | | | | |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Dermis, Lymphoma Malignant Mixed | | | | | | | | | | | | | | | X | | | | | | | | | | |
| Subcutaneous Tissue, Melanoma Nos | | | | | | | | | | | | | | | | | | | | | | | | | |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Skeletal Muscle | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 4 4 6 7 7 7 6 5 6 7 6 6 4 6 3 6 6 7 7 7 4 7 4 7 | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
2500 PPM | 1 6 6 6 0 1 1 9 7 6 1 4 9 6 3 9 9 6 1 3 1 7 1 6 1 | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 0 0 6 1 2 9 2 5 7 1 2 1 0 5 3 9 4 9 5 1 0 2 0 0 | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| females
(cont...) | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 4 4 4 4 4 4 4 4 | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 8 8 8 8 9 9 9 9 9 9 9 9 9 9 9 0 0 0 0 0 0 0 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | | | | | | | | | | | | | | | |

Peripheral Nerve

Spinal Cord

+

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Lung | + | | | | | | | | | | | | | | | | | | | | | | | |
| Alveolar/Bronchiolar Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatoblastoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Carcinoma, Metastatic, Liver | X X X | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant Mixed | X | | | | | | | | | | | | | | | | | | | | | | | |
| Nose | + | | | | | | | | | | | | | | | | | | | | | | | |
| Trachea | + | | | | | | | | | | | | | | | | | | | | | | | |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Ear | | | | | | | | | | | | | | | | | | | | | | | | |
| External Ear, Fibrosarcoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Harderian Gland | + | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|--------------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 7 | 4 | 4 | 6 | 7 | 7 | 7 | 6 | 5 | 6 | 7 | 6 | 6 | 4 | 6 | 3 | 6 | 6 | 7 | 7 | 7 | 4 | 7 | 4 | 7 | 0 |
| 1 | 6 | 6 | 6 | 0 | 1 | 1 | 9 | 7 | 6 | 1 | 4 | 9 | 6 | 3 | 9 | 9 | 6 | 1 | 3 | 1 | 7 | 1 | 6 | 1 | 0 |
| 9 | 0 | 0 | 6 | 1 | 2 | 9 | 2 | 5 | 7 | 1 | 2 | 1 | 0 | 5 | 3 | 9 | 4 | 9 | 5 | 1 | 0 | 2 | 0 | 0 | 0 |
| | | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
2500 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | |

Adenoma

X

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant Mixed | | | | | | | | | | | | | | | | | | | | | | | | |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

SYSTEMIC LESIONS

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant Lymphocytic | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant Mixed | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam

CAS Number: 604-75-1

Date Report Requested: 01/07/2009

Time Report Requested: 07:39:32

First Dose M/F: 06/22/89 / 06/23/89

Lab: BAT

| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
|--------------------------------|-----------|---|---|---|---|---|---|---|---|---|---|
| | 6 | 4 | 6 | 6 | 7 | 6 | 6 | 4 | 7 | 7 | |
| 4 | 6 | 2 | 4 | 3 | 3 | 7 | 6 | 0 | 0 | | |
| 5 | 0 | 2 | 8 | 5 | 4 | 7 | 0 | 0 | 6 | | |
| | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
2500 PPM | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |

*** TOTALS**

ALIMENTARY SYSTEM

| | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|-----------|
| Esophagus | + | + | + | + | + | + | + | + | + | + | 60 |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | 51 |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | 60 |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | 60 |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | 60 |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | 60 |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | 60 |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | 60 |
| Peyer's Patch, Lymphoma Malignant | | | X | | | | | | | | 1 |
| Liver | + | + | + | + | + | + | + | + | + | + | 60 |
| Hepatoblastoma | X | | | | | X | | | | | 8 |
| Hepatocellular Adenoma | | | | | | | | | | | 6 |
| Hepatocellular Adenoma, Multiple | X | | X | X | X | X | X | | | X | 38 |
| Hepatocellular Carcinoma | X | | X | | | | | | | | 9 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam

CAS Number: 604-75-1

Date Report Requested: 01/07/2009

Time Report Requested: 07:39:32

First Dose M/F: 06/22/89 / 06/23/89

Lab: BAT

| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|--|---|---|---|---|---|---|---|---|---|---|
| | 6 | 4 | 6 | 6 | 7 | 6 | 6 | 4 | 7 | 7 |
| ANIMAL ID | 4 | 6 | 2 | 4 | 3 | 3 | 7 | 6 | 0 | 0 |
| | 5 | 0 | 2 | 8 | 5 | 4 | 7 | 0 | 0 | 6 |
| B6C3F1 MICE FEMALE
2500 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |

*** TOTALS**

| | | | | | | | | | | | |
|------------------------------------|---|---|---|---|---|---|---|---|---|---|-----------|
| Hepatocellular Carcinoma, Multiple | | | | X | X | X | X | | X | X | 42 |
| Histiocytic Sarcoma | | | | | | | | | | | 1 |
| Lymphoma Malignant Mixed | | | | | | | | | | | 1 |
| Pancreas | + | + | + | + | + | + | + | + | + | + | 60 |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | 60 |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | 60 |
| Squamous Cell Papilloma | | | | | | | | | | | 1 |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | 60 |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | |
|--------------|---|---|---|---|---|---|---|---|---|---|-----------|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | 60 |
| Heart | + | + | + | + | + | + | + | + | + | + | 60 |

ENDOCRINE SYSTEM

| | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|-----------|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | 60 |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | 60 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam

CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|--|---|---|---|---|---|---|---|---|---|---|
| | 6 | 4 | 6 | 6 | 7 | 6 | 6 | 4 | 7 | 7 |
| | 4 | 6 | 2 | 4 | 3 | 3 | 7 | 6 | 0 | 0 |
| | 5 | 0 | 2 | 8 | 5 | 4 | 7 | 0 | 0 | 6 |
| B6C3F1 MICE FEMALE
2500 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| * TOTALS | | | | | | | | | | |

| | | | | | | | | | | | |
|--------------------------|---|---|---|---|---|---|---|---|---|---|-----------|
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | 60 |
| Parathyroid Gland | + | + | + | + | + | + | M | + | + | + | 49 |
| Pituitary Gland | + | + | + | + | + | + | M | + | + | M | 53 |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | 60 |
| Follicular Cell, Adenoma | | | | | | | | | | | 5 |

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

| | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|-----------|
| Clitoral Gland | + | + | + | + | + | + | + | + | + | + | 57 |
| Ovary | + | + | + | + | + | + | M | + | + | + | 58 |
| Cystadenoma | | | | | | | | | | | 1 |
| Follicle, Adenoma | | | | | | | | | | | 2 |
| Periovarian Tissue, Lymphoma Malignant Lymphocytic | | | | | | | X | | | | 1 |
| Periovarian Tissue, Lymphoma Malignant Mixed | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam

CAS Number: 604-75-1

Date Report Requested: 01/07/2009

Time Report Requested: 07:39:32

First Dose M/F: 06/22/89 / 06/23/89

Lab: BAT

| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|--|---|---|---|---|---|---|---|---|---|---|
| | 6 | 4 | 6 | 6 | 7 | 6 | 6 | 4 | 7 | 7 |
| | 4 | 6 | 2 | 4 | 3 | 3 | 7 | 6 | 0 | 0 |
| | 5 | 0 | 2 | 8 | 5 | 4 | 7 | 0 | 0 | 6 |
| B6C3F1 MICE FEMALE
2500 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| * TOTALS | | | | | | | | | | |

| | | | | | | | | | | | |
|-----------------------------|---|---|---|---|---|---|---|---|---|---|-----------|
| Uterus | + | + | + | + | + | + | + | + | + | + | 60 |
| Lymphoma Malignant Mixed | | | | | | | | | | | 1 |
| Polyp Stromal | | | | | | | | | | | 1 |
| Cervix, Histiocytic Sarcoma | | | | | | | | | | | 1 |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | |
|---------------------------------|---|---|---|---|---|---|---|---|---|---|-----------|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | 60 |
| Lymphoma Malignant Mixed | | | | | | | | | | | 1 |
| Lymph Node | | | | | | | | | | | 1 |
| Media, Lymphoma Malignant Mixed | | | | | | | | | | | 1 |
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | + | + | 58 |
| Lymphoma Malignant Mixed | | | | | | | | | | | 1 |
| Lymph Node, Mediastinal | | | | | | | | | | | 3 |
| Lymphoma Malignant Lymphocytic | | | | | | | | | | | 1 |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | M | 48 |
| Lymphoma Malignant Lymphocytic | | | | | | | | | | | 1 |
| Lymphoma Malignant Mixed | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|--|---|---|---|---|---|---|---|---|---|---|
| | 6 | 4 | 6 | 6 | 7 | 6 | 6 | 4 | 7 | 7 |
| | 4 | 6 | 2 | 4 | 3 | 3 | 7 | 6 | 0 | 0 |
| | 5 | 0 | 2 | 8 | 5 | 4 | 7 | 0 | 0 | 6 |
| B6C3F1 MICE FEMALE
2500 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |

* TOTALS

| | | | | | | | | | | | |
|--------------------------------|---|---|---|---|---|---|---|---|---|---|----|
| Spleen | + | + | + | + | + | + | + | + | + | + | 60 |
| Lymphoma Malignant Lymphocytic | | | | X | | | | | | | 1 |
| Lymphoma Malignant Mixed | | | | | | | | | | | 2 |
| Thymus | + | + | M | + | + | M | + | + | + | M | 44 |
| Lymphoma Malignant Mixed | | | | | | | | | | | 1 |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|----|
| Mammary Gland | + | + | + | + | + | + | + | + | + | M | 57 |
| Skin | + | + | + | + | + | + | + | + | + | + | 60 |
| Dermis, Lymphoma Malignant Mixed | | | | | | | | | | | 1 |
| Subcutaneous Tissue, Melanoma Nos | | | | | | | | | | | 1 |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|----|
| Bone | + | + | + | + | + | + | + | + | + | + | 60 |
| Skeletal Muscle | + | + | + | + | + | + | + | + | + | + | 60 |

NERVOUS SYSTEM

| | | | | | | | | | | | |
|-------|---|---|---|---|---|---|---|---|---|---|----|
| Brain | + | + | + | + | + | + | + | + | + | + | 60 |
|-------|---|---|---|---|---|---|---|---|---|---|----|

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|--|---|---|---|---|---|---|---|---|---|---|
| | 6 | 4 | 6 | 6 | 7 | 6 | 6 | 4 | 7 | 7 |
| | 4 | 6 | 2 | 4 | 3 | 3 | 7 | 6 | 0 | 0 |
| | 5 | 0 | 2 | 8 | 5 | 4 | 7 | 0 | 0 | 6 |
| B6C3F1 MICE FEMALE
2500 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| * TOTALS | | | | | | | | | | |

| | | | | | | | | | | | |
|------------------|---|--|--|---|---|--|--|--|--|--|----------|
| Peripheral Nerve | + | | | + | | | | | | | 2 |
| Spinal Cord | | | | | + | | | | | | 2 |

RESPIRATORY SYSTEM

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Lung | + | + | + | + | + | + | + | + | + | + | 60 |
| Alveolar/Bronchiolar Carcinoma | X | | | | | | | | | | 1 |
| Hepatoblastoma, Metastatic, Liver | | | | | | | | | | | 2 |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | | | | | 8 |
| Lymphoma Malignant Mixed | | | | | | | | | | | 1 |
| Nose | + | + | + | + | + | + | + | + | + | + | 60 |
| Trachea | + | + | + | + | + | + | + | + | + | + | 60 |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | |
|----------------------------|--|--|--|---|--|--|--|--|--|--|----------|
| Ear | | | | + | | | | | | | 1 |
| External Ear, Fibrosarcoma | | | | X | | | | | | | 1 |
| Harderian Gland | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
|--------------------------------|-----------|---|---|---|---|---|---|---|---|---|---|-----------------|
| | 6 | 4 | 6 | 6 | 7 | 6 | 6 | 4 | 7 | 7 | | |
| 4 | 6 | 2 | 4 | 3 | 3 | 7 | 6 | 0 | 0 | | | |
| 5 | 0 | 2 | 8 | 5 | 4 | 7 | 0 | 0 | 6 | | | |
| | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
2500 PPM | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | * TOTALS |

Adenoma **1**

URINARY SYSTEM

| | | | | | | | | | | | |
|--------------------------|---|---|---|---|---|---|---|---|---|---|-----------|
| Kidney | + | + | + | + | + | + | + | + | + | + | 60 |
| Lymphoma Malignant Mixed | | | | | | | | | | | 1 |
| | | | | | | | | | | | |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | 60 |

SYSTEMIC LESIONS

| | | | | | | | | | | | |
|--------------------------------|---|---|---|---|---|---|---|---|---|---|-----------|
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | 60 |
| Histiocytic Sarcoma | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | X | | | | | | | | 1 |
| Lymphoma Malignant Lymphocytic | | | X | | | | | | | | 1 |
| Lymphoma Malignant Mixed | | | | | | | | | | | 2 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam

CAS Number: 604-75-1

Date Report Requested: 01/07/2009

Time Report Requested: 07:39:32

First Dose M/F: 06/22/89 / 06/23/89

Lab: BAT

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|--------------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 5 | 6 | 4 | 5 | 5 | 4 | 4 | 4 | 6 | 5 | 4 | 4 | 6 | 5 | 5 | 4 | 6 | 4 | 5 | 5 | 5 | 6 | 5 | 4 | 4 | 0 |
| 2 | 1 | 1 | 6 | 7 | 6 | 6 | 6 | 1 | 9 | 6 | 5 | 1 | 6 | 9 | 6 | 1 | 7 | 9 | 6 | 6 | 1 | 3 | 5 | 6 | 0 |
| 6 | 7 | 5 | 6 | 7 | 0 | 0 | 0 | 4 | 5 | 0 | 0 | 7 | 9 | 6 | 0 | 4 | 0 | 6 | 8 | 7 | 3 | 5 | 7 | 0 | 0 |
| | | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
5000 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Gallbladder | + | M | + | M | + | + | + | M | + | M | + | + | M | + | + | + | + | + | + | + | + | + | + | M |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hepatoblastoma | | | | X | | | | | | | | | X | | | | | | | | | X | | |
| Hepatoblastoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Adenoma | | | X | | | | | | | | | | | | | | | | | | | X | X | |
| Hepatocellular Adenoma, Multiple | X | | X | | | X | X | X | | X | X | X | X | X | X | X | | X | | X | X | | X | X |
| Hepatocellular Carcinoma | | | | | | | | | | | | X | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 5 6 4 5 5 4 4 4 6 5 4 4 6 5 5 4 6 4 5 5 5 6 5 4 4 | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
5000 PPM | 2 1 1 6 7 6 6 6 1 9 6 5 1 6 9 6 1 7 9 6 6 1 3 5 6 | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 7 5 6 7 0 0 0 4 5 0 0 7 9 6 0 4 0 6 8 7 3 5 7 0 | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| 5000 PPM | 4 | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 2 2 2 2 2 2 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 | | | | | | | | | | | | | | | | | | | | | | | |
| 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | | |

females
(cont...)

| | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Hepatocellular Carcinoma, Multiple | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Parathyroid Gland | + | + | + | + | + | + | + | + | M | + | + | + | + | M | + | + | + | + | + | + | + | + | M | + |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|
| | 5 6 4 5 5 4 4 4 6 5 4 4 6 5 5 4 6 4 5 5 5 6 5 4 4 | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
5000 PPM | 2 1 1 6 7 6 6 6 1 9 6 5 1 6 9 6 1 7 9 6 6 1 3 5 6 | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 7 5 6 7 0 0 0 4 5 0 0 7 9 6 0 4 0 6 8 7 3 5 7 0 | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| 5000 PPM | 4 | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 2 2 2 2 2 2 2 3 3 3 3 3 3 3 3 3 3 4 4 4 4 4 4 | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 |

females
(cont...)

Pituitary Gland

+ + + + + + + + + + + + + + + + + + M + + + + +

Thyroid Gland

+ +

Follicular Cell, Adenoma

X X X X X

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

Clitoral Gland

+ +

Ovary

+ +

Uterus

+ +

HEMATOPOIETIC SYSTEM

Bone Marrow

+ +

Lymph Node, Mandibular

+ + + M +

Lymph Node, Mesenteric

M M + M + + + + + + + + + + + + + + + + M + + +

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam

CAS Number: 604-75-1

Date Report Requested: 01/07/2009

Time Report Requested: 07:39:32

First Dose M/F: 06/22/89 / 06/23/89

Lab: BAT

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|-------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 5 | 6 | 4 | 5 | 5 | 4 | 4 | 4 | 6 | 5 | 4 | 4 | 6 | 5 | 5 | 4 | 6 | 4 | 5 | 5 | 5 | 6 | 5 | 4 | 4 | 0 | |
| 2 | 1 | 1 | 6 | 7 | 6 | 6 | 6 | 1 | 9 | 6 | 5 | 1 | 6 | 9 | 6 | 1 | 7 | 9 | 6 | 6 | 1 | 3 | 5 | 6 | 0 | |
| 6 | 7 | 5 | 6 | 7 | 0 | 0 | 0 | 4 | 5 | 0 | 0 | 7 | 9 | 6 | 0 | 4 | 0 | 6 | 8 | 7 | 3 | 5 | 7 | 0 | 0 | |

B6C3F1 MICE FEMALE
5000 PPM

Spleen

+ +

Thymus

M M + M + + M + M + + + M + + + + + M M M + + +

INTEGUMENTARY SYSTEM

Mammary Gland

+ + M + + + + + + + + + + + + + + + + M + + +

Skin

+ +

MUSCULOSKELETAL SYSTEM

Bone

+ +

Skeletal Muscle

+ +

NERVOUS SYSTEM

Brain

+ +

Peripheral Nerve

Spinal Cord

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 5 6 4 5 5 4 4 4 6 5 4 4 6 5 5 4 6 4 5 5 6 5 4 4 | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
5000 PPM | 2 1 1 6 7 6 6 6 1 9 6 5 1 6 9 6 1 7 9 6 6 1 3 5 6 | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 7 5 6 7 0 0 0 4 5 0 0 7 9 6 0 4 0 6 8 7 3 5 7 0 | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| 5000 PPM | 4 | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 2 2 2 2 2 2 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 | | | | | | | | | | | | | | | | | | | | | | | |
| 5000 PPM | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | |

females
(cont...)

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Lung | + | | | | | | | | | | | | | | | | | | | | | | | |
| Alveolar/Bronchiolar Adenoma | X | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatoblastoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Carcinoma, Metastatic, Liver | X X X | | | | | | | | | | | | | | | | | | | | | | | |
| Nose | + | | | | | | | | | | | | | | | | | | | | | | | |
| Trachea | + | | | | | | | | | | | | | | | | | | | | | | | |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Harderian Gland | | | | | | | | | | | | | | | | | | | | | | | | |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | | | |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Kidney | + | | | | | | | | | | | | | | | | | | | | | | | |
| Urinary Bladder | + | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|---------------------------|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 5 | 6 | 4 | 5 | 5 | 4 | 4 | 4 | 6 | 5 | 4 | 4 | 6 | 5 | 5 | 4 | 6 | 4 | 5 | 5 | 5 | 6 | 5 | 4 | 4 |
| | | 2 | 1 | 1 | 6 | 7 | 6 | 6 | 6 | 1 | 9 | 6 | 5 | 1 | 6 | 9 | 6 | 1 | 7 | 9 | 6 | 6 | 1 | 3 | 5 | 6 |
| | | 6 | 7 | 5 | 6 | 7 | 0 | 0 | 0 | 4 | 5 | 0 | 0 | 7 | 9 | 6 | 0 | 4 | 0 | 6 | 8 | 7 | 3 | 5 | 7 | 0 |
| B6C3F1 MICE FEMALE | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5000 PPM | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ANIMAL ID | | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |

females
(cont...)

SYSTEMIC LESIONS

Multiple Organ

+ +

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|--------------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 6 | 4 | 4 | 5 | 4 | 6 | 4 | 0 | 5 | 5 | 5 | 4 | 6 | 5 | 0 | 5 | 5 | 5 | 4 | 5 | 4 | 5 | 4 | 5 | 0 | 0 |
| 1 | 0 | 6 | 5 | 7 | 1 | 7 | 0 | 3 | 9 | 4 | 1 | 0 | 7 | 0 | 4 | 6 | 8 | 5 | 8 | 6 | 6 | 9 | 8 | 0 | 0 |
| 2 | 3 | 0 | 4 | 9 | 7 | 1 | 7 | 3 | 4 | 1 | 2 | 0 | 0 | 7 | 7 | 3 | 3 | 4 | 9 | 0 | 2 | 1 | 2 | 6 | 0 |
| <hr/> | | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
5000 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| | 4 | 4 | 4 | 4 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Gallbladder | + | + | + | M | + | + | + | + | + | + | M | M | + | + | + | + | M | M | + | + | M | M | + | + |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Hepatoblastoma | | | | | | | X | | | | | | X | | | | | X | X | | | | | |
| Hepatoblastoma, Multiple | | | | | | | | | | | X | | | | | | | | | | | | | |
| Hepatocellular Adenoma | X | X | | | | | | | | | | | | X | | | | | | | | | | |
| Hepatocellular Adenoma, Multiple | | | X | | X | X | X | | X | X | | | X | | X | X | | X | X | X | | X | | |
| Hepatocellular Carcinoma | | | X | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam

CAS Number: 604-75-1

Date Report Requested: 01/07/2009

Time Report Requested: 07:39:32

First Dose M/F: 06/22/89 / 06/23/89

Lab: BAT

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|-------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 6 | 4 | 4 | 5 | 4 | 6 | 4 | 0 | 5 | 5 | 5 | 4 | 6 | 5 | 0 | 5 | 5 | 5 | 4 | 5 | 4 | 5 | 4 | 5 | 0 | 0 |
| 1 | 0 | 6 | 5 | 7 | 1 | 7 | 0 | 3 | 9 | 4 | 1 | 0 | 7 | 0 | 4 | 6 | 8 | 5 | 8 | 6 | 6 | 9 | 8 | 0 | 0 |
| 2 | 3 | 0 | 4 | 9 | 7 | 1 | 7 | 3 | 4 | 1 | 2 | 0 | 0 | 7 | 7 | 3 | 3 | 4 | 9 | 0 | 2 | 1 | 2 | 6 | 0 |

B6C3F1 MICE FEMALE
5000 PPM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Hepatocellular Carcinoma, Multiple | X | | X | X | X | X | | X | X | X | X | X | X | | X | X | | X | X | X | X | X | X | |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Parathyroid Gland | + | + | + | M | + | + | + | + | + | M | + | M | + | + | + | M | + | + | + | + | + | + | + | + |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam

CAS Number: 604-75-1

Date Report Requested: 01/07/2009

Time Report Requested: 07:39:32

First Dose M/F: 06/22/89 / 06/23/89

Lab: BAT

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|---------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 6 | 4 | 4 | 5 | 4 | 6 | 4 | 0 | 5 | 5 | 5 | 4 | 6 | 5 | 0 | 5 | 5 | 5 | 4 | 5 | 4 | 5 | 4 | 5 | 0 | |
| 1 | 0 | 6 | 5 | 7 | 1 | 7 | 0 | 3 | 9 | 4 | 1 | 0 | 7 | 0 | 4 | 6 | 8 | 5 | 8 | 6 | 6 | 9 | 8 | 0 | |
| 2 | 3 | 0 | 4 | 9 | 7 | 1 | 7 | 3 | 4 | 1 | 2 | 0 | 0 | 7 | 7 | 3 | 3 | 4 | 9 | 0 | 2 | 1 | 2 | 6 | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 5000 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | |
| | 4 | 4 | 4 | 4 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Follicular Cell, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | |

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Clitoral Gland | + | M | + | + | + | + | M | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + |
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Uterus | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymph Node, Mandibular | + | M | + | + | + | + | + | + | + | + | M | + | + | + | M | + | + | + | + | + | + | M | + | + |
| Lymph Node, Mesenteric | + | M | + | + | + | M | + | M | + | M | + | M | + | M | + | + | + | + | + | + | + | M | + | + |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam

CAS Number: 604-75-1

Date Report Requested: 01/07/2009

Time Report Requested: 07:39:32

First Dose M/F: 06/22/89 / 06/23/89

Lab: BAT

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 6 | 4 | 4 | 5 | 4 | 6 | 4 | 0 | 5 | 5 | 5 | 4 | 6 | 5 | 0 | 5 | 5 | 5 | 4 | 5 | 4 | 5 | 4 | 5 |
| | 1 | 0 | 6 | 5 | 7 | 1 | 7 | 0 | 3 | 9 | 4 | 1 | 0 | 7 | 0 | 4 | 6 | 8 | 5 | 8 | 6 | 6 | 9 | 8 |
| | 2 | 3 | 0 | 4 | 9 | 7 | 1 | 7 | 3 | 4 | 1 | 2 | 0 | 0 | 7 | 7 | 3 | 3 | 4 | 9 | 0 | 2 | 1 | 2 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5000 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| | 4 | 4 | 4 | 4 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| | | | | | | | | | | | | | | | | | | | | | | | | |

females
(cont...)

Spleen

+ A +

Thymus

+ + + + + + + + M M + + M M + + + + + + + + + + + +

INTEGUMENTARY SYSTEM

Mammary Gland

+ M + + + + + M + + + + + M + + + + + + + + + M

Skin

+ +

MUSCULOSKELETAL SYSTEM

Bone

+ +

Skeletal Muscle

+ +

NERVOUS SYSTEM

Brain

+ +

Peripheral Nerve

Spinal Cord

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam

CAS Number: 604-75-1

Date Report Requested: 01/07/2009

Time Report Requested: 07:39:32

First Dose M/F: 06/22/89 / 06/23/89

Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|
| | 6 4 4 5 4 6 4 0 5 5 5 4 6 5 0 5 5 5 4 5 4 5 4 5 0 | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
5000 PPM | 1 0 6 5 7 1 7 0 3 9 4 1 0 7 0 4 6 8 5 8 6 6 9 8 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 3 0 4 9 7 1 7 3 4 1 2 0 0 7 7 3 3 4 9 0 2 1 2 6 | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| 5000 PPM | 4 | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 4 4 4 5 5 5 5 5 5 5 5 5 5 6 6 6 6 6 6 6 6 6 7 | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 |

females (cont...)

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Lung | + | | | | | | | | | | | | | | | | | | | | | | | |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatoblastoma, Metastatic, Liver | X X | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Carcinoma, Metastatic, Liver | X X X X | | | | | | | | | | | | | | | | | | | | | | | |
| Nose | + | | | | | | | | | | | | | | | | | | | | | | | |
| Trachea | + | | | | | | | | | | | | | | | | | | | | | | | |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Harderian Gland | | | | | | | | | | | | | | | | | | | | | | | | |
| Adenoma | + | | | | | | | | | | | | | | | | | | | | | | | |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Kidney | + | | | | | | | | | | | | | | | | | | | | | | | |
| Urinary Bladder | + | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam

CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
|--------------------------------|-----------|---|---|---|---|---|---|---|---|---|---|-----------------|
| | 4 | 4 | 4 | 5 | 4 | 4 | 5 | 4 | 4 | 5 | | |
| 7 | 6 | 1 | 6 | 9 | 1 | 0 | 9 | 6 | 7 | | | |
| 8 | 0 | 0 | 9 | 9 | 4 | 4 | 4 | 0 | 0 | | | |
| | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
5000 PPM | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | |
| | | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 8 | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | * TOTALS |

ALIMENTARY SYSTEM

| | | | | | | | | | | | |
|----------------------------------|---|---|---|---|---|---|---|---|---|---|-----------|
| Esophagus | + | + | + | + | + | + | + | + | + | + | 60 |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | 47 |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | 60 |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | 60 |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | 60 |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | 60 |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | 60 |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | 60 |
| Liver | + | + | + | + | + | + | + | + | + | + | 60 |
| Hepatoblastoma | | X | | X | | | | | | | 9 |
| Hepatoblastoma, Multiple | | | | | | | | | | | 1 |
| Hepatocellular Adenoma | | | | | | | | | | | 6 |
| Hepatocellular Adenoma, Multiple | X | X | X | X | X | X | X | X | X | X | 40 |
| Hepatocellular Carcinoma | | | | X | | | | | X | | 4 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam

CAS Number: 604-75-1

Date Report Requested: 01/07/2009

Time Report Requested: 07:39:32

First Dose M/F: 06/22/89 / 06/23/89

Lab: BAT

| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|---------------------------|---|---|---|---|---|---|---|---|---|-----------------|
| | 4 | 4 | 4 | 5 | 4 | 4 | 5 | 4 | 4 | 5 |
| | 7 | 6 | 1 | 6 | 9 | 1 | 0 | 9 | 6 | 7 |
| | 8 | 0 | 0 | 9 | 9 | 4 | 4 | 4 | 0 | 0 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 8 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| 5000 PPM | | | | | | | | | | |
| | | | | | | | | | | * TOTALS |

| | | | | | | | | | | | |
|------------------------------------|---|---|---|---|---|---|---|---|---|---|-----------|
| Hepatocellular Carcinoma, Multiple | X | X | X | | X | X | X | X | | X | 50 |
| Pancreas | + | + | + | + | + | + | + | + | + | + | 60 |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | 60 |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | 60 |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | 60 |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | |
|--------------|---|---|---|---|---|---|---|---|---|---|-----------|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | 59 |
| Heart | + | + | + | + | + | + | + | + | + | + | 60 |

ENDOCRINE SYSTEM

| | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|-----------|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | 60 |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | 60 |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | 60 |
| Parathyroid Gland | + | + | M | + | M | + | + | M | + | + | 50 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam

CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| | DAY ON TEST | | | | | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|-----------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 4 | 4 | 4 | 5 | 4 | 4 | 5 | 4 | 4 | 5 | |
| | 7 | 6 | 1 | 6 | 9 | 1 | 0 | 9 | 6 | 7 | |
| | 8 | 0 | 0 | 9 | 9 | 4 | 4 | 4 | 0 | 0 | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 5000 PPM | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | |
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 8 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | * TOTALS |

| | | | | | | | | | | | |
|--------------------------|---|---|---|---|---|---|---|---|---|---|-----------|
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | 59 |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | 60 |
| Follicular Cell, Adenoma | | | | | | | X | | | | 6 |

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

| | | | | | | | | | | | |
|----------------|---|---|---|---|---|---|---|---|---|---|-----------|
| Clitoral Gland | M | + | + | + | + | + | + | + | + | + | 56 |
| Ovary | + | + | + | + | + | + | + | + | + | + | 60 |
| Uterus | + | + | + | + | + | + | + | + | + | + | 59 |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | |
|------------------------|---|---|---|---|---|---|---|---|---|---|-----------|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | 60 |
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | + | M | 54 |
| Lymph Node, Mesenteric | + | + | M | + | M | + | + | + | + | + | 47 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| | DAY ON TEST | | | | | | | | | | |
|--------------------------------|-------------|---|---|---|---|---|---|---|---|---|-----------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 4 | 4 | 4 | 5 | 4 | 4 | 5 | 4 | 4 | 5 | |
| | 7 | 6 | 1 | 6 | 9 | 1 | 0 | 9 | 6 | 7 | |
| | 8 | 0 | 0 | 9 | 9 | 4 | 4 | 4 | 0 | 0 | |
| | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
5000 PPM | ANIMAL ID | | | | | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | |
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 8 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | |
| | | | | | | | | | | | * TOTALS |

| | | | | | | | | | | | |
|--------|---|---|---|---|---|---|---|---|---|---|-----------|
| Spleen | + | + | + | + | + | + | + | + | + | + | 59 |
| Thymus | M | + | + | M | + | + | M | + | + | M | 43 |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | |
|---------------|---|---|---|---|---|---|---|---|---|---|-----------|
| Mammary Gland | + | + | + | + | + | + | + | + | + | M | 53 |
| Skin | + | + | + | + | + | + | + | + | + | + | 60 |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|-----------|
| Bone | + | + | + | + | + | + | + | + | + | + | 60 |
| Skeletal Muscle | + | + | + | + | + | + | + | + | + | + | 60 |

NERVOUS SYSTEM

| | | | | | | | | | | | |
|------------------|---|---|---|---|---|---|---|---|---|---|-----------|
| Brain | + | + | + | + | + | + | + | + | + | + | 60 |
| Peripheral Nerve | | | | + | | | | | | | 1 |
| Spinal Cord | | | | + | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|--------------------------------|-----------|---|---|---|---|---|---|---|---|---|
| | 4 | 4 | 4 | 5 | 4 | 4 | 5 | 4 | 4 | 5 |
| 7 | 6 | 1 | 6 | 9 | 1 | 0 | 9 | 6 | 7 | |
| 8 | 0 | 0 | 9 | 9 | 4 | 4 | 4 | 0 | 0 | |
| | | | | | | | | | | |
| B6C3F1 MICE FEMALE
5000 PPM | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| | | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 8 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |

*** TOTALS**

RESPIRATORY SYSTEM

| | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Lung | + | + | + | + | + | + | + | + | + | + | 60 |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | | | 1 |
| Hepatoblastoma, Metastatic, Liver | | | | | | | | | | | 2 |
| Hepatocellular Carcinoma, Metastatic, Liver | | | X | X | | | | | | | 10 |
| | | | | | | | | | | | |
| Nose | + | + | + | + | + | + | + | + | + | + | 60 |
| | | | | | | | | | | | |
| Trachea | + | + | + | + | + | + | + | + | + | + | 60 |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | |
|-----------------|--|--|--|--|--|--|--|--|--|--|----------|
| Harderian Gland | | | | | | | | | | | 1 |
| Adenoma | | | | | | | | | | | 1 |

URINARY SYSTEM

| | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|-----------|
| Kidney | + | + | + | + | + | + | + | + | + | + | 60 |
| | | | | | | | | | | | |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | 60 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 05212 - 03
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Oxazepam
 CAS Number: 604-75-1

Date Report Requested: 01/07/2009
 Time Report Requested: 07:39:32
 First Dose M/F: 06/22/89 / 06/23/89
 Lab: BAT

| | | | | | | | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|-----------------|--|
| | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 4 | 4 | 4 | 5 | 4 | 4 | 5 | 4 | 4 | 5 | |
| | | 7 | 6 | 1 | 6 | 9 | 1 | 0 | 9 | 6 | 7 | |
| | | 8 | 0 | 0 | 9 | 9 | 4 | 4 | 4 | 0 | 0 | |
| | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 5000 PPM | | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | |
| | | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 8 | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | |
| | | | | | | | | | | | * TOTALS | |

SYSTEMIC LESIONS

| | | | | | | | | | | | | |
|----------------|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | 60 |
|----------------|---|---|---|---|---|---|---|---|---|---|---|-----------|

*** END OF REPORT ***

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically