

Experiment Number: 20006 - 04
Test Type: CHRONIC
Route: GAVAGE
Species/Strain: MICE/B6C3F1

P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE(a)

Indole-3-carbinol
CAS Number: 700-06-1

Date Report Requested: 06/15/2012
Time Report Requested: 12:41:17
First Dose M/F: 04/03/07 / 04/02/07
Lab: BAT

F1_M3

NTP Study Number: C20006B
Lock Date: 03/08/2010
Cage Range: ALL
Date Range: ALL
Reasons For Removal: ALL
Removal Date Range: ALL
Treatment Groups: Include ALL
Study Gender: Both
TDMSE Version: 2.6.0.0_007
PWG Approval Date: NONE

Experiment Number: 20006 - 04
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE(a)
 Indole-3-carbinol
 CAS Number: 700-06-1

Date Report Requested: 06/15/2012
 Time Report Requested: 12:41:17
 First Dose M/F: 04/03/07 / 04/02/07
 Lab: BAT

B6C3F1 MICE MALE	0 mg/kg	62.5 mg/kg	125 mg/kg	250 mg/kg
------------------	---------	------------	-----------	-----------

Disposition Summary

Animals Initially In Study	50	50	50	50
Early Deaths				
Accidentally Killed				1
Dosing Accident			1	
Moribund Sacrifice	17	12	11	9
Natural Death	6	7	6	8
Survivors				
Natural Death	1			
Terminal Sacrifice	26	31	32	32
Animals Examined Microscopically	50	50	50	50

ALIMENTARY SYSTEM

Esophagus	(50)	(50)	(50)	(50)
Mineralization			1 (2%)	
Gallbladder	(50)	(50)	(49)	(48)
Atrophy				1 (2%)
Inflammation, Suppurative				1 (2%)
Intestine Large, Cecum	(50)	(50)	(50)	(50)
Ulcer		1 (2%)		1 (2%)
Intestine Large, Colon	(50)	(50)	(50)	(50)
Inflammation, Chronic				1 (2%)
Intestine Large, Rectum	(50)	(50)	(50)	(50)
Inflammation, Chronic		1 (2%)		
Intestine Small, Duodenum	(50)	(50)	(50)	(50)
Ulcer				1 (2%)
Epithelium, Atrophy				1 (2%)
Intestine Small, Ileum	(50)	(50)	(50)	(50)
Intestine Small, Jejunum	(50)	(50)	(49)	(50)
Atrophy	1 (2%)			
Inflammation, Suppurative	1 (2%)			
Lymphangiectasis	1 (2%)			
Peyer's Patch, Hyperplasia		1 (2%)	1 (2%)	1 (2%)
Liver	(50)	(50)	(49)	(50)

a - Number of animals examined microscopically at site and number of animals with lesion

Experiment Number: 20006 - 04

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE(a)

Indole-3-carbinol

CAS Number: 700-06-1

Date Report Requested: 06/15/2012

Time Report Requested: 12:41:17

First Dose M/F: 04/03/07 / 04/02/07

Lab: BAT

B6C3F1 MICE MALE	0 mg/kg	62.5 mg/kg	125 mg/kg	250 mg/kg
Basophilic Focus	2 (4%)	4 (8%)	2 (4%)	5 (10%)
Clear Cell Focus	7 (14%)	17 (34%)	22 (45%)	20 (40%)
Eosinophilic Focus	29 (58%)	35 (70%)	35 (71%)	33 (66%)
Fatty Change	29 (58%)	27 (54%)	28 (57%)	37 (74%)
Hepatodiaphragmatic Nodule		1 (2%)		1 (2%)
Inflammation, Chronic				1 (2%)
Mixed Cell Focus	1 (2%)	6 (12%)	6 (12%)	5 (10%)
Necrosis	3 (6%)	2 (4%)	2 (4%)	2 (4%)
Necrosis, Multifocal	1 (2%)			
Artery, Thrombosis				1 (2%)
Bile Duct, Hyperplasia				1 (2%)
Oval Cell, Hyperplasia				1 (2%)
Periportal, Fibrosis				1 (2%)
Mesentery	(7)	(3)	(2)	(2)
Fat, Necrosis	4 (57%)		2 (100%)	2 (100%)
Oral Mucosa	(0)	(1)	(0)	(2)
Pancreas	(50)	(50)	(50)	(50)
Inflammation, Chronic				2 (4%)
Acinus, Atrophy	1 (2%)		1 (2%)	
Duct, Cyst		1 (2%)		
Salivary Glands	(50)	(50)	(50)	(50)
Infiltration Cellular, Mononuclear Cell	23 (46%)	30 (60%)	27 (54%)	22 (44%)
Duct, Sublingual Gland, Hyperplasia			1 (2%)	
Stomach, Forestomach	(50)	(50)	(50)	(50)
Inflammation, Chronic		1 (2%)	4 (8%)	1 (2%)
Ulcer	6 (12%)	5 (10%)	7 (14%)	1 (2%)
Epithelium, Hyperplasia	2 (4%)	2 (4%)	4 (8%)	2 (4%)
Stomach, Glandular	(50)	(47)	(47)	(49)
Erosion	1 (2%)			
Inflammation, Chronic	1 (2%)	1 (2%)	18 (38%)	45 (92%)
Mineralization	5 (10%)	2 (4%)		
Pigmentation		1 (2%)	38 (81%)	48 (98%)
Epithelium, Atrophy				1 (2%)
Epithelium, Hyperplasia		1 (2%)	22 (47%)	40 (82%)
Tooth	(30)	(37)	(32)	(32)
Dysplasia	30 (100%)	36 (97%)	32 (100%)	32 (100%)

a - Number of animals examined microscopically at site and number of animals with lesion

Experiment Number: 20006 - 04

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE(a)

Indole-3-carbinol

CAS Number: 700-06-1

Date Report Requested: 06/15/2012

Time Report Requested: 12:41:17

First Dose M/F: 04/03/07 / 04/02/07

Lab: BAT

B6C3F1 MICE MALE

0 mg/kg

62.5 mg/kg

125 mg/kg

250 mg/kg

CARDIOVASCULAR SYSTEM

Blood Vessel	(49)	(50)	(49)	(49)
Adventitia, Pulmonary Vein, Infiltration Cellular, Polymorphonuclear	1 (2%)			
Aorta, Mineralization		1 (2%)		
Heart	(50)	(50)	(50)	(50)
Cardiomyopathy	11 (22%)	7 (14%)	18 (36%)	8 (16%)
Inflammation, Chronic	1 (2%)			
Artery, Inflammation, Chronic	1 (2%)			
Artery, Mineralization		1 (2%)		
Myocardium, Mineralization		3 (6%)		1 (2%)
Valve, Inflammation				1 (2%)

ENDOCRINE SYSTEM

Adrenal Cortex	(50)	(50)	(50)	(50)
Hyperplasia	1 (2%)			1 (2%)
Hypertrophy		4 (8%)	2 (4%)	
Vacuolization Cytoplasmic		2 (4%)		
Adrenal Medulla	(50)	(50)	(50)	(50)
Hyperplasia	2 (4%)		1 (2%)	2 (4%)
Islets, Pancreatic	(50)	(50)	(50)	(50)
Hyperplasia	1 (2%)		1 (2%)	
Parathyroid Gland	(48)	(44)	(48)	(44)
Pituitary Gland	(50)	(50)	(50)	(50)
Cyst	2 (4%)	1 (2%)	1 (2%)	1 (2%)
Pars Intermedia, Hyperplasia		1 (2%)		
Thyroid Gland	(50)	(50)	(50)	(50)
Inflammation, Chronic				1 (2%)
Follicle, Cyst	1 (2%)			
Follicle, Degeneration				1 (2%)

a - Number of animals examined microscopically at site and number of animals with lesion

Experiment Number: 20006 - 04
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE(a)
 Indole-3-carbinol
 CAS Number: 700-06-1

Date Report Requested: 06/15/2012
 Time Report Requested: 12:41:17
 First Dose M/F: 04/03/07 / 04/02/07
 Lab: BAT

B6C3F1 MICE MALE	0 mg/kg	62.5 mg/kg	125 mg/kg	250 mg/kg
GENERAL BODY SYSTEM				
None				
GENITAL SYSTEM				
Coagulating Gland	(1)	(0)	(0)	(0)
Epididymis	(50)	(50)	(50)	(50)
Angiectasis				1 (2%)
Granuloma Sperm				1 (2%)
Infiltration Cellular, Mononuclear Cell	1 (2%)	6 (12%)	3 (6%)	5 (10%)
Inflammation, Chronic		2 (4%)		
Preputial Gland	(50)	(50)	(50)	(50)
Cyst	14 (28%)	10 (20%)	6 (12%)	6 (12%)
Inflammation, Suppurative	2 (4%)			
Inflammation, Granulomatous		2 (4%)		2 (4%)
Prostate	(50)	(50)	(50)	(50)
Hyperplasia	2 (4%)		1 (2%)	1 (2%)
Inflammation, Suppurative			1 (2%)	
Inflammation, Chronic	1 (2%)			1 (2%)
Seminal Vesicle	(50)	(50)	(50)	(50)
Atrophy	1 (2%)			
Testes	(50)	(50)	(50)	(50)
Inflammation, Granulomatous	1 (2%)			
Inflammation, Chronic	1 (2%)			
Mineralization	1 (2%)			
Germinal Epithelium, Atrophy	2 (4%)		3 (6%)	3 (6%)
HEMATOPOIETIC SYSTEM				
Bone Marrow	(50)	(50)	(50)	(50)
Lymph Node	(2)	(2)	(0)	(4)
Mediastinal, Hyperplasia				1 (25%)
Pancreatic, Inflammation				1 (25%)

a - Number of animals examined microscopically at site and number of animals with lesion

Experiment Number: 20006 - 04

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE(a)

Indole-3-carbinol

CAS Number: 700-06-1

Date Report Requested: 06/15/2012

Time Report Requested: 12:41:17

First Dose M/F: 04/03/07 / 04/02/07

Lab: BAT

B6C3F1 MICE MALE	0 mg/kg	62.5 mg/kg	125 mg/kg	250 mg/kg
Pancreatic, Necrosis		1 (50%)		
Renal, Inflammation				1 (25%)
Lymph Node, Mandibular	(50)	(50)	(50)	(50)
Hyperplasia, Lymphoid		1 (2%)		1 (2%)
Lymph Node, Mesenteric	(48)	(48)	(49)	(50)
Hematopoietic Cell Proliferation	1 (2%)			
Hyperplasia, Lymphoid				2 (4%)
Inflammation				1 (2%)
Spleen	(50)	(50)	(50)	(50)
Accessory Spleen			1 (2%)	
Atrophy				1 (2%)
Hematopoietic Cell Proliferation	16 (32%)	16 (32%)	24 (48%)	20 (40%)
Necrosis	1 (2%)			
Lymphoid Follicle, Atrophy	2 (4%)			
Thymus	(49)	(47)	(46)	(45)
Atrophy	44 (90%)	44 (94%)	45 (98%)	39 (87%)
Ectopic Parathyroid Gland		1 (2%)		1 (2%)
INTEGUMENTARY SYSTEM				
Mammary Gland	(2)	(0)	(0)	(0)
Skin	(50)	(50)	(50)	(50)
Ulcer	3 (6%)	2 (4%)	3 (6%)	1 (2%)
Subcutaneous Tissue, Inflammation, Acute			1 (2%)	
Subcutaneous Tissue, Inflammation, Chronic			2 (4%)	
MUSCULOSKELETAL SYSTEM				
Bone	(50)	(50)	(50)	(50)
Hyperostosis			1 (2%)	1 (2%)
Skeletal Muscle	(0)	(0)	(2)	(0)
NERVOUS SYSTEM				

a - Number of animals examined microscopically at site and number of animals with lesion

Experiment Number: 20006 - 04

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE(a)

Indole-3-carbinol

CAS Number: 700-06-1

Date Report Requested: 06/15/2012

Time Report Requested: 12:41:17

First Dose M/F: 04/03/07 / 04/02/07

Lab: BAT

B6C3F1 MICE MALE	0 mg/kg	62.5 mg/kg	125 mg/kg	250 mg/kg
Brain	(50)	(50)	(50)	(50)
Meninges, Inflammation, Chronic		1 (2%)		
RESPIRATORY SYSTEM				
Lung	(50)	(50)	(50)	(50)
Infiltration Cellular, Histiocyte		2 (4%)		1 (2%)
Inflammation, Chronic		1 (2%)	1 (2%)	1 (2%)
Pigmentation, Hemosiderin		1 (2%)		
Thrombosis			1 (2%)	
Alveolar Epithelium, Hyperplasia	3 (6%)	4 (8%)	5 (10%)	
Mediastinum, Inflammation, Granulomatous			1 (2%)	
Nose	(50)	(50)	(50)	(50)
Foreign Body	3 (6%)	1 (2%)		3 (6%)
Inflammation	15 (30%)	11 (22%)	12 (24%)	16 (32%)
Polyp, Inflammatory	1 (2%)	2 (4%)	3 (6%)	1 (2%)
Respiratory Metaplasia			1 (2%)	
Nerve, Atrophy				8 (16%)
Nerve, Olfactory Epithelium, Atrophy		1 (2%)		
Olfactory Epithelium, Accumulation, Hyaline Droplet	4 (8%)	4 (8%)	5 (10%)	5 (10%)
Olfactory Epithelium, Atrophy	3 (6%)	5 (10%)	11 (22%)	17 (34%)
Olfactory Epithelium, Degeneration	1 (2%)	1 (2%)	4 (8%)	2 (4%)
Olfactory Epithelium, Metaplasia, Squamous				2 (4%)
Olfactory Epithelium, Necrosis				6 (12%)
Olfactory Epithelium, Respiratory Metaplasia	14 (28%)	14 (28%)	20 (40%)	27 (54%)
Respiratory Epithelium, Accumulation, Hyaline Droplet	18 (36%)	34 (68%)	30 (60%)	26 (52%)
Respiratory Epithelium, Hyperplasia	35 (70%)	40 (80%)	41 (82%)	45 (90%)
Respiratory Epithelium, Metaplasia, Squamous				1 (2%)
Respiratory Epithelium, Necrosis				2 (4%)
Trachea	(50)	(50)	(50)	(50)

SPECIAL SENSES SYSTEM

a - Number of animals examined microscopically at site and number of animals with lesion

Experiment Number: 20006 - 04

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE(a)

Indole-3-carbinol

CAS Number: 700-06-1

Date Report Requested: 06/15/2012

Time Report Requested: 12:41:17

First Dose M/F: 04/03/07 / 04/02/07

Lab: BAT

B6C3F1 MICE MALE	0 mg/kg	62.5 mg/kg	125 mg/kg	250 mg/kg
Eye	(50)	(50)	(50)	(50)
Phthisis Bulbi	1 (2%)	1 (2%)		
Anterior Chamber, Inflammation, Suppurative		1 (2%)		1 (2%)
Cornea, Inflammation, Suppurative		1 (2%)		
Cornea, Inflammation, Chronic	2 (4%)	3 (6%)	2 (4%)	1 (2%)
Optic Nerve, Infiltration Cellular, Mononuclear Cell				1 (2%)
Harderian Gland	(50)	(50)	(50)	(50)
Hyperplasia	1 (2%)	4 (8%)	5 (10%)	3 (6%)
Inflammation, Suppurative	1 (2%)	1 (2%)		
Inflammation, Chronic		1 (2%)		
URINARY SYSTEM				
Kidney	(50)	(50)	(50)	(50)
Infarct	3 (6%)	2 (4%)		
Inflammation, Acute		2 (4%)		
Inflammation, Chronic	1 (2%)			1 (2%)
Metaplasia, Osseous	1 (2%)	1 (2%)	1 (2%)	1 (2%)
Mineralization	4 (8%)	8 (16%)	1 (2%)	2 (4%)
Nephropathy	42 (84%)	50 (100%)	45 (90%)	43 (86%)
Thrombosis		1 (2%)		
Papilla, Necrosis	1 (2%)			1 (2%)
Pelvis, Inflammation, Suppurative	2 (4%)	2 (4%)	1 (2%)	
Renal Tubule, Cyst	1 (2%)	3 (6%)	2 (4%)	2 (4%)
Renal Tubule, Hyperplasia			1 (2%)	
Renal Tubule, Pigmentation	1 (2%)	1 (2%)	1 (2%)	5 (10%)
Renal Tubule, Vacuolization Cytoplasmic	1 (2%)			
Urethra	(0)	(1)	(0)	(0)
Inflammation, Acute		1 (100%)		
Urinary Bladder	(50)	(50)	(50)	(50)
Hemorrhage		1 (2%)		
Inflammation, Chronic	1 (2%)	2 (4%)		

a - Number of animals examined microscopically at site and number of animals with lesion

Experiment Number: 20006 - 04

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE(a)

Indole-3-carbinol

CAS Number: 700-06-1

Date Report Requested: 06/15/2012

Time Report Requested: 12:41:17

First Dose M/F: 04/03/07 / 04/02/07

Lab: BAT

B6C3F1 MICE MALE

0 mg/kg

62.5 mg/kg

125 mg/kg

250 mg/kg

*** END OF MALE ***

a - Number of animals examined microscopically at site and number of animals with lesion

Experiment Number: 20006 - 04

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE(a)

Indole-3-carbinol

CAS Number: 700-06-1

Date Report Requested: 06/15/2012

Time Report Requested: 12:41:17

First Dose M/F: 04/03/07 / 04/02/07

Lab: BAT

B6C3F1 MICE FEMALE

0 mg/kg

62.5 mg/kg

125 mg/kg

250 mg/kg

Disposition Summary

Animals Initially In Study	50	50	50	50
Early Deaths				
Dosing Accident	1			
Moribund Sacrifice	10	6	15	3
Natural Death	6	4	9	2
Survivors				
Moribund Sacrifice			1	
Terminal Sacrifice	33	40	25	45
Animals Examined Microscopically	50	50	50	50

ALIMENTARY SYSTEM

Esophagus	(50)	(50)	(50)	(50)
Gallbladder	(49)	(50)	(50)	(50)
Cyst		1 (2%)		
Inflammation, Chronic	1 (2%)			
Intestine Large, Cecum	(50)	(50)	(50)	(50)
Intestine Large, Colon	(50)	(50)	(50)	(50)
Intestine Large, Rectum	(50)	(50)	(50)	(50)
Intestine Small, Duodenum	(50)	(50)	(50)	(50)
Intestine Small, Ileum	(50)	(50)	(50)	(50)
Ulcer	1 (2%)			
Epithelium, Hyperplasia	1 (2%)			
Intestine Small, Jejunum	(50)	(50)	(50)	(50)
Ulcer	1 (2%)			
Liver	(50)	(50)	(50)	(50)
Angiectasis	1 (2%)			
Basophilic Focus	4 (8%)	6 (12%)	7 (14%)	5 (10%)
Clear Cell Focus	3 (6%)	2 (4%)	1 (2%)	1 (2%)
Eosinophilic Focus	16 (32%)	26 (52%)	26 (52%)	21 (42%)
Fatty Change	36 (72%)	39 (78%)	35 (70%)	40 (80%)
Hematopoietic Cell Proliferation	2 (4%)			
Hemorrhage		2 (4%)		
Hepatodiaphragmatic Nodule				1 (2%)

a - Number of animals examined microscopically at site and number of animals with lesion

Experiment Number: 20006 - 04

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE(a)

Indole-3-carbinol

CAS Number: 700-06-1

Date Report Requested: 06/15/2012

Time Report Requested: 12:41:17

First Dose M/F: 04/03/07 / 04/02/07

Lab: BAT

B6C3F1 MICE FEMALE	0 mg/kg	62.5 mg/kg	125 mg/kg	250 mg/kg
Hyperplasia, Lymphoid Inflammation, Chronic		1 (2%)		1 (2%)
Mixed Cell Focus	2 (4%)	4 (8%)	5 (10%)	1 (2%)
Necrosis	1 (2%)	1 (2%)	1 (2%)	
Bile Duct, Cyst Centrilobular, Necrosis		1 (2%)	1 (2%)	
Mesentery	(3)	(7)	(7)	(6)
Fat, Necrosis	3 (100%)	6 (86%)	7 (100%)	5 (83%)
Pancreas	(50)	(50)	(50)	(50)
Angiectasis		1 (2%)		
Inflammation, Chronic	1 (2%)	1 (2%)		
Acinus, Atrophy				1 (2%)
Acinus, Hyperplasia	1 (2%)	2 (4%)	1 (2%)	
Duct, Cyst	1 (2%)			
Salivary Glands	(50)	(49)	(50)	(50)
Hyperplasia	1 (2%)			
Duct, Cyst				1 (2%)
Stomach, Forestomach	(50)	(50)	(50)	(50)
Inflammation, Chronic	1 (2%)			
Ulcer	9 (18%)	4 (8%)	8 (16%)	3 (6%)
Epithelium, Hyperplasia			1 (2%)	
Stomach, Glandular	(48)	(50)	(49)	(50)
Erosion				1 (2%)
Hyperplasia, Lymphoid	1 (2%)			
Inflammation, Chronic		15 (30%)	29 (59%)	47 (94%)
Mineralization	2 (4%)		3 (6%)	
Pigmentation		15 (30%)	31 (63%)	49 (98%)
Epithelium, Hyperplasia	1 (2%)	7 (14%)	10 (20%)	35 (70%)
Tongue	(0)	(0)	(0)	(1)
Tooth	(6)	(9)	(9)	(11)
Dysplasia	6 (100%)	9 (100%)	9 (100%)	10 (91%)

CARDIOVASCULAR SYSTEM

Blood Vessel	(48)	(50)	(50)	(50)
--------------	------	------	------	------

a - Number of animals examined microscopically at site and number of animals with lesion

Experiment Number: 20006 - 04

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE(a)

Indole-3-carbinol

CAS Number: 700-06-1

Date Report Requested: 06/15/2012

Time Report Requested: 12:41:17

First Dose M/F: 04/03/07 / 04/02/07

Lab: BAT

B6C3F1 MICE FEMALE	0 mg/kg	62.5 mg/kg	125 mg/kg	250 mg/kg
Mineralization			1 (2%)	
Aorta, Inflammation, Chronic				1 (2%)
Heart	(50)	(50)	(50)	(50)
Cardiomyopathy	4 (8%)	3 (6%)	1 (2%)	2 (4%)
Inflammation, Chronic		1 (2%)		
Artery, Inflammation, Chronic			1 (2%)	1 (2%)
Myocardium, Mineralization	2 (4%)			1 (2%)

ENDOCRINE SYSTEM

Adrenal Cortex	(49)	(50)	(50)	(50)
Hematopoietic Cell Proliferation	1 (2%)			
Hyperplasia	1 (2%)	1 (2%)		
Inflammation, Chronic	1 (2%)			
Necrosis		1 (2%)		1 (2%)
Vacuolization Cytoplasmic	1 (2%)	1 (2%)	1 (2%)	
Adrenal Medulla	(49)	(50)	(50)	(50)
Hyperplasia	1 (2%)	1 (2%)	3 (6%)	
Islets, Pancreatic	(50)	(50)	(50)	(50)
Hyperplasia	5 (10%)	1 (2%)	4 (8%)	1 (2%)
Parathyroid Gland	(43)	(48)	(49)	(46)
Pituitary Gland	(49)	(50)	(50)	(49)
Cyst		2 (4%)		
Pars Distalis, Hyperplasia	5 (10%)	18 (36%)	6 (12%)	4 (8%)
Pars Distalis, Vacuolization Cytoplasmic				1 (2%)
Pars Intermedia, Hyperplasia	1 (2%)			
Thyroid Gland	(50)	(50)	(49)	(50)
Inflammation, Chronic			1 (2%)	
Follicle, Hyperplasia				1 (2%)

GENERAL BODY SYSTEM

Tissue NOS	(0)	(0)	(1)	(0)
Inflammation, Chronic			1 (100%)	

a - Number of animals examined microscopically at site and number of animals with lesion

Experiment Number: 20006 - 04

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE(a)

Indole-3-carbinol

CAS Number: 700-06-1

Date Report Requested: 06/15/2012

Time Report Requested: 12:41:17

First Dose M/F: 04/03/07 / 04/02/07

Lab: BAT

B6C3F1 MICE FEMALE	0 mg/kg	62.5 mg/kg	125 mg/kg	250 mg/kg
GENITAL SYSTEM				
Clitoral Gland	(49)	(50)	(50)	(50)
Ovary	(50)	(50)	(50)	(50)
Angiectasis			1 (2%)	1 (2%)
Cyst	16 (32%)	15 (30%)	9 (18%)	8 (16%)
Inflammation, Chronic	1 (2%)		1 (2%)	
Mineralization			1 (2%)	
Thrombosis	2 (4%)		2 (4%)	2 (4%)
Uterus	(50)	(50)	(50)	(50)
Inflammation, Suppurative		1 (2%)		
Inflammation, Chronic		4 (8%)		
Metaplasia, Squamous			1 (2%)	
Necrosis	1 (2%)			
Endometrium, Hyperplasia, Cystic	36 (72%)	32 (64%)	30 (60%)	34 (68%)
HEMATOPOIETIC SYSTEM				
Bone Marrow	(50)	(50)	(50)	(50)
Lymph Node	(9)	(5)	(6)	(1)
Lumbar, Ectasia	1 (11%)			
Lumbar, Hemorrhage			1 (17%)	
Renal, Ectasia	2 (22%)	1 (20%)	2 (33%)	
Lymph Node, Mandibular	(50)	(49)	(50)	(50)
Lymph Node, Mesenteric	(49)	(49)	(49)	(49)
Spleen	(50)	(50)	(50)	(50)
Angiectasis	1 (2%)			
Hematopoietic Cell Proliferation	30 (60%)	30 (60%)	27 (54%)	23 (46%)
Hyperplasia, Granulocytic			1 (2%)	
Hyperplasia, Lymphoid		1 (2%)		
Hyperplasia, Mast Cell				1 (2%)
Pigmentation, Hemosiderin	1 (2%)			
Lymphoid Follicle, Atrophy		1 (2%)		
Lymphoid Follicle, Hyperplasia	2 (4%)			

a - Number of animals examined microscopically at site and number of animals with lesion

Experiment Number: 20006 - 04

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE(a)

Indole-3-carbinol

CAS Number: 700-06-1

Date Report Requested: 06/15/2012

Time Report Requested: 12:41:17

First Dose M/F: 04/03/07 / 04/02/07

Lab: BAT

B6C3F1 MICE FEMALE	0 mg/kg	62.5 mg/kg	125 mg/kg	250 mg/kg
Thymus	(49)	(50)	(50)	(50)
Atrophy	42 (86%)	40 (80%)	40 (80%)	41 (82%)
Hyperplasia		1 (2%)		
INTEGUMENTARY SYSTEM				
Mammary Gland	(50)	(50)	(50)	(50)
Inflammation, Chronic	1 (2%)			
Skin	(50)	(50)	(50)	(50)
Ulcer	1 (2%)		1 (2%)	
Subcutaneous Tissue, Fibrosis	1 (2%)			
Subcutaneous Tissue, Hemorrhage				1 (2%)
Subcutaneous Tissue, Inflammation, Chronic			1 (2%)	
MUSCULOSKELETAL SYSTEM				
Bone	(50)	(50)	(50)	(50)
Fibro-Osseous Lesion	9 (18%)	13 (26%)	11 (22%)	17 (34%)
Fracture	1 (2%)			
Skeletal Muscle	(0)	(1)	(2)	(0)
NERVOUS SYSTEM				
Brain	(50)	(50)	(50)	(50)
Hemorrhage	1 (2%)			
Inflammation, Granulomatous				1 (2%)
Hypothalamus, Compression	2 (4%)			
Meninges, Inflammation, Chronic		1 (2%)		
RESPIRATORY SYSTEM				
Lung	(50)	(50)	(50)	(50)
Hemorrhage				1 (2%)

a - Number of animals examined microscopically at site and number of animals with lesion

Experiment Number: 20006 - 04

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE(a)

Indole-3-carbinol

CAS Number: 700-06-1

Date Report Requested: 06/15/2012

Time Report Requested: 12:41:17

First Dose M/F: 04/03/07 / 04/02/07

Lab: BAT

B6C3F1 MICE FEMALE	0 mg/kg	62.5 mg/kg	125 mg/kg	250 mg/kg
Hyperplasia, Lymphoid Inflammation, Chronic		1 (2%)		
Metaplasia, Osseous			1 (2%)	
Thrombosis	1 (2%)			
Alveolar Epithelium, Hyperplasia	1 (2%)	2 (4%)	1 (2%)	2 (4%)
Alveolus, Infiltration Cellular, Histiocyte	1 (2%)	1 (2%)	1 (2%)	1 (2%)
Mediastinum, Inflammation, Chronic	1 (2%)			
Nose	(50)	(50)	(50)	(50)
Foreign Body			1 (2%)	2 (4%)
Inflammation	4 (8%)	1 (2%)	8 (16%)	39 (78%)
Nerve, Atrophy			1 (2%)	50 (100%)
Nerve, Olfactory Epithelium, Atrophy	1 (2%)	1 (2%)		
Olfactory Epithelium, Accumulation, Hyaline Droplet	18 (36%)	27 (54%)	21 (42%)	44 (88%)
Olfactory Epithelium, Atrophy	1 (2%)	2 (4%)	3 (6%)	45 (90%)
Olfactory Epithelium, Degeneration			2 (4%)	3 (6%)
Olfactory Epithelium, Necrosis			2 (4%)	
Olfactory Epithelium, Respiratory Metaplasia	7 (14%)	8 (16%)	16 (32%)	49 (98%)
Respiratory Epithelium, Accumulation, Hyaline Droplet	47 (94%)	38 (76%)	42 (84%)	50 (100%)
Respiratory Epithelium, Hyperplasia	32 (64%)	31 (62%)	38 (76%)	50 (100%)
Respiratory Epithelium, Metaplasia, Squamous	1 (2%)			
Respiratory Epithelium, Necrosis	2 (4%)		1 (2%)	
Trachea	(50)	(50)	(50)	(50)

SPECIAL SENSES SYSTEM

Ear	(2)	(0)	(0)	(0)
Eye	(50)	(50)	(50)	(50)
Cornea, Inflammation, Chronic	1 (2%)		1 (2%)	1 (2%)
Lens, Cataract		1 (2%)	1 (2%)	1 (2%)
Harderian Gland	(50)	(50)	(50)	(50)
Dilatation				6 (12%)
Hyperplasia	2 (4%)	3 (6%)	5 (10%)	9 (18%)
Infiltration Cellular, Mononuclear Cell	24 (48%)	18 (36%)	8 (16%)	22 (44%)

a - Number of animals examined microscopically at site and number of animals with lesion

Experiment Number: 20006 - 04

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE(a)

Indole-3-carbinol

CAS Number: 700-06-1

Date Report Requested: 06/15/2012

Time Report Requested: 12:41:17

First Dose M/F: 04/03/07 / 04/02/07

Lab: BAT

B6C3F1 MICE FEMALE	0 mg/kg	62.5 mg/kg	125 mg/kg	250 mg/kg
<hr/>				
URINARY SYSTEM				
Kidney	(50)	(50)	(50)	(50)
Infarct	3 (6%)		1 (2%)	
Metaplasia, Osseous				1 (2%)
Mineralization	4 (8%)	3 (6%)	4 (8%)	
Nephropathy	24 (48%)	25 (50%)	19 (38%)	20 (40%)
Artery, Inflammation, Chronic				1 (2%)
Renal Tubule, Accumulation, Hyaline Droplet				1 (2%)
Renal Tubule, Cyst			1 (2%)	1 (2%)
Renal Tubule, Pigmentation	1 (2%)			
Urinary Bladder	(50)	(50)	(50)	(50)
Infiltration Cellular, Mononuclear Cell	3 (6%)			
Transitional Epithelium, Hyperplasia				1 (2%)

*** END OF REPORT ***

a - Number of animals examined microscopically at site and number of animals with lesion