

**TDMS No.** 20009 - 03  
**Test Type:** CHRONIC  
**Route:** DOSED WATER  
**Species/Strain:** RATS/F 344/N

**E03: TDMS CAMERA-READY GROWTH CURVE**

beta-Picoline  
**CAS Number:** 108-99-6

**Date Report Requested:** 06/18/2010  
**Time Report Requested:** 14:00:45  
**First Dose M/F:** 11/18/04 / 11/19/04  
**Lab:** BAT


**C Number:** C20009  
**Lock Date:** 06/05/2008  
**Cage Range:** ALL  
**Date Range:** ALL  
**Reasons For Removal:** ALL  
**Removal Date Range:** ALL  
**Treatment Groups:** Include ALL  
**Study Gender:** Both  
**TDMSE Version:** 2.2.0

TDMS No. 20009 - 03  
Test Type: CHRONIC  
Route: DOSED WATER  
Species/Strain: RATS/F 344/N

E03: TDMS CAMERA-READY GROWTH CURVE

beta-Picoline  
CAS Number: 108-99-6

Date Report Requested: 06/18/2010  
Time Report Requested: 14:00:45  
First Dose M/F: 11/18/04 / 11/19/04  
Lab: BAT



TDMS No. 2009 - 03  
Test Type: CHRONIC  
Route: DOSED WATER  
Species/Strain: RATS/F 344/N

E03: TDMS CAMERA-READY GROWTH CURVE

beta-Picoline  
CAS Number: 108-99-6

Date Report Requested: 06/18/2010  
Time Report Requested: 14:00:45  
First Dose M/F: 11/18/04 / 11/19/04  
Lab: BAT

