

TDMS No. 2009 - 04
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: MICE/B6C3F1

E03: TDMS CAMERA-READY GROWTH CURVE

beta-Picoline
CAS Number: 108-99-6


Date Report Requested: 12/08/2010
Time Report Requested: 10:39:10
First Dose M/F: 11/09/04 / 11/08/04
Lab: BAT

C Number: C20009
Lock Date: 05/05/2008
Cage Range: ALL
Date Range: ALL
Reasons For Removal: ALL
Removal Date Range: ALL
Treatment Groups: Include ALL
Study Gender: Both
TDMSE Version: 2.3.0
PWG Approval Date: NONE

TDMS No. 2009 - 04
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: MICE/B6C3F1

E03: TDMS CAMERA-READY GROWTH CURVE
beta-Picoline
CAS Number: 108-99-6

Date Report Requested: 12/08/2010
Time Report Requested: 10:39:10
First Dose M/F: 11/09/04 / 11/08/04
Lab: BAT



TDMS No. 2009 - 04
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: MICE/B6C3F1

E03: TDMS CAMERA-READY GROWTH CURVE

beta-Picoline
CAS Number: 108-99-6

Date Report Requested: 12/08/2010
Time Report Requested: 10:39:10
First Dose M/F: 11/09/04 / 11/08/04
Lab: BAT

