

TDMS No. 20009 - 04
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: MICE/B6C3F1

E08: WATER AND COMPOUND CONSUMPTION TABLE

beta-Picoline
CAS Number: 108-99-6

Date Report Requested: 12/08/2010
Time Report Requested: 10:40:13
First Dose M/F: 11/09/04 / 11/08/04
Lab: BAT

C Number: C20009
Lock Date: 05/05/2008
Cage Range: ALL
Date Range: ALL
Reasons For Removal: ALL
Removal Date Range: ALL
Treatment Groups: Include ALL
Control List: Male: 001 Female: 002
Study Gender: Both
TDMSE Version: 2.3.0
PWG Approval Date: NONE

Test Type: CHRONIC

beta-Picoline

Time Report Requested: 10:40:13

Route: DOSED WATER

CAS Number: 108-99-6

First Dose M/F: 11/09/04 / 11/08/04

Species/Strain: MICE/B6C3F1

Lab: BAT

MALE

WEEK	0 mg/l				312.5 mg/l				625 mg/l							
	DAILY WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DAILY WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY	DAILY WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1	3.9	3222	23.7	50	3.7	3300	23.8	50	0.95	48.6	3.7	3309	23.6	50	0.95	98.2
2	3.8	7770	25.8	50	3.4	8119	25.5	50	0.89	41.7	3.5	8402	25.2	50	0.92	86.9
3	3.8	7712	27.2	50	3.6	8287	27.0	50	0.95	41.7	3.4	8173	26.5	50	0.89	80.2
4	3.7	7678	28.8	50	3.7	8186	28.7	50	1.00	40.3	3.5	8232	28.1	50	0.95	77.7
5	3.8	7697	30.9	50	3.6	8344	30.5	50	0.95	36.9	3.5	8246	29.8	50	0.92	73.3
6	3.8	7953	33.0	50	3.7	8195	32.5	50	0.97	35.6	3.6	8270	31.6	50	0.95	71.2
7	4.0	7711	35.0	50	3.8	8009	34.5	50	0.95	34.5	3.7	7976	33.3	50	0.93	69.5
8	3.6	8076	36.6	50	3.6	8567	35.9	50	1.00	31.3	3.5	8309	34.8	50	0.97	62.8
9	3.7	7945	38.1	50	3.4	8342	37.5	50	0.92	28.3	3.4	8256	36.2	50	0.92	58.8
10	3.7	8230	39.7	50	3.5	8075	39.0	50	0.95	28.1	3.5	8274	37.7	50	0.95	58.0
11	3.5	7966	41.2	50	3.4	8341	40.7	50	0.97	26.1	3.4	8168	39.3	50	0.97	54.1
12	3.6	7997	42.9	50	3.5	8335	42.2	50	0.97	25.9	3.3	8058	40.8	50	0.92	50.6
13	3.6	4620	44.1	50	3.4	4825	43.2	50	0.94	24.6	3.4	4672	41.8	50	0.94	50.9
16	3.8	3529			3.6	3611			0.95		3.4	3548			0.89	
17	3.6	4599	48.0	50	3.5	4710	46.8	50	0.97	23.4	3.2	4809	45.4	50	0.89	44.1
20	3.7	3637			3.5	3659			0.95		3.4	3697			0.92	
21	3.7	4456	49.5	50	3.4	4451	48.5	50	0.92	21.9	3.4	4442	47.2	50	0.92	45.0
24	3.8	3526			3.6	3625			0.95		3.4	3652			0.89	
25	3.6	4790	50.2	50	3.4	4689	49.1	50	0.94	21.6	3.3	4824	47.9	50	0.92	43.1
28	4.1	3593			3.7	3574			0.90		3.7	3624			0.90	
29	4.2	4477	51.9	50	3.8	4673	50.8	50	0.90	23.4	3.5	4658	49.6	50	0.83	44.1
32	4.4	3609			3.8	3600			0.86		3.7	3497			0.84	
33	4.1	4622	52.9	50	3.6	4691	52.0	50	0.88	21.6	3.4	4771	50.5	50	0.83	42.1
36	4.4	3564			4.2	3642			0.95		4.0	3580			0.91	
37	4.2	4650	54.0	50	3.8	4684	52.9	50	0.90	22.4	3.6	4633	51.3	50	0.86	43.8
40	4.4	3450			4.0	3471			0.91		3.6	3382			0.82	
41	4.2	4819	55.1	50	3.9	4703	54.0	50	0.93	22.6	3.5	4826	52.2	50	0.83	41.9
44	4.5	3542			4.1	3619			0.91		3.6	3634			0.80	
45	4.4	4610	55.9	50	4.1	4807	55.3	50	0.93	23.2	3.7	4678	53.2	50	0.84	43.5
48	4.6	3532			4.3	3562			0.93		3.9	3492			0.85	
49	4.5	4691	56.7	50	4.2	4793	55.7	50	0.93	23.6	3.7	4759	53.2	50	0.82	43.4
52	5.0	3442			4.5	3494			0.90		4.2	3324			0.84	
53	4.8	4920	56.7	50	4.4	4797	55.9	50	0.92	24.6	4.0	4799	54.1	50	0.83	46.2
56	4.8	3473			4.6	3616			0.96		4.1	3502			0.85	
57	5.0	4692	57.1	50	4.6	4651	56.5	50	0.92	25.4	4.1	4778	53.9	50	0.82	47.5
60	5.2	3257			4.9	3303			0.94		4.4	3318			0.85	
61	4.9	4508	57.0	49	4.5	4578	56.0	49	0.92	25.1	4.2	4776	53.4	50	0.86	49.2
64	4.9	3095			4.7	3193			0.96		4.2	3559			0.86	
65	4.8	4210	56.3	48	4.6	4495	55.6	49	0.96	25.8	4.0	4749	52.9	50	0.83	47.2
68	5.0	2684			4.8	3061			0.96		4.4	3400			0.88	
69	4.8	3865	56.3	45	4.6	4450	55.6	48	0.96	25.9	4.1	4641	53.1	48	0.85	48.2
72	5.0	2665			4.8	3104			0.96		4.4	3324			0.88	
73	4.9	3530	56.2	45	4.6	4084	55.0	48	0.94	26.1	4.4	4474	52.9	47	0.90	52.0

TDMS No. 20009 - 04
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

E08: WATER AND COMPOUND CONSUMPTION TABLE

beta-Picoline
 CAS Number: 108-99-6

Date Report Requested: 12/08/2010
 Time Report Requested: 10:40:13
 First Dose M/F: 11/09/04 / 11/08/04
 Lab: BAT

MALE

WEEK	0 mg/l				312.5 mg/l				625 mg/l							
	DAILY WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DAILY WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY	DAILY WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
76	4.6	2467			4.6	3165			1.00		4.1	3211			0.89	
77	4.7	3341	55.4	41	4.6	4170	54.1	47	0.98	26.6	4.1	4085	52.5	44	0.87	48.8
80	4.9	2220			4.7	2726			0.96		4.2	2929			0.86	
81	4.9	3029	54.3	39	4.8	3946	52.5	46	0.98	28.6	4.4	3569	51.4	40	0.90	53.5
84	4.6	2226			4.3	2730			0.93		3.9	2662			0.85	
85	4.5	2873	53.2	36	4.3	3543	51.4	43	0.96	26.1	3.9	3620	50.3	39	0.87	48.4
88	4.5	1950			4.1	2448			0.91		3.9	2528			0.87	
89	4.5	2546	50.3	32	4.1	3219	51.5	39	0.91	24.9	3.8	3402	49.0	39	0.84	48.4
92	4.4	1776			4.6	2160			1.05		4.2	2376			0.95	
93	4.4	2187	48.5	29	4.2	2798	51.1	32	0.95	25.7	3.8	3200	46.5	36	0.86	51.0
96	4.5	1617			4.2	2156			0.93		4.0	2408			0.89	
97	4.4	1856	46.8	26	4.3	2763	48.6	32	0.98	27.6	3.8	3008	45.0	33	0.86	52.7
100	4.1	1486			4.5	2007			1.10		3.9	2118			0.95	
101	4.4	1859	43.0	25	4.4	2524	47.6	30	1.00	28.9	4.0	2761	42.7	30	0.91	58.6

TDMS No. 20009 - 04
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: MICE/B6C3F1

E08: WATER AND COMPOUND CONSUMPTION TABLE

beta-Picoline
CAS Number: 108-99-6

Date Report Requested: 12/08/2010
Time Report Requested: 10:40:13
First Dose M/F: 11/09/04 / 11/08/04
Lab: BAT

MALE

WEEK	1250 mg/l					
	DAILY WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1	3.4	3312	23.7	50	0.87	179.5
2	3.3	8311	25.2	50	0.87	163.9
3	3.3	8119	26.6	50	0.87	154.9
4	3.6	8165	28.1	50	0.97	160.0
5	3.5	8432	29.9	50	0.92	146.5
6	3.4	8260	31.5	50	0.89	135.0
7	3.7	8088	33.3	50	0.93	139.1
8	3.5	8523	34.7	50	0.97	126.2
9	3.2	8377	36.2	50	0.86	110.5
10	3.3	8239	37.7	50	0.89	109.5
11	3.2	8184	39.3	50	0.91	101.9
12	3.2	8269	40.8	50	0.89	98.1
13	3.2	4713	41.8	50	0.89	95.7
16	3.3	3603			0.87	
17	3.2	4812	45.3	50	0.89	88.4
20	3.6	3680			0.97	
21	3.4	4483	46.5	50	0.92	91.3
24	3.2	3528			0.84	
25	3.1	4588	47.1	50	0.86	82.3
28	3.6	3383			0.88	
29	3.4	4476	48.5	50	0.81	87.7
32	3.2	3556			0.73	
33	3.0	4635	49.1	50	0.73	76.4
36	3.5	3383			0.80	
37	3.2	4787	49.7	50	0.76	80.5
40	3.3	3393			0.75	
41	3.0	4803	50.3	50	0.71	74.5
44	3.1	3565			0.69	
45	3.0	4794	51.0	50	0.68	73.6
48	3.3	3578			0.72	
49	3.2	4701	51.5	50	0.71	77.7
52	3.4	3602			0.68	
53	3.3	4731	52.1	50	0.69	79.2
56	3.4	3617			0.71	
57	3.4	4810	51.9	50	0.68	82.0
60	3.6	3374			0.69	
61	3.3	4689	51.1	49	0.67	80.8
64	3.4	3483			0.69	
65	3.1	4609	50.8	48	0.65	76.3
68	3.7	3290			0.74	
69	3.2	4531	49.9	47	0.67	80.1
72	3.5	3362			0.70	
73	3.4	4488	48.8	47	0.69	87.1

TDMS No. 20009 - 04
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: MICE/B6C3F1

E08: WATER AND COMPOUND CONSUMPTION TABLE

beta-Picoline
CAS Number: 108-99-6

Date Report Requested: 12/08/2010
Time Report Requested: 10:40:13
First Dose M/F: 11/09/04 / 11/08/04
Lab: BAT

MALE

WEEK	1250 mg/l					
	DAILY WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
76	3.3	3394			0.72	
77	3.1	4387	47.2	46	0.66	82.1
80	3.5	3090			0.71	
81	3.3	4169	46.1	43	0.67	89.4
84	3.2	3022			0.70	
85	3.3	3990	44.9	42	0.73	91.9
88	3.1	2950			0.69	
89	3.2	3904	42.7	42	0.71	93.6
92	3.4	2988			0.77	
93	3.2	4002	40.6	42	0.73	98.6
96	3.3	3051			0.73	
97	3.3	4007	37.9	42	0.75	108.8
100	3.7	2843			0.90	
101	3.4	3763	36.8	39	0.77	115.4

END OF MALES

Test Type: CHRONIC

beta-Picoline

Time Report Requested: 10:40:13

Route: DOSED WATER

CAS Number: 108-99-6

First Dose M/F: 11/09/04 / 11/08/04

Species/Strain: MICE/B6C3F1

Lab: BAT

FEMALE

WEEK	0 mg/l				312.5 mg/l				625 mg/l							
	DAILY WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DAILY WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY	DAILY WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1	2.5	3457	18.6	50	2.4	3463	18.8	50	0.96	40.0	2.3	3462	18.7	50	0.92	76.7
2	2.5	8339	19.7	50	2.4	8341	19.7	50	0.96	38.1	2.3	7863	19.2	50	0.92	74.8
3	2.6	8566	20.7	50	2.3	8575	20.6	50	0.88	35.0	2.4	8579	20.2	50	0.92	74.3
4	2.8	8228	21.4	50	2.6	8222	21.7	50	0.93	37.4	2.4	8221	21.3	50	0.86	70.3
5	2.7	8383	22.3	50	2.7	8380	22.7	50	1.00	37.1	2.4	8376	22.1	50	0.89	67.8
6	2.8	8512	23.4	50	2.6	8506	23.4	50	0.93	34.7	2.5	8476	22.7	50	0.89	68.9
7	3.0	8287	24.5	50	2.9	8290	24.6	50	0.97	36.8	2.7	8210	23.7	50	0.90	71.2
8	2.8	8477	25.1	50	2.8	8483	25.0	50	1.00	35.0	2.6	8455	24.4	50	0.93	66.5
9	2.8	8426	26.6	50	2.7	8422	26.6	50	0.96	31.8	2.5	8420	25.5	50	0.89	61.2
10	2.9	8326	27.5	50	2.7	8400	27.7	50	0.93	30.4	2.7	8420	27.1	50	0.93	62.2
11	2.8	8398	29.3	50	2.7	8413	29.3	50	0.96	28.8	2.6	8394	28.5	50	0.93	57.1
12	2.8	8380	30.5	50	2.7	8383	30.6	50	0.96	27.6	2.6	8386	30.1	50	0.93	54.0
13	2.8	4753	31.8	50	2.8	4766	32.1	50	1.00	27.3	2.7	4778	31.1	50	0.96	54.3
16	2.8	3495			3.0	3496			1.07		2.8	3498			1.00	
17	2.7	4786	37.6	50	2.7	4796	37.5	50	1.00	22.5	2.6	4804	36.5	50	0.96	44.5
20	2.7	3606			2.7	3612			1.00		2.3	3620			0.85	
21	2.6	4712	43.3	50	2.5	4722	42.9	50	0.96	18.2	2.6	4732	41.2	50	1.00	39.4
24	2.4	3690			2.3	3692			0.96		2.2	3692			0.92	
25	2.3	4833	47.3	50	2.3	4850	47.2	50	1.00	15.2	2.2	4877	45.0	50	0.96	30.5
28	2.4	3558			2.5	3555			1.04		2.3	3554			0.96	
29	2.3	4885	50.4	50	2.3	4900	50.2	50	1.00	14.3	2.2	4915	47.8	50	0.96	28.7
32	2.5	3619			2.4	3618			0.96		2.3	3617			0.92	
33	2.5	4584	53.3	50	2.4	4602	53.3	50	0.96	14.1	2.4	4619	51.0	50	0.96	29.4
36	2.4	3739			2.4	3741			1.00		2.4	3742			1.00	
37	2.5	4624	55.2	50	2.5	4634	55.6	50	1.00	14.1	2.4	4640	52.9	50	0.96	28.3
40	2.5	3784			2.4	3783			0.96		2.3	3782			0.92	
41	2.5	4645	57.5	50	2.5	4654	57.3	50	1.00	13.6	2.4	4664	54.8	50	0.96	27.4
44	2.6	3350			2.7	3360			1.04		2.6	3156			1.00	
45	2.5	4936	58.6	50	2.5	4948	58.4	50	1.00	13.4	2.3	4964	55.4	50	0.92	26.0
48	2.8	3592			3.0	3590			1.07		3.1	3519			1.11	
49	2.6	4833	59.7	50	2.7	4844	59.5	50	1.04	14.2	2.6	4757	57.1	49	1.00	28.4
52	3.0	3375			3.0	3451			1.00		3.1	3390			1.03	
53	2.8	4753	61.5	49	2.8	4850	60.5	50	1.00	14.5	3.0	4777	58.5	49	1.07	32.0
56	3.0	3466			3.2	3541			1.07		3.1	3541			1.03	
57	2.7	4621	62.8	48	2.8	4725	62.6	49	1.04	14.0	3.0	4733	60.2	49	1.11	31.2
60	3.1	3448			3.0	3527			0.97		3.2	3509			1.03	
61	2.9	4496	63.8	48	3.3	4601	63.6	49	1.14	16.2	3.2	4609	61.3	49	1.10	32.6
64	3.0	3605			3.1	3678			1.03		3.3	3677			1.10	
65	3.0	4467	65.0	48	3.0	4569	64.8	49	1.00	14.5	3.2	4578	62.2	49	1.07	32.1
68	3.2	3313			3.2	3650			1.00		3.1	3647			0.97	
69	2.9	4610	65.6	48	3.1	4713	65.4	49	1.07	14.8	3.1	4723	62.5	49	1.07	31.0
72	3.4	3466			3.3	3469			0.97		3.4	3541			1.00	
73	3.4	4456	67.3	48	3.3	4462	66.1	48	0.97	15.6	3.4	4562	63.4	49	1.00	33.5

TDMS No. 20009 - 04
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

E08: WATER AND COMPOUND CONSUMPTION TABLE

beta-Picoline
 CAS Number: 108-99-6

Date Report Requested: 12/08/2010
 Time Report Requested: 10:40:13
 First Dose M/F: 11/09/04 / 11/08/04
 Lab: BAT

FEMALE

WEEK	0 mg/l				312.5 mg/l				625 mg/l							
	DAILY WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DAILY WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY	DAILY WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
76	3.3	3606			3.1	3532			0.94		3.0	3608			0.91	
77	3.2	4489	67.4	48	3.3	4406	64.7	47	1.03	15.9	3.1	4510	63.1	48	0.97	30.7
80	3.4	3471			3.7	3023			1.09		3.3	3404			0.97	
81	3.6	4595	66.2	48	3.9	4315	65.1	45	1.08	18.7	3.2	4516	64.1	47	0.89	31.2
84	3.9	3377			3.9	3163			1.00		3.5	3201			0.90	
85	3.5	4641	65.3	48	3.7	4337	65.2	44	1.06	17.7	3.2	4568	64.0	47	0.91	31.2
88	3.5	3377			3.7	3169			1.06		3.4	3398			0.97	
89	3.5	4404	64.9	47	3.3	3665	64.8	44	0.94	15.9	3.2	4430	63.7	46	0.91	31.4
92	3.8	3406			4.0	3167			1.05		3.3	3317			0.87	
93	4.0	4215	63.9	45	3.8	3530	63.6	43	0.95	18.7	3.6	4151	62.5	44	0.90	36.0
96	4.2	3346			4.0	3149			0.95		3.8	3154			0.90	
97	4.1	4001	61.2	43	3.8	3900	61.0	41	0.93	19.5	3.9	3846	60.2	41	0.95	40.5
100	4.0	2925			4.1	2850			1.02		4.2	2927			1.05	
101	3.7	3368	60.6	39	3.8	3616	57.4	37	1.03	20.7	4.0	3843	57.5	40	1.08	43.5

TDMS No. 20009 - 04
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: MICE/B6C3F1

E08: WATER AND COMPOUND CONSUMPTION TABLE

beta-Picoline
CAS Number: 108-99-6

Date Report Requested: 12/08/2010
Time Report Requested: 10:40:13
First Dose M/F: 11/09/04 / 11/08/04
Lab: BAT

FEMALE

WEEK	1250 mg/l					
	DAILY WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1	2.1	3442	18.5	50	0.84	141.6
2	2.0	8379	19.1	50	0.80	130.6
3	2.2	8580	20.0	50	0.85	137.2
4	2.3	8219	20.8	50	0.82	138.4
5	2.2	8375	21.5	50	0.81	128.0
6	2.3	8482	22.4	50	0.82	128.3
7	2.5	8306	23.3	50	0.83	134.2
8	2.3	8285	23.6	50	0.82	121.6
9	2.3	8418	24.8	50	0.82	116.1
10	2.3	8385	25.8	50	0.79	111.6
11	2.2	8087	26.5	50	0.79	103.8
12	2.4	8390	27.9	50	0.86	107.5
13	2.3	4791	28.9	50	0.82	99.3
16	2.6	3499			0.93	
17	2.4	4812	33.7	50	0.89	89.0
20	2.4	2901			0.89	
21	2.3	4742	38.8	50	0.88	74.1
24	2.0	3692			0.83	
25	1.9	4887	42.3	50	0.83	56.2
28	2.4	3553			1.00	
29	2.1	4930	45.3	50	0.91	57.9
32	2.2	3617			0.88	
33	2.0	4638	48.2	50	0.80	51.9
36	2.1	3742			0.88	
37	2.2	4648	50.3	50	0.88	54.6
40	2.1	3782			0.84	
41	2.2	4674	51.9	50	0.88	53.0
44	2.3	3376			0.88	
45	2.2	4977	53.0	50	0.88	51.9
48	2.6	3592			0.93	
49	2.4	4863	54.7	50	0.92	54.8
52	2.7	3466			0.90	
53	2.6	4710	55.5	50	0.93	58.6
56	2.6	3622			0.87	
57	2.5	4831	56.8	50	0.93	55.1
60	2.6	3607			0.84	
61	2.6	4712	57.5	50	0.90	56.5
64	2.6	3751			0.87	
65	2.5	4680	58.1	50	0.83	53.8
68	2.6	3717			0.81	
69	2.6	4830	59.0	50	0.90	55.1
72	2.6	3541			0.76	
73	2.9	4570	59.3	49	0.85	61.2

TDMS No. 20009 - 04
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: MICE/B6C3F1

E08: WATER AND COMPOUND CONSUMPTION TABLE

beta-Picoline
CAS Number: 108-99-6

Date Report Requested: 12/08/2010
Time Report Requested: 10:40:13
First Dose M/F: 11/09/04 / 11/08/04
Lab: BAT

FEMALE

WEEK	1250 mg/l					
	DAILY WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
76	2.6	1880			0.79	
77	2.6	4501	59.7	48	0.81	54.4
80	2.8	3408			0.82	
81	2.9	4522	60.0	47	0.81	60.4
84	3.0	3163			0.77	
85	2.8	4316	60.3	44	0.80	58.0
88	2.7	3164			0.77	
89	2.6	4067	58.6	43	0.74	55.5
92	2.9	3093			0.76	
93	2.9	3843	56.5	41	0.72	64.1
96	3.2	2483			0.76	
97	3.0	3485	56.5	37	0.73	66.3
100	3.5	2635			0.88	
101	3.5	3466	53.3	36	0.95	82.0

END OF REPORT