

TDMS No. 20114 - 07
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
Sodium dichromate dihydrate (VI)
CAS Number: 7789-12-0

Date Report Reqsted: 10/04/2007
Time Report Reqsted: 10:38:19
First Dose M/F: 10/02/02 / 10/02/02
Lab: SRI

F2_R2

C Number: C20114
Lock Date: 10/04/2005
Cage Range: ALL
Date Range: ALL
Reasons For Removal: 25021 TSAC
Removal Date Range: ALL
Treatment Groups: Include ALL
TDMSE Version: 1.8.0

25020 NATD

25019 MSAC

TDMS No. 20114 - 07
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
Sodium dichromate dihydrate (VI)
CAS Number: 7789-12-0

Date Report Requested: 10/04/2007
Time Report Requested: 10:38:19
First Dose M/F: 10/02/02 / 10/02/02
Lab: SRI

DAY ON TEST		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		6	7	6	7	7	6	5	6	7	6	7	7	7	7	6	7	7	7	6	7	7	6	7	6	
		1	3	6	3	3	3	2	8	3	8	3	3	3	3	7	3	3	3	3	9	2	3	7	1	9
		7	1	6	1	1	9	0	7	1	9	0	0	0	0	7	0	0	0	0	6	1	0	9	5	6
FISCHER 344 RATS MALE ANIMAL ID 0 MG/L		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		0	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2
		1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5
		males (cont...)																								

ALIMENTARY SYSTEM

Esophagus	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	M	+	+	+	+	+	+
Intestine Large, Cecum	+	+	A	+	+	A	+	+	+	+	+	+	+	+	A	+	+	+	+	+	+	+	+	+	+
Intestine Large, Colon Edema	+	+	+	+	+	A	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Intestine Large, Rectum	+	+	+	I	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Intestine Small, Duodenum Erosion	+	+	+	+	+	A	+	+	+	+	2	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Intestine Small, Ileum Hyperplasia	+	+	A	+	+	A	+	+	+	+	2	+	+	+	A	+	+	+	+	+	+	+	+	+	+
Lymphoid Tissue, Hyperplasia												2	2	1				2			2		3		
Intestine Small, Jejunum Epithelium, Hyperplasia	+	+	A	+	+	A	+	+	+	+	+	+	+	+	A	+	+	+	+	+	+	+	+	+	3
Liver	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Angiectasis																									
Basophilic Focus				X	X				X		X		X	X		X	X	X	X			X	X		X
Clear Cell Focus				X	X				X		X	X	X	X		X	X	X				X		X	
Degeneration, Cystic			3					1	1							4				2					
Eosinophilic Focus		X											X				X					X		X	

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Page 2

TDMS No. 20114 - 07
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Sodium dichromate dihydrate (VI)

CAS Number: 7789-12-0

Date Report Requested: 10/04/2007
 Time Report Requested: 10:38:19
 First Dose M/F: 10/02/02 / 10/02/02
 Lab: SRI

DAY ON TEST		0 6 1 7	0 7 3 1	0 6 6 6	0 7 3 1	0 7 3 1	0 6 3 9	0 5 2 0	0 6 8 7	0 7 3 1	0 6 8 9	0 7 3 0	0 7 3 0	0 7 3 0	0 6 7 0	0 7 3 0	0 7 3 0	0 7 3 0	0 6 7 0	0 7 2 1	0 7 3 0	0 6 7 9	0 6 7 2	0 5 1 9	0 6 9 6			
FISCHER 344 RATS MALE 0 MG/L		0 0 0 0 1	0 0 0 0 2	0 0 0 0 3	0 0 0 0 4	0 0 0 0 5	0 0 0 0 6	0 0 0 0 7	0 0 0 0 8	0 0 0 0 9	0 0 0 0 0	0 0 0 0 1	0 0 0 0 1	0 0 0 0 2	0 0 0 0 3	0 0 0 0 4	0 0 0 0 5	0 0 0 0 6	0 0 0 0 7	0 0 0 0 8	0 0 0 0 9	0 0 0 0 0	0 0 0 0 1	0 0 0 0 2	0 0 0 0 3	0 0 0 0 4	0 0 0 0 5	males (cont...)
Fatty Change								3	3				3							3			2	3				4
Hematopoietic Cell Proliferation													3										2	3				1
Hepatodiaphragmatic Nodule										X									X			X	X					
Infiltration Cellular, Histiocyte																												
Inflammation, Chronic													1	1	1				1	1	1				1			
Mixed Cell Focus														X											X			
Necrosis		2																			1							
Regeneration			X																									
Thrombosis																												
Bile Duct, Hyperplasia		2	3	3	3	2	2	1	1	2	3	1	2	1	1	3		2	2	1	3	2	2	1	1			
Centrilobular, Necrosis															3													
Kupffer Cell, Pigmentation										2																		
Mesentery		+									+	+				+	+	+										
Accessory Spleen																												
Fat, Necrosis		2									4	4				4	1											
Oral Mucosa		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		
Pancreas		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		
Atrophy		3		1				1				2		1	1	1		1	3		3	1		3				
Cyst								3							3							3						
Acinus, Hyperplasia, Focal		2		3						3								2										
Salivary Glands		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+			
Atrophy		1								1																		
Stomach, Forestomach		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+			
Edema								3																				

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

Page 3

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 20114 - 07
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
Sodium dichromate dihydrate (VI)
CAS Number: 7789-12-0

Date Report Requested: 10/04/2007
Time Report Requested: 10:38:19
First Dose M/F: 10/02/02 / 10/02/02
Lab: SRI

DAY ON TEST		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		6	7	6	7	7	6	5	6	7	6	7	7	7	6	7	7	7	6	7	7	6	7	6	6	
		1	3	6	3	3	3	2	8	3	8	3	3	3	3	7	3	3	3	9	2	3	7	1	9	
		7	1	6	1	1	9	0	7	1	9	0	0	0	0	7	0	0	0	0	6	1	0	9	5	6
FISCHER 344 RATS MALE ANIMAL ID 0 MG/L		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		0	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	
		1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5
males (cont...)																										

Ulcer
Epithelium, Hyperplasia

2

Stomach, Glandular
Erosion
Hyperplasia
Ulcer
Glands, Dilatation

+
3 2 2 1 1 1

Tongue
Hemorrhage
Inflammation, Chronic
Epithelium, Hyperplasia

+
3 2 1

CARDIOVASCULAR SYSTEM

Heart
Cardiomyopathy
Thrombosis

+
2 1 2 2 3 3 3 1 2 3 2 3 3 3 3 3 3 1 2 3 3 3 1
3 4 4

ENDOCRINE SYSTEM

Adrenal Cortex
Accessory Adrenal Cortical Nodule
Angiectasis
Degeneration, Fatty
Hyperplasia, Focal
Hyperplasia, Diffuse

+
3
1 4 2 1 3 3 3

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Page 4

TDMS No. 20114 - 07
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
Sodium dichromate dihydrate (VI)
CAS Number: 7789-12-0

Date Report Requested: 10/04/2007
Time Report Requested: 10:38:19
First Dose M/F: 10/02/02 / 10/02/02
Lab: SRI

| | |
|--|---------------|
| DAY ON TEST | 0 | 0 |
| | 6 | 7 | 6 | 7 | 7 | 6 | 5 | 6 | 7 | 6 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 6 | 7 | 6 | 6 |
| | 1 | 3 | 6 | 3 | 3 | 3 | 2 | 8 | 3 | 8 | 3 | 3 | 3 | 3 | 7 | 3 | 3 | 3 | 3 | 9 | 2 | 3 | 7 | 1 | 9 |
| | 7 | 1 | 6 | 1 | 1 | 9 | 0 | 7 | 1 | 9 | 0 | 0 | 0 | 0 | 7 | 0 | 0 | 0 | 0 | 6 | 1 | 0 | 9 | 5 | 6 |
| | |
| FISCHER 344 RATS MALE
ANIMAL ID
0 MG/L | 0 | 0 |
| | 0 | 0 |
| | 0 | 0 |
| | 0 | 0 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 |
| males (cont...) | |
| Hypertrophy | 3 |
| Adrenal Medulla | + | + |
| Hyperplasia | 1 2 1 2 |
| Islets, Pancreatic | + | + |
| Hyperplasia | 2 |
| Parathyroid Gland | + | + |
| Pituitary Gland | + | + |
| Pars Distalis, Angiectasis | |
| Pars Distalis, Cyst | 3 |
| Pars Distalis, Cytoplasmic Alteration, Focal | 1 |
| Pars Distalis, Hyperplasia, Focal | 2 | 1 | | | | | 2 | | | | | 1 | | 1 | 2 | | | | | | | 1 | | | |
| Pars Intermedia, Angiectasis | |
| Pars Intermedia, Cyst | |
| Thyroid Gland | + | + |
| C-cell, Hyperplasia | 1 3 2 2 1 1 3 | |
| Follicle, Cyst | 3 |

GENERAL BODY SYSTEM
NONE

GENITAL SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

l .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Page 5

TDMS No. 20114 - 07
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Sodium dichromate dihydrate (VI)

CAS Number: 7789-12-0

Date Report Requested: 10/04/2007
 Time Report Requested: 10:38:19
 First Dose M/F: 10/02/02 / 10/02/02
 Lab: SRI

| | | 0 | 0 |
|--------------------------------|--|-----------------|
| DAY ON TEST | | 6 | 7 | 6 | 7 | 7 | 6 | 5 | 6 | 7 | 6 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 6 | 7 | 6 | |
| | | 1 | 3 | 6 | 3 | 3 | 3 | 2 | 8 | 3 | 8 | 3 | 3 | 3 | 3 | 7 | 3 | 3 | 3 | 3 | 9 | 2 | 3 | 7 | 1 | 9 |
| | | 7 | 1 | 6 | 1 | 1 | 9 | 0 | 7 | 1 | 9 | 0 | 0 | 0 | 0 | 7 | 0 | 0 | 0 | 0 | 6 | 1 | 0 | 9 | 5 | 6 |
| | | |
| FISCHER 344 RATS MALE | | 0 | 0 |
| ANIMAL ID | | 0 | 0 |
| 0 MG/L | | 0 | 0 |
| | | 0 | 0 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 |
| | | males (cont...) | |
| Epididymis | | + | + | |
| Granuloma Sperm | | 3 | | | 2 | |
| Inflammation, Chronic | | |
| Preputial Gland | | + | + | |
| Cyst | | | | | | | | | | | | | | | | | 3 | | | | | | | | | |
| Hyperplasia | | |
| Inflammation, Chronic | | | 2 | | 2 | 3 | | | 2 | 2 | | | 2 | | 2 | 4 | | 2 | | | 3 | | | 2 | | |
| Prostate | | + | + | |
| Inflammation, Chronic | | | 2 | | | | | 3 | | | | 3 | 1 | 2 | | | | 2 | | | 1 | 2 | | | | |
| Epithelium, Hyperplasia | | | | | | | | | 1 | | | | | | 1 | | | | | | | | | 1 | | |
| Seminal Vesicle | | + | + | |
| Testes | | + | + | |
| Germinal Epithelium, Atrophy | | | | | | | | | | | 4 | | | | | | | 1 | | | | | | | | |
| Interstitial Cell, Hyperplasia | | | 2 | | |

HEMATOPOIETIC SYSTEM

| | | |
|----------------------|--|---|
| Bone Marrow | | + |
| Hemorrhage | | 4 |
| Hyperplasia | | 4 | 2 | |
| Myelofibrosis | | |
| Lymph Node | | |
| Mediastinal, Ectasia | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

Page 6

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

CAS Number: 7789-12-0

2) Mild 4) Marked

TDMS No. 20114 - 07
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
Sodium dichromate dihydrate (VI)
CAS Number: 7789-12-0

Date Report Requested: 10/04/2007
Time Report Requested: 10:38:19
First Dose M/F: 10/02/02 / 10/02/02
Lab: SRI

| DAY ON TEST | | 0 | |
|--|--|--------------------|
| | | 6 | 7 | 6 | 7 | 7 | 6 | 5 | 6 | 7 | 6 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 6 | 7 | 7 | 6 | 7 | 6 | 7 | 6 |
| | | 1 | 3 | 6 | 3 | 3 | 3 | 2 | 8 | 3 | 8 | 3 | 3 | 3 | 3 | 7 | 3 | 3 | 3 | 9 | 2 | 3 | 7 | 1 | 9 | 9 |
| | | 7 | 1 | 6 | 1 | 1 | 9 | 0 | 7 | 1 | 9 | 0 | 0 | 0 | 0 | 7 | 0 | 0 | 0 | 0 | 6 | 1 | 0 | 9 | 5 | 6 |
| | | |
| FISCHER 344 RATS MALE
ANIMAL ID
0 MG/L | | 0 |
| | | 0 |
| | | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |
| | | |
| | | males
(cont...) |

| |
|-------------------------------------|
| Lung | + |
| Edema | | | | | | 2 | | | | | | | | | | | | | | | | | | | |
| Hemorrhage | | | | | | | | | | | | | | | 1 | | | 1 | | 1 | | | | | |
| Infiltration Cellular, Histiocyte | | | | 1 | | 4 | | 1 | 1 | 1 | | 1 | 1 | 1 | 1 | | 1 | | | | | | | | |
| Inflammation, Chronic | | | | | | | | | | | 1 | | | | | | | | | | | | | | |
| Thrombosis | | | | | | | | | | | 1 | | | | | | | | | | | | | | |
| Alveolar Epithelium, Hyperplasia | | | | 1 | | | | | 1 | | | | | 2 | | | 1 | | 4 | | | | | | |
| Nose | + |
| Foreign Body | | | | | | | | | | X | | | | | X | | X | | | | | X | | X | |
| Inflammation, Chronic | | | | | | | | | | 1 | | | | | | | | | 1 | 2 | 1 | | | | |
| Thrombosis |
| Respiratory Epithelium, Hyperplasia | | | | | | | | | | 1 | | | | | | | | | | | | | | | |
| Trachea | + |

SPECIAL SENSES SYSTEM

| |
|-----------------------|
| Eye | + |
| Cataract | 2 | | | | | |
| Retina, Degeneration | 3 | | | | | |
| Harderian Gland | + |
| Inflammation, Chronic | | 2 |

URINARY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

Page 9

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Date Report Requested: 10/04/2007
Time Report Requested: 10:38:19
First Dose M/F: 10/02/02 / 10/02/02
Lab: SRI

CAS Number: 7789-12-0

[illegible]

2) Mild 4) Marked

CAS Number: 7789-12-0

2) Mild 4) Marked

CAS Number: 7789-12-0

2) Mild 4) Marked

TDMS No. 20114 - 07
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Sodium dichromate dihydrate (VI)

CAS Number: 7789-12-0

Date Report Requested: 10/04/2007
 Time Report Requested: 10:38:19
 First Dose M/F: 10/02/02 / 10/02/02
 Lab: SRI

| | | | |
|-------------------------------------|--|-----------|----------|
| DAY ON TEST | | 0 | 0 |
| | | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 5 | 7 | 7 | 7 | 4 | 7 | 4 | 6 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 6 | 6 |
| | | 3 | 5 | 3 | 3 | 3 | 3 | 3 | 7 | 3 | 8 | 3 | 3 | 1 | 8 | 2 | 8 | 8 | 3 | 3 | 3 | 3 | 5 | 3 | 3 | 9 | 9 |
| | | 0 | 2 | 4 | 4 | 4 | 0 | 0 | 9 | 1 | 7 | 1 | 0 | 6 | 2 | 7 | 4 | 4 | 1 | 1 | 1 | 0 | 2 | 0 | 1 | 3 | 3 |
| FISCHER 344 RATS MALE

0 MG/L | | | |
| | | ANIMAL ID | |
| | | 0 | 0 |
| | | 0 | 0 |
| | | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | * TOTALS |

| | | | |
|-------------------------|---|---|-----|
| Ulcer | 4 | 1 | 4.0 |
| Epithelium, Hyperplasia | | 1 | 2.0 |

| | | | |
|--------------------|----|-----|-----|
| Stomach, Glandular | + | 50 | 8 | 2.6 |
| Erosion | | | | | | | | | | | | | | 1 | 3 | | | | | | | | | | | 4 | 8 | 1.1 | |
| Hyperplasia | | | | | | | | | | 1 | | | | | | | 1 | 2 | | | | | | | | 1 | 1 | 3.0 | |
| Ulcer | | | | | | | | | | | 3 | | | | | | | | | | | | | | | | 2 | 1.0 | |
| Glands, Dilatation | | 2.5 | |

| | | | |
|-------------------------|----|-----|-----|
| Tongue | + | 49 | 1 | 2.0 |
| Hemorrhage | | 1.0 | |
| Inflammation, Chronic | 1 | | | 2.5 | |
| Epithelium, Hyperplasia | | | |

CARDIOVASCULAR SYSTEM

| | | | |
|----------------|----|-----|-----|
| Heart | + | 50 | 46 | 2.3 |
| Cardiomyopathy | 1 | 1 | 2 | 3 | 2 | 1 | 3 | 1 | 3 | | 3 | 2 | 2 | 2 | 1 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 2 | 2 | 2 | 5 | 3.6 | |
| Thrombosis | | | | | | | | | | | | | | | 4 | | | | | | | | | | 3 | | | | |

ENDOCRINE SYSTEM

| | | | |
|-----------------------------------|----|-----|-----|
| Adrenal Cortex | + | 50 | 17 | 3.0 |
| Accessory Adrenal Cortical Nodule | | 1 | |
| Angiectasis | | 3.0 | |
| Degeneration, Fatty | | 2.1 | |
| Hyperplasia, Focal | | 2.0 | |
| Hyperplasia, Diffuse | | 3.0 | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 20114 - 07
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Sodium dichromate dihydrate (VI)

CAS Number: 7789-12-0

Date Report Requested: 10/04/2007
 Time Report Requested: 10:38:19
 First Dose M/F: 10/02/02 / 10/02/02
 Lab: SRI

| | | DAY ON TEST | | |
|--|--|-------------|--------|----------|
| | | 0 | 0 | 0 |
| | | 7 | 6 | 7 | 7 | 7 | 7 | 6 | 7 | 5 | 7 | 7 | 7 | 4 | 7 | 4 | 6 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 6 | 7 | 6 |
| | | 3 | 5 | 3 | 3 | 3 | 3 | 3 | 7 | 3 | 8 | 3 | 3 | 1 | 8 | 2 | 8 | 8 | 3 | 3 | 3 | 3 | 5 | 3 | 3 | 9 | 3 |
| | | 0 | 2 | 4 | 4 | 4 | 0 | 0 | 9 | 1 | 7 | 1 | 0 | 6 | 2 | 7 | 4 | 4 | 1 | 1 | 1 | 0 | 2 | 0 | 1 | 3 | |
| | | | | |
| FISCHER 344 RATS MALE | | 0 | 0 | |
| 0 MG/L | | 0 | 0 | |
| | | 0 | 0 | |
| | | 0 | 0 | |
| | | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | * TOTALS |
| Hypertrophy | | | 1 3.0 | |
| Adrenal Medulla | | | 49 | |
| Hyperplasia | | + | 1 | + | + | + | + | + | + | + | + | + | + | + | + | 2 | + | + | + | + | + | + | + | + | + | + | 12 1.4 |
| | | | | |
| Islets, Pancreatic | | + | + | 50 |
| Hyperplasia | | 2 | | 2 2.0 |
| | | | | |
| Parathyroid Gland | | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | 46 |
| | | | | |
| Pituitary Gland | | + | + | 50 |
| Pars Distalis, Angiectasis | | | 2 3.5 | |
| Pars Distalis, Cyst | | | 3 3.0 | |
| Pars Distalis, Cytoplasmic Alteration, Focal | | | 2 2.0 | |
| Pars Distalis, Hyperplasia, Focal | | | 12 1.6 | |
| Pars Intermedia, Angiectasis | | 2 | | 1 2.0 |
| Pars Intermedia, Cyst | | | 1 3.0 | |
| | | | | |
| Thyroid Gland | | + | + | 50 | |
| C-cell, Hyperplasia | | | 11 1.6 | |
| Follicle, Cyst | | | 1 3.0 | |

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

Page 14

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 20114 - 07
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Sodium dichromate dihydrate (VI)

CAS Number: 7789-12-0

Date Report Requested: 10/04/2007
 Time Report Requested: 10:38:19
 First Dose M/F: 10/02/02 / 10/02/02
 Lab: SRI

| DAY ON TEST | | 0 | |
|--------------------------------|--|----|----------|
| | | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 5 | 7 | 7 | 7 | 4 | 7 | 4 | 6 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 6 | |
| FISCHER 344 RATS MALE | | 3 | 5 | 3 | 3 | 3 | 3 | 3 | 7 | 3 | 8 | 3 | 3 | 1 | 8 | 2 | 8 | 8 | 3 | 3 | 3 | 3 | 5 | 3 | 3 | 9 | |
| | | 0 | 2 | 4 | 4 | 4 | 0 | 0 | 9 | 1 | 7 | 1 | 0 | 6 | 2 | 7 | 4 | 4 | 1 | 1 | 1 | 1 | 0 | 2 | 0 | 1 | 3 |
| ANIMAL ID | | 0 | |
| | | 0 | |
| 0 MG/L | | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | * TOTALS |
| Epididymis | | + | 50 | |
| Granuloma Sperm | | 2 | 2.5 |
| Inflammation, Chronic | | | | | | | | | | | | | 2 | | | | | | | | | | | | | 1 | 2.0 |
| Preputial Gland | | + | 50 | |
| Cyst | | 1 | 3.0 |
| Hyperplasia | | 1 | 2.0 |
| Inflammation, Chronic | | | 2 | | | | | 2 | | | | | 2 | 2 | | | | | 2 | 3 | | | | | | 16 | 2.3 |
| Prostate | | + | 50 | |
| Inflammation, Chronic | | 2 | | | | | 2 | | | | 3 | 2 | 2 | 2 | | 2 | | | 3 | 3 | | 2 | | | 4 | 19 | 2.3 |
| Epithelium, Hyperplasia | | | | | 1 | | 1 | | | | | | | | | | | | | | | 2 | | 2 | | 7 | 1.3 |
| Seminal Vesicle | | + | 50 | |
| Testes | | + | 50 | |
| Germinal Epithelium, Atrophy | | | | | 3 | | | | | | | 3 | 4 | | | | | | | | | | | | | 5 | 3.0 |
| Interstitial Cell, Hyperplasia | | | | | 3 | | | | | | | 2 | 1 | | | | | | | | | | | | | 4 | 2.0 |

HEMATOPOIETIC SYSTEM

| | | |
|----------------------|----|-------|
| Bone Marrow | + | 50 |
| Hemorrhage | | 1 4.0 |
| Hyperplasia | | | | | | | | | | | | | 4 | | | | | | | | | | 2 | | | 4 3.0 |
| Myelofibrosis | | | | | | | | | | | | | | | | 2 | | | | | | | | | | 2 2.5 |
| Lymph Node | | + | + | + | | | | | + | | | | | + | | + | + | | | | | | | + | 14 | |
| Mediastinal, Ectasia | | | | 3 | | 2 3.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

CAS Number: 7789-12-0

2) Mild 4) Marked

Species/Strain: RATS/F 344

CAS Number: 7789-12-0

Lab: SRI

| FISCHER 344 RATS MALE
0 MG/L | | DAY ON TEST | | * TOTALS | | | | |
|---------------------------------|--|-------------|----------|-----|-----|-----|-----|
| | | 0 | 0 | | | 0 | | |
| | | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 5 | 7 | 7 | 7 | 4 | 7 | 4 | 6 | 7 | 7 | 7 | 6 | 7 | 7 | 6 | | | | | |
| | | 3 | 5 | 3 | 3 | 3 | 3 | 3 | 7 | 3 | 8 | 3 | 3 | 1 | 8 | 2 | 8 | 8 | 3 | 3 | 3 | 3 | 5 | 3 | 3 | | | 9 | | |
| ANIMAL ID | | 0 | 0 | | | | |
| | | 0 | 0 | | | | | |
| | | 0 | 0 | | | | | |
| | | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | | | | |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | | | | |
| Hyperplasia | | 3 | | 2 | 1 | 1 | 3 | | 2 | | 2 | 4 | | 3 | | 3 | | | | 4 | | 3 | 2 | 1 | 3 | 25 | 2.6 | | | |
| Skin | | | | | | | |
| Cyst | | + | + | 50 | 1 | 3.0 | | |
| Cyst Epithelial Inclusion | | | X | | 5 | | | | |
| Hyperkeratosis | | | | 3 | | | | | | | | | | | | | 4 | | | | | | | | | 5 | 3.0 | | | |
| MUSCULOSKELETAL SYSTEM | | | | | | | |
| Bone | | | | | | | |
| Cranium, Osteopetrosis | | + | + | 50 | 1 | 2.0 | |
| Skeletal Muscle | | | | | | | |
| | | + | 3 | | | | |
| NERVOUS SYSTEM | | | | | | | |
| Brain | | | | | | | |
| Compression | | + | + | 50 | 7 | 3.1 | |
| Hemorrhage | | | | | | | | | | | | | | 2 | | | | | 3 | 3 | | | | | | 1 | 1 | 1.0 | | |
| Peripheral Nerve | | | | | | | |
| | | | 4 | | | | |
| Spinal Cord | | | | | | | |
| Vacuolization Cytoplasmic | | | 4 | | | 1 | 3.0 |

RESPIRATORY SYSTEM

I .. Insufficient tissue

BLANK .. Not examined microscopically

Page 17

2) Mild 4) Marked

TDMS No. 20114 - 07
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Sodium dichromate dihydrate (VI)
 CAS Number: 7789-12-0

Date Report Requested: 10/04/2007
 Time Report Requested: 10:38:19
 First Dose M/F: 10/02/02 / 10/02/02
 Lab: SRI

| DAY ON TEST | | 0 | | |
|---------------------------------|--|----------|
| | | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 5 | 7 | 7 | 7 | 4 | 7 | 4 | 6 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 6 | |
| | | 3 | 5 | 3 | 3 | 3 | 3 | 3 | 7 | 3 | 8 | 3 | 3 | 1 | 8 | 2 | 8 | 8 | 3 | 3 | 3 | 3 | 5 | 3 | 3 | 9 | |
| | | 0 | 2 | 4 | 4 | 4 | 0 | 0 | 9 | 1 | 7 | 1 | 0 | 6 | 2 | 7 | 4 | 4 | 1 | 1 | 1 | 0 | 2 | 0 | 1 | 3 | |
| FISCHER 344 RATS MALE
0 MG/L | | |
| | | 0 | |
| | | 0 | |
| | | 0 | |
| | | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | * TOTALS |

| | |
|-------------------------------------|--------|
| Lung | + | 50 |
| Edema | 1 2.0 |
| Hemorrhage | | | 1 | | | | | | 1 | | | 1 | | 2 | | | | | | | | 1 | 1 | 1 | 10 1.1 |
| Infiltration Cellular, Histiocyte | 1 | | 2 | 1 | | 1 | 1 | | 1 | | 1 | 1 | 1 | 3 | 1 | 1 | 1 | | | 1 | 2 | 1 | | 4 | 28 1.4 |
| Inflammation, Chronic | 1 1.0 |
| Thrombosis | 1 1.0 |
| Alveolar Epithelium, Hyperplasia | | | 3 | | | | | | | | 1 | | | | | 1 | | | | 1 | 2 | | | 3 | 11 1.8 |
| Nose | + | 50 |
| Foreign Body | | | | | | | | | | X | | | | X | | X | | | X | | | | | | 9 |
| Inflammation, Chronic | | | | | | | | | 3 | 2 | | 2 | | | | 1 | | | | | | | | | 8 1.6 |
| Thrombosis | 4 | | 1 4.0 |
| Respiratory Epithelium, Hyperplasia | | | | | | | | | 3 | 2 | | 1 | | | | 1 | | | | | | | | | 5 1.6 |
| Trachea | + | 50 |

SPECIAL SENSES SYSTEM

| | |
|-----------------------|-------|
| Eye | + | 50 |
| Cataract | 1 2.0 |
| Retina, Degeneration | | | 3 | | 2 3.0 |
| Harderian Gland | + | 3 | + | + | 50 |
| Inflammation, Chronic | | 2 2.5 |

URINARY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

Page 18

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

CAS Number: 7789-12-0

2) Mild 4) Marked

TDMS No. 20114 - 07
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Sodium dichromate dihydrate (VI)

CAS Number: 7789-12-0

Date Report Requested: 10/04/2007
 Time Report Requested: 10:38:19
 First Dose M/F: 10/02/02 / 10/02/02
 Lab: SRI

| DAY ON TEST | | 0
6
5
2 | 0
7
3
1 | 0
7
1
3 | 0
7
3
4 | 0
6
6
7 | 0
7
3
4 | 0
5
5
9 | 0
6
1
7 | 0
6
3
6 | 0
7
3
1 | 0
7
3
1 | 0
5
8
4 | 0
3
2
1 | 0
7
0
6 | 0
5
2
9 | 0
7
2
5 | 0
7
1
9 | 0
7
2
9 | 0
7
2
9 | 0
4
5
4 | 0
7
3
0 | 0
6
8
7 | 0
4
7
7 | 0
3
3
7 | | |
|--------------------------------|--|-----------------------|--|
| FISCHER 344 RATS MALE | | 0
0
0
5
1 | 0
0
0
5
2 | 0
0
0
5
3 | 0
0
0
5
4 | 0
0
0
5
5 | 0
0
0
5
6 | 0
0
0
5
7 | 0
0
0
5
8 | 0
0
0
5
9 | 0
0
0
5
0 | 0
0
0
6
1 | 0
0
0
6
2 | 0
0
0
6
3 | 0
0
0
6
4 | 0
0
0
6
5 | 0
0
0
6
6 | 0
0
0
6
7 | 0
0
0
6
8 | 0
0
0
6
9 | 0
0
0
7
0 | 0
0
0
7
1 | 0
0
0
7
2 | 0
0
0
7
3 | 0
0
0
7
4 | 0
0
0
7
5 | |
| 14.3 MG/L | | males
(cont...) | | |
| Hepatodiaphragmatic Nodule | | | |
| Inflammation, Chronic | | 1 | | | | | | 3 | | | | 1 | 1 | | 1 | | 1 | 1 | 1 | 1 | X | X | 1 | | 1 | | |
| Mixed Cell Focus | | | |
| Necrosis | | | |
| Regeneration | | | |
| Bile Duct, Hyperplasia | | 3 | | 2 | 1 | 3 | 1 | 3 | 1 | 3 | 1 | 2 | | 3 | | 1 | 1 | 2 | 3 | 1 | X | | 3 | | 1 | 1 | |
| Centrilobular, Necrosis | | | |
| Hepatocyte, Hyperplasia, Focal | | | |
| Mesentery | | | |
| Fat, Necrosis | | | |
| Oral Mucosa | | + | |
| Pancreas | | + | |
| Atrophy | | 2 | |
| Cyst | | | |
| Acinus, Hyperplasia, Focal | | | |
| Salivary Glands | | + | |
| Atrophy | | | |
| Duct, Cyst | | | |
| Stomach, Forestomach | | + | |
| Inflammation, Chronic Active | | | |
| Ulcer | | | |
| Epithelium, Hyperplasia | | | |
| Stomach, Glandular | | + | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 20114 - 07
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Sodium dichromate dihydrate (VI)

CAS Number: 7789-12-0

Date Report Requested: 10/04/2007
 Time Report Requested: 10:38:19
 First Dose M/F: 10/02/02 / 10/02/02
 Lab: SRI

| DAY ON TEST | ANIMAL ID |
|--------------------------------------|--------------------------------------|
| 0652 | 0000000000000000000000000000 |
| 07770756677537757747643 | 0000000000000000000000000000 |
| 0313635133382029212253873 | 0000000000000000000000000000 |
| 0134749761141695939940777 | 0000000000000000000000000000 |
| FISCHER 344 RATS MALE | 14.3 MG/L |
| 0000000000000000000000000000 | 0000000000000000000000000000 |
| 0000000000000000000000000000 | 0000000000000000000000000000 |
| 0000000000000000000000000000 | 0000000000000000000000000000 |
| 0555555556666666666666677777 | 0555555556666666666666677777 |
| 012345678901234567890123456789012345 | 012345678901234567890123456789012345 | |
| | males (cont...) |

| |
|-----------------------|
| Edema | | | | | 2 | |
| Erosion | | | | | 2 | | | | | | | 3 | | 3 | | | | | | | | | | | |
| Hyperplasia | | | | | | | | | | | | | | | | | | 1 | | 1 | | | | | |
| Ulcer | | | | | 3 | | | | | | | 3 | | 3 | | | | | | | | | | | |
| Tongue | + |
| Inflammation, Chronic | | | | | | | | | | 1 | | | | | | | | | | | | | | | |

CARDIOVASCULAR SYSTEM

| |
|----------------|
| Blood Vessel | | | | | | | + | | | | | + | | | | | + | | | | | | | + | |
| Heart | + |
| Cardiomyopathy | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 2 | 2 | 3 | 3 | 2 | 2 | 2 | 3 | 3 | 3 | | 3 | 3 | | 2 | 3 | | 2 |
| Thrombosis | | | | | 3 | | | | | | | | | | 3 | | | | | | | | | | |

ENDOCRINE SYSTEM

| |
|-----------------------------------|
| Adrenal Cortex | + |
| Accessory Adrenal Cortical Nodule | | | | | 3 | 3 | | 3 | 3 | | 3 | | | 3 | | 3 | | | 3 | | | 3 | | | 3 |
| Degeneration, Fatty | | 1 | 1 | | 1 | 1 | | | 1 | | | | | 2 | | | | | | | | | 1 | | |
| Hyperplasia, Focal | 2 | | | |
| Hypertrophy, Focal | | | | | | | | | | | 1 | | | | | | | | | | | | | | |
| Necrosis | | | | | | | | | | | | 3 | | | | | | | | | | | | | |
| Adrenal Medulla | + |
| Hyperplasia | | | | | 1 | | | | | | 1 | | | | 1 | | | 2 | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

2) Mild 4) Marked

CAS Number: 7789-12-0

| | | | |
|------------------------------------|--|-----------|--------------------|
| DAY ON TEST | | 0 | 0 | |
| | | 6 | 7 | 7 | 7 | 6 | 7 | 5 | 6 | 6 | 7 | 7 | 5 | 3 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 4 | 7 | 6 | 4 | 3 |
| | | 5 | 3 | 1 | 3 | 6 | 3 | 5 | 1 | 3 | 3 | 3 | 8 | 2 | 0 | 2 | 9 | 2 | 1 | 2 | 2 | 5 | 3 | 8 | 7 | 3 |
| | | 2 | 1 | 3 | 4 | 7 | 4 | 9 | 7 | 6 | 1 | 1 | 4 | 1 | 6 | 9 | 5 | 9 | 3 | 9 | 9 | 4 | 0 | 7 | 7 | 7 |
| FISCHER 344 RATS MALE
14.3 MG/L | | ANIMAL ID | | males
(cont...) |
| | | 0 | 0 | |
| | | 0 | 0 | |
| | | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | |

| |
|--------------------------------|
| Hyperplasia | | | | | | | | | | | 1 | | | | | | | | | | | | | |
| Inflammation, Chronic | 4 | | | | 2 | | | | | | 2 | | 2 | | | | | | | | 2 | | | |
| Prostate | + |
| Inflammation, Chronic | 2 | | 3 | 2 | | | | | 3 | | | | | 3 | | | | | 2 | | | | | |
| Epithelium, Hyperplasia | | | | | 1 | | | | | | | | | | | | 1 | 1 | | | | | | |
| Seminal Vesicle | + |
| Testes | + |
| Germinal Epithelium, Atrophy | 3 | | | | | | 2 | | | | | | | | | | | | | | | | | |
| Interstitial Cell, Hyperplasia | | | | | 2 | | 2 | | | | | | | | | | | | | | | | | |

HEMATOPOIETIC SYSTEM

| |
|------------------------------------|
| Bone Marrow Hyperplasia | + |
| | 3 | 3 | | | | | 4 | 3 | | | | | | | | 3 | 2 | | | | | | 2 | |
| Lymph Node Mediastinal, Ectasia | | + | | | | | | + | + | | | | | | | | | | | | | | | |
| Mediastinal, Hemorrhage | | 4 | |
| Mediastinal, Hyperplasia, Lymphoid | | 2 | |
| Lymph Node, Mandibular | M |
| Lymph Node, Mesenteric Hemorrhage | + |
| Hyperplasia, Lymphoid | 2 | | 2 | | | | | | | | | 1 | | | | | | | | | | | 2 | |
| | | | | | | | | | | | | | 2 | | | 2 | | | | | | 2 | | |

2) Mild 4) Marked

2) Mild 4) Marked

TDMS No. 20114 - 07
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
Sodium dichromate dihydrate (VI)
CAS Number: 7789-12-0

Date Report Reqsted: 10/04/2007
Time Report Reqsted: 10:38:19
First Dose M/F: 10/02/02 / 10/02/02
Lab: SRI

| DAY ON TEST | | 0 | males
(cont...) | |
|---|--|--------------------|---|
| | | 6 | 7 | 7 | 7 | 6 | 7 | 5 | 6 | 6 | 7 | 7 | 5 | 3 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 4 | 7 | 6 | 4 | | 3 |
| | | 5 | 3 | 1 | 3 | 6 | 3 | 5 | 1 | 3 | 3 | 3 | 8 | 2 | 0 | 2 | 9 | 2 | 1 | 2 | 2 | 5 | 3 | 8 | 7 | | 3 |
| | | 2 | 1 | 3 | 4 | 7 | 4 | 9 | 7 | 6 | 1 | 1 | 4 | 1 | 6 | 9 | 5 | 9 | 3 | 9 | 9 | 4 | 0 | 7 | 7 | | 7 |
| FISCHER 344 RATS MALE
14.3 MG/L
ANIMAL ID | | 0 | males
(cont...) | |
| | | 0 | | 0 |
| | | 0 | | 0 |
| | | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | | 7 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | | 5 |

Bone +

Skeletal Muscle +

NERVOUS SYSTEM

Brain +
Compression 4 2
Hydrocephalus 2 4

Peripheral Nerve + +
Atrophy +

Spinal Cord + + +

RESPIRATORY SYSTEM

Lung +
Hemorrhage 2
Infiltration Cellular, Histiocyte 1 1 1 1 1 1 1 1 1 1 1 1
Inflammation, Granulomatous 3
Metaplasia, Osseous
Thrombosis 2
Alveolar Epithelium, Hyperplasia 2 2

Nose +
Foreign Body X X X X

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Page 26

TDMS No. 20114 - 07
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
Sodium dichromate dihydrate (VI)
CAS Number: 7789-12-0

Date Report Reqsted: 10/04/2007
Time Report Reqsted: 10:38:19
First Dose M/F: 10/02/02 / 10/02/02
Lab: SRI

| | | |
|---|--|-----------------|
| DAY ON TEST | | 0 | 0 | |
| | | 6 | 7 | 7 | 7 | 6 | 7 | 5 | 6 | 6 | 7 | 7 | 5 | 3 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 4 | 7 | 6 | 4 | 3 |
| | | 5 | 3 | 1 | 3 | 6 | 3 | 5 | 1 | 3 | 3 | 3 | 8 | 2 | 0 | 2 | 9 | 2 | 1 | 2 | 2 | 5 | 3 | 8 | 7 | 3 |
| | | 2 | 1 | 3 | 4 | 7 | 4 | 9 | 7 | 6 | 1 | 1 | 4 | 1 | 6 | 9 | 5 | 9 | 3 | 9 | 9 | 4 | 0 | 7 | 7 | 7 |
| | | |
| FISCHER 344 RATS MALE
ANIMAL ID
14.3 MG/L | | 0 | 0 | |
| | | 0 | 0 | |
| | | 0 | 0 | |
| | | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 |
| 14.3 MG/L | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |
| | | males (cont...) | |

| | |
|--|---|
| Hemorrhage | 3 |
| Inflammation, Chronic | 2 |
| Respiratory Epithelium, Hyperplasia | 2 |
| Respiratory Epithelium, Metaplasia, Squamous | |
| | |
| Trachea | + | |

SPECIAL SENSES SYSTEM

| |
|-----------------------|
| |
| Eye | + | + | + | + | + | + | + | + | + | 3 | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Cataract | 3 |
| Inflammation, Chronic | | 1 |
| Retina, Degeneration | 3 |
| |
| Harderian Gland | + | |
| Inflammation, Chronic | | 2 |

URINARY SYSTEM

| |
|----------------------------|
| Kidney | + |
| Cyst |
| Inflammation, Chronic | | | | | | 3 | | | | | | | | 2 | | | | | | | | | 3 | | |
| Nephropathy | 1 | 1 | 4 | 1 | 1 | 3 | | 1 | | 2 | 2 | 1 | | 2 | 4 | 1 | 2 | 2 | | 2 | 1 | 2 | 4 | | |
| Renal Tubule, Necrosis | | | | | | | 3 | | | | | | | | | | | | | | | | | | |
| Renal Tubule, Pigmentation | | | | | 2 | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

Page 27

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 20114 - 07
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Sodium dichromate dihydrate (VI)
 CAS Number: 7789-12-0

Date Report Requested: 10/04/2007
 Time Report Requested: 10:38:19
 First Dose M/F: 10/02/02 / 10/02/02
 Lab: SRI

| | | 0 | 0 |
|--------------------------------------|--|-----------------|
| DAY ON TEST | | 6 | 7 | 7 | 7 | 6 | 7 | 5 | 6 | 6 | 7 | 7 | 5 | 3 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 4 | 7 | 6 | 4 | 3 |
| | | 5 | 3 | 1 | 3 | 6 | 3 | 5 | 1 | 3 | 3 | 3 | 8 | 2 | 0 | 2 | 9 | 2 | 1 | 2 | 2 | 5 | 3 | 8 | 7 | 3 |
| | | 2 | 1 | 3 | 4 | 7 | 4 | 9 | 7 | 6 | 1 | 1 | 4 | 1 | 6 | 9 | 5 | 9 | 3 | 9 | 9 | 4 | 0 | 7 | 7 | 7 |
| | | |
| FISCHER 344 RATS MALE | | 0 | 0 |
| ANIMAL ID | | 0 | 0 |
| 14.3 MG/L | | 0 | 0 |
| | | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |
| | | males (cont...) | |
| Urinary Bladder | | + | + |
| Hemorrhage | | | 3 |
| Necrosis | | | 3 |
| Transitional Epithelium, Hyperplasia | | | 2 |

| | | |
|--|--|----------|
| DAY ON TEST | | 0 | 0 | | |
| | | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 3 | 7 | 7 | 7 | 7 | 6 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 6 | |
| | | 3 | 8 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 4 | 3 | 3 | 3 | 2 | 2 | 2 | 8 | 3 | 3 | 3 | 3 | 3 | 8 | |
| | | 1 | 7 | 9 | 9 | 9 | 1 | 1 | 1 | 1 | 1 | 5 | 1 | 1 | 1 | 9 | 9 | 9 | 0 | 4 | 4 | 0 | 0 | 0 | 8 | |
| | | |
| FISCHER 344 RATS MALE

14.3 MG/L | | 0 | 0 | | |
| | | 0 | 0 | | |
| | | 0 | 0 | 1 | | |
| | | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| | | * TOTALS | |

ALIMENTARY SYSTEM

[illegible]

2) Mild 4) Marked

CAS Number: 7789-12-0

2) Mild 4) Marked

CAS Number: 7789-12-0

2) Mild 4) Marked

CAS Number: 7789-12-0

TDMS No. 20114 - 07
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
Sodium dichromate dihydrate (VI)
CAS Number: 7789-12-0

Date Report Requested: 10/04/2007
Time Report Requested: 10:38:19
First Dose M/F: 10/02/02 / 10/02/02
Lab: SRI

| DAY ON TEST | | 0 | | |
|------------------------------------|--|----------|
| | | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 3 | 7 | 7 | 7 | 7 | 6 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | | |
| | | 3 | 8 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 4 | 3 | 3 | 3 | 2 | 2 | 8 | 3 | 3 | 3 | 3 | 3 | 3 | 8 | | |
| | | 1 | 7 | 9 | 9 | 9 | 1 | 1 | 1 | 1 | 1 | 5 | 1 | 1 | 1 | 9 | 9 | 9 | 0 | 4 | 4 | 0 | 0 | 0 | 8 | | |
| FISCHER 344 RATS MALE
14.3 MG/L | | |
| | | 0 | | |
| | | 0 | | |
| | | 0 | 1 | | |
| | | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | | |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | * TOTALS |

Bone + 50

Skeletal Muscle + 2

NERVOUS SYSTEM

Brain + 50
Compression 4 4 2 6 3.3
Hydrocephalus 1 2.0

Peripheral Nerve + + + 6
Atrophy 1 1 1.0

Spinal Cord + + + 6

RESPIRATORY SYSTEM

Lung + 50
Hemorrhage 1 7 1.1
Infiltration Cellular, Histiocyte 2 2 1 1 2 1 1 1 1 1 1 1 1 1 27 1.1
Inflammation, Granulomatous 1 3.0
Metaplasia, Osseous 1 1 1.0
Thrombosis 1 2.0
Alveolar Epithelium, Hyperplasia 1 3 1 1 1 1 6 1.7

Nose + 50
Foreign Body X X X X X X X X 11

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
x .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically
1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked
Page 35

TDMS No. 20114 - 07
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
Sodium dichromate dihydrate (VI)
CAS Number: 7789-12-0

Date Report Requested: 10/04/2007
Time Report Requested: 10:38:19
First Dose M/F: 10/02/02 / 10/02/02
Lab: SRI

| DAY ON TEST | | 0 | | |
|---|--|---|
| | | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 3 | 7 | 7 | 7 | 7 | 6 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 6 | | |
| | | 3 | 8 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 4 | 3 | 3 | 3 | 2 | 2 | 2 | 8 | 3 | 3 | 3 | 3 | 3 | 8 | | |
| | | 1 | 7 | 9 | 9 | 9 | 1 | 1 | 1 | 1 | 5 | 1 | 1 | 1 | 9 | 9 | 9 | 0 | 4 | 4 | 0 | 0 | 0 | 8 | | |
| <hr/> | | |
| FISCHER 344 RATS MALE
ANIMAL ID
14.3 MG/L | | 0 | | |
| | | 0 | | |
| | | 0 | 1 | | |
| | | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | | |
| * TOTALS | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |

| | | |
|--|----|-----|
| Hemorrhage | 1 | 3.0 |
| Inflammation, Chronic | | | | 1 | | | | | | 1 | 1 | | | | | 1 | | 4 | | 2 | 2 | | | | 11 | 1.6 |
| Respiratory Epithelium, Hyperplasia | | 1 | | | | | | | | | | | | | | | | 2 | | 2 | | | | | 5 | 1.6 |
| Respiratory Epithelium, Metaplasia, Squamous | | | | | | | | | | | | | | | | | | 2 | | | | | | | 1 | 2.0 |
| <hr/> | | |
| Trachea | + | 50 |

SPECIAL SENSES SYSTEM

| | | | |
|-----------------------|----|---|-----|
| Eye | + | + | + | + | + | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Cataract | | | | | | 3 | | | | | | | 3 | | | | | | | | | | | | | 3 | 3.0 |
| Inflammation, Chronic | | 1 | 1.0 |
| Retina, Degeneration | | | | | | 4 | | | | | | | | | | | | | | | | | | | | 3 | 2.7 |
| <hr/> | | | |
| Harderian Gland | + | 50 | | |
| Inflammation, Chronic | | 1 | 2.0 |

URINARY SYSTEM

| | | | |
|----------------------------|----|----|-----|
| Kidney | + | 50 | | |
| Cyst | | | | | | | | | | 3 | | | | | | | | | | | | | | 3 | | 2 | 3.0 |
| Inflammation, Chronic | | | | | | | | | | 2 | | 2 | 2 | | 3 | | | | | | | 2 | 2 | | | 9 | 2.3 |
| Nephropathy | 1 | 2 | 2 | 3 | 1 | 3 | 3 | 2 | 1 | 3 | | 3 | 3 | 1 | 3 | 3 | 1 | 1 | 2 | 2 | 2 | 3 | 3 | 2 | 2 | 43 | 2.1 |
| Renal Tubule, Necrosis | | 1 | 3.0 |
| Renal Tubule, Pigmentation | | 1 | 2.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

l .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Page 36

TDMS No. 20114 - 07
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Sodium dichromate dihydrate (VI)

CAS Number: 7789-12-0

Date Report Requested: 10/04/2007
 Time Report Requested: 10:38:19
 First Dose M/F: 10/02/02 / 10/02/02
 Lab: SRI

| | | |
|--|--|-----------------|
| DAY ON TEST | | 0 | 0 | |
| | | 7 | 7 | 5 | 7 | 6 | 6 | 7 | 5 | 6 | 6 | 6 | 7 | 7 | 6 | 7 | 6 | 6 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | | 2 | 2 | 0 | 3 | 8 | 6 | 2 | 2 | 3 | 3 | 5 | 3 | 2 | 1 | 2 | 3 | 7 | 6 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| | | 9 | 9 | 3 | 1 | 6 | 2 | 9 | 1 | 1 | 6 | 2 | 0 | 9 | 7 | 9 | 1 | 3 | 0 | 9 | 9 | 9 | 4 | 4 | 4 | 0 |
| FISCHER 344 RATS MALE

57.3 MG/L | | |
| | | 0 | 0 | |
| | | 0 | 0 | |
| | | 1 | 1 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | |
| ANIMAL ID | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |
| | | males (cont...) | |

ALIMENTARY SYSTEM

| |
|-----------------------------------|
| Esophagus | + |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Edema |
| Ulcer |
| |
| Intestine Large, Colon | + |
| Intestine Large, Rectum | + |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Infiltration Cellular, Histiocyte | | | | | | | | | | | 1 | | | | | | | | | | 1 | | | | |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoid Tissue, Hyperplasia | | | | | | | | | | | | 2 | | | 2 | | 3 | | | | 2 | 2 | 2 | | |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | A | + | + | I | + | + | + | + | + | + | + | + | + | + | + | + |
| Liver | + |
| Basophilic Focus | | X | | X | | | X | X | | | X | X | | | X | X | X | X | X | X | X | X | X | X | X |
| Clear Cell Focus | X | X | | | | | X | | | | | | | | X | | | | | X | X | X | X | | |
| Degeneration, Cystic | | | | | | | | | | | | | | 2 | | | | | | | | | | | |
| Eosinophilic Focus | X | |
| Fatty Change | | | | 3 | | 4 | | | | 3 | | | | | 2 | | | | | | | | | | 2 |
| Hematopoietic Cell Proliferation | | | | | | | | | | | 1 | 3 | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

Page 38

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 20114 - 07
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Sodium dichromate dihydrate (VI)

CAS Number: 7789-12-0

Date Report Requested: 10/04/2007
 Time Report Requested: 10:38:19
 First Dose M/F: 10/02/02 / 10/02/02
 Lab: SRI

| DAY ON TEST | 0 |
|-----------------------------------|-----------------|
| | 7 | 7 | 5 | 7 | 6 | 6 | 7 | 5 | 6 | 6 | 6 | 7 | 7 | 6 | 7 | 6 | 6 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | 2 | 2 | 0 | 3 | 8 | 6 | 2 | 2 | 3 | 3 | 5 | 3 | 2 | 1 | 2 | 3 | 7 | 6 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 |
| | 9 | 9 | 3 | 1 | 6 | 2 | 9 | 1 | 1 | 6 | 2 | 0 | 9 | 7 | 9 | 1 | 3 | 0 | 9 | 9 | 9 | 4 | 4 | 4 | 4 | 0 |
| FISCHER 344 RATS MALE | 0 |
| ANIMAL ID | 0 |
| 57.3 MG/L | 1 |
| | 0 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 3 | 4 | 5 | males (cont...) |
| Hemorrhage | 1 |
| Hepatodiaphragmatic Nodule | | X | | | | | | | | | | | | | | | | | X | | | | | | | |
| Infiltration Cellular, Histiocyte | | | | | 1 | | | | | 1 | | | | | | | | | | | | | | | | |
| Inflammation, Chronic | 2 | 1 | | 1 | | | 2 | | | | | 2 | | 2 | 1 | | | | 1 | 1 | 1 | 2 | 1 | | | |
| Mixed Cell Focus | | | | | | | | | | | | X | | | | | | | | | X | | | X | | |
| Bile Duct, Hyperplasia | 1 | 1 | | 2 | | 2 | 2 | 1 | 2 | 2 | 1 | | | 2 | 2 | 1 | | 3 | 2 | | 1 | 1 | 1 | 2 | 1 | |
| Centrilobular, Necrosis | 2 |
| Kupffer Cell, Pigmentation | | | | | | | | | | | | | | | | | | 3 | | | | | | | | |
| Mesentery | + | | + | + | + | + | | + | + | | | | | | | | | | | + | | | | | | |
| Accessory Spleen | | | X | |
| Fat, Necrosis | | | | 4 | 4 | 3 | | 2 | 4 | | | | | | | | | | | 1 | | | | | | |
| Oral Mucosa | + |
| Pancreas | + |
| Atrophy | 3 | 2 | | 2 | 3 | 2 | 3 | | | 3 | 2 | 3 | | | 1 | | | | | 1 | | | 3 | 2 | 1 | |
| Cyst | | | | | | | | | | | | | 3 | 3 | | | 3 | 3 | | 3 | | 3 | | | | |
| Acinus, Cytoplasmic Alteration | | | | | 3 | |
| Acinus, Hyperplasia, Focal | | 3 | | | | | | | | 2 | | 2 | 2 | | | | | | 3 | | | | | | 1 | |
| Salivary Glands | + |
| Atrophy | | | | | | | 1 | | | | | | | | | | | | | | | | | | | |
| Necrosis | | | | | | | | | 2 | | | | | | | | | | | | | | | | | |
| Stomach, Forestomach | + |
| Ulcer | | | | | 4 | | | | 3 | | | | | | | | | | | | | | | | | |
| Epithelium, Hyperplasia | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

Page 39

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 20114 - 07
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Sodium dichromate dihydrate (VI)

CAS Number: 7789-12-0

Date Report Requested: 10/04/2007
 Time Report Requested: 10:38:19
 First Dose M/F: 10/02/02 / 10/02/02
 Lab: SRI

| | | |
|--|--|-----------------|
| DAY ON TEST | | 0 | 0 | |
| | | 7 | 7 | 5 | 7 | 6 | 6 | 7 | 5 | 6 | 6 | 6 | 7 | 7 | 6 | 7 | 6 | 6 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | | 2 | 2 | 0 | 3 | 8 | 6 | 2 | 2 | 3 | 3 | 5 | 3 | 2 | 1 | 2 | 3 | 7 | 6 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| | | 9 | 9 | 3 | 1 | 6 | 2 | 9 | 1 | 1 | 6 | 2 | 0 | 9 | 7 | 9 | 1 | 3 | 0 | 9 | 9 | 9 | 4 | 4 | 4 | 0 |
| FISCHER 344 RATS MALE

57.3 MG/L | | |
| | | 0 | 0 | |
| | | 0 | 0 | |
| | | 1 | 1 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | |
| ANIMAL ID | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |
| | | males (cont...) | |

| |
|--------------------|
| Stomach, Glandular | + |
| Erosion | | | | 2 | | 4 | 2 | | | | | | | | | | | | | | | | | | |
| Hyperplasia | | | | | | | | | | | 1 | | | 2 | | | | 1 | 1 | 1 | | 1 | | | |
| Ulcer | | | | | | | | | | 3 | | | | | | | | | | | | | | | |
| Glands, Dilatation | |

| |
|-----------------------|
| Tongue | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | I | M | + | + | + | + | + |
| Inflammation, Chronic | | 1 | 1 | | | |

CARDIOVASCULAR SYSTEM

| |
|----------------|
| Heart | + |
| Cardiomyopathy | 2 | 1 | | 3 | 2 | | 3 | 2 | 1 | 2 | 3 | 3 | 3 | | 3 | 2 | 2 | | 2 | 2 | 2 | 2 | 3 | 3 | 3 |
| Thrombosis |

ENDOCRINE SYSTEM

| |
|-----------------------------------|
| Adrenal Cortex | + |
| Accessory Adrenal Cortical Nodule | | | | 3 | | | | | | | | | 3 | | | 3 | | | 3 | | 3 | | | | 3 |
| Angiectasis |
| Degeneration, Fatty | | | | | 3 | | | 2 | | | | | | | | | | | | | | | | | 1 |
| Hyperplasia, Focal | | | | | | | | | | | | 1 | | | | | | | 1 | | 1 | | | | |
| Hyperplasia, Diffuse |
| Necrosis |

| |
|-----------------|
| Adrenal Medulla | + |
| Hyperplasia | 2 | 1 | 1 | | 2 | | | | | | 2 | 2 | | | 1 | | 3 | | | | 1 | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

Page 40

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 20114 - 07
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
Sodium dichromate dihydrate (VI)
CAS Number: 7789-12-0

Date Report Requested: 10/04/2007
Time Report Requested: 10:38:19
First Dose M/F: 10/02/02 / 10/02/02
Lab: SRI

| DAY ON TEST | | 0 |
|--|--|--------------------|
| | | 7 | 7 | 5 | 7 | 6 | 6 | 7 | 5 | 6 | 6 | 6 | 7 | 7 | 6 | 7 | 6 | 6 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| FISCHER 344 RATS MALE | | 2 | 2 | 0 | 3 | 8 | 6 | 2 | 2 | 3 | 3 | 5 | 3 | 2 | 1 | 2 | 3 | 7 | 6 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 |
| | | 9 | 9 | 3 | 1 | 6 | 2 | 9 | 1 | 1 | 6 | 2 | 0 | 9 | 7 | 9 | 1 | 3 | 0 | 9 | 9 | 9 | 9 | 4 | 4 | 4 | 0 |
| 57.3 MG/L | | 0 |
| | | 0 |
| | | 1 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | males
(cont...) |
| Islets, Pancreatic | | + | |
| Parathyroid Gland | | + | M | + | + | + | | |
| Pituitary Gland | | + | |
| Pars Distalis, Angiectasis | | |
| Pars Distalis, Cyst | | 3 | | 3 | 3 | |
| Pars Distalis, Cytoplasmic Alteration, Focal | | | | | | | | | | | | | | 2 | 1 | | | | | | | | | | | | |
| Pars Distalis, Hyperplasia, Focal | | | | | | | | | | | | | | | | | | 1 | 1 | | | | 1 | 1 | | | |
| Pars Intermedia, Cyst | | | | | | | | | | 3 | | | | 3 | | | | | | | | | | | | | |
| Thyroid Gland | | + | |
| Ultimobranchial Cyst | | |
| C-cell, Hyperplasia | | | | | 2 | | | | 1 | | | | 1 | 1 | | | | 1 | | | 1 | | 1 | 1 | 2 | | |

GENERAL BODY SYSTEM
NONE

GENITAL SYSTEM

| |
|-----------------------|
| Epididymis | + |
| Inflammation, Chronic | | 2 | | | | | | | | | | | 2 | | | | | | | | | | | | | |
| Preputial Gland | + |
| Hyperplasia | | | | 3 | | | | | | | | | | | | | | | | | | 3 | | | | |
| Inflammation, Chronic | 3 | | | | | | | 2 | | | | | | | | | | 2 | 2 | 2 | | | 2 | | 2 | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

Page 41

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

CAS Number: 7789-12-0

2) Mild 4) Marked

TDMS No. 20114 - 07
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
Sodium dichromate dihydrate (VI)
CAS Number: 7789-12-0

Date Report Requested: 10/04/2007
Time Report Requested: 10:38:19
First Dose M/F: 10/02/02 / 10/02/02
Lab: SRI

| | | |
|---|--|--------------------|
| DAY ON TEST | | 0 | | |
| | | 7 | 7 | 5 | 7 | 6 | 6 | 7 | 5 | 6 | 6 | 6 | 7 | 7 | 6 | 7 | 6 | 6 | 5 | 7 | 7 | 7 | 7 | 7 | | 7 |
| | | 2 | 2 | 0 | 3 | 8 | 6 | 2 | 2 | 3 | 3 | 5 | 3 | 2 | 1 | 2 | 3 | 7 | 6 | 2 | 2 | 2 | 3 | 3 | | 3 |
| | | 9 | 9 | 3 | 1 | 6 | 2 | 9 | 1 | 1 | 6 | 2 | 0 | 9 | 7 | 9 | 1 | 3 | 0 | 9 | 9 | 9 | 4 | 4 | | 4 |
| | | |
| FISCHER 344 RATS MALE
ANIMAL ID
57.3 MG/L | | 0 | males
(cont...) |
| | | 0 | |
| | | 1 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | |

| |
|-----------------------------------|
| Lymph Node, Pancreatic | M | M | + | + | + | + | M | M | + | + | + | + | + | + | + | M | + | + | + | M | + | M | M | M | + | |
| Congestion | | | | | | | | | | | | | | 3 | | | | | | | | | | | | |
| Ectasia | | | | | 3 | |
| Hemorrhage | | | | | 2 | | | | | | | | 3 | | | | | | | | | | | | 3 | |
| Infiltration Cellular, Histiocyte | | | | | 3 | | | | | | 2 | | 2 | | | | 1 | 2 | 2 | | 1 | | | | 3 | |
| Pigmentation | 2 | |
| <hr/> |
| Spleen | + | |
| Accessory Spleen |
| Fibrosis |
| Hematopoietic Cell Proliferation | 2 | | | | | 2 | 1 | | | | | 3 | 3 | 3 | | 1 | | 3 | 2 | 2 | | | 1 | 2 | 1 | 3 |
| Hemorrhage |
| Necrosis | | | | | | | | | | 4 | | | | | | | | | | | | | | | | |
| Pigmentation | | | | | 4 | |
| <hr/> |
| Thymus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | I | + | + | + | + | |
| Atrophy | | | | | 4 | |

INTEGUMENTARY SYSTEM

| | |
|---------------------------|--|
| Mammary Gland | + | |
| Hyperplasia | 2 | | | | 4 | | | | 4 | | 3 | | | | | 4 | | | 2 | 2 | 2 | | 1 | | + | |
| <hr/> | |
| Skin | + | |
| Cyst Epithelial Inclusion | | X | | | |
| Edema | 3 | |
| Hyperkeratosis | | | | | | | | | | | | | | 3 | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Page 43

Lab: SRI

**males
(cont...)**

3

[illegible]
$$+ \quad \quad \quad +$$
[illegible]
$$+ \quad + \quad + \quad +$$
$$+ \quad + \quad + \quad +$$
[illegible]

2) Mild 4) Marked

CAS Number: 7789-12-0

males
(cont...)

2) Mild 4) Marked

Date Report Requested: 10/04/2007
Time Report Requested: 10:38:19
First Dose M/F: 10/02/02 / 10/02/02
Lab: SR|

CAS Number: 7789-12-0

2) Mild 4) Marked

CAS Number: 7789-12-0

2) Mild 4) Marked

TDMS No. 20114 - 07
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Sodium dichromate dihydrate (VI)

CAS Number: 7789-12-0

Date Report Requested: 10/04/2007
 Time Report Requested: 10:38:19
 First Dose M/F: 10/02/02 / 10/02/02
 Lab: SRI

| | | 0 | |
|-----------------------|--|---|
| DAY ON TEST | | 5 | 5 | 7 | 7 | 7 | 7 | 3 | 7 | 7 | 2 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 5 | |
| | | 0 | 7 | 2 | 2 | 2 | 2 | 1 | 2 | 2 | 7 | 2 | 3 | 3 | 4 | 3 | 3 | 3 | 6 | 3 | 3 | 0 | 3 | 9 | |
| | | 1 | 9 | 9 | 9 | 9 | 9 | 0 | 9 | 9 | 2 | 9 | 1 | 1 | 0 | 0 | 0 | 1 | 7 | 1 | 1 | 9 | 1 | 5 | |
| | | |
| FISCHER 344 RATS MALE | | 0 | |
| ANIMAL ID | | 0 | |
| 57.3 MG/L | | 1 | |
| | | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

CAS Number: 7789-12-0

2) Mild 4) Marked

CAS Number: 7789-12-0

2) Mild 4) Marked

CAS Number: 7789-12-0

2) Mild 4) Marked

CAS Number: 7789-12-0

2) Mild 4) Marked

| | | |
|--|---------------------------------------|-----------------------------|
| * .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade | | |
| + .. Tissue examined microscopically | M .. Missing tissue | 1-4 .. Lesion qualified as: |
| x .. Lesion present | A .. Autolysis precludes evaluation | 1) Minimal 3) Moderate |
| l .. Insufficient tissue | BLANK .. Not examined microscopically | 2) Mild 4) Marked |

Page 53

TDMS No. 20114 - 07
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
Sodium dichromate dihydrate (VI)
CAS Number: 7789-12-0

Date Report Requested: 10/04/2007
Time Report Requested: 10:38:19
First Dose M/F: 10/02/02 / 10/02/02
Lab: SRI

| | | |
|---|--|---|
| DAY ON TEST | | 0 | |
| | | 5 | 5 | 7 | 7 | 7 | 7 | 3 | 7 | 7 | 2 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 5 |
| | | 0 | 7 | 2 | 2 | 2 | 2 | 1 | 2 | 2 | 7 | 2 | 3 | 3 | 4 | 3 | 3 | 3 | 6 | 3 | 3 | 0 | 3 | 3 | 9 |
| | | 1 | 9 | 9 | 9 | 9 | 9 | 0 | 9 | 9 | 2 | 9 | 1 | 1 | 0 | 0 | 0 | 1 | 7 | 1 | 1 | 9 | 1 | 1 | 5 |
| | | |
| FISCHER 344 RATS MALE
ANIMAL ID
57.3 MG/L | | 0 | |
| | | 0 |
| | | 1 |
| | | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| * TOTALS | | |

| | |
|-------------------------------------|-------|
| Squamous | |
| | |
| Nose | + | 49 |
| Foreign Body | | | | | X | | | | | | | | | | | | X | X | | X | X | | | | 9 |
| Inflammation, Chronic | | | | | | | | | | | | | | 2 | | | 1 | 3 | | 1 | 1 | | | | 8 1.8 |
| Respiratory Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | 1 | 2 | | | | | | | 4 1.8 |
| | |
| Trachea | + | 49 |

SPECIAL SENSES SYSTEM

| | |
|----------------------|-------|
| | |
| Eye | + | 49 |
| Cataract | | | 3 | | 2 3.0 |
| Retina, Degeneration | | | 4 | | | | | | | | | | | | 1 | | | | | | | 2 | | | 4 2.8 |
| | |
| Harderian Gland | + | 49 |

URINARY SYSTEM

| | |
|---|--------|
| | |
| Kidney | + | 49 |
| Cyst | | | 3 | | 1 3.0 |
| Infiltration Cellular, Lipocyte | | | | | | | | | | | | | | | | | 3 | | | | | | | | 1 3.0 |
| Inflammation, Chronic | | | | | | | | | | | | 2 | | | | | | | 2 | | 2 | 3 | | | 8 2.1 |
| Nephropathy | 1 | 3 | 2 | 3 | 3 | 1 | | 1 | 1 | | 3 | 3 | 1 | 2 | 3 | 2 | 2 | 1 | 1 | 3 | 3 | 2 | 4 | 3 | 45 2.0 |
| Renal Tubule, Accumulation, Hyaline Droplet | | | | | | | | | | | | | | 3 | | | | | | | | | | | 2 3.0 |
| Renal Tubule, Dilatation | 3 | | 3 2.7 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

l .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Page 54

TDMS No. 20114 - 07
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Sodium dichromate dihydrate (VI)
 CAS Number: 7789-12-0

Date Report Requested: 10/04/2007
 Time Report Requested: 10:38:19
 First Dose M/F: 10/02/02 / 10/02/02
 Lab: SRI

| | | |
|-----------------------------------|--|-----------------|
| DAY ON TEST | | 0 | 0 | |
| | | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | |
| | | 2 | 2 | 2 | 4 | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 3 | 9 | 3 | 7 | 3 | 3 | 2 | 2 | 2 | 3 | 0 | 3 | 3 |
| | | 9 | 9 | 9 | 5 | 1 | 1 | 0 | 9 | 0 | 1 | 1 | 1 | 1 | 5 | 1 | 0 | 1 | 1 | 9 | 9 | 9 | 4 | 7 | 4 | 1 |
| FISCHER 344 RATS MALE
172 MG/L | | |
| | | 0 | 0 | |
| | | 0 | 0 | |
| | | 1 | 1 | |
| | | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |
| | | males (cont...) | |

males
(cont...)

ALIMENTARY SYSTEM

| |
|-----------------------------------|
| Esophagus | + | M | + | + |
| Intestine Large, Cecum | + |
| Edema | | | | 3 | | | | | | | | | | | | 2 | | | | | | | | | |
| Erosion | | | | 3 | |
| Intestine Large, Colon | + |
| Intestine Large, Rectum | + |
| Intestine Small, Duodenum | + | A | + | + |
| Erosion |
| Infiltration Cellular, Histiocyte | 2 | 1 | 1 | | 1 | 1 | 1 | 2 | | | 1 | 1 | | | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 2 | | 1 | 1 |
| Intestine Small, Ileum | + | A | + | + |
| Lymphoid Tissue, Hyperplasia | 2 | | | | | 2 | | | | | | | | | | | 2 | 2 | | | | | | | |
| Intestine Small, Jejunum | + | A | + | + |
| Liver | + |
| Basophilic Focus | X | | | | X | X | | | X | X | X | X | X | X | | | X | X | X | | X | X | | X | X |
| Clear Cell Focus | X | | | | X | X | X | | X | X | | X | X | | | | X | X | X | | X | X | | X | X |
| Eosinophilic Focus | | | | | | | | | | | | | | X | | | | | | | X | | | | |
| Fatty Change | | 2 | 4 | | | | | | | | | | | | | 3 | | | | | | | | | |
| Hemorrhage | | | | 2 | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

Page 56

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 20114 - 07
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Sodium dichromate dihydrate (VI)

CAS Number: 7789-12-0

Date Report Requested: 10/04/2007
 Time Report Requested: 10:38:19
 First Dose M/F: 10/02/02 / 10/02/02
 Lab: SRI

| DAY ON TEST | | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
6
4
5 | 0
7
3
1 | 0
7
3
1 | 0
7
3
0 | 0
6
2
9 | 0
7
3
0 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
5
9
5 | 0
7
3
1 | 0
5
7
0 | 0
7
3
1 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
3
4 | 0
6
0
7 | 0
7
3
4 | 0
7
3
1 | | | |
|-----------------------------------|--|-----------------------|--|
| FISCHER 344 RATS MALE
172 MG/L | | 0
0
1
5
1 | 0
0
1
5
2 | 0
0
1
5
3 | 0
0
1
5
4 | 0
0
1
5
5 | 0
0
1
5
6 | 0
0
1
5
7 | 0
0
1
5
8 | 0
0
1
5
9 | 0
0
1
6
0 | 0
0
1
6
1 | 0
0
1
6
2 | 0
0
1
6
3 | 0
0
1
6
4 | 0
0
1
6
5 | 0
0
1
6
6 | 0
0
1
6
7 | 0
0
1
6
8 | 0
0
1
6
9 | 0
0
1
7
0 | 0
0
1
7
1 | 0
0
1
7
2 | 0
0
1
7
3 | 0
0
1
7
4 | 0
0
1
7
5 | |
| ANIMAL ID | | males
(cont...) | | |
| Hepatodiaphragmatic Nodule | | X | | | | | | | | | | | | | X | | | | | X | | | | | | | |
| Infiltration Cellular, Histiocyte | | 1 | |
| Inflammation, Chronic | | 1 | | | | 1 | 1 | 1 | 1 | 1 | | | 1 | 1 | | | | | 1 | | 1 | 1 | | 1 | 1 | | |
| Mixed Cell Focus | | X | | | | | X | X | X | X | X | X | X | | | | | | | | | | | | | | |
| Necrosis | | | | | 1 | |
| Bile Duct, Hyperplasia | | 1 | 1 | 1 | | | | 1 | 1 | | 2 | 1 | | | 3 | 2 | | | | 2 | | 1 | 3 | | | | |
| Centrilobular, Necrosis | | | 1 | 2 | |
| Mesentery | | | + | | | + | | + | | | | | | | + | | + | + | | + | | | | | | | |
| Accessory Spleen | | | |
| Fat, Necrosis | | | 2 | | | 4 | | 3 | | | | | | 4 | | 2 | | | 3 | | | | | | | | |
| Oral Mucosa | | + | |
| Pancreas | | + | |
| Atrophy | | 1 | | | | 1 | 1 | 2 | 2 | | 2 | 1 | 1 | | 3 | 2 | | | | 3 | 1 | | 2 | | 1 | | |
| Cyst | | | | | | | | | | | | | | | | | | | 3 | | | | 3 | | 3 | | |
| Acinus, Hyperplasia, Focal | | | | | | | | | | | 2 | | | | | | | | | | | 4 | | 3 | | | |
| Salivary Glands | | + | |
| Atrophy | | | | | | | 2 | | | | | | | | | | | | | | | 1 | | | | | |
| Stomach, Forestomach | | + | |
| Edema | | | 3 | 3 | | | | | 3 | | | | | | | | | | | | | | | | | | |
| Erosion | | | | | 1 | |
| Inflammation, Chronic Active | | | |
| Ulcer | | | | 4 | | | | | 4 | | | | | | | | | | | | | | | | | | |
| Epithelium, Hyperplasia | | | 1 | 3 | | | | | 3 | | | 1 | | | | | | | | | | | | | | | |

males
(cont...)

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

Page 57

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 20114 - 07
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
Sodium dichromate dihydrate (VI)
CAS Number: 7789-12-0

Date Report Reqsted: 10/04/2007
Time Report Reqsted: 10:38:19
First Dose M/F: 10/02/02 / 10/02/02
Lab: SRI

| DAY ON TEST | | 0 |
|--|--|---|
| | | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 |
| | | 2 | 2 | 2 | 4 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 9 | 3 | 7 | 3 | 7 | 2 | 2 | 2 | 3 | 0 | 3 | 3 |
| | | 9 | 9 | 9 | 5 | 1 | 1 | 0 | 9 | 0 | 1 | 1 | 1 | 1 | 5 | 1 | 0 | 1 | 1 | 9 | 9 | 9 | 4 | 7 | 4 | 1 |
| | | |
| FISCHER 344 RATS MALE
172 MG/L
ANIMAL ID | | 0 |
| | | 0 |
| | | 1 |
| | | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |
| Stomach, Glandular | | + | |
| Edema | | | | | 3 | |
| Erosion | | | 2 | 2 | 3 | |
| Hyperplasia | | | 1 | | | | 1 | | | | | | | 1 | | | | | | | | | | | | |
| Ulcer | | |
| Epithelium, Glands, Dilatation | | |
| | | |
| Tongue | | + | |
| Inflammation, Chronic | | 1 | | | | 1 | | | | 1 | | | | | | | | | | | | 1 | | | | |
| Epithelium, Hyperplasia | | | | | | | | | | | | 1 | | | | | | | | 1 | | | | | | |
| | | |
| Tooth | | |

CARDIOVASCULAR SYSTEM

| |
|----------------|
| Heart | + |
| Cardiomyopathy | 3 | 1 | 2 | 2 | 3 | 3 | 2 | 2 | 3 | 3 | 2 | 3 | 3 | 3 | 1 | | 3 | 3 | 3 | 3 | 3 | 1 | 3 | 3 | 3 | 3 |
| Thrombosis | | | 4 | | | | | | | | | | | | | 3 | | | | | | | | | | |

ENDOCRINE SYSTEM

| |
|-----------------------------------|
| Adrenal Cortex | + |
| Accessory Adrenal Cortical Nodule | | | | | 3 | | | 3 | 3 | 3 | | | 3 | | 3 | | 3 | 3 | | 3 | 3 | | 3 | | | |
| Angiectasis |
| Degeneration, Fatty | | | 2 | | | | | | 1 | | | | | | | | | | | | | 2 | | | | |
| Hypertrophy, Focal | | 1 | | | | | | | | | | | | | | | | | | | 2 | | | | | |
| Necrosis | | | | 3 | |

TDMS No. 20114 - 07
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
Sodium dichromate dihydrate (VI)
CAS Number: 7789-12-0

Date Report Requested: 10/04/2007
Time Report Requested: 10:38:19
First Dose M/F: 10/02/02 / 10/02/02
Lab: SRI

| FISCHER 344 RATS MALE
172 MG/L | | DAY ON TEST | 0 |
|--|--|-------------|
| | | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 |
| | | 2 | 2 | 2 | 4 | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 3 | 9 | 3 | 7 | 3 | 3 | 2 | 2 | 2 | 3 | 0 | 3 | 3 |
| | | 9 | 9 | 9 | 5 | 1 | 1 | 0 | 9 | 0 | 1 | 1 | 1 | 1 | 5 | 1 | 0 | 1 | 1 | 9 | 9 | 9 | 4 | 7 | 4 | 1 |
| ANIMAL ID | | 0 | 0 |
| | | 0 | 0 |
| | | 1 | 1 |
| | | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |
| | | + | + | |
| Adrenal Medulla
Hyperplasia | | | 1 | | | 2 | | | | | | | | | | 1 | | | | 1 | | | 4 | | | |
| | | + | + | |
| Islets, Pancreatic
Hyperplasia | | | 3 | |
| | | + | + | |
| Parathyroid Gland | | |
| | | + | + | |
| Pituitary Gland | | |
| Pars Distalis, Angiectasis | | | | | | | 3 | | + | + | + | + | + | + | + | + | + | + | + | + | + | 2 | | 2 | | |
| Pars Distalis, Cyst | | | | | | | | 4 | | | | | | | | | | | | | | 3 | | | | |
| Pars Distalis, Cytoplasmic Alteration, Focal | | |
| Pars Distalis, Hyperplasia | | |
| Pars Distalis, Hyperplasia, Focal | | | | 2 | | 2 | | | | 2 | 1 | | 3 | | | | | | | | | 2 | | | | |
| Pars Intermedia, Angiectasis | | |
| Pars Intermedia, Cyst | | |
| Pars Intermedia, Pars Nervosa,
Metaplasia, Atypical | | | | | | | X | | | | | | | | | | | | | | | | | | | |
| | | + | + | |
| Thyroid Gland | | |
| C-cell, Hyperplasia | | | 3 | 1 | | | | | 1 | | 1 | 1 | | | 1 | | 2 | | 1 | | | | 3 | | 1 | |

GENERAL BODY SYSTEM
NONE

GENITAL SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

Page 59

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 20114 - 07
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
Sodium dichromate dihydrate (VI)
CAS Number: 7789-12-0

Date Report Requested: 10/04/2007
Time Report Requested: 10:38:19
First Dose M/F: 10/02/02 / 10/02/02
Lab: SRI

| | | |
|---|-------------|-----------------------|
| | DAY ON TEST | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
6
4
5 | 0
7
3
1 | 0
7
3
1 | 0
7
2
0 | 0
6
3
9 | 0
7
3
0 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
5
3
5 | 0
7
3
1 | 0
5
7
0 | 0
7
3
1 | 0
5
7
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
6
3
4 | 0
7
0
7 | 0
7
3
4 | 0
7
1 | |
| FISCHER 344 RATS MALE
172 MG/L | | 0
0
1
5
1 | 0
0
1
5
2 | 0
0
1
5
3 | 0
0
1
5
4 | 0
0
1
5
5 | 0
0
1
5
6 | 0
0
1
5
7 | 0
0
1
5
8 | 0
0
1
5
9 | 0
0
1
6
0 | 0
0
1
6
1 | 0
0
1
6
2 | 0
0
1
6
3 | 0
0
1
6
4 | 0
0
1
6
5 | 0
0
1
6
6 | 0
0
1
6
7 | 0
0
1
6
8 | 0
0
1
6
9 | 0
0
1
7
0 | 0
0
1
7
1 | 0
0
1
7
2 | 0
0
1
7
3 | 0
0
1
7
4 | 0
0
1
7
5 |
| | ANIMAL ID | |
| | | |
| | | |
| | | |
| Mediastinal, Hyperplasia, Lymphoid | | 3 | | | | | | | | | | 2 | | | | | | | | | | | | | | |
| Lymph Node, Mandibular Ectasia | | M |
| Lymph Node, Mesenteric Hemorrhage | | + |
| Hyperplasia, Lymphoid Infiltration Cellular, Histiocyte | | 1 | 2 | 2 | | 2 | 2 | 2 | 2 | 3 | 2 | | 2 | 2 | 2 | 2 | | 3 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| Lymph Node, Pancreatic Hemorrhage | | + | + | + | + | M | + | M | M | + | + | M | + | + | + | + | + | M | M | M | + | M | M | + | + | + |
| Infiltration Cellular, Histiocyte Pigmentation | | 1 | 1 | | | | | | | | | | 2 | | | | 1 | | | 2 | | | | | | |
| Spleen | | + |
| Accessory Spleen Fibrosis | | |
| Hematopoietic Cell Proliferation | | | | | | 2 | | 1 | | 2 | 2 | 2 | 2 | | 2 | 2 | | 2 | | 1 | | | | | | |
| Hemorrhage Necrosis | | | 3 | | |
| Thymus | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + |

INTEGUMENTARY SYSTEM

| |
|---------------|
| Mammary Gland | + |
| Hyperplasia | | 3 | | | 1 | 2 | | | 2 | 1 | 1 | | 4 | | | | 2 | | | | 3 | | | | |

TDMS No. 20114 - 07
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
Sodium dichromate dihydrate (VI)
CAS Number: 7789-12-0

Date Report Requested: 10/04/2007
Time Report Requested: 10:38:19
First Dose M/F: 10/02/02 / 10/02/02
Lab: SRI

| DAY ON TEST | | 0 | 0 | |
|--|--|--------------------|
| | | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | |
| | | 2 | 2 | 2 | 4 | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 3 | 9 | 3 | 7 | 3 | 3 | 2 | 2 | 2 | 3 | 0 | 3 | 3 |
| | | 9 | 9 | 9 | 5 | 1 | 1 | 0 | 9 | 0 | 1 | 1 | 1 | 1 | 5 | 1 | 0 | 1 | 1 | 9 | 9 | 9 | 4 | 7 | 4 | 1 |
| FISCHER 344 RATS MALE
172 MG/L
ANIMAL ID | | 0 | 0 | |
| | | 0 | 0 | |
| | | 1 | 1 | |
| | | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |
| | | males
(cont...) | |

Inflammation, Granulomatous

| |
|---------------------------|
| Skin | + |
| Angiectasis | | | | | | | | | | | | | 4 | | | | | | | | | | | | |
| Cyst |
| Cyst Epithelial Inclusion | | | | X | | | | | | | | | | | | | | X | | | | | | | |
| Hyperkeratosis | | | | | | | | | 2 | | | 3 | | | | | | | | | | | | | |
| Epidermis, Hyperplasia | | | | | | | | | 2 | | | | | | | | | | | | | | | | |

MUSCULOSKELETAL SYSTEM

| |
|------------------------|
| Bone | + |
| Cranium, Osteopetrosis | |

NERVOUS SYSTEM

| |
|------------------|
| Brain | + |
| Compression | | | | | | 2 | | 4 | | | | 3 | | | | | | | | | | | | | |
| Peripheral Nerve | | | | | | | | | | | + | | | | | + | | | | | | | | | |
| Spinal Cord | | | | | | | | | | | + | | | | | + | | | | | | | | | |

RESPIRATORY SYSTEM

| |
|------|
| Lung | + |
|------|

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

Page 62

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 20114 - 07
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
Sodium dichromate dihydrate (VI)
CAS Number: 7789-12-0

Date Report Reqsted: 10/04/2007
Time Report Reqsted: 10:38:19
First Dose M/F: 10/02/02 / 10/02/02
Lab: SRI

| DAY ON TEST | | 0 | 0 | | |
|--|--|-----------------|--|
| | | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | | |
| FISCHER 344 RATS MALE
172 MG/L | | 2 | 2 | 2 | 4 | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 3 | 9 | 3 | 7 | 3 | 7 | 3 | 2 | 2 | 3 | 0 | 3 | | |
| | | 9 | 9 | 9 | 5 | 1 | 1 | 0 | 9 | 0 | 1 | 1 | 1 | 1 | 5 | 1 | 0 | 1 | 1 | 1 | 9 | 9 | 9 | 4 | 7 | | |
| ANIMAL ID | | 0 | 0 | | |
| | | 0 | 0 | | |
| | | 1 | 1 | | |
| | | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | |
| | | males (cont...) | |
| Hemorrhage | | 2 | |
| Infiltration Cellular, Histiocyte | | 1 | |
| Inflammation, Suppurative | | 1 | |
| Inflammation, Chronic | | 1 | |
| Metaplasia, Osseous | | 1 | |
| Thrombosis | | 1 | |
| Alveolar Epithelium, Hyperplasia | | 2 | |
| Nose | | + | |
| Foreign Body | | X | |
| Inflammation, Chronic | | 1 | |
| Nasolacrimal Duct, Cyst | | 3 | |
| Respiratory Epithelium, Hyperplasia | | 1 | |
| Respiratory Epithelium, Metaplasia, Squamous | | 3 | |
| Trachea | | + | |

SPECIAL SENSES SYSTEM

| |
|----------------------|
| Eye | + |
| Cataract | | | | | | | | | | | | 3 | | | | | | | | | | | | | |
| Retina, Degeneration | | | | | | | | | | | | 4 | | | | | | | | | | 2 | | | |
| Harderian Gland | + |

URINARY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

l .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Page 63

CAS Number: 7789-12-0

2) Mild 4) Marked

| | | |
|---------------------------------------|--|----------|
| DAY ON TEST | | 0 | 0 | | |
| | | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 6 | 7 | 5 | 7 | 7 | 6 | 7 | 5 | 5 | 7 | 7 | 7 | 7 | 3 | 7 | 7 | |
| | | 0 | 3 | 3 | 3 | 3 | 2 | 2 | 3 | 2 | 3 | 7 | 3 | 3 | 9 | 2 | 4 | 2 | 3 | 3 | 3 | 3 | 9 | 3 | 3 | |
| | | 9 | 1 | 0 | 0 | 0 | 1 | 1 | 0 | 5 | 0 | 0 | 4 | 4 | 2 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 9 | 1 | 1 | |
| | | |
| FISCHER 344 RATS MALE

172 MG/L | | 0 | 0 | | |
| | | 0 | 0 | | |
| | | 1 | 1 | 2 | |
| | | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| | | * TOTALS | |

[illegible]

CARDIOVASCULAR SYSTEM

[illegible]

ENDOCRINE SYSTEM

[illegible]

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

1 .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

Page 67

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

CAS Number: 7789-12-0

2) Mild 4) Marked

HEMATOPOIETIC SYSTEM

[illegible]

2) Mild 4) Marked

CAS Number: 7789-12-0

2) Mild 4) Marked

TDMS No. 20114 - 07
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
Sodium dichromate dihydrate (VI)
CAS Number: 7789-12-0

Date Report Requested: 10/04/2007
Time Report Requested: 10:38:19
First Dose M/F: 10/02/02 / 10/02/02
Lab: SRI

| | | |
|--|--|----------|
| DAY ON TEST | | 0 | |
| | | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 6 | 7 | 5 | 7 | 7 | 6 | 7 | 5 | 5 | 7 | 7 | 7 | 7 | 3 | 7 | 7 | 7 | |
| | | 0 | 3 | 3 | 3 | 3 | 2 | 2 | 3 | 2 | 3 | 7 | 3 | 7 | 3 | 9 | 2 | 4 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | | 9 | 1 | 0 | 0 | 0 | 1 | 1 | 0 | 5 | 0 | 0 | 4 | 4 | 2 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 9 | 1 | 1 | |
| FISCHER 344 RATS MALE
172 MG/L
ANIMAL ID | | |
| | | 0 | |
| | | 0 | |
| | | 1 | 2 | |
| | | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | * TOTALS |

| | | | |
|-----------------------------|----|-----|-----|
| Inflammation, Granulomatous | 3 | | 1 | 3.0 | |
| Skin | + | 50 | 1 | 4.0 |
| Angiectasis | | 1 | 4.0 |
| Cyst | 4 | | 1 | 4.0 |
| Cyst Epithelial Inclusion | | X | | 3 | |
| Hyperkeratosis | | | | 2 | | 3 | | 4 | 2.5 |
| Epidermis, Hyperplasia | | 1 | 2.0 |

MUSCULOSKELETAL SYSTEM

| | | |
|------------------------|----|-------|
| Bone | + | 50 | 1 2.0 |
| Cranium, Osteopetrosis | | | | | 2 | | |

NERVOUS SYSTEM

| | | |
|------------------|----|-------|
| Brain | + | 50 | 3 3.0 |
| Compression | | |
| Peripheral Nerve | | 2 | |
| Spinal Cord | 2 | |

RESPIRATORY SYSTEM

| | | |
|------|----|--|
| Lung | + | 50 | |
|------|----|--|

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

l .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Page 71

TDMS No. 20114 - 07
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
Sodium dichromate dihydrate (VI)
CAS Number: 7789-12-0

Date Report Requested: 10/04/2007
Time Report Requested: 10:38:19
First Dose M/F: 10/02/02 / 10/02/02
Lab: SRI

| | | | |
|--|--|--------------------|---|
| DAY ON TEST | | 0 | | | |
| | | 6 | 7 | 7 | 7 | 6 | 7 | 7 | 6 | 7 | 7 | 6 | 6 | 7 | 5 | 7 | 7 | 7 | 6 | 5 | 7 | 5 | 7 | 6 | | 7 | 7 |
| | | 9 | 3 | 3 | 2 | 3 | 2 | 3 | 0 | 1 | 2 | 5 | 7 | 3 | 8 | 3 | 3 | 3 | 8 | 4 | 3 | 9 | 2 | 8 | | 3 | 3 |
| | | 6 | 4 | 4 | 9 | 6 | 9 | 0 | 9 | 1 | 9 | 2 | 3 | 1 | 7 | 1 | 1 | 1 | 6 | 3 | 4 | 5 | 9 | 9 | | 1 | 1 |
| | | | |
| FISCHER 344 RATS MALE
ANIMAL ID
516 MG/L | | 0 | males
(cont...) | |
| | | 0 | | 0 |
| | | 2 | | 2 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | | 2 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | | 6 |

ALIMENTARY SYSTEM

| |
|-----------------------------------|
| Esophagus | + |
| Intestine Large, Cecum | + | + | + | + | + | + | + | 2 | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Edema | | | | | | | | 2 | | | | | | | | | | | | | | | | | |
| Ulcer | | | | | | | | 1 | | | | | | | | | | | | | | | | | |
| Intestine Large, Colon | + |
| Infiltration Cellular, Lymphocyte | |
| Intestine Large, Rectum | + |
| Intestine Small, Duodenum | + |
| Infiltration Cellular, Histiocyte | 3 | 2 | 2 | 1 | 2 | 2 | 2 | 2 | 3 | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 2 | 3 | 1 | 1 | 1 | 2 | 1 | 1 | 1 |
| Intestine Small, Ileum | + |
| Lymphoid Tissue, Hyperplasia | 1 | | 2 | | 2 | 2 | | | + | + | | 2 | | 2 | | + | + | + | + | 2 | | + | + | + | + |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | I | A | + | + | + | + | + | + |
| Hyperplasia | 2 | | | | | |
| Liver | + |
| Basophilic Focus | | X | X | X | X | X | X | X | X | X | X | | X | | X | | X | | X | X | X | | | X | X |
| Clear Cell Focus | | X | X | X | | X | X | | | X | X | | X | | X | | X | | X | X | X | | | | X |
| Degeneration, Cystic | | | | | | | | | | | | | | | 1 | | | | | | | | | | |
| Eosinophilic Focus | | | | | | | | | | | | | | | | X | | | | | | X | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

Page 74

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 20114 - 07
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Sodium dichromate dihydrate (VI)

CAS Number: 7789-12-0

Date Report Requested: 10/04/2007
 Time Report Requested: 10:38:19
 First Dose M/F: 10/02/02 / 10/02/02
 Lab: SRI

| | DAY ON TEST | |
|-----------------------------------|-------------|--------------------|
| | 0 | 0 |
| | 6 | 7 | 7 | 7 | 6 | 7 | 7 | 6 | 7 | 7 | 6 | 6 | 7 | 5 | 7 | 7 | 7 | 6 | 5 | 7 | 5 | 7 | 6 | 7 |
| | 9 | 3 | 3 | 2 | 3 | 2 | 3 | 0 | 1 | 2 | 5 | 7 | 3 | 8 | 3 | 3 | 3 | 8 | 4 | 3 | 9 | 2 | 8 | 3 |
| | 6 | 4 | 4 | 9 | 6 | 9 | 0 | 9 | 1 | 9 | 2 | 3 | 1 | 7 | 1 | 1 | 1 | 6 | 3 | 4 | 5 | 9 | 9 | 1 |
| FISCHER 344 RATS MALE
516 MG/L | 0 | 0 |
| | 0 | 0 |
| | 2 | 2 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |
| ANIMAL ID | | |
| | | males
(cont...) |
| Fatty Change | 2 | | | | 2 | 2 | | 4 | 2 | | 2 | 3 | | 4 | | | | | 2 | | | | | |
| Hemorrhage | | 1 | | | | | | | | 1 | | | | | | | | | | | | | | |
| Hepatodiaphragmatic Nodule | | | X | | X | X | | | | X | X | | | X | | | | | | | X | X | | |
| Infiltration Cellular, Histiocyte | 2 | 2 | 1 | | 2 | | 2 | 1 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | | 1 | 1 | 1 | 1 | 1 |
| Inflammation, Chronic | | 2 | 1 | | 1 | 1 | 2 | | | 1 | 2 | | | 2 | | | 1 | 1 | 2 | | 1 | 1 | | 1 |
| Mixed Cell Focus | | | | | X | | X | | | | X | | | | | | X | X | | | | X | | |
| Necrosis | | | | | | | | | | | 1 | | | | | | | | | | | | | |
| Syncytial Alteration | | | | | 2 | | | | | | | | | | | | | | | | | | | |
| Bile Duct, Hyperplasia | | | | | | | | | 1 | | | | 2 | | 1 | 2 | | | | 1 | | | | 1 |
| Centrilobular, Necrosis | 1 | | | | | | | | 3 | | | | | | | | | | 2 | | | | | |
| Intima, Vein, Hyperplasia | | 2 | |
| Mesentery | + | | | | | + | | | | | | + | + | | | + | | | | + | | + | + | |
| Accessory Spleen | | |
| Hemorrhage | | | | | | 3 | | | | | | | | | | | | | | | | | | |
| Fat, Necrosis | 3 | | | | 3 | | | | | | | 3 | 3 | | | 3 | | | | 2 | | 3 | 3 | |
| Oral Mucosa | + | + |
| Pancreas | + | + |
| Atrophy | 2 | 2 | 1 | 2 | | | 1 | 2 | 3 | 3 | 2 | | | | 1 | 3 | | 3 | | 3 | 1 | | | 2 |
| Cyst | 3 | 3 | | | | | | | | 3 | | | | | | | | | | | | | | 3 |
| Acinus, Cytoplasmic Alteration | 3 | | | | 3 | | | 3 | | | | | | | | | | | | | | | | |
| Acinus, Hyperplasia, Focal | | 3 | | | | | | | | | | 2 | | | | | | | 2 | | | | | |
| Salivary Glands | + | + |
| Atrophy | | | | | | | | | | | | 2 | | 3 | | | | | | | | | | |
| Necrosis | | | | | 2 | | | 2 | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 20114 - 07
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
Sodium dichromate dihydrate (VI)
CAS Number: 7789-12-0

Date Report Requested: 10/04/2007
Time Report Requested: 10:38:19
First Dose M/F: 10/02/02 / 10/02/02
Lab: SRI

| | | 0 | | |
|-----------------------------------|--|--------------------|--|
| DAY ON TEST | | 6 | 7 | 7 | 7 | 6 | 7 | 7 | 6 | 7 | 7 | 6 | 6 | 7 | 5 | 7 | 7 | 7 | 6 | 5 | 7 | 5 | 7 | 6 | 7 | 7 | | |
| | | 9 | 3 | 3 | 2 | 3 | 2 | 3 | 0 | 1 | 2 | 5 | 7 | 3 | 8 | 3 | 3 | 3 | 8 | 4 | 3 | 9 | 2 | 8 | 3 | 3 | | |
| | | 6 | 4 | 4 | 9 | 6 | 9 | 0 | 9 | 1 | 9 | 2 | 3 | 1 | 7 | 1 | 1 | 1 | 6 | 3 | 4 | 5 | 9 | 9 | 1 | 1 | | |
| | | | |
| FISCHER 344 RATS MALE | | 0 | | |
| ANIMAL ID | | 0 | | |
| 516 MG/L | | 2 | | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | males
(cont...) | |
| Stomach, Forestomach | | + | | |
| Edema | | | | | | | | | 2 | | | | | | 2 | | | | | | | | | | | | | |
| Erosion | | | |
| Inflammation, Chronic Active | | | | | | | | | | | | | | 3 | | | | | | | | | | | | | | |
| Ulcer | | | | | | | | | 3 | | | | | | | | | | | | | | | | | | | |
| Epithelium, Hyperplasia | | | | | | | | | | | | | | 3 | | | | | | | | | | | | | | |
| | | | |
| Stomach, Glandular | | + | | |
| Cyst | | | | | | | | | | | | | | | | | | | X | | | | | | | | | |
| Erosion | | | | | | | | | 1 | | | | | | 1 | | | | | | | | | | | | | |
| Hyperplasia | | | | | 1 | | | | | | | | | | | 1 | | | | | | | | 1 | 1 | | | |
| Infiltration Cellular, Lymphocyte | | | |
| Glands, Dilatation | | | |
| | | | |
| Tongue | | + | | |
| Fibrosis | | | | | | | | | | | | | | | | | | | 2 | | | | | | | | | |
| Hemorrhage | | | |
| Hemorrhage, Chronic | | 1 | | | |
| Inflammation, Chronic | | | 1 | | 1 | | | |
| Epithelium, Hyperplasia | | | | | | | | | | | 2 | | | | | | | | | | | | | | | | | |
| Vein, Thrombosis | | | |
| | | | |
| Tooth | | | | | | | | | | | | | + | | | | | + | | | + | | | | | | | |
| Malformation | | X | | | | | | |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|--|--|--|--|--|--|--|--|--|--|--|--|--|---|--|--|--|--|--|--|--|--|--|--|---|--|
| Blood Vessel | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Dilatation | | | | | | | | | | | | | | + | | | | | | | | | | | + | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Page 76

TDMS No. 20114 - 07
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Sodium dichromate dihydrate (VI)

CAS Number: 7789-12-0

Date Report Requested: 10/04/2007
 Time Report Requested: 10:38:19
 First Dose M/F: 10/02/02 / 10/02/02
 Lab: SRI

| | | |
|--|--|-----------------|
| DAY ON TEST | | 0 | 0 | | |
| | | 6 | 7 | 7 | 7 | 6 | 7 | 7 | 6 | 7 | 7 | 6 | 6 | 7 | 5 | 7 | 7 | 7 | 6 | 5 | 7 | 5 | 7 | 6 | 7 | 7 | |
| | | 9 | 3 | 3 | 2 | 3 | 2 | 3 | 0 | 1 | 2 | 5 | 7 | 3 | 8 | 3 | 3 | 3 | 8 | 4 | 3 | 9 | 2 | 8 | 3 | 3 | |
| | | 6 | 4 | 4 | 9 | 6 | 9 | 0 | 9 | 1 | 9 | 2 | 3 | 1 | 7 | 1 | 1 | 1 | 1 | 6 | 3 | 4 | 5 | 9 | 9 | 1 | 1 |
| FISCHER 344 RATS MALE
ANIMAL ID
516 MG/L | | |
| | | 0 | 0 | |
| | | 0 | 0 | |
| | | 2 | 2 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | |
| | | males (cont...) | |

males
(cont...)

| |
|-----------------------|
| Heart | + |
| Cardiomyopathy | 1 | 1 | 3 | 2 | 1 | 2 | 2 | 1 | 1 | 2 | 3 | 1 | 1 | 1 | 2 | 2 | 1 | 2 | 2 | 3 | 1 | 1 | 3 | | 3 |
| Inflammation, Chronic | |

ENDOCRINE SYSTEM

| | |
|--|---|
| Adrenal Cortex | + |
| Accessory Adrenal Cortical Nodule | | | | 3 | | | | | | | | | | | | | | | | | | | | 3 | |
| Degeneration, Fatty | | | | | 2 | | | | 2 | | 1 | | | | | | 1 | 1 | | 3 | | | | | 1 |
| Hyperplasia, Focal | 1 | | | | 1 |
| Hypertrophy, Focal | | | | | | | | | 2 | | | | | | | | | | | 3 | | | | | |
| Necrosis |
| Adrenal Medulla | + |
| Hyperplasia | | | 2 | | | | | 2 | 2 | | | | | | | | | 2 | | | | 1 | 2 | 1 | |
| Islets, Pancreatic | + |
| Hyperplasia | | | | | 2 | |
| Parathyroid Gland | + |
| Hyperplasia |
| Pituitary Gland | + |
| Pars Distalis, Angiectasis | | | | | | | 4 | | | | | | | | | | | | | | | | | | |
| Pars Distalis, Cyst | | | | | | | | | | | 3 | | | | | | | | | | | | | 3 | |
| Pars Distalis, Cytoplasmic Alteration, Focal | | | | | | | | | | | | | | | 2 | | | | | | | | | | |
| Pars Distalis, Hyperplasia |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

Page 77

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 20114 - 07
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
Sodium dichromate dihydrate (VI)
CAS Number: 7789-12-0

Date Report Requested: 10/04/2007
Time Report Requested: 10:38:19
First Dose M/F: 10/02/02 / 10/02/02
Lab: SRI

| | | | |
|--|--|---|--------------------|
| DAY ON TEST | | 0 | 0 | |
| | | 6 | 7 | 7 | 7 | 6 | 7 | 7 | 6 | 7 | 7 | 6 | 6 | 7 | 5 | 7 | 7 | 7 | 6 | 5 | 7 | 5 | 7 | 6 | 7 | 7 | |
| | | 9 | 3 | 3 | 2 | 3 | 2 | 3 | 0 | 1 | 2 | 5 | 7 | 3 | 8 | 3 | 3 | 3 | 8 | 4 | 3 | 9 | 2 | 8 | 3 | 3 | |
| | | 6 | 4 | 4 | 9 | 6 | 9 | 0 | 9 | 1 | 9 | 2 | 3 | 1 | 7 | 1 | 1 | 1 | 6 | 3 | 4 | 5 | 9 | 9 | 1 | 1 | |
| FISCHER 344 RATS MALE
ANIMAL ID
516 MG/L | | | |
| | | 0 | 0 | |
| | | 0 | 0 | |
| | | 2 | 2 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | males
(cont...) |
| Pars Distalis, Hyperplasia, Focal | | 2 | |
| Pars Intermedia, Angiectasis | | 3 | |
| Pars Intermedia, Cyst | | 1 3 | |
| | | 3 | |
| | | 2 | |
| | | 2 | |
| | | 1 | |
| Thyroid Gland | | | |
| Ultimobranchial Cyst | | + | |
| C-cell, Hyperplasia | | 3 | |
| Follicle, Cyst | | 1 | |
| | | 1 | |
| | | 3 | |

GENERAL BODY SYSTEM
NONE

GENITAL SYSTEM

| | |
|---|-----------------|
| Coagulating Gland | + |
| Epididymis
Granuloma Sperm
Inflammation, Chronic | ++++
22 |
| Preputial Gland
Cyst
Hyperplasia
Inflammation, Chronic | ++++
22322 |
| Prostate
Inflammation, Chronic | ++++
2211222 | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Page 78

TDMS No. 20114 - 07
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
Sodium dichromate dihydrate (VI)
CAS Number: 7789-12-0

Date Report Requested: 10/04/2007
Time Report Requested: 10:38:19
First Dose M/F: 10/02/02 / 10/02/02
Lab: SRI

| | |
|--|---|
| DAY ON TEST | 0 |
| | 6 | 7 | 7 | 7 | 6 | 7 | 7 | 6 | 7 | 7 | 6 | 6 | 7 | 5 | 7 | 7 | 7 | 6 | 5 | 7 | 5 | 7 | 6 | 7 | 7 |
| | 9 | 3 | 3 | 2 | 3 | 2 | 3 | 0 | 1 | 2 | 5 | 7 | 3 | 8 | 3 | 3 | 3 | 8 | 4 | 3 | 9 | 2 | 8 | 3 | 3 |
| | 6 | 4 | 4 | 9 | 6 | 9 | 0 | 9 | 1 | 9 | 2 | 3 | 1 | 7 | 1 | 1 | 1 | 6 | 3 | 4 | 5 | 9 | 9 | 1 | 1 |
| FISCHER 344 RATS MALE
ANIMAL ID
516 MG/L | 0 |
| | 0 |
| | 2 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 |
| males (cont...) |
| Epithelium, Hyperplasia | | | | 1 | | 1 | | | | 1 | | | | 1 | | | | 1 | | | | | | | |
| Seminal Vesicle | + |
| Testes | + |
| Germinal Epithelium, Atrophy | | | | | | 3 | | 4 | | | | | | 1 | 4 | | | | | | | | | | |
| Interstitial Cell, Hyperplasia | | | | | | | | | | 2 | | | | | | | | | | 2 | | | | | |
| HEMATOPOIETIC SYSTEM |
| Bone Marrow | + |
| Hyperplasia | | | | | | | | | 2 | | 3 | | | | | | | 3 | | | | | 4 | | |
| Myelofibrosis | 3 | | | | |
| Lymph Node | | | | | | | | | | | | | + | | | | | | | + | | | + | | |
| Deep Cervical, Ectasia | 4 | | | | | |
| Deep Cervical, Hyperplasia, Lymphoid | 2 | | | | | |
| Mediastinal, Ectasia | | | | | | | | | | | | | 3 | | | | | | | | | | | | |
| Mediastinal, Hemorrhage |
| Mediastinal, Hyperplasia, Lymphoid | | | | | | | | | | | | | 3 | | | | | | | | | | | | |
| Lymph Node, Mandibular | M | M | M | M | M | + | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M |
| Ectasia | | | | | | 3 | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mesenteric | + |
| Hemorrhage | 1 | | | | 1 | 1 | 2 | 1 | 2 | 2 | 1 | | | | 1 | | | 1 | | | | | | | |
| Infiltration Cellular, Histiocyte | 3 | 3 | 2 | 3 | 2 | 2 | 3 | 2 | 3 | 3 | | 2 | 3 | 2 | 2 | 2 | 2 | 2 | | 2 | | 1 | | 1 | 2 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

l .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

Page 79

TDMS No. 20114 - 07
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
Sodium dichromate dihydrate (VI)
CAS Number: 7789-12-0

Date Report Reqsted: 10/04/2007
Time Report Reqsted: 10:38:19
First Dose M/F: 10/02/02 / 10/02/02
Lab: SRI

| | | |
|---|--|-----------------|
| DAY ON TEST | | 0 | 0 | |
| | | 6 | 7 | 7 | 7 | 6 | 7 | 7 | 6 | 7 | 7 | 6 | 6 | 7 | 5 | 7 | 7 | 6 | 5 | 7 | 5 | 7 | 6 | 7 | 7 | |
| | | 9 | 3 | 3 | 2 | 3 | 2 | 3 | 0 | 1 | 2 | 5 | 7 | 3 | 8 | 3 | 3 | 3 | 8 | 4 | 3 | 9 | 2 | 8 | 3 | 3 |
| | | 6 | 4 | 4 | 9 | 6 | 9 | 0 | 9 | 1 | 9 | 2 | 3 | 1 | 7 | 1 | 1 | 1 | 6 | 3 | 4 | 5 | 9 | 9 | 1 | 1 |
| FISCHER 344 RATS MALE
ANIMAL ID
516 MG/L | | 0 | 0 | |
| | | 0 | 0 | |
| | | 2 | 2 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 |
| | | males (cont...) | |
| Lymph Node, Pancreatic Hemorrhage | | M | + | M | I | + | + | M | + | M | + | + | + | + | M | + | + | M | + | M | M | + | M | M | + | + |
| Hyperplasia, Lymphoid Infiltration Cellular, Histiocyte | | | | | | | | | 1 | | | | | | | | | | | | | | | | | |
| | | | | | | | | 2 | | | | | | | | | | | | | | | | | | |
| | | | | | | | | 2 | | | | | | | | | | | | | | | | | | |
| | | | | 3 | | | | 2 | 2 | | | | | 3 | 2 | | | | 2 | | | | 2 | | | |
| | | |
| Spleen | | + | + |
| Hematopoietic Cell Proliferation | | 2 | | | | | | | | | 2 | 1 | 3 | 2 | | | | | | | 2 | | | 1 | 3 | |
| Hemorrhage | | |
| Pigmentation | | 3 | | | | | | | | | 4 | | | | | | | 3 | | | | | | | | |
| | | |
| Thymus | | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | I | + | + | + | + | + | + | + |
| Atrophy | | |

INTEGUMENTARY SYSTEM

| |
|---------------------------|
| Mammary Gland | + |
| Hyperplasia | | 3 | 3 | | | | | 4 | 1 | | | | | 3 | | | | | | | | | | |
| |
| Skin | + |
| Angiectasis |
| Cyst Epithelial Inclusion | X | | | X | | | | | | X | | | | | | | | | | | | | | |
| Hyperkeratosis |

MUSCULOSKELETAL SYSTEM

| |
|----------------------|
| Bone | + |
| Femur, Osteopetrosis | | 3 | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

Page 80

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 20114 - 07
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
Sodium dichromate dihydrate (VI)
CAS Number: 7789-12-0

Date Report Reqsted: 10/04/2007
Time Report Reqsted: 10:38:19
First Dose M/F: 10/02/02 / 10/02/02
Lab: SRI

| | | |
|--|--|---|
| DAY ON TEST | | 0 | | |
| | | 6 | 7 | 7 | 7 | 6 | 7 | 7 | 6 | 7 | 7 | 6 | 6 | 7 | 5 | 7 | 7 | 7 | 6 | 5 | 7 | 5 | 7 | 6 | 7 | 7 |
| | | 9 | 3 | 3 | 2 | 3 | 2 | 3 | 0 | 1 | 2 | 5 | 7 | 3 | 8 | 3 | 3 | 3 | 8 | 4 | 3 | 9 | 2 | 8 | 3 | 3 |
| | | 6 | 4 | 4 | 9 | 6 | 9 | 0 | 9 | 1 | 9 | 2 | 3 | 1 | 7 | 1 | 1 | 1 | 6 | 3 | 4 | 5 | 9 | 9 | 1 | 1 |
| | | |
| FISCHER 344 RATS MALE

ANIMAL ID

516 MG/L | | 0 | |
| | | 0 | |
| | | 2 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 |
| males (cont...) | | |

Skeletal Muscle
Atrophy

+
1

NERVOUS SYSTEM

Brain
Compression
Hydrocephalus

+
3 4 2

Peripheral Nerve

+ +

Spinal Cord

+ +

RESPIRATORY SYSTEM

Larynx

+

Lung
Foreign Body
Hemorrhage
Infiltration Cellular, Histiocyte
Inflammation, Suppurative
Inflammation, Chronic
Metaplasia, Osseous
Alveolar Epithelium, Hyperplasia

+
2 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1
1
1
1 1

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
x .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically
1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked
Page 81

TDMS No. 20114 - 07
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
Sodium dichromate dihydrate (VI)
CAS Number: 7789-12-0

Date Report Requested: 10/04/2007
Time Report Requested: 10:38:19
First Dose M/F: 10/02/02 / 10/02/02
Lab: SRI

| DAY ON TEST | | 0 | 0 | | |
|--|--|----------------|--|
| | | 6 | 7 | 7 | 7 | 6 | 7 | 7 | 6 | 7 | 7 | 6 | 6 | 7 | 5 | 7 | 7 | 7 | 6 | 5 | 7 | 5 | 7 | 6 | 7 | 7 | |
| | | 9 | 3 | 3 | 2 | 3 | 2 | 3 | 0 | 1 | 2 | 5 | 7 | 3 | 8 | 3 | 3 | 3 | 8 | 4 | 3 | 9 | 2 | 8 | 3 | 3 | |
| | | 6 | 4 | 4 | 9 | 6 | 9 | 0 | 9 | 1 | 9 | 2 | 3 | 1 | 7 | 1 | 1 | 1 | 6 | 3 | 4 | 5 | 9 | 9 | 1 | 1 | |
| FISCHER 344 RATS MALE
ANIMAL ID
516 MG/L | | 0 | 0 | | |
| | | 0 | 0 | | |
| | | 2 | 2 | | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | |
| | | males (cont..) | |
| Nose | | + | + | | |
| Foreign Body | | X | |
| Inflammation, Chronic | | 3 | | | | | | | 1 | | | | | | | | | | | | | | | | | | |
| Nasolacrimal Duct, Cyst | | | |
| Respiratory Epithelium, Hyperplasia | | 2 | | | | 1 | |
| Respiratory Epithelium, Metaplasia, Squamous | | | 1 | |
| | | | |
| Trachea | | + | + | | |

SPECIAL SENSES SYSTEM

| |
|-----------------------|
| Ear |
| |
| Eye | + |
| Cataract | 3 | | | | | | | | | | | | | | 3 | | | | | | | | | | |
| Hemorrhage | | | | | | | | | | | | 3 | | | | | | | | | | | | | |
| Inflammation, Chronic | 3 | | | | | | | | | | | 3 | | | | | | 3 | | | | | | | |
| Cornea, Hyperplasia |
| Retina, Degeneration | 4 | | | | 2 | | | | | | | | | | 4 | | | | | | | | | | |
| Harderian Gland | + |
| Pigmentation | | | | | | | | | | | | | | 4 | | | | | | | | | | | |
| Lacrimal Gland |
| |
| |

URINARY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

l .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

Page 82

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 20114 - 07
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Sodium dichromate dihydrate (VI)

CAS Number: 7789-12-0

Date Report Requested: 10/04/2007
 Time Report Requested: 10:38:19
 First Dose M/F: 10/02/02 / 10/02/02
 Lab: SRI

| DAY ON TEST | | 0
6
9
6 | 0
7
3
4 | 0
7
3
4 | 0
7
2
9 | 0
6
3
6 | 0
7
2
9 | 0
7
3
0 | 0
6
1
9 | 0
7
2
1 | 0
6
5
2 | 0
6
7
3 | 0
7
3
1 | 0
5
8
7 | 0
7
3
1 | 0
7
3
1 | 0
6
8
6 | 0
5
4
3 | 0
7
3
4 | 0
5
9
5 | 0
7
2
9 | 0
6
8
9 | 0
7
3
1 | 0
7
3
1 | | | |
|--------------------------------------|--|-----------------------|--|
| FISCHER 344 RATS MALE | | 0
0
2
0
1 | 0
0
2
0
2 | 0
0
2
0
3 | 0
0
2
0
4 | 0
0
2
0
5 | 0
0
2
0
6 | 0
0
2
0
8 | 0
0
2
0
9 | 0
0
2
1
0 | 0
0
2
1
1 | 0
0
2
1
2 | 0
0
2
1
3 | 0
0
2
1
4 | 0
0
2
1
5 | 0
0
2
1
6 | 0
0
2
1
7 | 0
0
2
1
8 | 0
0
2
2
9 | 0
0
2
2
0 | 0
0
2
2
1 | 0
0
2
2
2 | 0
0
2
2
3 | 0
0
2
2
4 | 0
0
2
2
5 | 0
0
2
2
6 | |
| 516 MG/L | | males
(cont...) | | |
| Kidney | | | |
| Cyst | | | |
| Hydronephrosis | | | |
| Inflammation, Chronic | | | |
| Nephropathy | | 1 | 2 | 1 | 2 | 2 | 1 | 2 | 3 | 1 | 2 | 1 | 2 | 3 | 3 | 2 | 1 | 1 | | 1 | 1 | 1 | | 2 | 2 | | |
| Renal Tubule, Dilatation | | | |
| Renal Tubule, Necrosis | | | |
| Renal Tubule, Pigmentation | | | |
| Urinary Bladder | | | |
| Transitional Epithelium, Hyperplasia | | | |

CAS Number: 7789-12-0

2) Mild 4) Marked

TDMS No. 20114 - 07
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Sodium dichromate dihydrate (VI)

CAS Number: 7789-12-0

Date Report Requested: 10/04/2007
 Time Report Requested: 10:38:19
 First Dose M/F: 10/02/02 / 10/02/02
 Lab: SRI

| | DAY ON TEST | |
|---|-------------|
| | 0 | 0 |
| | 7 | 7 | 7 | 7 | 7 | 5 | 6 | 7 | 7 | 6 | 6 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 6 | 7 | 7 |
| | 3 | 3 | 3 | 3 | 3 | 9 | 4 | 2 | 2 | 8 | 6 | 1 | 0 | 3 | 3 | 3 | 2 | 2 | 2 | 5 | 1 | 1 | 3 | 3 |
| | 1 | 0 | 0 | 0 | 1 | 5 | 0 | 9 | 9 | 7 | 7 | 0 | 5 | 4 | 4 | 4 | 9 | 9 | 9 | 7 | 0 | 7 | 4 | 4 |
| FISCHER 344 RATS MALE
516 MG/L | ANIMAL ID |
| | 0 | 0 |
| | 0 | 0 |
| | 2 | 2 |
| | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| * TOTALS | |
| Fatty Change | 2 |
| Hemorrhage | 3 |
| Hepatodiaphragmatic Nodule | 10 |
| Infiltration Cellular, Histiocyte | 1 | 3 | | | 2 | 1 | | | 2 | | 2 | | X | | | 1 | | 3 | 1 | | | 1 | 1 | 2 |
| Inflammation, Chronic | 1 | | | 2 | 1 | 2 | | 1 | 2 | | | | 1 | 2 | 2 | 1 | 1 | | 1 | | | 1 | | |
| Mixed Cell Focus | X | | | | | | | X | | | | | | | | | | X | X | | | | | |
| Necrosis | 1 |
| Syncytial Alteration | 1 |
| Bile Duct, Hyperplasia | | | 2 | | | 2 | | | | 3 | 2 | | 2 | | | 1 | | | 1 | | 2 | 2 | | |
| Centrilobular, Necrosis | | | | | | | | | | | | | | | | | | | | 3 | | 1 | | |
| Intima, Vein, Hyperplasia | 5 |
| | 1 |
| Mesentery | + |
| Accessory Spleen | X |
| Hemorrhage | 2 |
| Fat, Necrosis | 4 |
| | 3 |
| | 4 |
| Oral Mucosa | + | + |
| | 49 |
| Pancreas | + | + |
| Atrophy | 3 | | 2 | 1 | | 1 | 3 | | | 3 | 1 | 1 | | | | 3 | | 1 | 2 | | 2 | 1 | 2 | 2 |
| Cyst | 3 | | | | 3 | | | 3 | 3 | | | | | | | 3 | 3 | | | 3 | 3 | | | |
| Acinus, Cytoplasmic Alteration | 3 |
| Acinus, Hyperplasia, Focal | 1 | | | 1 | | | | | | | | 2 | 1 | 3 | | | | 2 | | | | | | |
| | 9 |
| Salivary Glands | + | + |
| Atrophy | 1 |
| Necrosis | 3 |
| | 2 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 20114 - 07
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
Sodium dichromate dihydrate (VI)
CAS Number: 7789-12-0

Date Report Reqsted: 10/04/2007
Time Report Reqsted: 10:38:19
First Dose M/F: 10/02/02 / 10/02/02
Lab: SRI

| | | 0 | 0 |
|-----------------------------------|--|----------|--------|
| DAY ON TEST | | 7 | 7 | 7 | 7 | 7 | 5 | 6 | 7 | 7 | 6 | 6 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 6 | 7 | 7 | |
| | | 3 | 3 | 3 | 3 | 3 | 9 | 4 | 2 | 2 | 8 | 6 | 1 | 0 | 3 | 3 | 3 | 2 | 2 | 2 | 5 | 1 | 1 | 3 | 3 |
| | | 1 | 0 | 0 | 0 | 1 | 5 | 0 | 9 | 9 | 7 | 7 | 0 | 5 | 4 | 4 | 4 | 9 | 9 | 9 | 7 | 0 | 7 | 4 | 4 |
| | | | |
| FISCHER 344 RATS MALE | | 0 | 0 |
| ANIMAL ID | | 0 | 0 |
| 516 MG/L | | 2 | 2 |
| | | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| | | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| | | * TOTALS | |
| Stomach, Forestomach | | + | + | 49 |
| Edema | | | | | | | | | | | 2 | | | | | | | | | | | | | | 3 2.0 |
| Erosion | | | | | | | | | | | 1 | | | | | | | | | | | | | | 1 1.0 |
| Inflammation, Chronic Active | | | 1 3.0 |
| Ulcer | | | 1 3.0 |
| Epithelium, Hyperplasia | | | 1 3.0 |
| | | | |
| Stomach, Glandular | | + | + | 49 |
| Cyst | | | 1 |
| Erosion | | | 2 1.0 |
| Hyperplasia | | | | | 1 | | | 2 | | 1 | | 1 | | | 1 | | 1 | 1 | | | | 1 | | | 12 1.1 |
| Infiltration Cellular, Lymphocyte | | | | | | | | | | | | | | 2 | | | | | | | | | | | 1 2.0 |
| Glands, Dilatation | | | 2 | | 1 2.0 |
| | | | |
| Tongue | | + | + | + | + | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Fibrosis | | | 1 2.0 |
| Hemorrhage | | | 1 | | 1 1.0 |
| Hemorrhage, Chronic | | | 1 1.0 |
| Inflammation, Chronic | | | | | | | | | | 1 | | | | | | | | | | | | | | | 3 1.0 |
| Epithelium, Hyperplasia | | | 1 2.0 |
| Vein, Thrombosis | | | | | | | | | | | | | | | | | | | | 3 | | | | | 1 3.0 |
| | | | |
| Tooth | | | | | | | + | | | | | | | | | | | | | | | | | | 4 |
| Malformation | | | 1 |

CARDIOVASCULAR SYSTEM

| | |
|--------------|-------|
| Blood Vessel | 3 |
| Dilatation | 1 3.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

Page 86

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

CAS Number: 7789-12-0

2) Mild 4) Marked

Lab: SRI

2) Mild 4) Marked

CAS Number: 7789-12-0

2) Mild 4) Marked

CAS Number: 7789-12-0

2) Mild 4) Marked

TDMS No. 20114 - 07
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
Sodium dichromate dihydrate (VI)
CAS Number: 7789-12-0

Date Report Requested: 10/04/2007
Time Report Requested: 10:38:19
First Dose M/F: 10/02/02 / 10/02/02
Lab: SRI

| DAY ON TEST | 0 |
|------------------------------------|
| | 7 | 7 | 7 | 7 | 7 | 5 | 6 | 7 | 7 | 6 | 6 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 6 | 7 | 7 | 7 | 7 |
| FISCHER 344 RATS MALE
ANIMAL ID | 3 | 3 | 3 | 3 | 3 | 9 | 4 | 2 | 2 | 8 | 6 | 1 | 0 | 3 | 3 | 3 | 2 | 2 | 2 | 5 | 1 | 1 | 3 | 3 | 3 |
| | 1 | 0 | 0 | 0 | 1 | 5 | 0 | 9 | 9 | 7 | 7 | 0 | 5 | 4 | 4 | 4 | 9 | 9 | 9 | 7 | 0 | 7 | 4 | 4 | 4 |
| 516 MG/L | 0 |
| | 0 |
| * TOTALS | 2 |
| | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | 5 |
| | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 0 |
| |

Skeletal Muscle Atrophy 1 1 1.0

NERVOUS SYSTEM

| | |
|------------------|-------|
| Brain | + | 49 |
| Compression | 3 3.3 |
| Hydrocephalus | 1 2.0 |
| Peripheral Nerve | | + | | 5 |
| Spinal Cord | + | | 5 |

RESPIRATORY SYSTEM

| | |
|-----------------------------------|--------|
| Larynx | 1 |
| Lung | + | 49 |
| Foreign Body | 1 |
| Hemorrhage | 8 1.4 |
| Infiltration Cellular, Histiocyte | | 33 1.1 |
| Inflammation, Suppurative | 1 1.0 |
| Inflammation, Chronic | 1 3.0 |
| Metaplasia, Osseous | 1 1.0 |
| Alveolar Epithelium, Hyperplasia | 5 1.4 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
x .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically
1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked
Page 91

Date Report Requested: 10/04/2007
Time Report Requested: 10:38:19
First Dose M/F: 10/02/02 / 10/02/02
Lab: SR|

2) Mild 4) Marked

Date Report Requested: 10/04/2007
Time Report Requested: 10:38:19
First Dose M/F: 10/02/02 / 10/02/02
Lab: SR|

CAS Number: 7789-12-0

*** END OF MALE DATA ***

2) Mild 4) Marked

TDMS No. 20114 - 07
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
Sodium dichromate dihydrate (VI)
CAS Number: 7789-12-0

Date Report Reqsted: 10/04/2007
Time Report Reqsted: 10:38:19
First Dose M/F: 10/02/02 / 10/02/02
Lab: SRI

| | |
|--|---|
| DAY ON TEST | 0 |
| | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 4 | 7 | 5 | 7 | 7 | 6 | 7 | 6 | 6 | 7 | 7 | 7 | 7 | 6 | 7 | 7 |
| | 0 | 0 | 3 | 3 | 8 | 3 | 3 | 3 | 8 | 3 | 8 | 3 | 3 | 8 | 3 | 1 | 1 | 3 | 3 | 3 | 3 | 5 | 3 | 0 |
| | 0 | 7 | 7 | 6 | 9 | 7 | 7 | 7 | 9 | 7 | 0 | 7 | 7 | 9 | 7 | 8 | 8 | 6 | 6 | 6 | 5 | 4 | 5 | 0 |
| FISCHER 344 RATS FEMALE
0 MG/L
ANIMAL ID | 0 |
| | 0 |
| | 2 |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 |
| females (cont...) |

ALIMENTARY SYSTEM

| | |
|--|---|
| Esophagus | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Cecum
Edema | + | + | + | A | + | + | + | + | A | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Colon | + | + | + | A | + |
| Intestine Large, Rectum | + | + | + | A | + |
| Intestine Small, Duodenum | + | + | + | A | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Ileum
Lymphoid Tissue, Hyperplasia | + | + | + | A | + | + | + | + | + | + | A | + | + | + | + | M | + | + | + | + | + | + | + | + |
| Intestine Small, Jejunum | + | + | + | A | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Liver | + |
| Angiectasis | | 2 | |
| Basophilic Focus | X | X | X | | | X | X | X | | X | X | X | X | X | X | X | | X | X | X | X | X | X | X |
| Clear Cell Focus | | | | | | | | | | | | | | | | | | X | | | | | | |
| Eosinophilic Focus | | X | | | | | | | | | | | X | X | | | | | | | | X | | |
| Fatty Change | | | | | 4 | | | | | | | | | | | | | | | | | | | |
| Hematopoietic Cell Proliferation | 1 | | |
| Hepatodiaphragmatic Nodule | | | | | | | | | X | | | | | | X | | | | | | | X | | |
| Infiltration Cellular, Histiocyte |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

l .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Page 94

TDMS No. 20114 - 07
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Sodium dichromate dihydrate (VI)

CAS Number: 7789-12-0

Date Report Requested: 10/04/2007
 Time Report Requested: 10:38:19
 First Dose M/F: 10/02/02 / 10/02/02
 Lab: SRI

| | DAY ON TEST | |
|---|-------------|
| | 0 | 0 |
| | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 4 | 7 | 5 | 7 | 7 | 6 | 7 | 6 | 6 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 |
| | 0 | 0 | 3 | 3 | 8 | 3 | 3 | 3 | 8 | 3 | 8 | 3 | 3 | 8 | 3 | 1 | 1 | 3 | 3 | 3 | 3 | 5 | 3 | 0 | 3 |
| | 0 | 7 | 7 | 6 | 9 | 7 | 7 | 7 | 9 | 7 | 0 | 7 | 7 | 9 | 7 | 8 | 8 | 6 | 6 | 6 | 5 | 4 | 5 | 0 | 5 |
| FISCHER 344 RATS FEMALE
0 MG/L | ANIMAL ID |
| | 0 | 0 |
| | 0 | 0 |
| | 2 | 2 |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |
| Inflammation, Chronic | | 1 | 1 | | | | | 1 | | | | | | | 1 | | | | | 1 | | | | | |
| Mixed Cell Focus | | X | | | | | | | | | | X | | X | | | | | X | X | | | X | X | |
| Necrosis | 1 | | | | | | | | | | | | | | | | | | 1 | | | | | | |
| Bile Duct, Hyperplasia | | | | | | | | | | | | | | | | 2 | | | 2 | | | | | | |
| Centrilobular, Necrosis | | | | | 2 | 2 | | | | | | | | | | | | | | | | 3 | | 1 | |
| Kupffer Cell, Pigmentation | | | | | 2 | |
| Mesentery | | | | | | | | + | | | | | + | + | + | | | | | | | + | | | |
| Fat, Necrosis | | | | | | | | 2 | | | | | 3 | 3 | 3 | | | | | | | 3 | | | |
| Oral Mucosa | + | + |
| Pancreas | + | + |
| Atrophy | | 1 | | | | |
| Cyst | | | | | | | | | | | | | | | | 3 | | | | | | | | | 2 |
| Acinus, Hyperplasia, Focal | | | | | | | | | | 1 | | | | | | | | | | | | | | | |
| Salivary Glands | + | + |
| Atrophy | | | | | | | | 1 | | | | | | 1 | | | | 1 | 3 | 1 | 1 | | | | |
| Stomach, Forestomach | + | + |
| Edema | |
| Ulcer | | | | | 4 | |
| Epithelium, Hyperplasia | |
| Stomach, Glandular | + | + |
| Erosion | 2 | | | 3 | |
| Hyperplasia | | | | | | | | | | | | | | | 1 | | | | 1 | | | | | | |
| Ulcer | | 2 | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

Page 95

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 20114 - 07
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
Sodium dichromate dihydrate (VI)
CAS Number: 7789-12-0

Date Report Requested: 10/04/2007
Time Report Requested: 10:38:19
First Dose M/F: 10/02/02 / 10/02/02
Lab: SRI

| | |
|--|---|
| DAY ON TEST | 0 |
| | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 4 | 7 | 5 | 7 | 7 | 6 | 7 | 6 | 6 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 |
| | 0 | 0 | 3 | 3 | 8 | 3 | 3 | 3 | 8 | 3 | 8 | 3 | 3 | 8 | 3 | 1 | 1 | 3 | 3 | 3 | 3 | 5 | 3 | 0 | 3 |
| | 0 | 7 | 7 | 6 | 9 | 7 | 7 | 7 | 9 | 7 | 0 | 7 | 7 | 9 | 7 | 8 | 8 | 6 | 6 | 6 | 5 | 4 | 5 | 0 | 5 |
| | |
| FISCHER 344 RATS FEMALE
0 MG/L
ANIMAL ID | 0 |
| | 0 |
| | 2 |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |
| females (cont...) |

| |
|-------------------------|
| Tongue | + | + | + | + | + | + | I | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Inflammation, Chronic | | 1 | | | | | | 1 | | | | | | 1 | 1 | | | | 1 | | 1 | | | | |
| Epithelium, Hyperplasia | |

CARDIOVASCULAR SYSTEM

| |
|----------------|
| Heart | + |
| Cardiomyopathy | | 3 | | 3 | | 2 | 1 | | | 2 | 1 | | | 2 | 1 | | | 2 | | 1 | 2 | | 1 | 1 | 1 |
| Thrombosis | | | | 3 | |

ENDOCRINE SYSTEM

| |
|-----------------------------------|
| Adrenal Cortex | + |
| Accessory Adrenal Cortical Nodule | | 3 | | | | | | | 3 | | | 3 | | | | 3 | | | | 3 | | | | | |
| Angiectasis | 4 | | | |
| Degeneration, Fatty | | 1 | | 2 | | | | | | | | | 2 | | | | | | | | 3 | | 1 | 4 | |
| Hyperplasia, Focal | | | | | | | | | | | 2 | | | | | | | | | | | | | | |
| Hypertrophy |
| Hypertrophy, Focal | | | | | | | | | 1 | | | | | | | | | | | | | 1 | | | |
| Necrosis | | | | 1 | 2 | |

| |
|-----------------|
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + |
| Hyperplasia | | 1 | |

| |
|--------------------|
| Islets, Pancreatic | + |
|--------------------|

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

Page 96

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 20114 - 07
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
Sodium dichromate dihydrate (VI)
CAS Number: 7789-12-0

Date Report Reqsted: 10/04/2007
Time Report Reqsted: 10:38:19
First Dose M/F: 10/02/02 / 10/02/02
Lab: SRI

| | | |
|-----------------------------------|--|-------------------|
| | | 0 | 0 |
| DAY ON TEST | | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 4 | 7 | 5 | 7 | 7 | 6 | 7 | 6 | 6 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 |
| | | 0 | 0 | 3 | 3 | 8 | 3 | 3 | 3 | 8 | 3 | 8 | 3 | 3 | 8 | 3 | 1 | 1 | 3 | 3 | 3 | 3 | 5 | 3 | 0 | 3 |
| | | 0 | 7 | 7 | 6 | 9 | 7 | 7 | 7 | 9 | 7 | 0 | 7 | 7 | 9 | 7 | 8 | 8 | 6 | 6 | 6 | 5 | 4 | 5 | 0 | 5 |
| | | |
| FISCHER 344 RATS FEMALE | | 0 | 0 | |
| ANIMAL ID | | 0 | 0 | |
| 0 MG/L | | 2 | 2 | |
| | | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |
| | | females (cont...) | |
| Parathyroid Gland | | + | + | M | + | + | |
| | | |
| Pituitary Gland | | + | + | |
| Pars Distalis, Angiectasis | | | | | 4 | | | | | | | | | | | 1 | | 3 | 4 | 2 | 4 | | | | 4 | |
| Pars Distalis, Cyst | | | | | 3 | | 3 | | | | | 3 | 3 | | | 3 | | 3 | | | 3 | | 3 | 3 | | |
| Pars Distalis, Hyperplasia, Focal | | | | 2 | | | 2 | | | | 3 | | 2 | | | | | | | 2 | | | | | | |
| Pars Intermedia, Angiectasis | | |
| Pars Intermedia, Cyst | | | 3 | | |
| | | |
| Thyroid Gland | | + | + | |
| C-cell, Hyperplasia | | | 2 | | | 1 | | 1 | 1 | | 1 | | | | 1 | 2 | | 2 | 2 | 2 | 3 | 1 | 1 | 1 | 2 | |
| | | |
| GENERAL BODY SYSTEM | | |
| NONE | | |
| | | |
| GENITAL SYSTEM | | |
| | | |
| Clitoral Gland | | + | + | |
| Cyst | | | | | | | | | | 3 | | | | | | | | | | | | 3 | | | | |
| Hyperplasia | | | | | | | | 2 | | | | | 1 | | | | | | | | | | | | | |
| Inflammation, Chronic | | | | | | | | 2 | | | | | | | | | | | | | | | | | | |
| | | |
| Ovary | | M | + | |
| Cyst | | 3 | | | | | | | | | | | 3 | | | | | 3 | 3 | | | | | | | |
| | | |
| Uterus | | M | + | |
| Hyperplasia, Cystic | | | | | | | | | | | | | | 1 | | | | | | 4 | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Page 97

TDMS No. 20114 - 07
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
Sodium dichromate dihydrate (VI)
CAS Number: 7789-12-0

Date Report Requested: 10/04/2007
Time Report Requested: 10:38:19
First Dose M/F: 10/02/02 / 10/02/02
Lab: SRI

| | | |
|--|--|---|
| DAY ON TEST | | 0 | |
| | | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 4 | 7 | 5 | 7 | 7 | 6 | 7 | 6 | 6 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 |
| | | 0 | 0 | 3 | 3 | 8 | 3 | 3 | 3 | 8 | 3 | 8 | 3 | 3 | 8 | 3 | 1 | 1 | 3 | 3 | 3 | 3 | 5 | 3 | 0 | 3 |
| | | 0 | 7 | 7 | 6 | 9 | 7 | 7 | 7 | 9 | 7 | 0 | 7 | 7 | 9 | 7 | 8 | 8 | 6 | 6 | 6 | 5 | 4 | 5 | 0 | 5 |
| | | |
| FISCHER 344 RATS FEMALE
ANIMAL ID
0 MG/L | | 0 | |
| | | 0 | |
| | | 2 | |
| | | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |
| females (cont...) | | |

Vagina
Angiectasis

+

+

+

+

HEMATOPOIETIC SYSTEM

Bone Marrow
Hyperplasia
Infiltration Cellular, Histiocyte

+
3 3 3 3 3
4

Lymph Node
Hemorrhage
Deep Cervical, Hemorrhage
Mediastinal, Hemorrhage
Mediastinal, Hyperplasia, Lymphoid
Mediastinal, Pigmentation

+ + + + +
2
4 1
2
4 2

Lymph Node, Mandibular

M M M M M + M M M M M M M + M M M M M M M M M

Lymph Node, Mesenteric
Hemorrhage
Infiltration Cellular, Histiocyte

+
1 1
2 2 2 2 1 2 3 1 1

Lymph Node, Pancreatic
Hemorrhage
Infiltration Cellular, Histiocyte
Pigmentation

M M + M + + M M + + M M + M + M + + M M + + + + + +
2 3 3
1 1 2 2 2 2 2

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
x .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically
1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked
Page 98

TDMS No. 20114 - 07
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
Sodium dichromate dihydrate (VI)
CAS Number: 7789-12-0

Date Report Reqsted: 10/04/2007
Time Report Reqsted: 10:38:19
First Dose M/F: 10/02/02 / 10/02/02
Lab: SRI

| | | 0 | 0 | |
|----------------------------------|--|-------|----------------------|---|
| DAY ON TEST | | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 4 | 7 | 5 | 7 | 7 | 6 | 7 | 6 | 6 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 6 | 7 | 7 |
| | | 0 | 0 | 3 | 3 | 8 | 3 | 3 | 3 | 8 | 3 | 8 | 3 | 3 | 8 | 3 | 1 | 1 | 3 | 3 | 3 | 3 | 5 | 3 | 0 | 3 | | | |
| | | 0 | 7 | 7 | 6 | 9 | 7 | 7 | 7 | 9 | 7 | 0 | 7 | 7 | 9 | 7 | 8 | 8 | 6 | 6 | 6 | 6 | 5 | 4 | 5 | 0 | 5 | | |
| | | | | |
| FISCHER 344 RATS FEMALE | | 0 | 0 | |
| ANIMAL ID | | 0 | 0 | |
| 0 MG/L | | 2 | 2 | |
| | | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | | females
(cont...) | |
| Spleen | | + | + | |
| Hematopoietic Cell Proliferation | | 4 | 3 | 1 | | | 2 | 2 | 2 | | 2 | 2 | 2 | 2 | | 1 | 4 | | 2 | | | 2 | 4 | 2 | | | | | |
| Pigmentation | | | 3 | 3 | | | | | | 3 | 3 | | 3 | 3 | | | | | | 3 | | | 3 | | 3 | | 3 | | |
| | | | | |
| Thymus | | + | + | |
| | | | | |
| INTEGUMENTARY SYSTEM | | | | |
| | | | | |
| Mammary Gland | | + | + | |
| Hyperplasia | | 2 | 4 | 4 | 3 | 3 | 1 | 3 | 4 | 3 | 3 | 2 | 4 | 4 | 4 | 4 | 4 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 3 | 4 | | | |
| | | | | |
| Skin | | + | + | |
| Cyst Epithelial Inclusion | | | | |
| | | | | |
| MUSCULOSKELETAL SYSTEM | | | | |
| | | | | |
| Bone | | + | + | |
| | | | | |
| NERVOUS SYSTEM | | | | |
| | | | | |
| Brain | | + | + | |
| Compression | | 4 | 3 | | | | | | | 2 | | | | 4 | | | | | | | | | | | | | 3 | | |
| Hemorrhage | | | | | | | | | | 2 | | | | | | | | | | | | | | | | | | | |
| | | | | |
| RESPIRATORY SYSTEM | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Page 99

CAS Number: 7789-12-0

females
(cont...)

2) Mild 4) Marked

TDMS No. 20114 - 07
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
Sodium dichromate dihydrate (VI)
CAS Number: 7789-12-0

Date Report Reqsted: 10/04/2007
Time Report Reqsted: 10:38:19
First Dose M/F: 10/02/02 / 10/02/02
Lab: SRI

| | |
|--------------------------------------|----------------------|
| DAY ON TEST | 0 |
| | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 4 | 7 | 5 | 7 | 7 | 6 | 7 | 6 | 6 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 |
| | 0 | 0 | 3 | 3 | 8 | 3 | 3 | 3 | 8 | 3 | 8 | 3 | 3 | 8 | 3 | 1 | 1 | 3 | 3 | 3 | 3 | 5 | 3 | 0 | 3 |
| | 0 | 7 | 7 | 6 | 9 | 7 | 7 | 7 | 9 | 7 | 0 | 7 | 7 | 9 | 7 | 8 | 8 | 6 | 6 | 6 | 5 | 4 | 5 | 0 | 5 |
| | |
| FISCHER 344 RATS FEMALE
ANIMAL ID | 0 |
| | 0 |
| | 2 |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |
| 0 MG/L | |
| | females
(cont...) |

URINARY SYSTEM

| | |
|---|---|
| Kidney | + |
| Infarct | | | | | | | | | | | | | | | | 2 | | | | | | | | 4 | |
| Inflammation, Chronic | | | | | | | | | | | | | | | | 2 | | | | | | | | | |
| Nephropathy | 1 | | 1 | | | 1 | 1 | | | 1 | 1 | 1 | 1 | | | 1 | | 1 | 1 | | 1 | 1 | | 1 | |
| Renal Tubule, Accumulation, Hyaline Droplet | | | | | | | | | | | | | 3 | | | | | 2 | | 3 | | 4 | 3 | | |
| Renal Tubule, Necrosis | 4 | | | | 3 | | | | | | | | | | | | | | | | | | | 2 | |
| Renal Tubule, Pigmentation | | | | | | | | | | | | | 2 | | | | | | | | | | | | |
| Transitional Epithelium, Hyperplasia | | | | | | | | | | | | | | | | 2 | | | | | | | | 2 | |
| Urinary Bladder | M | + |

CAS Number: 7789-12-0

2) Mild 4) Marked

TDMS No. 20114 - 07
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
Sodium dichromate dihydrate (VI)
CAS Number: 7789-12-0

Date Report Requested: 10/04/2007
Time Report Requested: 10:38:19
First Dose M/F: 10/02/02 / 10/02/02
Lab: SRI

| DAY ON TEST | | 0 | 0 |
|-----------------------------------|--|----------|--------|
| | | 5 | 6 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 6 | 7 | 7 | 6 | 7 | 7 | 7 |
| FISCHER 344 RATS FEMALE
0 MG/L | | 7 | 3 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 9 | 2 | 3 | 3 | 1 | 3 | 3 | 2 | 3 | 3 | 3 | 3 |
| | | 5 | 1 | 7 | 7 | 7 | 6 | 6 | 4 | 6 | 6 | 7 | 7 | 7 | 7 | 5 | 1 | 7 | 7 | 8 | 7 | 5 | 3 | 5 | 5 | 5 |
| | | | |
| ANIMAL ID | | 0 | 0 |
| | | 0 | 0 |
| | | 2 | 2 | 3 |
| | | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| | | * TOTALS | |
| Parathyroid Gland | | + | + | M | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | 46 |
| Pituitary Gland | | + | + | 50 |
| Pars Distalis, Angiectasis | | | | | 2 | 4 | | | | | | | | | | | 4 | | | | | | | | 2 | 11 3.1 |
| Pars Distalis, Cyst | | | | | | | | 3 | 3 | | | 3 | | | | 3 | | | | 3 | 3 | | | 3 | 3 | 18 3.0 |
| Pars Distalis, Hyperplasia, Focal | | | | | | | | 3 | | | | | 3 | | | | | | | | | | | 2 | 3 | 9 2.4 |
| Pars Intermedia, Angiectasis | | | | | | | | | | | | | | | 2 | | | | | | | | | | | 1 2.0 |
| Pars Intermedia, Cyst | | | 1 3.0 |
| Thyroid Gland | | + | + | 50 |
| C-cell, Hyperplasia | | | | 2 | 1 | 1 | | | 2 | 2 | 1 | | | 3 | 1 | 2 | | 2 | | 2 | | | 3 | 1 | | 28 1.6 |

GENERAL BODY SYSTEM
NONE

GENITAL SYSTEM

| | |
|-----------------------|-------|
| Clitoral Gland | + | 50 |
| Cyst | 2 3.0 |
| Hyperplasia | | | | | | | 2 | | | | | | 2 | | | | | | | | | | | | | 4 1.8 |
| Inflammation, Chronic | | | | | | | 3 | | | | | | | | | | | 2 | | | | | | | | 3 2.3 |
| Ovary | + | 49 |
| Cyst | | | | | | | | | | 3 | | | | | | | 3 | 3 | | | | 3 | 3 | | | 9 3.0 |
| Uterus | + | 49 |
| Hyperplasia, Cystic | | | | | | | | 3 | | | 3 | | | | 2 | | | | | | | | | | | 5 2.6 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Page 105

CAS Number: 7789-12-0

2) Mild 4) Marked

TDMS No. 20114 - 07
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
Sodium dichromate dihydrate (VI)
CAS Number: 7789-12-0

Date Report Requested: 10/04/2007
Time Report Requested: 10:38:19
First Dose M/F: 10/02/02 / 10/02/02
Lab: SRI

| DAY ON TEST | | 0 | 0 | |
|--|--|----------|
| | | 5 | 6 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 6 | 7 | 7 | 6 | 7 | 7 | 7 |
| | | 7 | 3 | 3 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 9 | 2 | 3 | 3 | 1 | 3 | 3 | 2 | 3 | 3 | 3 |
| | | 5 | 1 | 7 | 7 | 7 | 6 | 6 | 4 | 6 | 6 | 7 | 7 | 7 | 7 | 5 | 1 | 7 | 7 | 8 | 7 | 5 | 3 | 5 | 5 | 5 |
| | | |
| FISCHER 344 RATS FEMALE
0 MG/L
ANIMAL ID | | 0 | 0 | |
| | | 0 | 0 | |
| | | 2 | 2 | 3 | |
| | | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| | | * TOTALS | |

| | |
|-------------------------------------|--------|
| Lung | + | 50 |
| Hemorrhage | 1 | 2 1.5 |
| Infiltration Cellular, Histiocyte | | | | 1 | 1 | 2 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 1 | 1 | 1 | 1 | | 1 | 2 | 2 | 1 | 2 | 1 | 45 1.4 |
| Inflammation, Chronic | | | | | | | | | | | | | | | | | | 2 | | | | | | | | 2 1.5 |
| Alveolar Epithelium, Hyperplasia | | | | | | | | | | 1 | | | 2 | | | | | | | | | | | | | 11 1.6 |
| | |
| Nose | + | 50 |
| Foreign Body | | | | | | | | | | | | | | | X | | | X | | | | X | | | | 3 |
| Inflammation, Chronic | | | | | | | | | | | | | | 1 | | | | | | | | 2 | | | | 3 1.3 |
| Respiratory Epithelium, Hyperplasia | | 1 1.0 |
| | |
| Trachea | + | 50 |

SPECIAL SENSES SYSTEM

| | |
|----------------------|-------|
| Eye | + | 50 |
| Cataract | | | | | | | | | | | | | | | 3 | | | 3 | | | | | | | | 2 3.0 |
| Retina, Degeneration | | | | | | | | | | | | | | | 4 | | | 3 | | | | | | | | 4 2.8 |
| | |
| Harderian Gland | + | 50 |
| | |
| Lacrimal Gland | | | | | | | | | | | | | | | | | | + | | | | | | | | 1 |
| | |
| Zymbal's Gland | | | | | | | | | | | | | | | | | | + | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

l .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

Page 108

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

2) Mild 4) Marked

TDMS No. 20114 - 07
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Sodium dichromate dihydrate (VI)

CAS Number: 7789-12-0

Date Report Requested: 10/04/2007
 Time Report Requested: 10:38:19
 First Dose M/F: 10/02/02 / 10/02/02
 Lab: SRI

| DAY ON TEST | | 0 | 0 | | |
|--------------------------------------|--|-------------------|--|
| | | 7 | 6 | 6 | 7 | 6 | 7 | 6 | 6 | 6 | 7 | 4 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 6 | 7 | | |
| | | 3 | 5 | 8 | 3 | 1 | 3 | 3 | 0 | 4 | 3 | 6 | 1 | 3 | 3 | 3 | 3 | 3 | 3 | 1 | 6 | 3 | 3 | 3 | 6 | 3 | |
| | | 4 | 7 | 9 | 4 | 8 | 7 | 2 | 5 | 6 | 7 | 1 | 0 | 5 | 5 | 5 | 6 | 6 | 6 | 8 | 0 | 5 | 5 | 2 | 7 | 5 | |
| FISCHER 344 RATS FEMALE
14.3 MG/L | | | |
| | | 0 | 0 | | |
| | | 0 | 0 | | |
| | | 3 | 3 | | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | | |
| ANIMAL ID | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | |
| | | females (cont...) | |

ALIMENTARY SYSTEM

| | |
|--|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + |
| Intestine Large, Cecum
Edema | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | I | + | + | + | + | + |
| Intestine Small, Duodenum | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Ileum
Lymphoid Tissue, Hyperplasia | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + |
| | | | | 2 | 2 | | | | | | | | 2 | | | | | 1 | | 2 | | 2 | | | |
| Intestine Small, Jejunum | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + |
| Liver | + |
| Angiectasis | |
| Basophilic Focus | X | X | | X | X | X | | | X | X | X | | X | X | X | X | X | X | | X | X | X | X | X | X |
| Clear Cell Focus | | | | | | X | | | | X | | | | | | | | | | | | | | | |
| Eosinophilic Focus | | | | | X | | | | | | | | | X | | X | | | | | X | | X | | |
| Fatty Change | | | | 4 | | | | 4 | 4 | | | | 4 | | | | | | 3 | | | | | | |
| Hematopoietic Cell Proliferation | | | | 1 | | 2 |
| Hemorrhage | |
| Hepatodiaphragmatic Nodule |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

Page 110

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 20114 - 07
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Sodium dichromate dihydrate (VI)

CAS Number: 7789-12-0

Date Report Requested: 10/04/2007
 Time Report Requested: 10:38:19
 First Dose M/F: 10/02/02 / 10/02/02
 Lab: SRI

| DAY ON TEST | | 0 | 0 | | |
|--------------------------------------|--|-----------|----------------------|---|
| | | 7 | 6 | 6 | 7 | 6 | 7 | 6 | 6 | 6 | 7 | 4 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 6 | 7 | |
| | | 3 | 5 | 8 | 3 | 1 | 3 | 3 | 0 | 4 | 3 | 6 | 1 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 1 | 6 | 3 | 3 | 3 | 6 | 3 |
| | | 4 | 7 | 9 | 4 | 8 | 7 | 2 | 5 | 6 | 7 | 1 | 0 | 5 | 5 | 5 | 6 | 6 | 6 | 8 | 0 | 5 | 5 | 2 | 7 | 5 | |
| FISCHER 344 RATS FEMALE
14.3 MG/L | | ANIMAL ID | | females
(cont...) | |
| | | 0 | 0 | | 0 |
| | | 0 | 0 | | 0 |
| | | 3 | 3 | | 3 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | | 2 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | |
| Infiltration Cellular, Histiocyte | | | 1 | | | | | | | | | | | | 1 | | | | 1 | | | | | | | | |
| Inflammation, Chronic | | | 1 | | 2 | | 1 | | | | 1 | | | 1 | | 1 | 1 | 1 | | | 1 | 1 | 1 | | | | |
| Mixed Cell Focus | | X | | | | | | | | | X | | | | | | | | | | | X | | | | | |
| Necrosis | | 1 | | | | | 1 | 2 | | | | | | | | | | | | | 1 | | | | | | |
| Regeneration | | | | | | | | | | | | | | | | | | | | | X | | | | | | |
| Centrilobular, Necrosis | | | | 1 | | | | | | 3 | | | | | | | | | | | | | | | | | |
| Kupffer Cell, Pigmentation | | | | | | | | | | | | | | | | | | | | 2 | | | | | | | |
| Mesentery | | | | + | + | | | | | | | + | | | | | | | | | | | | + | | | |
| Accessory Spleen | | | | |
| Fat, Necrosis | | | | 3 | 3 | | | | | | | 4 | | | | | | | | | | | 3 | | | | |
| Oral Mucosa | | + | + | |
| Pancreas | | + | + | |
| Atrophy | | | | 3 | | | | | | | 4 | | | | | | | | 1 | | | 1 | | 2 | | | |
| Cyst | | | | | | | | | | 3 | | | | 3 | | | | | | | | | | | | | |
| Salivary Glands | | + | + | |
| Atrophy | | 1 | | | | | | | | | | | | | 1 | | | | | | | | 1 | | | | |
| Fibrosis | | | | | | | | 1 | | | | | | | | | | | | | | | | | | | |
| Vacuolization Cytoplasmic | | | | | | | | | | | | 2 | | | | | | | | | | | | | | | |
| Stomach, Forestomach | | + | + | |
| Edema | | | 2 | | | | |
| Ulcer | | | | | | | | 3 | | | | | | | | | | | | | | | | | | | |
| Epithelium, Hyperplasia | | | | | | | | 2 | | | | | | | | | | | | | | | | | | | |
| Stomach, Glandular | | + | + | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 20114 - 07
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
Sodium dichromate dihydrate (VI)
CAS Number: 7789-12-0

Date Report Requested: 10/04/2007
Time Report Requested: 10:38:19
First Dose M/F: 10/02/02 / 10/02/02
Lab: SRI

| | | | | |
|---|--|---|----------------------|--|
| DAY ON TEST | | 0 | 0 | | | |
| | | 7 | 6 | 6 | 7 | 6 | 7 | 6 | 6 | 6 | 7 | 4 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 6 | 7 | | | |
| | | 3 | 5 | 8 | 3 | 1 | 3 | 3 | 0 | 4 | 3 | 6 | 1 | 3 | 3 | 3 | 3 | 3 | 3 | 1 | 6 | 3 | 3 | 3 | 6 | 3 | | |
| | | 4 | 7 | 9 | 4 | 8 | 7 | 2 | 5 | 6 | 7 | 1 | 0 | 5 | 5 | 5 | 6 | 6 | 6 | 8 | 0 | 5 | 5 | 2 | 7 | 5 | | |
| FISCHER 344 RATS FEMALE
14.3 MG/L
ANIMAL ID | | | | |
| | | 0 | 0 | | | |
| | | 0 | 0 | | | |
| | | 3 | 3 | | | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | | | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | females
(cont...) | |
| Erosion | | 2 | | |
| Hyperplasia | | 1 | | |
| Ulcer | | 3 | | |
| | | 1 | | |
| | | | | |
| Tongue | | + + + + + + + + + + + + + + + M + + + + + + + + | | |
| Hemorrhage | | 1 | | |
| Inflammation, Chronic | | 1 | | |
| Epithelium, Hyperplasia | | 4 | | |
| | | | | |
| Tooth | | | | |

CARDIOVASCULAR SYSTEM

| | | |
|-----------------------|--|--|
| Heart | + | | |
| Cardiomyopathy | 1 | | | 3 | | 3 | 2 | 2 | 2 | 1 | | | 2 | | 1 | 3 | 2 | 1 | 2 | | 3 | 2 | 1 | | 3 | | |
| Inflammation, Chronic | | |
| Thrombosis | 3 | | |

ENDOCRINE SYSTEM

| |
|-----------------------------------|
| Adrenal Cortex | + |
| Accessory Adrenal Cortical Nodule | | | | 3 | 3 | | | | | | | | | | | 3 | | | | | 3 | 3 | | | | |
| Angiectasis | | | | | | | | | 3 | | | | | | | | | | | | | | | | | |
| Degeneration, Fatty | | | | 1 | 2 | | | 3 | | | | 4 | 1 | | 1 | 3 | | 3 | | | | 2 | | | | |
| Hyperplasia, Focal | | | | | | | | | | | | | 1 | | | 3 | | 2 | | | | | | | 2 | |
| Hypertrophy, Focal | | | | 1 | | 1 | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

l .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

Page 112

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 20114 - 07
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
Sodium dichromate dihydrate (VI)
CAS Number: 7789-12-0

Date Report Requested: 10/04/2007
Time Report Requested: 10:38:19
First Dose M/F: 10/02/02 / 10/02/02
Lab: SRI

| | | 0 | 0 | |
|-----------------------------------|--|----|----------------------|
| DAY ON TEST | | 7 | 6 | 6 | 7 | 6 | 7 | 6 | 6 | 6 | 7 | 4 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 6 | 7 | | |
| | | 3 | 5 | 8 | 3 | 1 | 3 | 3 | 0 | 4 | 3 | 6 | 1 | 3 | 3 | 3 | 3 | 3 | 3 | 1 | 6 | 3 | 3 | 3 | 6 | 3 | |
| | | 4 | 7 | 9 | 4 | 8 | 7 | 2 | 5 | 6 | 7 | 1 | 0 | 5 | 5 | 5 | 6 | 6 | 6 | 8 | 0 | 5 | 5 | 2 | 7 | 5 | |
| | | | |
| FISCHER 344 RATS FEMALE | | 0 | 0 | | |
| 14.3 MG/L | | 0 | 0 | | |
| ANIMAL ID | | 3 | 3 | | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | females
(cont...) |
| Adrenal Medulla | | + | + | | |
| Hyperplasia | | 32 | |
| Islets, Pancreatic | | + | + | | |
| Parathyroid Gland | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | M | + | + | + | + | | |
| Hyperplasia | | | |
| Pituitary Gland | | + | + | | |
| Pars Distalis, Angiectasis | | 3 | | | | | | | | 2 | | | | | | | | | | | | 2 | | | | | |
| Pars Distalis, Cyst | | | | 3 | | | | | 3 | 3 | 3 | | | 3 | | | 3 | | | | | | | 3 | 3 | | |
| Pars Distalis, Hyperplasia, Focal | | 3 | | | | | | | | | | | 1 | | | | | | | | | 2 | 2 | | | | |
| Pars Intermedia, Angiectasis | | | | | | | | | | | | | | | | | | 3 | | | | | | | | | |
| Pars Intermedia, Cyst | | | | | | | | | 3 | | | | | | | | | | | | | | | 3 | | | |
| Thyroid Gland | | + | + | | |
| C-cell, Hyperplasia | | | | 2 | 1 | 1 | 2 | | 1 | | 1 | | | 1 | | 2 | 3 | 1 | 3 | | | 2 | 2 | 3 | | | |
| Follicle, Cyst | | 31 | |

GENERAL BODY SYSTEM
NONE

GENITAL SYSTEM

| |
|-----------------------|
| Clitoral Gland | + |
| Hyperplasia |
| Inflammation, Chronic | | | | | | | | | 3 | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

Page 113

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 20114 - 07
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
Sodium dichromate dihydrate (VI)
CAS Number: 7789-12-0

Date Report Reqsted: 10/04/2007
Time Report Reqsted: 10:38:19
First Dose M/F: 10/02/02 / 10/02/02
Lab: SRI

| | | | | |
|---|--|----------------------|---|---|
| DAY ON TEST | | 0 | females
(cont...) | | |
| | | 7 | 6 | 6 | 7 | 6 | 7 | 6 | 6 | 6 | 7 | 4 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 6 | | 7 | |
| | | 3 | 5 | 8 | 3 | 1 | 3 | 3 | 0 | 4 | 3 | 6 | 1 | 3 | 3 | 3 | 3 | 3 | 3 | 1 | 6 | 3 | 3 | 3 | | 6 | 3 |
| | | 4 | 7 | 9 | 4 | 8 | 7 | 2 | 5 | 6 | 7 | 1 | 0 | 5 | 5 | 5 | 6 | 6 | 6 | 8 | 0 | 5 | 5 | 2 | | 7 | 5 |
| FISCHER 344 RATS FEMALE
14.3 MG/L
ANIMAL ID | | 0 | females
(cont...) | | |
| | | 0 | | 0 | |
| | | 3 | | 3 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | | 2 | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | | 4 | 5 |

| |
|---------------------|
| Ovary | + |
| Angiectasis | | | | | | | | | 3 | | | | | | | | | | | | | | | | |
| Cyst | | | | | | | | | | | | | | 3 | | | | | 3 | | 3 | | | | |
| Uterus | + |
| Dilatation |
| Hemorrhage | | | | | | | | | | | | | | | | | | 4 | | | | | | | |
| Hyperplasia, Cystic | 1 | | | | | | | | | | | 2 | | | | | | | | | | 2 | | | |
| Vagina | | + | + | | | | + | | + | | | + | + | | | | | | + | | | | | | |

HEMATOPOIETIC SYSTEM

| |
|------------------------------------|
| Bone Marrow | + |
| Hyperplasia | | | | 4 | | | | | | | 2 | | | | | | | | 2 | | | | | |
| Myelofibrosis |
| Lymph Node | | + | | + | | + | | | | | | + | | | + | | | | + | | | | | |
| Mediastinal, Ectasia | | | | | | | | | | | | 3 | | | | | | | | | | | | |
| Mediastinal, Hemorrhage | | | | 3 | | 3 | | | | | | | | | | | | | | | | | | |
| Mediastinal, Hyperplasia, Lymphoid | | 2 | | 2 | | 3 | | | | | | | | | | | | | | | | | | |
| Mediastinal, Pigmentation | | 2 | | | | 2 | | | | | | | | | 2 | | | | | | | | | |
| Lymph Node, Mandibular | M |
| Lymph Node, Mesenteric | + |
| Hemorrhage | 1 | | | 1 | | | | | | 3 | 1 | 1 | 2 | | | 1 | | | 1 | | | | 1 | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

l .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Page 114

TDMS No. 20114 - 07
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
Sodium dichromate dihydrate (VI)
CAS Number: 7789-12-0

Date Report Requested: 10/04/2007
Time Report Requested: 10:38:19
First Dose M/F: 10/02/02 / 10/02/02
Lab: SRI

| | | | |
|---|--|---|--|
| DAY ON TEST | 0 | | | | | |
| | 7 | 6 | 6 | 7 | 6 | 7 | 6 | 6 | 6 | 7 | 4 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 6 | 7 | | | | | |
| | 3 | 5 | 8 | 3 | 1 | 3 | 3 | 0 | 4 | 3 | 6 | 1 | 3 | 3 | 3 | 3 | 3 | 3 | 1 | 6 | 3 | 3 | 3 | 6 | 3 | | | | | |
| | 4 | 7 | 9 | 4 | 8 | 7 | 2 | 5 | 6 | 7 | 1 | 0 | 5 | 5 | 5 | 6 | 6 | 6 | 8 | 0 | 5 | 5 | 2 | 7 | 5 | | | | | |
| | | | |
| FISCHER 344 RATS FEMALE
ANIMAL ID
14.3 MG/L | 0 | | | | | |
| | 0 | | | | | |
| | 3 | | | | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | | | | | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | | | | | |
| females (cont...) | | | |
| Infiltration Cellular, Histiocyte | 2 | | | | | | | | 2 | | | | | | | | 2 | | | | 1 | | 2 | | | | 1 | | 1 | |
| | | | |
| Lymph Node, Pancreatic | + | + | + | + | + | + | + | + | + | M | M | + | + | M | + | + | M | M | + | + | M | + | M | + | M | | | | | |
| Infiltration Cellular, Histiocyte | 1 | 3 | | 1 | | 3 | 2 | 4 | | | | 1 | 2 | | | 1 | | M | | 1 | | | | 1 | | | | | | |
| | | | |
| Spleen | + | | | | | |
| Fibrosis | | | | | | | | | | 3 | | | | | | | | | | | | | | | | | | | | |
| Hematopoietic Cell Proliferation | | | | | 3 | 1 | 2 | | | | 3 | 2 | 2 | | | | 1 | 3 | 2 | | | 2 | 2 | 2 | | 3 | 2 | | | |
| Necrosis | | | | | | | | | | | 3 | | | | | | | | | | | | | | | | | | | |
| Pigmentation | | 3 | | | | 3 | 2 | | | | 3 | 3 | | | 2 | | 3 | 3 | 3 | | | | 2 | 2 | 3 | | 2 | | | |
| | | | |
| Thymus | + | | | | | |

INTEGUMENTARY SYSTEM

| |
|---------------|
| Mammary Gland | + |
| Hyperplasia | 3 | 3 | 4 | 3 | 4 | 1 | 3 | 3 | 2 | 2 | 3 | 4 | 2 | 3 | 2 | 3 | 3 | 4 | 3 | 2 | 2 | 3 | 4 | 4 | 3 |
| Skin | + |
| Edema |

MUSCULOSKELETAL SYSTEM

| |
|------|
| Bone | + |
|------|

NERVOUS SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

Page 115

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 20114 - 07
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
Sodium dichromate dihydrate (VI)
CAS Number: 7789-12-0

Date Report Requested: 10/04/2007
Time Report Requested: 10:38:19
First Dose M/F: 10/02/02 / 10/02/02
Lab: SRI

| | | | | |
|---|--|----------------------|---|---|
| DAY ON TEST | | 0 | females
(cont...) | | |
| | | 7 | 6 | 6 | 7 | 6 | 7 | 6 | 6 | 6 | 7 | 4 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 6 | | 7 | |
| | | 3 | 5 | 8 | 3 | 1 | 3 | 3 | 0 | 4 | 3 | 6 | 1 | 3 | 3 | 3 | 3 | 3 | 3 | 1 | 6 | 3 | 3 | 3 | | 6 | 3 |
| | | 4 | 7 | 9 | 4 | 8 | 7 | 2 | 5 | 6 | 7 | 1 | 0 | 5 | 5 | 5 | 6 | 6 | 6 | 8 | 0 | 5 | 5 | 2 | | 7 | 5 |
| FISCHER 344 RATS FEMALE
14.3 MG/L
ANIMAL ID | | 0 | females
(cont...) | | |
| | | 0 | | 0 | |
| | | 3 | | 3 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | | 2 | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | | 4 | 5 |

Brain
Compression
Hemorrhage

+
4 3 4 1 2 4 3 3 3 3

Peripheral Nerve

Spinal Cord

RESPIRATORY SYSTEM

Lung
Hemorrhage
Infiltration Cellular, Histiocyte
Inflammation, Chronic
Alveolar Epithelium, Hyperplasia

+
2 1 1 1 1 1 2 1 3 2 2 1 1 1 2 2 1 1 1 1 2 1 2 2
2 1

Nose
Foreign Body
Inflammation, Chronic
Nasolacrimal Duct, Cyst
Respiratory Epithelium, Hyperplasia

+
X
2

Trachea

+ +

SPECIAL SENSES SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
x .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

Page 116

TDMS No. 20114 - 07
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
Sodium dichromate dihydrate (VI)
CAS Number: 7789-12-0

Date Report Reqsted: 10/04/2007
Time Report Reqsted: 10:38:19
First Dose M/F: 10/02/02 / 10/02/02
Lab: SRI

| | | | |
|---|--|-------------------|--|
| DAY ON TEST | | 0 | 0 | | |
| | | 7 | 6 | 6 | 7 | 6 | 7 | 6 | 6 | 6 | 7 | 4 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 6 | 7 | | |
| | | 3 | 5 | 8 | 3 | 1 | 3 | 3 | 0 | 4 | 3 | 6 | 1 | 3 | 3 | 3 | 3 | 3 | 3 | 1 | 6 | 3 | 3 | 3 | 6 | 3 | |
| | | 4 | 7 | 9 | 4 | 8 | 7 | 2 | 5 | 6 | 7 | 1 | 0 | 5 | 5 | 5 | 6 | 6 | 6 | 8 | 0 | 5 | 5 | 2 | 7 | 5 | |
| FISCHER 344 RATS FEMALE
14.3 MG/L
ANIMAL ID | | 0 | 0 | | |
| | | 0 | 0 | | |
| | | 3 | 3 | | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | |
| | | females (cont...) | |
| Eye | | + | + | | |
| Cataract | | | 1 | | | |
| Retina, Degeneration | | | 3 | | | |
| Harderian Gland | | + | + | | |
| URINARY SYSTEM | | | |
| Kidney | | + | + | | |
| Infarct | | | |
| Inflammation, Chronic | | | |
| Nephropathy | | 1 | 1 | | | | | 1 | | 1 | 1 | 1 | | | | 1 | 2 | | 1 | | 1 | 1 | 1 | 1 | | | |
| Renal Tubule, Accumulation, Hyaline | | | |
| Droplet | | | | | | | | | | | | | | | 3 | | | | 3 | | | | | 3 | | | |
| Renal Tubule, Necrosis | | | | 2 | | | | | | | | | | | | | | | 4 | | | | | | | | |
| Renal Tubule, Pigmentation | | | | | | | | | | | | 3 | | | | | | | | | | | | | | | |
| Transitional Epithelium, Hyperplasia | | | |
| Urinary Bladder | | + | + | | |

CAS Number: 7789-12-0

TDMS No. 20114 - 07
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Sodium dichromate dihydrate (VI)

CAS Number: 7789-12-0

Date Report Requested: 10/04/2007
 Time Report Requested: 10:38:19
 First Dose M/F: 10/02/02 / 10/02/02
 Lab: SRI

| | | 0 | 0 | | | |
|-----------------------------------|--|----------|----|-----|-----|
| DAY ON TEST | | 7 | 5 | 7 | 7 | 7 | 7 | 6 | 3 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 6 | 6 | 7 | 7 | 7 | 7 | 6 | 7 | | | |
| | | 3 | 5 | 3 | 3 | 3 | 3 | 1 | 8 | 3 | 3 | 3 | 3 | 3 | 7 | 3 | 3 | 6 | 8 | 3 | 3 | 3 | 3 | 7 | 3 | | | |
| | | 6 | 4 | 6 | 6 | 6 | 5 | 8 | 7 | 5 | 5 | 6 | 6 | 6 | 8 | 4 | 4 | 7 | 6 | 4 | 7 | 7 | 7 | 1 | 7 | | | |
| | | | | | |
| FISCHER 344 RATS FEMALE | | 0 | 0 | | | |
| ANIMAL ID | | 0 | 0 | | | |
| 14.3 MG/L | | 3 | 3 | | | |
| | | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | | | |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | | |
| | | * TOTALS | | | |
| Infiltration Cellular, Histiocyte | | | 5 | 1.0 | |
| Inflammation, Chronic | | 1 | | 21 | 1.2 |
| Mixed Cell Focus | | | 6 | | |
| Necrosis | | | 7 | 1.9 | |
| Regeneration | | | 1 | | |
| Centrilobular, Necrosis | | | 2 | 2.0 | |
| Kupffer Cell, Pigmentation | | | 1 | 2.0 | |
| | | | | | |
| Mesentery | | + | | 13 | |
| Accessory Spleen | | X | | 1 | |
| Fat, Necrosis | | | 10 | 3.4 | |
| | | | | | |
| Oral Mucosa | | + | + | 50 | | |
| | | | | | |
| Pancreas | | + | + | 50 | | |
| Atrophy | | | 12 | 1.6 | |
| Cyst | | | 4 | 3.0 | |
| | | | | | |
| Salivary Glands | | + | + | 50 | | |
| Atrophy | | | 7 | 1.4 | |
| Fibrosis | | | 1 | 1.0 | |
| Vacuolization Cytoplasmic | | | 1 | 2.0 | |
| | | | | | |
| Stomach, Forestomach | | + | + | 50 | | |
| Edema | | | 3 | 2.0 | |
| Ulcer | | | 3 | 2.3 | |
| Epithelium, Hyperplasia | | | 3 | 2.0 | |
| | | | | | |
| Stomach, Glandular | | + | + | 50 | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Lab: SRI

2) Mild 4) Marked

CAS Number: 7789-12-0

2) Mild 4) Marked

| | |
|--------------------------------------|----------|
| DAY ON TEST | | 0 | | |
| | | 7 | 5 | 7 | 7 | 7 | 7 | 6 | 3 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 6 | 7 | 7 | 7 | 6 | 7 | | |
| | | 3 | 5 | 3 | 3 | 3 | 3 | 1 | 8 | 3 | 3 | 3 | 3 | 3 | 3 | 7 | 3 | 3 | 6 | 8 | 3 | 3 | 3 | 7 | 3 | |
| | | 6 | 4 | 6 | 6 | 6 | 5 | 8 | 7 | 5 | 5 | 6 | 6 | 6 | 6 | 8 | 4 | 4 | 7 | 6 | 4 | 7 | 7 | 7 | 1 | 7 |
| FISCHER 344 RATS FEMALE
ANIMAL ID | |
| | | 0 | |
| | | 0 | |
| | | 3 | |
| | | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | |
| 14.3 MG/L | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | * TOTALS |

| | | | | | | |
|---------------------|--|----|----|---|-----|-----|
| Ovary | | + | 50 | | | | |
| Angiectasis | | | | 1 | 3.0 | |
| Cyst | | | | | | | | | | | 3 | | | | | | 3 | | | | | | | | | | | | | | 6 | 3.0 | |
| | | | | | | |
| Uterus | | + | 50 | | | | |
| Dilatation | | 4 | | | | 1 | 4.0 | |
| Hemorrhage | | | | | 1 | 4.0 |
| Hyperplasia, Cystic | | | | | | | | | | | | 2 | | | | | | | | | | | | | | 2 | | | | | 5 | 1.8 | |
| | | | | | | |
| Vagina | | | + | | | | | | + | + | | | | | | | | + | | | | | | | | | + | | | 12 | | | |

HEMATOPOIETIC SYSTEM

| | | | | |
|------------------------------------|----|----|-----|--|
| Bone Marrow | + | 50 | | | |
| Hyperplasia | | | | | | | 2 | | | | | 2 | | | | | | 3 | | | 3 | 3 | | | | 8 | 2.6 | |
| Myelofibrosis | | | | | | | | 4 | | | | | | | | | | | | | | | | | | 1 | 4.0 | |
| Lymph Node | | + | | + | | | | | | | | | | + | + | | | | + | | | | | | | 11 | | |
| Mediastinal, Ectasia | | 1 | 3.0 | |
| Mediastinal, Hemorrhage | | | | | | | | | | | | | | 2 | 2 | | | | | | | | | | | 4 | 2.5 | |
| Mediastinal, Hyperplasia, Lymphoid | | | | 3 | | | | | | | | | | | 2 | | | | | | | | | | | 5 | 2.4 | |
| Mediastinal, Pigmentation | | | | | | | | | | | | | | 3 | | | | | | | | | | | | 4 | 2.3 | |
| Lymph Node, Mandibular | M | 0 | | |
| Lymph Node, Mesenteric | + | 50 | | | |
| Hemorrhage | | 1 | | | | | | | | | 1 | | | | | 1 | | | | | | | 2 | | | 13 | 1.3 | |

CAS Number: 7789-12-0

TDMS No. 20114 - 07
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
Sodium dichromate dihydrate (VI)
CAS Number: 7789-12-0

Date Report Requested: 10/04/2007
Time Report Requested: 10:38:19
First Dose M/F: 10/02/02 / 10/02/02
Lab: SRI

| | |
|---|----------|
| DAY ON TEST | 0 |
| | 7 | 5 | 7 | 7 | 7 | 7 | 6 | 3 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 6 | 6 | 7 | 7 | 7 | 7 | 6 | 7 |
| | 3 | 5 | 3 | 3 | 3 | 3 | 1 | 8 | 3 | 3 | 3 | 3 | 3 | 3 | 7 | 3 | 3 | 6 | 8 | 3 | 3 | 3 | 3 | 7 | 3 |
| | 6 | 4 | 6 | 6 | 6 | 5 | 8 | 7 | 5 | 5 | 6 | 6 | 6 | 6 | 8 | 4 | 4 | 7 | 6 | 4 | 7 | 7 | 7 | 1 | 7 |
| <hr/> | |
| FISCHER 344 RATS FEMALE
14.3 MG/L
ANIMAL ID | 0 |
| | 0 |
| | 3 |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| <hr/> | |
| | | * TOTALS |
| | | 0 |

| | |
|------------------|--------|
| Brain | + | 50 |
| Compression | | | | | | | | | | 2 | | | 4 | | 3 | | | | 4 | | | | 4 | 3 | 13 3.4 |
| Hemorrhage | | | | | | | | | | | 1 | | | | | | | | | | | | | | 3 1.3 |
| <hr/> | |
| Peripheral Nerve | | | | | | | | | | | | | | + | | | | | | | + | | | | 2 |
| <hr/> | |
| Spinal Cord | | | | | | | | | | | | | | + | | | | | | | + | | | | 2 |

RESPIRATORY SYSTEM

| | |
|-------------------------------------|--------|
| Lung | + | 50 |
| Hemorrhage | | | | 1 | | | | | | | | | | | | | | | 2 | 1 | | | | | 4 1.3 |
| Infiltration Cellular, Histiocyte | 1 | 1 | 2 | 2 | 1 | 1 | 1 | 3 | 1 | 1 | 1 | 2 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | | 1 | 1 | | 1 | 48 1.4 |
| Inflammation, Chronic | 2 | | | | | 1 2.0 |
| Alveolar Epithelium, Hyperplasia | | | 1 | | 1 | 3 | | 2 | 1 | | | | | | | | | | | | | | | | 7 1.6 |
| <hr/> | |
| Nose | + | 50 |
| Foreign Body | 1 |
| Inflammation, Chronic | | | | | | | | | | | | | | | | 1 | | | | | | | | | 2 1.5 |
| Nasolacrimal Duct, Cyst | | | | | | | | | | 3 | | | | | | | | | | | | | | | 1 3.0 |
| Respiratory Epithelium, Hyperplasia | | | | | | | | | | | | | | | | 2 | | | | | | | | | 1 2.0 |
| <hr/> | |
| Trachea | + | 50 |

SPECIAL SENSES SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

l .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

Page 124

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 20114 - 07
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
Sodium dichromate dihydrate (VI)
CAS Number: 7789-12-0

Date Report Requested: 10/04/2007
Time Report Requested: 10:38:19
First Dose M/F: 10/02/02 / 10/02/02
Lab: SRI

| | | 0 | 0 | 0 |
|---|--|----------|----|---|
| DAY ON TEST | | 7 | 5 | 7 | 7 | 7 | 7 | 6 | 3 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 6 | 7 | 6 | 7 | 7 | 7 | 7 | 6 | 7 | |
| | | 3 | 5 | 3 | 3 | 3 | 3 | 1 | 8 | 3 | 3 | 3 | 3 | 3 | 7 | 3 | 3 | 6 | 8 | 3 | 3 | 3 | 3 | 3 | 7 | 3 | |
| | | 6 | 4 | 6 | 6 | 6 | 5 | 8 | 7 | 5 | 5 | 6 | 6 | 6 | 8 | 4 | 4 | 7 | 6 | 4 | 7 | 7 | 7 | 1 | 7 | | |
| | | | | |
| FISCHER 344 RATS FEMALE | | 0 | 0 | |
| ANIMAL ID | | 0 | 0 | |
| 14.3 MG/L | | 3 | 3 | |
| | | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | |
| | | * TOTALS | | |
| Eye | | + | + | 50 | |
| Cataract | | | 3 | | 2 | |
| Retina, Degeneration | | | 4 | | 2 | |
| | | | | |
| Harderian Gland | | + | + | 50 | |
| | | | | |
| URINARY SYSTEM | | | | |
| | | | | |
| Kidney | | + | + | 50 | |
| Infarct | | | | | | | | | | 3 | | | | | | | | | | | | | | | | 1 | |
| Inflammation, Chronic | | | | | | | | | | | | | | | 2 | | | | | | | | | | | 1 | |
| Nephropathy | | 2 | | 1 | | 1 | | 1 | | | 1 | 1 | | | 2 | | 1 | | | 1 | | | | 1 | | 23 | |
| Renal Tubule, Accumulation, Hyaline Droplet | | | | 3 | | 4 | |
| Renal Tubule, Necrosis | | | 2 | |
| Renal Tubule, Pigmentation | | | 1 | |
| Transitional Epithelium, Hyperplasia | | | | | | | | | | 2 | | | | | 2 | | | | | | | | | | | 2 | |
| | | | | |
| Urinary Bladder | | + | + | 50 | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Page 125

TDMS No. 20114 - 07
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Sodium dichromate dihydrate (VI)

CAS Number: 7789-12-0

Date Report Requested: 10/04/2007
 Time Report Requested: 10:38:19
 First Dose M/F: 10/02/02 / 10/02/02
 Lab: SRI

| | | |
|---|--|-------------------|
| DAY ON TEST | | 0 | 0 | |
| | | 7 | 7 | 7 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 4 | 7 |
| | | 3 | 3 | 3 | 8 | 6 | 0 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 3 | 8 | 7 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 5 | 3 |
| | | 6 | 6 | 6 | 9 | 7 | 2 | 6 | 6 | 6 | 6 | 7 | 4 | 7 | 7 | 7 | 1 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 4 | 6 |
| FISCHER 344 RATS FEMALE
ANIMAL ID
57.3 MG/L | | |
| | | 0 | 0 |
| | | 0 | 0 |
| | | 3 | 3 |
| | | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |
| | | females (cont...) | |

ALIMENTARY SYSTEM

| |
|-----------------------------------|
| Esophagus | + |
| Intestine Large, Cecum | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Edema | | | | | 2 | |
| Hemorrhage |
| Intestine Large, Colon | + |
| Intestine Large, Rectum | + |
| Intestine Small, Duodenum | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Infiltration Cellular, Histiocyte | |
| Intestine Small, Ileum | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoid Tissue, Hyperplasia |
| Intestine Small, Jejunum | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + |
| Liver | + |
| Angiectasis |
| Basophilic Focus | X | X | X | X | | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| Clear Cell Focus | X | |
| Eosinophilic Focus |
| Fatty Change | | | | | 4 | 3 | | | | | | | | | | | | | | | | | | | |
| Hemorrhage | | | | | | | 1 | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

Page 126

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 20114 - 07
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Sodium dichromate dihydrate (VI)

CAS Number: 7789-12-0

Date Report Requested: 10/04/2007
 Time Report Requested: 10:38:19
 First Dose M/F: 10/02/02 / 10/02/02
 Lab: SRI

| DAY ON TEST | | 0
7
3
6 | 0
7
3
6 | 0
7
3
6 | 0
6
8
9 | 0
6
6
7 | 0
6
0
2 | 0
7
3
6 | 0
7
3
6 | 0
7
2
6 | 0
7
3
6 | 0
5
3
4 | 0
7
3
7 | 0
6
8
7 | 0
6
7
1 | 0
7
3
6 | 0
7
3
6 | 0
7
3
6 | 0
7
3
6 | 0
7
3
6 | 0
7
3
6 | 0
7
3
6 | 0
4
5
6 | 0
7
3
4 | 0
7
5
6 | | |
|-----------------------------------|--|-----------------------|--|
| FISCHER 344 RATS FEMALE | | 0
0
3
5
1 | 0
0
3
5
2 | 0
0
3
5
3 | 0
0
3
5
4 | 0
0
3
5
5 | 0
0
3
5
6 | 0
0
3
5
7 | 0
0
3
5
8 | 0
0
3
5
9 | 0
0
3
6
0 | 0
0
3
6
1 | 0
0
3
6
2 | 0
0
3
6
3 | 0
0
3
6
4 | 0
0
3
6
5 | 0
0
3
6
6 | 0
0
3
6
7 | 0
0
3
6
8 | 0
0
3
6
9 | 0
0
3
7
0 | 0
0
3
7
1 | 0
0
3
7
2 | 0
0
3
7
3 | 0
0
3
7
4 | 0
0
3
7
5 | |
| ANIMAL ID | | | |
| 57.3 MG/L | | | |
| Hepatodiaphragmatic Nodule | | X | |
| Infiltration Cellular, Histiocyte | | 1 | |
| Inflammation, Chronic | | 1 | |
| Mixed Cell Focus | | X | |
| Necrosis | | 1 | |
| Regeneration | | X | |
| Bile Duct, Hyperplasia | | 1 | |
| Centrilobular, Necrosis | | 3 | |
| Mesentery | | + | |
| Fat, Necrosis | | 2 | |
| Oral Mucosa | | + | |
| Pancreas | | + | |
| Atrophy | | 3 | |
| Cyst | | 1 | |
| Acinus, Hyperplasia, Focal | | 3 | |
| Salivary Glands | | + | |
| Atrophy | | 1 | |
| Stomach, Forestomach | | + | |
| Edema | | 3 | |
| Erosion | | 2 | |
| Ulcer | | 4 | |
| Epithelium, Hyperplasia | | 3 | |
| Stomach, Glandular | | + | |

females (cont...)

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

l .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

Page 127

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 20114 - 07
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
Sodium dichromate dihydrate (VI)
CAS Number: 7789-12-0

Date Report Reqsted: 10/04/2007
Time Report Reqsted: 10:38:19
First Dose M/F: 10/02/02 / 10/02/02
Lab: SRI

| | |
|---|---|
| DAY ON TEST | 0 |
| | 7 | 7 | 7 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 4 | 7 |
| | 3 | 3 | 3 | 8 | 6 | 0 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 3 | 8 | 7 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 5 | 3 |
| | 6 | 6 | 6 | 9 | 7 | 2 | 6 | 6 | 6 | 6 | 7 | 4 | 7 | 7 | 7 | 1 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 4 | 6 |
| | |
| FISCHER 344 RATS FEMALE
ANIMAL ID
57.3 MG/L | 0 |
| | 0 |
| | 3 |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |
| females (cont...) |

Edema
Erosion
Hyperplasia
Ulcer
Glands, Dilatation

| |
|--|
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |

Tongue
Inflammation, Chronic
Epithelium, Hyperplasia

| |
|---|
| + | M | + | + |
| | | | | | | 1 | | | | | | | | | | 1 | | | | | | | | | |
| | | | | | | | | | | | | 1 | | | | | | | | | | | | | |
| |

CARDIOVASCULAR SYSTEM

Heart
Cardiomyopathy
Necrosis
Thrombosis

| |
|---|
| + |
| 2 | 1 | 1 | | 2 | 2 | 2 | 1 | 2 | 1 | 2 | | 2 | 1 | | 3 | 1 | 1 | 1 | 2 | 1 | 2 | 2 | | | 2 |
| | | | | | | | | | | | | | | | 3 | | | | | | | | | | |
| | | | | | | 2 | | | | | | | | | 3 | | | | | | | | | | |

ENDOCRINE SYSTEM

Adrenal Cortex
Accessory Adrenal Cortical Nodule
Degeneration, Fatty
Hyperplasia, Focal
Hypertrophy, Focal

| |
|---|
| + |
| | | | | | | | | | | 3 | | | | | | | | 3 | | | | | | | |
| | 1 | | | 3 | | 1 | | | 1 | | | 2 | 1 | | | 2 | | | 3 | 1 | | | | | |
| | 1 | | | | | 2 | | | 1 | | | | | | | | | | | | 1 | | | | |
| 1 | | | | | | | | | | | | | | | | | | 2 | | 1 | | | | | |

Adrenal Medulla
Hyperplasia

| |
|---|
| + |
| |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

Page 128

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 20114 - 07
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
Sodium dichromate dihydrate (VI)
CAS Number: 7789-12-0

Date Report Reqsted: 10/04/2007
Time Report Reqsted: 10:38:19
First Dose M/F: 10/02/02 / 10/02/02
Lab: SRI

| FISCHER 344 RATS FEMALE
57.3 MG/L | | DAY ON TEST | 0 |
|--------------------------------------|--|-------------|
| | | 7 | 7 | 7 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 4 | 7 |
| | | 3 | 3 | 3 | 8 | 6 | 0 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 3 | 8 | 7 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 5 | 3 |
| | | 6 | 6 | 6 | 9 | 7 | 2 | 6 | 6 | 6 | 6 | 7 | 4 | 7 | 7 | 7 | 1 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 4 | 6 |
| ANIMAL ID | | 0 | 0 |
| | | 0 | 0 | |
| | | 3 | 3 |
| | | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |
| | | + | + | |
| | | + | + | |
| | | + | + | |
| | | | | 3 | | 3 | | | | | | | | 3 | | | | | | 4 | | | | | | |
| | | | 3 | 3 | | 3 | | 3 | | | | | 3 | 3 | | | | | | 3 | 3 | | | 3 | | |
| | | | | 3 | | 2 | | | | | | | | 3 | | | | | | | | | | | | |
| | | | 3 | | | |
| | | + | + | |
| | | | 3 | |
| | | 1 | 2 | 2 | | 1 | 2 | | 2 | 3 | | | | | | 2 | | 2 | 2 | 1 | 3 | | | | 1 | |

GENERAL BODY SYSTEM
NONE

GENITAL SYSTEM

| |
|-----------------------|
| Clitoral Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 3 | + | + | + | + | + | + | + | + | + | + |
| Cyst | | | | | | | | | | | | | | | 3 | | | | | | | | | | |
| Hyperplasia | | | | | | | | | | | | | | | 3 | | | | | | | | | | |
| Inflammation, Chronic | | | | | 2 | | | | | | | | | | | | | 2 | | | | 2 | | | |
| Ovary | + |
| Cyst | | 3 | | | | | | | 3 | | | | | 3 | | | | 3 | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Page 129

TDMS No. 20114 - 07
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
Sodium dichromate dihydrate (VI)
CAS Number: 7789-12-0

Date Report Requested: 10/04/2007
Time Report Requested: 10:38:19
First Dose M/F: 10/02/02 / 10/02/02
Lab: SRI

| | | |
|---|--|----------------------|
| DAY ON TEST | | 0 | | |
| | | 7 | 7 | 7 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 4 | | 7 |
| | | 3 | 3 | 3 | 8 | 6 | 0 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 3 | 8 | 7 | 3 | 3 | 3 | 3 | 3 | 3 | 5 | | 3 |
| | | 6 | 6 | 6 | 9 | 7 | 2 | 6 | 6 | 6 | 6 | 7 | 4 | 7 | 7 | 7 | 1 | 6 | 6 | 6 | 6 | 6 | 6 | 4 | | 6 |
| | | |
| FISCHER 344 RATS FEMALE
ANIMAL ID
57.3 MG/L | | 0 | females
(cont...) |
| | | 0 | |
| | | 3 | |
| | | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | |

| |
|---------------------|
| Uterus | + |
| Hyperplasia, Cystic | | | | | | | 2 | | | | | | | | | | 2 | | | | | | | | 3 |
| Vagina | | | | + | | | | + | | | + | | | | | | | | | | | | | | |

HEMATOPOIETIC SYSTEM

| |
|------------------------------------|
| Bone Marrow | + |
| Hyperplasia | | | | 2 | | | | 2 | | | | | | | 3 | | | | | | | | | 3 | |
| Infiltration Cellular, Histiocyte | | | | | | | | | | | | | | | 3 | | | | | | | | 3 | | |
| Lymph Node | | | + | | + | + | | | | | | | | | | | | + | | | | | | | |
| Deep Cervical, Hemorrhage | | | | | 3 | |
| Mediastinal, Hemorrhage | | | | | 3 | |
| Mediastinal, Hyperplasia, Lymphoid | |
| Lymph Node, Mandibular | + | M | M | M | M | M | M | M | M | M | M | + | M | M | M | + | M | M | M | M | M | M | M | M | M |
| Lymph Node, Mesenteric | + |
| Fibrosis |
| Hemorrhage | | 1 | 1 | 1 | 3 | | | | | | | | | | | | | 2 | 2 | | | | | 1 | |
| Hyperplasia, Lymphoid | | | | 2 | |
| Hyperplasia, Reticulum Cell |
| Infiltration Cellular, Histiocyte | 2 | 1 | | 1 | | 2 | 2 | 1 | | 1 | 2 | | | 1 | 1 | 1 | 1 | | | | | 2 | 2 | | |
| Lymph Node, Pancreatic | + | + | + | + | + | M | M | M | M | M | M | + | M | + | M | M | + | + | + | + | M | + | + | + | + |
| Hemorrhage | | | | | 2 | | | | | | | | | | | | 2 | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Page 130

TDMS No. 20114 - 07
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
Sodium dichromate dihydrate (VI)
CAS Number: 7789-12-0

Date Report Reqsted: 10/04/2007
Time Report Reqsted: 10:38:19
First Dose M/F: 10/02/02 / 10/02/02
Lab: SRI

| | | |
|--------------------------------------|--|-------------------|
| DAY ON TEST | | 0 | 0 | |
| | | 7 | 7 | 7 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 4 | 7 | |
| | | 3 | 3 | 3 | 8 | 6 | 0 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 3 | 8 | 7 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 5 | 3 | |
| | | 6 | 6 | 6 | 9 | 7 | 2 | 6 | 6 | 6 | 6 | 6 | 7 | 4 | 7 | 7 | 7 | 1 | 6 | 6 | 6 | 6 | 6 | 6 | 4 | 6 | |
| FISCHER 344 RATS FEMALE
ANIMAL ID | | 0 | 0 | |
| | | 0 | 0 | |
| | | 3 | 3 | |
| | | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 |
| 57.3 MG/L | | females (cont...) | |
| Infiltration Cellular, Histiocyte | | 3 | 2 | 2 | 3 | 4 | | | | | | | 2 | | 2 | | | 3 | 3 | 3 | | | 3 | 3 | 2 | 3 | |
| Spleen | | + | + | |
| Accessory Spleen | | | | X | |
| Hematopoietic Cell Proliferation | | 2 | 2 | | 2 | 2 | | 2 | 1 | 2 | 3 | | 2 | 2 | | 1 | 4 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| Hemorrhage | | |
| Infiltration Cellular, Mixed Cell | | | | | | | | | | | | | | | | | 4 | | | | | | | 4 | | | |
| Necrosis | | | | | | 4 | |
| Pigmentation | | | | | | | | | | 3 | | | | | | | | | 2 | | 2 | | | | | | |
| Lymphoid Follicle, Hyperplasia | | |
| Thymus | | + | + | |
| INTEGUMENTARY SYSTEM | | |
| Mammary Gland | | + | + | |
| Hyperplasia | | 4 | 2 | 3 | 3 | 4 | 2 | 1 | 4 | 3 | 3 | 3 | 3 | 3 | | 2 | 4 | 2 | 4 | 3 | 3 | 2 | 3 | | | 2 | |
| Skin | | + | + | |
| Hyperkeratosis | | |
| Ulcer | | | | | | | | | | | | | | | | | | | | 3 | | | | | | | |
| MUSCULOSKELETAL SYSTEM | | |
| Bone | | + | + | |
| Cranium, Osteopetrosis | | | | | 3 | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

l .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Page 131

TDMS No. 20114 - 07
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
Sodium dichromate dihydrate (VI)
CAS Number: 7789-12-0

Date Report Reqsted: 10/04/2007
Time Report Reqsted: 10:38:19
First Dose M/F: 10/02/02 / 10/02/02
Lab: SRI

| | | | |
|---|--|----------------------|---|
| DAY ON TEST | | 0 | females
(cont...) | |
| | | 7 | 7 | 7 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 4 | | 7 |
| | | 3 | 3 | 3 | 8 | 6 | 0 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 3 | 8 | 7 | 3 | 3 | 3 | 3 | 3 | 3 | 5 | | 3 |
| | | 6 | 6 | 6 | 9 | 7 | 2 | 6 | 6 | 6 | 6 | 7 | 4 | 7 | 7 | 7 | 1 | 6 | 6 | 6 | 6 | 6 | 6 | 4 | | 6 |
| FISCHER 344 RATS FEMALE
ANIMAL ID
57.3 MG/L | | 0 | females
(cont...) | |
| | | 0 | | 0 |
| | | 3 | | 3 |
| | | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | | 7 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | | 4 |

Skeletal Muscle +

NERVOUS SYSTEM

| |
|------------------|
| Brain | + |
| Compression | | | | | | | | | 4 | 3 | | 4 | | 3 | | 3 | 4 | | | | | | | | |
| Hydrocephalus |
| Peripheral Nerve | | | | | | | | | | | | + | | | | | | | | | | | | | |
| Spinal Cord | | | | | | | | | | | | + | | | | | | | | | | | | | |

RESPIRATORY SYSTEM

| |
|-------------------------------------|
| Lung | + |
| Edema | | | | | | | | | | | | | | | 3 | | | | | | | | | | |
| Foreign Body | X |
| Hemorrhage | 2 | | | | | | | 1 | | | | | | 3 | | | | | | | | | | | |
| Infiltration Cellular, Histiocyte | 2 | 1 | | 2 | 1 | 2 | 1 | 2 | 2 | 1 | 1 | 1 | | 1 | 3 | 2 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 1 |
| Inflammation, Chronic | 2 |
| Alveolar Epithelium, Hyperplasia | | 3 | | | | | | | | | | | | | | 1 | | | | | 2 | | | | 2 |
| Nose | + |
| Foreign Body |
| Respiratory Epithelium, Hyperplasia | |
| Trachea | + |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

Page 132

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 20114 - 07
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
Sodium dichromate dihydrate (VI)
CAS Number: 7789-12-0

Date Report Reqsted: 10/04/2007
Time Report Reqsted: 10:38:19
First Dose M/F: 10/02/02 / 10/02/02
Lab: SRI

| | |
|---|---|
| DAY ON TEST | 0 |
| | 7 | 7 | 7 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 4 | 7 |
| | 3 | 3 | 3 | 8 | 6 | 0 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 3 | 8 | 7 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 5 | 3 |
| | 6 | 6 | 6 | 9 | 7 | 2 | 6 | 6 | 6 | 6 | 7 | 4 | 7 | 7 | 7 | 1 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 4 | 6 |
| | |
| FISCHER 344 RATS FEMALE
ANIMAL ID
57.3 MG/L | 0 |
| | 0 |
| | 3 |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |
| females (cont...) |

SPECIAL SENSES SYSTEM

| |
|----------------------|
| Eye | + |
| Cataract | | | | | | | | | | | | 3 | | | | | | 2 | | | | | | | |
| Retina, Degeneration | | | | | | | | | | | | 4 | | | | | | | | | | | | | |
| |
| Harderian Gland | + |

URINARY SYSTEM

| | |
|---|---|
| Kidney | + |
| Infarct |
| Inflammation, Chronic | | 2 | |
| Nephropathy | 1 | 3 | | | 1 | 2 | 1 | | 1 | 1 | | 1 | 1 | 1 | | 1 | 1 | 2 | 2 | 1 | 1 | 1 | 1 | | |
| Renal Tubule, Accumulation, Hyaline Droplet | | | 2 | | | | | | | | | | | | | | | 3 | | | | | | | |
| Renal Tubule, Pigmentation | | | | | 4 | |
| Transitional Epithelium, Hyperplasia | | 3 | |
| | |
| Urinary Bladder | + |
| Hemorrhage |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

Page 133

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

| | | |
|---|--|----------|
| DAY ON TEST | | 0 | 0 | |
| | | 5 | 7 | 7 | 7 | 5 | 7 | 7 | 5 | 7 | 6 | 7 | 7 | 6 | 5 | 7 | 7 | 6 | 7 | 6 | 6 | 7 | 7 | 7 | 7 |
| | | 7 | 1 | 3 | 3 | 5 | 3 | 3 | 8 | 3 | 5 | 3 | 3 | 5 | 7 | 3 | 3 | 6 | 3 | 8 | 8 | 3 | 3 | 3 | 3 |
| | | 3 | 5 | 5 | 5 | 4 | 4 | 4 | 6 | 4 | 9 | 4 | 4 | 7 | 1 | 4 | 7 | 2 | 7 | 9 | 9 | 5 | 5 | 5 | 5 |
| FISCHER 344 RATS FEMALE
ANIMAL ID
57.3 MG/L | | |
| | | 0 | 0 | |
| | | 0 | 0 | |
| | | 3 | 3 | |
| | | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | |
| | | * TOTALS | |

ALIMENTARY SYSTEM

| | | | | |
|-----------------------------------|----|----|-----|-----|
| Esophagus | + | 50 | | | |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | 1 | 2.0 |
| Edema | | 1 | 2.0 | |
| Hemorrhage | | | | | | | | | | | | | | | 2 | | | | | | | | | | | | | | |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | | |
| Intestine Large, Rectum | + | 50 | | |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | 1 | 1.0 |
| Infiltration Cellular, Histiocyte | | | | |
| Intestine Small, Ileum | + | + | + | + | + | + | + | M | + | A | + | + | A | A | + | + | A | + | + | + | + | + | + | + | + | + | 44 | 8 | 1.9 |
| Lymphoid Tissue, Hyperplasia | | 1 | | | | | 2 | | | | 3 | | | | | | | | | | | | 2 | | 2 | | | | |
| Intestine Small, Jejunum | + | A | + | + | + | + | + | A | + | A | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | 44 | | |
| Liver | + | 50 | | |
| Angiectasis | 3 | | 2 | | 2 | 2.5 |
| Basophilic Focus | | X | X | X | X | X | X | | X | X | X | X | | X | X | X | X | X | X | X | X | X | X | X | X | X | 44 | | |
| Clear Cell Focus | | | X | | | | X | | | | X | | | | X | | | | | | | | | | | | 7 | | |
| Eosinophilic Focus | | | | | | | X | | | | | | | | | | | | X | | | | | | | | 5 | | |
| Fatty Change | 3 | | | | | | 2 | | | | | | | | | | 2 | 2 | | | | | | | | | 10 | 2.5 | |
| Hemorrhage | | 1 | 1.0 | |

2) Mild 4) Marked

CAS Number: 7789-12-0

2) Mild 4) Marked

Lab: SRI

CAS Number: 7789-12-0

2) Mild 4) Marked

CAS Number: 7789-12-0

CAS Number: 7789-12-0

2) Mild 4) Marked

CAS Number: 7789-12-0

2) Mild 4) Marked

TDMS No. 20114 - 07
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Sodium dichromate dihydrate (VI)

CAS Number: 7789-12-0

Date Report Requested: 10/04/2007
 Time Report Requested: 10:38:19
 First Dose M/F: 10/02/02 / 10/02/02
 Lab: SRI

| | | |
|-------------------------------------|--|-------------------|
| DAY ON TEST | | 0 | 0 | |
| | | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 4 | 7 | 7 | 7 | 3 | 7 | 7 | 7 | 7 | 5 | 5 | 7 | |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 8 | 3 | 3 | 3 | 3 | 9 | 3 | 3 | 3 | 7 | 3 | 3 | 3 | 3 | 3 | 8 | 3 | |
| | | 5 | 5 | 5 | 5 | 5 | 4 | 4 | 4 | 9 | 4 | 6 | 6 | 6 | 3 | 6 | 7 | 7 | 9 | 7 | 7 | 4 | 4 | 1 | 0 | 4 |
| FISCHER 344 RATS FEMALE
172 MG/L | | |
| | | 0 | 0 | |
| | | 0 | 0 | |
| | | 4 | 4 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | |
| ANIMAL ID | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |
| | | females (cont...) | |

ALIMENTARY SYSTEM

| |
|-----------------------------------|
| Esophagus | + |
| Intestine Large, Cecum | + | A | + | + |
| Intestine Large, Colon | + |
| Intestine Large, Rectum | + |
| Intestine Small, Duodenum | + | A | + | + |
| Infiltration Cellular, Histiocyte | 1 | 1 | 1 | 1 | 1 | 1 | | | 1 | 1 | | | 1 | | | 1 | 1 | | 1 | | 1 | | | 1 |
| Intestine Small, Ileum | + | A | + | + |
| Lymphatic, Hyperplasia |
| Lymphoid Tissue, Hyperplasia | 2 | | | | | | | | 1 | | 2 | 2 | | | | | | | | | | | | |
| Intestine Small, Jejunum | + | A | + | + |
| Liver | + |
| Basophilic Focus | X |
| Clear Cell Focus | X | X | X | | X | | | | | | X | X | X | | | | X | | | | X | | | |
| Eosinophilic Focus |
| Fatty Change | | 2 | 2 | 2 | | | | | 3 | | 2 | | | | | | 2 | | | | | | | 3 |
| Hematopoietic Cell Proliferation | |
| Hemorrhage |
| Hepatodiaphragmatic Nodule | | | | | X | X | X | | | | X | | | | | | | X | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 20114 - 07
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Sodium dichromate dihydrate (VI)

CAS Number: 7789-12-0

Date Report Requested: 10/04/2007
 Time Report Requested: 10:38:19
 First Dose M/F: 10/02/02 / 10/02/02
 Lab: SRI

| | | DAY ON TEST | | |
|-----------------------------------|--|-------------|--|--|
| | | 0 | 0 | | |
| | | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 4 | 7 | 7 | 7 | 3 | 7 | 7 | 7 | 7 | 5 | 5 | 7 | | |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 8 | 3 | 3 | 3 | 3 | 9 | 3 | 3 | 3 | 7 | 3 | 3 | 3 | 3 | 3 | 8 | 3 | | |
| | | 5 | 5 | 5 | 5 | 5 | 4 | 4 | 4 | 9 | 4 | 6 | 6 | 6 | 3 | 6 | 7 | 7 | 9 | 7 | 7 | 4 | 4 | 1 | 0 | 4 | | |
| | | | | |
| FISCHER 344 RATS FEMALE | | 0 | 0 | | | |
| 172 MG/L | | 0 | 0 | | | |
| ANIMAL ID | | 4 | 4 | | | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | | | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | | |
| | | | | |
| Infiltration Cellular, Histiocyte | | 2 | 1 | | 3 | 2 | 2 | 2 | 2 | | 2 | 2 | 1 | | 2 | 2 | 2 | | 3 | 2 | 1 | 1 | | 3 | 2 | | | |
| Inflammation, Chronic | | 1 | | | 2 | 1 | 2 | 1 | 1 | | 2 | | 1 | 2 | 3 | 1 | 2 | 2 | | 2 | | 2 | 2 | | 3 | | | |
| Mixed Cell Focus | | | X | X | | X | | | X | | X | | X | | X | X | | | | X | X | | | X | X | | | |
| Bile Duct, Hyperplasia | | | | | | | | | | | | | | | | | | 2 | | | | | | | | | | |
| Centrilobular, Necrosis | | | | | | | | | | 3 | | | | | | | | | | | | | | | | | | |
| Hepatocyte, Syncytial Alteration | | | | | 1 | | |
| Lymphatic, Infiltration Cellular | | | | | | | | | | | | | | | | | | | | 2 | | | | | | | | |
| | | | | |
| Mesentery | | | + | | | | | | | | | | | + | | | | + | | | | | + | + | | | | |
| Accessory Spleen | | | | | | | | | | | | | | X | | | | | | | | | | | | | | |
| Fat, Necrosis | | | 4 | | | | | | | | | | | | | | | 2 | | | | | 2 | | | | | |
| | | | | |
| Oral Mucosa | | + | + | | | |
| | | | | |
| Pancreas | | + | + | | | |
| Atrophy | | | 2 | | 1 | | | | 1 | | 1 | | 2 | 1 | | | | | | | 3 | | | | | | | |
| Cyst | | | | 3 | | | | | 3 | | | | 3 | | | | | | | | 3 | | | | | | | |
| | | | | |
| Salivary Glands | | + | + | | | |
| Atrophy | | | 1 | | | | | | | | 2 | | 2 | 1 | | 2 | | | | | | 1 | | | 3 | | | |
| | | | | |
| Stomach, Forestomach | | + | + | | | |
| Edema | | | | | 4 | | | | | | | | | | | | | | | | | | | 3 | | | | |
| Erosion | | | 1 | | | | |
| Ulcer | | | | | 4 | | |
| Epithelium, Hyperplasia | | | | | 2 | | | | | | | | | | | | | | | | | | | 1 | | | | |
| | | | | |
| Stomach, Glandular | | + | + | | | |
| Edema | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 20114 - 07
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
Sodium dichromate dihydrate (VI)
CAS Number: 7789-12-0

Date Report Reqsted: 10/04/2007
Time Report Reqsted: 10:38:19
First Dose M/F: 10/02/02 / 10/02/02
Lab: SRI

| DAY ON TEST | | 0 | |
|--|--|----------------------|
| | | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 4 | 7 | 7 | 7 | 3 | 7 | 7 | 7 | 7 | 5 | 5 | 7 | | |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 8 | 3 | 3 | 3 | 3 | 9 | 3 | 3 | 3 | 7 | 3 | 3 | 3 | 3 | 3 | 8 | 3 | | |
| | | 5 | 5 | 5 | 5 | 5 | 4 | 4 | 4 | 9 | 4 | 6 | 6 | 6 | 3 | 6 | 7 | 7 | 9 | 7 | 7 | 4 | 4 | 1 | 0 | 4 | | |
| | | |
| FISCHER 344 RATS FEMALE
172 MG/L
ANIMAL ID | | 0 | females
(cont...) |
| | | 0 | |
| | | 4 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 5 | |
| Islets, Pancreatic | | + | |
| Parathyroid Gland | | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | |
| Pituitary Gland | | + | |
| Pars Distalis, Angiectasis | | | | | | | 2 | | | | | | | | 2 | | | | | | | | | | | | | |
| Pars Distalis, Cyst | | | 3 | 3 | | 3 | | | 3 | 3 | | | | | 3 | | 3 | | | 3 | 3 | | | 3 | | | | |
| Pars Distalis, Cytoplasmic Alteration, Focal | | |
| Pars Distalis, Hyperplasia, Focal | | | | 2 | | | | | 3 | | 1 | | | | 3 | | | | | | | | | | | | | |
| Pars Intermedia, Cyst | | |
| | | |
| Thyroid Gland | | + | |
| C-cell, Hyperplasia | | | 1 | 1 | | | 1 | | | | | | | | 1 | 3 | | | | | 1 | | | 2 | | 3 | | |

GENERAL BODY SYSTEM
NONE

GENITAL SYSTEM

| |
|-----------------------|
| Clitoral Gland | + |
| Cyst | | | | 3 | | | 3 | |
| Hyperplasia | | | | | | | | | | | | | 2 | | | | | | | | | | 2 | | | | |
| Inflammation | | | | | | | | | 3 | | | | | | | | | | | | | | | | | | |
| Inflammation, Chronic | | | | | | | 2 | | | | | | 3 | | | | | | 3 | | 2 | | | | | | |
| Ovary | + |
| Angiectasis | | | | | | | | | | | | | | | | | | | 3 | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Page 145

TDMS No. 20114 - 07
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Sodium dichromate dihydrate (VI)

CAS Number: 7789-12-0

Date Report Requested: 10/04/2007
 Time Report Requested: 10:38:19
 First Dose M/F: 10/02/02 / 10/02/02
 Lab: SRI

| | | | |
|-------------------------------------|--|-------------------|-----------------------|
| FISCHER 344 RATS FEMALE
172 MG/L | | DAY ON TEST | 0
7
3
5 | 0
7
3
5 | 0
7
3
5 | 0
7
3
5 | 0
7
3
5 | 0
7
3
4 | 0
7
3
4 | 0
7
3
4 | 0
6
8
9 | 0
7
3
4 | 0
7
3
6 | 0
7
3
6 | 0
4
9
3 | 0
7
3
6 | 0
7
3
7 | 0
3
7
9 | 0
7
3
7 | 0
7
3
7 | 0
7
3
4 | 0
5
3
4 | 0
5
8
1 | 0
7
3
0 | 0
7
3
4 | | |
| | | ANIMAL ID | 0
0
4
0
1 | 0
0
4
0
2 | 0
0
4
0
3 | 0
0
4
0
4 | 0
0
4
0
5 | 0
0
4
0
6 | 0
0
4
0
7 | 0
0
4
0
8 | 0
0
4
0
9 | 0
0
4
1
0 | 0
0
4
1
1 | 0
0
4
1
2 | 0
0
4
1
3 | 0
0
4
1
4 | 0
0
4
1
5 | 0
0
4
1
6 | 0
0
4
1
7 | 0
0
4
1
8 | 0
0
4
2
9 | 0
0
4
2
0 | 0
0
4
2
1 | 0
0
4
2
2 | 0
0
4
2
3 | 0
0
4
2
4 | 0
0
4
2
5 |
| | | females (cont...) | |
| Cyst | | 3 | |

HEMATOPOIETIC SYSTEM

| |
|------------------------------------|
| Bone Marrow | + |
| Hyperplasia | | | | | | | | | | | | | | | | | 3 | 3 | | | | | | |
| Myelofibrosis | | | | | | | | | | 2 | | | | | | | | | | | | | | |
| Lymph Node | | | | | | | | | | + | | + | | | | | | | | | | | | |
| Hemorrhage |
| Hyperplasia, Lymphoid |
| Mediastinal, Hemorrhage | | | | | | | | | | 2 | | | | | | | | | | | | | | |
| Mediastinal, Hyperplasia, Lymphoid | |
| Mediastinal, Pigmentation | | | | | | | | | | 2 | | 2 | | | | | | | | | | | | |
| Lymph Node, Mandibular | M | M | M | M | M | M | M | M | M | M | M | M | M | M | + | M | M | M | M | M | M | M | M | M |
| Lymph Node, Mesenteric | + |
| Hemorrhage | | | 1 | | | 1 | | | | | | | 1 | | | | 1 | | | | | | | |
| Infiltration Cellular, Histiocyte | 1 | | 3 | 2 | 2 | 2 | 2 | 2 | | 2 | 2 | 2 | 3 | | 2 | 2 | 2 | | 2 | | 3 | 2 | | 2 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 20114 - 07
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
Sodium dichromate dihydrate (VI)
CAS Number: 7789-12-0

Date Report Reqsted: 10/04/2007
Time Report Reqsted: 10:38:19
First Dose M/F: 10/02/02 / 10/02/02
Lab: SRI

| | | | |
|--|--|-------------------|--|
| DAY ON TEST | | 0 | 0 | | |
| | | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 4 | 7 | 7 | 7 | 3 | 7 | 7 | 7 | 7 | 5 | 5 | 7 | |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 8 | 3 | 3 | 3 | 3 | 9 | 3 | 3 | 3 | 7 | 3 | 3 | 3 | 3 | 3 | 8 | 3 | |
| | | 5 | 5 | 5 | 5 | 5 | 4 | 4 | 4 | 9 | 4 | 6 | 6 | 6 | 3 | 6 | 7 | 7 | 9 | 7 | 7 | 4 | 4 | 1 | 0 | 4 | |
| | | | |
| FISCHER 344 RATS FEMALE
ANIMAL ID
172 MG/L | | 0 | 0 | | |
| | | 0 | 0 | | |
| | | 4 | 4 | | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | |
| | | females (cont...) | |

Lymph Node, Pancreatic
Infiltration Cellular, Histiocyte

+ M + + + M + + M + M + + + + + M + M M M + + + +
3 3 1 1 4 2 2 3 4 4 3 2 M 2 M M 2 4 2

Spleen
Hematopoietic Cell Proliferation
Necrosis
Pigmentation
Lymphoid Follicle, Atrophy

+
2 2 2 2 2 2 1 2 2 2 3 2 2 2 2 2 1 2 3 2 2 3 2
2 2

Thymus

+ +

INTEGUMENTARY SYSTEM

Mammary Gland
Hyperplasia

+
3 2 3 3 1 3 3 4 4 2 4 3 3 2 3 2 2 2 2 3 3 2 3 3

Skin
Cyst Epithelial Inclusion

+ +

MUSCULOSKELETAL SYSTEM

Bone
Cranium, Osteopetrosis

+
2

Skeletal Muscle

+

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
+ .. Tissue examined microscopically
x .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:
1) Minimal 3) Moderate
2) Mild 4) Marked

Page 147

CAS Number: 7789-12-0

2) Mild 4) Marked

TDMS No. 20114 - 07
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
Sodium dichromate dihydrate (VI)
CAS Number: 7789-12-0

Date Report Reqsted: 10/04/2007
Time Report Reqsted: 10:38:19
First Dose M/F: 10/02/02 / 10/02/02
Lab: SRI

| | | | |
|--|--|----------------------|---|
| DAY ON TEST | | 0 | | | |
| | | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 4 | 7 | 7 | 7 | 3 | 7 | 7 | 7 | 7 | 5 | | 5 | 7 |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 8 | 3 | 3 | 3 | 3 | 9 | 3 | 3 | 3 | 7 | 3 | 3 | 3 | 3 | 8 | | 3 | |
| | | 5 | 5 | 5 | 5 | 5 | 4 | 4 | 4 | 9 | 4 | 6 | 6 | 6 | 3 | 6 | 7 | 7 | 9 | 7 | 7 | 4 | 4 | 1 | | 0 | 4 |
| | | | |
| FISCHER 344 RATS FEMALE
172 MG/L
ANIMAL ID | | 0 | females
(cont...) | |
| | | 0 | | |
| | | 4 | | 4 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | | 2 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | | 5 |

SPECIAL SENSES SYSTEM

| | |
|-----------------------|--|
| Eye | + | |
| Cataract | | | | | | | 3 | | | | | | | | | | | | | | | | | | | |
| Retina, Degeneration | | | | | | | 4 | | 1 | | | | | | | | | | | | | | | | | |
| | |
| Harderian Gland | + | |
| Inflammation, Chronic | |
| | |
| Lacrimal Gland | |

URINARY SYSTEM

| | |
|-------------------------------------|--|
| Kidney | + | |
| Cyst | |
| Glomerulosclerosis | |
| Hydronephrosis | |
| Infarct | |
| Nephropathy | 1 | 1 | 1 | 1 | 1 | 1 | | 1 | | | | 1 | 2 | | | 1 | 1 | | 1 | | 1 | 3 | | 1 | 2 | |
| Renal Tubule, Accumulation, Hyaline | | 3 | | | | |
| Droplet | |
| Renal Tubule, Dilatation | |
| | |
| Urinary Bladder | + | |

TDMS No. 20114 - 07
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Sodium dichromate dihydrate (VI)

CAS Number: 7789-12-0

Date Report Requested: 10/04/2007
 Time Report Requested: 10:38:19
 First Dose M/F: 10/02/02 / 10/02/02
 Lab: SRI

| | |
|-------------------------------------|----------|
| DAY ON TEST | 0 | | |
| | 7 | 7 | 6 | 6 | 7 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 4 | 7 | 7 | 5 | 6 | 7 | 7 | 7 | 5 | 5 | 7 | 7 | |
| | 3 | 3 | 5 | 6 | 3 | 1 | 1 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 3 | 3 | 6 | 4 | 3 | 3 | 3 | 5 | 9 | 3 | 3 | |
| | 6 | 6 | 3 | 7 | 6 | 8 | 8 | 4 | 4 | 4 | 6 | 6 | 6 | 7 | 6 | 7 | 7 | 6 | 7 | 7 | 5 | 9 | 0 | 5 | 5 | |
| FISCHER 344 RATS FEMALE
172 MG/L | |
| | 0 | |
| | 0 | |
| | 4 | |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | * TOTALS |

ALIMENTARY SYSTEM

| | |
|-----------------------------------|--------|
| Esophagus | + | M | + | 49 |
| Intestine Large, Cecum | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | 47 |
| Intestine Large, Colon | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | 48 |
| Intestine Large, Rectum | + | I | + | 49 |
| Intestine Small, Duodenum | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | A | + | + | 46 |
| Infiltration Cellular, Histiocyte | 1 | 1 | | 1 | 1 | 1 | 2 | | | | 1 | 1 | 1 | 1 | | | 1 | | 1 | 1 | | 1 | | 1 | 30 1.0 |
| Intestine Small, Ileum | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | 47 |
| Lymphatic, Hyperplasia | | | | 3 | | 1 3.0 |
| Lymphoid Tissue, Hyperplasia | | | | | | | | | | 2 | | | | 1 | | | | | | | | | | | 6 1.7 |
| Intestine Small, Jejunum | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | M | + | + | A | + | + | 45 |
| Liver | + | 50 |
| Basophilic Focus | X | X | X | | X | 47 |
| Clear Cell Focus | | X | | | X | X | | X | | | | X | X | | | X | | | X | X | X | | | X | 20 |
| Eosinophilic Focus | | X | | | X | | | | | | | | | | | X | | | | | | | | | 3 |
| Fatty Change | | | | 4 | | | 3 | | | | | | | | | | 2 | 4 | | | | 2 | 2 | | 13 2.5 |
| Hematopoietic Cell Proliferation | | | | | | | 2 | | | | | | | 1 | | | | | | | 1 | | | | 3 1.3 |
| Hemorrhage | | | 2 | | 1 2.0 |
| Hepatodiaphragmatic Nodule | | | | | | | | | | | | X | | X | | X | | X | | | | | X | | 10 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

Page 150

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 20114 - 07
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Sodium dichromate dihydrate (VI)

CAS Number: 7789-12-0

Date Report Requested: 10/04/2007
 Time Report Requested: 10:38:19
 First Dose M/F: 10/02/02 / 10/02/02
 Lab: SRI

| | DAY ON TEST | |
|---|-------------|----------|
| | 0 | 0 |
| | 7 | 7 | 6 | 6 | 7 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 4 | 7 | 7 | 5 | 6 | 7 | 7 | 7 | 5 | 5 | 7 | 7 | |
| | 3 | 3 | 5 | 6 | 3 | 1 | 1 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 3 | 3 | 6 | 4 | 3 | 3 | 3 | 5 | 9 | 3 | 3 | |
| | 6 | 6 | 3 | 7 | 6 | 8 | 8 | 4 | 4 | 4 | 6 | 6 | 6 | 7 | 6 | 7 | 7 | 6 | 7 | 7 | 5 | 9 | 0 | 5 | 5 | |
| FISCHER 344 RATS FEMALE
172 MG/L | ANIMAL ID | |
| | 0 | 0 |
| | 0 | 0 |
| | 4 | 4 |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | * TOTALS |
| Infiltration Cellular, Histiocyte | 1 | 2 | 3 | 2 | 2 | 2 | 3 | 2 | 2 | 2 | 1 | 2 | 3 | | 2 | 2 | 1 | 3 | | 2 | 1 | 2 | 3 | 1 | 1 | 42 2.0 |
| Inflammation, Chronic | 1 | 2 | 2 | | 1 | 1 | | 1 | 3 | 1 | 1 | 1 | 1 | 2 | 1 | 1 | | | 1 | 2 | 2 | | 1 | | | 35 1.6 |
| Mixed Cell Focus | X | | | | | | | | | | X | X | | | X | X | | | | | | X | | X | X | 20 |
| Bile Duct, Hyperplasia | | | 1 | | | | | 2 | | | | | | | | | | | | | | | | | | 3 1.7 |
| Centrilobular, Necrosis | | | | | | | | | | | | | | 1 | | | | | | | | | | | | 2 2.0 |
| Hepatocyte, Syncytial Alteration | | 1 1.0 |
| Lymphatic, Infiltration Cellular | | 1 2.0 |
| Mesentery | + | | | | + | | + | | + | | + | | | | + | | + | | + | | + | | | | | 15 |
| Accessory Spleen | | 1 |
| Fat, Necrosis | 3 | | | | 3 | | 3 | | 1 | | 2 | | | | 3 | | | | 4 | | 3 | | 3 | | | 12 2.8 |
| Oral Mucosa | + | + | 50 |
| Pancreas | + | + | 50 |
| Atrophy | | | | | | 1 | | | | | | | | | | | | | | | 1 | | | | | 9 1.4 |
| Cyst | 3 | 3 | | | | | 6 3.0 |
| Salivary Glands | + | + | 50 |
| Atrophy | 1 | 1 | | | 1 | | | 1 | 1 | | 1 | | | | | | 1 | 3 | | | | | 1 | | 1 | 17 1.4 |
| Stomach, Forestomach | + | + | 50 |
| Edema | | 2 3.5 |
| Erosion | | 1 1.0 |
| Ulcer | | 4 | | | 2 4.0 |
| Epithelium, Hyperplasia | | | | | | | | | | | | | | | | | 2 | | | | | | 3 | | | 4 2.0 |
| Stomach, Glandular | + | + | 50 |
| Edema | | | | | | | | | | | | | | | | | 2 | | | | | | | | | 1 2.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

CAS Number: 7789-12-0

2) Mild 4) Marked

CAS Number: 7789-12-0

2) Mild 4) Marked

TDMS No. 20114 - 07
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
Sodium dichromate dihydrate (VI)
CAS Number: 7789-12-0

Date Report Requested: 10/04/2007
Time Report Requested: 10:38:19
First Dose M/F: 10/02/02 / 10/02/02
Lab: SRI

| DAY ON TEST | | 0 | |
|--|--|---|
| | | 7 | 7 | 6 | 6 | 7 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 4 | 7 | 7 | 5 | 6 | 7 | 7 | 7 | 5 | 5 | 7 | 7 |
| | | 3 | 3 | 5 | 6 | 3 | 1 | 1 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 3 | 3 | 6 | 4 | 3 | 3 | 3 | 5 | 9 | 3 | 3 |
| | | 6 | 6 | 3 | 7 | 6 | 8 | 8 | 4 | 4 | 4 | 6 | 6 | 6 | 7 | 6 | 7 | 7 | 6 | 7 | 7 | 5 | 9 | 0 | 5 | 5 |
| | | |
| FISCHER 344 RATS FEMALE
172 MG/L
ANIMAL ID | | 0 | |
| | | 0 | |
| | | 4 |
| | | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| * TOTALS | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |

| | |
|---|--------|
| Lymph Node, Pancreatic
Infiltration Cellular, Histiocyte | + | M | M | M | + | + | + | + | + | M | + | + | + | + | + | M | + | M | + | M | + | + | M | + | + | 34 |
| | 4 | | | | 4 | 1 | 3 | 4 | 3 | | 3 | 4 | 4 | 2 | 3 | | 1 | | 3 | | 3 | 2 | | 3 | 2 | 32 2.8 |
| Spleen | + | 50 |
| Hematopoietic Cell Proliferation | 2 | 2 | | | 2 | 1 | 4 | | 2 | | | 2 | 2 | 4 | 2 | 2 | 4 | | 2 | 3 | | 4 | 2 | 2 | 2 | 36 2.2 |
| Necrosis | | 1 3.0 |
| Pigmentation | | | | | | | | | | | | | | | | | | 3 | | 2 | | | | | 2 | 6 2.2 |
| Lymphoid Follicle, Atrophy | | | | | | | | | | | | | | | | | | 3 | | | | | | | | 1 3.0 |
| Thymus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | M | + | + | + | + | + | + | + | 48 |

INTEGUMENTARY SYSTEM

| | |
|---------------------------|--------|
| Mammary Gland | + | 50 |
| Hyperplasia | 3 | 3 | 4 | 3 | 2 | 4 | 3 | 1 | 3 | 1 | 2 | 3 | 3 | 2 | 4 | 2 | 2 | 3 | 3 | 4 | 2 | 2 | 3 | 3 | 3 | 49 2.7 |
| Skin | + | 50 |
| Cyst Epithelial Inclusion | | X | | 1 |

MUSCULOSKELETAL SYSTEM

| | |
|------------------------|-------|
| Bone | + | 50 |
| Cranium, Osteopetrosis | | 1 2.0 |
| Skeletal Muscle | 1 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Page 155

CAS Number: 7789-12-0

2) Mild 4) Marked

CAS Number: 7789-12-0

2) Mild 4) Marked

TDMS No. 20114 - 07
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Sodium dichromate dihydrate (VI)

CAS Number: 7789-12-0

Date Report Requested: 10/04/2007
 Time Report Requested: 10:38:19
 First Dose M/F: 10/02/02 / 10/02/02
 Lab: SRI

| DAY ON TEST | | 0 | 0 | |
|-------------------------------------|--|-------------------|
| | | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 4 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | | 3 | 3 | 3 | 0 | 3 | 3 | 3 | 3 | 3 | 1 | 5 | 3 | 3 | 3 | 3 | 7 | 3 | 3 | 0 | 3 | 2 | 2 | 2 | 2 | 2 |
| | | 6 | 6 | 6 | 5 | 6 | 5 | 5 | 5 | 5 | 5 | 2 | 5 | 5 | 5 | 5 | 2 | 7 | 7 | 6 | 7 | 9 | 1 | 9 | 9 | 9 |
| FISCHER 344 RATS FEMALE
516 MG/L | | females (cont...) | |
| | | 0 | 0 | |
| | | 0 | 0 | |
| | | 4 | 4 | |
| | | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | |
| ANIMAL ID | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |

ALIMENTARY SYSTEM

| | |
|--|---|
| Esophagus | + | M | + | + | + | + |
| Intestine Large, Cecum
Edema | + |
| Intestine Large, Colon | + |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | I | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Duodenum
Infiltration Cellular, Histiocyte | + |
| | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 2 | 1 | 4 | 1 | 1 | 1 | | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| Intestine Small, Ileum
Lymphoid Tissue, Hyperplasia | + | + | + | + | + | + | + | + | + | 2 | + | 1 | + | 2 | 2 | 1 | + | 1 | + | + | + | 1 | + | 1 | + |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | I | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Liver | + |
| Basophilic Focus | X | X | X | | X | X | X | X | X | X | X | X | X | X | X | | X | X | | X | X | X | X | X | X |
| Clear Cell Focus | | | X | | X | | | | X | | | | | | X | | | | | X | | | | | |
| Eosinophilic Focus | | | | | | | | | | | | | X | | | | | | | | | | | | |
| Fatty Change | 2 | | | 3 | | | | | | 2 | | 2 | | | 4 | | | 2 | | | | | | 2 | |
| Hepatodiaphragmatic Nodule | | | | X | X | | | | | | | X | | | | | | | | | | | | X | |
| Infiltration Cellular, Histiocyte | 3 | 2 | 3 | | 3 | 2 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 1 | 2 | 3 | 2 | 3 | 2 | 1 | 2 | 2 | 2 |
| Inflammation, Chronic | 2 | 2 | 2 | | 1 | 1 | 2 | 3 | 2 | 3 | 1 | | 2 | 2 | 3 | 3 | | 1 | 4 | 2 | 3 | | 2 | 1 | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 20114 - 07
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Sodium dichromate dihydrate (VI)

CAS Number: 7789-12-0

Date Report Requested: 10/04/2007
 Time Report Requested: 10:38:19
 First Dose M/F: 10/02/02 / 10/02/02
 Lab: SRI

| | | DAY ON TEST | | | | |
|----------------------------------|--|-------------|-------------------|--|--|--|
| | | 0 | 0 | | | |
| | | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 4 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | | | |
| | | 3 | 3 | 3 | 0 | 3 | 3 | 3 | 3 | 3 | 1 | 5 | 3 | 3 | 3 | 3 | 7 | 3 | 3 | 0 | 3 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | | | |
| | | 6 | 6 | 6 | 5 | 6 | 5 | 5 | 5 | 5 | 5 | 2 | 5 | 5 | 5 | 5 | 2 | 7 | 7 | 6 | 7 | 9 | 1 | 9 | 9 | 9 | 9 | 9 | | | |
| | | | | | | |
| FISCHER 344 RATS FEMALE | | 0 | 0 | | | | |
| 516 MG/L | | 0 | 0 | | | | |
| ANIMAL ID | | 4 | 4 | females (cont...) | | | |
| | | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | | | | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | | | | | |
| Mixed Cell Focus | | | X | X | | | | | X | X | | X | | | X | | | | X | | X | | X | | X | X | | | | | |
| Necrosis | | | | | | | | | | | 1 | | | | | | | | X | | X | | X | | X | X | | | | | |
| Bile Duct, Hyperplasia | | | | 2 | | | | | 2 | | | | | | | | | | | 1 | | | | | | | | | | | |
| Hepatocyte, Syncytial Alteration | | | | | | | | | | 2 | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | |
| Mesentery | | | + | | + | | | | + | | | | | | | | | | | | | | | | | | | | | | |
| Accessory Spleen | | | | | | |
| Fat, Necrosis | | | 3 | | 1 | | | | 3 | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | |
| Oral Mucosa | | + | + | | | | |
| | | | | | | |
| Pancreas | | + | + | | | | |
| Atrophy | | 1 | 1 | | | | | |
| Cyst | | | | | | |
| Acinus, Cytoplasmic Alteration | | | | | | |
| Acinus, Hyperplasia, Focal | | | | | | |
| | | | | | | |
| Salivary Glands | | + | + | | | | |
| Atrophy | | | | | | | 2 | | | 1 | 3 | | | | | | 1 | | 3 | | | | 1 | | 2 | | | | | | |
| | | | | | | |
| Stomach, Forestomach | | + | + | | | | |
| Edema | | | | | | |
| Erosion | | | | | | |
| Inflammation, Chronic Active | | | | | | |
| Ulcer | | | | | | |
| Epithelium, Hyperplasia | | | | | | |
| | | | | | | |
| Stomach, Glandular | | + | + | | | | |
| Edema | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

Page 159

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

females
(cont...)[illegible]

Heart Cardiomyopathy

Adrenal Cortex
Accessory Adrenal Cortical Nodule
Degeneration, Fatty
Hyperplasia, Focal
Hypertrophy, Focal

Adrenal Medulla

- Insufficient tissue

BLANK .. Not examined microscopically

Page 160

2) Mild 4) Marked

TDMS No. 20114 - 07
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
Sodium dichromate dihydrate (VI)
CAS Number: 7789-12-0

Date Report Reqsted: 10/04/2007
Time Report Reqsted: 10:38:19
First Dose M/F: 10/02/02 / 10/02/02
Lab: SRI

| | | 0 | 0 |
|-------------------------------------|-----------|---|---|
| DAY ON TEST | | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 4 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | | 3 | 3 | 3 | 0 | 3 | 3 | 3 | 3 | 3 | 1 | 5 | 3 | 3 | 3 | 3 | 7 | 3 | 3 | 0 | 3 | 2 | 2 | 2 | 2 | 2 |
| | | 6 | 6 | 6 | 5 | 6 | 5 | 5 | 5 | 5 | 5 | 2 | 5 | 5 | 5 | 5 | 2 | 7 | 7 | 6 | 7 | 9 | 1 | 9 | 9 | 9 |
| | | | |
| FISCHER 344 RATS FEMALE
516 MG/L | ANIMAL ID | 0 | 0 | |
| | | 0 | 0 | |
| | | 4 | 4 | |
| | | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |
| | | females (cont...) |
| Hyperplasia | | 1 | |
| Islets, Pancreatic | | | |
| | | + | |
| Parathyroid Gland Hyperplasia | | | |
| | | + + + + M + + + + + + + + + + + + + + + + + + M + |
| | | 2 | |
| Pituitary Gland | | | |
| Pars Distalis, Angiectasis | | + | |
| Pars Distalis, Cyst | | 3 | |
| Pars Distalis, Hyperplasia | | 3 |
| Pars Distalis, Hyperplasia, Focal | | 2 3 1 1 3 |
| Pars Intermedia, Cyst | | 3 |
| | | | |
| Thyroid Gland | | + | |
| Ultimobranchial Cyst | | 1 2 1 |
| C-cell, Hyperplasia | | 3 |

GENERAL BODY SYSTEM

Tissue NOS

GENITAL SYSTEM

| |
|----------------|
| Clitoral Gland | + |
| Cyst | 3 | |
| Hyperplasia | 3 | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

l .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Page 161

TDMS No. 20114 - 07
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
Sodium dichromate dihydrate (VI)
CAS Number: 7789-12-0

Date Report Reqsted: 10/04/2007
Time Report Reqsted: 10:38:19
First Dose M/F: 10/02/02 / 10/02/02
Lab: SRI

| | |
|--|---|
| DAY ON TEST | 0 |
| | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 4 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | 3 | 3 | 3 | 0 | 3 | 3 | 3 | 3 | 3 | 1 | 5 | 3 | 3 | 3 | 3 | 7 | 3 | 3 | 0 | 3 | 2 | 2 | 2 | 2 | 2 |
| | 6 | 6 | 6 | 5 | 6 | 5 | 5 | 5 | 5 | 5 | 2 | 5 | 5 | 5 | 5 | 2 | 7 | 7 | 6 | 7 | 9 | 1 | 9 | 9 | 9 |
| | |
| FISCHER 344 RATS FEMALE
ANIMAL ID
516 MG/L | 0 |
| | 0 |
| | 4 |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |

females
(cont...)

| |
|-----------------------|
| Inflammation, Chronic | 2 | | | | | | | | | 2 | | | | | | | | | 2 | | | | | | |
| Ovary | + |
| Cyst | 3 | | | | | | | | | | | | | | | | | | 3 | | 3 | | | | |
| Uterus | + |
| Angiectasis | | | | | | | | | | 2 | | | | | | | | | | | | | | | |
| Hyperplasia, Cystic | | | | | | | | | | 3 | | | | | | | | | 2 | | | | | | |
| Vagina | + | | | + | | | | | | | | | + | | | | | | | | | | | | |

HEMATOPOIETIC SYSTEM

| |
|------------------------------------|
| Bone Marrow | + |
| Hyperplasia | 2 | | | | | | | | | 3 | | | | | | | 2 | | | | | | | | |
| Myelofibrosis | | | | | | | | | | | 3 | | | | | | | | | | | | | | |
| Lymph Node | | | | + | | | | | | + | | | | | | + | | | + | | | | | | |
| Mediastinal, Ectasia |
| Mediastinal, Hemorrhage | | | | | | | | | | 2 | | | | | | | | | 3 | | | | | | |
| Mediastinal, Hyperplasia, Lymphoid | | | | | | | | | | 2 | | | | | | | | | 3 | | | | | | |
| Mediastinal, Pigmentation |
| Lymph Node, Mandibular | M | M | + | M |
| Ectasia |
| Lymph Node, Mesenteric | + |
| Hemorrhage | | | | | | 1 | 1 | 1 | 1 | 1 | | | | | 2 | 1 | | | 1 | 1 | | | 1 | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

Page 162

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

TDMS No. 20114 - 07
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Sodium dichromate dihydrate (VI)

CAS Number: 7789-12-0

Date Report Requested: 10/04/2007
 Time Report Requested: 10:38:19
 First Dose M/F: 10/02/02 / 10/02/02
 Lab: SRI

| | | DAY ON TEST | | |
|---|--|-------------|-------------------|--|
| | | 0 | 0 | |
| | | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 4 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | | 3 | 3 | 3 | 0 | 3 | 3 | 3 | 3 | 3 | 1 | 5 | 3 | 3 | 3 | 3 | 7 | 3 | 3 | 0 | 3 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | | 6 | 6 | 6 | 5 | 6 | 5 | 5 | 5 | 5 | 5 | 2 | 5 | 5 | 5 | 5 | 2 | 7 | 7 | 6 | 7 | 9 | 1 | 9 | 9 | 9 | 9 | |
| | | | | |
| FISCHER 344 RATS FEMALE | | 0 | 0 | |
| ANIMAL ID | | 0 | 0 | |
| 516 MG/L | | 4 | 4 | |
| | | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | females (cont...) | |
| Hyperplasia, Reticulum Cell Infiltration Cellular, Histiocyte | | 2 | 3 | 3 | 2 | 2 | 2 | 3 | 3 | 2 | 3 | 2 | 2 | 2 | 3 | 3 | | 3 | 3 | | 2 | 2 | 2 | | | 3 | | |
| Lymph Node, Pancreatic Hemorrhage | | + | M | M | + | + | + | + | + | + | M | + | + | + | + | M | M | M | + | + | + | M | + | M | M | | | |
| Hyperplasia, Lymphoid Infiltration Cellular, Histiocyte | | | | |
| Pigmentation | | 2 | | | 2 | 4 | 3 | 3 | 4 | | 4 | | | | 3 | 3 | | | | 3 | 4 | 3 | | 2 | | | | |
| Spleen | | + | + | | |
| Accessory Spleen | | X | | |
| Hematopoietic Cell Proliferation | | 3 | 2 | 2 | | 2 | 2 | 2 | 1 | 2 | 2 | 2 | | 2 | 2 | | | 2 | 2 | 1 | 2 | 2 | 1 | 2 | 2 | 2 | | |
| Hemorrhage | | | | |
| Necrosis | | | | | 3 | | | | | | | | | | | | 3 | | | | | | | | | | | |
| Pigmentation | | | | | | | | | | | | | | | | | 4 | | | | | | | | | | | |
| Lymphoid Follicle, Atrophy | | | | |
| Lymphoid Follicle, Hyperplasia | | 3 | | |
| Thymus | | + | + | | |
| Atrophy | | | | |
| | | | | |
| INTEGUMENTARY SYSTEM | | | | |
| Mammary Gland | | + | + | | |
| Hyperplasia | | 3 | 3 | 3 | 2 | 2 | 2 | 3 | | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 4 | | 3 | | 3 | 2 | 3 | 2 | | |
| Skin | | + | + | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

Page 163

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

CAS Number: 7789-12-0

2) Mild 4) Marked

TDMS No. 20114 - 07
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 Sodium dichromate dihydrate (VI)
 CAS Number: 7789-12-0

Date Report Requested: 10/04/2007
 Time Report Requested: 10:38:19
 First Dose M/F: 10/02/02 / 10/02/02
 Lab: SRI

| | | |
|---|-------------------|-----------------------|
| FISCHER 344 RATS FEMALE
516 MG/L | DAY ON TEST | 0
7
3
6 | 0
7
3
6 | 0
7
3
6 | 0
6
0
5 | 0
7
3
6 | 0
7
3
5 | 0
7
3
5 | 0
7
3
5 | 0
7
3
5 | 0
7
1
5 | 0
7
5
2 | 0
7
3
5 | 0
7
3
5 | 0
7
3
5 | 0
4
7
5 | 0
7
3
2 | 0
7
3
6 | 0
5
0
7 | 0
7
3
9 | 0
7
2
1 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | | |
| | | |
| | ANIMAL ID | 0
0
4
5
1 | 0
0
4
5
2 | 0
0
4
5
3 | 0
0
4
5
4 | 0
0
4
5
5 | 0
0
4
5
6 | 0
0
4
5
7 | 0
0
4
5
8 | 0
0
4
5
9 | 0
0
4
6
0 | 0
0
4
6
1 | 0
0
4
6
2 | 0
0
4
6
3 | 0
0
4
6
4 | 0
0
4
6
5 | 0
0
4
6
6 | 0
0
4
6
7 | 0
0
4
6
8 | 0
0
4
6
9 | 0
0
4
7
0 | 0
0
4
7
1 | 0
0
4
7
2 | 0
0
4
7
3 | 0
0
4
7
4 | 0
0
4
7
5 |
| | | |
| | females (cont...) | |
| Infarct
Inflammation, Chronic
Nephropathy
Renal Tubule, Pigmentation
Transitional Epithelium, Hyperplasia | 1 | |
| Urinary Bladder | M | + | |

TDMS No. 20114 - 07
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

Sodium dichromate dihydrate (VI)

CAS Number: 7789-12-0

Date Report Requested: 10/04/2007
 Time Report Requested: 10:38:19
 First Dose M/F: 10/02/02 / 10/02/02
 Lab: SRI

| DAY ON TEST | | 0 | | |
|-------------------------------------|--|----------|
| | | 5 | 5 | 7 | 7 | 5 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 5 | 5 | 6 | 7 | 7 | 4 | 6 | 7 | 6 | 7 | 7 | 7 | 5 | |
| | | 9 | 6 | 2 | 2 | 8 | 3 | 3 | 3 | 6 | 3 | 0 | 3 | 7 | 6 | 4 | 2 | 3 | 6 | 5 | 3 | 7 | 3 | 3 | 3 | 8 | |
| | | 5 | 7 | 9 | 9 | 0 | 5 | 5 | 5 | 7 | 5 | 9 | 5 | 0 | 0 | 7 | 1 | 5 | 1 | 2 | 5 | 9 | 7 | 2 | 7 | 3 | |
| FISCHER 344 RATS FEMALE
516 MG/L | | |
| | | 0 | | |
| | | 0 | | |
| | | 4 | 5 | |
| | | 7 | 7 | 7 | 7 | 8 | 0 | |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | * TOTALS |

ALIMENTARY SYSTEM

| | |
|-----------------------------------|--------|
| Esophagus | + | 49 |
| Intestine Large, Cecum | + | + | + | + | + | + | + | 2 | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Edema | | | | | | | | 2 | | | | | | | | | | | | | | | | | 1 2.0 |
| Intestine Large, Colon | + | 50 |
| Intestine Large, Rectum | + | | + | + | + | + | + | + | + | + | + | + | + | + | + | | + | + | + | + | + | + | + | + | 47 |
| Intestine Small, Duodenum | + | 50 |
| Infiltration Cellular, Histiocyte | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | 2 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 2 | 47 1.2 |
| Intestine Small, Ileum | + | 50 |
| Lymphoid Tissue, Hyperplasia | | | | | | | | | | 1 | | | | | | | 1 | 1 | | 2 | | | | | 12 1.3 |
| Intestine Small, Jejunum | + | 49 |
| Liver | + | 50 |
| Basophilic Focus | X | X | X | X | X | X | X | X | X | X | X | X | | X | X | X | X | X | | X | | X | X | X | 43 |
| Clear Cell Focus | | | | | | | | X | | X | | | | | | | | | | | | | | | 7 |
| Eosinophilic Focus | | | | | | | X | | | | | | | | X | | | | | | | | | | 3 |
| Fatty Change | | | | | 3 | | | | | | | 3 | | 3 | 2 | | 3 | | 3 | | 4 | | 3 | 3 | 16 2.8 |
| Hepatodiaphragmatic Nodule | X | | | | | | | X | | X | X | | | | | | | | | | X | | | | 9 |
| Infiltration Cellular, Histiocyte | | 2 | 3 | 2 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 2 | 2 | | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 47 2.6 |
| Inflammation, Chronic | 1 | 2 | 2 | 2 | | 3 | | 2 | 2 | 3 | 2 | 1 | 3 | 2 | | 1 | 3 | 3 | | 1 | | 3 | 2 | 3 | 39 2.1 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

Page 167

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

CAS Number: 7789-12-0

2) Mild 4) Marked

CAS Number: 7789-12-0

Date Report Requested: 10/04/2007
Time Report Requested: 10:38:19
First Dose M/F: 10/02/02 / 10/02/02
Lab: SRI

CAS Number: 7789-12-0

CAS Number: 7789-12-0

2) Mild 4) Marked

TDMS No. 20114 - 07
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
Sodium dichromate dihydrate (VI)
CAS Number: 7789-12-0

Date Report Requested: 10/04/2007
Time Report Requested: 10:38:19
First Dose M/F: 10/02/02 / 10/02/02
Lab: SRI

| | | 0 | 0 | |
|--|--|-----------------|----------|----------------|
| DAY ON TEST | | 5 | 5 | 7 | 7 | 5 | 7 | 7 | 7 | 6 | 7 | 7 | 5 | 5 | 6 | 7 | 7 | 4 | 6 | 7 | 6 | 7 | 3 | 7 | 5 | | | |
| | | 9 | 6 | 2 | 2 | 8 | 3 | 3 | 3 | 6 | 3 | 0 | 3 | 7 | 6 | 4 | 2 | 3 | 6 | 5 | 3 | 7 | 3 | 3 | 3 | 8 | | |
| | | 5 | 7 | 9 | 9 | 0 | 5 | 5 | 5 | 7 | 5 | 9 | 5 | 0 | 0 | 7 | 1 | 5 | 1 | 2 | 5 | 9 | 7 | 2 | 7 | 3 | | |
| | | | | |
| FISCHER 344 RATS FEMALE | | 0 | | |
| ANIMAL ID | | 0 | | |
| 516 MG/L | | 4 | 5 | | |
| | | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | | |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | * TOTALS | |
| Hyperplasia, Reticulum Cell Infiltration Cellular, Histiocyte | | 2 | 2 | 2 | 2 | 3 | 2 | | 1 | 3 | | 2 | 4 | 3 | 1 | 2 | 2 | 2 | | 3 | 2 | 2 | 3 | 3 | 2 | 1 2.0
42 2.4 | | |
| Lymph Node, Pancreatic Hemorrhage | | + | M | + | + | M | + | + | + | + | M | M | + | M | + | + | + | M | M | + | + | + | + | M | + | + | 33 | 4 1.5
2 2.5 |
| Hyperplasia, Lymphoid Infiltration Cellular, Histiocyte Pigmentation | | 3 | | 2 | 3 | | 2 | 4 | 4 | | | | 1 | | 3 | 2 | 3 | | 3 | 4 | | | | 4 | 4 | 27 3.0
1 3.0 | | |
| Spleen | | + | 50 | 1 | |
| Accessory Spleen Hematopoietic Cell Proliferation Hemorrhage | | 3 | 3 | | 2 | | 1 | 3 | 2 | | 2 | | 2 | | 2 | 3 | | 2 | | 2 | | | | | | 33 2.0
1 3.0 | | |
| Necrosis | | 2 3.5 | | |
| Pigmentation | | | | | | 3 | | | | | 3 | | | | | | | | | | | | | | 3 | 3 3.0 | | |
| Lymphoid Follicle, Atrophy | | | | | | 3 | | | | | 2 | | 3 | | | | | | | | | | | | 3 | 4 2.8 | | |
| Lymphoid Follicle, Hyperplasia | | | 2 | | | | | | | | | | | | | | | 3 | | | | | | | | 3 2.7 | | |
| Thymus | | + | + | + | M | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | 47 | 3 3.0 |
| Atrophy | | | | | | 3 | | | | | | | | 3 | | | | | | | | | | | 3 | | | |
| INTEGUMENTARY SYSTEM | | | | |
| Mammary Gland | | + | 50 | | |
| Hyperplasia | | 1 | 3 | 3 | 2 | 2 | 3 | 2 | 3 | 2 | 2 | 3 | 3 | 2 | | 4 | 2 | 2 | | 2 | | 3 | 4 | 4 | 2 | 2 | 44 2.7 | |
| Skin | | + | 50 | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Page 172

TDMS No. 20114 - 07
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
Sodium dichromate dihydrate (VI)
CAS Number: 7789-12-0

Date Report Reqsted: 10/04/2007
Time Report Reqsted: 10:38:19
First Dose M/F: 10/02/02 / 10/02/02
Lab: SRI

| | | |
|--|---|--|
| DAY ON TEST | 0 | | |
| | 5 | 5 | 7 | 7 | 5 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 5 | 5 | 6 | 7 | 7 | 4 | 6 | 7 | 6 | 7 | 7 | 5 | | |
| | 9 | 6 | 2 | 2 | 8 | 3 | 3 | 3 | 6 | 3 | 0 | 3 | 7 | 6 | 4 | 2 | 3 | 6 | 5 | 3 | 7 | 3 | 3 | 8 | | |
| | 5 | 7 | 9 | 9 | 0 | 5 | 5 | 5 | 7 | 5 | 9 | 5 | 0 | 0 | 7 | 1 | 5 | 1 | 2 | 5 | 9 | 7 | 2 | 3 | | |
| FISCHER 344 RATS FEMALE
ANIMAL ID
516 MG/L | 0 | | |
| | 0 | | |
| | 4 | 5 | | |
| | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | |
| * TOTALS | |

MUSCULOSKELETAL SYSTEM

| | | |
|------------------------|----|-----|
| Bone | + | 50 | |
| Cranium, Osteopetrosis | | | | | 2 | | | | | | | | 2 | | | | | | | | | | | | 2 | 2.0 |

NERVOUS SYSTEM

| | | | |
|---------------------------|----|---|-----|
| Brain | + | 50 | | |
| Compression | | | | 3 | | 4 | | | | | | | | 2 | | | | | | | | | 3 | | | 7 | 2.9 |
| Gliosis | | 1 | 1.0 |
| Necrosis | 2 | | | | 1 | 2.0 |
| Vacuolization Cytoplasmic | | 1 | 2.0 |
| Peripheral Nerve | | | | | | | | | | | | | + | | | | | | | | | | + | | | 2 | |
| Spinal Cord | | | | | | | | | | | | | + | | | | | | | | | | + | | | 2 | |

RESPIRATORY SYSTEM

| | | |
|-----------------------------------|--------|--|
| Larynx | + | | | | | | | | | | | | | | | | | | | | 1 | | | | |
| Lung | + | 50 | |
| Foreign Body | | | | | | | | | | | | | | | | | | | X | | | | | 1 | |
| Hemorrhage | | | | | | | | 1 | | | | | | | | | | | | | | | | 2 1.0 | |
| Infiltration Cellular, Histiocyte | 2 | 2 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | | 1 | 2 | 2 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 1 | 47 1.5 | |
| Inflammation, Chronic | | | | | | | | | | | | | | | | | | | 3 | | | | | 1 3.0 | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Page 173

TDMS No. 20114 - 07
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: RATS/F 344

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
Sodium dichromate dihydrate (VI)
CAS Number: 7789-12-0

Date Report Requested: 10/04/2007
Time Report Requested: 10:38:19
First Dose M/F: 10/02/02 / 10/02/02
Lab: SRI

| | | | |
|---|--|-------------|--------|
| | | DAY ON TEST | |
| | | 0595 | 0567 | 0729 | 0729 | 0580 | 0735 | 0733 | 0733 | 0636 | 0730 | 0737 | 0735 | 0537 | 0564 | 0672 | 0734 | 0463 | 0653 | 0737 | 0633 | 0733 | 0733 | 0733 | 0008 |
| | | 5695 | 5679 | 2299 | 8200 | 3355 | 3355 | 3355 | 6375 | 3039 | 3735 | 7600 | 6471 | 4251 | 0361 | 0235 | 0652 | 5325 | 7399 | 3772 | 3372 | 3377 | 3377 | 3377 | 853 |
| | | 5695 | 5679 | 2299 | 8200 | 3355 | 3355 | 3355 | 6375 | 3039 | 3735 | 7600 | 6471 | 4251 | 0361 | 0235 | 0652 | 5325 | 7399 | 3772 | 3372 | 3377 | 3377 | 3377 | 853 |
| | | | |
| FISCHER 344 RATS FEMALE | | 00400 | 00401 | 00402 | 00403 | 00404 | 00405 | 00406 | 00407 | 00408 | 00409 | 00410 | 00411 | 00412 | 00413 | 00414 | 00415 | 00416 | 00417 | 00418 | 00419 | 00420 | 00421 | 00422 | 00423 |
| 516 MG/L | | 4476 | 4477 | 4478 | 4479 | 4480 | 4481 | 4482 | 4483 | 4484 | 4485 | 4486 | 4487 | 4488 | 4489 | 4490 | 4491 | 4492 | 4493 | 4494 | 4495 | 4496 | 4497 | 4498 | 4499 |
| | | 7766 | 7767 | 7768 | 7769 | 7770 | 7771 | 7772 | 7773 | 7774 | 7775 | 7776 | 7777 | 7778 | 7779 | 7780 | 7781 | 7782 | 7783 | 7784 | 7785 | 7786 | 7787 | 7788 | 7789 |
| | | 6676 | 6677 | 6678 | 6679 | 6680 | 6681 | 6682 | 6683 | 6684 | 6685 | 6686 | 6687 | 6688 | 6689 | 6690 | 6691 | 6692 | 6693 | 6694 | 6695 | 6696 | 6697 | 6698 | 6699 |
| | | * TOTALS | |
| Alveolar Epithelium, Hyperplasia | | 3 | | 3 | | 1 | | | 3 | | | | | | | | | | 3 | | | | | | 10 2.0 |
| Alveolar Epithelium, Metaplasia, Squamous | | 2 | 1 2.0 |
| | | | |
| Nose | | + | + | 50 |
| Foreign Body | | | | | | | | | | | | | | | | | | X | | | | | | | 3 |
| Inflammation, Chronic | | | | | | 2 | | | | | | | | | | | | 2 | | | | | | | 3 2.0 |
| Respiratory Epithelium, Hyperplasia | | | | | | 1 | | | | | | | | | | | | 1 | | | | | | | 2 1.0 |
| | | | |
| Trachea | | + | + | 50 |
| | | | |
| SPECIAL SENSES SYSTEM | | | |
| | | | |
| Eye | | + | + | 50 |
| Cataract | | | 4 | | | 1 4.0 |
| Inflammation, Chronic | | | | | | 4 | | | | | | | 4 | | | | | | | | | | | | 3 4.0 |
| Retina, Degeneration | | | | | | | | | | | | | | | | | | | | | 4 | | | | 2 3.0 |
| | | | |
| Harderian Gland | | + | + | 50 |
| Hemorrhage | | | 1 4.0 |
| | | | |
| Zymbal's Gland | | | | | | | | | | | | | | | | | | + | | | | | | | 1 |
| | | | |
| URINARY SYSTEM | | | |
| | | | |
| Kidney | | + | + | 50 |
| Cyst | | | | 3 | | 2 3.0 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade

+ .. Tissue examined microscopically

x .. Lesion present

l .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

1-4 .. Lesion qualified as:

1) Minimal 3) Moderate

2) Mild 4) Marked

Page 174

Date Report Requested: 10/04/2007
Time Report Requested: 10:38:19
First Dose M/F: 10/02/02 / 10/02/02
Lab: SR|

CAS Number: 7789-12-0

*** END OF REPORT ***

2) Mild 4) Marked