

Experiment Number: 20303 - 06
Test Type: CHRONIC
Route: RESPIRATORY EXPOSURE WHOLE BODY
Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Vinylidene chloride
CAS Number: 75-35-4

Date Report Requested: 08/26/2013
Time Report Requested: 12:08:14
First Dose M/F: 06/20/05 / 06/20/05
Lab: BNW

F3_M3

NTP Study Number: C20303
Lock Date: 05/19/2008
Cage Range: ALL
Date Range: ALL
Reasons For Removal: ALL
Removal Date Range: ALL
Treatment Groups: Include ALL
Study Gender: Both
TDMSE Version: 3.0.2.0_001
PWG Approval Date: 07/01/2011

Note: Animals arranged according to days on test.

B6C3F1 MICE MALE	DAY ON TEST	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		4	4	5	5	5	5	5	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	
		4	8	0	1	3	5	8	9	1	2	2	3	4	5	6	7	9	0	0	1	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	
Control	ANIMAL ID	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	4	1	4	5	0	1	0	1	4	2	3	2	1	0	4	4	3	4	3	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	4	9	7	0	4	0	2	2	5	7	6	9	7	1	3	9	7	0	9	5	8	4	5	6	1	2	1	2	1	1	1	1	1	1	1	1	1	1	1	
																														males										
																														(cont...)										

ALIMENTARY SYSTEM

Esophagus	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		
Gallbladder	A	A	A	A	+	+	+	+	+	+	A	+	A	A	+	+	+	+	+	+	M	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		
Intestine Large, Cecum Carcinoma	A	A	A	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
Intestine Large, Colon	+	A	A	+	+	+	+	+	+	+	+	+	+	A	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
Intestine Large, Rectum	+	A	+	+	+	+	+	+	+	+	+	+	+	A	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
Intestine Small, Duodenum	A	A	A	A	+	+	+	+	+	+	A	+	+	A	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
Intestine Small, Ileum Adenoma	A	A	A	A	+	+	+	+	+	+	A	+	+	A	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
Intestine Small, Jejunum Hepatocolangiocarcinoma, Metastatic, Liver	A	A	A	A	+	+	+	+	+	+	A	+	+	A	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
Liver	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
Hemangiosarcoma																																									
Hepatoblastoma																																									
Hepatocellular Adenoma																																									
Hepatocellular Adenoma, Multiple																																									
Hepatocellular Carcinoma																																									
Hepatocellular Carcinoma, Multiple																																									
Hepatocolangiocarcinoma																																									
Mesentery																																									

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

Experiment Number: 20303 - 06
 Test Type: CHRONIC
 Route: RESPIRATORY EXPOSURE WHOLE BODY
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Vinylidene chloride
 CAS Number: 75-35-4

Date Report Requested: 08/26/2013
 Time Report Requested: 12:08:14
 First Dose M/F: 06/20/05 / 06/20/05
 Lab: BNW

B6C3F1 MICE MALE Control	DAY ON TEST	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	ANIMAL ID	males (cont...)
	0	4	4	5	5	5	5	5	6	6	6	6	6	6	6	6	7	7	7	7	7	7	7	7	7	7		
		4	8	0	1	3	5	8	9	1	2	2	3	4	5	6	7	9	0	0	1	1	2	2	2	2	0	
		3	8	1	2	5	0	9	6	0	3	9	9	2	2	1	0	4	4	8	2	9	9	9	9	9	0	
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		4	1	4	5	0	1	0	1	4	2	3	2	1	0	4	4	3	4	3	0	0	1	1	1	2	0	
		4	9	7	0	4	0	2	2	5	7	6	9	7	1	3	9	7	0	9	5	8	4	5	6	1	0	
Pancreas		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+			
Salivary Glands		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+			
Stomach, Forestomach Squamous Cell Papilloma		+	A	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+			
Stomach, Glandular		A	A	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+			
Tooth											+																	
CARDIOVASCULAR SYSTEM																												
Heart		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+			
Hepatocellular Carcinoma, Metastatic, Liver									X																			
Hepatocarcinoma, Metastatic, Liver																		X										
ENDOCRINE SYSTEM																												
Adrenal Cortex Subcapsular, Adenoma		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+			
Adrenal Medulla Pheochromocytoma Benign Pheochromocytoma Malignant		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+			
Islets, Pancreatic Adenoma		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+			
Parathyroid Gland		+	+	+	M	+	+	M	+	+	I	+	+	M	M	M	M	+	+	+	M	M	+	+	+		M	
Pituitary Gland		+	+	+	+	+	+	+	+	+	+	+	I	+	+	+	+	+	+	+	+	+	+	+	+			

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20303 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Vinylidene chloride

CAS Number: 75-35-4

Date Report Requested: 08/26/2013

Time Report Requested: 12:08:14

First Dose M/F: 06/20/05 / 06/20/05

Lab: BNW

B6C3F1 MICE MALE Control	DAY ON TEST	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		4	4	5	5	5	5	5	6	6	6	6	6	6	6	7	7	7	7	7	7	7	7	7
ANIMAL ID		4	8	0	1	3	5	8	9	1	2	2	3	4	5	6	7	9	0	0	1	1	2	2
		3	8	1	2	5	0	9	6	0	3	9	9	2	2	1	0	4	4	8	2	9	9	9
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	4	1	4	5	0	1	0	1	4	2	3	2	1	0	4	4	3	4	3	0	0	1	1	
	4	9	7	0	4	0	2	2	5	7	6	9	7	1	3	9	7	0	9	5	8	4	5	

males
(cont...)

Pars Intermedia, Adenoma

X

Thyroid Gland

+ +

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

Epididymis

+ +

Preputial Gland

+ +

Prostate

+ +

Seminal Vesicle

+ +

Testes

+ +

Hemangioma

Interstitial Cell, Adenoma

HEMATOPOIETIC SYSTEM

Bone Marrow

+ +

Hemangiosarcoma

X

Lymph Node

+

Lymph Node, Bronchial

M M M + + M + + + M + M I + M M + + + M M + + M +

Hepatocolangiocarcinoma, Metastatic, Liver

X

Lymph Node, Mandibular

M + + + M + + + + M M M M M + M M + M + M M M +

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

Experiment Number: 20303 - 06
 Test Type: CHRONIC
 Route: RESPIRATORY EXPOSURE WHOLE BODY
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Vinylidene chloride
 CAS Number: 75-35-4

Date Report Requested: 08/26/2013
 Time Report Requested: 12:08:14
 First Dose M/F: 06/20/05 / 06/20/05
 Lab: BNW

| B6C3F1 MICE MALE
Control | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | males
(cont...) | |
|---|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|---|--------------------|--|
| | 043 | 044 | 045 | 048 | 049 | 050 | 051 | 052 | 053 | 054 | 055 | 056 | 057 | 058 | 059 | 060 | 061 | 062 | 063 | 064 | 065 | 066 | 067 | | | |
| ANIMAL ID | 00044 | 00001 | 00004 | 00005 | 00008 | 00009 | 00010 | 00011 | 00012 | 00013 | 00014 | 00015 | 00016 | 00017 | 00018 | 00019 | 00020 | 00021 | 00022 | 00023 | 00024 | 00025 | 00026 | | | |
| Lymph Node, Mediastinal
Hepatocolangiocarcinoma, Metastatic, Liver | + | + | M | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | |
| Lymph Node, Mesenteric
Carcinoma, Metastatic, Intestine Large, Cecum | M | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Spleen
Hemangiosarcoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Thymus | + | M | A | + | + | + | + | + | M | + | M | I | + | + | + | M | + | + | M | M | M | + | + | + | + | |
| INTEGUMENTARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mammary Gland | M | M | M | M | M | M | M | + | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | |
| Skin
Fibrous Histiocytoma
Keratoacanthoma
Subcutaneous Tissue, Liposarcoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| MUSCULOSKELETAL SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Skeletal Muscle
Hemangiosarcoma | | | | | | | | | + | | | | | | | | | | | | | | | | | |
| NERVOUS SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| RESPIRATORY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20303 - 06
 Test Type: CHRONIC
 Route: RESPIRATORY EXPOSURE WHOLE BODY
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Vinylidene chloride
 CAS Number: 75-35-4

Date Report Requested: 08/26/2013
 Time Report Requested: 12:08:14
 First Dose M/F: 06/20/05 / 06/20/05
 Lab: BNW

| B6C3F1 MICE MALE
Control | DAY ON TEST | 0
4
4
3 | 0
4
8
8 | 0
5
0
1 | 0
5
3
5 | 0
5
5
0 | 0
5
8
9 | 0
5
9
6 | 0
6
1
0 | 0
6
2
3 | 0
6
2
9 | 0
6
3
2 | 0
6
4
2 | 0
6
5
1 | 0
6
6
0 | 0
6
7
4 | 0
6
7
0 | 0
6
7
0 | 0
6
7
1 | 0
6
7
2 | 0
6
7
2 | 0
6
7
2 | 0
6
7
2 | 0
6
7
2 | 0
6
7
2 | males
(cont...) |
|---|-------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|--------------------|
| | ANIMAL ID | 0
0
0
4
4 | 0
0
0
1
9 | 0
0
0
4
7 | 0
0
0
5
0 | 0
0
0
0
4 | 0
0
0
1
0 | 0
0
0
0
2 | 0
0
0
1
2 | 0
0
0
4
5 | 0
0
0
2
7 | 0
0
0
3
6 | 0
0
0
2
9 | 0
0
0
1
7 | 0
0
0
0
1 | 0
0
0
4
3 | 0
0
0
4
9 | 0
0
0
3
7 | 0
0
0
4
0 | 0
0
0
3
9 | 0
0
0
4
5 | 0
0
0
0
8 | 0
0
0
1
4 | 0
0
0
1
5 | 0
0
0
1
6 | |
| Larynx | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lung | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | | | | | | | | | X | | | | | | | | | |
| Alveolar/Bronchiolar Carcinoma | | | | | X | | | | | | | | | | | | | | | | | X | | | | |
| Alveolar/Bronchiolar Carcinoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemangiosarcoma | | | | | | | | | X | | | | | | | | | | | | | | | | | |
| Hepatocellular Carcinoma, Metastatic, Liver | | | X | | | | X | X | | X | | X | X | X | | X | | | | | X | | | | | |
| Hepatocholangiocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | X | | | | | | | | |
| Nose | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Pleura | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocholangiocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | + | | | | |
| | | | | | | | | | | | | | | | | | | | | | | X | | | | |
| Trachea | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Eye | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Harderian Gland | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | | X | X | | |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Kidney | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hemangiosarcoma | | | | | | | | | | X | | | | | | | | | | | | | | | | |
| Hepatocholangiocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | X | | |
| Urinary Bladder | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20303 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Vinylidene chloride

CAS Number: 75-35-4

Date Report Requested: 08/26/2013

Time Report Requested: 12:08:14

First Dose M/F: 06/20/05 / 06/20/05

Lab: BNW

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------------|
| B6C3F1 MICE MALE | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | ANIMAL ID | 4 | 4 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| Control | DAY ON TEST | 4 | 8 | 0 | 1 | 3 | 5 | 8 | 9 | 1 | 2 | 2 | 3 | 4 | 5 | 6 | 7 | 9 | 0 | 0 | 1 | 1 | 2 | |
| | ANIMAL ID | 3 | 8 | 1 | 2 | 5 | 0 | 9 | 6 | 0 | 3 | 9 | 2 | 2 | 1 | 0 | 4 | 4 | 8 | 2 | 9 | 9 | 9 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | males
(cont...) |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | 4 | 1 | 4 | 5 | 0 | 1 | 0 | 1 | 4 | 2 | 3 | 2 | 1 | 0 | 4 | 4 | 3 | 4 | 3 | 0 | 0 | | |

SYSTEMIC LESIONS

| | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | X | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

Experiment Number: 20303 - 06
 Test Type: CHRONIC
 Route: RESPIRATORY EXPOSURE WHOLE BODY
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Vinylidene chloride
 CAS Number: 75-35-4

Date Report Requested: 08/26/2013
 Time Report Requested: 12:08:14
 First Dose M/F: 06/20/05 / 06/20/05
 Lab: BNW

| B6C3F1 MICE MALE | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | * TOTALS | |
|------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|--|
| | | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | | |
| Control | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 2 | 2 | 2 | 2 | 4 | 4 | 4 | 0 | 0 | 0 | 1 | 1 | 2 | 2 | 3 | 3 | 3 | 3 | 0 | 1 | 2 | 3 | 3 | 3 | 4 | 3 | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---------|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 42 |
| Intestine Large, Cecum
Carcinoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47
1 |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 44 |
| Intestine Small, Ileum
Adenoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 44
1 |
| Intestine Small, Jejunum
Hepatocolangiocarcinoma, Metastatic, Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 43
1 |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Hepatoblastoma | | | | | | | | | | X | | | | | | | | | | | | | | | | 1 |
| Hepatocellular Adenoma | | | X | | X | | | | | | | | | X | | | | | | | | X | X | X | | 17 |
| Hepatocellular Adenoma, Multiple | | | | | X | X | X | | | | X | X | | X | X | X | X | X | | | | | | | | 20 |
| Hepatocellular Carcinoma | X | X | | | X | X | | | | | | | X | | | | X | X | | | | | | | | 18 |
| Hepatocellular Carcinoma, Multiple | | | | | | | | | | X | | X | | | | | | | | | | | | | | 8 |
| Hepatocolangiocarcinoma | | | | | | | | | | | | | | | | | | | | | | | | X | | 1 |
| Mesentery | | | | + | | + | | + | | | | | | | + | | | | | | | | + | + | | 6 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20303 - 06
 Test Type: CHRONIC
 Route: RESPIRATORY EXPOSURE WHOLE BODY
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Vinylidene chloride
 CAS Number: 75-35-4

Date Report Requested: 08/26/2013
 Time Report Requested: 12:08:14
 First Dose M/F: 06/20/05 / 06/20/05
 Lab: BNW

| B6C3F1 MICE MALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
|---|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------|-------|-------|
| | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | | 0729 | |
| Control | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
| | 00023 | 00024 | 00026 | 00028 | 00042 | 00046 | 00048 | 00066 | 00067 | 00069 | 00071 | 00078 | 00081 | 00082 | 00085 | 00091 | 00093 | 00094 | 00098 | 00103 | 00103 | 00103 | 00103 | 00103 | | 00103 | 00103 |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Stomach, Forestomach
Squamous Cell Papilloma | + | + | + | + | + | + | + | + | + | + | + | + | X | + | + | + | + | + | + | + | + | + | + | + | 49
1 | | |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| Tooth | | | | | | | | | | + | | | | | | | | | | | | | | | 2 | | |
| CARDIOVASCULAR SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Hepatocholangiocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| ENDOCRINE SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Subcapsular, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Pheochromocytoma Benign | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Pheochromocytoma Malignant | | | | | | | | | | | | | X | | | | | | | | | | | | | 1 | |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | 2 | |
| Parathyroid Gland | M | M | M | + | + | M | M | M | + | M | + | M | + | M | M | M | + | + | + | M | + | M | M | + | + | 26 | |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20303 - 06
 Test Type: CHRONIC
 Route: RESPIRATORY EXPOSURE WHOLE BODY
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Vinylidene chloride
 CAS Number: 75-35-4

Date Report Requested: 08/26/2013
 Time Report Requested: 12:08:14
 First Dose M/F: 06/20/05 / 06/20/05
 Lab: BNW

| B6C3F1 MICE MALE
Control | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | * TOTALS |
|-----------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
| | ANIMAL ID | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 2 | 2 | 2 | 2 | 4 | 4 | 4 | 0 | 0 | 0 | 1 | 1 | 2 | 2 | 3 | 3 | 3 | 3 | 0 | 1 | 2 | 3 | 3 | |
| | | 3 | 4 | 6 | 8 | 2 | 6 | 8 | 6 | 7 | 9 | 1 | 8 | 2 | 5 | 1 | 3 | 4 | 8 | 3 | 3 | 0 | 0 | 1 | |

Pars Intermedia, Adenoma

1

Thyroid Gland

+ +

50

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

Epididymis

+ +

50

Preputial Gland

+ +

50

Prostate

+ +

50

Seminal Vesicle

+ +

50

Testes

+ +

50

Hemangioma

X

1

Interstitial Cell, Adenoma

X

1

HEMATOPOIETIC SYSTEM

Bone Marrow

+ +

50

Hemangiosarcoma

1

Lymph Node

+

2

Lymph Node, Bronchial

+ + + + + M + + + + M M M + + + + + M + + +

33

Hepatocholangiocarcinoma, Metastatic, Liver

1

Lymph Node, Mandibular

M + + M + M M + M M M M M + M + M M M M M M M M

17

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20303 - 06
 Test Type: CHRONIC
 Route: RESPIRATORY EXPOSURE WHOLE BODY
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Vinylidene chloride
 CAS Number: 75-35-4

Date Report Requested: 08/26/2013
 Time Report Requested: 12:08:14
 First Dose M/F: 06/20/05 / 06/20/05
 Lab: BNW

| B6C3F1 MICE MALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|---|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------|------|
| | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | | |
| Control | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |
| | 0023 | 0024 | 0026 | 0028 | 0022 | 0026 | 0028 | 0026 | 0027 | 0029 | 0021 | 0028 | 0022 | 0025 | 0021 | 0023 | 0024 | 0028 | 0023 | 0023 | 0020 | 0021 | 0022 | 0023 | | 0025 |
| Lymph Node, Mediastinal
Hepatocarcinoma, Metastatic, Liver | + | M | + | + | + | + | + | + | + | + | + | + | + | + | M | M | + | + | + | + | + | + | + | M | 43
1 | |
| Lymph Node, Mesenteric
Carcinoma, Metastatic, Intestine Large, Cecum | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | 46
1 | |
| Spleen
Hemangiosarcoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50
2 | |
| Thymus | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | 39 | |
| INTEGUMENTARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mammary Gland | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | 1 | |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Fibrous Histiocytoma | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Keratoacanthoma | | | | | | | | | | | | | | | X | | | | | | | | | 1 | | |
| Subcutaneous Tissue, Liposarcoma | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| MUSCULOSKELETAL SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| NERVOUS SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| RESPIRATORY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20303 - 06
 Test Type: CHRONIC
 Route: RESPIRATORY EXPOSURE WHOLE BODY
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Vinylidene chloride
 CAS Number: 75-35-4

Date Report Requested: 08/26/2013
 Time Report Requested: 12:08:14
 First Dose M/F: 06/20/05 / 06/20/05
 Lab: BNW

| B6C3F1 MICE MALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|---|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------|------|
| | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | | |
| Control | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |
| | 0003 | 0004 | 0006 | 0008 | 0002 | 0006 | 0008 | 0006 | 0007 | 0009 | 0001 | 0008 | 0002 | 0005 | 0001 | 0003 | 0004 | 0008 | 0003 | 0003 | 0000 | 0001 | 0002 | 0003 | | 0005 |
| Larynx | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Alveolar/Bronchiolar Adenoma | | | | | | X | | | X | X | | | | | | | | | X | X | | X | | | 7 | |
| Alveolar/Bronchiolar Carcinoma | | | | | | | | | X | X | X | | | | | | X | X | | | | X | | | 8 | |
| Alveolar/Bronchiolar Carcinoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | X | | 1 | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Hepatocellular Carcinoma, Metastatic, Liver | | X | | | | | | | | | | | | | | | | | | | | | | | 10 | |
| Hepatocholangiocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Pleura | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Hepatocholangiocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| SPECIAL SENSES SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Adenoma | X | | | | | X | | | X | | | | | | | | | | | | | X | X | | 7 | |
| URINARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Hepatocholangiocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20303 - 06
Test Type: CHRONIC
Route: RESPIRATORY EXPOSURE WHOLE BODY
Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Vinylidene chloride
CAS Number: 75-35-4

Date Report Requested: 08/26/2013
Time Report Requested: 12:08:14
First Dose M/F: 06/20/05 / 06/20/05
Lab: BNW

| B6C3F1 MICE MALE
Control | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|-----------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|---|
| | | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | | 9 | 9 | 9 | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 2 | 2 | 2 | 2 | 4 | 4 | 4 | 0 | 0 | 0 | 1 | 1 | 2 | 2 | 3 | 3 | 3 | 3 | 0 | 1 | 2 | 3 | 3 | 3 |
| | 3 | 4 | 6 | 8 | 2 | 6 | 8 | 6 | 7 | 9 | 1 | 8 | 2 | 5 | 1 | 3 | 4 | 8 | 3 | 3 | 0 | 0 | 2 | 5 |
| | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |

SYSTEMIC LESIONS

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Histiocytic Sarcoma | | | X | | X | | | | | | | | | | | | | | | | | | | 2 |
| Lymphoma Malignant | | | | | | | | | | | | | X | | | | | | | | | | | 2 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

Experiment Number: 20303 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Vinylidene chloride

CAS Number: 75-35-4

Date Report Requested: 08/26/2013

Time Report Requested: 12:08:14

First Dose M/F: 06/20/05 / 06/20/05

Lab: BNW

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------------|---|---|
| B6C3F1 MICE MALE

6.25 ppm | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | | 2 | 1 | 3 | 4 | 5 | 6 | 6 | 8 | 0 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | | 1 | 9 | 9 | 1 | 8 | 2 | 4 | 0 | 1 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | | 2 | 2 | 1 | 0 | 1 | 4 | 1 | 3 | 0 | 4 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 3 | 3 | |
| | | 4 | 6 | 1 | 7 | 2 | 0 | 9 | 5 | 1 | 4 | 2 | 3 | 5 | 6 | 0 | 3 | 6 | 7 | 1 | 3 | 7 | 8 | 9 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | males
(cont...) | | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Gallbladder | + | + | + | A | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Cecum | + | + | + | A | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Colon | + | + | + | A | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Rectum | + | + | + | A | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Duodenum | + | + | + | A | A | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Ileum
Carcinoma | + | + | + | A | A | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Jejunum
Carcinoma | + | + | + | A | A | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hemangioma | | | | | | | | | | | | | | | | | | | | | | | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | X | |
| Hepatocellular Adenoma | | | X | | | | X | | X | | | X | | | | | X | X | | | X | | X |
| Hepatocellular Adenoma, Multiple | | | | X | | | | | | | X | | X | | | X | X | | | | X | | |
| Hepatocellular Carcinoma | X | X | X | X | X | X | X | X | | | | X | X | | X | X | | | | | X | X | |
| Hepatocellular Carcinoma, Multiple | | | | | | | | | | | | | | | | | | | X | | | | |
| Hepatocholangiocarcinoma | | | | | | | | | X | | | | | | | | | | | | | | |
| Mesentery | | | | | | | | | + | + | | | | | | | | + | | + | + | | |
| Hepatocholangiocarcinoma, Metastatic, Liver | | | | | | | | | | X | | | | | | | | | | | | | |
| Pancreas | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

| B6C3F1 MICE MALE
6.25 ppm | DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | males
(cont...) |
|---|-------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------------|
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | | 2 | 1 | 3 | 4 | 5 | 6 | 6 | 8 | 0 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | | 1 | 9 | 9 | 1 | 8 | 2 | 4 | 0 | 1 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | | 2 | 2 | 1 | 0 | 1 | 4 | 1 | 3 | 0 | 4 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | |
| | | 4 | 6 | 1 | 7 | 2 | 0 | 9 | 5 | 1 | 4 | 2 | 3 | 5 | 6 | 0 | 3 | 6 | 7 | 1 | 3 | 7 | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | X | | |
| Hepatocholangiocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | X | | |
| Salivary Glands | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Stomach, Forestomach | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Stomach, Glandular | | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Tooth | | | | | | | | | | | | | | | | | | | | | + | | |
| CARDIOVASCULAR SYSTEM | | | | | | | | | | | | | | | | | | | | | | | |
| Heart | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Carcinoma, Metastatic, Harderian Gland | | | | | | | | | | | | | | | | | | | | | X | | |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | X | | |
| ENDOCRINE SYSTEM | | | | | | | | | | | | | | | | | | | | | | | |
| Adrenal Cortex | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | |
| Subcapsular, Adenoma | | | | | | | | | | | | | | | | | | | | | | | |
| Adrenal Medulla | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Pheochromocytoma Benign | | | | | | | | | | | | | | | | | | | | | X | | |
| Islets, Pancreatic | | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | | |
| Parathyroid Gland | | M | + | + | M | M | + | M | + | M | M | + | M | M | + | + | + | + | + | M | + | M | |
| Pituitary Gland | | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20303 - 06
 Test Type: CHRONIC
 Route: RESPIRATORY EXPOSURE WHOLE BODY
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Vinylidene chloride
 CAS Number: 75-35-4

Date Report Requested: 08/26/2013
 Time Report Requested: 12:08:14
 First Dose M/F: 06/20/05 / 06/20/05
 Lab: BNW

| B6C3F1 MICE MALE
6.25 ppm | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | ANIMAL ID | males
(cont...) |
|------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|--------------------|
| | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | | |
| | 2 | 1 | 3 | 4 | 5 | 6 | 6 | 8 | 0 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 0 | |
| | 1 | 9 | 9 | 1 | 8 | 2 | 4 | 0 | 1 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 0 | |
| | 2 | 2 | 1 | 0 | 1 | 4 | 1 | 3 | 0 | 4 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 0 | |
| | 4 | 6 | 1 | 7 | 2 | 0 | 9 | 5 | 1 | 4 | 2 | 3 | 5 | 6 | 0 | 3 | 6 | 7 | 1 | 3 | 7 | 8 | 9 | 0 | 2 | 0 | | |
| Thyroid Gland | | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | |

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Epididymis | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Preputial Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Prostate | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Seminal Vesicle | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Testes | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Interstitial Cell, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymph Node | | | | + | | | | | | | | | | | | | | | | | | | | | | + |
| Renal, Hepatocholangiocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Lymph Node, Bronchial | M | + | M | M | + | + | M | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | M | M | |
| Hepatocholangiocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Lymph Node, Mandibular | M | M | M | + | M | M | + | M | + | M | + | M | + | + | + | + | M | + | + | M | + | M | + | + | + | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20303 - 06
 Test Type: CHRONIC
 Route: RESPIRATORY EXPOSURE WHOLE BODY
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Vinylidene chloride
 CAS Number: 75-35-4

Date Report Requested: 08/26/2013
 Time Report Requested: 12:08:14
 First Dose M/F: 06/20/05 / 06/20/05
 Lab: BNW

| B6C3F1 MICE MALE
6.25 ppm | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | males
(cont...) | |
|---|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-----------|--------------------|------|
| | 0521 | 0661 | 0663 | 0664 | 0665 | 0666 | 0668 | 0669 | 0701 | 0707 | 0707 | 0707 | 0707 | 0707 | 0707 | 0707 | 0707 | 0707 | 0707 | 0707 | 0707 | 0707 | | | 0707 |
| Lymph Node, Mediastinal
Carcinoma, Metastatic, Harderian Gland | + | + | + | + | + | M | + | + | + | + | M | + | + | M | M | + | M | M | + | M | M | M | + | M | + |
| Lymph Node, Mesenteric
Hepatocholangiocarcinoma, Metastatic, Liver | + | + | + | + | + | + | + | + | + | + | + | M | + | + | M | + | + | + | + | + | + | + | + | + | + |
| Spleen
Hemangiosarcoma | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Thymus
Hemangiosarcoma | M | + | M | M | + | + | + | + | M | M | M | + | + | + | M | + | + | + | + | + | M | + | + | + | + |
| INTEGUMENTARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mammary Gland | M | M | M | A | M | M | M | M | M | M | M | + | M | M | M | M | M | M | M | M | M | M | M | M | M |
| Skin
Fibrous Histiocytoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| MUSCULOSKELETAL SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Skeletal Muscle
Hepatocholangiocarcinoma, Metastatic, Liver | | | | | | | | | | | | + | | | | | | | | | | | | | |
| NERVOUS SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | |
| Brain
Carcinoma, Metastatic, Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| RESPIRATORY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| B6C3F1 MICE MALE
6.25 ppm | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | males
(cont...) |
|--|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-----------|--------------------|
| | 0521 | 0663 | 0664 | 0665 | 0666 | 0668 | 0668 | 0680 | 0677 | 0677 | 0677 | 0677 | 0677 | 0677 | 0677 | 0677 | 0677 | 0677 | 0677 | 0677 | 0677 | 0677 | 0677 | 0677 | | |
| Larynx | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Alveolar/Bronchiolar Adenoma | | | | | X | | | | | | | | | | | | | | | | | | | | | |
| Alveolar/Bronchiolar Adenoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Alveolar/Bronchiolar Carcinoma | | | | | | | X | | | | X | | | | | | | | | | X | X | | | | |
| Alveolar/Bronchiolar Carcinoma, Multiple | | | | | | | | | X | | | | | | | | | | | | | | | | | |
| Carcinoma, Metastatic, Harderian Gland | | | | | | | | | X | | | | | | | | | | | | | | | | | |
| Hepatocellular Carcinoma, Metastatic, Liver | X | X | X | | | X | X | | | | | X | X | | X | | | X | | | | X | | | | |
| Hepatocholeangiocarcinoma, Metastatic, Liver | | | | | | | | | X | | | | | | | | | | | | | | | | | |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Pleura | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Carcinoma, Metastatic, Harderian Gland | | | | | | | | | | + | X | | | | | | | | | | | | | | | |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| SPECIAL SENSES SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Carcinoma | | | | | | | | | X | | | | | | X | | | | | | | | | | | |
| URINARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocholeangiocarcinoma, Metastatic, Liver | | | | | | | | | X | | | | | | | | | | | | | | | | | |
| Bilateral, Renal Tubule, Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| B6C3F1 MICE MALE | DAY ON TEST | 0521 | 0613 | 0634 | 0656 | 0666 | 0688 | 0700 | 0711 | 0717 | 0727 | 0727 | 0727 | 0727 | 0727 | 0727 | 0727 | 0727 | 0727 | 0727 | 0727 | 0727 | 0727 | 0727 | 0727 | 0727 | 0727 | 0727 | 0727 |
| | 6.25 ppm | 0022 | 0022 | 0021 | 0000 | 0000 | 0004 | 0001 | 0003 | 0004 | 0000 | 0003 | 0005 | 0006 | 0000 | 0003 | 0006 | 0007 | 0001 | 0003 | 0007 | 0008 | 0009 | 0000 | 0002 | 0003 | 0000 | 0002 | |
| | ANIMAL ID | 0022 | 0022 | 0021 | 0000 | 0000 | 0004 | 0001 | 0003 | 0004 | 0000 | 0003 | 0005 | 0006 | 0000 | 0003 | 0006 | 0007 | 0001 | 0003 | 0007 | 0008 | 0009 | 0000 | 0002 | 0003 | 0000 | 0002 | |

males
(cont...)

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Renal Tubule, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Renal Tubule, Carcinoma | X | | | | | | | | X | | | | | X | | | X | | | | | | | | | | | | |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

SYSTEMIC LESIONS

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Lymphoma Malignant | | | X | | | | | | X | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20303 - 06
 Test Type: CHRONIC
 Route: RESPIRATORY EXPOSURE WHOLE BODY
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Vinylidene chloride
 CAS Number: 75-35-4

Date Report Requested: 08/26/2013
 Time Report Requested: 12:08:14
 First Dose M/F: 06/20/05 / 06/20/05
 Lab: BNW

| B6C3F1 MICE MALE
6.25 ppm | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | * TOTALS |
|------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
| | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | 9 | 9 | 9 | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 3 | 3 | 4 | 4 | 4 | 4 | 0 | 0 | 0 | 1 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 4 | 5 | 1 | 2 | 3 | 3 | |
| | 3 | 8 | 2 | 5 | 6 | 8 | 4 | 8 | 9 | 5 | 8 | 2 | 5 | 6 | 9 | 1 | 3 | 7 | 0 | 4 | 0 | 1 | 4 | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------------|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Gallbladder | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | M | M | + | + | + | + | + | + | 45 |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 |
| Intestine Small, Ileum
Carcinoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47
1 |
| Intestine Small, Jejunum
Carcinoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47
2 |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangioma | | X | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hemangiosarcoma | X | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Hepatocellular Adenoma | | | X | | | | | X | X | | | X | | X | | X | X | | | | | X | X | 16 |
| Hepatocellular Adenoma, Multiple | X | | | X | X | X | X | | | X | X | | X | | | | X | X | X | | X | | | 19 |
| Hepatocellular Carcinoma | | | X | X | | | | | X | | | | X | | | | | | | | | | | 18 |
| Hepatocellular Carcinoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hepatocholangiocarcinoma | | | | | | | | | | | | | | | X | | | | | | | | | 2 |
| Mesentery | | | | | + | | | | | + | + | | | | | | | + | | | | | | 9 |
| Hepatocholangiocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20303 - 06
 Test Type: CHRONIC
 Route: RESPIRATORY EXPOSURE WHOLE BODY
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Vinylidene chloride
 CAS Number: 75-35-4

Date Report Requested: 08/26/2013
 Time Report Requested: 12:08:14
 First Dose M/F: 06/20/05 / 06/20/05
 Lab: BNW

| B6C3F1 MICE MALE
6.25 ppm | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|---|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------|
| | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | |
| ANIMAL ID | 0033 | 0038 | 0042 | 0045 | 0046 | 0048 | 0049 | 0054 | 0058 | 0062 | 0065 | 0068 | 0072 | 0075 | 0078 | 0082 | 0085 | 0088 | 0092 | 0095 | 0098 | 0102 | 0105 | 0108 | |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Hepatocholangiocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | |
| Tooth | | | | | | | | | | | | | | | | | | | | | | | | 2 | |
| CARDIOVASCULAR SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Carcinoma, Metastatic, Harderian Gland | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| ENDOCRINE SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | |
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Carcinoma | | X | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Subcapsular, Adenoma | | | | | | | | | | | | | | | | | | | | | | X | | 1 | |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Pheochromocytoma Benign | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Parathyroid Gland | M | + | M | + | M | M | M | + | M | + | M | M | + | M | + | M | + | M | M | M | M | M | + | 22 | |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20303 - 06
 Test Type: CHRONIC
 Route: RESPIRATORY EXPOSURE WHOLE BODY
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Vinylidene chloride
 CAS Number: 75-35-4

Date Report Requested: 08/26/2013
 Time Report Requested: 12:08:14
 First Dose M/F: 06/20/05 / 06/20/05
 Lab: BNW

| B6C3F1 MICE MALE
6.25 ppm | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|---|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------|--|
| | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | | |
| ANIMAL ID | 0033 | 0038 | 0042 | 0045 | 0046 | 0048 | 0049 | 0054 | 0058 | 0059 | 0065 | 0068 | 0072 | 0075 | 0076 | 0077 | 0078 | 0079 | 0080 | 0081 | 0082 | 0083 | 0084 | 0085 | 0086 | |
| Lymph Node, Mediastinal
Carcinoma, Metastatic, Harderian Gland | + | M | + | M | + | + | M | + | + | M | M | M | M | + | + | + | M | M | M | + | + | + | + | M | 29
1 | |
| Lymph Node, Mesenteric
Hepatocholangiocarcinoma, Metastatic, Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48
1 | |
| Spleen
Hemangiosarcoma | + | + | + | + | + | + | + | + | + | X | + | + | + | + | + | + | + | + | + | + | + | + | X | + | 49
3 | |
| Thymus
Hemangiosarcoma | + | + | M | + | + | + | + | + | M | + | X | + | + | + | + | M | M | + | + | + | + | M | + | + | 37
1 | |
| INTEGUMENTARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mammary Gland | M | + | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | 2 | |
| Skin
Fibrous Histiocytoma | + | + | + | + | + | + | + | + | + | X | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50
2 | |
| MUSCULOSKELETAL SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Skeletal Muscle
Hepatocholangiocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | 1
1 | |
| NERVOUS SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Brain
Carcinoma, Metastatic, Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50
1 | |
| RESPIRATORY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20303 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Vinylidene chloride

CAS Number: 75-35-4

Date Report Requested: 08/26/2013

Time Report Requested: 12:08:14

First Dose M/F: 06/20/05 / 06/20/05

Lab: BNW

| B6C3F1 MICE MALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|---|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------|--|
| | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | | |
| 6.25 ppm | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0033 | 0038 | 0042 | 0045 | 0046 | 0048 | 0044 | 0048 | 0059 | 0055 | 0058 | 0062 | 0065 | 0069 | 0071 | 0073 | 0074 | 0077 | 0077 | 0080 | 0084 | 0085 | 0087 | 0091 | 0094 | | |
| Larynx | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Alveolar/Bronchiolar Adenoma | | | | X | | X | | | | X | X | | | | | | | | | | | | X | X | | 7 | |
| Alveolar/Bronchiolar Adenoma, Multiple | | | | | | | | | | | | X | | | | | | | | | | | | | | 1 | |
| Alveolar/Bronchiolar Carcinoma | | | | | | | | | | | X | | | | | | | X | | | | | | | X | 8 | |
| Alveolar/Bronchiolar Carcinoma, Multiple | | | | | | | | | | | | | X | | | | | | | | | | | | | 1 | |
| Carcinoma, Metastatic, Harderian Gland | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | X | | | | | | | | | | | | | | | | | | | | | | 11 | |
| Hepatocholangiocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Pleura | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Carcinoma, Metastatic, Harderian Gland | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| SPECIAL SENSES SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Adenoma | | | | | X | X | | | | | X | | | | | | | | | | | | X | | X | 6 | |
| Carcinoma | | | | | | | | | | | | | X | | | | | | | | | | | | | 2 | |
| URINARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Hepatocholangiocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Bilateral, Renal Tubule, Carcinoma | | | | | | X | | | | | | | | | | | | | | | | | | | | 1 | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20303 - 06
 Test Type: CHRONIC
 Route: RESPIRATORY EXPOSURE WHOLE BODY
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Vinylidene chloride
 CAS Number: 75-35-4

Date Report Requested: 08/26/2013
 Time Report Requested: 12:08:14
 First Dose M/F: 06/20/05 / 06/20/05
 Lab: BNW

| B6C3F1 MICE MALE
6.25 ppm | DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|------------------------------|-------------|-----------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------|------|
| | | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | | 0729 |
| Renal Tubule, Adenoma | | | | X | X | | X | X | | | | | | | | | | | | | | | | | X | 5 | |
| Renal Tubule, Carcinoma | | | | | | | | | | | | X | | | | | | | X | | | | | | | 6 | |
| Urinary Bladder | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| SYSTEMIC LESIONS | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Multiple Organ | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | 2 | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20303 - 06
 Test Type: CHRONIC
 Route: RESPIRATORY EXPOSURE WHOLE BODY
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Vinylidene chloride
 CAS Number: 75-35-4

Date Report Requested: 08/26/2013
 Time Report Requested: 12:08:14
 First Dose M/F: 06/20/05 / 06/20/05
 Lab: BNW

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|-------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|----------------------------|
| B6C3F1 MICE MALE | DAY ON TEST | 0
4 | 0
4 | 0
4 | 0
5 | 0
5 | 0
5 | 0
5 | 0
5 | 0
6 | 0
6 | 0
6 | 0
6 | 0
6 | 0
6 | 0
6 | 0
6 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | males
(cont...) |
| | ANIMAL ID | 0
4 | 0
4 | 0
4 | 0
4 | 0
4 | 0
4 | 0
4 | 0
4 | 0
4 | 0
4 | 0
4 | 0
4 | 0
4 | 0
4 | 0
4 | 0
4 | 0
4 | 0
4 | 0
4 | 0
4 | 0
4 | 0
4 | 0
4 | |
| 12.5 ppm | | 2
7 | 2
0 | 3
4 | 2
2 | 5
0 | 0
6 | 0
5 | 0
2 | 0
6 | 0
9 | 0
8 | 0
5 | 0
5 | 0
9 | 0
9 | 0
3 | 0
8 | 0
8 | 0
9 | 0
6 | 0
9 | 0
9 | 0
9 | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | + | A | + | + | A | A | + | + | + | + | + | + | + | + |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | A | + | + | + | + | + | + | + | + |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | A | + | + | + | + | + | + | + | + |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | A | + | + | + | + | + | + | + | + |
| Intestine Small, Duodenum
Adenoma | + | + | + | + | + | + | + | + | + | + | + | A | + | + | A | A | + | + | + | + | + | + | + | + |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | A | + | + | A | A | + | + | + | + | + | + | + | + |
| Intestine Small, Jejunum | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | A | A | + | + | + | + | + | + | + |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Carcinoma, Metastatic, Testes | | | | | | | | | | | | | | X | | | | | | | | | | |
| Hemangioma | | | | | | | | | | | | | | | | | | X | | | | X | | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Adenoma | | | X | | X | | | | X | | | | X | | | X | | | | | | | | X |
| Hepatocellular Adenoma, Multiple | | | | | | | | | | | X | | X | | | | X | X | X | X | X | X | X | X |
| Hepatocellular Carcinoma | | | | X | | X | | X | X | | | | | | X | | | | X | | | | | X |
| Hepatocellular Carcinoma, Multiple | | | | | | | | | X | X | | | | X | | | | | | | | | | |
| Hepatocholeangiocarcinoma | | | X | | | | | | | | X | | | | | | | | | | | | | |
| Rhabdomyosarcoma, Metastatic, Skeletal
Muscle | | | X | | | | | | | | | | | | | | | | | | | | | |
| Mesentery | + | | | + | | + | | | | | | | | | | + | | | | | + | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20303 - 06
 Test Type: CHRONIC
 Route: RESPIRATORY EXPOSURE WHOLE BODY
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Vinylidene chloride
 CAS Number: 75-35-4

Date Report Requested: 08/26/2013
 Time Report Requested: 12:08:14
 First Dose M/F: 06/20/05 / 06/20/05
 Lab: BNW

| B6C3F1 MICE MALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | males
(cont...) |
|------------------|-------------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|-----------|--------------------|
| | 04 | 04 | 04 | 05 | 05 | 05 | 05 | 05 | 06 | 06 | 06 | 06 | 06 | 06 | 06 | 06 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | | |
| 12.5 ppm | 00 | 02 | 02 | 00 | 00 | 01 | 07 | 09 | 00 | 00 | 00 | 03 | 04 | 04 | 04 | 05 | 06 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | | |
| | 44 | 88 | 99 | 88 | 99 | 44 | 00 | 99 | 00 | 00 | 00 | 44 | 66 | 77 | 88 | 99 | 66 | 77 | 77 | 77 | 77 | 77 | 77 | 77 | | |

Pancreas
 Rhabdomyosarcoma, Metastatic, Skeletal Muscle
 Salivary Glands
 Stomach, Forestomach
 Stomach, Glandular
 Tongue

| | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Rhabdomyosarcoma, Metastatic, Skeletal Muscle | | | X | | | | | | | | | | | | | | | | | | | | |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + |
| Tongue | | | | | | | | | | | | | | | | | | | | | | | |

CARDIOVASCULAR SYSTEM

Blood Vessel
 Heart

| | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Blood Vessel | | | | | | | | | | | | | | | | | | | | | | | |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

ENDOCRINE SYSTEM

Adrenal Cortex
 Adenoma
 Capsule, Hepatocholangiocarcinoma, Metastatic, Liver
 Subcapsular, Adenoma
 Adrenal Medulla
 Islets, Pancreatic
 Adenoma
 Parathyroid Gland

| | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | | |
| Capsule, Hepatocholangiocarcinoma, Metastatic, Liver | | | | | | | | | | | | X | | | | | | | | | | | |
| Subcapsular, Adenoma | | | | | | | | | | | | | | | | | | | | | | | |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Islets, Pancreatic | + | + | I | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Adenoma | | | | | | | | | | | | | | | X | | | | | | | | |
| Parathyroid Gland | + | + | M | M | M | M | + | M | + | M | + | + | M | + | M | + | M | M | + | + | M | + | + |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20303 - 06
 Test Type: CHRONIC
 Route: RESPIRATORY EXPOSURE WHOLE BODY
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Vinylidene chloride
 CAS Number: 75-35-4

Date Report Requested: 08/26/2013
 Time Report Requested: 12:08:14
 First Dose M/F: 06/20/05 / 06/20/05
 Lab: BNW

| B6C3F1 MICE MALE
12.5 ppm | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | ANIMAL ID | males
(cont...) |
|------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|--------------------|
| | 0 | 4 | 4 | 4 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | | |
| | 0 | 4 | 4 | 4 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 0 | |
| | 4 | 8 | 9 | 8 | 9 | 4 | 0 | 1 | 7 | 9 | 0 | 0 | 0 | 3 | 4 | 4 | 4 | 5 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 0 | |
| | 4 | 2 | 2 | 0 | 0 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 4 | 2 | 3 | 2 | 5 | 0 | 0 | 4 | 2 | 2 | 3 | 2 | 1 | 4 | 1 | 2 | 2 | 0 | 0 | 1 | 2 | 3 | 3 | 3 | 3 | 0 | |
| | 7 | 0 | 4 | 2 | 0 | 6 | 5 | 2 | 6 | 9 | 8 | 5 | 5 | 9 | 9 | 3 | 4 | 4 | 3 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Follicular Cell, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Follicular Cell, Carcinoma | | | | | | | | | | | | | | | X | | | | | | | | | | | |

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Epididymis | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Preputial Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Prostate | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Seminal Vesicle | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Hepatocholangiocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | X | | | | | | | | | | | | |
| Testes | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Interstitial Cell, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Interstitial Cell, Carcinoma | | | | | | | | | | | | | | | X | | | | | | | | | | | |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Hemangioma | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Bronchial | + | + | M | M | M | M | + | + | M | + | M | + | M | M | M | M | + | M | + | + | + | + | + | + | M | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| B6C3F1 MICE MALE
12.5 ppm | DAY ON TEST | | | | | | | | | | | | | | | | | | | | ANIMAL ID | males
(cont...) | | | | | | |
|---|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|-----------|--------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| | 0
4
0
4 | 0
4
0
8 | 0
4
2
9 | 0
5
0
8 | 0
5
0
9 | 0
5
1
4 | 0
5
7
0 | 0
5
9
9 | 0
6
0
0 | 0
6
0
4 | 0
6
0
6 | 0
6
0
7 | 0
6
3
1 | 0
6
4
2 | 0
6
4
8 | 0
6
5
9 | 0
6
2
6 | 0
6
2
9 | 0
7
2
9 | 0
7
2
9 | | | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 |
| Lymph Node, Mandibular | + | + | + | M | M | M | M | M | + | M | + | + | M | + | M | M | M | + | M | + | M | M | M | + | + | | | |
| Lymph Node, Mediastinal Hemangiosarcoma | + | + | + | + | + | + | + | + | + | + | + | M | + | M | + | + | + | + | + | M | M | + | + | + | + | | | |
| Hepatocholangiocarcinoma, Metastatic, Liver | | | | | | | | | | | | | X | | | | | | | | | | | | | | | |
| Rhabdomyosarcoma, Metastatic, Skeletal Muscle | | | X | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | | | | |
| Spleen Hemangiosarcoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | X | + | + | + | + | + | + | + | | | | |
| Thymus | + | + | + | M | + | + | + | M | + | + | + | M | + | + | + | + | + | + | + | M | + | + | + | M | M | | | |
| INTEGUMENTARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mammary Gland | M | M | M | M | M | M | M | M | M | M | M | A | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | |
| Skin Fibrous Histiocytoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | X | |
| MUSCULOSKELETAL SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocholangiocarcinoma, Metastatic, Liver | | | + | | | | | | | | | | + | | | | | | | | | | | | | | | |
| Rhabdomyosarcoma | | | X | | | | | | | | | | | | | | | | | | | | | | | | | |
| NERVOUS SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|--|-------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------------------|--------|
| B6C3F1 MICE MALE | | DAY ON TEST | | | | | | | | | | | | | | | | | | | | males
(cont...) | |
| | | 0
4 | 0
4 | 0
4 | 0
5 | 0
5 | 0
5 | 0
5 | 0
5 | 0
6 | 0
6 | 0
6 | 0
6 | 0
6 | 0
6 | 0
6 | 0
6 | 0
6 | 0
7 | 0
7 | 0
7 | | 0
7 |
| 12.5 ppm | | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | |
| | | 0
4 | 0
4 | 0
4 | 0
4 | 0
4 | 0
4 | 0
4 | 0
4 | 0
4 | 0
4 | 0
4 | 0
4 | 0
4 | 0
4 | 0
4 | 0
4 | 0
4 | 0
4 | 0
4 | 0
4 | 0
4 | 0
4 |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Larynx | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Alveolar/Bronchiolar Adenoma | X | X | | | | | | | | | | | | X | | | | | | | | | |
| Alveolar/Bronchiolar Carcinoma | | | | X | | | | | X | | | | | X | | | | | X | | | | X |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | | X | X | | X | | | | | | | | | | | | X |
| Hepatocholangiocarcinoma, Metastatic, Liver | | | | | | | | | | | | X | | | | | | | | | | | |
| Rhabdomyosarcoma, Metastatic, Skeletal Muscle | | | X | | | | | | | | | | | | | | | | | | | | |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Adenoma | | | | | | | | | X | | | | | | | X | | X | | | | | |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hepatocholangiocarcinoma, Metastatic, Liver | | | | | | | | | | | | X | | | | | | | | | | | |
| Rhabdomyosarcoma, Metastatic, Skeletal Muscle | | | X | | | | | | | | | | | | | | | | | | | | |
| Bilateral, Renal Tubule, Adenoma | | | | | | | | | | | | | | | | | | | | | | | |
| Bilateral, Renal Tubule, Carcinoma | | | | | | | | | | | | | | X | | | | | | | | | |
| Bilateral, Renal Tubule, Carcinoma, Multiple | | | | | | | | | | | | | | | | X | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

Experiment Number: 20303 - 06
 Test Type: CHRONIC
 Route: RESPIRATORY EXPOSURE WHOLE BODY
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Vinylidene chloride
 CAS Number: 75-35-4

Date Report Requested: 08/26/2013
 Time Report Requested: 12:08:14
 First Dose M/F: 06/20/05 / 06/20/05
 Lab: BNW

| B6C3F1 MICE MALE | | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | males
(cont...) |
|-----------------------------------|--|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|--------------------|
| 12.5 ppm | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| ANIMAL ID | | 4 | 4 | 8 | 9 | 0 | 0 | 1 | 7 | 9 | 0 | 0 | 4 | 6 | 7 | 1 | 2 | 8 | 8 | 9 | 6 | 7 | 7 | 2 | 9 | | |
| Renal Tubule, Adenoma | | | | | | | | | | X | X | | X | | | X | | | | | | X | X | | | | |
| Renal Tubule, Adenoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | X | | | |
| Renal Tubule, Carcinoma | | | | X | | | | | X | | | | X | | | | X | X | | | | X | | X | | | |
| Renal Tubule, Carcinoma, Multiple | | | | | | | | | | | | | | | | | | | | | | X | | | | | |
| Urinary Bladder | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| SYSTEMIC LESIONS | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Multiple Organ | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20303 - 06
 Test Type: CHRONIC
 Route: RESPIRATORY EXPOSURE WHOLE BODY
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Vinylidene chloride
 CAS Number: 75-35-4

Date Report Requested: 08/26/2013
 Time Report Requested: 12:08:14
 First Dose M/F: 06/20/05 / 06/20/05
 Lab: BNW

| B6C3F1 MICE MALE

12.5 ppm | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | * TOTALS | | | | | | |
|----------------------------------|-------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | 07
29 | 07
29 | 07
29 | 07
30 | 07
30 | 07
30 | 07
30 | 07
30 | 07
30 | 07
30 | 07
30 | 07
30 | 07
30 | 07
30 | 07
30 | 07
30 | 07
30 | 07
30 | 07
30 | 07
30 | 07
30 | | 07
30 | 07
30 | 07
30 | 07
30 | 07
30 | 07
30 |
| ANIMAL ID | 00439 | 00439 | 00439 | 00439 | 00439 | 00439 | 00439 | 00439 | 00439 | 00439 | 00439 | 00439 | 00439 | 00439 | 00439 | 00439 | 00439 | 00439 | 00439 | 00439 | 00439 | 00439 | 00439 | 00439 | 00439 | 00439 | 00439 | 00439 |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|
| Esophagus | + | | | | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Gallbladder | + | | | | | | | | | | | | | | | | | | | | | | | | | | | 47 |
| Intestine Large, Cecum | + | | | | | | | | | | | | | | | | | | | | | | | | | | | 48 |
| Intestine Large, Colon | + | | | | | | | | | | | | | | | | | | | | | | | | | | | 48 |
| Intestine Large, Rectum | + | | | | | | | | | | | | | | | | | | | | | | | | | | | 48 |
| Intestine Small, Duodenum
Adenoma | + | | | | | | | | | | | | | | | | | | | | | | | | | | | 47 |
| | X | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Intestine Small, Ileum | + | | | | | | | | | | | | | | | | | | | | | | | | | | | 47 |
| Intestine Small, Jejunum | + | | | | | | | | | | | | | | | | | | | | | | | | | | | 47 |
| Liver | + | | | | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Carcinoma, Metastatic, Testes | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hemangioma | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Hemangiosarcoma | X | | | | | | | | | | | | | | | | | | | | | | | | | | | 3 |
| Hepatocellular Adenoma | X | | | | | | | | | | | | | | | | | | | | | | | | | | | 16 |
| Hepatocellular Adenoma, Multiple | X | | | | | | | | | | | | | | | | | | | | | | | | | | | 17 |
| Hepatocellular Carcinoma | X | | | | | | | | | | | | | | | | | | | | | | | | | | | 11 |
| Hepatocellular Carcinoma, Multiple | X | | | | | | | | | | | | | | | | | | | | | | | | | | | 4 |
| Hepatocholangiocarcinoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Rhabdomyosarcoma, Metastatic, Skeletal
Muscle | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Mesentery | + | | | | | | | | | | | | | | | | | | | | | | | | | | | 6 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20303 - 06
 Test Type: CHRONIC
 Route: RESPIRATORY EXPOSURE WHOLE BODY
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Vinylidene chloride
 CAS Number: 75-35-4

Date Report Requested: 08/26/2013
 Time Report Requested: 12:08:14
 First Dose M/F: 06/20/05 / 06/20/05
 Lab: BNW

| B6C3F1 MICE MALE
12.5 ppm | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | * TOTALS | | |
|---|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---------|----|
| | ANIMAL ID | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | | | |
| | | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | | 3 | |
| Pancreas
Rhabdomyosarcoma, Metastatic, Skeletal Muscle | | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 50
1 | | |
| Salivary Glands | | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 50 | | |
| Stomach, Forestomach | | 3 | 4 | 4 | 4 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 0 | 0 | 1 | 1 | 2 | 3 | 4 | 50 |
| Stomach, Glandular | | 9 | 3 | 5 | 1 | 2 | 0 | 1 | 6 | 7 | 8 | 5 | 6 | 1 | 4 | 6 | 7 | 8 | 7 | 8 | 9 | 3 | 4 | 8 | 1 | 0 | 49 |
| Tongue | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| CARDIOVASCULAR SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Blood Vessel | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Heart | | | | | | | | | | | | | | | | | | | | | | | | | | 50 | |
| ENDOCRINE SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Adrenal Cortex
Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | 50
1 | |
| Capsule, Hepatocholangiocarcinoma,
Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Subcapsular, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | 3 | |
| Adrenal Medulla | | | | | | | | | | | | | | | | | | | | | | | | | | 50 | |
| Islets, Pancreatic
Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | 49
1 | |
| Parathyroid Gland | | | | | | | | | | | | | | | | | | | | | | | | | | 26 | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20303 - 06
 Test Type: CHRONIC
 Route: RESPIRATORY EXPOSURE WHOLE BODY
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Vinylidene chloride
 CAS Number: 75-35-4

Date Report Requested: 08/26/2013
 Time Report Requested: 12:08:14
 First Dose M/F: 06/20/05 / 06/20/05
 Lab: BNW

| B6C3F1 MICE MALE
12.5 ppm | DAY ON TEST | | ANIMAL ID | | | | | | | | | | | | | | | | | | | | * TOTALS | | | |
|------------------------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|----------|------------------|----|--|
| | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | | 0
7
3
0 | | |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Follicular Cell, Adenoma | | | | | | | X | | | | | | | | | | | | | | | | | 1 | | |
| Follicular Cell, Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| GENERAL BODY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| NONE | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GENITAL SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Epididymis | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Preputial Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Prostate | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Seminal Vesicle | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Hepatocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Testes | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Interstitial Cell, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Interstitial Cell, Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| HEMATOPOIETIC SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Hemangioma | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Hemangiosarcoma | | | | | | | | | X | | | | | | | | | | | | | | | 1 | | |
| Lymph Node, Bronchial | M | M | + | M | + | + | + | + | + | M | + | + | + | + | M | + | + | + | + | + | M | + | M | + | 31 | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20303 - 06
 Test Type: CHRONIC
 Route: RESPIRATORY EXPOSURE WHOLE BODY
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Vinylidene chloride
 CAS Number: 75-35-4

Date Report Requested: 08/26/2013
 Time Report Requested: 12:08:14
 First Dose M/F: 06/20/05 / 06/20/05
 Lab: BNW

| B6C3F1 MICE MALE
12.5 ppm | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | | | | |
|---|------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------|-------|-------|-------|-------|-------|
| | 0729 | 0729 | 0729 | 0733 | 0733 | 0733 | 0733 | 0733 | 0733 | 0733 | 0733 | 0733 | 0733 | 0733 | 0733 | 0733 | 0733 | 0733 | 0733 | 0733 | | 0733 | 0733 | | | |
| ANIMAL ID | 00439 | 00444 | 00444 | 00401 | 00402 | 00401 | 00401 | 00406 | 00407 | 00408 | 00405 | 00406 | 00401 | 00404 | 00406 | 00407 | 00408 | 00407 | 00408 | 00409 | 00403 | 00404 | 00408 | 00401 | 00403 | 00404 |
| | Lymph Node, Mandibular | M | M | + | M | M | M | + | M | + | M | M | M | M | M | + | M | + | M | M | M | + | + | + | M | 19 |
| Lymph Node, Mediastinal | + | + | + | + | + | + | + | + | + | M | + | M | + | + | + | + | + | + | + | + | + | M | + | + | + | 43 |
| Hemangiosarcoma | | | | | | X | | | | | | | | | | | | | | | | | | | | 1 |
| Hepatocholangiocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Rhabdomyosarcoma, Metastatic, Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Thymus | + | + | M | + | + | + | + | M | + | + | + | M | + | + | + | + | M | + | + | + | + | + | + | M | M | 38 |
| INTEGUMENTARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mammary Gland | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | 0 |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Fibrous Histiocytoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| MUSCULOSKELETAL SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Hepatocholangiocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Rhabdomyosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| NERVOUS SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| B6C3F1 MICE MALE | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12.5 ppm | | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | |
| | | 3 | 4 | 4 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 0 | 0 | 0 | 1 | 1 | 2 | 3 | 4 | | | | | | | | |
| | | 9 | 3 | 5 | 1 | 2 | 0 | 1 | 6 | 7 | 8 | 5 | 6 | 1 | 4 | 6 | 7 | 8 | 7 | 8 | 9 | 3 | 4 | 8 | 1 | 0 | | | | | | | | |
| * TOTALS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|----|---|
| Larynx | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Alveolar/Bronchiolar Adenoma | | | X | | | | X | | | | | X | | | X | | | | | | | | | | | | | | | | | | 8 | | |
| Alveolar/Bronchiolar Carcinoma | | | | | | | | | | X | | | | | X | X | | | | | | | | | | | | | | | | | | 8 | |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | | | | X | X | | | | | | | | | | | X | X | | | | | | | | | | | 8 | |
| Hepatocholangiocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Rhabdomyosarcoma, Metastatic, Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|---|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Adenoma | | | | | X | | X | X | | | | | | X | | X | | | | | | | | | | | | | | | | | | | 8 | |
| Carcinoma | | | | | | | | | | X | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|---|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Hepatocholangiocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Rhabdomyosarcoma, Metastatic, Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Bilateral, Renal Tubule, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | X | | | | | | | | 1 |
| Bilateral, Renal Tubule, Carcinoma | | | | | X | X | X | | X | | | | | | | | | X | | | | | X | | | | | | | | | | | | 7 | |
| Bilateral, Renal Tubule, Carcinoma, Multiple | | | | | | | | | | | | | X | | X | | | | | | | | | | | | | X | | | | | | | 4 | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20303 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Vinylidene chloride

CAS Number: 75-35-4

Date Report Requested: 08/26/2013

Time Report Requested: 12:08:14

First Dose M/F: 06/20/05 / 06/20/05

Lab: BNW

| B6C3F1 MICE MALE
12.5 ppm | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|-----------------------------------|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------|
| | 0729 | 0729 | 0729 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | |
| ANIMAL ID | 00439 | 00443 | 00444 | 00445 | 00446 | 00447 | 00448 | 00449 | 00450 | 00451 | 00452 | 00453 | 00454 | 00455 | 00456 | 00457 | 00458 | 00459 | 00460 | 00461 | 00462 | 00463 | 00464 | 00465 | |
| Renal Tubule, Adenoma | | | | X | | X | | | | X | X | | | | X | | | X | | X | | X | X | | |
| Renal Tubule, Adenoma, Multiple | | | | | | | | | X | | | X | | | | | | | | | | | | | |
| Renal Tubule, Carcinoma | X | | | X | | | | X | | X | X | | X | X | | | | X | | X | | | | | |
| Renal Tubule, Carcinoma, Multiple | | | X | | | | | | X | | | | | | | | | | | | | | | | |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| SYSTEMIC LESIONS | | | | | | | | | | | | | | | | | | | | | | | | | |
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | X | | | | | X | | X | | | | | | | X | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20303 - 06
 Test Type: CHRONIC
 Route: RESPIRATORY EXPOSURE WHOLE BODY
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Vinylidene chloride
 CAS Number: 75-35-4

Date Report Requested: 08/26/2013
 Time Report Requested: 12:08:14
 First Dose M/F: 06/20/05 / 06/20/05
 Lab: BNW

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|-------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|----------------------------|
| B6C3F1 MICE MALE | DAY ON TEST | 0
4
2
5 | 0
4
7
0 | 0
4
7
1 | 0
5
2
5 | 0
5
2
7 | 0
5
3
2 | 0
5
3
7 | 0
5
4
8 | 0
5
4
9 | 0
5
6
3 | 0
5
6
3 | 0
5
7
5 | 0
5
7
7 | 0
5
7
9 | 0
5
8
4 | 0
5
8
9 | 0
6
0
1 | 0
6
1
1 | 0
6
2
2 | 0
6
3
3 | 0
6
3
5 | 0
6
4
5 | 0
6
6
2 | males
(cont...) |
| | 25 ppm | 0
0
6
3
1 | 0
0
6
4
9 | 0
0
6
0
9 | 0
0
6
1
5 | 0
0
6
3
5 | 0
0
6
0
1 | 0
0
6
0
8 | 0
0
6
1
2 | 0
0
6
4
8 | 0
0
6
1
8 | 0
0
6
2
8 | 0
0
6
4
8 | 0
0
6
1
7 | 0
0
6
4
0 | 0
0
6
4
2 | 0
0
6
4
4 | 0
0
6
4
8 | 0
0
6
2
9 | 0
0
6
3
4 | 0
0
6
2
0 | 0
0
6
2
5 | 0
0
6
1
1 | 0
0
6
1
7 | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Gallbladder | + | + | + | A | + | + | + | A | + | + | + | + | M | + | + | + | A | + | + | + | M | M | + | + | + |
| Intestine Large, Cecum | + | A | A | A | + | + | + | A | A | + | + | A | + | + | + | + | A | + | + | + | + | + | A | + | |
| Intestine Large, Colon | + | A | A | A | + | + | + | + | A | + | + | A | + | + | + | + | A | + | + | + | + | + | A | + | |
| Intestine Large, Rectum | + | A | A | A | + | + | + | + | A | + | + | A | + | + | + | + | A | + | + | + | + | + | A | + | |
| Intestine Small, Duodenum
Carcinoma | + | A | A | A | + | + | + | A | A | + | + | A | + | + | + | + | A | + | A | + | + | + | A | + | |
| Intestine Small, Ileum | + | A | A | A | + | + | + | A | A | + | + | A | + | + | + | + | A | + | A | + | + | + | A | + | |
| Intestine Small, Jejunum | + | A | A | A | + | + | + | A | A | + | + | A | + | + | + | + | A | + | A | + | + | + | A | + | |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Hemangiosarcoma | | X | | | | | X | | | | | | | | | | | | | | | | | | |
| Hepatocellular Adenoma | | | | | | | | | | | | | X | X | | | | | X | X | | | X | X | |
| Hepatocellular Adenoma, Multiple | | | X | X | | | | | | | | X | | | | | | | X | | | X | | | |
| Hepatocellular Carcinoma | X | X | | | | X | | | | X | X | X | X | | X | | X | | X | | | | X | | |
| Hepatocellular Carcinoma, Multiple | | | X | | | | | | X | | | | | | X | | | | X | | | | | | |
| Hepatocholangiocarcinoma | | | | | | | | | | | X | | | | | | | | X | | | | | | |
| Sarcoma, Metastatic, Stomach, Glandular | | | | | | | | | | | | | X | | | | | | | | | | | | |
| Mesentery | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocholangiocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pancreas | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20303 - 06
Test Type: CHRONIC
Route: RESPIRATORY EXPOSURE WHOLE BODY
Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)
Vinylidene chloride
CAS Number: 75-35-4

Date Report Requested: 08/26/2013
Time Report Requested: 12:08:14
First Dose M/F: 06/20/05 / 06/20/05
Lab: BNW

| B6C3F1 MICE MALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | males
(cont...) |
|------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| | 0
4
2
5 | 0
4
7
0 | 0
4
7
1 | 0
5
2
5 | 0
5
2
7 | 0
5
3
2 | 0
5
3
7 | 0
5
4
8 | 0
5
4
9 | 0
5
6
3 | 0
5
6
3 | 0
5
7
5 | 0
5
7
7 | 0
5
7
9 | 0
5
8
4 | 0
5
8
9 | 0
6
0
1 | 0
6
1
7 | 0
6
2
9 | 0
6
3
2 | 0
6
3
3 | 0
6
3
5 | 0
6
4
5 | | |
| 25 ppm | 0
0
6
3
1 | 0
0
6
4
9 | 0
0
6
0
9 | 0
0
6
1
5 | 0
0
6
3
5 | 0
0
6
0
1 | 0
0
6
0
8 | 0
0
6
1
2 | 0
0
6
4
8 | 0
0
6
1
8 | 0
0
6
2
8 | 0
0
6
4
7 | 0
0
6
1
1 | 0
0
6
3
0 | 0
0
6
4
7 | 0
0
6
4
2 | 0
0
6
2
8 | 0
0
6
3
9 | 0
0
6
3
4 | 0
0
6
2
0 | 0
0
6
2
5 | 0
0
6
1
1 | 0
0
6
1
7 | 0
0
6
4
6 | 0
0
6
2
3 |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | M |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Epididymis | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Preputial Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Prostate | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hepatocolangiocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Seminal Vesicle | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Testes | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hemangioma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Interstitial Cell, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | X |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hemangiosarcoma | | | | | | | | | | | X | | | | | | | | | | | | | | |
| Lymph Node | | | | + | | | | | | | | | | | | | | | + | | | | | | |
| Pancreatic, Sarcoma, Metastatic, Stomach, Glandular | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Lymph Node, Bronchial | + | M | + | M | + | M | M | M | M | M | + | M | M | + | + | + | + | M | + | + | M | M | M | M | + |

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

| B6C3F1 MICE MALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | males
(cont...) | |
|------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-----------|--------------------|------|
| | 0425 | 0447 | 0447 | 0452 | 0455 | 0455 | 0455 | 0455 | 0455 | 0455 | 0455 | 0455 | 0455 | 0455 | 0455 | 0455 | 0455 | 0455 | 0455 | 0455 | 0455 | 0455 | | | 0455 |
| 25 ppm | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 00631 | |
| | 4 | 4 | 4 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 00631 | |
| | 2 | 7 | 7 | 2 | 2 | 3 | 3 | 4 | 4 | 6 | 6 | 6 | 7 | 7 | 7 | 8 | 8 | 0 | 1 | 1 | 2 | 3 | 3 | 00631 | |
| | 5 | 0 | 1 | 5 | 7 | 2 | 7 | 8 | 9 | 3 | 3 | 5 | 7 | 9 | 4 | 9 | 1 | 7 | 9 | 0 | 2 | 3 | 3 | 00631 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lymph Node, Mandibular | + | M | + | + | + | + | M | M | M | M | + | + | M | + | M | + | M | M | + | M | M | M | + | M | M |
| Lymph Node, Mediastinal | I | + | M | + | + | M | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | M | + | M |
| Alveolar/Bronchiolar Carcinoma, Metastatic, Lung | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Lymph Node, Mesenteric | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + |
| Carcinoma, Metastatic, Intestine Small, Duodenum | | | | | | | | | | | | X | | | | | | | | | | | | | |
| Hepatocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Thymus | M | + | M | + | + | M | M | M | M | M | M | + | + | + | M | + | + | M | + | + | M | M | + | + | + |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mammary Gland | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Fibrous Histiocytoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Subcutaneous Tissue, Schwannoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20303 - 06

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Date Report Requested: 08/26/2013

Test Type: CHRONIC

Vinylidene chloride

Time Report Requested: 12:08:14

Route: RESPIRATORY EXPOSURE WHOLE BODY

CAS Number: 75-35-4

First Dose M/F: 06/20/05 / 06/20/05

Species/Strain: MICE/B6C3F1

Lab: BNW

| B6C3F1 MICE MALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | males
(cont...) |
|------------------|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------------------|
| | 04 | 04 | 04 | 05 | 05 | 05 | 05 | 05 | 05 | 05 | 05 | 05 | 05 | 05 | 05 | 05 | 05 | 06 | 06 | 06 | 06 | 06 | 06 | 06 | |
| 25 ppm | 25 | 27 | 27 | 22 | 22 | 23 | 23 | 24 | 24 | 26 | 26 | 27 | 27 | 27 | 28 | 28 | 28 | 29 | 29 | 29 | 22 | 23 | 23 | 24 | 25 |
| ANIMAL ID | 00631 | 00634 | 00639 | 00605 | 00605 | 00601 | 00608 | 00602 | 00608 | 00608 | 00607 | 00601 | 00600 | 00607 | 00609 | 00602 | 00604 | 00604 | 00602 | 00603 | 00603 | 00602 | 00602 | 00601 | 00607 |

NERVOUS SYSTEM

Brain +

RESPIRATORY SYSTEM

Larynx +

Lung +
 Alveolar/Bronchiolar Adenoma X
 Alveolar/Bronchiolar Carcinoma X
 Carcinoma, Metastatic, Intestine Small, Duodenum X
 Hepatocellular Carcinoma, Metastatic, Liver X X
 Hepatocholangiocarcinoma, Metastatic, Liver X

Nose + + A +

Trachea +

SPECIAL SENSES SYSTEM

Eye + + + A +

Harderian Gland Adenoma + + + + + + + + + + + X + + + + + X + + + +

URINARY SYSTEM

Kidney +
 Hepatocellular Carcinoma, Metastatic, Liver X
 Hepatocholangiocarcinoma, Metastatic, Liver X
 Bilateral, Renal Tubule, Carcinoma X X

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20303 - 06
Test Type: CHRONIC
Route: RESPIRATORY EXPOSURE WHOLE BODY
Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Vinylidene chloride
CAS Number: 75-35-4

Date Report Requested: 08/26/2013
Time Report Requested: 12:08:14
First Dose M/F: 06/20/05 / 06/20/05
Lab: BNW

| B6C3F1 MICE MALE
25 ppm | DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | males
(cont...) | | | |
|--|-------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------------|---|---|---|
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | |
| | | 4 | 4 | 4 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | | 6 | | |
| | | 2 | 7 | 7 | 2 | 2 | 3 | 3 | 4 | 4 | 6 | 6 | 7 | 7 | 7 | 8 | 8 | 0 | 1 | 1 | 2 | 3 | 3 | 3 | 4 | 6 |
| | | 5 | 0 | 1 | 5 | 7 | 2 | 7 | 8 | 9 | 3 | 3 | 5 | 7 | 9 | 4 | 9 | 1 | 7 | 9 | 0 | 2 | 3 | 5 | 5 | 6 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| | | 3 | 4 | 0 | 1 | 3 | 0 | 0 | 1 | 4 | 1 | 2 | 4 | 1 | 3 | 4 | 4 | 2 | 3 | 3 | 2 | 2 | 1 | 1 | 4 | 2 |
| | | 1 | 9 | 9 | 5 | 5 | 1 | 8 | 2 | 8 | 8 | 7 | 1 | 0 | 7 | 2 | 4 | 8 | 9 | 4 | 0 | 5 | 1 | 7 | 6 | 3 |
| Capsule, Sarcoma, Metastatic, Stomach, Glandular | | | | | | | | | | | | | | | X | | | | | | | | | | | |
| Renal Tubule, Adenoma | | | | | X | | | | | | | | | | | | | | X | | | | | | | |
| Renal Tubule, Carcinoma | | | | | | | | X | | | | | | X | | | | | | | | | | X | | |
| Urinary Bladder | | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

SYSTEMIC LESIONS

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | X | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

Experiment Number: 20303 - 06
 Test Type: CHRONIC
 Route: RESPIRATORY EXPOSURE WHOLE BODY
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Vinylidene chloride
 CAS Number: 75-35-4

Date Report Requested: 08/26/2013
 Time Report Requested: 12:08:14
 First Dose M/F: 06/20/05 / 06/20/05
 Lab: BNW

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|---|
| B6C3F1 MICE MALE | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | | 6 | 7 | 9 | 0 | 0 | 0 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 25 ppm | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | |
| | | 2 | 2 | 2 | 1 | 0 | 0 | 0 | 1 | 1 | 2 | 2 | 3 | 4 | 0 | 0 | 1 | 3 | 3 | 4 | 4 | 4 | 5 | |
| | | 9 | 2 | 6 | 3 | 2 | 3 | 7 | 6 | 9 | 1 | 4 | 3 | 0 | 4 | 5 | 4 | 2 | 6 | 3 | 5 | 7 | 0 | |
| | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Gallbladder | + | + | A | A | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | 41 |
| Intestine Large, Cecum | + | + | + | A | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 40 |
| Intestine Large, Colon | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 42 |
| Intestine Large, Rectum | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 42 |
| Intestine Small, Duodenum | + | + | A | A | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 38 |
| Carcinoma | | | | | | | | | | | | | X | | | | | | | | | | 2 | |
| Intestine Small, Ileum | + | + | + | A | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 39 |
| Intestine Small, Jejunum | + | + | + | A | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 39 |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangiosarcoma | | | | X | | | | | | | | | | | | | | | | | | | | 3 |
| Hepatocellular Adenoma | | | | X | | X | | X | | X | | | | | | | | | | | X | X | | 12 |
| Hepatocellular Adenoma, Multiple | | | X | | | | | | X | | | X | | | X | | X | X | | | | X | X | 13 |
| Hepatocellular Carcinoma | | X | | X | X | X | | X | | X | X | X | | | X | | | | | X | | | | 21 |
| Hepatocellular Carcinoma, Multiple | | | | | | | | | | | | | X | X | | | | | | X | X | | | 8 |
| Hepatocholangiocarcinoma | | | | | | | X | | | | | | | | | | | | | | | | | 3 |
| Sarcoma, Metastatic, Stomach, Glandular | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Mesentery | | | | | | | | | | | | | | | | | | | | | | + | | 3 |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hepatocholangiocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Pancreas | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20303 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Vinylidene chloride

CAS Number: 75-35-4

Date Report Requested: 08/26/2013

Time Report Requested: 12:08:14

First Dose M/F: 06/20/05 / 06/20/05

Lab: BNW

| B6C3F1 MICE MALE
25 ppm | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
|---|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------|------|------|
| | 0663 | 0663 | 0663 | 0663 | 0663 | 0663 | 0663 | 0663 | 0663 | 0663 | 0663 | 0663 | 0663 | 0663 | 0663 | 0663 | 0663 | 0663 | 0663 | 0663 | | 0663 | 0663 |
| ANIMAL ID | 0663 | 0663 | 0663 | 0663 | 0663 | 0663 | 0663 | 0663 | 0663 | 0663 | 0663 | 0663 | 0663 | 0663 | 0663 | 0663 | 0663 | 0663 | 0663 | 0663 | 0663 | 0663 | |
| Hepatocholangiocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Sarcoma, Metastatic, Stomach, Glandular | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Squamous Cell Papilloma | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Hepatocholangiocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Sarcoma | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Tooth | | | | | | | | | | | | + | | | | | | | | | | | 1 |
| CARDIOVASCULAR SYSTEM | | | | | | | | | | | | | | | | | | | | | | | |
| Blood Vessel | | | | | | + | | | | | | | | | | | | | | | | | 3 |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| ENDOCRINE SYSTEM | | | | | | | | | | | | | | | | | | | | | | | |
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Sarcoma, Metastatic, Stomach, Glandular | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Subcapsular, Adenoma | | | | | | | | | | | | | | | | | | | | | | X | 2 |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Pheochromocytoma Benign | | | | | | | | | | | | | | | | | | | | | | X | 1 |
| Islets, Pancreatic | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Hepatocholangiocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Parathyroid Gland | + | + | + | + | M | + | M | + | M | + | M | M | + | + | M | + | + | + | M | + | + | M | 24 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20303 - 06
 Test Type: CHRONIC
 Route: RESPIRATORY EXPOSURE WHOLE BODY
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Vinylidene chloride
 CAS Number: 75-35-4

Date Report Requested: 08/26/2013
 Time Report Requested: 12:08:14
 First Dose M/F: 06/20/05 / 06/20/05
 Lab: BNW

| B6C3F1 MICE MALE
25 ppm | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | * TOTALS |
|--|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|----------|
| | ANIMAL ID | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| Pituitary Gland | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 46 | |
| Thyroid Gland | 6 | 7 | 9 | 0 | 0 | 0 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 49 | |
| | 3 | 3 | 3 | 1 | 4 | 5 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | | |
| | 2 | 2 | 2 | 1 | 0 | 0 | 0 | 1 | 1 | 2 | 2 | 3 | 4 | 0 | 0 | 1 | 3 | 3 | 4 | 4 | 4 | 5 | | |
| | 9 | 2 | 6 | 3 | 2 | 3 | 7 | 6 | 9 | 1 | 4 | 3 | 0 | 4 | 5 | 4 | 2 | 6 | 3 | 5 | 7 | 0 | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| GENERAL BODY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | |
| NONE | | | | | | | | | | | | | | | | | | | | | | | | |
| GENITAL SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | |
| Epididymis | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Preputial Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Prostate | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Hepatocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Seminal Vesicle | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Testes | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Hemangioma | | | | | | | | | | | | | | | | | | | | | | X | 1 | |
| Interstitial Cell, Adenoma | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| HEMATOPOIETIC SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | |
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | X | 2 | |
| Lymph Node | | | | | | | | | | | | | | | | | | | | | | | 2 | |
| Pancreatic, Sarcoma, Metastatic, Glandular | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Lymph Node, Bronchial | + | M | + | + | + | M | + | M | M | M | M | M | + | M | + | + | M | M | M | M | M | M | 19 | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20303 - 06
 Test Type: CHRONIC
 Route: RESPIRATORY EXPOSURE WHOLE BODY
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Vinylidene chloride
 CAS Number: 75-35-4

Date Report Requested: 08/26/2013
 Time Report Requested: 12:08:14
 First Dose M/F: 06/20/05 / 06/20/05
 Lab: BNW

| B6C3F1 MICE MALE
25 ppm | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | | | | | |
|--|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------|-------|-----|---|---|----|---|
| | 063 | 067 | 069 | 070 | 071 | 072 | 073 | 074 | 075 | 076 | 077 | 078 | 079 | 080 | 081 | 082 | 083 | 084 | 085 | 086 | | 087 | 088 | | | | |
| ANIMAL ID | 00629 | 00662 | 00666 | 00666 | 00666 | 00666 | 00666 | 00666 | 00666 | 00666 | 00666 | 00666 | 00666 | 00666 | 00666 | 00666 | 00666 | 00666 | 00666 | 00666 | 00666 | 00666 | | | | | |
| Lymph Node, Mandibular | + | M | + | M | M | M | + | M | M | + | + | + | + | + | M | M | M | + | + | + | + | + | M | M | + | 25 | |
| Lymph Node, Mediastinal | + | + | M | + | + | M | + | + | M | + | + | + | + | + | M | + | + | + | M | + | + | + | + | M | + | 38 | |
| Alveolar/Bronchiolar Carcinoma, Metastatic, Lung | | | | | | | | | | | | | | | X | | | | | | | | | | | 1 | |
| Hepatocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Lymph Node, Mesenteric | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 | |
| Carcinoma, Metastatic, Intestine Small, Duodenum | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Hepatocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Hemangiosarcoma | | | | X | | | | | | | | | | | | X | | | | | | | | | X | 4 | |
| Thymus | M | + | + | + | M | M | + | M | + | M | M | + | + | M | + | + | M | M | M | + | + | + | M | I | + | 26 | |
| INTEGUMENTARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mammary Gland | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | 1 |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Fibrous Histiocytoma | | | | | | | | | | | | | | | | | | X | | | | X | | | | 2 | |
| Subcutaneous Tissue, Schwannoma Malignant | | | X | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| MUSCULOSKELETAL SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | | | | | 2 | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Hepatocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|-------------|-----------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| B6C3F1 MICE MALE | DAY ON TEST | 0663 | 0673 | 0693 | 0701 | 0774 | 0775 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | |
| | ANIMAL ID | 0663 | 0673 | 0693 | 0701 | 0774 | 0775 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 |
| 25 ppm | | 3 | 3 | 3 | 1 | 4 | 5 | 9 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | | 9 | 2 | 6 | 3 | 2 | 3 | 7 | 6 | 9 | 1 | 4 | 3 | 0 | 4 | 5 | 4 | 2 | 6 | 3 | 5 | 7 | 0 | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | * TOTALS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

NERVOUS SYSTEM

Brain + 50

RESPIRATORY SYSTEM

Larynx + + + + + + M + + + + + + + + + + + + + + + + 49

Lung + 50
 Alveolar/Bronchiolar Adenoma X X X X 7
 Alveolar/Bronchiolar Carcinoma X X X X 6
 Carcinoma, Metastatic, Intestine Small, Duodenum X 1
 Hepatocellular Carcinoma, Metastatic, Liver X X 4
 Hepatocholangiocarcinoma, Metastatic, Liver X 2

Nose + 49

Trachea + 50

SPECIAL SENSES SYSTEM

Eye + + + A + 48

Harderian Gland Adenoma + + + + + + + + + + + + + + + + + + + X X 50
 X X X 8

URINARY SYSTEM

Kidney + 50
 Hepatocellular Carcinoma, Metastatic, Liver 1
 Hepatocholangiocarcinoma, Metastatic, Liver 1
 Bilateral, Renal Tubule, Carcinoma X X X X 6

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20303 - 06
 Test Type: CHRONIC
 Route: RESPIRATORY EXPOSURE WHOLE BODY
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Vinylidene chloride
 CAS Number: 75-35-4

Date Report Requested: 08/26/2013
 Time Report Requested: 12:08:14
 First Dose M/F: 06/20/05 / 06/20/05
 Lab: BNW

| B6C3F1 MICE MALE

25 ppm | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | | | | |
|--|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------|-------|-------|-------|-------|
| | 0663 | 0673 | 0673 | 0674 | 0675 | 0677 | 0679 | 0679 | 0679 | 0679 | 0679 | 0679 | 0679 | 0679 | 0679 | 0679 | 0679 | 0679 | 0679 | 0679 | 0679 | 0679 | 0679 | 0679 | 0679 | | 0679 | 0679 | | |
| ANIMAL ID | 00629 | 00662 | 00663 | 00666 | 00666 | 00666 | 00666 | 00666 | 00666 | 00666 | 00666 | 00666 | 00666 | 00666 | 00666 | 00666 | 00666 | 00666 | 00666 | 00666 | 00666 | 00666 | 00666 | 00666 | 00666 | 00666 | 00666 | 00666 | 00666 | 00666 |
| Capsule, Sarcoma, Metastatic, Stomach, Glandular | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Renal Tubule, Adenoma | | | | | | | | | X | X | X | X | | X | | X | | | | X | | | | | | | X | | 10 | |
| Renal Tubule, Carcinoma | | X | | X | | | | | X | X | | X | | | | | | | X | X | | | | | X | X | | | 12 | |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| SYSTEMIC LESIONS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |

*** END OF MALE DATA ***

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20303 - 06
 Test Type: CHRONIC
 Route: RESPIRATORY EXPOSURE WHOLE BODY
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Vinylidene chloride
 CAS Number: 75-35-4

Date Report Requested: 08/26/2013
 Time Report Requested: 12:08:14
 First Dose M/F: 06/20/05 / 06/20/05
 Lab: BNW

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| B6C3F1 MICE FEMALE | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 3 | 4 | 4 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | | 2 | 4 | 9 | 0 | 7 | 9 | 9 | 0 | 1 | 2 | 3 | 4 | 4 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | | 5 | 0 | 1 | 9 | 2 | 0 | 9 | 5 | 1 | 8 | 5 | 7 | 9 | 6 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Control | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | | 0 | 2 | 4 | 0 | 1 | 4 | 3 | 0 | 3 | 4 | 1 | 3 | 3 | 2 | 0 | 0 | 1 | 2 | 2 | 3 | 4 | 0 | 0 | |
| | | 9 | 5 | 2 | 5 | 5 | 7 | 6 | 8 | 8 | 0 | 7 | 1 | 9 | 0 | 1 | 2 | 0 | 6 | 9 | 4 | 4 | 3 | 4 | 3 |

females
(cont...)

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | A | + | + | + | M | M | + | + | + | + | M | + | + |
| Intestine Large, Cecum
Carcinoma | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Ileum
Adenoma
Carcinoma | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Jejunum | + | + | + | + | + | + | A | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + |
| Liver
Hemangiosarcoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hepatocellular Adenoma | | | | | | | | X | X | | | | | X | X | | | | | X | | | |
| Hepatocellular Adenoma, Multiple | | | | X | | | | | | | X | | | | | | | X | | | | | X |
| Hepatocellular Carcinoma | | | | | | | | | X | | | | | | | | | | X | | | | |
| Hepatocellular Carcinoma, Multiple | | | | | | | | | | | X | | | | | | | | | | | | |
| Mesentery | | | | + | + | | | | | | | | | | + | + | | | + | | | | + |
| Pancreas
Duct, Carcinoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20303 - 06
 Test Type: CHRONIC
 Route: RESPIRATORY EXPOSURE WHOLE BODY
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Vinylidene chloride
 CAS Number: 75-35-4

Date Report Requested: 08/26/2013
 Time Report Requested: 12:08:14
 First Dose M/F: 06/20/05 / 06/20/05
 Lab: BNW

| B6C3F1 MICE FEMALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|--|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|----------------------|
| | 0
3
2
5 | 0
4
4
0 | 0
4
9
1 | 0
5
0
9 | 0
5
7
2 | 0
5
9
0 | 0
5
9
9 | 0
6
0
5 | 0
6
1
8 | 0
6
2
5 | 0
6
3
4 | 0
6
4
4 | 0
6
2
6 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | | |
| Control | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
| | 0
0
1
0
9 | 0
0
1
2
5 | 0
0
1
4
5 | 0
0
1
0
5 | 0
0
1
4
7 | 0
0
1
3
6 | 0
0
1
0
8 | 0
0
1
3
8 | 0
0
1
4
0 | 0
0
1
1
7 | 0
0
1
3
1 | 0
0
1
3
9 | 0
0
1
2
0 | 0
0
1
0
1 | 0
0
1
0
2 | 0
0
1
0
0 | 0
0
1
1
6 | 0
0
1
1
9 | 0
0
1
1
4 | 0
0
1
1
3 | 0
0
1
0
4 | 0
0
1
0
4 | 0
0
1
0
3 | 0
0
1
0
4 | |
| Salivary Glands
Myxoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Stomach, Glandular
Carcinoma | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | X | + | | |
| CARDIOVASCULAR SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| ENDOCRINE SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | |
| Adrenal Cortex
Subcapsular, Adenoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | X | + | |
| Adrenal Medulla
Pheochromocytoma Benign
Pheochromocytoma Malignant | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | X | + | |
| Islets, Pancreatic
Adenoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Parathyroid Gland | + | M | + | + | M | + | + | + | + | M | M | + | + | M | M | M | + | M | M | + | M | + | M | + | |
| Pituitary Gland
Pars Distalis, Adenoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | X | |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| GENERAL BODY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20303 - 06
Test Type: CHRONIC
Route: RESPIRATORY EXPOSURE WHOLE BODY
Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Vinylidene chloride
CAS Number: 75-35-4

Date Report Requested: 08/26/2013
Time Report Requested: 12:08:14
First Dose M/F: 06/20/05 / 06/20/05
Lab: BNW

| B6C3F1 MICE FEMALE | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | females
(cont...) | |
|--------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|--|
| | | 3 | 4 | 4 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | | |
| Control | ANIMAL ID | 2 | 4 | 9 | 0 | 7 | 9 | 9 | 0 | 1 | 2 | 3 | 4 | 4 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | | |
| | | 5 | 0 | 1 | 9 | 2 | 0 | 9 | 5 | 1 | 8 | 5 | 7 | 9 | 6 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | | 0 | 2 | 4 | 0 | 1 | 4 | 3 | 0 | 3 | 4 | 1 | 3 | 3 | 2 | 0 | 0 | 1 | 2 | 2 | 3 | 4 | 0 | 0 | | |
| | | 9 | 5 | 2 | 5 | 5 | 7 | 6 | 8 | 8 | 0 | 7 | 1 | 9 | 0 | 1 | 2 | 0 | 6 | 9 | 4 | 4 | 3 | 4 | | |

NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Clitoral Gland | M | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + |
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Cystadenoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Luteoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Uterus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Polyp Stromal | | | | | | | | | | | | | | | | | | | | | | | | |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Lymph Node | | | | | + | + | | | | | | | | + | + | | | | | | | | | + | |
| Lymph Node, Bronchial | + | M | M | + | + | + | M | + | M | + | + | + | M | + | + | + | M | + | + | + | M | M | M | + | M |
| Lymph Node, Mandibular | + | + | + | + | + | M | M | + | + | M | + | M | + | + | M | + | M | + | + | + | + | + | + | + | M |
| Lymph Node, Mediastinal | M | + | + | + | + | + | M | M | M | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | M |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Thymus | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

Experiment Number: 20303 - 06
 Test Type: CHRONIC
 Route: RESPIRATORY EXPOSURE WHOLE BODY
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Vinylidene chloride
 CAS Number: 75-35-4

Date Report Requested: 08/26/2013
 Time Report Requested: 12:08:14
 First Dose M/F: 06/20/05 / 06/20/05
 Lab: BNW

| B6C3F1 MICE FEMALE
Control | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | females
(cont...) |
|-------------------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|-----------------------|-----------|----------------------|
| | 0
3
2
5 | 0
4
4
0 | 0
4
9
1 | 0
5
0
9 | 0
5
7
2 | 0
5
9
0 | 0
5
9
9 | 0
6
9
5 | 0
6
6
1 | 0
6
6
8 | 0
6
6
5 | 0
6
6
7 | 0
6
6
4 | 0
6
6
4 | 0
7
2
6 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0
0
1
0
9 | | |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mammary Gland
Carcinoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Skin
Subcutaneous Tissue, Fibrosarcoma
Subcutaneous Tissue, Sarcoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Skeletal Muscle
Sarcoma | + | | | + | | | | | | | | + | | | | | | | | | | | |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Peripheral Nerve | + | | | + | | | | | | | | | | | | | | | | | | | |
| Spinal Cord | + | | | + | | | | | | | | | | | | | | | | | | | |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Larynx | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lung
Alveolar/Bronchiolar Adenoma
Alveolar/Bronchiolar Adenoma, Multiple
Alveolar/Bronchiolar Carcinoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20303 - 06
 Test Type: CHRONIC
 Route: RESPIRATORY EXPOSURE WHOLE BODY
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Vinylidene chloride
 CAS Number: 75-35-4

Date Report Requested: 08/26/2013
 Time Report Requested: 12:08:14
 First Dose M/F: 06/20/05 / 06/20/05
 Lab: BNW

| B6C3F1 MICE FEMALE
Control | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|---|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|--|----------------------|
| | 0
3
2
5 | 0
4
4
0 | 0
4
9
1 | 0
5
0
9 | 0
5
7
2 | 0
5
9
0 | 0
5
9
9 | 0
6
0
5 | 0
6
1
8 | 0
6
2
5 | 0
6
3
4 | 0
6
4
4 | 0
6
2
6 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | | |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | |
| | 0 | 2 | 4 | 0 | 1 | 4 | 3 | 0 | 3 | 4 | 1 | 3 | 3 | 2 | 0 | 0 | 1 | 2 | 2 | 3 | 4 | 0 | 0 | | |
| | 9 | 5 | 2 | 5 | 5 | 7 | 6 | 8 | 8 | 0 | 7 | 1 | 9 | 0 | 1 | 2 | 0 | 6 | 9 | 4 | 4 | 3 | 4 | | |
| Hepatocellular Carcinoma, Metastatic, Liver | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| SPECIAL SENSES SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | |
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Harderian Gland
Adenoma
Carcinoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | X | + | + | + | + | + | + | | |
| | | | | | | | | | | | | | | | | | | | | | X | | | | |
| URINARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | |
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | | |
| SYSTEMIC LESIONS | | | | | | | | | | | | | | | | | | | | | | | | | |
| Multiple Organ
Histiocytic Sarcoma
Lymphoma Malignant | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| | | X | | | | X | | | | | | | | | | | | | | | | | | | |
| | | | | X | X | | | | | | | | X | X | X | X | X | | X | | X | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20303 - 06
 Test Type: CHRONIC
 Route: RESPIRATORY EXPOSURE WHOLE BODY
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)
 Vinylidene chloride
 CAS Number: 75-35-4

Date Report Requested: 08/26/2013
 Time Report Requested: 12:08:14
 First Dose M/F: 06/20/05 / 06/20/05
 Lab: BNW

| B6C3F1 MICE FEMALE | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | * TOTALS |
|--------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
| | | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| Control | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 0 | 0 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 5 | |
| | | 1 | 3 | 7 | 8 | 3 | 5 | 7 | 1 | 3 | 5 | 6 | 6 | 7 | 1 | 2 | 6 | 8 | 9 | 2 | 4 | 0 | 2 | 8 | 0 | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-------------------------------|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 46 |
| Intestine Large, Cecum
Carcinoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | X | + | + | + | + | + | + | 49
1 |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Intestine Small, Ileum
Adenoma
Carcinoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49
1
1 |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Liver
Hemangiosarcoma
Hepatocellular Adenoma
Hepatocellular Adenoma, Multiple
Hepatocellular Carcinoma
Hepatocellular Carcinoma, Multiple | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50
1
13
12
7
1 |
| Mesentery | | + | | | | | + | | | | | + | | | | | | | + | | | | | | 10 |
| Pancreas
Duct, Carcinoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50
1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20303 - 06
 Test Type: CHRONIC
 Route: RESPIRATORY EXPOSURE WHOLE BODY
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Vinylidene chloride
 CAS Number: 75-35-4

Date Report Requested: 08/26/2013
 Time Report Requested: 12:08:14
 First Dose M/F: 06/20/05 / 06/20/05
 Lab: BNW

| B6C3F1 MICE FEMALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|----------|--|
| | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | | | |
| Control | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |
| | 0
0
1
2
1 | 0
0
1
2
3 | 0
0
1
2
7 | 0
0
1
2
8 | 0
0
1
3
3 | 0
0
1
3
5 | 0
0
1
3
7 | 0
0
1
4
1 | 0
0
1
4
3 | 0
0
1
4
5 | 0
0
1
0
6 | 0
0
1
0
6 | 0
0
1
0
7 | 0
0
1
0
7 | 0
0
1
1
1 | 0
0
1
1
2 | 0
0
1
1
6 | 0
0
1
1
8 | 0
0
1
2
9 | 0
0
1
2
2 | 0
0
1
3
4 | 0
0
1
3
0 | 0
0
1
4
2 | 0
0
1
4
8 | | |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Myxoma | | | | | | | | | | | | | | | | | | | | | | X | | | 1 | |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| CARDIOVASCULAR SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| ENDOCRINE SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Subcapsular, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Pheochromocytoma Benign | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Pheochromocytoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Parathyroid Gland | + | + | + | M | + | M | M | M | M | + | M | + | M | M | + | + | + | + | M | + | M | M | M | M | 24 | |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Pars Distalis, Adenoma | X | | X | | | X | | | | | | | X | X | | | | | | X | | | | X | 8 | |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |

GENERAL BODY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| B6C3F1 MICE FEMALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|--------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------|
| | 0732 | 0733 | 0732 | 0733 | 0733 | 0733 | 0733 | 0733 | 0733 | 0733 | 0733 | 0733 | 0733 | 0733 | 0733 | 0733 | 0733 | 0733 | 0733 | 0733 | 0733 | 0733 | 0733 | 0733 | |
| Control | 0012 | 0013 | 0017 | 0018 | 0013 | 0015 | 0017 | 0011 | 0013 | 0015 | 0016 | 0016 | 0017 | 0011 | 0012 | 0016 | 0018 | 0019 | 0012 | 0014 | 0010 | 0012 | 0018 | 0019 | 45 |

NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Clitoral Gland | + | + | + | + | + | + | + | + | M | + | M | + | + | + | + | + | + | + | + | + | + | + | + | M | 45 |
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Cystadenoma | | | | | | | | | | | | | | | | | | | | | | X | | | 1 |
| Luteoma | | | | X | | | | | | | | | | | | | | | | | | | | | 1 |
| Uterus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangiosarcoma | | | | X | | | | | | | | | | | | | | | | | | | | | 1 |
| Polyp Stromal | | | | | | | | X | | | | | | | | | | | | | | | | | 2 |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|----|----|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Lymph Node | | | | | | | + | | | | | + | | | | | | | | | | | | + | 8 | | |
| Lymph Node, Bronchial | + | + | M | M | M | M | M | M | + | + | + | + | M | M | M | M | M | M | + | M | + | + | M | M | + | 25 | |
| Lymph Node, Mandibular | + | + | + | M | M | + | M | M | M | + | M | + | + | + | M | M | M | + | + | + | M | + | M | M | + | 31 | |
| Lymph Node, Mediastinal | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | M | + | + | 42 | |
| Lymph Node, Mesenteric | + | + | + | M | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 | |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Hemangiosarcoma | X | | | | | | | | | | | | | | | | | | | | | | | | 3 | | |
| Thymus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | 47 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20303 - 06
 Test Type: CHRONIC
 Route: RESPIRATORY EXPOSURE WHOLE BODY
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Vinylidene chloride
 CAS Number: 75-35-4

Date Report Requested: 08/26/2013
 Time Report Requested: 12:08:14
 First Dose M/F: 06/20/05 / 06/20/05
 Lab: BNW

| B6C3F1 MICE FEMALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|--------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|--|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| Control | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | | |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 5 | |
| | 1 | 3 | 7 | 8 | 3 | 5 | 7 | 1 | 3 | 5 | 6 | 6 | 7 | 1 | 2 | 6 | 8 | 9 | 2 | 4 | 0 | 2 | 8 | 9 | 0 | |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---------|
| Mammary Gland Carcinoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50
1 |
| Skin Subcutaneous Tissue, Fibrosarcoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50
1 |
| Skin Subcutaneous Tissue, Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Skeletal Muscle Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | 3
1 |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Peripheral Nerve | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Spinal Cord | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---------|
| Larynx | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lung Alveolar/Bronchiolar Adenoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50
2 |
| Lung Alveolar/Bronchiolar Adenoma, Multiple | | | | | | X | | | | | | | | | | | | | | | | | | | | 1 |
| Lung Alveolar/Bronchiolar Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20303 - 06
 Test Type: CHRONIC
 Route: RESPIRATORY EXPOSURE WHOLE BODY
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Vinylidene chloride
 CAS Number: 75-35-4

Date Report Requested: 08/26/2013
 Time Report Requested: 12:08:14
 First Dose M/F: 06/20/05 / 06/20/05
 Lab: BNW

| B6C3F1 MICE FEMALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|---|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|----------|
| | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | | |
| Control | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| 0
0
1
2
1 | 0
0
1
2
3 | 0
0
1
2
7 | 0
0
1
2
8 | 0
0
1
2
3 | 0
0
1
3
5 | 0
0
1
3
7 | 0
0
1
4
1 | 0
0
1
4
3 | 0
0
1
4
5 | 0
0
1
4
6 | 0
0
1
0
7 | 0
0
1
0
6 | 0
0
1
1
7 | 0
0
1
1
7 | 0
0
1
1
7 | 0
0
1
1
6 | 0
0
1
1
8 | 0
0
1
1
9 | 0
0
1
2
2 | 0
0
1
2
4 | 0
0
1
3
0 | 0
0
1
3
2 | 0
0
1
4
8 | 0
0
1
4
9 | |
| Hepatocellular Carcinoma, Metastatic, Liver | X | | | | | | | | X | | | | | | | | | | X | | | | X | 5 | |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| SPECIAL SENSES SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | |
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Carcinoma | | | | | X | | | | | | | | | | | | | | | X | | | 3 | | |
| URINARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | |
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | |
| SYSTEMIC LESIONS | | | | | | | | | | | | | | | | | | | | | | | | | |
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | 2 | | |
| Lymphoma Malignant | | | | X | | | X | | | X | X | | | | | | | | | | | X | 14 | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20303 - 06

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Date Report Requested: 08/26/2013

Test Type: CHRONIC

Vinylidene chloride

Time Report Requested: 12:08:14

Route: RESPIRATORY EXPOSURE WHOLE BODY

CAS Number: 75-35-4

First Dose M/F: 06/20/05 / 06/20/05

Species/Strain: MICE/B6C3F1

Lab: BNW

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------------------|---|---|---|---|---|---|---|---|---|---|---|---|
| B6C3F1 MICE FEMALE | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | 4 | 4 | 4 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 6.25 ppm | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | | 2 | 0 | 0 | 2 | 3 | 1 | 3 | 1 | 4 | 2 | 3 | 4 | 0 | 4 | 3 | 1 | 3 | 4 | 5 | 3 | 0 | 1 | 2 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 9 | 1 | 6 | 4 | 9 | 8 | 4 | 3 | 1 | 3 | 5 | 2 | 2 | 4 | 1 | 6 | 2 | 8 | 0 | 3 | 9 | 5 | 2 | 6 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | females (cont...) | | | | | | | | | | | | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Gallbladder | + | + | A | A | A | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Intestine Large, Cecum
Hepatocarcinoma, Metastatic, Liver | + | + | + | A | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Intestine Large, Colon | + | + | + | A | A | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Intestine Large, Rectum | + | + | + | A | A | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Intestine Small, Duodenum
Hepatocarcinoma, Metastatic, Liver | + | + | + | A | A | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Ileum
Carcinoma | + | + | + | A | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Jejunum | + | + | + | A | A | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Liver
Hemangioma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Adenoma | X | | | | | | | | X | | | | | | X | X | | | | | X | X | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Adenoma, Multiple | | | | | | | | | | | X | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Carcinoma | | | | | | | | | X | | | | X | | | | | X | X | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Carcinoma, Multiple | | | | X | | | | | | | X | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocarcinoma | | | | | | | | | | | | | | X | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mesentery
Hepatocarcinoma, Metastatic, Liver | | | | + | + | | | | | | + | | + | + | | | | + | + | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20303 - 06
 Test Type: CHRONIC
 Route: RESPIRATORY EXPOSURE WHOLE BODY
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)
 Vinylidene chloride
 CAS Number: 75-35-4

Date Report Requested: 08/26/2013
 Time Report Requested: 12:08:14
 First Dose M/F: 06/20/05 / 06/20/05
 Lab: BNW

| B6C3F1 MICE FEMALE
6.25 ppm | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|------------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 4 | 4 | 4 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 2 | 0 | 0 | 2 | 3 | 1 | 3 | 1 | 4 | 2 | 3 | 4 | 0 | 4 | 3 | 1 | 3 | 4 | 5 | 3 | 0 | 1 |
| | 9 | 1 | 6 | 4 | 9 | 8 | 4 | 3 | 1 | 3 | 5 | 2 | 2 | 4 | 1 | 6 | 2 | 8 | 0 | 3 | 9 | 5 |
| Sarcoma | | | | | | | | | | | | | | | | | | | | | | X |
| Pancreas | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hepatocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | X | | | | | | | | |
| Sarcoma, Metastatic, Mesentery | | | | | | | | | | | | | | | | | | X | | | | |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Stomach, Forestomach | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hepatocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | X | | | | | | | | |
| Squamous Cell Papilloma | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Glandular | + | + | + | A | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Tooth | | | | | | | | | | | | | | | | | | | | | | |
| CARDIOVASCULAR SYSTEM | | | | | | | | | | | | | | | | | | | | | | |
| Blood Vessel | | | | | | | | | | | | | | | | | | | | | | |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hepatocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | X | | | | | | | | |
| ENDOCRINE SYSTEM | | | | | | | | | | | | | | | | | | | | | | |
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M |
| Pheochromocytoma Malignant | | | | | | | | | | | | | | | | | | | | | | |
| Islets, Pancreatic | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Adenoma | | | | | | | | | | | | | | X | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20303 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Vinylidene chloride

CAS Number: 75-35-4

Date Report Requested: 08/26/2013

Time Report Requested: 12:08:14

First Dose M/F: 06/20/05 / 06/20/05

Lab: BNW

| B6C3F1 MICE FEMALE
6.25 ppm | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | females
(cont...) | |
|--|-------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|----------------------|----------|
| | 04
71 | 04
78 | 04
78 | 05
29 | 05
54 | 05
58 | 05
63 | 05
52 | 05
84 | 05
80 | 05
92 | 05
92 | 05
90 | 05
60 | 05
63 | 05
60 | 05
14 | 05
44 | 05
48 | 05
73 | 05
90 | 05
90 | 06
05 | 06
07 | | | 06
01 |
| Parathyroid Gland | + | M | + | M | + | M | + | + | + | M | M | M | + | + | M | + | M | M | M | + | + | M | M | + | | | |
| Pituitary Gland
Pars Distalis, Adenoma | + | + | + | + | + | + | + | + | | X | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| GENERAL BODY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| NONE | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GENITAL SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Clitoral Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Ovary
Cystadenoma
Hepatocarcinoma, Metastatic, Liver | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | | | | | | | |
| Uterus
Hemangioma
Polyp Stromal | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| HEMATOPOIETIC SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bone Marrow | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymph Node | | | | | | | + | | | | + | | + | | | | | | | + | + | | + | + | | + | |
| Lymph Node, Bronchial
Hepatocarcinoma, Metastatic, Liver
Myxosarcoma, Metastatic, Skin | + | + | M | M | + | M | + | + | + | M | M | + | + | + | M | + | + | + | + | M | + | + | + | M | + | + | + |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20303 - 06
 Test Type: CHRONIC
 Route: RESPIRATORY EXPOSURE WHOLE BODY
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Vinylidene chloride
 CAS Number: 75-35-4

Date Report Requested: 08/26/2013
 Time Report Requested: 12:08:14
 First Dose M/F: 06/20/05 / 06/20/05
 Lab: BNW

| B6C3F1 MICE FEMALE
6.25 ppm | DAY ON TEST | | | | | | | | | | | | | | | | | | | | ANIMAL ID | females
(cont...) | | | | |
|--|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|-----------|----------------------|------------------|------------------|------------------|--|
| | 0
4
7
1 | 0
4
7
8 | 0
4
7
8 | 0
5
2
9 | 0
5
5
4 | 0
5
5
8 | 0
5
6
3 | 0
5
8
2 | 0
5
8
4 | 0
5
9
0 | 0
5
9
2 | 0
5
9
6 | 0
6
0
0 | 0
6
0
3 | 0
6
1
6 | 0
6
4
2 | 0
6
4
8 | 0
6
4
8 | 0
6
7
3 | 0
6
9
0 | | | 0
7
9
0 | 0
7
0
5 | 0
7
1
9 | |
| Lymph Node, Mandibular | M | + | M | + | M | + | + | + | + | M | M | + | + | + | + | M | M | + | + | M | + | + | + | + | + | |
| Lymph Node, Mediastinal
Carcinoma, Metastatic, Harderian Gland
Hepatocarcinoma, Metastatic, Liver
Myxosarcoma, Metastatic, Skin | + | + | + | + | + | + | + | + | + | X | | | | | | | | | | | | | | | | |
| Lymph Node, Mesenteric
Hepatocarcinoma, Metastatic, Liver | + | + | + | M | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | |
| Spleen
Hemangiosarcoma | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Thymus
Hepatocarcinoma, Metastatic, Liver | + | + | M | + | M | + | + | + | + | + | + | + | + | + | M | + | + | + | M | + | + | + | M | + | | |
| INTEGUMENTARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mammary Gland
Carcinoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Skin
Fibrous Histiocytoma
Subcutaneous Tissue, Fibrosarcoma
Subcutaneous Tissue, Myxosarcoma
Subcutaneous Tissue, Sarcoma | + | + | + | + | + | + | X | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| MUSCULOSKELETAL SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Skeletal Muscle
Hemangiosarcoma | + | | | | | | | + | | | | + | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20303 - 06
 Test Type: CHRONIC
 Route: RESPIRATORY EXPOSURE WHOLE BODY
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Vinylidene chloride
 CAS Number: 75-35-4

Date Report Requested: 08/26/2013
 Time Report Requested: 12:08:14
 First Dose M/F: 06/20/05 / 06/20/05
 Lab: BNW

| B6C3F1 MICE FEMALE
6.25 ppm | DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) | |
|--------------------------------|-------------|-----------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|----------------------|-----|
| | | 041 | 044 | 047 | 048 | 052 | 055 | 056 | 058 | 059 | 062 | 064 | 065 | 066 | 067 | 068 | 069 | 070 | 071 | 072 | 073 | 074 | 075 | 076 | 077 | | 078 |
| Carcinoma | | | | | | | | | | | X | | | | | | | | | | | | | | | X | |
| URINARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Kidney | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Urinary Bladder | | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| SYSTEMIC LESIONS | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Multiple Organ | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Histiocytic Sarcoma | | | | | X | | | | | | | | | | | | | | | | | | | | | X | |
| Lymphoma Malignant | | | | | | | X | | | | X | | X | X | | | | | X | X | X | | X | | X | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20303 - 06
 Test Type: CHRONIC
 Route: RESPIRATORY EXPOSURE WHOLE BODY
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Vinylidene chloride
 CAS Number: 75-35-4

Date Report Requested: 08/26/2013
 Time Report Requested: 12:08:14
 First Dose M/F: 06/20/05 / 06/20/05
 Lab: BNW

| B6C3F1 MICE FEMALE
6.25 ppm | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | * TOTALS |
|--------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
| | ANIMAL ID | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | | 0 | 1 | 2 | 2 | 0 | 0 | 1 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 4 | 0 | 1 | 1 | 1 | 2 | 2 | 3 | 4 | 4 | |
| | | 8 | 7 | 0 | 1 | 3 | 4 | 0 | 1 | 5 | 6 | 0 | 7 | 0 | 5 | 6 | 7 | 2 | 4 | 9 | 7 | 8 | 8 | 3 | 7 | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---------|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Gallbladder | + | M | + | + | + | + | M | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 43 |
| Intestine Large, Cecum
Hepatocholangiocarcinoma, Metastatic, Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48
1 |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 |
| Intestine Small, Duodenum
Hepatocholangiocarcinoma, Metastatic, Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47
1 |
| Intestine Small, Ileum
Carcinoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48
1 |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangioma | | | | | | | | | | | | | | X | | | | | | | | | | | 1 |
| Hemangiosarcoma | | | | | | | | | | | | | X | | | | | | | | | | | | 1 |
| Hepatocellular Adenoma | | | | | | | | | | | X | X | | | | | | X | X | | | | X | | 12 |
| Hepatocellular Adenoma, Multiple | X | | | X | | | | | | | | | | X | X | X | X | | | | | X | X | | 9 |
| Hepatocellular Carcinoma | | | | | | | | | | | | | | | X | | | X | | | | X | X | | 12 |
| Hepatocellular Carcinoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Hepatocholangiocarcinoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Mesentery | | | | | | | | | | | | | | | | | | | | | | | | | 16 |
| Hepatocholangiocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20303 - 06
 Test Type: CHRONIC
 Route: RESPIRATORY EXPOSURE WHOLE BODY
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Vinylidene chloride
 CAS Number: 75-35-4

Date Report Requested: 08/26/2013
 Time Report Requested: 12:08:14
 First Dose M/F: 06/20/05 / 06/20/05
 Lab: BNW

| B6C3F1 MICE FEMALE
6.25 ppm | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|---|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------|-------|
| | 0731 | 0731 | 0731 | 0731 | 0732 | 0732 | 0732 | 0732 | 0732 | 0732 | 0732 | 0732 | 0732 | 0732 | 0732 | 0732 | 0732 | 0732 | 0732 | 0732 | | 0732 |
| ANIMAL ID | 00308 | 00307 | 00306 | 00305 | 00304 | 00303 | 00302 | 00301 | 00300 | 00299 | 00298 | 00297 | 00296 | 00295 | 00294 | 00293 | 00292 | 00291 | 00290 | 00289 | 00288 | 00287 |
| Sarcoma | | | | | | | | | | | | | | | | | | | | | | 1 |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Hepatocholangiocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | 1 |
| Sarcoma, Metastatic, Mesentery | | | | | | | | | | | | | | | | | | | | | | 1 |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Hepatocholangiocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | 1 |
| Squamous Cell Papilloma | X | | | | | | | | | | X | | | | | | | | X | | | 3 |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Tooth | | | | | | | | | | | | | | | | | | | | | + | 1 |
| CARDIOVASCULAR SYSTEM | | | | | | | | | | | | | | | | | | | | | | |
| Blood Vessel | | | | | | | | | | | | | | | | | | | | | + | 1 |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hepatocholangiocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | 1 |
| ENDOCRINE SYSTEM | | | | | | | | | | | | | | | | | | | | | | |
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | I | 48 |
| Pheochromocytoma Malignant | | | | | | | | | | | | | | | | | | | | | X | 1 |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20303 - 06
 Test Type: CHRONIC
 Route: RESPIRATORY EXPOSURE WHOLE BODY
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Vinylidene chloride
 CAS Number: 75-35-4

Date Report Requested: 08/26/2013
 Time Report Requested: 12:08:14
 First Dose M/F: 06/20/05 / 06/20/05
 Lab: BNW

| B6C3F1 MICE FEMALE
6.25 ppm | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | | | | |
|------------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|--|
| | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
3 | 0
7
3
3 | 0
7
3
3 | 0
7
3
3 | 0
7
3
3 | | 0
7
3
3 | | | | |
| ANIMAL ID | 0
0
3
0
8 | 0
0
3
1
7 | 0
0
3
2
0 | 0
0
3
2
1 | 0
0
3
0
3 | 0
0
3
0
4 | 0
0
3
1
0 | 0
0
3
1
1 | 0
0
3
2
5 | 0
0
3
2
6 | 0
0
3
3
0 | 0
0
3
3
7 | 0
0
3
3
0 | 0
0
3
3
5 | 0
0
3
3
6 | 0
0
3
3
7 | 0
0
3
3
2 | 0
0
3
3
4 | 0
0
3
3
9 | 0
0
3
3
7 | 0
0
3
3
8 | 0
0
3
3
8 | 0
0
3
3
3 | 0
0
3
3
7 | 0
0
3
3
9 | |
| Parathyroid Gland | M | M | M | + | I | + | M | M | M | + | M | M | M | M | + | M | + | + | M | + | + | + | M | + | 22 | |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Pars Distalis, Adenoma | X | | | | | | | | | | X | | | | | | | | | X | | | | 5 | | |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| GENERAL BODY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| NONE | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GENITAL SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Clitoral Gland | M | + | + | + | + | M | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | 46 | |
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | |
| Cystadenoma | | | X | | | X | | | | | | | | | | | | | | | | | | 3 | | |
| Hepatocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Uterus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | | |
| Hemangioma | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Polyp Stromal | | | | | | | | | | | | | | | | | | | | | | | X | 2 | | |
| HEMATOPOIETIC SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | | |
| Lymph Node | | | | | | | + | | + | | | | | | | | | | | | | | | 11 | | |
| Lymph Node, Bronchial | + | M | + | + | + | + | M | + | + | + | + | + | + | M | + | + | + | + | M | + | + | + | + | 38 | | |
| Hepatocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Myxosarcoma, Metastatic, Skin | | | | | | | X | | | | | | | | | | | | | | | | | 1 | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20303 - 06
 Test Type: CHRONIC
 Route: RESPIRATORY EXPOSURE WHOLE BODY
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Vinylidene chloride
 CAS Number: 75-35-4

Date Report Requested: 08/26/2013
 Time Report Requested: 12:08:14
 First Dose M/F: 06/20/05 / 06/20/05
 Lab: BNW

| B6C3F1 MICE FEMALE
6.25 ppm | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | | | | | |
|--|------------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|----|----|
| | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
3 | 0
7
3
3 | 0
7
3
3 | 0
7
3
3 | 0
7
3
3 | | 0
7
3
3 | | | | | |
| ANIMAL ID | 0
0
3
0
8 | 0
0
3
1
7 | 0
0
3
2
0 | 0
0
3
2
1 | 0
0
3
0
3 | 0
0
3
0
4 | 0
0
3
1
0 | 0
0
3
1
1 | 0
0
3
2
5 | 0
0
3
2
6 | 0
0
3
3
0 | 0
0
3
3
7 | 0
0
3
3
0 | 0
0
3
3
5 | 0
0
3
3
6 | 0
0
3
3
7 | 0
0
3
3
2 | 0
0
3
3
4 | 0
0
3
3
9 | 0
0
3
2
7 | 0
0
3
2
8 | 0
0
3
3
8 | 0
0
3
4
3 | 0
0
3
4
7 | 0
0
3
4
9 | | |
| | Lymph Node, Mandibular | M | + | + | + | + | M | + | + | + | + | + | + | + | + | M | M | + | + | + | + | M | + | + | M | M | 35 |
| Lymph Node, Mediastinal | M | + | + | + | + | + | + | + | + | M | M | + | + | + | M | + | + | + | + | M | + | + | + | + | + | 45 | |
| Carcinoma, Metastatic, Harderian Gland | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Hepatocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Myxosarcoma, Metastatic, Skin | | | | | | X | | | | | | | | | | | | | | | | | | | | 1 | |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Hepatocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | |
| Hemangiosarcoma | | | X | | | | | | | | | | | | | | X | | | | | | | | | 3 | |
| Thymus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | 44 | |
| Hepatocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| INTEGUMENTARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Carcinoma | | | | | | X | | | | | | | | | | | | | | | | | | | | 1 | |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Fibrous Histiocytoma | | | | | | | | | | | | | | | | | | | | | | | | | | 2 | |
| Subcutaneous Tissue, Fibrosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Subcutaneous Tissue, Myxosarcoma | | | | | | X | | | | | | | | | | | | | | | | | | | | 1 | |
| Subcutaneous Tissue, Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| MUSCULOSKELETAL SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | | | | | 3 | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20303 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Vinylidene chloride

CAS Number: 75-35-4

Date Report Requested: 08/26/2013

Time Report Requested: 12:08:14

First Dose M/F: 06/20/05 / 06/20/05

Lab: BNW

| B6C3F1 MICE FEMALE | | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|--------------------|--|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|
| 6.25 ppm | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 |
| | | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| ANIMAL ID | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | | 0 | 1 | 2 | 2 | 0 | 0 | 1 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 4 | 0 | 1 | 1 | 1 | 2 | 2 | 3 |
| | | 8 | 7 | 0 | 1 | 3 | 4 | 0 | 1 | 5 | 6 | 0 | 7 | 0 | 5 | 6 | 7 | 2 | 4 | 9 | 7 | 8 | 8 |

Hepatocolangiocarcinoma, Metastatic, Liver

1

NERVOUS SYSTEM

Brain

+ 50

Peripheral Nerve

2

Spinal Cord

2

RESPIRATORY SYSTEM

Larynx

+ 50

Lung

+ 50

Alveolar/Bronchiolar Adenoma

X 4

Alveolar/Bronchiolar Carcinoma

2

Carcinoma, Metastatic, Harderian Gland

1

Hepatocellular Carcinoma, Metastatic, Liver

X 9

Hepatocolangiocarcinoma, Metastatic, Liver

1

Myxosarcoma, Metastatic, Skin

X 1

Nose

+ 50

Carcinoma, Metastatic, Harderian Gland

1

Trachea

+ 50

SPECIAL SENSES SYSTEM

Eye

+ 49

Harderian Gland

+ 50

Adenoma

X X 5

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

Experiment Number: 20303 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Vinylidene chloride

CAS Number: 75-35-4

Date Report Requested: 08/26/2013

Time Report Requested: 12:08:14

First Dose M/F: 06/20/05 / 06/20/05

Lab: BNW

| B6C3F1 MICE FEMALE
6.25 ppm | | DAY ON TEST
0 0
7 7
3 3
1 1 1 1 2 2 2 2 2 2 2 2 2 2 2 3 3 3 3 3 3 3 3 | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|--------------------------------|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----------|
| ANIMAL ID | | 0
0 0
3 3
0 1 2 2 0 0 1 1 2 2 3 3 4 4 4 0 1 1 1 2 2 3 4 4
8 7 0 1 3 4 0 1 5 6 0 7 0 5 6 7 2 4 9 7 8 8 3 7 9 | | | | | | | | | | | | | | | | | | | | | | | |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| URINARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | |
| Kidney | | + | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Urinary Bladder | | + | | | | | | | | | | | | | | | | | | | | | | | 49 |
| SYSTEMIC LESIONS | | | | | | | | | | | | | | | | | | | | | | | | | |
| Multiple Organ | | + | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Lymphoma Malignant | | X X X X X X X X X X X X X X X | | | | | | | | | | | | | | | | | | | | | | | 20 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

Experiment Number: 20303 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Vinylidene chloride

CAS Number: 75-35-4

Date Report Requested: 08/26/2013

Time Report Requested: 12:08:14

First Dose M/F: 06/20/05 / 06/20/05

Lab: BNW

| B6C3F1 MICE FEMALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | females
(cont...) | | | | | | | |
|--------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| | 0
3
9
2 | 0
5
2
4 | 0
5
3
6 | 0
5
7
6 | 0
5
9
9 | 0
6
1
1 | 0
6
1
3 | 0
6
2
0 | 0
6
3
2 | 0
6
3
9 | 0
6
4
8 | 0
6
4
8 | 0
6
5
3 | 0
6
5
5 | 0
6
6
6 | 0
6
6
8 | 0
6
7
0 | 0
6
7
3 | 0
6
7
4 | 0
6
7
1 | 0
6
7
1 | | 0
6
7
3 | 0
6
7
3 | 0
6
7
1 | 0
6
7
1 | 0
6
7
3 | 0
6
7
3 | |
| 12.5 ppm | 0
0
5
0
8 | 0
0
5
1
2 | 0
0
5
2
5 | 0
0
5
4
0 | 0
0
5
3
7 | 0
0
5
1
8 | 0
0
5
4
1 | 0
0
5
1
3 | 0
0
5
0
5 | 0
0
5
2
9 | 0
0
5
2
6 | 0
0
5
2
5 | 0
0
5
4
7 | 0
0
5
5
0 | 0
0
5
5
6 | 0
0
5
5
8 | 0
0
5
5
3 | 0
0
5
5
1 | 0
0
5
5
4 | 0
0
5
5
1 | 0
0
5
5
6 | 0
0
5
5
6 | 0
0
5
5
8 | 0
0
5
5
4 | 0
0
5
5
4 | 0
0
5
5
6 | 0
0
5
5
8 | 0
0
5
5
4 | 0
0
5
5
7 |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Sarcoma, Metastatic, Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | X | | | | | | | | | | | | | |
| Pancreas | + | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sarcoma, Metastatic, Mesentery | | | | | | | | | | | | | | | | | | | | | | X | | | | | | | | | | | | | |
| Salivary Glands | + | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Forestomach | + | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Squamous Cell Papilloma | | | | | | | | | | | | | | | | | | | | | | X | | | | | | | | | | | | | |
| Stomach, Glandular | + | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sarcoma, Metastatic, Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | X | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | A | | | | | | | | | | | | | | | |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|
| Heart | + | | | | | | | | | | | | | | | | | | | | | |
| Sarcoma, Metastatic, Mesentery | | | | | | | | | | | | | | | | | | | | | | X |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|
| Adrenal Cortex | + | | | | | | | | | | | | | | | | | | | | | |
| Hepatocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | X |
| Adrenal Medulla | + | | | | | | | | | | | | | | | | | | | | | |
| Islets, Pancreatic | + | | | | | | | | | | | | | | | | | | | | | |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | X |
| Parathyroid Gland | + | | | | | | | | | | | | | | | | | | | | | |
| Pituitary Gland | + | | | | | | | | | | | | | | | | | | | | | |
| Pars Distalis, Adenoma | | | | | | | | | | | | | | | | | | | | | | X |
| Pars Distalis, Carcinoma | | | | | | | | | | | | | | | | | | | | | | X |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20303 - 06
 Test Type: CHRONIC
 Route: RESPIRATORY EXPOSURE WHOLE BODY
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Vinylidene chloride
 CAS Number: 75-35-4

Date Report Requested: 08/26/2013
 Time Report Requested: 12:08:14
 First Dose M/F: 06/20/05 / 06/20/05
 Lab: BNW

| B6C3F1 MICE FEMALE | 12.5 ppm | DAY ON TEST | | | | | | | | | | | | | | | | | | | | ANIMAL ID | females
(cont...) | | | | |
|--------------------|----------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|----------------------|---|---|---|---|
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0 | | | |
| | | 3 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | | 9 | 2 | 3 | 7 | 9 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 5 | 5 | 6 | 6 | 7 | 8 | 0 | 0 | 3 | 3 | 3 | 3 | 3 | 3 |
| | | 2 | 4 | 6 | 6 | 9 | 1 | 3 | 0 | 2 | 9 | 8 | 8 | 3 | 3 | 5 | 8 | 0 | 9 | 3 | 4 | 1 | 1 | 1 | 1 | 1 | 1 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| | | 0 | 1 | 2 | 4 | 3 | 1 | 4 | 1 | 0 | 2 | 2 | 4 | 1 | 5 | 0 | 0 | 2 | 3 | 0 | 1 | 3 | 3 | 3 | 4 | 4 | |
| | | 8 | 2 | 5 | 0 | 7 | 8 | 1 | 3 | 5 | 9 | 6 | 5 | 7 | 0 | 2 | 6 | 8 | 3 | 1 | 4 | 4 | 6 | 8 | 4 | 7 | |

Thyroid Gland

+ +

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

Clitoral Gland

+ + + + + M +

Ovary

+ + + + + + + + + + M + + + + + + + + + + + + + + + + +

Cystadenoma
 Hemangioma

X

Uterus

+ +

Polyp Stromal

HEMATOPOIETIC SYSTEM

Bone Marrow

+ +

Lymph Node

+

Lymph Node, Bronchial

M + M + M + + + + + + + + + + M + + + + + M + + + + M

Hepatocholangiocarcinoma, Metastatic, Liver

X

Lymph Node, Mandibular

M A + + M + M + M + + M M + + M + + + + M M + + M

Lymph Node, Mediastinal

+ + + + + + + + + + M + + + + M + + + + M + + + + +

Hepatocholangiocarcinoma, Metastatic, Liver
 Sarcoma, Metastatic, Mesentery

X

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20303 - 06
 Test Type: CHRONIC
 Route: RESPIRATORY EXPOSURE WHOLE BODY
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Vinylidene chloride
 CAS Number: 75-35-4

Date Report Requested: 08/26/2013
 Time Report Requested: 12:08:14
 First Dose M/F: 06/20/05 / 06/20/05
 Lab: BNW

| B6C3F1 MICE FEMALE
12.5 ppm | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | females
(cont...) | |
|--|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|-----------|----------------------|------------------|
| | 0
3
9
2 | 0
5
2
4 | 0
5
3
6 | 0
5
7
6 | 0
5
9
9 | 0
6
1
1 | 0
6
1
3 | 0
6
2
0 | 0
6
3
2 | 0
6
3
9 | 0
6
4
8 | 0
6
4
8 | 0
6
5
3 | 0
6
5
3 | 0
6
6
5 | 0
6
6
8 | 0
6
7
0 | 0
6
7
3 | 0
6
7
4 | 0
6
7
1 | 0
6
7
1 | 0
6
7
3 | 0
6
7
3 | 0
6
7
1 | | | 0
6
7
1 |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | M | + | + | + | M | + | + | + | + | A | + | + | + | + | + | | |
| Spleen
Hemangiosarcoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Thymus | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| INTEGUMENTARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mammary Gland
Carcinoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Skin
Fibrous Histiocytoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Subcutaneous Tissue, Hemangiosarcoma | | | | | | | | | | | X | | | | | | | | | | | | | | X | | |
| Subcutaneous Tissue, Myxosarcoma | | | | | | | | | | | | | | | X | | | | | | | | | | | | |
| Subcutaneous Tissue, Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MUSCULOSKELETAL SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Skeletal Muscle
Hepatocarcinoma, Metastatic, Liver
Sarcoma | | | | | | | | | | | | | | | + | | + | | | | | | | | | | |
| | | | | | | | | | | | | | | | X | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | X | | |
| NERVOUS SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Brain
Carcinoma, Metastatic, Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | X | | |
| RESPIRATORY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20303 - 06
 Test Type: CHRONIC
 Route: RESPIRATORY EXPOSURE WHOLE BODY
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Vinylidene chloride
 CAS Number: 75-35-4

Date Report Requested: 08/26/2013
 Time Report Requested: 12:08:14
 First Dose M/F: 06/20/05 / 06/20/05
 Lab: BNW

| B6C3F1 MICE FEMALE
12.5 ppm | DAY ON TEST | | | | | | | | | | | | | | | | | | | | ANIMAL ID | females
(cont...) | | |
|---|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|-----------|----------------------|------------------|------------------|
| | 0
3
9
2 | 0
5
2
4 | 0
5
3
6 | 0
5
7
6 | 0
5
9
9 | 0
6
1
1 | 0
6
1
3 | 0
6
2
0 | 0
6
3
2 | 0
6
3
9 | 0
6
4
8 | 0
6
4
8 | 0
6
5
3 | 0
6
5
3 | 0
6
6
5 | 0
6
6
8 | 0
6
7
0 | 0
6
7
3 | 0
7
0
4 | 0
7
0
4 | | | 0
7
3
1 | 0
7
3
1 |
| Larynx | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | | | | | | | | | | | | | | X | | |
| Alveolar/Bronchiolar Carcinoma | X | | | | | | | | | | | | | | | | | | | | | | | X |
| Alveolar/Bronchiolar Carcinoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | X | | | | | | | | X | | | | | | | | | |
| Hepatocholangiocarcinoma, Metastatic, Liver | | | | | | | | | | | | | X | | | | | | | | | | | |
| Sarcoma, Metastatic, Mesentery | | | | | | | | | | | X | | | | | | | | | | | | | |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Carcinoma, Metastatic, Harderian Gland | | | | | | X | | | | | | | | | | | | | | | | | | |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| SPECIAL SENSES SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | |
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Carcinoma | | | | | | X | | | | | | | | | | | | | | | | | | |
| URINARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | |
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Urinary Bladder | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + |
| SYSTEMIC LESIONS | | | | | | | | | | | | | | | | | | | | | | | | |
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20303 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Vinylidene chloride

CAS Number: 75-35-4

Date Report Requested: 08/26/2013

Time Report Requested: 12:08:14

First Dose M/F: 06/20/05 / 06/20/05

Lab: BNW

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| B6C3F1 MICE FEMALE | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 3 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | | 9 | 2 | 3 | 7 | 9 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 5 | 5 | 6 | 6 | 7 | 8 | 0 | 0 | 3 | 3 | 3 | 3 | 3 | 3 |
| 12.5 ppm | ANIMAL ID | 2 | 4 | 6 | 6 | 9 | 1 | 3 | 0 | 2 | 9 | 8 | 8 | 3 | 3 | 5 | 8 | 0 | 3 | 4 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | |
| | | 0 | 1 | 2 | 4 | 3 | 1 | 4 | 1 | 0 | 2 | 2 | 4 | 1 | 5 | 0 | 0 | 2 | 3 | 0 | 1 | 3 | 3 | 3 | 4 | 4 | |
| | | 8 | 2 | 5 | 0 | 7 | 8 | 1 | 3 | 5 | 9 | 6 | 5 | 7 | 0 | 2 | 6 | 8 | 3 | 1 | 4 | 4 | 6 | 8 | 4 | 7 | |

females
(cont...)

Lymphoma Malignant

X X X X X

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-----------------|
| B6C3F1 MICE FEMALE | DAY ON TEST | 0731 | 0732 | 0732 | 0732 | 0732 | 0732 | 0732 | 0732 | 0732 | 0732 | 0732 | 0732 | 0732 | 0732 | 0732 | 0732 | 0732 | 0732 | 0732 | 0732 | 0732 | 0732 | * TOTALS |
| | ANIMAL ID | 0048 | 0053 | 0054 | 0057 | 0059 | 0066 | 0069 | 0071 | 0074 | 0080 | 0089 | 0090 | 0091 | 0095 | 0099 | 0100 | 0102 | 0103 | 0105 | 0107 | 0112 | 0115 | |
| | | 0055 | 0058 | 0060 | 0063 | 0065 | 0070 | 0073 | 0075 | 0078 | 0081 | 0083 | 0084 | 0087 | 0092 | 0093 | 0094 | 0096 | 0098 | 0101 | 0104 | 0106 | 0108 | |
| | | 0056 | 0059 | 0061 | 0064 | 0068 | 0072 | 0076 | 0077 | 0079 | 0082 | 0085 | 0086 | 0088 | 0097 | 0098 | 0099 | 0103 | 0109 | 0110 | 0111 | 0113 | 0114 | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|----|----|
| Esophagus | + | | | | | | | | | | | | | | | | | | | | | | | 50 | | |
| Gallbladder | + | | | | | | | | | | | | | | | | | | | | | | | M | 45 | |
| Intestine Large, Cecum | + | | | | | | | | | | | | | | | | | | | | | | | 45 | | |
| Sarcoma, Metastatic, Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Intestine Large, Colon | + | | | | | | | | | | | | | | | | | | | | | | | 46 | | |
| Intestine Large, Rectum | + | | | | | | | | | | | | | | | | | | | | | | | 47 | | |
| Intestine Small, Duodenum | + | | | | | | | | | | | | | | | | | | | | | | | 45 | | |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | | | X | 1 | |
| Intestine Small, Ileum | + | | | | | | | | | | | | | | | | | | | | | | | 45 | | |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Intestine Small, Jejunum | + | | | | | | | | | | | | | | | | | | | | | | | 45 | | |
| Liver | + | | | | | | | | | | | | | | | | | | | | | | | 50 | | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | X | 1 |
| Hepatocellular Adenoma | | | | | | | | | | | | | | | | | | | | | | | | X | | 10 |
| Hepatocellular Adenoma, Multiple | X | | | | | | | | | | | | | | | | | | | | | | | X | X | 26 |
| Hepatocellular Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | X | 10 |
| Hepatocellular Carcinoma, Multiple | X | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Hepatocholeangiocarcinoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Mesentery | + | | | | | | | | | | | | | | | | | | | | | | | 19 | | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20303 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Vinylidene chloride

CAS Number: 75-35-4

Date Report Requested: 08/26/2013

Time Report Requested: 12:08:14

First Dose M/F: 06/20/05 / 06/20/05

Lab: BNW

| B6C3F1 MICE FEMALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|--------------------------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------|
| | 0731 | 0732 | 0732 | 0732 | 0732 | 0732 | 0732 | 0732 | 0732 | 0732 | 0732 | 0732 | 0732 | 0732 | 0732 | 0732 | 0732 | 0732 | 0732 | 0732 | 0732 | 0732 | |
| 12.5 ppm | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | |
| | 0048 | 0053 | 0054 | 0057 | 0059 | 0066 | 0069 | 0071 | 0074 | 0079 | 0080 | 0081 | 0089 | 0090 | 0091 | 0095 | 0097 | 0098 | 0099 | 0101 | 0102 | 0103 | |
| Sarcoma, Metastatic, Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Sarcoma, Metastatic, Mesentery | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Squamous Cell Papilloma | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Sarcoma, Metastatic, Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | | 1 |
| CARDIOVASCULAR SYSTEM | | | | | | | | | | | | | | | | | | | | | | | |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Sarcoma, Metastatic, Mesentery | | | | | | | | | | | | | | | | | | | | | | | 1 |
| ENDOCRINE SYSTEM | | | | | | | | | | | | | | | | | | | | | | | |
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hepatocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Adenoma | | | | | | | X | | | | | | | | | | | | | | | | 2 |
| Parathyroid Gland | M | + | M | + | M | + | M | M | + | + | M | M | M | M | + | M | M | M | + | M | M | M | 21 |
| Pituitary Gland | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Pars Distalis, Adenoma | | | | X | | | | | | X | | | | | X | | X | | | X | X | X | 8 |
| Pars Distalis, Carcinoma | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

Experiment Number: 20303 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Vinylidene chloride

CAS Number: 75-35-4

Date Report Requested: 08/26/2013

Time Report Requested: 12:08:14

First Dose M/F: 06/20/05 / 06/20/05

Lab: BNW

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--|-------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| B6C3F1 MICE FEMALE
12.5 ppm | DAY ON TEST | 0
7
3
1 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
3 | 0
7
3
3 | 0
7
3
3 | 0
7
3
3 | 0
7
3
3 | 0
7
3
3 | 0
7
3
3 | 0
7
3
3 | 0
7
3
3 | | |
| | ANIMAL ID | 0
0
5
4
8 | 0
0
5
0
3 | 0
0
5
0
4 | 0
0
5
0
7 | 0
0
5
0
9 | 0
0
5
1
6 | 0
0
5
1
9 | 0
0
5
2
1 | 0
0
5
2
4 | 0
0
5
3
0 | 0
0
5
3
9 | 0
0
5
3
0 | 0
0
5
1
5 | 0
0
5
1
0 | 0
0
5
2
2 | 0
0
5
2
3 | 0
0
5
3
7 | 0
0
5
3
1 | 0
0
5
3
2 | 0
0
5
4
5 | 0
0
5
4
2 | 0
0
5
4
3 | 0
0
5
6
9 |
| | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
|---------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|-----------|
| Clitoral Gland | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | M | M | + | + | + | + | 45 |
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Cystadenoma | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Hemangioma | | | | | | | | | X | | | | | | | | | X | | | | | | 2 | |
| Uterus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Polyp Stromal | | | | | | | | | X | | | | | | | | | | | | | | | 1 | |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------------------------|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymph Node | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymph Node, Bronchial
Hepatocholangiocarcinoma, Metastatic, Liver | + | + | + | + | + | + | M | + | M | + | M | + | + | + | + | + | + | + | M | M | + | + | M | 38
1 |
| Lymph Node, Mandibular | + | M | M | M | + | + | + | M | M | + | + | M | + | + | + | M | M | + | + | + | + | M | + | 30 |
| Lymph Node, Mediastinal
Hepatocholangiocarcinoma, Metastatic, Liver
Sarcoma, Metastatic, Mesentery | + | + | + | + | + | M | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | 45
1
1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

Experiment Number: 20303 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Vinylidene chloride

CAS Number: 75-35-4

Date Report Requested: 08/26/2013

Time Report Requested: 12:08:14

First Dose M/F: 06/20/05 / 06/20/05

Lab: BNW

| B6C3F1 MICE FEMALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|---|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------|
| | 0731 | 0732 | 0732 | 0733 | 0733 | 0733 | 0733 | 0733 | 0733 | 0733 | 0733 | 0733 | 0733 | 0733 | 0733 | 0733 | 0733 | 0733 | 0733 | 0733 | 0733 | 0733 | 0733 | 0733 | |
| 12.5 ppm | 0048 | 0053 | 0054 | 0057 | 0059 | 0066 | 0069 | 0071 | 0074 | 0079 | 0080 | 0081 | 0081 | 0081 | 0081 | 0081 | 0081 | 0081 | 0081 | 0081 | 0081 | 0081 | 0081 | 0081 | |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | X | | | 1 |
| Thymus | + | M | + | + | + | + | + | M | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | 46 | |
| INTEGUMENTARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Carcinoma | | | | | | | | | | | X | | | | | | | | | | | X | | | 2 |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Fibrous Histiocytoma | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Subcutaneous Tissue, Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Subcutaneous Tissue, Myxosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Subcutaneous Tissue, Sarcoma | | | | | | | | | | | | | | | | | | | | | | X | | | 1 |
| MUSCULOSKELETAL SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Hepatocholangiocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| NERVOUS SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | |
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Carcinoma, Metastatic, Pituitary Gland | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| RESPIRATORY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20303 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Vinylidene chloride

CAS Number: 75-35-4

Date Report Requested: 08/26/2013

Time Report Requested: 12:08:14

First Dose M/F: 06/20/05 / 06/20/05

Lab: BNW

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| B6C3F1 MICE FEMALE

12.5 ppm | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | <p>* TOTALS</p> <p>13</p> |
| | | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | ANIMAL ID | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | |
| | 4 | 0 | 0 | 0 | 0 | 1 | 1 | 2 | 2 | 3 | 3 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 4 | 4 | 4 | |
| | 8 | 3 | 4 | 7 | 9 | 6 | 9 | 1 | 4 | 0 | 9 | 0 | 1 | 5 | 0 | 2 | 3 | 7 | 1 | 2 | 5 | 2 | 3 | 9 | |
| Lymphoma Malignant | | | | | X | X | | | | | X | X | | | | | X | X | X | X | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20303 - 06
Test Type: CHRONIC
Route: RESPIRATORY EXPOSURE WHOLE BODY
Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Vinylidene chloride
CAS Number: 75-35-4

Date Report Requested: 08/26/2013
Time Report Requested: 12:08:14
First Dose M/F: 06/20/05 / 06/20/05
Lab: BNW

| B6C3F1 MICE FEMALE
25 ppm | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | females
(cont...) | |
|------------------------------|-------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|--|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 4 | 4 | 4 | 4 | 4 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | | |
| | 1 | 1 | 1 | 4 | 4 | 0 | 0 | 1 | 1 | 5 | 6 | 6 | 9 | 9 | 1 | 2 | 4 | 5 | 5 | 5 | 5 | | |
| | 3 | 5 | 5 | 0 | 3 | 2 | 8 | 2 | 9 | 6 | 2 | 4 | 2 | 9 | 4 | 6 | 0 | 2 | 5 | 8 | 9 | | |
| | | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | | |
| | 3 | 2 | 4 | 3 | 2 | 4 | 2 | 4 | 2 | 4 | 3 | 2 | 4 | 1 | 4 | 2 | 4 | 2 | 0 | 2 | 3 | | |
| | 2 | 4 | 6 | 0 | 2 | 4 | 9 | 0 | 8 | 8 | 1 | 6 | 5 | 2 | 2 | 7 | 3 | 0 | 1 | 5 | 7 | | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Gallbladder | A | + | + | + | + | A | + | A | + | + | + | + | + | + | + | + | + | + | + | A | + |
| Intestine Large, Cecum | A | + | + | A | + | A | + | A | + | + | + | + | + | + | + | + | + | + | + | + | M |
| Intestine Large, Colon | A | + | + | A | + | A | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Rectum | A | + | + | A | + | A | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Duodenum | A | + | + | A | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | A |
| Intestine Small, Ileum | A | + | + | A | + | A | + | A | + | + | + | + | + | + | + | + | + | + | + | + | A |
| Adenoma | | | | | | | | | | | | | | | | | | | | | |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | X |
| Intestine Small, Jejunum | A | + | + | A | + | A | + | A | + | + | + | + | + | + | + | + | + | + | + | + | A |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Fibrosarcoma, Metastatic, Skeletal Muscle | | | | | | | | X | | | | | | | | | | | | | |
| Hemangioma | | | | | | | | | | | | | | | | | | | | | |
| Hemangiosarcoma | | | | | | | | X | | | | | | X | | | | | X | | |
| Hepatocellular Adenoma | | | | | X | | | | | | X | X | | | | X | | X | | | X |
| Hepatocellular Adenoma, Multiple | | | | | | X | | | | | | | | | | | | X | | | |
| Hepatocellular Carcinoma | | | X | | | | | | | X | | | | | | | | | X | | X |
| Hepatocellular Carcinoma, Multiple | | | | | | | | X | | | | | | X | | | | | X | | |
| Hepatocholangiocarcinoma | | | | | | | X | | | | X | | | | | | | | | | |
| Sarcoma, Metastatic, Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | |
| Mesentery | + | | | + | | | | + | + | + | + | | | + | + | + | | + | + | + | + |

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

Experiment Number: 20303 - 06
 Test Type: CHRONIC
 Route: RESPIRATORY EXPOSURE WHOLE BODY
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Vinylidene chloride
 CAS Number: 75-35-4

Date Report Requested: 08/26/2013
 Time Report Requested: 12:08:14
 First Dose M/F: 06/20/05 / 06/20/05
 Lab: BNW

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|-------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------------------------|
| B6C3F1 MICE FEMALE

25 ppm | DAY ON TEST | 0
4 | 0
4 | 0
4 | 0
4 | 0
4 | 0
5 | 0
5 | 0
5 | 0
5 | 0
5 | 0
5 | 0
5 | 0
5 | 0
5 | 0
6 | 0
6 | 0
6 | 0
6 | 0
6 | 0
6 | 0
6 | 0
6 | 0
7 | 0
7 | females
(cont...) |
| | ANIMAL ID | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | |
| | | 1
7
3
2 | 1
7
2
4 | 1
7
4
6 | 4
7
3
0 | 4
7
2
2 | 0
7
4
4 | 0
7
2
9 | 0
7
4
0 | 1
7
2
8 | 1
7
4
8 | 5
7
4
8 | 6
7
3
1 | 6
7
2
6 | 9
7
4
5 | 9
7
1
2 | 1
7
4
7 | 2
7
2
3 | 4
7
4
0 | 5
7
2
1 | 5
7
4
5 | 8
7
3
7 | 9
7
1
3 | 1
7
0
3 | 1
7
4
9 | |

Sarcoma
 Sarcoma, Metastatic, Skeletal Muscle
 Sarcoma, Metastatic, Uterus

X

Pancreas
 Sarcoma, Metastatic, Skeletal Muscle

+ +

Salivary Glands

+ +

Stomach, Forestomach
 Sarcoma, Metastatic, Skeletal Muscle

+ +

Stomach, Glandular
 Sarcoma, Metastatic, Skeletal Muscle

A +

CARDIOVASCULAR SYSTEM

Heart

+ +

ENDOCRINE SYSTEM

Adrenal Cortex
 Sarcoma, Metastatic, Skeletal Muscle

+ I +

Adrenal Medulla

+ I +

Islets, Pancreatic

+ +

Parathyroid Gland

+ M + + + M M M + M M + + + + + M + + + + + +

Pituitary Gland
 Pars Distalis, Adenoma

+ + + + + M I + + + + + + + + + + + + + + + M +
 X X

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20303 - 06
 Test Type: CHRONIC
 Route: RESPIRATORY EXPOSURE WHOLE BODY
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)
 Vinylidene chloride
 CAS Number: 75-35-4

Date Report Requested: 08/26/2013
 Time Report Requested: 12:08:14
 First Dose M/F: 06/20/05 / 06/20/05
 Lab: BNW

| B6C3F1 MICE FEMALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | ANIMAL ID | females
(cont...) | | | |
|--------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|----------------------|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | 0 | | |
| 25 ppm | 4 | 4 | 4 | 4 | 4 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | |
| | 1 | 1 | 1 | 4 | 4 | 0 | 0 | 1 | 1 | 5 | 6 | 6 | 9 | 9 | 1 | 2 | 4 | 5 | 5 | 5 | 6 | 7 | 9 | 1 | 1 |
| | 3 | 5 | 5 | 0 | 3 | 2 | 8 | 2 | 9 | 6 | 2 | 4 | 2 | 9 | 4 | 6 | 0 | 2 | 5 | 8 | 9 | 3 | 7 | 5 | 9 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | 3 | 2 | 4 | 3 | 2 | 4 | 2 | 4 | 2 | 4 | 3 | 2 | 4 | 1 | 4 | 2 | 4 | 2 | 0 | 2 | 3 | 1 | 0 | 4 | 0 |
| | 2 | 4 | 6 | 0 | 2 | 4 | 9 | 0 | 8 | 8 | 1 | 6 | 5 | 2 | 2 | 7 | 3 | 0 | 1 | 5 | 7 | 3 | 3 | 9 | 5 |

Thyroid Gland +

GENERAL BODY SYSTEM
 NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Clitoral Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | I | + |
| Cystadenoma | | | | | | X | | | | | | | | | | | | | | | | | | | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Uterus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Polyp Stromal | | | | | | | | | | | | | | | | X | | X | X | | | | | | |
| Sarcoma | X | | | | | | | | | | | | | | | | | | | | | | | | |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymph Node | | | | + | | | | | | + | | | | | | | | | + | + | | | + | | |
| Lumbar, Sarcoma, Metastatic, Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lumbar, Sarcoma, Metastatic, Skin | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Bronchial | + | + | + | + | M | + | + | M | + | M | + | + | + | + | M | + | + | M | M | + | + | + | + | I | + |
| Hepatocholangiocarcinoma, Metastatic, Liver | | | | | | X | | | | X | | | | | | | | | | | | | | | |
| Lymph Node, Mandibular | M | + | + | + | + | M | + | + | + | + | + | + | + | + | M | + | M | + | + | + | + | + | + | + | + |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20303 - 06
 Test Type: CHRONIC
 Route: RESPIRATORY EXPOSURE WHOLE BODY
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Vinylidene chloride
 CAS Number: 75-35-4

Date Report Requested: 08/26/2013
 Time Report Requested: 12:08:14
 First Dose M/F: 06/20/05 / 06/20/05
 Lab: BNW

| B6C3F1 MICE FEMALE
25 ppm | DAY ON TEST | | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|------------------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|----------------------|
| | 0
4
1
3 | 0
4
1
5 | 0
4
1
5 | 0
4
4
0 | 0
4
4
3 | 0
5
0
2 | 0
5
0
8 | 0
5
1
2 | 0
5
1
9 | 0
5
5
6 | 0
5
6
2 | 0
5
6
4 | 0
5
9
2 | 0
5
9
9 | 0
6
1
4 | 0
6
2
6 | 0
6
4
0 | 0
6
5
2 | 0
6
5
5 | 0
6
5
8 | 0
6
6
9 | 0
6
7
3 | 0
6
9
7 | 0
7
1
5 | 0
7
1
9 | | |
| | 0
7
3
2 | 0
7
2
4 | 0
7
4
6 | 0
7
3
0 | 0
7
2
2 | 0
7
4
4 | 0
7
2
9 | 0
7
4
0 | 0
7
2
8 | 0
7
4
8 | 0
7
3
1 | 0
7
2
6 | 0
7
4
5 | 0
7
1
2 | 0
7
4
2 | 0
7
2
7 | 0
7
4
3 | 0
7
2
0 | 0
7
2
1 | 0
7
2
5 | 0
7
3
7 | 0
7
1
3 | 0
7
0
3 | 0
7
0
3 | 0
7
4
9 | 0
7
0
5 | |

Carcinoma, Metastatic, Harderian Gland

X

Lymph Node, Mediastinal

Hemangiosarcoma

Hepatocarcinoma, Metastatic, Liver

Lymph Node, Mesenteric

Spleen

Hemangiosarcoma

Thymus

INTEGUMENTARY SYSTEM

Mammary Gland

Carcinoma

Skin

Fibrous Histiocytoma

Subcutaneous Tissue, Hemangiosarcoma

Subcutaneous Tissue, Sarcoma

Subcutaneous Tissue, Schwannoma Malignant

MUSCULOSKELETAL SYSTEM

Bone

Osteosarcoma

Skeletal Muscle

Fibrosarcoma

Hepatocarcinoma, Metastatic, Liver

Sarcoma

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20303 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Vinylidene chloride

CAS Number: 75-35-4

Date Report Requested: 08/26/2013

Time Report Requested: 12:08:14

First Dose M/F: 06/20/05 / 06/20/05

Lab: BNW

| B6C3F1 MICE FEMALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | females
(cont...) | | | | | | | | | | | | | | | | | |
|--------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|----------------------|------------------|------------------|------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0
4
1
3 | 0
4
1
5 | 0
4
1
5 | 0
4
4
0 | 0
4
4
3 | 0
5
0
2 | 0
5
0
8 | 0
5
1
2 | 0
5
1
9 | 0
5
5
6 | 0
5
6
2 | 0
5
6
4 | 0
5
6
2 | 0
5
9
9 | 0
6
1
4 | 0
6
2
6 | 0
6
4
0 | 0
6
5
2 | 0
6
5
5 | 0
6
5
8 | 0
6
6
9 | 0
6
7
3 | | 0
6
9
7 | 0
7
1
5 | 0
7
1
9 | | | | | | | | | | | | | | |
| 25 ppm | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | 3 | 2 | 4 | 3 | 2 | 4 | 2 | 4 | 2 | 4 | 2 | 4 | 3 | 2 | 4 | 1 | 4 | 2 | 4 | 2 | 0 | 2 | 3 | 1 | 0 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 2 | 4 | 6 | 0 | 2 | 4 | 9 | 0 | 8 | 8 | 1 | 6 | 5 | 2 | 2 | 7 | 3 | 0 | 1 | 5 | 7 | 3 | 3 | 3 | 9 | 5 | | | | | | | | | | | | | | |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Spinal Cord | + | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Larynx | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | I | + | |
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | I | + |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Alveolar/Bronchiolar Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Carcinoma, Metastatic, Harderian Gland | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sarcoma, Metastatic, Skin | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Carcinoma, Metastatic, Harderian Gland | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | I | + | |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | I | + |
| Harderian Gland Adenoma | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | I | + |
| Harderian Gland Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

URINARY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| B6C3F1 MICE FEMALE

25 ppm | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) | | |
|--------------------------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|----------------------|---|--|
| | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0
4
1
3 | 0
4
1
5 | 0
4
1
5 | 0
4
4
0 | 0
4
4
3 | 0
5
0
2 | 0
5
0
8 | 0
5
1
2 | 0
5
1
9 | 0
5
5
6 | 0
5
6
2 | 0
5
6
4 | 0
5
9
2 | 0
5
9
9 | 0
6
1
4 | 0
6
2
6 | 0
6
4
0 | 0
6
5
2 | 0
6
5
5 | 0
6
8
9 | 0
6
9
3 | 0
6
7
7 | 0
6
9
1 | 0
7
1
5 | 0
7
1
9 | | | |
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Sarcoma, Metastatic, Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Renal Tubule, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Urinary Bladder | + | + | + | + | + | A | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sarcoma, Metastatic, Uterus | X | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SYSTEMIC LESIONS | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Lymphoma Malignant | | | | X | | | | | | | | | | | | | | | | | | | | X | | | X | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Table with columns for DAY ON TEST and ANIMAL ID, and rows for B6C3F1 MICE FEMALE 25 ppm. Includes a final column for * TOTALS.

ALIMENTARY SYSTEM

Table listing lesions in the Alimentary System (Esophagus, Gallbladder, Intestine Large, Intestine Small, Liver, Mesentery) with counts and symbols (+, M, X).

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

Experiment Number: 20303 - 06
 Test Type: CHRONIC
 Route: RESPIRATORY EXPOSURE WHOLE BODY
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Vinylidene chloride
 CAS Number: 75-35-4

Date Report Requested: 08/26/2013
 Time Report Requested: 12:08:14
 First Dose M/F: 06/20/05 / 06/20/05
 Lab: BNW

| B6C3F1 MICE FEMALE
25 ppm | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|--------------------------------------|-------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|----|----------|
| | 0724 | 0723 | 0731 | 0771 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | | |
| ANIMAL ID | 007333 | 007777 | 007777 | 007777 | 007777 | 007777 | 007777 | 007777 | 007777 | 007777 | 007777 | 007777 | 007777 | 007777 | 007777 | 007777 | 007777 | 007777 | 007777 | 007777 | 007777 | 007777 | 007777 | | |
| Sarcoma | | | X | | | | | | | | | | | | | | | | | | | | | 1 | |
| Sarcoma, Metastatic, Skeletal Muscle | X | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Sarcoma, Metastatic, Uterus | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Sarcoma, Metastatic, Skeletal Muscle | X | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Sarcoma, Metastatic, Skeletal Muscle | X | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | |
| Sarcoma, Metastatic, Skeletal Muscle | X | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| CARDIOVASCULAR SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| ENDOCRINE SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | |
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | |
| Sarcoma, Metastatic, Skeletal Muscle | X | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Parathyroid Gland | M | M | + | + | + | + | + | M | M | + | M | + | + | M | M | M | + | + | + | + | M | M | + | 31 | |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 | |
| Pars Distalis, Adenoma | | | | | | | | | | | | | | | X | | | | | | | X | | 4 | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20303 - 06
 Test Type: CHRONIC
 Route: RESPIRATORY EXPOSURE WHOLE BODY
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Vinylidene chloride
 CAS Number: 75-35-4

Date Report Requested: 08/26/2013
 Time Report Requested: 12:08:14
 First Dose M/F: 06/20/05 / 06/20/05
 Lab: BNW

| B6C3F1 MICE FEMALE | DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
|--------------------|-------------|-----------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------|------|------|
| | | 0724 | 0731 | 0731 | 0731 | 0731 | 0732 | 0732 | 0732 | 0732 | 0732 | 0732 | 0732 | 0732 | 0732 | 0732 | 0732 | 0732 | 0732 | 0732 | 0732 | | 0732 | 0732 |
| 25 ppm | | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 |
| | | 34 | 31 | 31 | 31 | 31 | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 32 |

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
|---------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

GENERAL BODY SYSTEM
 NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Clitoral Gland | + | + | M | + | + | + | + | + | + | + | M | M | + | + | + | + | M | M | + | + | + | + | + | 45 |
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Cystadenoma | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | X | | | | 1 |
| Uterus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | X | | 1 |
| Hemangiosarcoma | | | | | | | | | | | | | | X | | | | | | | | | | 1 |
| Polyp Stromal | | | | | | | | | | | | | | | | | | | | | | | | 3 |
| Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | 1 |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|----|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Lymph Node | + | | | | | | | | | | | + | + | | | | | | | | | | | 8 | |
| Lumbar, Sarcoma, Metastatic, Skeletal Muscle | X | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Lumbar, Sarcoma, Metastatic, Skin | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Lymph Node, Bronchial | M | + | M | + | + | + | M | + | + | + | + | M | + | M | + | + | + | + | + | + | + | + | + | 38 | |
| Hepatocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | 2 | |
| Lymph Node, Mandibular | + | M | + | M | + | + | M | + | + | + | + | + | M | + | + | + | + | M | M | M | M | + | M | + | 37 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20303 - 06
 Test Type: CHRONIC
 Route: RESPIRATORY EXPOSURE WHOLE BODY
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Vinylidene chloride
 CAS Number: 75-35-4

Date Report Requested: 08/26/2013
 Time Report Requested: 12:08:14
 First Dose M/F: 06/20/05 / 06/20/05
 Lab: BNW

| B6C3F1 MICE FEMALE
25 ppm | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|------------------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|----------|
| | 0
7
2
4 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
2 | 0
7
3
3 | 0
7
3
3 | 0
7
3
3 | 0
7
3
3 | 0
7
3
3 | 0
7
3
3 | 0
7
3
3 | | |
| | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0
7
3
3 | 0
7
0
6 | 0
7
1
0 | 0
7
1
7 | 0
7
4
7 | 0
7
5
0 | 0
7
0
4 | 0
7
0
7 | 0
7
0
8 | 0
7
0
9 | 0
7
1
1 | 0
7
1
4 | 0
7
1
6 | 0
7
1
9 | 0
7
2
3 | 0
7
3
6 | 0
7
3
9 | 0
7
4
1 | 0
7
0
2 | 0
7
1
5 | 0
7
1
8 | 0
7
2
1 | 0
7
3
4 | 0
7
3
5 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------|
| Carcinoma, Metastatic, Harderian Gland | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymph Node, Mediastinal
Hemangiosarcoma
Hepatocholangiocarcinoma, Metastatic, Liver | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47
1
1 |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 45 |
| Spleen
Hemangiosarcoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49
1 |
| Thymus | + | + | + | M | + | + | + | + | + | + | + | M | + | + | + | + | + | + | M | + | + | + | + | + | 40 |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------------------------|
| Mammary Gland
Carcinoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50
1 |
| Skin
Fibrous Histiocytoma
Subcutaneous Tissue, Hemangiosarcoma
Subcutaneous Tissue, Sarcoma
Subcutaneous Tissue, Schwannoma Malignant | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50
3
1
3
1 |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------------------|
| Bone
Osteosarcoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50
1 |
| Skeletal Muscle
Fibrosarcoma
Hepatocholangiocarcinoma, Metastatic, Liver
Sarcoma | + | | | | | | | | | | | | | | | | | | | | | | | | 4
1
1
1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20303 - 06
Test Type: CHRONIC
Route: RESPIRATORY EXPOSURE WHOLE BODY
Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)
 Vinylidene chloride
CAS Number: 75-35-4

Date Report Requested: 08/26/2013
Time Report Requested: 12:08:14
First Dose M/F: 06/20/05 / 06/20/05
Lab: BNW

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|---|
| B6C3F1 MICE FEMALE | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 25 ppm | ANIMAL ID | 4 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | | 3 | 0 | 1 | 1 | 4 | 5 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 0 | 1 | 1 | 2 | 3 | 3 | 3 | |
| | | 3 | 6 | 0 | 7 | 7 | 0 | 4 | 7 | 8 | 9 | 1 | 4 | 6 | 9 | 3 | 6 | 9 | 1 | 2 | 5 | 8 | 1 | 4 | 5 | 8 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Spinal Cord | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Larynx | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | X | 2 |
| Alveolar/Bronchiolar Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | X | | 5 |
| Carcinoma, Metastatic, Harderian Gland | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | X | X | | | | | | | | | | | | X | | | | | | | 4 |
| Hepatocholeangioma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Sarcoma, Metastatic, Skin | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Carcinoma, Metastatic, Harderian Gland | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Adenoma | | | | | | | | | | | | | | | | | X | | | | | | | | | 1 |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |

URINARY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20303 - 06
 Test Type: CHRONIC
 Route: RESPIRATORY EXPOSURE WHOLE BODY
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Vinylidene chloride
 CAS Number: 75-35-4

Date Report Requested: 08/26/2013
 Time Report Requested: 12:08:14
 First Dose M/F: 06/20/05 / 06/20/05
 Lab: BNW

| B6C3F1 MICE FEMALE
25 ppm | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
|--------------------------------------|-------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|--|--|
| | 07
24 | 07
31 | 07
31 | 07
31 | 07
31 | 07
31 | 07
32 | 07
32 | 07
32 | 07
32 | 07
32 | 07
32 | 07
32 | 07
32 | 07
32 | 07
32 | 07
32 | 07
32 | 07
32 | 07
32 | 07
32 | 07
32 | 07
32 | 07
32 | | | |
| | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 007333 | 007333 | 007333 | 007333 | 007333 | 007333 | 007333 | 007333 | 007333 | 007333 | 007333 | 007333 | 007333 | 007333 | 007333 | 007333 | 007333 | 007333 | 007333 | 007333 | 007333 | 007333 | 007333 | 007333 | 007333 | | |
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Sarcoma, Metastatic, Skeletal Muscle | X | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Renal Tubule, Adenoma | | | | | | | | | | | | X | | | | | | | | | | | | | 1 | | |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| Hemangiosarcoma | | | X | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Sarcoma, Metastatic, Uterus | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| SYSTEMIC LESIONS | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Lymphoma Malignant | | | | | | | | X | X | | X | X | X | X | | | | X | X | | | | | | 11 | | |

*** END OF REPORT ***

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically