

Experiment Number: 20320 - 04
Test Type: CHRONIC
Route: GAVAGE
Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Tetrabromobisphenol A
CAS Number: 79-94-7

Date Report Requested: 01/22/2013
Time Report Requested: 11:01:14
First Dose M/F: 08/07/07 / 08/06/07
Lab: BAT

F1_M3

NTP Study Number: C20320
Lock Date: 01/12/2010
Cage Range: ALL
Date Range: ALL
Reasons For Removal: ALL
Removal Date Range: ALL
Treatment Groups: Include ALL
Study Gender: Both
TDMSE Version: 3.0.1.0_004
PWG Approval Date: NONE

Note: Animals arranged according to days on test.

		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
B6C3F1 MICE MALE	DAY ON TEST	3	4	5	5	5	5	6	6	6	6	6	6	6	6	6	6	6	6	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7		
		7	4	0	2	5	9	1	3	4	4	4	4	6	7	8	9	1	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	
0 mg/kg	ANIMAL ID	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		5	1	1	0	2	2	4	1	2	4	1	3	4	1	1	4	1	0	0	3	3	3	3	3	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
		0	2	4	6	3	4	2	6	6	8	5	4	3	0	3	1	8	1	3	1	5	6	0	0	6	6	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	

males (cont...)

ALIMENTARY SYSTEM

Esophagus	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+					
Gallbladder	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+			
Intestine Large, Cecum	A	+	+	+	+	+	+	+	A	+	+	+	+	A	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+			
Intestine Large, Colon	A	+	+	+	+	+	+	+	A	+	+	+	+	A	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		
Intestine Large, Rectum	A	+	+	+	+	+	+	+	A	+	+	+	+	A	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		
Intestine Small, Duodenum	A	+	+	+	+	+	+	+	A	+	+	+	+	A	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		
Intestine Small, Ileum	A	+	+	+	+	+	+	+	A	+	+	+	+	A	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		
Intestine Small, Jejunum Adenoma, Multiple Carcinoma	A	+	+	+	+	+	+	+	A	+	+	+	+	A	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
Liver	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		
Hemangioma																																																			
Hepatoblastoma							X																																												
Hepatocellular Adenoma	X									X		X	X	X		X							X				X		X	X	X																				
Hepatocellular Adenoma, Multiple															X						X																														
Hepatocellular Carcinoma				X			X							X				X			X		X																												
Hepatocellular Carcinoma, Multiple									X																																										
Mesentery																																																			
Pancreas	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

B6C3F1 MICE MALE	DAY ON TEST																								males (cont...)	
	0374	0448	0501	0552	0603	0654	0705	0756	0807	0858	0909	0960	1011	1062	1113	1164	1215	1266	1317	1368	1419	1470	1521	1572		
0 mg/kg	ANIMAL ID																									
	00050	00051	00052	00053	00054	00055	00056	00057	00058	00059	00060	00061	00062	00063	00064	00065	00066	00067	00068	00069	00070	00071	00072	00073	00074	
Salivary Glands	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
Stomach, Forestomach Squamous Cell Papilloma	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	X	+	+	+	+	+	+	+	
Stomach, Glandular	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
Tooth Odontoma			+						+		+	+	+			+			+			+	+			
CARDIOVASCULAR SYSTEM																										
Blood Vessel	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
Heart	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
ENDOCRINE SYSTEM																										
Adrenal Cortex Adenoma	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	X	+	+	+	
Adrenal Medulla	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
Islets, Pancreatic	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
Parathyroid Gland	+	+	+	+	+	+	M	+	+	M	+	+	M	+	+	+	+	+	+	+	+	+	+	+	+	
Pituitary Gland	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
Thyroid Gland	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
GENERAL BODY SYSTEM																										

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

B6C3F1 MICE MALE	DAY ON TEST																						males (cont...)	
	0374	0440	0502	0559	0613	0666	0710	0763	0817	0870	0923	0976	1030	1083	1137	1190	1243	1297	1350	1404	1457	1511		
0 mg/kg	ANIMAL ID		0050	0051	0052	0053	0054	0055	0056	0057	0058	0059	0060	0061	0062	0063	0064	0065	0066	0067	0068	0069	0070	0071

NONE

GENITAL SYSTEM

Coagulating Gland											+											+	+				
Granular Cell Tumor																							X				
Sarcoma, Metastatic, Skin											X																
Epididymis	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Preputial Gland	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Prostate	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Seminal Vesicle	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Testes	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+

HEMATOPOIETIC SYSTEM

Bone Marrow	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Lymph Node											+											+					
Renal, Sarcoma, Metastatic, Skin											X																
Lymph Node, Mandibular	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Lymph Node, Mesenteric	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Spleen	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Alveolar/Bronchiolar Carcinoma, Metastatic, Lung																											
Hemangiosarcoma																						X					

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

Experiment Number: 20320 - 04
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Tetrabromobisphenol A
 CAS Number: 79-94-7

Date Report Requested: 01/22/2013
 Time Report Requested: 11:01:14
 First Dose M/F: 08/07/07 / 08/06/07
 Lab: BAT

B6C3F1 MICE MALE	DAY ON TEST	0 3 7 4	0 4 4 8	0 5 0 1	0 5 2 1	0 5 5 5	0 5 9 1	0 6 3 1	0 6 4 0	0 6 4 4	0 6 4 5	0 6 4 1	0 6 6 3	0 6 7 3	0 6 8 3	0 6 9 9	0 7 1 4	0 7 3 0	0 7 3 0	0 7 3 0	0 7 3 0	0 7 3 0	0 7 3 0	0 7 3 0	males (cont...)
	ANIMAL ID	0 0 0 5 0	0 0 0 1 2	0 0 0 1 4	0 0 0 2 6	0 0 0 2 4	0 0 0 2 4	0 0 0 4 2	0 0 0 1 6	0 0 0 2 6	0 0 0 4 8	0 0 0 1 5	0 0 0 3 4	0 0 0 4 3	0 0 0 1 0	0 0 0 1 3	0 0 0 4 1	0 0 0 1 8	0 0 0 0 1	0 0 0 3 1	0 0 0 3 5	0 0 0 3 6	0 0 0 4 0	0 0 0 4 6	

Thymus + + + M + + + + + + + + M + + + + + + + + + +

INTEGUMENTARY SYSTEM

Mammary Gland M
 Skin +
 Keratoacanthoma
 Sarcoma X

MUSCULOSKELETAL SYSTEM

Bone +

NERVOUS SYSTEM

Brain +

RESPIRATORY SYSTEM

Lung +
 Alveolar/Bronchiolar Adenoma X X X X X X X X X X X X X X X X X
 Alveolar/Bronchiolar Adenoma, Multiple X X X X X X X X X X X X X X X X X
 Alveolar/Bronchiolar Carcinoma X X X X X X X X X X X X X X X X X
 Carcinoma, Metastatic, Harderian Gland X X X X X X X X X X X X X X X X
 Hepatoblastoma, Metastatic, Liver X X X X X X X X X X X X X X X X
 Hepatocellular Carcinoma, Metastatic, Liver X X X X X X X X X X X X X X X X
 Sarcoma, Metastatic, Skin X X X X X X X X X X X X X X X X
 Nose +
 Trachea +

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20320 - 04

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Tetrabromobisphenol A

CAS Number: 79-94-7

Date Report Requested: 01/22/2013

Time Report Requested: 11:01:14

First Dose M/F: 08/07/07 / 08/06/07

Lab: BAT

B6C3F1 MICE MALE 0 mg/kg	DAY ON TEST	0 3 7 4	0 4 4 8	0 5 0 1	0 5 2 1	0 5 5 5	0 6 9 9	0 6 1 3	0 6 3 4	0 6 4 4	0 6 4 4	0 6 6 5	0 6 7 1	0 6 8 3	0 6 9 9	0 7 1 4	0 7 3 0	0 7 3 0	0 7 3 0	0 7 3 0	0 7 3 0	0 7 3 0	0 7 3 0	0 7 3 0	0 7 3 0	0 7 3 0	
	ANIMAL ID	0 0 0 5 0	0 0 0 1 2	0 0 0 1 4	0 0 0 2 3	0 0 0 2 4	0 0 0 4 2	0 0 0 1 6	0 0 0 2 6	0 0 0 4 6	0 0 0 1 8	0 0 0 3 5	0 0 0 4 6	0 0 0 1 8	0 0 0 3 1	0 0 0 4 1	0 0 0 1 8	0 0 0 3 1	0 0 0 3 1	0 0 0 3 5	0 0 0 3 6	0 0 0 4 0	0 0 0 4 6	0 0 0 4 6	0 0 0 4 7	0 0 0 4 7	0 0 0 4 7

SPECIAL SENSES SYSTEM

Eye	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Harderian Gland	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Adenoma														X								X	X	
Carcinoma					X																			

URINARY SYSTEM

Kidney	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Alveolar/Bronchiolar Carcinoma, Metastatic, Lung																								
Sarcoma, Metastatic, Skin					X																			
Urinary Bladder	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+

SYSTEMIC LESIONS

Multiple Organ	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Lymphoma Malignant														X			X		X					

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

Experiment Number: 20320 - 04
Test Type: CHRONIC
Route: GAVAGE
Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Tetrabromobisphenol A
CAS Number: 79-94-7

Date Report Requested: 01/22/2013
Time Report Requested: 11:01:14
First Dose M/F: 08/07/07 / 08/06/07
Lab: BAT

B6C3F1 MICE MALE	DAY ON TEST	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	* TOTALS
		7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	
0 mg/kg	ANIMAL ID	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	
		1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		0	0	0	1	1	1	2	2	2	3	3	3	0	0	0	2	2	2	2	3	3	3	4
		2	5	9	1	7	9	5	8	9	2	3	9	4	7	8	0	1	2	7	0	7	8	

ALIMENTARY SYSTEM

Esophagus	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Gallbladder	+	+	+	+	+	+	+	+	+	+	+	+	M	+	+	+	+	+	+	+	+	+	49
Intestine Large, Cecum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	47
Intestine Large, Colon	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	47
Intestine Large, Rectum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	47
Intestine Small, Duodenum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	47
Intestine Small, Ileum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	47
Intestine Small, Jejunum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	47
Adenoma, Multiple																							1
Carcinoma																							1
Liver	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Hemangioma										X													2
Hepatoblastoma		X																					2
Hepatocellular Adenoma		X	X		X		X			X	X		X				X			X			20
Hepatocellular Adenoma, Multiple	X				X				X			X	X						X		X	X	12
Hepatocellular Carcinoma				X				X							X						X		9
Hepatocellular Carcinoma, Multiple																							2
Mesentery					+																		3
Pancreas	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

B6C3F1 MICE MALE	DAY ON TEST																								* TOTALS
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
0 mg/kg	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7		
	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3		
	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2		
	ANIMAL ID	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		0	0	0	1	1	1	2	2	2	3	3	3	0	0	0	2	2	2	2	3	3	3		
		2	5	9	1	7	9	5	8	9	2	3	9	4	7	8	0	1	2	7	0	7	8		
Salivary Glands		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50		
Stomach, Forestomach		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50		
Squamous Cell Papilloma																				X			5		
Stomach, Glandular		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50		
Tooth			+				+							+	+					+			14		
Odontoma			X																				2		
CARDIOVASCULAR SYSTEM																									
Blood Vessel		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50		
Heart		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50		
ENDOCRINE SYSTEM																									
Adrenal Cortex		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50		
Adenoma																							1		
Adrenal Medulla		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50		
Islets, Pancreatic		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50		
Parathyroid Gland		+	+	+	+	+	+	+	+	+	+	+	M	+	+	+	M	+	+	+	+	+	45		
Pituitary Gland		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50		
Thyroid Gland		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50		
GENERAL BODY SYSTEM																									

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

B6C3F1 MICE MALE	DAY ON TEST	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7
0 mg/kg	ANIMAL ID	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	
		1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2	
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		0	0	0	1	1	1	2	2	2	3	3	3	0	0	0	2	2	2	2	3	3	3	4	4
	2	5	9	1	7	9	5	8	9	2	3	9	4	7	8	0	1	2	7	0	7	8	4	5	9
																							* TOTALS		

NONE

GENITAL SYSTEM

Coagulating Gland																									3
Granular Cell Tumor																									1
Sarcoma, Metastatic, Skin																									1
Epididymis	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Preputial Gland	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Prostate	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Seminal Vesicle	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Testes	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50

HEMATOPOIETIC SYSTEM

Bone Marrow	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Lymph Node																									3
Renal, Sarcoma, Metastatic, Skin																									1
Lymph Node, Mandibular	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Lymph Node, Mesenteric	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Spleen	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Alveolar/Bronchiolar Carcinoma, Metastatic, Lung																									1
Hemangiosarcoma																									1

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20320 - 04
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Tetrabromobisphenol A

CAS Number: 79-94-7

Date Report Requested: 01/22/2013

Time Report Requested: 11:01:14

First Dose M/F: 08/07/07 / 08/06/07

Lab: BAT

B6C3F1 MICE MALE	DAY ON TEST																									* TOTALS	
	0 7 3 1	0 7 3 1	0 7 3 1	0 7 3 1	0 7 3 1	0 7 3 1	0 7 3 1	0 7 3 1	0 7 3 1	0 7 3 1	0 7 3 1	0 7 3 1	0 7 3 1	0 7 3 1	0 7 3 1	0 7 3 1	0 7 3 1	0 7 3 1	0 7 3 1	0 7 3 1	0 7 3 1	0 7 3 1	0 7 3 1	0 7 3 1			
0 mg/kg	ANIMAL ID																									* TOTALS	
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Thymus	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	M	+	+	+	+	+	+	+	47	
INTEGUMENTARY SYSTEM																											
Mammary Gland	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	0	
Skin	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50	
Keratoacanthoma																								X	1		
Sarcoma																									1		
MUSCULOSKELETAL SYSTEM																											
Bone	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50	
NERVOUS SYSTEM																											
Brain	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50	
RESPIRATORY SYSTEM																											
Lung	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50	
Alveolar/Bronchiolar Adenoma																	X							X	4		
Alveolar/Bronchiolar Adenoma, Multiple															X										2		
Alveolar/Bronchiolar Carcinoma																					X				4		
Carcinoma, Metastatic, Harderian Gland																									1		
Hepatoblastoma, Metastatic, Liver																									1		
Hepatocellular Carcinoma, Metastatic, Liver											X								X						5		
Sarcoma, Metastatic, Skin																									1		
Nose	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50	
Trachea	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50	

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20320 - 04

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Tetrabromobisphenol A

CAS Number: 79-94-7

Date Report Requested: 01/22/2013

Time Report Requested: 11:01:14

First Dose M/F: 08/07/07 / 08/06/07

Lab: BAT

B6C3F1 MICE MALE	DAY ON TEST	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7
		3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
0 mg/kg	ANIMAL ID	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2	2	2	
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		0	0	0	1	1	1	2	2	2	3	3	3	0	0	0	2	2	2	2	3	3	3	4	4	
		2	5	9	1	7	9	5	8	9	2	3	9	4	7	8	0	1	2	7	0	7	8	4	5	
		* TOTALS																								

SPECIAL SENSES SYSTEM

Eye	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Harderian Gland	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Adenoma							X	X		X												X		7	
Carcinoma																								1	

URINARY SYSTEM

Kidney	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Alveolar/Bronchiolar Carcinoma, Metastatic, Lung																						X		1
Sarcoma, Metastatic, Skin																								1
Urinary Bladder	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50

SYSTEMIC LESIONS

Multiple Organ Lymphoma Malignant	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
																								3

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

B6C3F1 MICE MALE 250 mg/kg	DAY ON TEST	04	04	04	05	05	05	05	06	06	06	06	06	06	06	06	06	06	07	07	07	07	07	08	08	09	09	09	09	09	09	09	09	09	09	09	09	09	
	ANIMAL ID	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
		03	06	00	06	05	09	08	02	08	03	03	03	07	04	05	03	07	03	07	00	08	03	03	04	09	08	07	05	09	00	08	09	08	06	09	08	09	

males
(cont...)

ALIMENTARY SYSTEM

Esophagus	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
Gallbladder Carcinoma, Metastatic, Pancreas	+	+	+	+	+	+	+	+	+	M	+	M	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
Intestine Large, Cecum Carcinoma, Metastatic, Pancreas	A	+	+	+	+	+	A	+	A	+	+	+	A	A	+	+	+	+	+	+	+	+	+	A	+	+	+	+	+	+	+	+	+	+	+	+	+	
Intestine Large, Colon Carcinoma, Metastatic, Pancreas	A	+	+	+	+	+	A	+	+	+	+	+	A	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
Intestine Large, Rectum	A	+	+	+	+	+	A	+	+	+	+	+	A	+	+	+	+	+	+	+	+	+	+	A	+	+	+	+	+	+	+	+	+	+	+	+	+	
Intestine Small, Duodenum Carcinoma, Metastatic, Pancreas	A	+	+	A	+	+	A	+	+	+	A	+	A	A	+	A	+	+	+	+	+	+	+	A	+	+	+	+	+	+	+	+	+	+	+	+	+	
Intestine Small, Ileum Carcinoma, Metastatic, Pancreas	A	+	+	+	+	+	A	+	A	+	A	+	A	A	+	+	+	+	+	+	+	+	+	A	+	+	+	+	+	+	+	+	+	+	+	+	+	
Intestine Small, Jejunum Carcinoma	I	+	+	+	+	+	A	+	+	+	A	+	A	+	+	+	+	+	+	+	+	+	+	A	+	+	+	+	+	+	+	+	+	+	+	+	+	
Liver Carcinoma, Metastatic, Pancreas	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
Hemangiosarcoma									X																													
Hepatoblastoma					X						X						X		X																			
Hepatocellular Adenoma			X			X			X			X				X		X		X	X			X	X													
Hepatocellular Adenoma, Multiple													X				X					X	X															
Hepatocellular Carcinoma						X				X		X	X					X																				
Hepatocellular Carcinoma, Multiple							X																															

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

Experiment Number: 20320 - 04

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Tetrabromobisphenol A

CAS Number: 79-94-7

Date Report Requested: 01/22/2013

Time Report Requested: 11:01:14

First Dose M/F: 08/07/07 / 08/06/07

Lab: BAT

B6C3F1 MICE MALE	DAY ON TEST	0 4	0 4	0 4	0 5	0 5	0 5	0 5	0 6	0 6	0 6	0 6	0 6	0 6	0 6	0 6	0 6	0 6	0 6	0 7	0 7	0 7	0 7	0 7	0 7	
	ANIMAL ID	0 0 0 5 9	0 0 0 8 5	0 0 0 9 7	0 0 0 5 4	0 0 0 6 6	0 0 0 7 1	0 0 0 6 0	0 0 0 5 1	0 0 0 7 6	0 0 0 7 0	0 0 0 9 8	0 0 0 7 2	0 0 0 9 3	0 0 0 6 5	0 0 0 5 7	0 0 0 8 4	0 0 0 5 3	0 0 0 7 7	0 0 0 8 4	0 0 0 9 1	0 0 0 7 5	0 0 0 8 9	0 0 0 9 0	0 0 0 0 8	

males
(cont...)

Osteosarcoma, Metastatic, Skin
Rhabdomyosarcoma, Metastatic, Skeletal Muscle
Sarcoma

X
X

X

Mesentery
Carcinoma, Metastatic, Pancreas

+ X
+ + +

Pancreas
Acinus, Carcinoma

+
X

Salivary Glands

+ +

Stomach, Forestomach

+ + + + + + A + + + + + + + + + + + + + + + + +

Stomach, Glandular
Carcinoma, Metastatic, Pancreas

+
X

Tooth
Odontoma

+ + + + +

CARDIOVASCULAR SYSTEM

Blood Vessel

+ +

Heart
Carcinoma, Metastatic, Pancreas

+
X

ENDOCRINE SYSTEM

Adrenal Cortex
Carcinoma, Metastatic, Pancreas

+
X

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

| B6C3F1 MICE MALE
250 mg/kg | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | males
(cont...) |
|---------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|--------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | |
| | 4 | 4 | 4 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 0 | 2 | 7 | 2 | 3 | 8 | 9 | 0 | 0 | 1 | 1 | 3 | 5 | 6 | 6 | 7 | 8 | 9 | 9 | 0 | 0 | 1 | 1 | 1 | | |
| | 3 | 6 | 0 | 6 | 5 | 9 | 8 | 2 | 8 | 3 | 3 | 3 | 7 | 4 | 5 | 3 | 7 | 3 | 7 | 0 | 8 | 3 | 3 | 4 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 5 | 8 | 9 | 5 | 6 | 7 | 6 | 5 | 7 | 7 | 9 | 6 | 9 | 5 | 5 | 8 | 9 | 6 | 7 | 8 | 7 | 9 | 0 | 8 | | |
| | 9 | 5 | 7 | 4 | 6 | 1 | 0 | 1 | 6 | 0 | 8 | 2 | 3 | 5 | 7 | 7 | 4 | 5 | 3 | 1 | 5 | 9 | 0 | 8 | | |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | |
| Pheochromocytoma Complex | | | | | | | | | | | | | | | | | | | | | | | | X | | |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Parathyroid Gland | M | M | + | + | + | + | + | + | M | + | + | + | + | + | + | M | + | + | M | + | + | + | + | + | | |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Follicular Cell, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GENERAL BODY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peritoneum | | | + | | | | | | | | | | | | | | | | | | | | | | | |
| Carcinoma, Metastatic, Pancreas | | | X | | | | | | | | | | | | | | | | | | | | | | | |
| GENITAL SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Coagulating Gland | | | + | | | | | | | | | | | | | | | | | | | | | | | |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Carcinoma, Metastatic, Pancreas | | | X | | | | | | | | | | | | | | | | | | | | | | X | |
| Epididymis | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Carcinoma, Metastatic, Pancreas | | | X | | | | | | | | | | | | | | | | | | | | | | X | |
| Preputial Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Prostate | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Seminal Vesicle | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Carcinoma, Metastatic, Pancreas | | | X | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

X .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

Experiment Number: 20320 - 04
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)
 Tetrabromobisphenol A
 CAS Number: 79-94-7

Date Report Requested: 01/22/2013
 Time Report Requested: 11:01:14
 First Dose M/F: 08/07/07 / 08/06/07
 Lab: BAT

| B6C3F1 MICE MALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | males
(cont...) |
|------------------|-------------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|--|--------------------|
| | 04 | 04 | 04 | 05 | 05 | 05 | 05 | 06 | 06 | 06 | 06 | 06 | 06 | 06 | 06 | 06 | 06 | 06 | 07 | 07 | 07 | 07 | 07 | 07 | | |
| 250 mg/kg | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | | |
| | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | | |
| | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | | |
| | 59 | 85 | 97 | 54 | 66 | 71 | 60 | 51 | 76 | 70 | 98 | 62 | 93 | 55 | 57 | 87 | 96 | 45 | 33 | 11 | 58 | 79 | 00 | 89 | | |

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Testes | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Carcinoma, Metastatic, Pancreas | | | X | | | | | | | | | | | | | | | | | | | | | |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hemangiosarcoma | | | | | | | X | | | | | | | | | | | | | X | | | | |
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + |
| Carcinoma, Metastatic, Pancreas | | | X | | | | | | | | | | | | | | | | | X | | | | |
| Spleen | + | + | + | + | + | + | A | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Carcinoma, Metastatic, Pancreas | | | X | | | | | | | | | | | | | | | | | X | | | | |
| Hemangiosarcoma | | | | | | | X | | | | | | | | | | | | | | | | | |
| Rhabdomyosarcoma, Metastatic, Skeletal Muscle | | | | | | | | | | | | | | | | | | | X | | | | | |
| Thymus | + | + | M | M | + | + | M | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + |
| Carcinoma, Metastatic, Pancreas | | | | | | | | | | | | | | | | | | | | X | | | | |
| Rhabdomyosarcoma, Metastatic, Skeletal Muscle | | | | | | | | | | | | | | | | | | | X | | | | | |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mammary Gland | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Fibrous Histiocytoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Osteosarcoma | | | | | | | | | | | | | | | | | | | | | | | | X |
| Rhabdomyosarcoma, Metastatic, Skeletal Muscle | | | | | | | | | | | | | | | | | | X | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20320 - 04
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)
 Tetrabromobisphenol A
 CAS Number: 79-94-7

Date Report Requested: 01/22/2013
 Time Report Requested: 11:01:14
 First Dose M/F: 08/07/07 / 08/06/07
 Lab: BAT

| B6C3F1 MICE MALE | 250 mg/kg | DAY ON TEST | 04 | 04 | 04 | 05 | 05 | 05 | 05 | 06 | 06 | 06 | 06 | 06 | 06 | 06 | 06 | 06 | 06 | 07 | 07 | 07 | 07 | 07 | 07 | ANIMAL ID | | |
|------------------|-----------|-------------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|-----------|----------------------------|--------------------|
| | | 00 | 02 | 07 | 02 | 03 | 08 | 09 | 00 | 00 | 01 | 01 | 03 | 05 | 06 | 06 | 07 | 03 | 07 | 00 | 00 | 01 | 01 | 01 | 02 | | | 00 |
| | | | 3 | 6 | 0 | 6 | 5 | 9 | 8 | 2 | 8 | 3 | 3 | 7 | 4 | 5 | 3 | 7 | 3 | 7 | 0 | 8 | 3 | 3 | 4 | 2 | 00
00
00
05
09 | |
| | | | 9 | 5 | 7 | 4 | 6 | 1 | 0 | 1 | 6 | 0 | 8 | 2 | 3 | 5 | 7 | 7 | 4 | 5 | 3 | 1 | 5 | 9 | 0 | 8 | 00
00
00
05
09 | males
(cont...) |

Pinna, Fibrous Histiocytoma

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | | | | + |
| Rhabdomyosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | X |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Alveolar/Bronchiolar Adenoma | | | X | | | | | | | X | | | | | | | | | | | | X | | | |
| Alveolar/Bronchiolar Carcinoma | | | | | | | | | | X | | X | | | | | | | | | | | | | |
| Carcinoma, Metastatic, Pancreas | | | X | | | | | | | | | | | | | | | | | | X | | | | |
| Hepatoblastoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | X | X | | | | | X | | | | | | | | X | X | | | | |
| Osteosarcoma, Metastatic, Skin | | | | | | | | | | | | | | | | | | | | | | | | X | |
| Rhabdomyosarcoma, Metastatic, Skeletal Muscle | | | | | | | | | | | | | | | | | | | X | | | | | | |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20320 - 04
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Tetrabromobisphenol A
 CAS Number: 79-94-7

Date Report Requested: 01/22/2013
 Time Report Requested: 11:01:14
 First Dose M/F: 08/07/07 / 08/06/07
 Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|-------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|----------------------------|
| B6C3F1 MICE MALE

250 mg/kg | DAY ON TEST | 0
4 | 0
4 | 0
4 | 0
5 | 0
5 | 0
5 | 0
5 | 0
6 | 0
6 | 0
6 | 0
6 | 0
6 | 0
6 | 0
6 | 0
6 | 0
6 | 0
6 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | males
(cont...) |
| | | 0
3 | 0
6 | 0
7 | 0
2 | 0
3 | 0
8 | 0
9 | 0
0 | 0
0 | 0
1 | 0
1 | 0
3 | 0
5 | 0
6 | 0
7 | 0
8 | 0
9 | 0
0 | 0
0 | 0
1 | 0
1 | 0
4 | 0
2 | |
| | ANIMAL ID | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | |

Adenoma X X X
 Carcinoma X

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Kidney
Renal Tubule, Adenoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Urinary Bladder
Carcinoma, Metastatic, Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

SYSTEMIC LESIONS

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple Organ
Lymphoma Malignant | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
|--------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20320 - 04
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)
 Tetrabromobisphenol A
 CAS Number: 79-94-7

Date Report Requested: 01/22/2013
 Time Report Requested: 11:01:14
 First Dose M/F: 08/07/07 / 08/06/07
 Lab: BAT

| B6C3F1 MICE MALE | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|------------------|-------------|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 250 mg/kg | ANIMAL ID | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 6 | 8 | 8 | 9 | 5 | 6 | 7 | 7 | 9 | 5 | 5 | 5 | 6 | 6 | 6 | 7 | 7 | 7 | 8 | 8 | 8 | 9 |
| | | 4 | 2 | 3 | 1 | 3 | 7 | 2 | 9 | 2 | 2 | 6 | 8 | 1 | 3 | 8 | 4 | 7 | 8 | 0 | 4 | 6 | 9 |
| | | * TOTALS | | | | | | | | | | | | | | | | | | | | | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---------|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Gallbladder
Carcinoma, Metastatic, Pancreas | + | + | + | + | + | + | + | + | + | + | + | M | M | + | + | + | + | + | + | + | + | + | + | 46
1 |
| Intestine Large, Cecum
Carcinoma, Metastatic, Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 44
1 |
| Intestine Large, Colon
Carcinoma, Metastatic, Pancreas | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | 46
1 |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 46 |
| Intestine Small, Duodenum
Carcinoma, Metastatic, Pancreas | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | 41
1 |
| Intestine Small, Ileum
Carcinoma, Metastatic, Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 43
1 |
| Intestine Small, Jejunum
Carcinoma | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | 44
1 |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Carcinoma, Metastatic, Pancreas | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Hemangiosarcoma | | | | X | | | | | | | | | | | | | | X | | | | | | 4 |
| Hepatoblastoma | | X | X | | | | X | X | | | | | X | | X | | | | | | X | | | 11 |
| Hepatocellular Adenoma | | | | | | X | | | | | | | | | | | | | | | X | X | | 13 |
| Hepatocellular Adenoma, Multiple | X | X | X | X | X | | | X | | X | | X | X | X | X | X | X | X | X | X | X | X | X | 20 |
| Hepatocellular Carcinoma | | | | | | | X | | | | | X | X | | | | | X | | | | | X | 11 |
| Hepatocellular Carcinoma, Multiple | | | | X | X | | | | X | | | | | | | | | | | | | | | 4 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| B6C3F1 MICE MALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 250 mg/kg | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 6 | 8 | 8 | 9 | 5 | 6 | 7 | 7 | 9 | 5 | 5 | 5 | 6 | 6 | 6 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 9 | 9 | |
| | 4 | 2 | 3 | 1 | 3 | 7 | 2 | 9 | 2 | 2 | 6 | 8 | 1 | 3 | 8 | 4 | 7 | 8 | 0 | 4 | 6 | 9 | 0 | 5 | 6 |

Osteosarcoma, Metastatic, Skin 1
Rhabdomyosarcoma, Metastatic, Skeletal Muscle 1
Sarcoma 1

Mesentery 3
Carcinoma, Metastatic, Pancreas 1

Pancreas 50
Acinus, Carcinoma 2

Salivary Glands 50

Stomach, Forestomach 49

Stomach, Glandular 50
Carcinoma, Metastatic, Pancreas 1

Tooth 9
Odontoma X 1

CARDIOVASCULAR SYSTEM

Blood Vessel 50

Heart 50
Carcinoma, Metastatic, Pancreas 1

ENDOCRINE SYSTEM

Adrenal Cortex 50
Carcinoma, Metastatic, Pancreas 1

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

Experiment Number: 20320 - 04
Test Type: CHRONIC
Route: GAVAGE
Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Tetrabromobisphenol A

CAS Number: 79-94-7

Date Report Requested: 01/22/2013

Time Report Requested: 11:01:14

First Dose M/F: 08/07/07 / 08/06/07

Lab: BAT

| B6C3F1 MICE MALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 250 mg/kg | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 6 | 8 | 8 | 9 | 5 | 6 | 7 | 7 | 9 | 5 | 5 | 5 | 6 | 6 | 6 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | |
| | 4 | 2 | 3 | 1 | 3 | 7 | 2 | 9 | 2 | 2 | 6 | 8 | 1 | 3 | 8 | 4 | 7 | 8 | 0 | 4 | 6 | 9 | 0 | 5 | 6 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Adrenal Medulla
Pheochromocytoma Complex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Parathyroid Gland | + | + | + | M | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 43 |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Thyroid Gland
Follicular Cell, Adenoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

GENERAL BODY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|
| Peritoneum
Carcinoma, Metastatic, Pancreas | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Coagulating Gland
Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | 4 |
| Carcinoma, Metastatic, Pancreas | | | | + | | | | | | | | | | | | | | | | | | | | | 1 |
| | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Epididymis
Carcinoma, Metastatic, Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Preputial Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Prostate | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Seminal Vesicle
Carcinoma, Metastatic, Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

Experiment Number: 20320 - 04

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Tetrabromobisphenol A

CAS Number: 79-94-7

Date Report Requested: 01/22/2013

Time Report Requested: 11:01:14

First Dose M/F: 08/07/07 / 08/06/07

Lab: BAT

| B6C3F1 MICE MALE | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
|------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|---|---|
| | | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 250 mg/kg | ANIMAL ID | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 6 | 8 | 8 | 9 | 5 | 6 | 7 | 7 | 9 | 5 | 5 | 5 | 6 | 6 | 6 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 9 | 9 | |
| | | 4 | 2 | 3 | 1 | 3 | 7 | 2 | 9 | 2 | 2 | 6 | 8 | 1 | 3 | 8 | 4 | 7 | 8 | 0 | 4 | 6 | 9 | 0 | 5 | 6 |
| | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---------|
| Testes
Carcinoma, Metastatic, Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50
1 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---------|

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---------|
| Bone Marrow
Hemangiosarcoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50
2 |
|--------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---------|

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
|------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---------|
| Lymph Node, Mesenteric
Carcinoma, Metastatic, Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49
2 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---------|

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---------|
| Spleen
Carcinoma, Metastatic, Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48
2 |
| Hemangiosarcoma | | | | | | | | | X | | | | | | | | | X | | | | | | | | 3 |
| Rhabdomyosarcoma, Metastatic, Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---------|
| Thymus
Carcinoma, Metastatic, Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | 45
1 |
| Rhabdomyosarcoma, Metastatic, Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mammary Gland | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | 0 |
|---------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---------|
| Skin
Fibrous Histiocytoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50
1 |
| Osteosarcoma | | | | | | | | | X | | | | | | | | | | | | | | | | | 1 |
| Rhabdomyosarcoma, Metastatic, Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

Experiment Number: 20320 - 04
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Tetrabromobisphenol A
 CAS Number: 79-94-7

Date Report Requested: 01/22/2013
 Time Report Requested: 11:01:14
 First Dose M/F: 08/07/07 / 08/06/07
 Lab: BAT

| B6C3F1 MICE MALE
250 mg/kg | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | * TOTALS | | | |
|-------------------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------|------|---|--|
| | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | | 0730 | | |
| | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | 0000 | | 0000 | | |
| | 4 | 2 | 3 | 1 | 3 | 7 | 2 | 9 | 2 | 2 | 6 | 8 | 1 | 3 | 8 | 4 | 7 | 8 | 0 | 4 | 6 | 9 | 0 | 5 | 6 | |

Pinna, Fibrous Histiocytoma X 1

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Rhabdomyosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | | | | X | | | | | | | X | | | | | 5 |
| Alveolar/Bronchiolar Carcinoma | | | | X | | | | | | | | | X | | | | | | | | | | | 4 |
| Carcinoma, Metastatic, Pancreas | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Hepatoblastoma, Metastatic, Liver | | | | | | | | | | | | | X | | | | | | | | X | | | 2 |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | 5 |
| Osteosarcoma, Metastatic, Skin | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Rhabdomyosarcoma, Metastatic, Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20320 - 04

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Tetrabromobisphenol A

CAS Number: 79-94-7

Date Report Requested: 01/22/2013

Time Report Requested: 11:01:14

First Dose M/F: 08/07/07 / 08/06/07

Lab: BAT

| B6C3F1 MICE MALE | DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|------------------|-------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 |
| | | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | | 7 |
| 250 mg/kg | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | 6 | 8 | 8 | 9 | 5 | 6 | 7 | 7 | 9 | 5 | 5 | 5 | 6 | 6 | 6 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 9 | 9 | | |
| | | 4 | 2 | 3 | 1 | 3 | 7 | 2 | 9 | 2 | 2 | 6 | 8 | 1 | 3 | 8 | 4 | 7 | 8 | 0 | 4 | 6 | 9 | 0 | 5 | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|---|
| Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | X | 3 |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Renal Tubule, Adenoma | | | | | | | | | | | | | X | | | | | | | | | | | | 1 | |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Carcinoma, Metastatic, Pancreas | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

SYSTEMIC LESIONS

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20320 - 04
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Tetrabromobisphenol A

CAS Number: 79-94-7

Date Report Requested: 01/22/2013

Time Report Requested: 11:01:14

First Dose M/F: 08/07/07 / 08/06/07

Lab: BAT

| B6C3F1 MICE MALE
500 mg/kg | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | males
(cont...) |
|-------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------------|
| | | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | ANIMAL ID | 1 | 2 | 3 | 4 | 6 | 7 | 1 | 3 | 6 | 7 | 1 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | | 3 | 2 | 5 | 0 | 8 | 7 | 3 | 8 | 4 | 4 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | | 0 | 4 | 1 | 2 | 0 | 1 | 1 | 4 | 2 | 2 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | |
| | | 6 | 5 | 4 | 8 | 2 | 1 | 9 | 7 | 3 | 7 | 6 | 5 | 2 | 3 | 6 | 6 | 8 | 1 | 3 | 4 | 5 | 7 | 8 | 9 | 0 | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Cecum
Carcinoma | A | A | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Colon
Adenoma
Carcinoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| | X | | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Duodenum | A | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Jejunum
Carcinoma | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatoblastoma | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Adenoma | | X | X | | | X | X | | X | | | | | | | | X | | | | X | | | | | |
| Hepatocellular Adenoma, Multiple | | | | | | | | | | | X | X | X | X | X | X | | | | X | | | | X | X | X |
| Hepatocellular Carcinoma | X | | | | X | X | X | | | | X | X | X | | | X | | | | X | | | | X | | |
| Hepatocellular Carcinoma, Multiple | | | | | | | | X | X | | | | | | | | X | | | | | | | | | |
| Mesentery | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| B6C3F1 MICE MALE

500 mg/kg | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | ANIMAL ID | males
(cont...) |
|-----------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|--------------------|
| | | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | | |
| | | 1 | 2 | 3 | 4 | 6 | 7 | 1 | 6 | 7 | 1 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | | |
| | | 3 | 2 | 5 | 0 | 8 | 7 | 3 | 8 | 4 | 4 | 2 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | |
| | | 0 | 4 | 1 | 2 | 0 | 1 | 1 | 4 | 2 | 2 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | | |
| | | 6 | 5 | 4 | 8 | 2 | 1 | 9 | 7 | 3 | 7 | 6 | 5 | 2 | 3 | 6 | 6 | 8 | 1 | 3 | 4 | 5 | 7 | 8 | 9 | 0 | |

Fat, Hepatocellular Carcinoma, Metastatic,
Liver

X

Pancreas

+ +

Salivary Glands

+ +

Stomach, Forestomach
Squamous Cell Papilloma

+
X

Stomach, Glandular

+ +

Tooth

+ + +

CARDIOVASCULAR SYSTEM

Blood Vessel

+ +

Heart

+ +

ENDOCRINE SYSTEM

Adrenal Cortex

+ +

Adrenal Medulla

+ +

Islets, Pancreatic

+ +

Parathyroid Gland

+ +

Pituitary Gland

+ +

Thyroid Gland

+ +

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20320 - 04

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Tetrabromobisphenol A

CAS Number: 79-94-7

Date Report Requested: 01/22/2013

Time Report Requested: 11:01:14

First Dose M/F: 08/07/07 / 08/06/07

Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| B6C3F1 MICE MALE | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 500 mg/kg | ANIMAL ID | 1 | 2 | 3 | 4 | 6 | 7 | 1 | 6 | 7 | 1 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | | 3 | 2 | 5 | 0 | 8 | 7 | 3 | 8 | 4 | 4 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | | 0 | 4 | 1 | 2 | 0 | 1 | 1 | 4 | 2 | 2 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 6 | 5 | 4 | 8 | 2 | 1 | 9 | 7 | 3 | 7 | 6 | 5 | 2 | 3 | 6 | 6 | 8 | 1 | 3 | 4 | 5 | 7 | 8 | 9 | 0 | | | | | | | | | | | |

males (cont...)

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

Coagulating Gland

+

Epididymis

+ +

Preputial Gland

+ +

Prostate

+ +

Seminal Vesicle

+ +

Testes

+ +

HEMATOPOIETIC SYSTEM

Bone Marrow

+ +

Hemangiosarcoma

X

Lymph Node

+

Hepatocellular Carcinoma, Metastatic, Liver

X

Lymph Node, Mandibular

+ +

Lymph Node, Mesenteric

+ +

Hemangiosarcoma, Metastatic, Spleen

Spleen

+ +

Hemangioma

X

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

Experiment Number: 20320 - 04
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)
 Tetrabromobisphenol A
 CAS Number: 79-94-7

Date Report Requested: 01/22/2013
 Time Report Requested: 11:01:14
 First Dose M/F: 08/07/07 / 08/06/07
 Lab: BAT

| B6C3F1 MICE MALE | DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | males
(cont...) | | |
|---|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------------|---|--|
| | | 5 5 5 5 5 5 6 6 6 7 7 7 7 7 7 7 7 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | |
| 500 mg/kg | ANIMAL ID | 1 2 3 4 6 7 1 6 7 1 2 3 3 3 3 3 3 3 3 3 3 3 | | | | | | | | | | | | | | | | | | | | | | |
| | | 3 2 5 0 8 7 3 8 4 4 2 0 0 0 0 0 1 1 1 1 1 1 | | | | | | | | | | | | | | | | | | | | | | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | X | | | X | | |
| Thymus | | + | + | + | + | + | + | M | M | + | M | + | M | M | + | + | + | + | + | + | + | M | + | |
| INTEGUMENTARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | |
| Mammary Gland | | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | |
| Skin | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Melanoma Benign | | | | | | | | | | | | | X | | | | | | | | | X | | |
| MUSCULOSKELETAL SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | |
| Bone | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Vertebra, Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Skeletal Muscle | | | | | | | | | | | | | + | | | | | | | | | | | |
| NERVOUS SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | |
| Brain | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| RESPIRATORY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | |
| Lung | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | | | | | | | | | | | | | | | X | |
| Alveolar/Bronchiolar Carcinoma | | | | | | | | | | | | | | | X | | | | | | | | | |
| Hepatoblastoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | X | X | | | X | X | | | | | | | | | | | | | |
| Serosa, Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Nose | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20320 - 04
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Tetrabromobisphenol A
 CAS Number: 79-94-7

Date Report Requested: 01/22/2013
 Time Report Requested: 11:01:14
 First Dose M/F: 08/07/07 / 08/06/07
 Lab: BAT

| B6C3F1 MICE MALE
500 mg/kg | DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | males
(cont...) | |
|-------------------------------|-------------|-----------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--------------------|------|
| | | 0513 | 0522 | 0535 | 0540 | 0558 | 0567 | 0573 | 0588 | 0594 | 0606 | 0617 | 0623 | 0638 | 0644 | 0650 | 0665 | 0671 | 0686 | 0692 | 0707 | | 0713 |
| Trachea | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| SPECIAL SENSES SYSTEM | | 1 | 2 | 3 | 4 | 6 | 7 | 1 | 6 | 7 | 1 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| Eye | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| Harderian Gland | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| Adenoma | | 0 | 4 | 1 | 2 | 0 | 1 | 1 | 4 | 2 | 2 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 0 | 0 | 0 | 0 | |
| Carcinoma | | 6 | 5 | 4 | 8 | 2 | 1 | 9 | 7 | 3 | 7 | 6 | 5 | 2 | 3 | 6 | 6 | 8 | 1 | 3 | 4 | 5 | |
| URINARY SYSTEM | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Kidney | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Renal Tubule, Adenoma | | | | | | | | | | | | | | | | | | | | | | | |
| Urinary Bladder | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| SYSTEMIC LESIONS | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Multiple Organ | | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20320 - 04
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)
 Tetrabromobisphenol A
 CAS Number: 79-94-7

Date Report Requested: 01/22/2013
 Time Report Requested: 11:01:14
 First Dose M/F: 08/07/07 / 08/06/07
 Lab: BAT

| B6C3F1 MICE MALE
500 mg/kg | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | * TOTALS |
|-------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
| | ANIMAL ID | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 3 | 3 | 4 | 4 | 5 | 1 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 4 | 4 | |
| | | 3 | 7 | 8 | 0 | 4 | 0 | 2 | 7 | 8 | 1 | 2 | 0 | 2 | 1 | 5 | 6 | 9 | 1 | 4 | 5 | 9 | 0 | 3 | 49 |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Cecum
Carcinoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47
1 |
| Intestine Large, Colon
Adenoma
Carcinoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | X | + | + | + | + | + | + | 50
1
1 |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Jejunum
Carcinoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49
2 |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | X | | | | | X | 3 |
| Hepatoblastoma | | X | | X | | X | X | | | | | X | | | | | | | | | | | | | 8 |
| Hepatocellular Adenoma | | | | | | X | | | | | | | | | | | X | X | | | | | | | 10 |
| Hepatocellular Adenoma, Multiple | X | X | X | X | | X | | | X | X | X | X | X | X | X | | | | X | | X | X | X | X | 28 |
| Hepatocellular Carcinoma | X | | | | | | | | | | | X | | | | | | | | | | | | | 12 |
| Hepatocellular Carcinoma, Multiple | | | | | X | X | | | | | | | | | | | | | | | | | | | 5 |
| Mesentery | | | | | | | | | | + | | | | | | | | | | | | | | | 4 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20320 - 04

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Tetrabromobisphenol A

CAS Number: 79-94-7

Date Report Requested: 01/22/2013

Time Report Requested: 11:01:14

First Dose M/F: 08/07/07 / 08/06/07

Lab: BAT

| B6C3F1 MICE MALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|----------|
| | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | | |
| 500 mg/kg | 0
0
1
1
3 | 0
0
1
1
7 | 0
0
1
1
8 | 0
0
1
2
0 | 0
0
1
2
4 | 0
0
1
3
0 | 0
0
1
3
2 | 0
0
1
3
7 | 0
0
1
3
8 | 0
0
1
4
1 | 0
0
1
4
2 | 0
0
1
5
0 | 0
0
1
1
2 | 0
0
1
2
1 | 0
0
1
2
5 | 0
0
1
2
6 | 0
0
1
2
9 | 0
0
1
3
1 | 0
0
1
3
4 | 0
0
1
3
5 | 0
0
1
3
9 | 0
0
1
4
0 | 0
0
1
4
3 | 0
0
1
4
4 | 0
0
1
4
9 | |

Fat, Hepatocellular Carcinoma, Metastatic, Liver

1

Pancreas

+ 50

Salivary Glands

+ 50

Stomach, Forestomach
Squamous Cell Papilloma

+ 50
1

Stomach, Glandular

+ 50

Tooth

+ + + + + 9

CARDIOVASCULAR SYSTEM

Blood Vessel

+ 50

Heart

+ 50

ENDOCRINE SYSTEM

Adrenal Cortex

+ 50

Adrenal Medulla

+ 50

Islets, Pancreatic

+ 50

Parathyroid Gland

M + + + + + + + + + + + + + M + + + + + + + + + + 48

Pituitary Gland

+ + + + + M + + + + + + + + + M + + + + + + + + + + 48

Thyroid Gland

+ 50

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

Experiment Number: 20320 - 04
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)
 Tetrabromobisphenol A
 CAS Number: 79-94-7

Date Report Requested: 01/22/2013
 Time Report Requested: 11:01:14
 First Dose M/F: 08/07/07 / 08/06/07
 Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|-------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------|-----------------------|
| B6C3F1 MICE MALE
500 mg/kg | DAY ON TEST | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | * TOTALS | |
| | ANIMAL ID | 0
0
1
1
3 | 0
0
1
1
7 | 0
0
1
1
8 | 0
0
1
2
0 | 0
0
1
2
4 | 0
0
1
3
0 | 0
0
1
3
2 | 0
0
1
3
7 | 0
0
1
3
8 | 0
0
1
4
1 | 0
0
1
4
2 | 0
0
1
5
0 | 0
0
1
2
2 | 0
0
1
2
5 | 0
0
1
2
6 | 0
0
1
2
9 | 0
0
1
3
1 | 0
0
1
3
4 | 0
0
1
3
5 | 0
0
1
3
9 | 0
0
1
4
0 | 0
0
1
4
3 | 0
0
1
4
4 | | 0
0
1
4
9 |
| | | 3 | 7 | 8 | 0 | 4 | 0 | 2 | 7 | 8 | 1 | 2 | 0 | 2 | 1 | 5 | 6 | 9 | 1 | 4 | 5 | 9 | 0 | 3 | | 4 |

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Coagulating Gland | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Epididymis | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Preputial Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Prostate | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Seminal Vesicle | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Testes | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymph Node | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangiosarcoma, Metastatic, Spleen | | | | | | | | | | | | | | | | | | | | | | | | | X | 1 |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangioma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20320 - 04
Test Type: CHRONIC
Route: GAVAGE
Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Tetrabromobisphenol A
CAS Number: 79-94-7

Date Report Requested: 01/22/2013
Time Report Requested: 11:01:14
First Dose M/F: 08/07/07 / 08/06/07
Lab: BAT

| B6C3F1 MICE MALE
500 mg/kg | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | * TOTALS |
|-------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|----------|
| | | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| Trachea | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 50 | |
| SPECIAL SENSES SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Adenoma | | | | X | | | | | | X | X | | | | | | | | X | | | | | | 7 | | |
| Carcinoma | | | | | | | | | | X | | | | | | | | | | | | | | | | 2 | |
| URINARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Renal Tubule, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| SYSTEMIC LESIONS | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Histiocytic Sarcoma | | | | X | | | | | | | | | | | | | | | | | | | | | | 2 | |
| Lymphoma Malignant | | | | | | | | | | X | | | | | | | | | | | | | | | | 2 | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

Experiment Number: 20320 - 04
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Tetrabromobisphenol A
 CAS Number: 79-94-7

Date Report Requested: 01/22/2013
 Time Report Requested: 11:01:14
 First Dose M/F: 08/07/07 / 08/06/07
 Lab: BAT

| B6C3F1 MICE MALE
1000 mg/kg | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|--------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | |
| | | 3 | 1 | 3 | 4 | 8 | 0 | 1 | 2 | 2 | 2 | 5 | 5 | 6 | 8 | 0 | 1 | 1 | 2 | 2 | 3 | 4 | 4 | 4 | 8 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 3 | 3 | 0 | 5 | 8 | 1 | 1 | 4 | 1 | 9 | 5 | 4 | 2 | 1 | 1 | 2 | 8 | 7 | 3 | 4 | 7 | 8 | 5 | 4 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | | 9 | 8 | 7 | 9 | 7 | 9 | 7 | 6 | 9 | 7 | 9 | 6 | 5 | 6 | 9 | 9 | 6 | 7 | 9 | 8 | 5 | 8 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | |
| | | 2 | 0 | 9 | 8 | 1 | 5 | 3 | 0 | 4 | 7 | 6 | 5 | 3 | 8 | 7 | 5 | 9 | 0 | 9 | 4 | 7 | 2 | 6 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | |

males
(cont...)

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Intestine Large, Cecum | A | + | + | A | + | + | A | A | + | + | A | A | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Intestine Large, Colon | + | + | + | A | A | A | + | A | + | + | A | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Intestine Large, Rectum | + | + | + | + | + | A | + | A | + | + | A | A | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Intestine Small, Duodenum | + | + | A | A | A | A | A | A | A | A | A | A | A | + | + | + | + | + | + | A | A | A | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Intestine Small, Ileum | + | + | + | + | + | + | A | A | + | + | A | A | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Intestine Small, Jejunum | + | + | + | A | A | + | A | A | + | + | A | A | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Hemangioma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatoblastoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Adenoma | | | | | | | | | | | | | X | | | | | X | X | | | | | | | | | | | | | | | | | | X | |
| Hepatocellular Adenoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Hepatocellular Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Hepatocellular Carcinoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Mesentery | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| B6C3F1 MICE MALE | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | ANIMAL ID | males
(cont...) |
|------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|--------------------|
| | | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | | |
| 1000 mg/kg | | 3 | 1 | 3 | 4 | 8 | 0 | 1 | 2 | 2 | 5 | 5 | 6 | 8 | 0 | 1 | 1 | 2 | 2 | 3 | 4 | 4 | 4 | 8 | 9 | 0 | 0 | 0 |
| | | 0 | 3 | 3 | 0 | 5 | 8 | 1 | 1 | 4 | 1 | 9 | 5 | 4 | 2 | 1 | 1 | 2 | 8 | 7 | 3 | 7 | 7 | 5 | 4 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | | 9 | 8 | 7 | 9 | 7 | 9 | 7 | 6 | 9 | 7 | 9 | 7 | 9 | 6 | 5 | 6 | 9 | 9 | 6 | 7 | 9 | 8 | 5 | 8 | 5 | 9 | 5 |
| | | 2 | 0 | 9 | 8 | 1 | 5 | 3 | 0 | 4 | 7 | 6 | 5 | 3 | 8 | 7 | 5 | 9 | 0 | 9 | 4 | 7 | 2 | 6 | 5 | 5 | 0 | 5 |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Tooth | | | | | | | | | | | | | | | | | | | | | | | | | | |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Parathyroid Gland | + | + | + | M | + | + | + | M | + | + | + | + | + | + | + | + | + | M | + | + | + | + | M | M | + | |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

GENERAL BODY SYSTEM

NONE

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

Experiment Number: 20320 - 04

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Tetrabromobisphenol A

CAS Number: 79-94-7

Date Report Requested: 01/22/2013

Time Report Requested: 11:01:14

First Dose M/F: 08/07/07 / 08/06/07

Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| B6C3F1 MICE MALE | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 |
| | | 3 | 1 | 3 | 4 | 8 | 0 | 1 | 2 | 2 | 5 | 5 | 6 | 8 | 0 | 1 | 1 | 2 | 2 | 3 | 4 | 4 | 4 | 8 | 9 |
| 1000 mg/kg | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | | 9 | 8 | 7 | 9 | 7 | 9 | 7 | 6 | 9 | 7 | 9 | 7 | 9 | 6 | 5 | 6 | 9 | 9 | 6 | 7 | 9 | 8 | | |
| | | 2 | 0 | 9 | 8 | 1 | 5 | 3 | 0 | 4 | 7 | 6 | 5 | 3 | 8 | 7 | 5 | 9 | 0 | 9 | 4 | 7 | 2 | | |

males (cont...)

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Epididymis | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Preputial Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Prostate | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Seminal Vesicle | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Testes | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Spleen | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | |
| Thymus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mammary Gland | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Fibrous Histiocytoma | | | | | | | | | | | | | | | | | | | | | | | |
| Subcutaneous Tissue, Lipoma | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

Experiment Number: 20320 - 04
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Tetrabromobisphenol A
 CAS Number: 79-94-7

Date Report Requested: 01/22/2013
 Time Report Requested: 11:01:14
 First Dose M/F: 08/07/07 / 08/06/07
 Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| B6C3F1 MICE MALE | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 |
| | | 3 | 1 | 3 | 4 | 8 | 0 | 1 | 2 | 2 | 5 | 5 | 6 | 8 | 0 | 1 | 1 | 2 | 2 | 3 | 4 | 4 | 4 | 4 | 8 | 8 | 9 | 0 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1000 mg/kg | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 9 | 8 | 7 | 9 | 7 | 9 | 7 | 6 | 9 | 7 | 9 | 7 | 9 | 6 | 5 | 6 | 9 | 9 | 6 | 7 | 9 | 8 | 5 | 8 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | |
| | 2 | 0 | 9 | 8 | 1 | 5 | 3 | 0 | 4 | 7 | 6 | 5 | 3 | 8 | 7 | 5 | 9 | 0 | 9 | 4 | 7 | 2 | 6 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | |
| | | | | | | | | | | | | | | | | | | | | | | males
(cont...) | | | | | | | | | | | | | | | | | | |

MUSCULOSKELETAL SYSTEM

Bone +

NERVOUS SYSTEM

Brain +

Peripheral Nerve + +

Spinal Cord + +

RESPIRATORY SYSTEM

Lung +

Alveolar/Bronchiolar Adenoma

Alveolar/Bronchiolar Carcinoma

Hepatocellular Carcinoma, Metastatic, Liver X

Nose +

Trachea +

SPECIAL SENSES SYSTEM

Eye +

Harderian Gland Adenoma + + + + + + + + + + + + + + + X + + X

URINARY SYSTEM

Kidney +

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20320 - 04

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Tetrabromobisphenol A

CAS Number: 79-94-7

Date Report Requested: 01/22/2013

Time Report Requested: 11:01:14

First Dose M/F: 08/07/07 / 08/06/07

Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|-------------|------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| B6C3F1 MICE MALE | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 |
| | | 3 | 1 | 3 | 4 | 8 | 0 | 1 | 2 | 2 | 5 | 5 | 6 | 8 | 0 | 1 | 1 | 2 | 2 | 3 | 4 | 4 | 4 | 8 | 9 | 0 |
| 1000 mg/kg | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | | 9 | 8 | 7 | 9 | 7 | 9 | 7 | 6 | 9 | 7 | 9 | 7 | 9 | 6 | 5 | 6 | 9 | 9 | 6 | 7 | 9 | 8 | 5 | 8 | |
| | | 2 | 0 | 9 | 8 | 1 | 5 | 3 | 0 | 4 | 7 | 6 | 5 | 3 | 8 | 7 | 5 | 9 | 0 | 9 | 4 | 7 | 2 | 6 | 5 | |
| | | males (cont...) | | | | | | | | | | | | | | | | | | | | | | | | |

Hemangiosarcoma
Renal Tubule, Adenoma

Urinary Bladder

+ +

SYSTEMIC LESIONS

Multiple Organ
Leukemia Granulocytic

+
X

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

Experiment Number: 20320 - 04
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Tetrabromobisphenol A
 CAS Number: 79-94-7

Date Report Requested: 01/22/2013
 Time Report Requested: 11:01:14
 First Dose M/F: 08/07/07 / 08/06/07
 Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|-------------------|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|---|---|
| B6C3F1 MICE MALE | 1000 mg/kg | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | | 1 | 1 | 3 | 5 | 6 | 6 | 8 | 8 | 8 | 0 | 0 | 0 | 1 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | | 3 | 6 | 3 | 3 | 1 | 7 | 6 | 6 | 8 | 4 | 4 | 7 | 8 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | |
| | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | | 7 | 8 | 7 | 6 | 8 | 9 | 5 | 5 | 6 | 8 | 0 | 5 | 6 | 6 | 7 | 7 | 8 | 5 | 5 | 6 | 8 | 8 | 5 | 8 | | |
| | | 8 | 8 | 0 | 4 | 9 | 1 | 4 | 8 | 7 | 7 | 0 | 2 | 3 | 2 | 6 | 2 | 6 | 6 | 1 | 9 | 1 | 1 | 3 | 4 | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Gallbladder | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Intestine Large, Cecum | + | A | + | A | + | + | + | + | + | + | A | A | A | + | + | + | + | + | + | + | + | + | + | + | + | + | 38 |
| Intestine Large, Colon | + | A | + | + | + | + | + | + | + | + | A | A | A | + | + | + | + | + | + | + | + | + | + | + | + | + | 40 |
| Intestine Large, Rectum | + | A | + | + | + | + | + | + | + | + | A | A | A | + | + | + | + | + | + | + | + | + | + | + | + | + | 41 |
| Intestine Small, Duodenum | + | A | + | + | + | + | + | + | + | + | A | A | A | + | + | + | + | + | + | + | + | + | + | + | + | + | 31 |
| Intestine Small, Ileum | + | A | + | A | + | + | + | + | + | + | A | A | A | + | + | + | + | + | + | + | + | + | + | + | + | + | 40 |
| Intestine Small, Jejunum | + | A | + | + | A | + | + | + | + | + | A | A | A | + | + | + | + | + | + | + | + | + | + | + | + | + | 38 |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangioma | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hemangiosarcoma | | | | X | | | | X | | | | | | | | | | | | | | | | | | | 2 |
| Hepatoblastoma | | | | | X | X | | X | | | | | | | | | | | | | | | | | | | 3 |
| Hepatocellular Adenoma | | X | X | | X | | X | | | | | | | X | | | | | | | X | X | | | X | X | 9 |
| Hepatocellular Adenoma, Multiple | | | | | X | X | | X | X | X | | X | | | | | | | | | X | X | | X | X | | 12 |
| Hepatocellular Carcinoma | | | X | | | | | | | | X | | | | | | | | | X | X | | | | | | 7 |
| Hepatocellular Carcinoma, Multiple | | | | | X | | | | | | | | | | | | | | | | | | | | | | 2 |
| Mesentery | | | | | | | | | | | | | + | | | | | | | | | | | | | | 2 |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | X | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20320 - 04

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Date Report Requested: 01/22/2013

Test Type: CHRONIC

Tetrabromobisphenol A

Time Report Requested: 11:01:14

Route: GAVAGE

CAS Number: 79-94-7

First Dose M/F: 08/07/07 / 08/06/07

Species/Strain: MICE/B6C3F1

Lab: BAT

| B6C3F1 MICE MALE | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | ANIMAL ID | * TOTALS |
|------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|----------|
| | | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | | |
| 1000 mg/kg | | 1 | 1 | 3 | 5 | 6 | 6 | 8 | 8 | 0 | 0 | 0 | 1 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | | |
| | | 3 | 6 | 3 | 3 | 1 | 7 | 6 | 6 | 8 | 4 | 4 | 7 | 8 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 2 | | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | |
| | | 7 | 8 | 7 | 6 | 8 | 9 | 5 | 5 | 6 | 8 | 0 | 5 | 6 | 6 | 7 | 7 | 8 | 5 | 5 | 6 | 8 | 8 | 5 | | |
| | | 8 | 8 | 0 | 4 | 9 | 1 | 4 | 8 | 7 | 7 | 0 | 2 | 3 | 2 | 6 | 2 | 6 | 6 | 1 | 9 | 1 | 1 | 4 | | |
| Pancreas | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Salivary Glands | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Stomach, Forestomach | | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | 49 | |
| Stomach, Glandular | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Tooth | | | | | | | | | | | | | | | + | | | | | | | + | | | 2 | |
| CARDIOVASCULAR SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Blood Vessel | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Heart | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| ENDOCRINE SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Adrenal Cortex | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Adrenal Medulla | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Islets, Pancreatic | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Parathyroid Gland | | + | M | M | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | 42 | |
| Pituitary Gland | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Thyroid Gland | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| GENERAL BODY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| NONE | | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20320 - 04

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Tetrabromobisphenol A

CAS Number: 79-94-7

Date Report Requested: 01/22/2013

Time Report Requested: 11:01:14

First Dose M/F: 08/07/07 / 08/06/07

Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|-----------------|
| B6C3F1 MICE MALE | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | |
| | | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | | | |
| | | 1 | 1 | 3 | 5 | 6 | 6 | 8 | 8 | 8 | 0 | 0 | 0 | 1 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | | |
| 1000 mg/kg | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | |
| | | 7 | 8 | 7 | 6 | 8 | 9 | 5 | 5 | 6 | 8 | 0 | 5 | 6 | 6 | 6 | 7 | 7 | 8 | 5 | 5 | 6 | 8 | 8 | 8 | 5 | 8 | 8 | 5 | 8 | 8 | 5 | 8 | 8 | 5 | 8 | 8 | 5 | 8 | 8 | 5 | 8 | | | |
| | | 8 | 8 | 0 | 4 | 9 | 1 | 4 | 8 | 7 | 7 | 0 | 2 | 3 | 2 | 6 | 2 | 6 | 6 | 6 | 1 | 9 | 1 | 1 | 1 | 1 | 1 | 3 | 3 | 4 | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|
| Epididymis | + | | | | | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Preputial Gland | + | | | | | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Prostate | + | | | | | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Seminal Vesicle | + | | | | | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Testes | + | | | | | | | | | | | | | | | | | | | | | | | | | | | | 50 |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|---|---|---|---|---|---|---|---|---|----|----|
| Bone Marrow | + | | | | | | | | | | | | | | | | | | | | | | | | | | | | 50 | | | | | | | | | | | | |
| Lymph Node, Mandibular | + | | | | | | | | | | | | | | | | | | | | | | | | | | | | 49 | | | | | | | | | | | | |
| Lymph Node, Mesenteric | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | |
| Spleen | + | | | | | | | | | | | | | | | | | | | | | | | | | | | | 49 | | | | | | | | | | | | |
| Hemangiosarcoma | | | | X | | | | X | | | | | | | | | | | X | | | | | | | | | | | | | | | | | | | | | | 3 |
| Thymus | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mammary Gland | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | 0 | | |
| Skin | + | | | | | | | | | | | | | | | | | | | | | | | | | | | | 50 | | | | | | | | | | | | | | | |
| Fibrous Histiocytoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | X | 1 |
| Subcutaneous Tissue, Lipoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | X | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

Experiment Number: 20320 - 04

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Tetrabromobisphenol A

CAS Number: 79-94-7

Date Report Requested: 01/22/2013

Time Report Requested: 11:01:14

First Dose M/F: 08/07/07 / 08/06/07

Lab: BAT

| B6C3F1 MICE MALE
1000 mg/kg | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
|--------------------------------|-------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|----------|----------|--|
| | 0613 | 0663 | 0663 | 0666 | 0666 | 0666 | 0666 | 0666 | 0666 | 0666 | 0666 | 0666 | 0666 | 0666 | 0666 | 0666 | 0666 | 0666 | 0666 | 0666 | 0666 | 0666 | 0666 | 0666 | | 0666 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | * TOTALS | |
| ANIMAL ID | 001788 | 001788 | 001788 | 001788 | 001788 | 001788 | 001788 | 001788 | 001788 | 001788 | 001788 | 001788 | 001788 | 001788 | 001788 | 001788 | 001788 | 001788 | 001788 | 001788 | 001788 | 001788 | 001788 | 001788 | 001788 | | |
| Hemangiosarcoma | | | | | | | | X | | | | | | | | | | | | | | | | | | 1 | |
| Renal Tubule, Adenoma | | | | | | | | | X | | | | | | | | | | X | | | | | | | 2 | |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| SYSTEMIC LESIONS | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Leukemia Granulocytic | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |

*** END OF MALE DATA ***

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20320 - 04
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Tetrabromobisphenol A
 CAS Number: 79-94-7

Date Report Requested: 01/22/2013
 Time Report Requested: 11:01:14
 First Dose M/F: 08/07/07 / 08/06/07
 Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| B6C3F1 MICE FEMALE
0 mg/kg | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 4 | 5 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | | 3 | 6 | 0 | 3 | 6 | 6 | 8 | 0 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| | | 8 | 3 | 6 | 1 | 0 | 3 | 0 | 9 | 2 | 2 | 4 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 3 | 0 | 0 | 3 | 1 | 5 | 0 | 4 | 1 | 3 | 0 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 4 | 4 | 0 | 1 | 0 | 0 | |
| | 3 | 1 | 7 | 5 | 5 | 0 | 5 | 6 | 7 | 6 | 4 | 1 | 2 | 0 | 5 | 6 | 7 | 9 | 1 | 2 | 8 | 8 | 9 | 2 | 0 | 0 | 0 | |
| females (cont...) | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Gallbladder | + | M | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + |
| Intestine Large, Cecum | + | + | + | + | + | + | + | A | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Duodenum Adenoma | + | A | + | + | + | + | + | A | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Ileum | + | + | + | + | + | + | + | A | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | A | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hepatocellular Adenoma | | | | | | X | X | X | | X | | | | | | | X | | X | X | | | | X | | | |
| Hepatocellular Adenoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mesentery | + | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oral Mucosa | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Squamous Cell Carcinoma | | | | | | | | + | X | | | | | | | | | | | | | | | | | | |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20320 - 04

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Date Report Requested: 01/22/2013

Test Type: CHRONIC

Tetrabromobisphenol A

Time Report Requested: 11:01:14

Route: GAVAGE

CAS Number: 79-94-7

First Dose M/F: 08/07/07 / 08/06/07

Species/Strain: MICE/B6C3F1

Lab: BAT

| B6C3F1 MICE FEMALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|--------------------|-------------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|--|----------------------|
| | 04 | 05 | 06 | 06 | 06 | 06 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | | |
| 0 mg/kg | 3 | 6 | 0 | 3 | 6 | 6 | 8 | 0 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | | |
| | 8 | 3 | 6 | 1 | 0 | 3 | 0 | 9 | 2 | 2 | 4 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | | |
| ANIMAL ID | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | | |
| | 3 | 0 | 0 | 3 | 1 | 5 | 0 | 4 | 1 | 3 | 0 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 4 | 4 | | |
| | 3 | 1 | 7 | 5 | 5 | 0 | 5 | 6 | 7 | 6 | 4 | 1 | 2 | 0 | 5 | 6 | 7 | 9 | 1 | 2 | 8 | 8 | 9 | | |

| | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Tongue Squamous Cell Papilloma | | | | + | X | | | | | | | | | | | | | | | | | | |
| Tooth | | | | | | | | | | | | | | | | | | | | | | | + |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Adrenal Medulla Pheochromocytoma Benign | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Parathyroid Gland | M | + | + | + | + | + | M | + | + | + | + | M | + | + | M | + | + | M | M | + | M | + | + |
| Pituitary Gland Pars Distalis, Adenoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

GENERAL BODY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20320 - 04
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Tetrabromobisphenol A

CAS Number: 79-94-7

Date Report Requested: 01/22/2013

Time Report Requested: 11:01:14

First Dose M/F: 08/07/07 / 08/06/07

Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------------------|
| B6C3F1 MICE FEMALE | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 4 | 5 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | | 3 | 6 | 0 | 3 | 6 | 6 | 8 | 0 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 |
| | | 8 | 3 | 6 | 1 | 0 | 3 | 0 | 9 | 2 | 2 | 4 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | 0 |
| 0 mg/kg | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | | 3 | 0 | 0 | 3 | 1 | 5 | 0 | 4 | 1 | 3 | 0 | 1 | 1 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 4 | 4 | 0 | 1 |
| | | 3 | 1 | 7 | 5 | 5 | 0 | 5 | 6 | 7 | 6 | 4 | 1 | 2 | 0 | 5 | 6 | 7 | 9 | 1 | 2 | 8 | 8 | 0 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | females (cont...) |

NONE

GENITAL SYSTEM

Clitoral Gland

+ +

Ovary
Cystadenoma

+
X

Oviduct

+

Uterus
Sarcoma Stromal
Cervix, Sarcoma Stromal

+ +

HEMATOPOIETIC SYSTEM

Bone Marrow

+ +

Lymph Node

Lymph Node, Mandibular

+ +

Lymph Node, Mesenteric

+ +

Spleen
Hemangiosarcoma

+
X

Thymus

+ +

INTEGUMENTARY SYSTEM

Mammary Gland

+ +

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| B6C3F1 MICE FEMALE | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | ANIMAL ID | |
|--------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|--|
| | | 4 | 5 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | | |
| 0 mg/kg | 3 | 6 | 0 | 3 | 6 | 6 | 8 | 0 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 0 | | |
| | 8 | 3 | 6 | 1 | 0 | 3 | 0 | 0 | 2 | 2 | 4 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | 0 | 0 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 0 | | |
| | 3 | 0 | 0 | 3 | 1 | 5 | 0 | 4 | 1 | 3 | 0 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 4 | 4 | 0 | 1 | 0 | | |
| | 3 | 1 | 7 | 5 | 5 | 0 | 5 | 6 | 7 | 6 | 4 | 1 | 2 | 0 | 5 | 6 | 7 | 9 | 1 | 2 | 8 | 8 | 9 | 2 | 0 | 0 | females
(cont...) | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Basal Cell Carcinoma | | | | | X | | | | | | | | | | | | | | | | | | | | |
| Fibrosarcoma | | | X | | | | | | | | | | | | | | | | | | | | | | |
| Hemangioma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Subcutaneous Tissue, Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | X | |
| Subcutaneous Tissue, Schwannoma Malignant | | | | | | | X | | | | | | | | | | | | | | | | | | |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Fibroma | | | | X | | | | | | | | | | | | | | | | | | | | | |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Alveolar/Bronchiolar Adenoma | | X | | X | | | | | | | | | | | | | | | | | | | | | |
| Alveolar/Bronchiolar Carcinoma | | | | | | | X | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
|---------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
|-----|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Harderian Gland Adenoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| | X | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

Experiment Number: 20320 - 04

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Tetrabromobisphenol A

CAS Number: 79-94-7

Date Report Requested: 01/22/2013

Time Report Requested: 11:01:14

First Dose M/F: 08/07/07 / 08/06/07

Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------------------------------|---|
| B6C3F1 MICE FEMALE | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | 4 | 5 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | | 7 |
| | | 3 | 6 | 0 | 3 | 6 | 6 | 8 | 0 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | | 0 |
| 0 mg/kg | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | females
(cont...) | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 |
| | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | | 2 |
| | | 3 | 0 | 0 | 3 | 1 | 5 | 0 | 4 | 1 | 3 | 0 | 1 | 1 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 4 | 4 | 0 | 1 | |
| | | 3 | 1 | 7 | 5 | 5 | 0 | 5 | 6 | 7 | 6 | 4 | 1 | 2 | 0 | 5 | 6 | 7 | 9 | 1 | 2 | 8 | 8 | 9 | 0 | |

Carcinoma

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

SYSTEMIC LESIONS

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Histiocytic Sarcoma | | | | | | | | X | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | X | | | X | | | X | | | | | X |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| B6C3F1 MICE FEMALE | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
|--------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|--|
| | | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| 0 mg/kg | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | | |
| | 1 | 1 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 0 | 0 | 0 | 0 | 1 | 1 | 2 | 2 | 4 | |
| | 3 | 4 | 9 | 2 | 3 | 8 | 0 | 4 | 7 | 9 | 1 | 2 | 3 | 5 | 7 | 3 | 6 | 8 | 9 | 6 | 8 | 1 | 4 | 0 | |
| | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hepatocellular Adenoma | | X | | | X | | X | | | | | X | | | | | | | | | | | | 12 |
| Hepatocellular Adenoma, Multiple | | | | | | | | | | | | | | | | | | | | | | X | | 1 |
| Hepatocellular Carcinoma | | | X | | | | | | | | | | | | | | X | | | | | | | 2 |
| Mesentery | | | | | | | | | | | + | | | | | | | | | | | | | 3 |
| Oral Mucosa | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Squamous Cell Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20320 - 04

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Tetrabromobisphenol A

CAS Number: 79-94-7

Date Report Requested: 01/22/2013

Time Report Requested: 11:01:14

First Dose M/F: 08/07/07 / 08/06/07

Lab: BAT

| B6C3F1 MICE FEMALE
0 mg/kg | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|-------------------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|----|----------|--|
| | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | | | |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | | | |
| | 1 | 1 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 0 | 0 | 0 | 0 | 1 | 1 | 2 | 2 | 4 | 4 | |
| | 3 | 4 | 9 | 2 | 3 | 8 | 0 | 4 | 7 | 9 | 1 | 2 | 3 | 5 | 7 | 3 | 6 | 8 | 9 | 6 | 8 | 1 | 4 | 0 | 4 | |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Tongue | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Squamous Cell Papilloma | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Tooth | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| CARDIOVASCULAR SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| ENDOCRINE SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Pheochromocytoma Benign | | | | | | | | | | | | | | | | | X | | | | | | | 1 | | |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Parathyroid Gland | + | M | + | + | + | + | + | M | M | M | + | M | M | + | M | + | M | + | + | + | + | M | + | 34 | | |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Pars Distalis, Adenoma | | | | | | | | | | | | | | | | | X | | | | | | | 1 | | |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| GENERAL BODY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

Experiment Number: 20320 - 04
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Tetrabromobisphenol A
 CAS Number: 79-94-7

Date Report Requested: 01/22/2013
 Time Report Requested: 11:01:14
 First Dose M/F: 08/07/07 / 08/06/07
 Lab: BAT

| B6C3F1 MICE FEMALE | DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
|--------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|---|
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 |
| 0 mg/kg | | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | | |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | ANIMAL ID | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | | |
| | | 1 | 1 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 0 | 0 | 0 | 0 | 1 | 1 | 2 | |
| | | 3 | 4 | 9 | 2 | 3 | 8 | 0 | 4 | 7 | 9 | 1 | 2 | 3 | 5 | 7 | 3 | 6 | 8 | 9 | 6 | 8 | 1 | |
| | | | | | | | | | | | | | | | | | | | | | | | 4 | |

NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Clitoral Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Cystadenoma | | | | | | | | | | | | | | | | | | | | | | X | | 2 |
| Oviduct | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Uterus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Sarcoma Stromal | | | | | | | | | | | | | | | X | | | | | | | | | 1 |
| Cervix, Sarcoma Stromal | | | | | | | | | | | X | | | | | | | | | | | | | 1 |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymph Node | | | | | | | | | | | | | | | | | | | | | | + | | 1 |
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Thymus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
|---------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20320 - 04

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Tetrabromobisphenol A

CAS Number: 79-94-7

Date Report Requested: 01/22/2013

Time Report Requested: 11:01:14

First Dose M/F: 08/07/07 / 08/06/07

Lab: BAT

| B6C3F1 MICE FEMALE
0 mg/kg | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|-------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 1 | 1 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 0 | 0 | 0 | 0 | 1 | 1 | 2 | 2 | 4 | 4 | |
| | 3 | 4 | 9 | 2 | 3 | 8 | 0 | 4 | 7 | 9 | 1 | 2 | 3 | 5 | 7 | 3 | 6 | 8 | 9 | 6 | 8 | 1 | 4 | 0 | 4 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Basal Cell Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Fibrosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hemangioma | | | | | | | | | | | | | | | | | X | | | | | | | | | 1 |
| Subcutaneous Tissue, Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Subcutaneous Tissue, Schwannoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Fibroma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Alveolar/Bronchiolar Adenoma | | | | | X | | | | | X | | | | | | | | | | X | | | | | | 5 |
| Alveolar/Bronchiolar Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
|---------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
|-----|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Harderian Gland Adenoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

Experiment Number: 20320 - 04

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Tetrabromobisphenol A

CAS Number: 79-94-7

Date Report Requested: 01/22/2013

Time Report Requested: 11:01:14

First Dose M/F: 08/07/07 / 08/06/07

Lab: BAT

| B6C3F1 MICE FEMALE | 0 mg/kg | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | | | | | | | |
|-------------------------|---------|-----------------|---|---|---|-----|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|---|--|--|--|--|--|--|---|--|----------|
| | | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | | | | | |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | | | | | | | | | | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | | | | | | |
| | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | | | | | | | | | | |
| | | 1 | 1 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 2 | 2 | 4 | 4 | 4 | | | | | | | | | | |
| | | 3 | 4 | 9 | 2 | 3 | 8 | 0 | 4 | 7 | 9 | 1 | 2 | 3 | 5 | 7 | 3 | 6 | 8 | 9 | 6 | 8 | 1 | 4 | 0 | 4 | 4 | 4 | | | | | | | | | | |
| | | * TOTALS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Carcinoma | | X | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | | | | | | | | | |
| URINARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Kidney | | + | | | | | | | | | | | | | | | | | | | | | | | | | | 50 | | | | | | | | | | |
| Urinary Bladder | | + | | | | | | | | | | | | | | | | | | | | | | | | | | 50 | | | | | | | | | | |
| SYSTEMIC LESIONS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Multiple Organ | | + | | | | | | | | | | | | | | | | | | | | | | | | | | 50 | | | | | | | | | | |
| Histiocytic Sarcoma | | + | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | | | | | | | | | |
| Lymphoma Malignant | | X | | | | X X | | X | | + | | | | | | | | | | | | | | | | | | | | | | | | | | X | | 9 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

| B6C3F1 MICE FEMALE | 250 mg/kg | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | ANIMAL ID | |
|--------------------|-----------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|----------------------|
| | | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | | |
| | | 2 | 5 | 6 | 9 | 1 | 3 | 4 | 5 | 5 | 7 | 8 | 9 | 0 | 0 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 0 | |
| | | 6 | 6 | 1 | 6 | 9 | 1 | 5 | 6 | 3 | 3 | 4 | 1 | 2 | 0 | 1 | 2 | 8 | 2 | 3 | 9 | 9 | 9 | 9 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 2 | 3 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 0 | |
| | | 9 | 0 | 5 | 6 | 7 | 8 | 6 | 8 | 9 | 8 | 7 | 8 | 5 | 6 | 7 | 9 | 5 | 6 | 7 | 5 | 5 | 6 | 6 | 0 | |
| | | 5 | 0 | 1 | 8 | 9 | 1 | 4 | 9 | 0 | 2 | 2 | 6 | 3 | 3 | 8 | 8 | 4 | 5 | 1 | 5 | 6 | 0 | 2 | 0 | females
(cont...) |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Cecum
Leiomyoma | + | + | A | + | + | + | + | + | + | A | + | + | + | A | + | A | + | + | + | + | + | + | + |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | A | + | + | + | + | + | + | + |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Duodenum
Carcinoma | + | + | + | + | + | + | + | + | + | A | + | A | + | A | + | A | + | + | + | + | + | + | + |
| Intestine Small, Ileum | + | + | A | + | + | + | + | + | + | A | + | + | + | A | + | A | + | + | + | + | + | + | + |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | A | + | A | + | A | + | + | + | + | + | + | + | + | + |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Adenoma | | | | | | | X | | | | | | | X | | | | X | | | X | X | |
| Hepatocellular Adenoma, Multiple | | | | | | | | | | | | | | | | | | X | | | | | |
| Hepatocellular Carcinoma | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Carcinoma, Multiple | | | | | | | | | | | | | | | | | | | | X | | | |
| Squamous Cell Carcinoma, Metastatic,
Stomach, Forestomach | | | | | | | | X | | | | | | | | | | | | | | | |
| Mesentery | | | + | | | | | | | + | + | | | | | | | | | | | + | |
| Pancreas | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20320 - 04

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Tetrabromobisphenol A

CAS Number: 79-94-7

Date Report Requested: 01/22/2013

Time Report Requested: 11:01:14

First Dose M/F: 08/07/07 / 08/06/07

Lab: BAT

| B6C3F1 MICE FEMALE | 250 mg/kg | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | females
(cont...) |
|--------------------|-----------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|----------------------|
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 0 | |
| | | 2 | 5 | 6 | 9 | 1 | 3 | 4 | 5 | 5 | 7 | 8 | 9 | 0 | 0 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 0 | |
| | | 6 | 6 | 1 | 6 | 9 | 1 | 5 | 6 | 3 | 3 | 4 | 1 | 2 | 0 | 1 | 2 | 8 | 2 | 3 | 9 | 9 | 9 | 9 | 9 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 2 | 3 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 0 | |
| | | 9 | 0 | 5 | 6 | 7 | 8 | 6 | 8 | 9 | 8 | 7 | 8 | 5 | 6 | 7 | 9 | 5 | 6 | 7 | 5 | 5 | 6 | 6 | 6 | 0 | |
| | | 5 | 0 | 1 | 8 | 9 | 1 | 4 | 9 | 0 | 2 | 2 | 6 | 3 | 3 | 8 | 8 | 4 | 5 | 1 | 5 | 6 | 0 | 2 | 6 | 0 | |

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Clitoral Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Luteoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Uterus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Polyp Stromal | | | | | | | | | | | | | | | | | | | | | | | | |
| Vagina | | | | | + | | | | | | | | | | | | | | | | | | | |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymph Node | | | | | | | | | | + | | | + | + | | | | | | | | | | |
| Lymph Node, Mandibular | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Thymus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Fibrous Histiocytoma | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

Experiment Number: 20320 - 04

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Tetrabromobisphenol A

CAS Number: 79-94-7

Date Report Requested: 01/22/2013

Time Report Requested: 11:01:14

First Dose M/F: 08/07/07 / 08/06/07

Lab: BAT

| B6C3F1 MICE FEMALE | 250 mg/kg | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|---------------------------|------------------|-------------|--------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | ANIMAL ID | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | | | 2 | 5 | 6 | 9 | 1 | 3 | 4 | 5 | 5 | 7 | 8 | 9 | 0 | 0 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | | | 6 | 6 | 1 | 6 | 9 | 1 | 5 | 6 | 3 | 3 | 4 | 1 | 2 | 0 | 1 | 2 | 2 | 2 | 2 | 3 | 9 | 9 | 9 | 9 | 9 | 9 |
| | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | 2 | 3 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | | | 9 | 0 | 5 | 6 | 7 | 8 | 6 | 8 | 9 | 8 | 7 | 8 | 5 | 6 | 7 | 9 | 5 | 6 | 7 | 5 | 5 | 6 | 6 | 6 | 6 | 6 |
| | | | 5 | 0 | 1 | 8 | 9 | 1 | 4 | 9 | 0 | 2 | 2 | 6 | 3 | 3 | 8 | 8 | 4 | 5 | 1 | 5 | 6 | 0 | 1 | 2 | 6 | |
| | | | females (cont...) | | | | | | | | | | | | | | | | | | | | | | | | | |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Osteosarcoma | X | | | | | | | | | | | | | | | | | | | | | | | | | | | |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
|---------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
|-----|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + |
| Adenoma | | X | | | | | | | | | | X | | | | | | | | | | | | | | | | |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
|--------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

SYSTEMIC LESIONS

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

Experiment Number: 20320 - 04
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Tetrabromobisphenol A

CAS Number: 79-94-7

Date Report Requested: 01/22/2013

Time Report Requested: 11:01:14

First Dose M/F: 08/07/07 / 08/06/07

Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------------------------------|
| B6C3F1 MICE FEMALE | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| 250 mg/kg | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | females
(cont...) |
| | | 2 | 3 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | | 6 | 6 | 1 | 6 | 9 | 1 | 5 | 6 | 3 | 3 | 4 | 1 | 2 | 0 | 1 | 2 | 8 | 2 | 3 | 9 | 9 | 9 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 9 | 0 | 5 | 6 | 7 | 8 | 6 | 8 | 9 | 8 | 7 | 8 | 5 | 6 | 7 | 9 | 5 | 6 | 7 | 5 | 5 | 6 | |
| | | 5 | 0 | 1 | 8 | 9 | 1 | 4 | 9 | 0 | 2 | 2 | 6 | 3 | 3 | 8 | 8 | 4 | 5 | 1 | 5 | 6 | 0 | |

Multiple Organ
 Histiocytic Sarcoma
 Leukemia Mononuclear
 Lymphoma Malignant

+ +

X

X

X

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20320 - 04

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Tetrabromobisphenol A

CAS Number: 79-94-7

Date Report Requested: 01/22/2013

Time Report Requested: 11:01:14

First Dose M/F: 08/07/07 / 08/06/07

Lab: BAT

| B6C3F1 MICE FEMALE
250 mg/kg | DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | * TOTALS |
|---------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
| | | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ANIMAL ID | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | | 7 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 5 | 5 | 5 | 6 | 7 | 7 | 7 | 8 | 9 | 9 | 9 | 9 |
| | | 7 | 0 | 3 | 5 | 8 | 2 | 4 | 6 | 7 | 2 | 7 | 8 | 7 | 0 | 3 | 6 | 4 | 1 | 3 | 9 | 9 |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | 49 |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 46 |
| Leiomyoma | | | | | | | | | | | | | | | | | | | X | | | | | | | | | 1 |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 46 |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 46 |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangiosarcoma | | | | | | | | | | X | | | | | | | | | | | | | | | | | | 1 |
| Hepatocellular Adenoma | | | | | | | | | | X | X | | | | | | X | | | | | | | | | | | 9 |
| Hepatocellular Adenoma, Multiple | | | | | | | | | | | | | | X | | | | X | | | | | | | X | | | 4 |
| Hepatocellular Carcinoma | | | | | | | | | | X | | | | | | | | | | X | | | | | | | X | 3 |
| Hepatocellular Carcinoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Squamous Cell Carcinoma, Metastatic,
Stomach, Forestomach | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Mesentery | | | | | | + | | + | | | | | | + | | | | | | | | | | + | | | | 8 |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

Experiment Number: 20320 - 04
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)
 Tetrabromobisphenol A
 CAS Number: 79-94-7

Date Report Requested: 01/22/2013
 Time Report Requested: 11:01:14
 First Dose M/F: 08/07/07 / 08/06/07
 Lab: BAT

| B6C3F1 MICE FEMALE | 250 mg/kg | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | * TOTALS | | |
|-----------------------------------|------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|-----------------|--|--|
| | | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | | | |
| | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | |
| | | 7 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 5 | 5 | 5 | 6 | 7 | 7 | 7 | 8 | 9 | 9 | 9 | 5 | 6 | 7 | 7 | | |
| Salivary Glands | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | | |
| Stomach, Forestomach | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Squamous Cell Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | 1 | | | |
| Squamous Cell Carcinoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | 1 | | | |
| Stomach, Glandular | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | | |
| Tooth | | | | | | | | | | | | | | | | | | | | | | | + | 1 | | | |
| CARDIOVASCULAR SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Blood Vessel | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Heart | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| ENDOCRINE SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Adrenal Cortex | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Adrenal Medulla | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Islets, Pancreatic | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | | |
| Parathyroid Gland | | + | + | + | + | + | + | + | M | M | + | + | + | + | + | M | + | + | + | + | + | + | + | 41 | | | |
| Pituitary Gland | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Thyroid Gland | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| GENERAL BODY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peritoneum | | | | | | | | | | | | | | | | | | | | | | | | 1 | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20320 - 04
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)
 Tetrabromobisphenol A
 CAS Number: 79-94-7

Date Report Requested: 01/22/2013
 Time Report Requested: 11:01:14
 First Dose M/F: 08/07/07 / 08/06/07
 Lab: BAT

| B6C3F1 MICE FEMALE | DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|--------------------|-------------|-----------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------|------|
| | | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | | 0779 |
| 250 mg/kg | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 50 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 50 |
| | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 50 |
| | | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 50 |

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Clitoral Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Luteoma | | | | | | | | | | | | | | | | | | | X | | | | | 1 |
| Uterus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Polyp Stromal | | | | | | | | | | | | | | | | | | | X | | | | | 1 |
| Vagina | | | | | | | | | | | | | | | | | | | | | | | | 1 |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymph Node | | | | | | | | | | | | + | | | | | | | | | | | | 5 |
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Thymus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Fibrous Histiocytoma | | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20320 - 04
Test Type: CHRONIC
Route: GAVAGE
Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)
Tetrabromobisphenol A
CAS Number: 79-94-7

Date Report Requested: 01/22/2013
Time Report Requested: 11:01:14
First Dose M/F: 08/07/07 / 08/06/07
Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|--------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| B6C3F1 MICE FEMALE | DAY ON TEST | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 |
| | ANIMAL ID | 0
0
2
7
7 | 0
0
2
8
0 | 0
0
2
8
3 | 0
0
2
8
5 | 0
0
2
8
8 | 0
0
2
9
2 | 0
0
2
9
4 | 0
0
2
9
6 | 0
0
2
9
7 | 0
0
2
9
2 | 0
0
2
5
7 | 0
0
2
5
8 | 0
0
2
6
7 | 0
0
2
7
0 | 0
0
2
7
3 | 0
0
2
7
6 | 0
0
2
7
4 | 0
0
2
7
1 | 0
0
2
7
3 | 0
0
2
7
9 | 0
0
2
7
9 | 0
0
2
7
9 | 0
0
2
7
9 | 0
0
2
7
5 | 0
0
2
7
6 | 0
0
2
7
7 | 0
0
2
7
8 |
| 250 mg/kg | | | | | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| MUSCULOSKELETAL SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Osteosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| NERVOUS SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| RESPIRATORY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | | X | X | | | | | | | | | | | | | | | | | 2 |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| SPECIAL SENSES SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Adenoma | | | X | | | X | | | | | X | | | | | X | | | | | | | | | | | | 6 |
| Carcinoma | | | | | X | | | | | | | | | | | | | | | | | | | | | | | 1 |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| URINARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

SYSTEMIC LESIONS

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

Page 62

Experiment Number: 20320 - 04
Test Type: CHRONIC
Route: GAVAGE
Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)
Tetrabromobisphenol A
CAS Number: 79-94-7

Date Report Requested: 01/22/2013
Time Report Requested: 11:01:14
First Dose M/F: 08/07/07 / 08/06/07
Lab: BAT

| B6C3F1 MICE FEMALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|----------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|----------|
| | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 250 mg/kg | ANIMAL ID | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | | |
| | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | | |
| | | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | | |
| | | 7 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 5 | 5 | 5 | 6 | 7 | 7 | 7 | 8 | 9 | 9 | 9 | 5 | 6 | | |
| | | 7 | 0 | 3 | 5 | 8 | 2 | 4 | 6 | 7 | 2 | 7 | 8 | 7 | 0 | 3 | 6 | 4 | 1 | 3 | 9 | 9 | 4 | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | |
| Multiple Organ | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | X | | | | 2 | | |
| Leukemia Mononuclear | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Lymphoma Malignant | | | | | | | | | X | | X | | | X | | | | | | | | | 4 | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

Experiment Number: 20320 - 04
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Tetrabromobisphenol A

CAS Number: 79-94-7

Date Report Requested: 01/22/2013

Time Report Requested: 11:01:14

First Dose M/F: 08/07/07 / 08/06/07

Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------------------|---|---|
| B6C3F1 MICE FEMALE | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 4 | 4 | 4 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | | 8 | 8 | 8 | 2 | 5 | 1 | 2 | 3 | 4 | 5 | 6 | 8 | 0 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 500 mg/kg | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | 1 | 1 | 3 | 0 | 0 | 2 | 0 | 3 | 4 | 1 | 0 | 3 | 4 | 2 | 0 | 0 | 1 | 2 | 2 | 2 | 2 | 2 | 3 | 4 | | |
| | 8 | 9 | 3 | 2 | 6 | 3 | 5 | 2 | 0 | 0 | 4 | 7 | 2 | 0 | 7 | 8 | 2 | 2 | 5 | 6 | 7 | 9 | 9 | 4 | | |
| | | | | | | | | | | | | | | | | | | | | | | | | females | | |
| | | | | | | | | | | | | | | | | | | | | | | | | (cont...) | | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Cecum | + | A | + | A | + | A | A | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Rectum
Adenoma | + | + | + | + | + | + | | X | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Duodenum | A | A | A | A | + | A | A | A | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Ileum | + | A | + | A | + | A | A | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Jejunum | A | + | A | A | + | + | A | A | A | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + |
| Liver | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hemangioma | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Adenoma | | | | | | | | | | | | | | X | | | | X | X | | | X | | X |
| Hepatocellular Adenoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Carcinoma | | | | | | X | X | | | | | | | | | | | | | | | X | | |
| Mesentery | | | + | + | | | | | | | | | | | + | | | | | | | | | + |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20320 - 04

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Tetrabromobisphenol A

CAS Number: 79-94-7

Date Report Requested: 01/22/2013

Time Report Requested: 11:01:14

First Dose M/F: 08/07/07 / 08/06/07

Lab: BAT

| B6C3F1 MICE FEMALE | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|--------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 4 | 4 | 4 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 500 mg/kg | ANIMAL ID | 8 | 8 | 8 | 2 | 5 | 1 | 2 | 3 | 4 | 5 | 6 | 8 | 0 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | | 0 | 6 | 7 | 0 | 2 | 9 | 4 | 8 | 4 | 9 | 9 | 9 | 8 | 1 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | | 1 | 1 | 3 | 0 | 0 | 2 | 0 | 3 | 4 | 1 | 0 | 3 | 4 | 2 | 0 | 0 | 1 | 2 | 2 | 2 | 2 | 3 | 4 | |
| | | 8 | 9 | 3 | 2 | 6 | 3 | 5 | 2 | 0 | 0 | 4 | 7 | 2 | 0 | 7 | 8 | 2 | 2 | 5 | 6 | 7 | 9 | 3 | |

females
(cont...)

Clitoral Gland

+ M + + +

Ovary
Cystadenoma
Granulosa Cell Tumor Malignant

+ +

Oviduct

+

Uterus
Polyp Stromal
Sarcoma Stromal

+
X

HEMATOPOIETIC SYSTEM

Bone Marrow

+ +

Lymph Node
Pancreatic, Granulosa Cell Tumor Malignant,
Metastatic, Ovary

+ +

Lymph Node, Mandibular

+ + + + + + + + M + + M + + + + + + + + + + + + + + +

Lymph Node, Mesenteric

+ +

Spleen

+ +

Thymus

+ +

INTEGUMENTARY SYSTEM

Mammary Gland
Fibroadenoma

+
X

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

Experiment Number: 20320 - 04

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Tetrabromobisphenol A

CAS Number: 79-94-7

Date Report Requested: 01/22/2013

Time Report Requested: 11:01:14

First Dose M/F: 08/07/07 / 08/06/07

Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------------------|
| B6C3F1 MICE FEMALE | 500 mg/kg | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | | 4 | 4 | 4 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | | | 8 | 8 | 8 | 2 | 5 | 1 | 2 | 3 | 4 | 5 | 6 | 8 | 0 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | | 0 | 6 | 7 | 0 | 2 | 9 | 4 | 8 | 4 | 9 | 9 | 8 | 1 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | |
| | | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | | | 1 | 1 | 3 | 0 | 0 | 2 | 0 | 3 | 4 | 1 | 0 | 3 | 4 | 2 | 0 | 0 | 1 | 2 | 2 | 2 | 2 | 2 | 3 | 4 | |
| | | | 8 | 9 | 3 | 2 | 6 | 3 | 5 | 2 | 0 | 0 | 4 | 7 | 2 | 0 | 7 | 8 | 2 | 2 | 5 | 6 | 7 | 9 | 3 | 4 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | females (cont...) |

Skin Schwannoma Malignant

+
X

MUSCULOSKELETAL SYSTEM

Bone

+ +

NERVOUS SYSTEM

Brain

+ +

RESPIRATORY SYSTEM

Lung

Alveolar/Bronchiolar Adenoma Schwannoma Malignant, Metastatic, Skin

+
X

Nose

+ +

Trachea

+ +

SPECIAL SENSES SYSTEM

Eye

+ +

Harderian Gland Adenoma Carcinoma

+
X

URINARY SYSTEM

Kidney

+ +

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

Experiment Number: 20320 - 04
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Tetrabromobisphenol A
 CAS Number: 79-94-7

Date Report Requested: 01/22/2013
 Time Report Requested: 11:01:14
 First Dose M/F: 08/07/07 / 08/06/07
 Lab: BAT

| B6C3F1 MICE FEMALE | 500 mg/kg | DAY ON TEST | | | | | | | | | | | | | | | | | | | | ANIMAL ID | females
(cont...) | |
|--------------------------------------|-----------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|-----------|-----------------------|--|
| | | 0
4
8
0 | 0
4
8
6 | 0
4
8
7 | 0
5
2
0 | 0
5
1
2 | 0
6
2
9 | 0
6
3
4 | 0
6
4
8 | 0
6
5
9 | 0
6
6
4 | 0
6
6
8 | 0
6
7
1 | 0
6
7
2 | 0
6
7
2 | 0
6
7
2 | 0
6
7
2 | 0
6
7
2 | 0
6
7
2 | 0
6
7
2 | 0
6
7
2 | | | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0
0
3
1
8 | |
| Urinary Bladder | | + | | | | | | | | | | | | | | | | | | | | | | |
| SYSTEMIC LESIONS | | | | | | | | | | | | | | | | | | | | | | | | |
| Multiple Organ
Lymphoma Malignant | | + | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | X | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20320 - 04

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Tetrabromobisphenol A

CAS Number: 79-94-7

Date Report Requested: 01/22/2013

Time Report Requested: 11:01:14

First Dose M/F: 08/07/07 / 08/06/07

Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| B6C3F1 MICE FEMALE | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ANIMAL ID | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 500 mg/kg | | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | 4 | 4 | 4 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 4 | 4 | 5 | 1 | 1 | 2 | 2 | 3 | 3 | 4 | |
| | 6 | 8 | 9 | 1 | 3 | 9 | 3 | 4 | 5 | 6 | 1 | 1 | 4 | 8 | 5 | 7 | 0 | 1 | 7 | 4 | 8 | 0 | 5 | 6 | |
| * TOTALS | | | | | | | | | | | | | | | | | | | | | | | | | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---------|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 45 |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Rectum
Adenoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50
1 |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 42 |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 45 |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 43 |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Hemangioma | | | | | | | X | | | | | | | | | | | | X | | | | | | 2 |
| Hepatocellular Adenoma | | | X | X | | | | | X | X | | | | X | X | | | | | | | | | | 11 |
| Hepatocellular Adenoma, Multiple | X | X | | | X | | | X | | | | | | | | | | | | | | | | | 4 |
| Hepatocellular Carcinoma | | | | | | | | | | | | | | X | | | | | X | | | | | | 5 |
| Mesentery | | | | | | | | | | | | | | | + | | | | + | | | | | + | 7 |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

Experiment Number: 20320 - 04
Test Type: CHRONIC
Route: GAVAGE
Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)
Tetrabromobisphenol A
CAS Number: 79-94-7

Date Report Requested: 01/22/2013
Time Report Requested: 11:01:14
First Dose M/F: 08/07/07 / 08/06/07
Lab: BAT

| B6C3F1 MICE FEMALE
500 mg/kg | DAY ON TEST | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | 0
7 | |
|---------------------------------|-------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-----------------|
| | ANIMAL ID | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | 0
0 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| Stomach, Glandular | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Tooth | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| CARDIOVASCULAR SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Blood Vessel | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Heart | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| ENDOCRINE SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Adrenal Cortex | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Adrenal Medulla | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Islets, Pancreatic | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Parathyroid Gland | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | M | + | + | + | + | + | + | + | + | 42 | |
| Pituitary Gland | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Pars Intermedia, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Thyroid Gland | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| C-cell, Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Follicular Cell, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| GENERAL BODY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| NONE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GENITAL SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

Experiment Number: 20320 - 04

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Tetrabromobisphenol A

CAS Number: 79-94-7

Date Report Requested: 01/22/2013

Time Report Requested: 11:01:14

First Dose M/F: 08/07/07 / 08/06/07

Lab: BAT

| B6C3F1 MICE FEMALE
500 mg/kg | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
|---|-------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|----------|------|----|
| | 0729 | 0729 | 0729 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | | 0730 | |
| ANIMAL ID | 003468 | 003469 | 003470 | 003471 | 003472 | 003473 | 003474 | 003475 | 003476 | 003477 | 003478 | 003479 | 003480 | 003481 | 003482 | 003483 | 003484 | 003485 | 003486 | 003487 | 003488 | | |
| Clitoral Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | |
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Cystadenoma | X | | | | | | | | | | | | | | | | | | | | | 1 | |
| Granulosa Cell Tumor Malignant | | | | X | | | | | | | | | | | | | | | | | | 1 | |
| Oviduct | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Uterus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Polyp Stromal | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Sarcoma Stromal | | | | | | | | | | X | | | | | | | | | | | | 1 | |
| HEMATOPOIETIC SYSTEM | | | | | | | | | | | | | | | | | | | | | | | |
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Lymph Node | + | | | + | | | | | | | | | | | | | | | | | | 3 | |
| Pancreatic, Granulosa Cell Tumor Malignant, Metastatic, Ovary | | | | X | | | | | | | | | | | | | | | | | | 1 | |
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Thymus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | M | 48 |
| INTEGUMENTARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | |
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Fibroadenoma | | | | | | | | | | | | | | | | | | | | | | 1 | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20320 - 04
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)
 Tetrabromobisphenol A
 CAS Number: 79-94-7

Date Report Requested: 01/22/2013
 Time Report Requested: 11:01:14
 First Dose M/F: 08/07/07 / 08/06/07
 Lab: BAT

| B6C3F1 MICE FEMALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|--|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|----------|
| | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | |
| 500 mg/kg | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| 0
3
4
6 | 0
0
3
4
8 | 0
0
3
4
9 | 0
0
3
0
1 | 0
0
3
0
3 | 0
0
3
0
9 | 0
0
3
1
3 | 0
0
3
1
4 | 0
0
3
1
5 | 0
0
3
1
6 | 0
0
3
1
7 | 0
0
3
2
8 | 0
0
3
3
9 | 0
0
3
3
1 | 0
0
3
3
1 | 0
0
3
3
1 | 0
0
3
4
7 | 0
0
3
4
8 | 0
0
3
5
0 | 0
0
3
5
1 | 0
0
3
6
2 | 0
0
3
6
3 | 0
0
3
6
4 | 0
0
3
6
5 | |
| Skin | + | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Schwannoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| MUSCULOSKELETAL SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | |
| Bone | + | | | | | | | | | | | | | | | | | | | | | | | 50 |
| NERVOUS SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | |
| Brain | + | | | | | | | | | | | | | | | | | | | | | | | 50 |
| RESPIRATORY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | |
| Lung | + | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Schwannoma Malignant, Metastatic, Skin | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Nose | + | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Trachea | + | | | | | | | | | | | | | | | | | | | | | | | 50 |
| SPECIAL SENSES SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | |
| Eye | + | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Harderian Gland | + | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Adenoma | X | | | | | | | | | | | | | | | | | | | | | | | 3 |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| URINARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | |
| Kidney | + | | | | | | | | | | | | | | | | | | | | | | | 50 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20320 - 04

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Tetrabromobisphenol A

CAS Number: 79-94-7

Date Report Requested: 01/22/2013

Time Report Requested: 11:01:14

First Dose M/F: 08/07/07 / 08/06/07

Lab: BAT

| B6C3F1 MICE FEMALE | 500 mg/kg | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | | | |
|-------------------------|-----------|-------------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----------|----|----|----|----|
| | | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | 07 | | 07 | | | |
| ANIMAL ID | | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | | | | |
| | | 29 | 29 | 29 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | 30 | | | | |
| | | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | | | | |
| | | 44 | 44 | 44 | 00 | 00 | 00 | 11 | 11 | 11 | 11 | 23 | 33 | 33 | 33 | 44 | 44 | 55 | 11 | 11 | 22 | 22 | 33 | 33 | 33 | 44 |
| | | 68 | 68 | 69 | 11 | 33 | 99 | 33 | 44 | 55 | 66 | 11 | 11 | 44 | 88 | 55 | 77 | 00 | 11 | 77 | 44 | 88 | 00 | 55 | 66 | 11 |
| Urinary Bladder | | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| SYSTEMIC LESIONS | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Multiple Organ | | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Lymphoma Malignant | | X | | | | | | | | | | | | | | | | | | | | | | | | 4 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20320 - 04

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Tetrabromobisphenol A

CAS Number: 79-94-7

Date Report Requested: 01/22/2013

Time Report Requested: 11:01:14

First Dose M/F: 08/07/07 / 08/06/07

Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------------------------------|
| B6C3F1 MICE FEMALE | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| 1000 mg/kg | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | females
(cont...) |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Cecum | + | A | A | A | A | A | A | A | + | A | A | A | A | A | + | A | A | + | + | A | A | A | A |
| Intestine Large, Colon | + | + | + | A | A | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + |
| Intestine Large, Rectum | + | + | A | A | A | + | + | A | + | + | + | + | + | + | A | + | + | + | + | + | + | + | A |
| Intestine Small, Duodenum | + | A | A | A | A | A | A | A | + | A | A | A | A | A | + | A | A | A | + | + | A | A | A |
| Intestine Small, Ileum | + | A | A | A | A | A | A | A | + | A | A | A | A | A | + | A | A | A | + | A | A | A | A |
| Intestine Small, Jejunum | + | A | A | A | A | A | A | A | + | A | A | A | A | A | + | A | A | A | + | A | A | A | A |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + |
| Hepatocellular Adenoma | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Carcinoma | | | | | | | | | | | | | | | | | | | | | | | |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Stomach, Forestomach | + | + | + | A | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

Experiment Number: 20320 - 04
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)
 Tetrabromobisphenol A
 CAS Number: 79-94-7

Date Report Requested: 01/22/2013
 Time Report Requested: 11:01:14
 First Dose M/F: 08/07/07 / 08/06/07
 Lab: BAT

| B6C3F1 MICE FEMALE
1000 mg/kg | | DAY ON TEST | | | | | | | | | | | | | | | | | | | | females
(cont...) | | | | |
|----------------------------------|--|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| | | 0
1
2
9 | 0
1
5
7 | 0
1
8
5 | 0
2
0
6 | 0
2
1
2 | 0
2
2
1 | 0
2
2
7 | 0
2
3
1 | 0
2
3
3 | 0
2
3
4 | 0
2
5
0 | 0
2
7
6 | 0
2
7
8 | 0
2
9
1 | 0
3
0
2 | 0
3
0
8 | 0
3
2
5 | 0
3
3
9 | 0
3
3
9 | 0
3
4
4 | | 0
3
4
7 | 0
3
5
4 | 0
3
5
4 | 0
3
6
2 |
| ANIMAL ID | | 0
0
3
8
9 | 0
0
3
6
3 | 0
0
3
9
8 | 0
0
3
9
7 | 0
0
3
7
1 | 0
0
3
6
5 | 0
0
3
5
2 | 0
0
3
9
2 | 0
0
3
6
2 | 0
0
3
8
6 | 0
0
3
8
5 | 0
0
3
9
9 | 0
0
3
7
0 | 0
0
3
8
2 | 0
0
3
8
1 | 0
0
3
6
7 | 0
0
3
5
4 | 0
0
3
3
6 | 0
0
3
3
5 | 0
0
3
3
5 | 0
0
3
5
5 | 0
0
3
5
5 | 0
0
3
7
1 | 0
0
3
7
2 | 0
0
3
7
3 |
| Heart | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| ENDOCRINE SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Adrenal Cortex | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Adrenal Medulla | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Islets, Pancreatic | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Parathyroid Gland | | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M |
| Pituitary Gland | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + |
| Thyroid Gland | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| GENERAL BODY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| NONE | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GENITAL SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Clitoral Gland | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Ovary
Cystadenoma | | + | + | + | A | + | + | + | + | + | + | + | + | + | A | A | + | + | + | + | + | + | + | + | + | + |
| Uterus | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| HEMATOPOIETIC SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bone Marrow | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

Experiment Number: 20320 - 04

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Tetrabromobisphenol A

CAS Number: 79-94-7

Date Report Requested: 01/22/2013

Time Report Requested: 11:01:14

First Dose M/F: 08/07/07 / 08/06/07

Lab: BAT

| B6C3F1 MICE FEMALE
1000 mg/kg | DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) | |
|----------------------------------|-------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|---|
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | | 3 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | | 2 | 5 | 8 | 0 | 1 | 2 | 2 | 3 | 3 | 3 | 5 | 7 | 7 | 9 | 0 | 0 | 1 | 2 | 3 | 3 | 4 | 4 | 5 | 5 | 6 | |
| | | 9 | 7 | 5 | 6 | 2 | 1 | 7 | 1 | 3 | 4 | 0 | 6 | 8 | 1 | 2 | 2 | 8 | 5 | 9 | 9 | 4 | 7 | 4 | 4 | 2 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | | 8 | 6 | 9 | 9 | 7 | 7 | 6 | 5 | 9 | 6 | 8 | 6 | 9 | 7 | 8 | 8 | 9 | 6 | 5 | 7 | 5 | 5 | 5 | 7 | 7 | |
| | | 9 | 3 | 8 | 7 | 1 | 6 | 5 | 2 | 2 | 2 | 6 | 8 | 5 | 9 | 0 | 2 | 1 | 7 | 7 | 4 | 6 | 8 | 1 | 2 | 3 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Lymph Node | + | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mandibular | + | + | + | M | + | + | + | + | + | + | + | + | + | + | M | M | + | + | + | + | + | + | + | + | + | + | |
| Lymph Node, Mesenteric | + | + | + | M | + | + | + | M | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Thymus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Squamous Cell Papilloma | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Subcutaneous Tissue, Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

Experiment Number: 20320 - 04
Test Type: CHRONIC
Route: GAVAGE
Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)
 Tetrabromobisphenol A
CAS Number: 79-94-7

Date Report Requested: 01/22/2013
Time Report Requested: 11:01:14
First Dose M/F: 08/07/07 / 08/06/07
Lab: BAT

| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | females
(cont...) | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|---|---|---|---|---|---|
| B6C3F1 MICE FEMALE | DAY ON TEST | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | | | | | | | |
| | | 2 | 5 | 8 | 0 | 1 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 5 | 7 | 7 | 9 | 0 | 0 | 1 | 2 | | 3 | 3 | | | | |
| | | 9 | 7 | 5 | 6 | 2 | 1 | 7 | 1 | 3 | 3 | 4 | 0 | 6 | 8 | 1 | 2 | 2 | 8 | 5 | 9 | 9 | 4 | | 7 | 4 | 4 | 5 | 5 | 6 |
| 1000 mg/kg | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | | 8 | 6 | 9 | 9 | 7 | 7 | 6 | 5 | 9 | 6 | 8 | 6 | 9 | 7 | 8 | 8 | 9 | 6 | 5 | 7 | 5 | 5 | 5 | 5 | 5 | 7 | 7 | 7 | 7 |
| | | 9 | 3 | 8 | 7 | 1 | 6 | 5 | 2 | 2 | 2 | 2 | 6 | 8 | 5 | 9 | 0 | 2 | 1 | 7 | 7 | 4 | 6 | 8 | 1 | 2 | 3 | 3 | 3 | 3 |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Harderian Gland Adenoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Kidney | + | + | + | A | + | + | + | + | + | + | + | + | + | + | A | A | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

SYSTEMIC LESIONS

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple Organ Lymphoma Malignant | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| B6C3F1 MICE FEMALE | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | ANIMAL ID | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 1000 mg/kg | | 6 | 7 | 7 | 8 | 3 | 3 | 4 | 8 | 8 | 2 | 3 | 3 | 4 | 4 | 3 | 4 | 4 | 5 | 8 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | | 7 | 3 | 4 | 8 | 0 | 3 | 0 | 6 | 7 | 1 | 1 | 4 | 2 | 5 | 3 | 3 | 6 | 5 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | | 8 | 6 | 8 | 8 | 5 | 5 | 8 | 8 | 9 | 8 | 6 | 7 | 7 | 9 | 6 | 5 | 6 | 7 | 6 | 5 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| | | 3 | 9 | 4 | 8 | 4 | 3 | 5 | 7 | 0 | 1 | 0 | 8 | 0 | 5 | 9 | 4 | 7 | 6 | 5 | 3 | 4 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | |
| * TOTALS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|----|----|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Cecum | A | + | A | + | + | + | A | A | + | + | A | A | + | A | A | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 21 | |
| Intestine Large, Colon | A | + | A | + | + | + | + | A | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 43 | |
| Intestine Large, Rectum | A | + | A | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 41 | |
| Intestine Small, Duodenum | A | + | A | + | + | + | + | A | A | A | A | A | A | A | + | A | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 18 | | |
| Intestine Small, Ileum | A | + | A | + | + | + | + | A | A | + | A | A | A | + | A | A | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 19 | | |
| Intestine Small, Jejunum | A | + | A | + | + | + | A | + | A | A | A | A | + | A | A | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 18 | | |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | | |
| Hepatocellular Adenoma | | | | | | | | | | | | | | X | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Hepatocellular Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

Experiment Number: 20320 - 04
Test Type: CHRONIC
Route: GAVAGE
Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)
Tetrabromobisphenol A
CAS Number: 79-94-7

Date Report Requested: 01/22/2013
Time Report Requested: 11:01:14
First Dose M/F: 08/07/07 / 08/06/07
Lab: BAT

| B6C3F1 MICE FEMALE
1000 mg/kg | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
|----------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ANIMAL ID | 3 | 3 | 3 | 7 | 8 | 3 | 3 | 4 | 8 | 8 | 2 | 3 | 3 | 4 | 4 | 3 | 4 | 4 | 5 | 8 | 8 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |

* TOTALS

Heart + 50

ENDOCRINE SYSTEM

Adrenal Cortex + 50
Adrenal Medulla + 50
Islets, Pancreatic + 50
Parathyroid Gland + + + + + + + M + + + + M M + + + + + + M M + + + 43
Pituitary Gland + 49
Thyroid Gland + 50

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

Clitoral Gland + M + + + + + + + + + + M + + + + + + + + + + + + + + + 48
Ovary + 47
Cystadenoma + + + + + + + + + + + X + + + + + + + + + + X + + 2
Uterus + 50

HEMATOPOIETIC SYSTEM

Bone Marrow + 50

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

| B6C3F1 MICE FEMALE | DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|--------------------|-------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
| | | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | | |
| | 6 | 7 | 7 | 8 | 3 | 3 | 4 | 8 | 8 | 2 | 3 | 3 | 4 | 4 | 3 | 4 | 4 | 5 | 8 | 3 | 3 | 3 | 3 | | |
| | 7 | 3 | 4 | 8 | 0 | 3 | 0 | 6 | 7 | 7 | 1 | 1 | 4 | 2 | 5 | 3 | 3 | 6 | 5 | 1 | 2 | 1 | 1 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 0 | 0 | 0 | 0 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | | |
| | 8 | 6 | 8 | 8 | 5 | 5 | 8 | 8 | 9 | 8 | 6 | 7 | 7 | 7 | 9 | 6 | 5 | 6 | 7 | 6 | 5 | 9 | 9 | | |
| | 3 | 9 | 4 | 8 | 4 | 3 | 5 | 7 | 0 | 1 | 0 | 8 | 0 | 5 | 9 | 1 | 9 | 4 | 7 | 6 | 5 | 3 | 4 | | |

| | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Lymph Node | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymph Node, Mandibular | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 46 |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Thymus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Squamous Cell Papilloma | | | | | | | | | | | | | | | | | | | | X | | | | 1 |
| Subcutaneous Tissue, Sarcoma | | | | | | | | | | | | | | | X | | | | | | | | | 1 |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|
| B6C3F1 MICE FEMALE | 1000 mg/kg | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | * TOTALS |
| | | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | |
| | | 6 | 7 | 7 | 8 | 3 | 3 | 4 | 8 | 8 | 2 | 3 | 3 | 3 | 4 | 4 | 3 | 4 | 4 | 5 | 8 | 8 | 3 | 3 | 3 | 3 | 3 | |
| | | 7 | 3 | 4 | 8 | 0 | 3 | 0 | 6 | 7 | 7 | 1 | 1 | 4 | 2 | 5 | 3 | 3 | 6 | 5 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | |
| | | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | | |
| | | | 8 | 6 | 8 | 8 | 5 | 5 | 8 | 8 | 9 | 8 | 6 | 7 | 7 | 7 | 9 | 6 | 5 | 6 | 7 | 6 | 5 | 9 | 9 | 0 | | |
| | | | 3 | 9 | 4 | 8 | 4 | 3 | 5 | 7 | 0 | 1 | 0 | 8 | 0 | 5 | 9 | 1 | 9 | 4 | 7 | 6 | 5 | 3 | 4 | 0 | | |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Harderian Gland Adenoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

SYSTEMIC LESIONS

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Multiple Organ Lymphoma Malignant | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

*** END OF REPORT ***

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically