

**TDMS No.** 60311 - 06

**Test Type:** CHRONIC

**Route:** RESPIRATORY EXPOSURE WHOLE BODY

**Species/Strain:** MICE/B6C3F1

**P11: STATISTICAL ANALYSIS OF SURVIVAL DATA**

Cobalt

**CAS Number:** 7440-48-4

**Date Report Requested:** 09/08/2011

**Time Report Requested:** 08:23:30

**First Dose M/F:** 05/15/06 / 05/15/06

**Lab:** BNW

F1\_M3

**C Number:** C60311  
**Lock Date:** 12/03/2008  
**Cage Range:** ALL  
**Date Range:** ALL  
**Reasons For Removal:** ALL  
**Removal Date Range:** ALL  
**Treatment Groups:** Include ALL  
**Study Gender:** Both  
**TDMSE Version:** 2.4.2.1\_003  
**PWG Approval Date:** NONE



TDMS No. 60311 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P11: STATISTICAL ANALYSIS OF SURVIVAL DATA

Cobalt

CAS Number: 7440-48-4

Date Report Requested: 09/08/2011

Time Report Requested: 08:23:30

First Dose M/F: 05/15/06 / 05/15/06

Lab: BNW

MALE MICE

FIRST TERMINAL SACRIFICE AT 729 DAYS

KAPLAN-MEIER SURVIVAL PROBABILITY ESTIMATES (%)										
DOSE	TIME (DAYS)									
	90	180	270	365	425	485	545	605	665	729(A)
control	100.0	100.0	100.0	100.0	100.0	100.0	100.0	98.0	90.0	78.0
1.25 mg/m3	100.0	100.0	100.0	100.0	100.0	98.0	98.0	92.0	76.0	62.0
2.5 mg/m3	100.0	100.0	100.0	98.0	94.0	90.0	88.0	84.0	70.0	58.0
5.0 mg/m3	100.0	100.0	98.0	98.0	96.0	94.0	92.0	78.0	68.0	50.0

(A) FIRST TERMINAL SACRIFICE

(B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".

(C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE

(D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

TDMS No. 60311 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P11: STATISTICAL ANALYSIS OF SURVIVAL DATA

Cobalt

CAS Number: 7440-48-4

Date Report Requested: 09/08/2011

Time Report Requested: 08:23:30

First Dose M/F: 05/15/06 / 05/15/06

Lab: BNW

MALE MICE

FIRST TERMINAL SACRIFICE AT 729 DAYS

SURVIVAL SUMMARY STATISTICS				
DOSE	control	1.25 mg/m3	2.5 mg/m3	5.0 mg/m3
<b>SURVIVAL AT END OF STUDY</b> (KAPLAN-MEIER)	78.0%	62.0%	58.0%	50.0%
<b>SIGNIFICANCE (B)</b> (LIFE TABLE)	P=0.004	P=0.102	P=0.035	P=0.003
<b>MEAN DAY OF NATURAL DEATHS (C)</b> (STANDARD ERROR)	666.2 (13.4)	639.6 (16.0)	593.1 (25.3)	606.1 (22.0)
<b>MEAN LIFE SPAN (D)</b> (STANDARD ERROR)	715.2 (4.7)	695.0 (8.6)	671.9 (14.2)	667.5 (14.0)

(A) FIRST TERMINAL SACRIFICE

(B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".

(C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE

(D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)



TDMS No. 60311 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P11: STATISTICAL ANALYSIS OF SURVIVAL DATA

Cobalt

CAS Number: 7440-48-4

Date Report Requested: 09/08/2011

Time Report Requested: 08:23:30

First Dose M/F: 05/15/06 / 05/15/06

Lab: BNW

FEMALE MICE

FIRST TERMINAL SACRIFICE AT 731 DAYS

KAPLAN-MEIER SURVIVAL PROBABILITY ESTIMATES (%)										
DOSE	TIME (DAYS)									
	90	180	270	365	425	485	545	605	665	731(A)
control	100.0	100.0	98.0	98.0	94.0	94.0	90.0	86.0	80.0	72.0
1.25 mg/m3	100.0	100.0	100.0	100.0	98.0	98.0	90.0	90.0	80.0	70.0
2.5 mg/m3	100.0	100.0	100.0	100.0	100.0	98.0	94.0	78.0	70.0	54.0
5.0 mg/m3	100.0	100.0	100.0	98.0	98.0	96.0	88.0	78.0	62.0	52.0

(A) FIRST TERMINAL SACRIFICE

(B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".

(C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE

(D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

TDMS No. 60311 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P11: STATISTICAL ANALYSIS OF SURVIVAL DATA

Cobalt

CAS Number: 7440-48-4

Date Report Requested: 09/08/2011

Time Report Requested: 08:23:30

First Dose M/F: 05/15/06 / 05/15/06

Lab: BNW

FEMALE MICE

FIRST TERMINAL SACRIFICE AT 731 DAYS

SURVIVAL SUMMARY STATISTICS				
DOSE	control	1.25 mg/m3	2.5 mg/m3	5.0 mg/m3
<b>SURVIVAL AT END OF STUDY</b> (KAPLAN-MEIER)	72.0%	70.0%	54.0%	52.0%
<b>SIGNIFICANCE (B)</b> (LIFE TABLE)	P=0.019	P=1.000	P=0.110	P=0.061
<b>MEAN DAY OF NATURAL DEATHS (C)</b> (STANDARD ERROR)	570.3 (39.6)	612.4 (24.8)	620.2 (14.6)	599.2 (17.3)
<b>MEAN LIFE SPAN (D)</b> (STANDARD ERROR)	686.0 (14.9)	695.4 (10.6)	680.0 (10.3)	667.7 (12.5)

\*\*\* END OF REPORT \*\*\*

(A) FIRST TERMINAL SACRIFICE

(B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".

(C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE

(D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)