

TDMS No. 88105 - 04
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 ISOEUGENOL
 CAS Number: 97-54-1
 Pathologist: Blackshear, P. - GRUMBEIN, S.

Date Report Requested: 10/04/2006
 Time Report Requested: 13:43:51
 First Dose M/F: 05/09/02 / 05/08/02
 Lab: BNW

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|--|
| | 7 | 7 | 7 | 6 | 6 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | | |
| | 2 | 2 | 2 | 3 | 4 | 7 | 2 | 2 | 0 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 9 | 2 | 2 | | |
| | 9 | 7 | 8 | 2 | 7 | 7 | 7 | 7 | 9 | 9 | 8 | 9 | 9 | 7 | 7 | 7 | 7 | 7 | 9 | 7 | 7 | 3 | 8 | 9 | 8 | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| 150 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | | |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | * TOTALS | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---------------|
| Hyaline Droplet | | | | | | | | | | | | | | | | | | | | | | | | | |
| Olfactory Epithelium, Atrophy | 1 | 1 | 2 | | 1 | | 2 | 1 | 1 | | 1 | 2 | 1 | | 1 | | 1 | 2 | | 1 | 1 | 1 | 1 | 1 | 36 1.2 |
| Olfactory Epithelium, Degeneration | | | | | | | | | | | | | | | | | | | | | 1 | | | | 1 1.0 |
| Olfactory Epithelium, Respiratory Metaplasia | 2 | 2 | 2 | 1 | 2 | 1 | 2 | 2 | 2 | 1 | 2 | 2 | 3 | 3 | 2 | 1 | 2 | 3 | 2 | 2 | 3 | 3 | 2 | 2 | 49 2.0 |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------|
| Ear | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 46 |
| Cataract | | | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |
| Degeneration | | | | | | | | | | | | | | | | | | | | | | | | | 1 4.0 |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Hyperplasia | 1 | | 3 | | | | | | | | | 3 | 3 | 3 | | | | | | | | 3 | | | 6 2.7 |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---------------|--------------|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Amyloid Deposition | | | | | | | | | | | | | | | | | | | | | | | 2 | | 1 2.0 |
| Nephropathy | 3 | | | 1 | | 2 | | | 3 | | | | | 1 | 1 | 2 | | 1 | 1 | | 1 | 2 | | 22 1.5 | |
| Papilla, Necrosis | | | | | | | | | | | | | | | | | | | | | | 2 | | | 1 2.0 |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

TDMS No. 88105 - 04
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 ISOEUGENOL
 CAS Number: 97-54-1
 Pathologist: Blackshear, P. - GRUMBEIN, S.

Date Report Reqsted: 10/04/2006
 Time Report Reqsted: 13:43:51
 First Dose M/F: 05/09/02 / 05/08/02
 Lab: BNW

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | females (cont...) | | | |
|---|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|----------------------|--|--|--|
| | 5 3 1 | 7 2 8 | 7 2 9 | 6 9 8 | 7 2 8 | 3 7 9 | 7 2 7 | 7 2 9 | 6 5 0 | 7 2 9 | 7 2 8 | 7 2 7 | 7 2 8 | 7 2 8 | 7 2 8 | 7 2 8 | 7 2 7 | 7 2 9 | 7 2 8 | 7 2 7 | 7 2 9 | 7 2 7 | 7 2 9 | 7 2 7 | | | | |
| B6C3F1 MICE FEMALE 300 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | | | |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | | | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Gallbladder | A | + | + | A | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Cecum Inflammation, Acute Necrosis | A | + | + | A | + | + | + | + | + | 3 | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Colon | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Rectum Necrosis | A | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Duodenum | A | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Ileum | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Jejunum | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Basophilic Focus | | X | | | | | | | | | | | | | | | | | | X | | | | | X |
| Eosinophilic Focus | | X | | | | | | | | | | | | | | | | | | | | | | | |
| Inflammation, Chronic | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mineralization | | | | | | | | | | | | | | | | | | | | | | | | | |
| Necrosis | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 l .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

TDMS No. 88105 - 04
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 ISOEUGENOL
 CAS Number: 97-54-1
 Pathologist: Blackshear, P. - GRUMBEIN, S.

Date Report Reqsted: 10/04/2006
 Time Report Reqsted: 13:43:51
 First Dose M/F: 05/09/02 / 05/08/02
 Lab: BNW

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|---|------------------|------------------------------|
| | 5 3 1 | 7 2 8 | 7 2 9 | 6 9 8 | 7 2 8 | 3 7 9 | 7 2 7 | 7 2 9 | 6 5 0 | 7 2 9 | 7 2 8 | 7 2 7 | 7 2 8 | 7 2 8 | 7 2 8 | 7 2 8 | 7 2 7 | 7 2 8 | 7 2 7 | 7 2 7 | 7 2 9 | 7 2 7 | 7 2 9 | 7 2 7 | | | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 300 MG/KG | females (cont...) |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | | |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|--|
| Mesentery Fat, Necrosis | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pancreas Basophilic Focus Hyperplasia | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Stomach, Forestomach Hyperplasia, Squamous Inflammation Ulcer | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Glandular Inflammation Ulcer | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 3 | | | | | | | | | | | | | | | | | | | | | | | | | | |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|--|
| Blood Vessel Mineralization | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Heart Cardiomyopathy Inflammation, Suppurative Mineralization | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

TDMS No. 88105 - 04
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 ISOEUGENOL
 CAS Number: 97-54-1
 Pathologist: Blackshear, P. - GRUMBEIN, S.

Date Report Requested: 10/04/2006
 Time Report Requested: 13:43:51
 First Dose M/F: 05/09/02 / 05/08/02
 Lab: BNW

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 5 | 7 | 7 | 6 | 7 | 3 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | 3 | 2 | 2 | 9 | 2 | 7 | 2 | 2 | 5 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 1 | 8 | 9 | 8 | 8 | 9 | 7 | 9 | 0 | 9 | 8 | 7 | 8 | 8 | 8 | 8 | 7 | 9 | 8 | 7 | 7 | 9 | 7 | 7 | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 300 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |

females
(cont...)

Thrombosis 3 2

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hypertrophy | | | | | | | | | | | | | | | | | | | | | | | | | |
| Necrosis | | | | | | | | | | | | | | | | | | | | | | | | | |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | |
| Islets, Pancreatic | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | |
| Parathyroid Gland | + | + | + | + | + | + | + | + | M | M | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Pars Distalis, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Follicular Cell, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | |

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

TDMS No. 88105 - 04
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 ISOEUGENOL
 CAS Number: 97-54-1
 Pathologist: Blackshear, P. - GRUMBEIN, S.

Date Report Reqsted: 10/04/2006
 Time Report Reqsted: 13:43:51
 First Dose M/F: 05/09/02 / 05/08/02
 Lab: BNW

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | females (cont...) | | | |
|---|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|----------------------|--|--|--|
| | 5 3 1 | 7 2 8 | 7 2 9 | 6 9 8 | 7 2 8 | 3 7 9 | 7 2 7 | 7 2 9 | 6 5 0 | 7 2 9 | 7 2 8 | 7 2 7 | 7 2 8 | 7 2 8 | 7 2 8 | 7 2 8 | 7 2 7 | 7 2 9 | 7 2 8 | 7 2 7 | 7 2 9 | 7 2 7 | 7 2 9 | 7 2 7 | | | | |
| B6C3F1 MICE FEMALE 300 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | | | |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Clitoral Gland | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Angiectasis | | | | | | | | | | 2 | | | | | | | | | | | | | | | |
| Cyst | | | | | | | | | | | | | | | | | | | | | | | | | |
| Uterus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Endometrium, Hyperplasia, Cystic | | | | | | | 4 | 4 | 4 | | | 3 | 3 | 3 | 3 | | | | 2 | | 3 | | 4 | 2 | |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymph Node | | | | | | | | | | | | | | | | | | | | | | | | | + |
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymph Node, Mesenteric Inflammation, Acute | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Depletion Cellular | | | | | | 2 | | | | | | | | | | | | | | | | | | | |
| Thymus | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked
 Page 93

TDMS No. 88105 - 04
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 ISOEUGENOL
 CAS Number: 97-54-1
 Pathologist: Blackshear, P. - GRUMBEIN, S.

Date Report Reqsted: 10/04/2006
 Time Report Reqsted: 13:43:51
 First Dose M/F: 05/09/02 / 05/08/02
 Lab: BNW

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 5 | 7 | 7 | 6 | 7 | 3 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | 3 | 2 | 2 | 9 | 2 | 7 | 2 | 2 | 5 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 1 | 8 | 9 | 8 | 8 | 9 | 7 | 9 | 0 | 9 | 8 | 7 | 8 | 8 | 8 | 8 | 7 | 9 | 8 | 7 | 7 | 9 | 7 | 7 | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 300 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |
| | | | | | | | | | | | | | | | | | | | | | | | | | |

females (cont...)

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Brain Necrosis | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
|----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Thrombosis | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bronchiole, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bronchiole, Necrosis | | | | | | | | | | | | | | | | | | | | | | | | | |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Thrombosis | | | | | | | | | | | | | | | | | | | | | | | | | |
| Glands, Hyperplasia | 3 | 4 | 4 | 4 | 4 | 3 | 4 | 3 | 3 | 3 | 3 | 4 | 4 | 3 | 3 | 4 | 4 | 4 | 3 | 3 | 3 | 4 | 3 | 4 | 3 |
| Olfactory Epithelium, Accumulation, | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 l .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Page 94

TDMS No. 88105 - 04
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 ISOEUGENOL
 CAS Number: 97-54-1
 Pathologist: Blackshear, P. - GRUMBEIN, S.

Date Report Reqsted: 10/04/2006
 Time Report Reqsted: 13:43:51
 First Dose M/F: 05/09/02 / 05/08/02
 Lab: BNW

| DAY ON TEST | | 5 | 7 | 7 | 6 | 7 | 3 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
|---|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 3 | 2 | 2 | 9 | 2 | 7 | 2 | 2 | 5 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | | 1 | 8 | 9 | 8 | 8 | 9 | 7 | 9 | 0 | 9 | 8 | 7 | 8 | 8 | 8 | 8 | 7 | 9 | 8 | 7 | 7 | 9 | 7 | 9 | 7 |
| B6C3F1 MICE FEMALE 300 MG/KG | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | |

females
(cont...)

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Hyaline Droplet | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Olfactory Epithelium, Atrophy | | 2 | 2 | 1 | 1 | 2 | 1 | 1 | | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 1 | |
| Olfactory Epithelium, Degeneration | | | | | | 1 | | | | | | | | | | | | | | | | | | | | |
| Olfactory Epithelium, Respiratory Metaplasia | | 1 | 2 | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 2 | 4 | 3 |
| Respiratory Epithelium, Necrosis | | | | | | 2 | | | | | | | | | | | | | | | | | | | | |

Trachea + + + A +

SPECIAL SENSES SYSTEM

Eye A + + A +

Cataract

Degeneration

Harderian Gland + + + A +

Hyperplasia 1

URINARY SYSTEM

Kidney +

Inflammation, Suppurative 3

Nephropathy 3 1 1 1 2 2 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

Bilateral, Papilla, Necrosis 4 4

Papilla, Mineralization 1

Papilla, Necrosis 2 1 1 2 1 1 1

Renal Tubule, Necrosis 3 3

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically M .. Missing tissue 1-4 .. Lesion qualified as:
 x .. Lesion present A .. Autolysis precludes evaluation 1) Minimal 3) Moderate
 l .. Insufficient tissue BLANK .. Not examined microscopically 2) Mild 4) Marked
 Page 95

TDMS No. 88105 - 04
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 ISOEUGENOL
 CAS Number: 97-54-1
 Pathologist: Blackshear, P. - GRUMBEIN, S.

Date Report Reqsted: 10/04/2006
 Time Report Reqsted: 13:43:51
 First Dose M/F: 05/09/02 / 05/08/02
 Lab: BNW

| | | 5 | 7 | 7 | 6 | 7 | 3 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
|---------------------------|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY ON TEST | | 3 | 2 | 2 | 9 | 2 | 7 | 2 | 2 | 5 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | | 1 | 8 | 9 | 8 | 8 | 9 | 7 | 9 | 0 | 9 | 8 | 7 | 8 | 8 | 8 | 8 | 7 | 9 | 8 | 7 | 7 | 9 | 7 | 9 | 7 |
| B6C3F1 MICE FEMALE | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 300 MG/KG | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ANIMAL ID | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |
| Urinary Bladder | | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

females
(cont...)

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked
 Page 96

TDMS No. 88105 - 04
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 ISOEUGENOL
 CAS Number: 97-54-1
 Pathologist: Blackshear, P. - GRUMBEIN, S.

Date Report Requested: 10/04/2006
 Time Report Requested: 13:43:51
 First Dose M/F: 05/09/02 / 05/08/02
 Lab: BNW

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|---------------------------|-----------|---|---|---|---|---|---|---|---|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|-----------------|
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | |
| 7 | 7 | 4 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 5 | 2 | 7 | 7 | 7 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 7 | |
| 2 | 2 | 9 | 2 | 2 | 2 | 2 | 2 | 0 | 2 | 3 | 7 | 2 | 2 | 2 | 6 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 2 | |
| 8 | 9 | 7 | 7 | 8 | 7 | 9 | 8 | 5 | 7 | 8 | 7 | 9 | 7 | 7 | 0 | 3 | 3 | 3 | 4 | 3 | 5 | 4 | 4 | 8 | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 300 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | |
| | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-------|----------------|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Gallbladder | + | + | A | + | + | + | + | + | + | + | A | + | + | + | A | A | A | + | A | A | + | + | + | + | 40 | |
| Intestine Large, Cecum Inflammation, Acute Necrosis | + | + | A | + | + | + | + | + | + | + | A | + | + | + | A | + | A | + | A | A | + | + | + | + | 42 | 1 3.0 1 2.0 |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | A | + | + | + | + | + | 47 | |
| Intestine Large, Rectum Necrosis | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | 46 | 1 2.0 |
| Intestine Small, Duodenum | + | + | A | + | + | + | + | + | A | + | + | A | + | + | + | A | A | A | + | A | A | + | + | + | 40 | |
| Intestine Small, Ileum | + | + | A | + | + | + | + | + | + | + | + | A | + | + | + | A | + | A | + | A | + | + | + | + | 44 | |
| Intestine Small, Jejunum | + | + | A | + | + | + | + | + | + | + | + | A | + | + | + | A | + | A | + | + | + | + | + | + | 45 | |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Basophilic Focus | X | | | | | | | | | | | | | | | | | | | | | | | | 4 | |
| Eosinophilic Focus | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Inflammation, Chronic | | | | | | | | | | | | | | | | | | | | | | | 2 | | 2 2.0 | |
| Mineralization | | | | | | | | | | | | | | | | 3 | | | | 2 | | | | | 2 2.5 | |
| Necrosis | | | | | | | | | 4 | | | | | | | 3 | 4 | | | 4 | 3 | 4 | | | 8 3.4 | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Page 97

TDMS No. 88105 - 04
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 ISOEUGENOL
 CAS Number: 97-54-1
 Pathologist: Blackshear, P. - GRUMBEIN, S.

Date Report Reqsted: 10/04/2006
 Time Report Reqsted: 13:43:51
 First Dose M/F: 05/09/02 / 05/08/02
 Lab: BNW

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|---------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|----------|
| | 7 2 8 | 7 2 9 | 4 9 7 | 7 2 7 | 7 2 8 | 7 2 7 | 7 2 9 | 7 2 8 | 6 0 5 | 7 2 7 | 5 3 8 | 2 7 7 | 7 2 7 | 7 2 7 | 5 6 0 | 5 5 3 | 5 5 3 | 5 5 3 | 5 5 4 | 5 5 3 | 5 5 5 | 5 5 4 | 5 5 4 | 7 2 8 | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 300 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| ANIMAL ID | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | |
| | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 0 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----|-----|-----|-----|
| Mesentery Fat, Necrosis | | | | | | | | | | | | | | | | | | | | | | | | | 6 | 6 | 2.0 | |
| Pancreas Basophilic Focus Hyperplasia | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | 1 | 2.0 | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | 1 | 2.0 | | | |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | | |
| Stomach, Forestomach Hyperplasia, Squamous Inflammation Ulcer | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | 8 | 2.0 | |
| | | | 1 | | | | | | | | | | | | 2 | | | | | | 2 | | | | | | 8 | 1.4 |
| | | | 1 | | | | | | | | | | | | 2 | | | | | | 3 | | | | | | 4 | 3.0 |
| Stomach, Glandular Inflammation Ulcer | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | A | + | + | + | + | + | + | 48 | 6 | 1.7 | |
| | | | | | | | | | | | | | | | 2 | 2 | | | | | | 1 | 1 | 2 | 7 | 2.1 | | |
| | | | | | | | | | | | | | | | 3 | 2 | | 2 | | | | 1 | 1 | 3 | | | | |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|-----|---|---|---|---|
| Blood Vessel Mineralization | | | | | | | | | | | | | | | | | | | | | | | | | 2 | 1 | 3.0 | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | 3 | | | | | | |
| Heart Cardiomyopathy Inflammation, Suppurative Mineralization | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | 3 | 1.3 | | | | |
| | | | 2 | | | | | | | | | | | | | | | | | | | | | | | | | 2 | 3 | 1 | 3 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

TDMS No. 88105 - 04
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 ISOEUGENOL
 CAS Number: 97-54-1
 Pathologist: Blackshear, P. - GRUMBEIN, S.

Date Report Requested: 10/04/2006
 Time Report Requested: 13:43:51
 First Dose M/F: 05/09/02 / 05/08/02
 Lab: BNW

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
|---------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|----------|-------------|--|
| | 7 2 8 | 7 2 9 | 4 9 7 | 7 2 7 | 7 2 8 | 7 2 7 | 7 2 9 | 7 2 8 | 6 0 5 | 7 2 7 | 5 3 8 | 2 7 7 | 7 2 9 | 7 2 7 | 7 2 7 | 5 6 0 | 5 5 3 | 5 5 3 | 5 5 3 | 5 5 4 | 5 5 3 | 5 5 5 | 5 5 4 | 5 5 4 | | 7 2 8 | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 300 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| ANIMAL ID | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | |
| | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | | |

Thrombosis 2 2.5

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|-------|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 1.5 |
| Hypertrophy | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Necrosis | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Hyperplasia | 2 | | | | | | | | | | | | | | | | | | | | | | | | | | 2 2.0 |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | |
| Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | 2 | | 2 2.5 |
| Parathyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 | |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Pars Distalis, Hyperplasia | | | | | 2 | 1 | | | | 2 | | | | | | | | | | | | | | | 2 | | 9 1.8 |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Follicular Cell, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked
 Page 99

TDMS No. 88105 - 04
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 ISOEUGENOL
 CAS Number: 97-54-1
 Pathologist: Blackshear, P. - GRUMBEIN, S.

Date Report Reqsted: 10/04/2006
 Time Report Reqsted: 13:43:51
 First Dose M/F: 05/09/02 / 05/08/02
 Lab: BNW

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|---------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|----------|
| | 7 2 8 | 7 2 9 | 4 9 7 | 7 2 7 | 7 2 8 | 7 2 7 | 7 2 9 | 7 2 8 | 6 0 5 | 7 2 7 | 5 3 8 | 2 7 7 | 7 2 9 | 7 2 7 | 5 6 0 | 5 5 3 | 5 5 3 | 5 5 3 | 5 5 4 | 5 5 3 | 5 5 5 | 5 5 4 | 5 5 4 | 7 2 8 | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 300 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | |
| | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 0 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|-----|-----|
| Clitoral Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | 48 | |
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Angiectasis | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 2.0 |
| Cyst | | | | | | | | | | | | | | | | | | | | | | | | | | 4 | 3.0 |
| Uterus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Endometrium, Hyperplasia, Cystic | 4 | 4 | | | | 4 | | 1 | | 3 | | | | 3 | | | | | 3 | | 4 | | 2 | 4 | 21 | 3.2 | |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|-----|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Lymph Node | | | | | | | | | | + | | | | | | | | | | | | | | | 2 | |
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Inflammation, Acute | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 4.0 |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Depletion Cellular | | | | | | | | | | | | | | | | | | | | | | | | | 9 | 2.4 |
| Thymus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | M | + | + | 47 | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked
 Page 100

TDMS No. 88105 - 04
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 ISOEUGENOL
 CAS Number: 97-54-1
 Pathologist: Blackshear, P. - GRUMBEIN, S.

Date Report Reqsted: 10/04/2006
 Time Report Reqsted: 13:43:51
 First Dose M/F: 05/09/02 / 05/08/02
 Lab: BNW

| DAY ON TEST | | 7 | 7 | 4 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 5 | 2 | 7 | 7 | 7 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 7 |
|---|-----------|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 2 | 2 | 9 | 2 | 2 | 2 | 2 | 2 | 0 | 2 | 3 | 7 | 2 | 2 | 2 | 6 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 2 |
| | | 8 | 9 | 7 | 7 | 8 | 7 | 9 | 8 | 5 | 7 | 8 | 7 | 9 | 7 | 7 | 0 | 3 | 3 | 3 | 4 | 3 | 5 | 4 | 8 |
| B6C3F1 MICE FEMALE 300 MG/KG | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 |
| | | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| | | * TOTALS | | | | | | | | | | | | | | | | | | | | | | | |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-------|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Necrosis | | | | 2 | | | | | | | | | | | | | | | | | | | | | 1 2.0 |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------|-------|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Thrombosis | | | | | | | | | | | | | | | | | | | | | | | | | 1 1.0 |
| Bronchiole, Hyperplasia | | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Bronchiole, Necrosis | | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Thrombosis | | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Glands, Hyperplasia | 4 | 4 | 2 | 3 | 4 | 3 | 3 | 3 | 3 | 3 | 3 | | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 4 | 4 | 4 | 4 | 3 3 | |
| Olfactory Epithelium, Accumulation, | | | | 2 | 1 | 1 | | | | 1 | | | | | | | 1 | 1 | | 1 | | 2 | | 12 1.3 | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 l .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

TDMS No. 88105 - 04

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL

ISOEUGENOL

CAS Number: 97-54-1

Pathologist: Blackshear, P. - GRUMBEIN, S.

Date Report Requested: 10/04/2006

Time Report Requested: 13:43:51

First Dose M/F: 05/09/02 / 05/08/02

Lab: BNW

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
|---------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|----------|-------------|--|
| | 7 2 8 | 7 2 9 | 4 9 7 | 7 2 7 | 7 2 8 | 7 2 7 | 7 2 9 | 7 2 8 | 6 0 5 | 7 2 7 | 5 3 8 | 2 7 7 | 7 2 9 | 7 2 7 | 7 2 7 | 5 6 0 | 5 5 3 | 5 5 3 | 5 5 3 | 5 5 4 | 5 5 3 | 5 5 5 | 5 5 4 | 5 5 4 | | 7 2 8 | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 300 MG/KG | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | |
| | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---------------|
| Hyaline Droplet | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Olfactory Epithelium, Atrophy | 1 | 1 | | 2 | | 1 | 1 | 2 | 1 | 1 | 2 | | | 1 | 1 | 2 | 1 | 2 | 2 | 2 | 1 | 2 | 1 | 1 | 1 | 43 1.3 |
| Olfactory Epithelium, Degeneration | | | | | | | | | | | | | | | | | | | | | | | 1 | | | 2 1.0 |
| Olfactory Epithelium, Respiratory Metaplasia | 3 | 3 | 1 | 2 | 4 | 3 | 3 | 2 | 3 | 3 | 2 | 1 | 3 | 3 | 3 | 2 | 2 | 2 | 2 | 2 | 3 | 2 | 3 | 2 | 3 | 50 2.6 |
| Respiratory Epithelium, Necrosis | | | | | | | | | | | | | | | | | | | | | | | | | | 1 2.0 |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------|
| Eye | + | + | A | + | + | + | + | + | + | + | + | A | + | + | + | + | A | A | + | A | A | + | + | + | + | 42 |
| Cataract | | | | | | | | | | 2 | | | | | | | | | | | | | | | | 1 2.0 |
| Degeneration | | | | | | | | | | 4 | | | | | | | | | | | | | | | | 1 4.0 |
| Harderian Gland | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Hyperplasia | | | | | | | | | | | | | | | | | 2 | | | | | | | | | 2 1.5 |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---------------|--------------|
| Kidney | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Inflammation, Suppurative | | | | | | | | | | | | | | | | | | | | | | | | | | 1 3.0 |
| Nephropathy | 2 | | | | 1 | | 1 | 1 | 1 | | 1 | | 1 | | 1 | 2 | 2 | 1 | 2 | 2 | 1 | 2 | 3 | | 33 1.4 | |
| Bilateral, Papilla, Necrosis | | | | | | | 1 | | 2 | | | | | | | | | | | | | | | | | 4 2.8 |
| Papilla, Mineralization | | | | | | | | | | | | | | | | | | | | | | | | | | 1 1.0 |
| Papilla, Necrosis | 2 | | | | | 1 | | 1 | | | | | | 1 | | | | 1 | | | | 2 | 2 | | 14 1.4 | |
| Renal Tubule, Necrosis | | | | | | | | | | | | | | | 3 | | 2 | | | | 2 | | 3 | | 6 2.7 | |

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

TDMS No. 88105 - 04
 Test Type: CHRONIC
 Route: GAVAGE
 Species/Strain: MICE/B6C3F1

P09: NON-NEOPLASTIC LESIONS BY INDIVIDUAL ANIMAL
 ISOEUGENOL
 CAS Number: 97-54-1
 Pathologist: Blackshear, P. - GRUMBEIN, S.

Date Report Reqsted: 10/04/2006
 Time Report Reqsted: 13:43:51
 First Dose M/F: 05/09/02 / 05/08/02
 Lab: BNW

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|
| | DAY ON TEST | 7 | 7 | 4 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 5 | 2 | 7 | 7 | 7 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 7 |
| | | 2 | 2 | 9 | 2 | 2 | 2 | 2 | 2 | 0 | 2 | 3 | 7 | 2 | 2 | 2 | 6 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 2 |
| | | 8 | 9 | 7 | 7 | 8 | 7 | 9 | 8 | 5 | 7 | 8 | 7 | 9 | 7 | 7 | 0 | 3 | 3 | 3 | 4 | 3 | 5 | 4 | 4 | 8 | |
| B6C3F1 MICE FEMALE | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 300 MG/KG | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 |
| | | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | * TOTALS |
| Urinary Bladder | | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | A | + | A | + | + | + | + | + | + | + | 46 |

*** END OF REPORT ***

* .. Total animals with tissue examined microscopically; Total animals with lesion and mean severity grade
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically
 1-4 .. Lesion qualified as:
 1) Minimal 3) Moderate
 2) Mild 4) Marked

Page 103