

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

FORMAMIDE

CAS Number: 75-12-7

Pathologist: RYAN, M. - Blackshear, P.

F1_M3

Date Report Reqstd: 05/04/2006

Time Report Reqstd: 11:47:08

First Dose M/F: 10/04/01 / 10/03/01

Lab: BAT

C Number: C88123B

Lock Date: 05/24/2004

Cage Range: ALL

Date Range: ALL

Reasons For Removal: ALL

Removal Date Range: ALL

Treatment Groups: Include ALL

Note: Animals arranged according to days on test.

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

FORMAMIDE

CAS Number: 75-12-7

Pathologist: RYAN, M. - Blackshear, P.

Date Report Reqstd: 05/04/2006

Time Report Reqstd: 11:47:08

First Dose M/F: 10/04/01 / 10/03/01

Lab: BAT

DAY ON TEST	4	4	4	5	5	6	6	6	6	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	
	5	5	7	3	5	0	5	7	8	9	0	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	5	6	4	8	6	0	2	7	7	3	5	8	8	8	8	8	8	8	9	9	9	9	9	9	9	9
B6C3F1 MICE MALE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
0 MG/KG	ANIMAL ID	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		2	2	3	3	1	4	1	1	1	3	1	0	0	0	1	1	3	3	4	0	0	0	1	1	1
		5	8	5	7	9	1	7	4	6	6	1	2	4	9	0	2	0	9	9	3	6	8	3	5	8

males
(cont...)

ALIMENTARY SYSTEM

Esophagus	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+			
Gallbladder	+	+	A	+	A	A	M	+	+	A	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+			
Intestine Large, Cecum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+			
Intestine Large, Colon	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+			
Intestine Large, Rectum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+			
Intestine Small, Duodenum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+			
Intestine Small, Ileum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+			
Intestine Small, Jejunum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+			
Liver	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+			
Hemangiosarcoma																												
Hepatoblastoma																												
Hepatocellular Adenoma	X	X				X										X	X	X		X								
Hepatocellular Adenoma, Multiple																X					X							
Hepatocellular Carcinoma	X	X	X			X	X			X						X			X									
Hepatocellular Carcinoma, Multiple						X	X	X																				

* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

FORMAMIDE

CAS Number: 75-12-7

Pathologist: RYAN, M. - Blackshear, P.

Date Report Reqstd: 05/04/2006

Time Report Reqstd: 11:47:08

First Dose M/F: 10/04/01 / 10/03/01

Lab: BAT

DAY ON TEST	4	4	4	5	5	6	6	6	6	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	
	5	5	7	3	5	0	5	7	8	9	0	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	5	6	4	8	6	0	2	7	7	3	5	8	8	8	8	8	8	8	9	9	9	9	9	9	9	9	9
B6C3F1 MICE MALE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
0 MG/KG	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	2	3	3	1	4	1	1	1	3	1	0	0	0	0	1	1	3	3	4	0	0	0	0	1	1	1
	5	8	5	7	9	1	7	4	6	6	1	2	4	9	0	2	0	9	9	3	6	8	3	5	8	males (cont...)	

ENDOCRINE SYSTEM

Adrenal Cortex	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
Hepatocellular Carcinoma, Metastatic, Liver																											
Subcapsular, Adenoma																											X
Adrenal Medulla	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
Pheochromocytoma Malignant																											
Islets, Pancreatic	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
Parathyroid Gland	+	+	+	+	+	+	+	+	+	+	+	M	+	M	+	+	M	+	+	+	+	+	+	+	+	+	
Pituitary Gland	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
Pars Distalis, Adenoma																											
Pars Distalis, Carcinoma																											X
Thyroid Gland	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
Follicle, Carcinoma																											X

GENERAL BODY SYSTEM

NONE

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
x .. Lesion present
| .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

FORMAMIDE

CAS Number: 75-12-7

Pathologist: RYAN, M. - Blackshear, P

Date Report Requested: 05/04/2006

Time Report Registered: 11:47:08

First Dose M/F: 10/04/01 / 10/03/01

Lab: BAT

DAY ON TEST	4	4	4	5	5	6	6	6	6	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7
	5	5	7	3	5	0	5	7	8	9	0	2	2	2	2	2	2	2	2	2	2	2	2	2
	5	6	4	8	6	0	2	7	7	3	5	8	8	8	8	8	8	9	9	9	9	9	9	9
B6C3F1 MICE MALE 0 MG/KG	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	2	3	3	1	4	1	1	1	3	1	0	0	0	1	1	3	3	4	0	0	0	1	1
	5	8	5	7	9	1	7	4	6	6	1	2	4	9	0	2	0	9	9	3	6	8	3	5

GENITAL SYSTEM

Coagulating Gland	+
Epididymis	+
Preputial Gland	+
Prostate	+
Seminal Vesicle	+
Testes	+

HEMATOPOIETIC SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor

† .. Tissue examined microscopically

x Lesion present

| Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK Not examined microscopically

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

FORMAMIDE

CAS Number: 75-12-7

Pathologist: RYAN, M. - Blackshear, P.

Date Report Reqstd: 05/04/2006

Time Report Reqstd: 11:47:08

First Dose M/F: 10/04/01 / 10/03/01

Lab: BAT

	4	4	4	5	5	6	6	6	6	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7
	5	5	7	3	5	0	5	7	8	9	0	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	5	6	4	8	6	0	2	7	7	3	5	8	8	8	8	8	8	8	8	8	9	9	9	9	9	9	9	9	9
B6C3F1 MICE MALE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
0 MG/KG	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	2	3	3	1	4	1	1	1	3	1	0	0	0	0	1	1	3	3	4	0	0	0	0	1	1	1	1	1
	5	8	5	7	9	1	7	4	6	6	1	2	4	9	0	2	0	9	9	3	6	8	3	5	8				

males
(cont...)

URINARY SYSTEM

Kidney	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Urinary Bladder	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Hemangioma																				X									

SYSTEMIC LESIONS

Multiple Organ	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Lymphoma Malignant																													

* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

FORMAMIDE

CAS Number: 75-12-7

Pathologist: RYAN, M. - Blackshear, P.

Date Report Reqstd: 05/04/2006

Time Report Reqstd: 11:47:08

First Dose M/F: 10/04/01 / 10/03/01

Lab: BAT

DAY ON TEST	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7
	2	2	2	2	2	2	2	2	2	2	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
	9	9	9	9	9	9	9	9	9	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B6C3F1 MICE MALE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
0 MG/KG	ANIMAL ID	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		2	2	2	2	2	3	3	3	4	4	4	0	0	0	2	2	2	3	3	4	4	4	4	4	4	5
		0	1	2	7	9	2	3	8	2	5	7	1	5	7	3	4	6	1	4	0	3	4	6	8	0	* TOTALS

ALIMENTARY SYSTEM

Esophagus	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50	
Gallbladder	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	45	
Intestine Large, Cecum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50	
Intestine Large, Colon	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50	
Intestine Large, Rectum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50	
Intestine Small, Duodenum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50	
Intestine Small, Ileum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50	
Intestine Small, Jejunum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50	
Liver	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50	
Hemangiosarcoma																										X	1
Hepatoblastoma																										X	1
Hepatocellular Adenoma	X	X	X				X	X																		X	17
Hepatocellular Adenoma, Multiple																	X	X								X	7
Hepatocellular Carcinoma							X	X			X	X													X	12	
Hepatocellular Carcinoma, Multiple																										X	3

* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

FORMAMIDE

CAS Number: 75-12-7

Pathologist: RYAN, M. - Blackshear, P.

Date Report Reqstd: 05/04/2006

Time Report Reqstd: 11:47:08

First Dose M/F: 10/04/01 / 10/03/01

Lab: BAT

DAY ON TEST	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	
	2	2	2	2	2	2	2	2	2	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
	9	9	9	9	9	9	9	9	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B6C3F1 MICE MALE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
0 MG/KG	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	2	2	2	2	3	3	3	4	4	4	0	0	0	2	2	2	3	3	4	4	4	4	4	4	5	5
	0	1	2	7	9	2	3	8	2	5	7	1	5	7	3	4	6	1	4	0	3	4	6	8	0	* TOTALS	

ENDOCRINE SYSTEM

Adrenal Cortex	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Hepatocellular Carcinoma, Metastatic, Liver																X										1
Subcapsular, Adenoma																										2
Adrenal Medulla	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Pheochromocytoma Malignant																										1
Islets, Pancreatic	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Parathyroid Gland	M	+	+	+	+	+	M	+	+	M	+	+	+	+	+	+	+	+	+	+	+	+	M	+	+	43
Pituitary Gland	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Pars Distalis, Adenoma															X											1
Pars Distalis, Carcinoma																										1
Thyroid Gland	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Follicle, Carcinoma																										1

GENERAL BODY SYSTEM

NONE

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
x .. Lesion present
| .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

FORMAMIDE

CAS Number: 75-12-7

Pathologist: RYAN, M. - Blackshear, P

Date Report Registered: 05/04/2006

Time Report Requested: 11:47:08

First Dose M/F: 10/04/01 / 10/03/01

Lab: BAT

GENITAL SYSTEM

Coagulating Gland		1
Epididymis	+	50
Preputial Gland	+	50
Prostate	+	50
Seminal Vesicle	+	50
Testes	+	50

HEMATOPOIETIC SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor

† .. Tissue examined microscopically

x Lesion present

| Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK Not examined microscopically

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

FORMAMIDE

CAS Number: 75-12-7

Pathologist: RYAN, M. - Blackshear, P

Date Report Registered: 05/04/2006

Time Report Requested: 11:47:08

First Dose M/F: 10/04/01 / 10/03/01

Lab: BAT

Hemangiosarcoma X 2

Hepatocarcinoma, Metastatic, Liver

INTEGUMENTARY SYSTEM

MUSCULOSKELETAL SYSTEM

Skeletal Muscle + 1

NERVOUS SYSTEM

Carcinoma, Metastatic, Pituitary Gland

RESPIRATORY SYSTEM

* .. Total animals with tissue examined microscopically: Total animals with tumor

† - Tissue examined microscopically

- + .. Tissue examined
- x Lesion present

.. Lesion present
 Insufficient tissue

M .. Missing tissue

M .. Missing tissue
A .. Autolysis precludes evaluation

BLANK Not examined microscopically

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

FORMAMIDE

CAS Number: 75-12-7

Pathologist: RYAN, M. - Blackshear, P.

Date Report Reqstd: 05/04/2006

Time Report Reqstd: 11:47:08

First Dose M/F: 10/04/01 / 10/03/01

Lab: BAT

DAY ON TEST	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	
	2	2	2	2	2	2	2	2	2	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
	9	9	9	9	9	9	9	9	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B6C3F1 MICE MALE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
0 MG/KG	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	2	2	2	2	3	3	3	4	4	4	0	0	0	2	2	2	3	3	4	4	4	4	4	4	5	5
	0	1	2	7	9	2	3	8	2	5	7	1	5	7	3	4	6	1	4	0	3	4	6	8	0	* TOTALS	

Lung	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50	
Alveolar/Bronchiolar Adenoma	X		X		X																						8
Alveolar/Bronchiolar Adenoma, Multiple																											2
Alveolar/Bronchiolar Carcinoma		X																									6
Carcinoma, Metastatic, Harderian Gland																											1
Carcinoma, Metastatic, Liver														X													1
Hepatocellular Carcinoma, Metastatic, Liver							X																				4
Hepatocholangiocarcinoma, Metastatic, Liver																											1
Nose	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50	
Pleura																											1
Trachea	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50	

SPECIAL SENSES SYSTEM

Eye	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50	
Harderian Gland	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50	
Adenoma																											6
Carcinoma														X													2

* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

l .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

FORMAMIDE

CAS Number: 75-12-7

Pathologist: RYAN, M. - Blackshear, P.

Date Report Reqstd: 05/04/2006

Time Report Reqstd: 11:47:08

First Dose M/F: 10/04/01 / 10/03/01

Lab: BAT

	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7
	2	2	2	2	2	2	2	2	2	2	2	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
	9	9	9	9	9	9	9	9	9	9	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B6C3F1 MICE MALE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
0 MG/KG	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2	2	2	2	2	3	3	3	4	4	4	0	0	0	2	2	2	3	3	4	4	4	4	4	4	4	5		
	0	1	2	7	9	2	3	8	2	5	7	1	5	7	3	4	6	1	4	0	3	4	6	8	0				* TOTALS

URINARY SYSTEM

Kidney	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Urinary Bladder	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Hemangioma																											1

SYSTEMIC LESIONS

Multiple Organ	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Lymphoma Malignant																											2

* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

l .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

FORMAMIDE

CAS Number: 75-12-7

Pathologist: RYAN, M. - Blackshear, P.

Date Report Reqstd: 05/04/2006

Time Report Reqstd: 11:47:08

First Dose M/F: 10/04/01 / 10/03/01

Lab: BAT

	DAY ON TEST	4 7 8	5 3 3	5 5 1	5 8 8	6 1 5	6 5 7	7 8 8	7 2 8														
B6C3F1 MICE MALE	ANIMAL ID	0 0 0 0 7 7	0 0 0 0 8 7	0 0 0 0 5 2	0 0 0 0 5 8	0 0 0 0 5 2	0 0 0 0 6 3	0 0 0 0 6 7	0 0 0 0 7 6	0 0 0 0 8 6	0 0 0 0 9 5	0 0 0 0 9 4	0 0 0 0 6 5	0 0 0 0 6 4	0 0 0 0 7 6	0 0 0 0 7 5	0 0 0 0 7 4	0 0 0 0 8 1	0 0 0 0 8 2	0 0 0 0 8 5	0 0 0 0 8 0	0 0 0 0 8 1	
20 MG/KG																							

**males
(cont...)****ALIMENTARY SYSTEM**

Esophagus

+ +

Periesophageal Tissue,
Hepatocholangiocarcinoma,
Metastatic, Liver

X

Gallbladder

+ + + + + A +

Intestine Large, Cecum

+ +

Intestine Large, Colon

+ +

Intestine Large, Rectum

+ +

Intestine Small, Duodenum

+ +

Intestine Small, Ileum
Epithelium, Carcinoma

+ +

X

Intestine Small, Jejunum
Carcinoma

+ +

X

Liver

+ +

Hemangiosarcoma

X X

* .. Total animals with tissue examined microscopically; Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A .. Autolysis precludes evaluation

x .. Lesion present

BLANK .. Not examined microscopically

I .. Insufficient tissue

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

FORMAMIDE

CAS Number: 75-12-7

Pathologist: RYAN, M. - Blackshear, P.

Date Report Reqstd: 05/04/2006

Time Report Reqstd: 11:47:08

First Dose M/F: 10/04/01 / 10/03/01

Lab: BAT

| DAY ON TEST | 4 | 5 | 5 | 5 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 7 | 3 | 5 | 8 | 1 | 5 | 8 | 0 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 8 | 3 | 1 | 6 | 8 | 5 | 7 | 5 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 20 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 7 | 8 | 6 | 7 | 5 | 5 | 8 | 6 | 5 | 6 | 6 | 7 | 8 | 9 | 9 | 5 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | |
| | 7 | 7 | 2 | 8 | 2 | 3 | 4 | 7 | 6 | 0 | 5 | 4 | 8 | 5 | 6 | 4 | 6 | 9 | 0 | 1 | 2 | 5 | 0 | 1 | 2 | 5 | 0 | 1 | |

**males
(cont...)**

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Hepatoblastoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Adenoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Carcinoma | X | | X | X | X | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Carcinoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocholangiocarcinoma | X | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mesentery | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oral Mucosa | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Squamous Cell Papilloma | X | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Tooth | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

* .. Total animals with tissue examined microscopically; Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A .. Autolysis precludes evaluation

x .. Lesion present

BLANK .. Not examined microscopically

| .. Insufficient tissue

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: Gavage

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

FORMAMIDE

CAS Number: 75-12-7

Pathologist: RYAN, M. - Blackshear, P

Date Report Requested: 05/04/2006

Time Report Requested: 11:47:08

First Dose M/F: 10/04/01 / 10/03/01

Lab: BAT

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

HEMATOPOIETIC SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

FORMAMIDE

CAS Number: 75-12-7

Pathologist: RYAN, M. - Blackshear, P

Date Report Requested: 05/04/2006

Time Report Registered: 11:47:08

First Dose M/F: 10/04/01 / 10/03/01

Lab: BAT

RESPIRATORY SYSTEM

SPECIAL SENSES SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A.. Autolysis precludes evaluation

x Lesion present

BLANK Not examined microscopically.

.. Lesion present
 Insufficient tissue

BEANK :: Not examined microscopically

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

FORMAMIDE

CAS Number: 75-12-7

Pathologist: RYAN, M. - Blackshear, P.

Date Report Reqstd: 05/04/2006

Time Report Reqstd: 11:47:08

First Dose M/F: 10/04/01 / 10/03/01

Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-----------------|
| | DAY ON TEST | 7
2
9 | 7
2
9 | 7
2
9 | 7
2
9 | 7
3
0 | |
| B6C3F1 MICE MALE | | 0
0
0 | |
| 20 MG/KG | ANIMAL ID | 8
6 | 9
1 | 9
3 | 9
8 | 5
1 | 5
5 | 5
7 | 5
8 | 5
9 | 6
1 | 6
3 | 6
4 | 6
8 | 6
3 | 6
6 | 7
8 | 7
8 | 7
8 | 8
9 | 8
9 | 8
9 | 9
9 | 9
9 | 9
9 |
| | | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Periesophageal Tissue,
Hepatocholangiocarcinoma,
Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | 48 |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Ileum
Epithelium, Carcinoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 1 |
| Intestine Small, Jejunum
Carcinoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | X | + | + | + | + | + | + | 50 |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | X | | | | | | | 5 |

* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

FORMAMIDE

CAS Number: 75-12-7

Pathologist: RYAN, M. - Blackshear, P.

Date Report Reqstd: 05/04/2006

Time Report Reqstd: 11:47:08

First Dose M/F: 10/04/01 / 10/03/01

Lab: BAT

| DAY ON TEST | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|---|
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 9 | 9 | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 20 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 8 | 9 | 9 | 9 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | |
| | 6 | 1 | 3 | 8 | 1 | 5 | 7 | 8 | 9 | 1 | 3 | 4 | 8 | 3 | 6 | 9 | 3 | 5 | 9 | 0 | 2 | 4 | 7 | 9 | 0 | * TOTALS | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|---|---|---|---|---|---|---|---|--|---|---|---|--|--|--|--|--|--|---|---|--|---|---|--|--|--|----|----|
| Hepatoblastoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hepatocellular Adenoma | X | X | | | | | | X | | | X | X | | | | | | | X | | | X | | | | | 12 | |
| Hepatocellular Adenoma, Multiple | | | X | X | | X | | | | | | | | | | | | | | | | X | | | | | 12 | |
| Hepatocellular Carcinoma | | | | | X | | X | X | | X | | | | | | | | | | X | | | X | | | | 11 | |
| Hepatocellular Carcinoma, Multiple | | | | | | X | | | | | | | | | | | | | | | | | | | | | | 4 |
| Hepatocholangiocarcinoma | | | | | | | | | | | | | | | | | | | | | | X | | | | | | 2 |
| Mesentery | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Oral Mucosa | | | | | | | | | | | | | | | | | | | | | | | | | | | | 5 |
| Pancreas | | | | | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Salivary Glands | | | | | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Stomach, Forestomach | | | | | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Squamous Cell Papilloma | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Stomach, Glandular | | | | | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Tooth | | | | | | | | | | | | | | | | | | | | | | | | | | | | 14 |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

* .. Total animals with tissue examined microscopically; Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A .. Autolysis precludes evaluation

x .. Lesion present

BLANK .. Not examined microscopically

| .. Insufficient tissue

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Date Report Reqstd: 05/04/2006

FORMAMIDE

Time Report Reqstd: 11:47:08

CAS Number: 75-12-7

First Dose M/F: 10/04/01 / 10/03/01

Pathologist: RYAN, M. - Blackshear, P.

Lab: BAT

| DAY ON TEST | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|---|
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 9 | 9 | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 20 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 8 | 9 | 9 | 9 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | |
| | 6 | 1 | 3 | 8 | 1 | 5 | 7 | 8 | 9 | 1 | 3 | 4 | 8 | 3 | 6 | 9 | 3 | 5 | 9 | 0 | 2 | 4 | 7 | 9 | 0 | * TOTALS | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Hepatocarcinoma, Metastatic,
Liver | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Hepatocarcinoma, Metastatic,
Liver | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Subcapsular, Adenoma | | | | | | | | | | | | | | | | | | | | | | X | | | | 1 | |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | X | | | | 1 | |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | X | | | | 1 | |
| Parathyroid Gland | + | + | + | + | + | M | + | + | + | + | + | + | + | + | M | + | M | M | M | M | M | M | M | M | M | 39 | |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | X | X | | | | | | | | | 50 | |
| Follicle, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | | 3 |

* .. Total animals with tissue examined microscopically; Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A .. Autolysis precludes evaluation

x .. Lesion present

BLANK .. Not examined microscopically

| .. Insufficient tissue

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

FORMAMIDE

CAS Number: 75-12-7

Pathologist: RYAN, M. - Blackshear, P.

Date Report Reqstd: 05/04/2006

Time Report Reqstd: 11:47:08

First Dose M/F: 10/04/01 / 10/03/01

Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|---|---|---|
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 9 | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 20 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 8 | 9 | 9 | 9 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | 0 |
| | 6 | 1 | 3 | 8 | 1 | 5 | 7 | 8 | 9 | 1 | 3 | 4 | 8 | 3 | 6 | 9 | 3 | 5 | 9 | 0 | 2 | 4 | 7 | 9 | 0 | * TOTALS | | | |

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|
| Epididymis | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Preputial Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Prostate | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Seminal Vesicle | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | X | 1 |
| Testes | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Bilateral, Interstitial Cell, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | X | 1 |
| Interstitial Cell, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | X | 1 |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | X | 1 |
| Lymph Node | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |

* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

FORMAMIDE

CAS Number: 75-12-7

Pathologist: RYAN, M. - Blackshear, P.

Date Report Reqstd: 05/04/2006

Time Report Reqstd: 11:47:08

First Dose M/F: 10/04/01 / 10/03/01

Lab: BAT

| DAY ON TEST | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 9 | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 20 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 8 | 9 | 9 | 9 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 0 |
| | 6 | 1 | 3 | 8 | 1 | 5 | 7 | 8 | 9 | 1 | 3 | 4 | 8 | 3 | 6 | 9 | 3 | 5 | 9 | 0 | 2 | 4 | 7 | 9 | 0 | * TOTALS | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Lymph Node, Mandibular | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Thymus | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | 46 |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Mammary Gland | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | 3 |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

* .. Total animals with tissue examined microscopically; Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A .. Autolysis precludes evaluation

x .. Lesion present

BLANK .. Not examined microscopically

| .. Insufficient tissue

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

FORMAMIDE

CAS Number: 75-12-7

Pathologist: RYAN, M. - Blackshear, P.

Date Report Reqstd: 05/04/2006

Time Report Reqstd: 11:47:08

First Dose M/F: 10/04/01 / 10/03/01

Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|---|---|---|
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 9 | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 20 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 8 | 9 | 9 | 9 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | 0 |
| | 6 | 1 | 3 | 8 | 1 | 5 | 7 | 8 | 9 | 1 | 3 | 4 | 8 | 3 | 6 | 9 | 3 | 5 | 9 | 0 | 2 | 4 | 7 | 9 | 0 | * TOTALS | | | |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|---|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | | | | | | | | | X | | | | | | | | | | | 3 | |
| Alveolar/Bronchiolar Adenoma, Multiple | | | | | | | | | | | | | | | X | | | | | | | | | | | | | | 1 |
| Alveolar/Bronchiolar Carcinoma | | | | | | | | | | | | | | | | X | | | | | | | | | | | | | 4 |
| Alveolar/Bronchiolar Carcinoma, Multiple | | | | | | | | | | | | | | | | | X | | | | | | | | | | | | 1 |
| Carcinoma, Metastatic, Harderian Gland | | | | | | | | | | | | | | | | | | X | | | | | | | | | | | 2 |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | | | | | | | | | X | X | | | | | | | | | | | | | 4 |
| Hepatocholangiocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Adenoma | | X | X | X | | | | X | | | X | | | | | | | | | | | | | | | | 8 |

* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

FORMAMIDE

CAS Number: 75-12-7

Pathologist: RYAN, M. - Blackshear, P.

Date Report Reqstd: 05/04/2006

Time Report Reqstd: 11:47:08

First Dose M/F: 10/04/01 / 10/03/01

Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|---|---|---|
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 9 | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 20 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 8 | 9 | 9 | 9 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | 0 |
| | 6 | 1 | 3 | 8 | 1 | 5 | 7 | 8 | 9 | 1 | 3 | 4 | 8 | 3 | 6 | 9 | 3 | 5 | 9 | 0 | 2 | 4 | 7 | 9 | 0 | * TOTALS | | | |

Carcinoma

2

Bilateral, Carcinoma

1

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Hepatocholangiocarcinoma, Metastatic,
Liver | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |

SYSTEMIC LESIONS

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A .. Autolysis precludes evaluation

x .. Lesion present

BLANK .. Not examined microscopically

| .. Insufficient tissue

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

FORMAMIDE

CAS Number: 75-12-7

Pathologist: RYAN, M. - Blackshear, P.

Date Report Reqstd: 05/04/2006

Time Report Reqstd: 11:47:08

First Dose M/F: 10/04/01 / 10/03/01

Lab: BAT

| DAY ON TEST | 2 | 3 | 4 | 4 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------------|
| | 0 | 4 | 4 | 7 | 1 | 3 | 3 | 6 | 9 | 0 | 0 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 3 | 3 | 9 | 8 | 8 | 0 | 3 | 4 | 6 | 1 | 9 | 4 | 9 | 2 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 40 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 3 | 0 | 4 | 0 | 2 | 2 | 3 | 0 | 2 | 1 | 1 | 1 | 3 | 0 | 0 | 1 | 1 | 1 | 2 | 4 | 4 | 4 | 0 | 1 | 1 | 1 |
| | 7 | 5 | 4 | 1 | 5 | 7 | 1 | 6 | 8 | 0 | 8 | 7 | 0 | 8 | 2 | 2 | 3 | 6 | 2 | 0 | 1 | 9 | 9 | 4 | 5 | males
(cont...) |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Gallbladder | + | + | A | + | + | + | A | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Cholangiocarcinoma | | | | | | | | | | | | | | | | | X | | | | | | | | | |
| Hemangiosarcoma | | | X | | | X | | | | | | | | | | | | | | | | | | | | |
| Hemangiosarcoma, Multiple | | | | | | | | | | | | | | | | | | X | | | | | | | | |
| Hepatoblastoma | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Adenoma | | | | X | | | | | X | X | X | | X | X | X | X | X | X | X | X | X | X | X | X | X | |
| Hepatocellular Adenoma, Multiple | | X | | | | | | | | | | | | | | | | | X | | | | | | | X |

* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

FORMAMIDE

CAS Number: 75-12-7

Pathologist: RYAN, M. - Blackshear, P.

Date Report Reqstd: 05/04/2006

Time Report Reqstd: 11:47:08

First Dose M/F: 10/04/01 / 10/03/01

Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| | DAY ON TEST | 2
0
3 | 3
4
3 | 4
4
9 | 4
7
8 | 6
1
8 | 6
3
0 | 6
3
3 | 6
6
4 | 7
9
1 | 7
0
9 | 7
1
4 | 7
2
9 | 7
2
8 |
| | | 0
0
0 | 0
0
0 | 0
0
1 | 0
1
1 | 1
1
1 | 1
2
3 | 1
0
0 | 1
1
2 | 1
1
1 |
| | | 0
0
1 | 0
0
1 | 0
0
1 | 0
0
2 | 0
2
3 | 0
2
3 | 0
0
0 | 0
1
1 |

B6C3F1 MICE MALE**40 MG/KG**

ANIMAL ID

males
(cont...)

Metastatic, Lung

Cholangiocarcinoma, Metastatic, Liver

Hepatocellular Carcinoma, Metastatic,
Liver

X

X

ENDOCRINE SYSTEM

Adrenal Cortex

+ + + + + + + + + + A +

Adrenal Medulla

+ +

Islets, Pancreatic

+ +

Parathyroid Gland

+ M + + + M + M +

Pituitary Gland

+ +

Thyroid Gland

+ +

Follicle, Adenoma

X

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A .. Autolysis precludes evaluation

x .. Lesion present

BLANK .. Not examined microscopically

| .. Insufficient tissue

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

FORMAMIDE

CAS Number: 75-12-7

Pathologist: RYAN, M. - Blackshear, P.

Date Report Reqstd: 05/04/2006

Time Report Reqstd: 11:47:08

First Dose M/F: 10/04/01 / 10/03/01

Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 2 | 3 | 4 | 4 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | 0 | 4 | 4 | 7 | 1 | 3 | 3 | 6 | 9 | 0 | 0 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 3 | 3 | 9 | 8 | 8 | 0 | 3 | 4 | 6 | 1 | 9 | 4 | 9 | 2 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 40 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 3 | 0 | 4 | 0 | 2 | 2 | 3 | 0 | 2 | 1 | 1 | 1 | 3 | 0 | 0 | 1 | 1 | 1 | 2 | 4 | 4 | 4 | 0 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 7 | 5 | 4 | 1 | 5 | 7 | 1 | 6 | 8 | 0 | 8 | 7 | 0 | 8 | 2 | 2 | 3 | 6 | 2 | 0 | 1 | 9 | 9 | 4 | 5 | | | | |

**males
(cont...)**

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|--|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | | | | | | | | | | | | X | | | X | | | | | | | | | |
| Alveolar/Bronchiolar Adenoma, Multiple | | | | | | | | | | | | | | | X | | | | | | | | | | | | | | | | | |
| Alveolar/Bronchiolar Carcinoma | | | | | | | | | | | | | | | X | | | | | | | | | | | | | | | | | |
| Alveolar/Bronchiolar Carcinoma, Multiple | | | | | | | | | | | | | | | | X | | | | | | | | | | | | | | | | |
| Carcinoma, Metastatic, Harderian Gland | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Cholangiocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | X | | | | | | | | | | | | | | | |
| Hepatoblastoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | | | | | | | | | X | X | | | | | | | | | | | | | | | | |
| Mediastinum, Alveolar/Bronchiolar Carcinoma, Metastatic, Lung | | | | | | | | | | | | | | | | | X | | | | | | | | | | | | | | | |
| Mediastinum, Cholangiocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | X | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

SPECIAL SENSES SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
x .. Lesion present
| .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

FORMAMIDE

CAS Number: 75-12-7

Pathologist: RYAN, M. - Blackshear, P.

Date Report Reqstd: 05/04/2006

Time Report Reqstd: 11:47:08

First Dose M/F: 10/04/01 / 10/03/01

Lab: BAT

| B6C3F1 MICE MALE
40 MG/KG | ANIMAL ID | 2 | 3 | 4 | 4 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
|------------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 0 | 4 | 4 | 7 | 1 | 3 | 3 | 6 | 9 | 0 | 0 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | | 3 | 3 | 9 | 8 | 8 | 0 | 3 | 4 | 6 | 1 | 9 | 4 | 9 | 2 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | | 3 | 0 | 4 | 0 | 2 | 2 | 3 | 0 | 2 | 1 | 1 | 1 | 3 | 0 | 0 | 1 | 1 | 1 | 2 | 4 | 4 | 4 | 0 | 1 | 1 |
| | | 7 | 5 | 4 | 1 | 5 | 7 | 1 | 6 | 8 | 0 | 8 | 7 | 0 | 8 | 2 | 2 | 3 | 6 | 2 | 0 | 1 | 9 | 9 | 4 | 5 |

males
(cont...)

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Adenoma | | | | | | | | | | | | | | | | | | | | X | | | | | | |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | X | | | | | |
| Bilateral, Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | | |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Renal Tubule, Cholangiocarcinoma,
Metastatic, Liver | | | | | | | | | | | | | | | | | | | | X | | | | | | |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |

SYSTEMIC LESIONS

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | X | | | | | | |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | X | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

FORMAMIDE

CAS Number: 75-12-7

Pathologist: RYAN, M. - Blackshear, P.

Date Report Reqstd: 05/04/2006

Time Report Reqstd: 11:47:08

First Dose M/F: 10/04/01 / 10/03/01

Lab: BAT

| DAY ON TEST | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|---|
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 40 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 1 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 4 | 4 | 4 | 5 | 0 | 0 | 0 | 1 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 |
| | 9 | 1 | 3 | 4 | 6 | 5 | 8 | 9 | 5 | 7 | 8 | 0 | 3 | 4 | 7 | 1 | 0 | 9 | 2 | 3 | 4 | 6 | 2 | 3 | 6 | * TOTALS | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Gallbladder | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | 45 | |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Cholangiocarcinoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Hemangiosarcoma | | | | | | | | | X | | | | | | | | X | | | | | X | X | 6 | | |
| Hemangiosarcoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Hepatoblastoma | X | | X | | | | | | | | | | | | | | | X | | | | | | | 3 | |
| Hepatocellular Adenoma | | | | X | | X | | | | X | X | | X | | X | X | X | | X | | | | | | 20 | |
| Hepatocellular Adenoma, Multiple | | | | | | | X | | | | X | | | X | | | | X | | | | | | | | 5 |

* .. Total animals with tissue examined microscopically; Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A .. Autolysis precludes evaluation

x .. Lesion present

BLANK .. Not examined microscopically

| .. Insufficient tissue

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

FORMAMIDE

CAS Number: 75-12-7

Pathologist: RYAN, M. - Blackshear, P.

Date Report Reqstd: 05/04/2006

Time Report Reqstd: 11:47:08

First Dose M/F: 10/04/01 / 10/03/01

Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|-------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| | DAY ON TEST | 7
2
9 | |
| B6C3F1 MICE MALE | | 0
0
1
1
1 | |
| 40 MG/KG | ANIMAL ID | 0
0
1
1
1 |

*** TOTALS**

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|
| Hepatocellular Carcinoma | X | X | X | | X | | | | | | | | | | | | | | | | | | | | X | 9 |
| Hepatocellular Carcinoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | | X | 3 |
| Hepatocholangiocarcinoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Mesentery | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Oral Mucosa | + | | | | | | | | | | | | | | | | | | | | | | | | | 5 |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Squamous Cell Papilloma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Tooth | + | | | | | | | | | | | | | | | | | | | | | | | | | 9 |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Alveolar/Bronchiolar Carcinoma, | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

FORMAMIDE

CAS Number: 75-12-7

Pathologist: RYAN, M. - Blackshear, P.

Date Report Reqstd: 05/04/2006

Time Report Reqstd: 11:47:08

First Dose M/F: 10/04/01 / 10/03/01

Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|-------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|--|
| | DAY ON TEST | 7
2
9 | | | |
| | | 0
0
1
1
1 | | |
| | ANIMAL ID | 0
0
1
1
1 | |
| B6C3F1 MICE MALE
40 MG/KG | | 1
2
9 | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | |

Metastatic, Lung

Cholangiocarcinoma, Metastatic, Liver 1

Hepatocellular Carcinoma, Metastatic, Liver 1

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Parathyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | 46 |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Follicle, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | 1 |

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
x .. Lesion present
| .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

FORMAMIDE

CAS Number: 75-12-7

Pathologist: RYAN, M. - Blackshear, P.

Date Report Reqstd: 05/04/2006

Time Report Reqstd: 11:47:08

First Dose M/F: 10/04/01 / 10/03/01

Lab: BAT

| B6C3F1 MICE MALE
40 MG/KG | ANIMAL ID | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
|---|-----------|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|
| | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | | 1 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 4 | 4 | 4 | 5 | 0 | 0 | 0 | 1 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 |
| | | 9 | 1 | 3 | 4 | 6 | 5 | 8 | 9 | 5 | 7 | 8 | 0 | 3 | 4 | 7 | 1 | 0 | 9 | 2 | 3 | 4 | 6 | 2 | 3 | 6 | |
| | | * TOTALS | | | | | | | | | | | | | | | | | | | | | | | | | |
| Coagulating Gland | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Epididymis | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Preputial Gland | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Cholangiocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Prostate | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Seminal Vesicle | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Testes | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Lymph Node | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |

* .. Total animals with tissue examined microscopically; Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A .. Autolysis precludes evaluation

x .. Lesion present

BLANK .. Not examined microscopically

| .. Insufficient tissue

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

FORMAMIDE

CAS Number: 75-12-7

Pathologist: RYAN, M. - Blackshear, P.

Date Report Reqstd: 05/04/2006

Time Report Reqstd: 11:47:08

First Dose M/F: 10/04/01 / 10/03/01

Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-------------|-----------------|
| | DAY ON TEST | 7
2
9 | | |
| B6C3F1 MICE MALE | ANIMAL ID | 0
0
1
1
1 | | |
| 40 MG/KG | | 1
2
9 | 1
2
9 | 1
2
5 | 1
2
5 | 3
3
8 | 3
3
9 | 3
3
5 | 4
4
7 | 4
4
8 | 5
0
0 | 0
0
3 | 0
0
4 | 0
1
7 | 1
2
1 | 1
2
0 | 1
2
9 | 1
2
2 | 3
3
1 | 3
3
0 | 3
3
9 | 3
3
2 | 4
4
3 | 4
4
6 | * TOTALS |

| | |
|---------------------------|---|
| Hemangiosarcoma | 1 |
| Hemangiosarcoma, Multiple | 1 |

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Thymus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
|--------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Mammary Gland | M | M | M | + | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | 2 |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Subcutaneous Tissue, Lipoma | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Subcutaneous Tissue, Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | 1 |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Peripheral Nerve | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Spinal Cord | | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A .. Autolysis precludes evaluation

x .. Lesion present

BLANK .. Not examined microscopically

I .. Insufficient tissue

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

FORMAMIDE

CAS Number: 75-12-7

Pathologist: RYAN, M. - Blackshear, P.

Date Report Reqstd: 05/04/2006

Time Report Reqstd: 11:47:08

First Dose M/F: 10/04/01 / 10/03/01

Lab: BAT

| DAY ON TEST | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 40 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 1 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 4 | 4 | 4 | 5 | 0 | 0 | 0 | 1 | 2 | 2 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 |
| | 9 | 1 | 3 | 4 | 6 | 5 | 8 | 9 | 5 | 7 | 8 | 0 | 3 | 4 | 7 | 1 | 0 | 9 | 2 | 3 | 4 | 6 | 2 | 3 | 6 | * TOTALS | |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | | X | | | | | | | | | | | | | | | | 6 | |
| Alveolar/Bronchiolar Adenoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Alveolar/Bronchiolar Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | | | 4 |
| Alveolar/Bronchiolar Carcinoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Carcinoma, Metastatic, Harderian Gland | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Cholangiocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hepatoblastoma, Metastatic, Liver | | | | | X | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | | | | | X | | | | | | | | | | | | | | | | 3 |
| Mediastinum, Alveolar/Bronchiolar Carcinoma, Metastatic, Lung | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Mediastinum, Cholangiocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |

SPECIAL SENSES SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
x .. Lesion present
| .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

FORMAMIDE

CAS Number: 75-12-7

Pathologist: RYAN, M. - Blackshear, P.

Date Report Reqstd: 05/04/2006

Time Report Reqstd: 11:47:08

First Dose M/F: 10/04/01 / 10/03/01

Lab: BAT

| B6C3F1 MICE MALE
40 MG/KG | ANIMAL ID | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
|------------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Eye | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Harderian Gland | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | | X | | | 2 |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | X | | | 2 |
| Bilateral, Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Renal Tubule, Cholangiocarcinoma,
Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |

SYSTEMIC LESIONS

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |

* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

FORMAMIDE

CAS Number: 75-12-7

Pathologist: RYAN, M. - Blackshear, P.

Date Report Reqstd: 05/04/2006

Time Report Reqstd: 11:47:08

First Dose M/F: 10/04/01 / 10/03/01

Lab: BAT

| DAY ON TEST | 4 | 4 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------------|
| | 4 | 8 | 3 | 0 | 1 | 3 | 4 | 5 | 5 | 5 | 5 | 6 | 7 | 0 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 9 | 5 | 4 | 3 | 8 | 5 | 6 | 0 | 6 | 6 | 8 | 9 | 1 | 3 | 8 | 9 | 1 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 80 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 5 | 8 | 9 | 6 | 7 | 7 | 6 | 8 | 6 | 9 | 7 | 6 | 7 | 6 | 5 | 5 | 5 | 5 | 5 | 6 | 7 | 7 | 8 | 8 | 8 | 8 |
| | 3 | 1 | 4 | 8 | 2 | 0 | 6 | 0 | 2 | 0 | 3 | 7 | 5 | 9 | 8 | 9 | 6 | 1 | 4 | 5 | 4 | 1 | 7 | 2 | 5 | males
(cont...) |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Gallbladder | A | + | + | + | + | + | + | A | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Carcinoma, Metastatic, Pancreas | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Carcinoma | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Carcinoma, Metastatic, Pancreas | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemangioma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemangiosarcoma | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemangiosarcoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A .. Autolysis precludes evaluation

x .. Lesion present

BLANK .. Not examined microscopically

I .. Insufficient tissue

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

FORMAMIDE

CAS Number: 75-12-7

Pathologist: RYAN, M. - Blackshear, P.

Date Report Reqstd: 05/04/2006

Time Report Reqstd: 11:47:08

First Dose M/F: 10/04/01 / 10/03/01

Lab: BAT

| DAY ON TEST | 4 | 4 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 4 | 8 | 3 | 0 | 1 | 3 | 4 | 5 | 5 | 5 | 5 | 6 | 7 | 0 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 9 | 5 | 4 | 3 | 8 | 5 | 6 | 0 | 6 | 6 | 8 | 9 | 1 | 3 | 8 | 9 | 1 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 80 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 5 | 8 | 9 | 6 | 7 | 7 | 6 | 8 | 6 | 9 | 7 | 6 | 7 | 6 | 5 | 5 | 5 | 5 | 5 | 6 | 7 | 7 | 8 | 8 | 8 |
| | 3 | 1 | 4 | 8 | 2 | 0 | 6 | 0 | 2 | 0 | 3 | 7 | 5 | 9 | 8 | 9 | 6 | 1 | 4 | 5 | 4 | 1 | 7 | 2 | 5 |

males
(cont...)

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Hepatoblastoma, Multiple | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Adenoma | | X | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Adenoma, Multiple | | | X | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Carcinoma | X | X | X | X | X | X | X | | | | | | | X | X | | | | | | | | | | |
| Hepatocellular Carcinoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocholangiocarcinoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mesentery | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Carcinoma, Metastatic, Pancreas | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Oral Mucosa | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Carcinoma | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Hepatoblastoma, Metastatic, Liver | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Squamous Cell Papilloma | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Carcinoma, Metastatic, Pancreas | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Tooth | | | | | | | | | | | | | | | | | | | | | | | | | + |

* .. Total animals with tissue examined microscopically; Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A .. Autolysis precludes evaluation

x .. Lesion present

BLANK .. Not examined microscopically

| .. Insufficient tissue

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

FORMAMIDE

CAS Number: 75-12-7

Pathologist: RYAN, M. - Blackshear, P.

Date Report Reqstd: 05/04/2006

Time Report Reqstd: 11:47:08

First Dose M/F: 10/04/01 / 10/03/01

Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 4 | 4 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | 4 | 8 | 3 | 0 | 1 | 3 | 4 | 5 | 5 | 5 | 5 | 5 | 6 | 7 | 0 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 9 | 5 | 4 | 3 | 8 | 5 | 6 | 0 | 6 | 6 | 8 | 9 | 1 | 3 | 8 | 9 | 1 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 80 MG/KG | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 5 | 8 | 9 | 6 | 7 | 7 | 6 | 8 | 6 | 9 | 7 | 6 | 7 | 6 | 5 | 5 | 5 | 5 | 5 | 6 | 7 | 7 | 8 | 8 | 8 |
| | 3 | 1 | 4 | 8 | 2 | 0 | 6 | 0 | 2 | 0 | 3 | 7 | 5 | 9 | 8 | 9 | 6 | 1 | 4 | 5 | 4 | 1 | 7 | 2 | 5 |

males
(cont...)

Subcutaneous Tissue, Hemangioma

Subcutaneous Tissue,
Hemangiosarcoma

X

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Skeletal Muscle | + | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Carcinoma, Metastatic, Pancreas | X | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatoblastoma, Metastatic, Liver | | X | | | | | | | | | | | | | | | | | | | | | | | | |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Alveolar/Bronchiolar Carcinoma | | | | | | | X | | | | | | X | | | | | | | | | | | | | |
| Carcinoma, Metastatic, Pancreas | X | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatoblastoma, Metastatic, Liver | | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Carcinoma, Metastatic, | | | X | | | | | | | | | | | | | | | | X | | X | | X | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: Gavage

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

FORMAMIDE

CAS Number: 75-12-7

Pathologist: RYAN, M. - Blackshear, P.

Date Report Requested: 05/04/2006

Time Report Requested: 11:47:08

First Dose M/F: 10/04/01 / 10/03/01

Lab: BAT

Urinary Bladder

SYSTEMIC LESIONS

Multiple Organ

* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

.. Lesion present

| .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

FORMAMIDE

CAS Number: 75-12-7

Pathologist: RYAN, M. - Blackshear, P.

Date Report Reqstd: 05/04/2006

Time Report Reqstd: 11:47:08

First Dose M/F: 10/04/01 / 10/03/01

Lab: BAT

| DAY ON TEST | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 80 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | |
| | 8 | 8 | 9 | 6 | 6 | 7 | 7 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 5 | 5 | 6 | 6 | 7 | 7 | 8 | 9 | 9 | 9 | 0 | |
| | 6 | 9 | 7 | 0 | 3 | 6 | 8 | 4 | 7 | 8 | 1 | 3 | 5 | 6 | 2 | 7 | 1 | 5 | 4 | 9 | 3 | 2 | 8 | 9 | 0 | * TOTALS | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 46 |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Carcinoma, Metastatic, Pancreas | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Carcinoma, Metastatic, Pancreas | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hemangioma | | | | | | | | | | | X | | | | | | | | | | | | | | | 1 |
| Hemangiosarcoma | | | | | | | | | | | X | | | | | | | | | | | | | | | 3 |
| Hemangiosarcoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | | X | 5 |

* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

FORMAMIDE

CAS Number: 75-12-7

Pathologist: RYAN, M. - Blackshear, P.

Date Report Reqstd: 05/04/2006

Time Report Reqstd: 11:47:08

First Dose M/F: 10/04/01 / 10/03/01

Lab: BAT

| B6C3F1 MICE MALE
80 MG/KG | ANIMAL ID | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
|------------------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|----|
| | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Hepatoblastoma, Multiple | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Hepatocellular Adenoma | | X | | X | X | X | X | X | X | | | | | | | | | X | | X | X | X | X | | 18 | |
| Hepatocellular Adenoma, Multiple | X | | | | X | | X | | X | X | | | | X | | | X | X | | | | | | | 10 | |
| Hepatocellular Carcinoma | | X | | X | | | | X | | | | | | | | | | X | X | X | X | X | | | 18 | |
| Hepatocellular Carcinoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hepatocholangiocarcinoma | | | | | | | | | | | | | | | | | | | | | | | | | X | 1 |
| Mesentery | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Carcinoma, Metastatic, Pancreas | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Oral Mucosa | | | | | | | | | | | | | | | | | | | | | | | | | | 7 |
| Pancreas | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Salivary Glands | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hepatoblastoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Stomach, Forestomach | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Squamous Cell Papilloma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Stomach, Glandular | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Carcinoma, Metastatic, Pancreas | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Tooth | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |

* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

FORMAMIDE

CAS Number: 75-12-7

Pathologist: RYAN, M. - Blackshear, P.

Date Report Reqstd: 05/04/2006

Time Report Reqstd: 11:47:08

First Dose M/F: 10/04/01 / 10/03/01

Lab: BAT

| DAY ON TEST | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 80 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | |
| | 8 | 8 | 9 | 6 | 6 | 7 | 7 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 5 | 5 | 6 | 6 | 7 | 7 | 8 | 9 | 9 | 9 | 9 | 0 | |
| | 6 | 9 | 7 | 0 | 3 | 6 | 8 | 4 | 7 | 8 | 1 | 3 | 5 | 6 | 2 | 7 | 1 | 5 | 4 | 9 | 3 | 2 | 8 | 9 | 0 | * TOTALS | |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hepatoblastoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hepatoblastoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Bilateral, Carcinoma, Metastatic, Pancreas | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hepatoblastoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Parathyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | 47 |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | 49 |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

FORMAMIDE

CAS Number: 75-12-7

Pathologist: RYAN, M. - Blackshear, P.

Date Report Reqstd: 05/04/2006

Time Report Reqstd: 11:47:08

First Dose M/F: 10/04/01 / 10/03/01

Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 80 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 |
| | 8 | 8 | 9 | 6 | 6 | 7 | 7 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 5 | 5 | 6 | 6 | 7 | 7 | 8 | 9 | 9 | 9 | 9 | 0 | 0 | * TOTALS |
| | 6 | 9 | 7 | 0 | 3 | 6 | 8 | 4 | 7 | 8 | 1 | 3 | 5 | 6 | 2 | 7 | 1 | 5 | 4 | 9 | 3 | 2 | 8 | 9 | 0 | 0 | 0 | 0 | |

Follicle, Adenoma

1

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Epididymis | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Preputial Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Prostate | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Seminal Vesicle | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Testes | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Interstitial Cell, Adenoma | X | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A .. Autolysis precludes evaluation

X .. Lesion present

BLANK .. Not examined microscopically

| .. Insufficient tissue

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

FORMAMIDE

CAS Number: 75-12-7

Pathologist: RYAN, M. - Blackshear, P.

Date Report Reqstd: 05/04/2006

Time Report Reqstd: 11:47:08

First Dose M/F: 10/04/01 / 10/03/01

Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 80 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | |
| | 8 | 8 | 9 | 6 | 6 | 7 | 7 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 5 | 5 | 6 | 6 | 7 | 7 | 8 | 9 | 9 | 9 | 9 | 0 | 0 | * TOTALS | |
| | 6 | 9 | 7 | 0 | 3 | 6 | 8 | 4 | 7 | 8 | 1 | 3 | 5 | 6 | 2 | 7 | 1 | 5 | 4 | 9 | 3 | 2 | 8 | 9 | 0 | 0 | 0 | 0 | | |

| | | |
|--------------------------------------|---|---|
| Subcutaneous Tissue, Hemangioma | X | 1 |
| Subcutaneous Tissue, Hemangiosarcoma | | 1 |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Carcinoma, Metastatic, Pancreas | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hepatoblastoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Alveolar/Bronchiolar Carcinoma | X | X | | | | X | | | | | | | | | | | | | | | | | X | X | | | 11 | |
| Carcinoma, Metastatic, Pancreas | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hepatoblastoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hepatocellular Carcinoma, Metastatic, | | | | | | | | | | | | | | | | | | | | | | | X | X | | | 6 | |

* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

FORMAMIDE

CAS Number: 75-12-7

Pathologist: RYAN, M. - Blackshear, P.

Date Report Registered: 05/04/2006

Time Report Requested: 11:47:08

First Dose M/F: 10/04/01 / 10/03/01

Lab: BAT

Urinary Bladder

SYSTEMIC LESIONS

Multiple Organ

*** END OF MALE DATA ***

* .. Total animals with tissue examined microscopically; Total animals with tumor

† = Tissue examined microscopically

- + .. Tissue examined
- x Lesion present

.. Lesion present
 Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK Not examined microscopically

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

FORMAMIDE

CAS Number: 75-12-7

Pathologist: RYAN, M. - Blackshear, P

Date Report Requested: 05/04/2006

Time Report Registered: 11:47:08

First Dose M/F: 10/04/01 / 10/03/01

Lab: BAT

HEMATOPOIETIC SYSTEM

INTEGUMENTARY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

| Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

FORMAMIDE

CAS Number: 75-12-7

Pathologist: RYAN, M. - Blackshear, P.

Date Report Reqstd: 05/04/2006

Time Report Reqstd: 11:47:08

First Dose M/F: 10/04/01 / 10/03/01

Lab: BAT

| DAY ON TEST | 3 | 3 | 4 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 6 | 7 | 9 | 9 | 9 | 1 | 2 | 2 | 5 | 6 | 8 | 0 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 7 | 4 | 3 | 3 | 4 | 5 | 3 | 3 | 3 | 5 | 1 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 0 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 1 | 3 | 1 | 4 | 4 | 2 | 0 | 2 | 3 | 0 | 4 | 3 | 0 | 0 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 3 | 3 | 4 | |
| | 5 | 5 | 9 | 2 | 8 | 9 | 2 | 7 | 6 | 6 | 5 | 7 | 1 | 8 | 1 | 3 | 6 | 8 | 1 | 5 | 6 | 8 | 0 | 1 | 0 | |

females
(cont...)

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Subcutaneous Tissue, Sarcoma | | | | | | | | | | | | | | X | | | | | | | | | | | | |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Skeletal Muscle | | | | | | | | | | | | | | | + | | | | | | | | | | | |
| Fibrosarcoma, Metastatic, Mesentery | | | | | | | | | | | | | | X | | | | | | | | | | | | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Spinal Cord | | | | | | | | | | | | | | | | | | | | | | | | | | |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | | | | | | | | | | | | | | | X | X | | |
| Alveolar/Bronchiolar Adenoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Alveolar/Bronchiolar Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Carcinoma, Metastatic, Harderian Gland | | | | | | | | | | | | | | | X | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: Gavage

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

FORMAMIDE

CAS Number: 75-12-7

Pathologist: RYAN, M. - Blackshear, P.

Date Report Requested: 05/04/2006

Time Report Requested: 11:47:08

First Dose M/F: 10/04/01 / 10/03/01

Lab: BAT

Multiple Organ

Histiocytic Sarcoma

Lymphoma Malignant

7

X X

females (cont...)

* .. Total animals with tissue examined microscopically: Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A .. Autolysis precludes evaluation

Lesion present

ANK .. Not examined microscopically

.. Lesion present
 Insufficient tissue

BEANK .. Not examined microscopically

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

FORMAMIDE

CAS Number: 75-12-7

Pathologist: RYAN, M. - Blackshear, P.

Date Report Reqstd: 05/04/2006

Time Report Reqstd: 11:47:08

First Dose M/F: 10/04/01 / 10/03/01

Lab: BAT

| DAY ON TEST | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 4 | 4 | 5 | 0 | 0 | 0 | 1 | 1 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 0 | 0 | 1 | 2 | 4 | |
| | 7 | 9 | 0 | 3 | 4 | 9 | 0 | 2 | 7 | 0 | 3 | 4 | 2 | 3 | 4 | 8 | 9 | 3 | 4 | 6 | 5 | 7 | 4 | 2 | 1 | * TOTALS | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 |
| Fibrosarcoma, Metastatic, Mesentery | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Fibrosarcoma, Metastatic, Mesentery | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Fibrosarcoma, Metastatic, Mesentery | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Fibrosarcoma, Metastatic, Mesentery | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hepatocellular Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | 4 |
| Hepatocellular Adenoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |

* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

FORMAMIDE

CAS Number: 75-12-7

Pathologist: RYAN, M. - Blackshear, P.

Date Report Reqstd: 05/04/2006

Time Report Reqstd: 11:47:08

First Dose M/F: 10/04/01 / 10/03/01

Lab: BAT

| B6C3F1 MICE FEMALE
0 MG/KG | ANIMAL ID | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|-------------------------------------|-----------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|
| | | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | | |
| | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | | |
| | | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | |
| Hepatocellular Carcinoma | | | | | | | | | | | | | | | | X | X | | | | | 4 | |
| Mesentery | | + | | | | | | | | | | | | | | | | | | | | | 8 |
| Fibrosarcoma | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Oral Mucosa | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Pancreas | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | |
| Fibrosarcoma, Metastatic, Mesentery | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Salivary Glands | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | |
| Stomach, Forestomach | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Squamous Cell Papilloma | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Stomach, Glandular | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

ENDOCRINE SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
x .. Lesion present
| .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

FORMAMIDE

CAS Number: 75-12-7

Pathologist: RYAN, M. - Blackshear, P

Date Report Registered: 05/04/2006

Time Report Requested: 11:47:08

First Dose M/F: 10/04/01 / 10/03/01

Lab: BAT

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

* .. Total animals with tissue examined microscopically: Total animals with tumor

† ... Tissue examined microscopically

Lesion present

.. Lesion present
 Insufficient tissue

M .. Missing tissue

M .. Missing tissue
A .. Autolysis precludes evaluation

BLANK Not examined microscopically

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

FORMAMIDE

CAS Number: 75-12-7

Pathologist: RYAN, M. - Blackshear, P

Date Report Requested: 05/04/2006

Time Report Registered: 11:47:08

First Dose M/F: 10/04/01 / 10/03/01

Lab: BAT

HEMATOPOIETIC SYSTEM

INTEGUMENTARY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor

† ... Tissue examined microscopically

- + .. Tissue examination
- x Lesion presentation

.. Lesion present
 Insufficient tissue

M .. Missing tissue

M .. Missing tissue
A .. Autolysis precludes evaluation

BLANK Not examined microscopically

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

FORMAMIDE

CAS Number: 75-12-7

Pathologist: RYAN, M. - Blackshear, P.

Date Report Reqstd: 05/04/2006

Time Report Reqstd: 11:47:08

First Dose M/F: 10/04/01 / 10/03/01

Lab: BAT

| DAY ON TEST | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
|------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 4 | 4 | 5 | 0 | 0 | 0 | 1 | 1 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 0 | 0 | 1 | 2 | 4 | |
| | 7 | 9 | 0 | 3 | 4 | 9 | 0 | 2 | 7 | 0 | 3 | 4 | 2 | 3 | 4 | 8 | 9 | 3 | 4 | 6 | 5 | 7 | 4 | 2 | 1 | * TOTALS | |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Subcutaneous Tissue, Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Fibrosarcoma, Metastatic, Mesentery | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hemangiosarcoma | | | | | | | X | | | | | | | | | | | | | | | | | | | 1 |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Spinal Cord | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | 3 |
| Alveolar/Bronchiolar Adenoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Alveolar/Bronchiolar Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Carcinoma, Metastatic, Harderian Gland | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |

* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

FORMAMIDE

CAS Number: 75-12-7

Pathologist: RYAN, M. - Blackshear, P.

Date Report Reqstd: 05/04/2006

Time Report Reqstd: 11:47:08

First Dose M/F: 10/04/01 / 10/03/01

Lab: BAT

| DAY ON TEST | 4 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | 1 | 1 | 3 | 7 | 1 | 4 | 5 | 6 | 6 | 7 | 8 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 3 | 3 | 6 | 5 | 8 | 6 | 8 | 5 | 5 | 4 | 1 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 20 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 7 | 9 | 7 | 5 | 8 | 6 | 9 | 5 | 5 | 8 | 6 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 7 | 7 | 8 | 8 | 8 | 9 | 9 | 9 |
| | 5 | 6 | 8 | 4 | 8 | 7 | 3 | 2 | 8 | 4 | 1 | 3 | 5 | 6 | 0 | 3 | 8 | 9 | 2 | 6 | 2 | 3 | 5 | 1 | 4 | females
(cont...) |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|--|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Gallbladder | A | + | A | + | + | + | + | + | I | + | + | + | + | + | + | + | + | + | + | + | I | A | + | + | + | | |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Hepatocellular Adenoma | | | | | | | | | | | | | | | X | | | | X | | | | | | X | | |
| Hepatocellular Adenoma, Multiple | | | | | | | | | | | | | | | | | | | | X | | | | | X | | |
| Hepatocellular Carcinoma | | | | | | | | | | | | | | | X | | | | X | | | | | | | | |
| Hepatocellular Carcinoma, Multiple | | | | | | | | | | | | | | | | | | | | | X | | | | | | |
| Mesentery | | | | | | | | | | | | | | | + | | | | | | + | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

Date Report Reqstd: 05/04/2006

FORMAMIDE

Time Report Reqstd: 11:47:08

CAS Number: 75-12-7

First Dose M/F: 10/04/01 / 10/03/01

Pathologist: RYAN, M. - Blackshear, P.

Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|------------------|------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|--|
| | DAY ON TEST | 4
1
3 | 5
1
3 | 5
7
6 | 5
4
6 | 6
5
8 | 6
6
6 | 6
6
5 | 6
7
5 | 6
8
4 | 7
2
1 | 7
2
7 | |
| B6C3F1 MICE FEMALE | | 0
0
0 | 0
0
0 | 0
0
2 | 0
0
2 | 0
6
8 | 0
0
6 | 0
0
5 | 0
5
8 | 0
6
4 | 0
7
1 | 0
2
7 | |
| 20 MG/KG | ANIMAL ID | 0
0
2
7 | 0
0
2
9 | 0
5
7 | 0
0
5 | 0
6
8 | 0
0
6 | 0
5
5 | 0
5
8 | 0
6
4 | 0
3
1 | 0
2
5 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | |

**females
(cont...)**

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Squamous Cell Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Pheochromocytoma Benign | | | | | | | | | | | | | | | | | | | | | | | | | |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A .. Autolysis precludes evaluation

x .. Lesion present

BLANK .. Not examined microscopically

| .. Insufficient tissue

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

FORMAMIDE

CAS Number: 75-12-7

Pathologist: RYAN, M. - Blackshear, P.

Date Report Reqstd: 05/04/2006

Time Report Reqstd: 11:47:08

First Dose M/F: 10/04/01 / 10/03/01

Lab: BAT

| DAY ON TEST | 4 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 1 | 1 | 3 | 7 | 1 | 4 | 5 | 6 | 6 | 7 | 8 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 3 | 3 | 6 | 5 | 8 | 6 | 8 | 5 | 5 | 4 | 1 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 20 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 7 | 9 | 7 | 5 | 8 | 6 | 9 | 5 | 5 | 8 | 6 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 7 | 7 | 8 | 8 | 8 | 9 | 9 | 9 |
| | 5 | 6 | 8 | 4 | 8 | 7 | 3 | 2 | 8 | 4 | 1 | 3 | 5 | 6 | 0 | 3 | 8 | 9 | 2 | 6 | 2 | 3 | 5 | 1 | 4 | |

**females
(cont...)**

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Parathyroid Gland | + | M | + | + | + | M | + | + | + | + | M | M | + | M | + | + | + | M | + | M | + | + | M | M | M |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Pars Distalis, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Pars Intermedia, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Follicle, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | X |

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Clitoral Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Cystadenoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Granulosa Cell Tumor Benign | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Granulosa Cell Tumor Malignant | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Teratoma Benign | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bilateral, Luteoma | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A .. Autolysis precludes evaluation

x .. Lesion present

BLANK .. Not examined microscopically

| .. Insufficient tissue

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

FORMAMIDE

CAS Number: 75-12-7

Pathologist: RYAN, M. - Blackshear, P

Date Report Registered: 05/04/2006

Time Report Requested: 11:47:08

First Dose M/F: 10/04/01 / 10/03/01

Lab: BAT

HEMATOPOIETIC SYSTEM

INTEGUMENTARY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x ... Lesion present

x .. Lesion present
| .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK - Not examined microscopically

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

FORMAMIDE

CAS Number: 75-12-7

Pathologist: RYAN, M. - Blackshear, P.

Date Report Reqstd: 05/04/2006

Time Report Reqstd: 11:47:08

First Dose M/F: 10/04/01 / 10/03/01

Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 4 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | 1 | 1 | 3 | 7 | 1 | 4 | 5 | 6 | 6 | 7 | 8 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 3 | 3 | 6 | 5 | 8 | 6 | 8 | 5 | 5 | 4 | 1 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 20 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 7 | 9 | 7 | 5 | 8 | 6 | 9 | 5 | 5 | 8 | 6 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 |
| | 5 | 6 | 8 | 4 | 8 | 7 | 3 | 2 | 8 | 4 | 1 | 3 | 5 | 5 | 6 | 0 | 3 | 8 | 9 | 2 | 6 | 2 | 3 | 5 | 1 | 4 | | | |

**females
(cont...)****MUSCULOSKELETAL SYSTEM**

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|---|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Skeletal Muscle | | | | | | | | | | | + | | | | | | | | | | | | | | | | | | | | |
| Lipoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | X |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | X | |
| Hepatocellular Carcinoma, Metastatic,
Liver | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Sarcoma, Metastatic, Skin | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
|---------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

SPECIAL SENSES SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 | .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

FORMAMIDE

CAS Number: 75-12-7

Pathologist: RYAN, M. - Blackshear, P.

Date Report Reqstd: 05/04/2006

Time Report Reqstd: 11:47:08

First Dose M/F: 10/04/01 / 10/03/01

Lab: BAT

| DAY ON TEST | 4 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 1 | 1 | 3 | 7 | 1 | 4 | 5 | 6 | 6 | 7 | 8 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 3 | 3 | 6 | 5 | 8 | 6 | 8 | 5 | 5 | 4 | 1 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 20 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 7 | 9 | 7 | 5 | 8 | 6 | 9 | 5 | 5 | 8 | 6 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 7 | 7 | 8 | 8 | 8 | 9 | 9 | 9 |
| | 5 | 6 | 8 | 4 | 8 | 7 | 3 | 2 | 8 | 4 | 1 | 3 | 5 | 6 | 0 | 3 | 8 | 9 | 2 | 6 | 2 | 3 | 5 | 1 | 4 | |

females
(cont...)

Ear

Eye

Harderian Gland

Adenoma

URINARY SYSTEM

Kidney

Urinary Bladder

SYSTEMIC LESIONS

Multiple Organ

Histiocytic Sarcoma

Lymphoma Malignant

* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

FORMAMIDE

CAS Number: 75-12-7

Pathologist: RYAN, M. - Blackshear, P.

Date Report Reqstd: 05/04/2006

Time Report Reqstd: 11:47:08

First Dose M/F: 10/04/01 / 10/03/01

Lab: BAT

| DAY ON TEST | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|---|---|
| DAY ON TEST | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| DAY ON TEST | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 20 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 2 | 3 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 9 | 0 | 5 | 5 | 6 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 5 | 6 | 6 | 6 | 7 | 7 | 7 | 8 | 9 | 9 | 9 | 9 | |
| | 9 | 0 | 1 | 9 | 5 | 0 | 7 | 9 | 0 | 1 | 6 | 7 | 2 | 7 | 8 | 7 | 2 | 4 | 6 | 1 | 3 | 4 | 9 | 0 | 5 | * TOTALS | | | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 45 | | |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Hepatocellular Adenoma | | | | | | | X | | | X | | | | | | | | | | X | X | X | | | | | 9 | |
| Hepatocellular Adenoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | | | | | 3 |
| Hepatocellular Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | 3 |
| Hepatocellular Carcinoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Mesentery | | | | | | | | | | | | | | | | | | | | | | | | | | | | 3 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

l .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

FORMAMIDE

CAS Number: 75-12-7

Pathologist: RYAN, M. - Blackshear, P.

Date Report Reqstd: 05/04/2006

Time Report Reqstd: 11:47:08

First Dose M/F: 10/04/01 / 10/03/01

Lab: BAT

| DAY ON TEST | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 20 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 2 | 3 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 9 | 0 | 5 | 5 | 6 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 5 | 6 | 6 | 6 | 7 | 7 | 7 | 8 | 9 | 9 | 9 | 9 |
| | 9 | 0 | 1 | 9 | 5 | 0 | 7 | 9 | 0 | 1 | 6 | 7 | 2 | 7 | 8 | 7 | 2 | 4 | 6 | 1 | 3 | 4 | 9 | 0 | 5 | * TOTALS | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Squamous Cell Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Pheochromocytoma Benign | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

FORMAMIDE

CAS Number: 75-12-7

Pathologist: RYAN, M. - Blackshear, P.

Date Report Reqstd: 05/04/2006

Time Report Reqstd: 11:47:08

First Dose M/F: 10/04/01 / 10/03/01

Lab: BAT

| DAY ON TEST | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 20 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 2 | 3 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 9 | 0 | 5 | 5 | 6 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 5 | 6 | 6 | 6 | 7 | 7 | 7 | 8 | 9 | 9 | 9 | 9 |
| | 9 | 0 | 1 | 9 | 5 | 0 | 7 | 9 | 0 | 1 | 6 | 7 | 2 | 7 | 8 | 7 | 2 | 4 | 6 | 1 | 3 | 4 | 9 | 0 | 5 | * TOTALS | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Parathyroid Gland | + | + | M | M | + | + | + | + | M | + | M | + | + | M | M | + | + | + | + | + | + | M | + | + | M | 32 |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Pars Distalis, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Pars Intermedia, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Follicle, Adenoma | | | | | | | | | | | | | | | | | | | | | X | | | | | 2 |

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Clitoral Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Cystadenoma | X | | | | | | | | | | | | | | | | | | | | X | | | | | 3 |
| Granulosa Cell Tumor Benign | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Granulosa Cell Tumor Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Teratoma Benign | | | | | | | | | | | | | | | | | | | | | X | | | | | 1 |
| Bilateral, Luteoma | | | | | | | | | | | | | | | X | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A .. Autolysis precludes evaluation

x .. Lesion present

BLANK .. Not examined microscopically

| .. Insufficient tissue

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

FORMAMIDE

CAS Number: 75-12-7

Pathologist: RYAN, M. - Blackshear, P.

Date Report Reqstd: 05/04/2006

Time Report Reqstd: 11:47:08

First Dose M/F: 10/04/01 / 10/03/01

Lab: BAT

| B6C3F1 MICE FEMALE
20 MG/KG | ANIMAL ID | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
|--------------------------------|-----------|----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 2 | 3 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | | 9 | 0 | 5 | 5 | 6 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 5 | 6 | 6 | 6 | 7 | 7 | 7 | 8 | 9 | 9 |
| | | 9 | 0 | 1 | 9 | 5 | 0 | 7 | 9 | 0 | 1 | 6 | 7 | 2 | 7 | 8 | 7 | 2 | 4 | 6 | 1 | 3 | 4 | 9 | 0 | 5 |
| | | * TOTALS | | | | | | | | | | | | | | | | | | | | | | | | |
| Uterus | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Lymph Node | | | | | | | | | | | | | | | | | | | | | | | | | | | 4 |
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | |
| Thymus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Thymoma Benign | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Subcutaneous Tissue, Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | 6 |

* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

FORMAMIDE

CAS Number: 75-12-7

Pathologist: RYAN, M. - Blackshear, P.

Date Report Registered: 05/04/2006

Time Report Requested: 11:47:08

First Dose M/F: 10/04/01 / 10/03/01

Lab: BAT

MUSCULOSKELETAL SYSTEM

NERVOUS SYSTEM

RESPIRATORY SYSTEM

SPECIAL SENSES SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x Lesion present

.. Lesion present
 Insufficient tissue

M .. Missing tissue

A. Autolysis precludes evaluation

BLANK Not examined microscopically

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

FORMAMIDE

CAS Number: 75-12-7

Pathologist: RYAN, M. - Blackshear, P

Date Report Requested: 05/04/2006

Time Report Registered: 11:47:08

First Dose M/F: 10/04/01 / 10/03/01

Lab: BAT

ALIMENTARY SYSTEM

* .. Total animals with tissue examined microscopically: Total animals with tumor

M .. Missing tissue

† .. Tissue examined microscopically

A.. Autolysis precludes evaluation

x Lesion present

ANK Not examined microscopically

.. Lesion present
 Insufficient tissue

BLANK Not examined microscopically

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

FORMAMIDE

CAS Number: 75-12-7

Pathologist: RYAN, M. - Blackshear, P.

Date Report Reqstd: 05/04/2006

Time Report Reqstd: 11:47:08

First Dose M/F: 10/04/01 / 10/03/01

Lab: BAT

| DAY ON TEST | 0 | 4 | 4 | 4 | 4 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 7 | 9 | 4 | 8 | 1 | 1 | 1 | 2 | 6 | 7 | 9 | 9 | 0 | 0 | 0 | 1 | 2 | 2 | 2 | 2 | 2 |
| | 6 | 1 | 7 | 1 | 7 | 9 | 7 | 0 | 8 | 8 | 9 | 5 | 5 | 8 | 8 | 0 | 2 | 9 | 3 | 7 | 7 | 7 | 7 | 7 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 40 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 3 | 4 | 0 | 4 | 0 | 4 | 4 | 1 | 0 | 3 | 1 | 3 | 3 | 1 | 3 | 2 | 0 | 4 | 1 | 0 | 1 | 1 | 1 | 2 |
| | 1 | 4 | 2 | 1 | 5 | 9 | 6 | 8 | 8 | 9 | 7 | 2 | 8 | 6 | 5 | 9 | 6 | 7 | 2 | 9 | 0 | 3 | 4 | 5 |

**females
(cont...)**

| | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Adrenal Cortex | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Islets, Pancreatic
Carcinoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Parathyroid Gland | + | + | + | + | M | M | + | + | + | + | M | + | + | + | + | + | M | M | + | M | M | + | M |

* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

FORMAMIDE

CAS Number: 75-12-7

Pathologist: RYAN, M. - Blackshear, P.

Date Report Reqstd: 05/04/2006

Time Report Reqstd: 11:47:08

First Dose M/F: 10/04/01 / 10/03/01

Lab: BAT

| DAY ON TEST | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|---|
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 40 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 3 | 3 | 3 | 4 | 0 | 0 | 0 | 0 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 4 | 4 | 4 | 4 | 5 | 2 | 4 |
| | 0 | 3 | 4 | 3 | 1 | 3 | 4 | 7 | 1 | 9 | 0 | 2 | 3 | 4 | 5 | 6 | 7 | 6 | 7 | 2 | 5 | 8 | 0 | 1 | 0 | * TOTALS | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 46 |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Leiomyosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | X | | | | | | | | | 1 |
| Hepatocellular Adenoma | | | | | | | | | | | | | | | | | X | | | | | | | | | 11 |
| Hepatocellular Adenoma, Multiple | | | | | | | | | | | | | | | | | | | X | | | | | | | 2 |
| Mesentery | + | | | | | | | | | | | | | | | | | | + | | | | | | | 8 |

* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

FORMAMIDE

CAS Number: 75-12-7

Pathologist: RYAN, M. - Blackshear, P.

Date Report Reqstd: 05/04/2006

Time Report Reqstd: 11:47:08

First Dose M/F: 10/04/01 / 10/03/01

Lab: BAT

| DAY ON TEST | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|---|---|---|
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 40 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | 3 | 3 | 3 | 4 | 0 | 0 | 0 | 0 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 4 | 4 | 4 | 4 | 5 | 2 | 4 | * | |
| | 0 | 3 | 4 | 3 | 1 | 3 | 4 | 7 | 1 | 9 | 0 | 2 | 3 | 4 | 5 | 6 | 7 | 6 | 7 | 2 | 5 | 8 | 0 | 1 | 0 | * TOTALS | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Islets, Pancreatic Carcinoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Parathyroid Gland | M | + | + | + | + | + | + | M | M | + | M | + | + | + | + | + | M | + | + | M | + | + | M | + | + | 35 |

* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

FORMAMIDE

CAS Number: 75-12-7

Pathologist: RYAN, M. - Blackshear, P.

Date Report Reqstd: 05/04/2006

Time Report Reqstd: 11:47:08

First Dose M/F: 10/04/01 / 10/03/01

Lab: BAT

| DAY ON TEST | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 40 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | 3 | 3 | 3 | 4 | 0 | 0 | 0 | 0 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 4 | 4 | 4 | 4 | 5 | 2 | |
| | 0 | 3 | 4 | 3 | 1 | 3 | 4 | 7 | 1 | 9 | 0 | 2 | 3 | 4 | 5 | 6 | 7 | 6 | 7 | 2 | 5 | 8 | 0 | 1 | 0 | * TOTALS | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Pars Distalis, Adenoma | | | | | | | | | | | | | | | | | | X | | | | | | | | 2 |
| Pars Distalis, Adenoma, Multiple | | | | | | | | | | | | | | | | | | X | | | | | | | | 1 |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Follicle, Adenoma | X | | | | | | | | | | | | | | | | | | | | | | | | X | 2 |

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Clitoral Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Cystadenoma | | | | | | | | | | | | | | | | | X | | | | | | | | | 4 |
| Teratoma Malignant | | | | | | | | | | | | | | | | | X | | | | | | | | | 1 |
| Uterus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

FORMAMIDE

CAS Number: 75-12-7

Pathologist: RYAN, M. - Blackshear, P.

Date Report Reqstd: 05/04/2006

Time Report Reqstd: 11:47:08

First Dose M/F: 10/04/01 / 10/03/01

Lab: BAT

| DAY ON TEST | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 40 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | 3 | 3 | 3 | 4 | 0 | 0 | 0 | 0 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 4 | 4 | 4 | 4 | 5 | 2 | 4 | |
| | 0 | 3 | 4 | 3 | 1 | 3 | 4 | 7 | 1 | 9 | 0 | 2 | 3 | 4 | 5 | 6 | 7 | 6 | 7 | 2 | 5 | 8 | 0 | 1 | 0 | * TOTALS | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
|---------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|----|
| Ear | | + | 2 | | | | | | | | | | | | | | | | | | | | | | |
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Bilateral, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

SYSTEMIC LESIONS

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 6 |
| | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

l .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

FORMAMIDE

CAS Number: 75-12-7

Pathologist: RYAN, M. - Blackshear, P.

Date Report Reqstd: 05/04/2006

Time Report Reqstd: 11:47:08

First Dose M/F: 10/04/01 / 10/03/01

Lab: BAT

| DAY ON TEST | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 6 | 9 | 1 | 2 | 2 | 5 | 6 | 9 | 9 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 3 | 0 | 7 | 3 | 6 | 7 | 0 | 3 | 4 | 3 | 4 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 80 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | 9 | 7 | 9 | 6 | 6 | 5 | 5 | 6 | 8 | 9 | 9 | 5 | 5 | 5 | 5 | 6 | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | |
| | 5 | 4 | 7 | 6 | 2 | 7 | 8 | 3 | 6 | 8 | 4 | 1 | 2 | 4 | 9 | 0 | 0 | 1 | 2 | 5 | 2 | 3 | 4 | 5 | 8 | 8 | |

females
(cont...)

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Gallbladder | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Leiomyosarcoma | | | | | | | | | | | | | | | | X | | | | | | | | | | |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | X | | | | | | | | | |
| Hepatocellular Adenoma | | | | | | | | | | | | | | | | | | X | | | | | | | | |
| Hepatocellular Adenoma, Multiple | | | | | | | | | | | | | | | | | | X | | | | | | | | |
| Hepatocellular Carcinoma | | | | | | | | | | | | | | | | | | X | | | | | | | | |
| Hepatocellular Carcinoma, Multiple | | | | | | | | | | | | | | | | | X | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A .. Autolysis precludes evaluation

x .. Lesion present

BLANK .. Not examined microscopically

I .. Insufficient tissue

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

FORMAMIDE

CAS Number: 75-12-7

Pathologist: RYAN, M. - Blackshear, P.

Date Report Reqstd: 05/04/2006

Time Report Reqstd: 11:47:08

First Dose M/F: 10/04/01 / 10/03/01

Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------|-------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| | DAY ON TEST | 5
6
3 | 5
9
0 | 6
1
7 | 6
2
3 | 6
2
6 | 6
5
0 | 6
6
3 | 7
9
4 | 7
2
3 | 7
2
7 |
| | | 0
0
3 |
| B6C3F1 MICE FEMALE
80 MG/KG | ANIMAL ID | 0
0
3
9
5 | 0
0
3
7
4 | 0
0
3
9
7 | 0
0
3
6
4 | 0
0
3
6
7 | 0
0
3
5
8 | 0
0
3
6
3 | 0
0
3
8
3 | 0
0
3
9
6 | 0
0
3
9
8 | 0
0
3
5
4 | 0
0
3
5
1 | 0
0
3
5
2 | 0
0
3
5
9 | 0
0
3
6
0 | 0
0
3
7
0 | 0
0
3
7
1 | 0
0
3
7
2 | 0
0
3
7
5 | 0
0
3
8
2 | 0
0
3
8
3 | 0
0
3
8
4 | 0
0
3
8
5 |

females
(cont...)

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Uterus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Polyp Stromal | | | | | | | | | | | | | | | | | | | | | | | | |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymph Node | + | | | | | | | | | | | | | | | | | | | | | | | |
| Mediastinal, Hepatocellular Carcinoma,
Metastatic, Liver | | | | | | | | | | | | | | | X | | | | | | | | | |
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Thymus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Subcutaneous Tissue, | | | | | | | | | | | | | | | X | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

FORMAMIDE

CAS Number: 75-12-7

Pathologist: RYAN, M. - Blackshear, P.

Date Report Reqstd: 05/04/2006

Time Report Reqstd: 11:47:08

First Dose M/F: 10/04/01 / 10/03/01

Lab: BAT

| DAY ON TEST | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 6 | 9 | 1 | 2 | 2 | 5 | 6 | 9 | 9 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 3 | 0 | 7 | 3 | 6 | 7 | 0 | 3 | 4 | 3 | 4 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 80 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 9 | 7 | 9 | 6 | 6 | 5 | 5 | 6 | 8 | 9 | 9 | 5 | 5 | 5 | 5 | 5 | 6 | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 |
| | 5 | 4 | 7 | 6 | 2 | 7 | 8 | 3 | 6 | 8 | 4 | 1 | 2 | 4 | 9 | 0 | 0 | 1 | 2 | 5 | 2 | 3 | 4 | 5 | 8 | | |

females
(cont...)

Hemangiosarcoma

Subcutaneous Tissue, Sarcoma

X

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Osteosarcoma | | | | | | X | | | | | | | | | | | | | | | | | | | | | |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | | | | | | | | | X | | | X | | X | | | | |

Alveolar/Bronchiolar Carcinoma

Alveolar/Bronchiolar Carcinoma, Multiple

Hepatocellular Carcinoma, Metastatic,
Liver

Osteosarcoma, Metastatic, Bone

X

X

X

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

FORMAMIDE

CAS Number: 75-12-7

Pathologist: RYAN, M. - Blackshear, P

Date Report Registered: 05/04/2006

Time Report Requested: 11:47:08

First Dose M/F: 10/04/01 / 10/03/01

Lab: BAT

SPECIAL SENSES SYSTEM

URINARY SYSTEM

SYSTEMIC LESIONS

* .. Total animals with tissue examined microscopically; Total animals with tumor

† = Tissue examined microscopically

Lesion present

.. Lesion present
 Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK Not examined microscopically

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

FORMAMIDE

CAS Number: 75-12-7

Pathologist: RYAN, M. - Blackshear, P.

Date Report Reqstd: 05/04/2006

Time Report Reqstd: 11:47:08

First Dose M/F: 10/04/01 / 10/03/01

Lab: BAT

| DAY ON TEST | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|---|---|
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 7 | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 80 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | 8 | 9 | 9 | 9 | 9 | 5 | 5 | 6 | 6 | 6 | 7 | 7 | 8 | 9 | 0 | 5 | 6 | 6 | 7 | 7 | 7 | 8 | 8 | 9 | 8 | 9 | 9 | |
| | 9 | 2 | 3 | 6 | 9 | 5 | 6 | 4 | 5 | 7 | 8 | 6 | 9 | 0 | 1 | 0 | 3 | 1 | 9 | 3 | 7 | 8 | 1 | 7 | 0 | * TOTALS | | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|----|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | | |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Leiomyosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Hemangiosarcoma | X | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Hepatocellular Adenoma | | | | | | | | | X | | X | X | X | | | | | | | | | | | | | | 10 | |
| Hepatocellular Adenoma, Multiple | | | | | | | | | | X | | | | | | | | X | | | | | | | | | 2 | |
| Hepatocellular Carcinoma | X | | | | | | | | | | | | | | | | | | X | | | | | | | | | 5 |
| Hepatocellular Carcinoma, Multiple | | | | | | | | | | | | | | | | | | | | X | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

l .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

FORMAMIDE

CAS Number: 75-12-7

Pathologist: RYAN, M. - Blackshear, P.

Date Report Reqstd: 05/04/2006

Time Report Reqstd: 11:47:08

First Dose M/F: 10/04/01 / 10/03/01

Lab: BAT

| DAY ON TEST | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 7 | 7 | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 80 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 8 | 9 | 9 | 9 | 9 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 7 | 7 | 8 | 9 | 0 | 5 | 6 | 6 | 7 | 7 | 7 | 8 | 8 | 9 | 9 |
| | 9 | 2 | 3 | 6 | 9 | 5 | 6 | 4 | 5 | 7 | 8 | 6 | 9 | 0 | 1 | 0 | 3 | 1 | 9 | 3 | 7 | 8 | 1 | 7 | 0 | * TOTALS | |

| | | |
|----------------------|---|----|
| Mesentery | + | 2 |
| Pancreas | + | 50 |
| Salivary Glands | + | 50 |
| Stomach, Forestomach | + | 50 |
| Stomach, Glandular | + | 50 |
| Tooth | + | 1 |

CARDIOVASCULAR SYSTEM

| | | |
|--------------|---|----|
| Blood Vessel | + | 50 |
| Heart | + | 50 |

ENDOCRINE SYSTEM

| | | |
|---|---|----|
| Adrenal Cortex | + | 50 |
| Hepatocellular Carcinoma, Metastatic, Liver | 1 | |

* .. Total animals with tissue examined microscopically; Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A .. Autolysis precludes evaluation

x .. Lesion present

BLANK .. Not examined microscopically

I .. Insufficient tissue

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

FORMAMIDE

CAS Number: 75-12-7

Pathologist: RYAN, M. - Blackshear, P

Date Report Registered: 05/04/2006

Time Report Requested: 11:47:08

First Dose M/F: 10/04/01 / 10/03/01

Lab: BAT

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor

† = Tissue examined microscopically

Lesion present

.. Lesion present
 Insufficient tissue

M .. Missing tissue

A - Autolysis precludes evaluation

BLANK Not examined microscopically

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

FORMAMIDE

CAS Number: 75-12-7

Pathologist: RYAN, M. - Blackshear, P.

Date Report Reqstd: 05/04/2006

Time Report Reqstd: 11:47:08

First Dose M/F: 10/04/01 / 10/03/01

Lab: BAT

| B6C3F1 MICE FEMALE
80 MG/KG | ANIMAL ID | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
|--------------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|
| | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | | 7 | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | 8 | 9 | 9 | 9 | 9 | 9 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 7 | 7 | 8 | 9 | 0 | 5 | 6 | 6 | 7 | 7 | 7 | 8 | 9 | |
| | 9 | 2 | 3 | 6 | 9 | 5 | 6 | 4 | 5 | 7 | 8 | 6 | 9 | 0 | 1 | 0 | 3 | 1 | 9 | 3 | 7 | 8 | 1 | 7 | 0 | * TOTALS | |
| Uterus | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Polyp Stromal | | | | | | | | | | | | | | | | X | | | | | | | | X | | 2 | |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymph Node | | | | | | | | | | | | | | | | | | | | | | | | | | 5 |
| Mediastinal, Hepatocellular Carcinoma,
Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Thymus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Subcutaneous Tissue, | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

FORMAMIDE

CAS Number: 75-12-7

Pathologist: RYAN, M. - Blackshear, P.

Date Report Reqstd: 05/04/2006

Time Report Reqstd: 11:47:08

First Dose M/F: 10/04/01 / 10/03/01

Lab: BAT

| DAY ON TEST | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 7 | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 80 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ANIMAL ID | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 8 | 9 | 9 | 9 | 9 | 5 | 5 | 6 | 6 | 6 | 7 | 7 | 8 | 9 | 0 | 5 | 6 | 6 | 7 | 7 | 7 | 8 | 8 | 9 | 8 | 9 | 9 |
| | 9 | 2 | 3 | 6 | 9 | 5 | 6 | 4 | 5 | 7 | 8 | 6 | 9 | 0 | 1 | 0 | 3 | 1 | 9 | 3 | 7 | 8 | 1 | 7 | 0 | * TOTALS | |

Hemangiosarcoma

Subcutaneous Tissue, Sarcoma

1

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Osteosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | 4 |
| Alveolar/Bronchiolar Carcinoma | X | | X | | | | | | | | | | | | | | | | | | | | | | | 3 |
| Alveolar/Bronchiolar Carcinoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hepatocellular Carcinoma, Metastatic, Liver | X | | | | | | | | | | | | | | | | | | | | | | | | | 3 |
| Osteosarcoma, Metastatic, Bone | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A .. Autolysis precludes evaluation

x .. Lesion present

BLANK .. Not examined microscopically

I .. Insufficient tissue

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

FORMAMIDE

CAS Number: 75-12-7

Pathologist: RYAN, M. - Blackshear, P.

Date Report Reqstd: 05/04/2006

Time Report Reqstd: 11:47:08

First Dose M/F: 10/04/01 / 10/03/01

Lab: BAT

| DAY ON TEST | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|---|---|
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 7 | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 80 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | 8 | 9 | 9 | 9 | 9 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 7 | 7 | 8 | 9 | 0 | 5 | 6 | 6 | 7 | 7 | 7 | 8 | 8 | 9 | | | |
| | 9 | 2 | 3 | 6 | 9 | 5 | 6 | 4 | 5 | 7 | 8 | 6 | 9 | 0 | 1 | 0 | 3 | 1 | 9 | 3 | 7 | 8 | 1 | 7 | 0 | | * TOTALS | | |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Adenoma | | | | | | | | | | | | | X | | | | | | | | | | X | | | 7 | |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Osteosarcoma, Metastatic, Bone | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Perirenal Tissue, Hemangioma | | | | | | | | | | | | | | | | | | | | | | | X | | | 1 | |
| Perirenal Tissue, Hemangiosarcoma | | | | | | | | | | | | | X | | | | | | | | | | | | | | 1 |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |

SYSTEMIC LESIONS

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | 5 |

* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 88123 - 07

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

FORMAMIDE

CAS Number: 75-12-7

Pathologist: RYAN, M. - Blackshear, P.

Date Report Reqstd: 05/04/2006

Time Report Reqstd: 11:47:08

First Dose M/F: 10/04/01 / 10/03/01

Lab: BAT

| DAY ON TEST | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
|---------------------------|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 7 | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 80 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | 8 | 9 | 9 | 9 | 9 | 5 | 5 | 6 | 6 | 6 | 6 | 7 | 7 | 8 | 9 | 0 | 5 | 6 | 6 | 7 | 7 | 7 | 8 | 8 | 9 | | |
| | 9 | 2 | 3 | 6 | 9 | 5 | 6 | 4 | 5 | 7 | 8 | 6 | 9 | 0 | 1 | 0 | 3 | 1 | 9 | 3 | 7 | 8 | 1 | 7 | 0 | | |
| | * TOTALS | | | | | | | | | | | | | | | | | | | | | | | | | | |

*** END OF REPORT ***

* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically