

TDMS No. 93025 - 06

Test Type: CHRONIC

Route: RESPIRATORY EXPOSURE WHOLE BODY

Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Tetralin

CAS Number: 119-64-2

Date Report Requested: 05/22/2008

Time Report Requested: 06:34:08

First Dose M/F: 06/23/03 / 06/23/03

Lab: BNW

C Number: C93025

Lock Date: 03/22/2006

Cage Range: ALL

Date Range: ALL

Reasons For Removal: ALL

Removal Date Range: ALL

Treatment Groups: Include ALL

Study Gender: Both

TDMSE Version: 2.0.0

DAY ON TEST	0 0																								
	7 7 7 7 7 7 7 7 7 7 5 6 7 7 7 7 7 6 7 7 5 7 6 5																								
ANIMAL ID	3 3 2 3 3 2 3 2 2 3 9 3 2 2 2 2 2 0 3 3 9 3 1 1																								
	0 0 9 1 0 9 0 9 9 0 7 5 9 9 9 9 9 4 0 0 3 0 8 6																								
B6C3F1 MICE MALE	0 0																								
	0 0																								
	0 0																								
	0 0 0 0 0 0 0 0 0 0 1 1 1 1 1 1 1 1 1 2 2 2 2 2 2																								
	1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5																								
CONTROL																									

males (cont...)

Pancreas	+ +																								
Salivary Glands	+ +																								
Stomach, Forestomach	+ +																								
Stomach, Glandular	+ +																								
Tooth																									
Odontoma	+ +																								

CARDIOVASCULAR SYSTEM

Heart	+ +																								
-------	---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

ENDOCRINE SYSTEM

Adrenal Cortex	+ +																								
Adenoma																									
Capsule, Adenoma																									
Adrenal Medulla	+ + + + M +																								
Pheochromocytoma Benign																									

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

DAY ON TEST	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	7	7	7	7	7	7	7	7	7	5	6	7	7	7	7	7	7	6	7	7	5	7	6	5
	3	3	2	3	3	2	3	2	2	3	9	3	2	2	2	2	2	0	3	3	9	3	1	1
	0	0	9	1	0	9	0	9	9	0	7	5	9	9	9	9	9	4	0	0	3	0	8	6
B6C3F1 MICE MALE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	2	2	2	2	2
	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4
CONTROL																								

males (cont...)

Islets, Pancreatic	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
Adenoma																								X	
Parathyroid Gland	+	+	+	+	+	M	M	+	M	M	M	M	+	+	+	M	+	+	+	M	+	M	M	+	+
Pituitary Gland	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Thyroid Gland	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

Epididymis	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Preputial Gland	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Prostate	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Seminal Vesicle	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Testes	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

DAY ON TEST	0 0																								
	7 7 7 7 7 7 7 7 7 7 5 6 7 7 7 7 7 6 7 7 5 7 6 5																								
ANIMAL ID	3 3 2 3 3 2 3 2 2 3 9 3 2 2 2 2 2 0 3 3 9 3 1 1																								
	0 0 9 1 0 9 0 9 9 0 7 5 9 9 9 9 9 4 0 0 3 0 8 6																								
B6C3F1 MICE MALE	0 0																								
	0 0																								
	0 0																								
	0 0 0 0 0 0 0 0 0 0 1 1 1 1 1 1 1 1 2 2 2 2 2 2																								
	1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5																								
CONTROL																									males (cont...)

HEMATOPOIETIC SYSTEM

Bone Marrow

+ +

Lymph Node

Pancreatic, Lymphoma Malignant

Lymph Node, Bronchial

Lymphoma Malignant

+ + + M + + + + + M + + M + M M + + M M + M +
X

Lymph Node, Mandibular

Lymphoma Malignant

M + + M M M + + + M M + M + M M M + + + M M M + M
X

Lymph Node, Mediastinal

Lymphoma Malignant

+ M M + + + + + + + + + M + + + + M + + M M +
X

Lymph Node, Mesenteric

Lymphoma Malignant

+ + + + + + + + + + + + + + + + + + + M + + +
X

Spleen

Hemangiosarcoma

Lymphoma Malignant

+
X

Thymus

+ + + + + + + + + + + M + + + + + + + + + + +

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 5 | 7 | 6 | 5 | |
| | 3 | 3 | 2 | 3 | 3 | 2 | 3 | 2 | 2 | 3 | 9 | 3 | 2 | 2 | 2 | 2 | 2 | 0 | 3 | 3 | 9 | 3 | 1 | 1 | |
| | 0 | 0 | 9 | 1 | 0 | 9 | 0 | 9 | 9 | 0 | 7 | 5 | 9 | 9 | 9 | 9 | 9 | 4 | 0 | 0 | 3 | 0 | 8 | 6 | |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| CONTROL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |

males (cont...)

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mammary Gland | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Subcutaneous Tissue, Fibrous Histiocytoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Subcutaneous Tissue, Hemangioma | | | | | | | | | | X | | | | | | | | | | | | | | |
| Subcutaneous Tissue, Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Subcutaneous Tissue, Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Peripheral Nerve | | | | | | | | | | | | | | | | | | | | | | | | |
| Spinal Cord | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 7 7 7 7 7 7 7 7 5 6 7 7 7 7 7 6 7 7 5 7 6 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
CONTROL | 3 3 2 3 3 2 3 2 2 3 9 3 2 2 2 2 2 0 3 3 9 3 1 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 0 9 1 0 9 0 9 9 0 7 5 9 9 9 9 9 4 0 0 3 0 8 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| CONTROL | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | | | |

males (cont...)

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Larynx | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lung | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Alveolar/Bronchiolar Adenoma | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Alveolar/Bronchiolar Carcinoma | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Carcinoma, Metastatic, Harderian Gland | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Carcinoma, Metastatic, Liver | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Nose | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Trachea | + | | | | | | | | | | | | | | | | | | | | | | | | |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Eye | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Harderian Gland | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Adenoma | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Carcinoma | X | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|-----------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----------|
| | 7 7 4 7 7 7 7 7 7 7 7 7 7 7 7 6 7 7 6 4 5 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
CONTROL | 3 2 5 0 3 2 2 3 3 3 3 3 2 3 3 2 3 6 2 3 7 2 9 2 3 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| | 0 9 2 5 1 9 9 1 0 0 0 0 9 1 1 0 0 3 5 0 7 2 2 9 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 2 2 2 3 3 3 3 3 3 3 3 3 3 3 4 4 4 4 4 4 4 4 5 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| | 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | | | | | | | | | | | | | | | | |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|
| Bone Marrow | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Lymph Node | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Pancreatic, Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymph Node, Bronchial | + + M + + + M + + + M + + M + + + M + + M + M + + | | | | | | | | | | | | | | | | | | | | | | | | 35 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymph Node, Mandibular | + M + M M M + + M M M + M M M + + + + M M + + + + | | | | | | | | | | | | | | | | | | | | | | | | 24 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymph Node, Mediastinal | M + + M + M + + + M + + + M M + M + + M M + + M + | | | | | | | | | | | | | | | | | | | | | | | | 34 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymph Node, Mesenteric | + + M + + + + + + + + + + + + + + + + + A + + + + + | | | | | | | | | | | | | | | | | | | | | | | | 47 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Spleen | + + + + + + + + + + + + + + + + + + A + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | 49 |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Thymus | + + M + M | | | | | | | | | | | | | | | | | | | | | | | | 47 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 7 7 7 6 7 7 5 6 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 3 2 3 4 3 3 7 2 2 3 3 3 3 3 0 3 3 2 2 3 3 2 3 3 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 9 0 5 1 0 6 4 9 0 0 1 0 1 5 0 0 9 9 0 1 9 0 1 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 30 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |

males (cont...)

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|--|--|--|---|--|--|--|--|--|---|---|--|--|--|--|--|--|--|--|---|---|--|--|--|---|
| Hepatocellular Carcinoma | | | | | | | | | | X | X | | | | | | | | | X | X | | | | X |
| Hepatocellular Carcinoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocholangiocarcinoma, Multiple | | | | X | | | | | | | | | | | | | | | | | | | | | |
| Plasma Cell Tumor Malignant, Metastatic, Uncertain Primary Site | | | | | | | | | | X | | | | | | | | | | | | | | | |
| Mesentery | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pancreas | | | | | | | | | | | | | | | | | | | | | | | | | |
| Plasma Cell Tumor Malignant, Metastatic, Uncertain Primary Site | | | | | | | | | | X | | | | | | | | | | | | | | | |
| Salivary Glands | | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Forestomach | | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Glandular | | | | | | | | | | | | | | | | | | | | | | | | | |
| Tooth | | | | | | | | | | | | | | | | | | | | | | | | | |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Heart | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 7 6 7 7 5 6 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 3 2 3 4 3 3 7 2 2 3 3 3 3 3 0 3 3 2 2 3 3 2 3 3 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 9 0 5 1 0 6 4 9 0 0 1 0 1 5 0 0 9 9 0 1 9 0 1 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
30 PPM | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 0 0 0 0 0 0 0 0 0 1 1 1 1 1 1 1 1 1 1 2 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 males (cont...) | | | | | | | | | | | | | | | | | | | | | | | | |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Adrenal Cortex | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Capsule, Carcinoma | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Adrenal Medulla | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Pheochromocytoma Benign | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Islets, Pancreatic | + + + + + + + A + + + + + + + + + + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Parathyroid Gland | M + M M + + M M + M M + + M M M + + + + + + M + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Pituitary Gland | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Pars Distalis, Adenoma | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Thyroid Gland | + | | | | | | | | | | | | | | | | | | | | | | | | |

GENERAL BODY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Peritoneum | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Plasma Cell Tumor Malignant,
Metastatic, Uncertain Primary Site | X | | | | | | | | | | | | | | | | | | | | | | | | |

GENITAL SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 7 6 7 7 5 6 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 3 2 3 4 3 3 7 2 2 3 3 3 3 3 0 3 3 2 2 3 3 2 3 3 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 9 0 5 1 0 6 4 9 0 0 1 0 1 5 0 0 9 9 0 1 9 0 1 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
30 PPM | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 0 0 0 0 0 0 0 0 0 1 1 1 1 1 1 1 1 1 1 2 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 males (cont...) | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Epididymis | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Preputial Gland | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Prostate | + + + + + + + A + + + + + + + + + + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Seminal Vesicle | + + + + + + + A + + + + + + + + + + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Testes | + | | | | | | | | | | | | | | | | | | | | | | | | |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Bone Marrow | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemangiosarcoma | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Bronchial | + + + M + M + + M + + + + + + + + + + M M + + M M + | | | | | | | | | | | | | | | | | | | | | | | | |
| Plasma Cell Tumor Malignant,
Metastatic, Uncertain Primary Site | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mandibular | M M + + M + M + M M + + + M M M M + M M M M + + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mediastinal | M + M + + + M + + + + M + M M + + + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocarcinoma, Metastatic,
Liver | X | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 7 6 7 7 5 6 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 3 2 3 4 3 3 7 2 2 3 3 3 3 3 0 3 3 2 2 3 3 2 3 3 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 9 0 5 1 0 6 4 9 0 0 1 0 1 5 0 0 9 9 0 1 9 0 1 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
30 PPM | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 0 0 0 0 0 0 0 0 0 1 1 1 1 1 1 1 1 2 2 2 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 males (cont...) | | | | | | | | | | | | | | | | | | | | | | | | |

Plasma Cell Tumor Malignant,
Metastatic, Uncertain Primary Site

X

Lymph Node, Mesenteric

+ + + M +

Spleen

+ +

Lymphoma Malignant

Thymus

+ + + + + + + + M + + + + + M + + + M + + + + + M

Plasma Cell Tumor Malignant,
Metastatic, Uncertain Primary Site

X

INTEGUMENTARY SYSTEM

Mammary Gland

M M

Skin

+ I

Subcutaneous Tissue, Fibrous
Histiocytoma

Subcutaneous Tissue,
Hemangiosarcoma

MUSCULOSKELETAL SYSTEM

Bone

+ +

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 7 6 7 7 5 6 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 3 2 3 4 3 3 7 2 2 3 3 3 3 3 0 3 3 2 2 3 3 2 3 3 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 9 0 5 1 0 6 4 9 0 0 1 0 1 5 0 0 9 9 0 1 9 0 1 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
30 PPM | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 0 0 0 0 0 0 0 0 0 1 1 1 1 1 1 1 1 1 1 2 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | | |

males (cont...)

Skeletal Muscle +
Hepatocarcinoma, Metastatic, Liver X

NERVOUS SYSTEM

Brain +

RESPIRATORY SYSTEM

Larynx +

Lung +

Alveolar/Bronchiolar Adenoma X X X X

Alveolar/Bronchiolar Adenoma, Multiple X

Alveolar/Bronchiolar Carcinoma X X X X

Alveolar/Bronchiolar Carcinoma, Multiple X X

Carcinoma, Metastatic, Kidney X

Hepatocellular Carcinoma, Metastatic, Liver X X

Hepatocarcinoma, Metastatic, Liver X

Plasma Cell Tumor Malignant, X

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 7 6 7 7 5 6 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 3 2 3 4 3 3 7 2 2 3 3 3 3 3 0 3 3 2 2 3 3 2 3 3 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 9 0 5 1 0 6 4 9 0 0 1 0 1 5 0 0 9 9 0 1 9 0 1 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
30 PPM | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 0 0 0 0 0 0 0 0 0 1 1 1 1 1 1 1 1 1 1 2 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | | |

males (cont...)

, Uncertain Primary Site

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Nose | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Trachea | + | | | | | | | | | | | | | | | | | | | | | | | | |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Eye | + + + A + + + A + + + + + + + + + + + + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Harderian Gland | + + + + + + + A + + + + + + + + + + + + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Adenoma | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Carcinoma | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Sarcoma | X | | | | | | | | | | | | | | | | | | | | | | | | |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Kidney | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Carcinoma, Metastatic, Intestine Small, Jejunum | | | | | | | | | | | | | | | | | | | | | | | | | |
| Renal Tubule, Adenoma | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Transitional Epithelium, Carcinoma | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Urinary Bladder | + + + + + + + A + + + + + + + + + + + + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|-------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 6 | 7 | 6 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 4 | 7 | 6 | 7 | 7 | 6 | 6 | 5 | 7 | 7 | 7 | 5 | 7 | |
| 4 | 0 | 9 | 3 | 2 | 2 | 1 | 3 | 3 | 1 | 3 | 3 | 5 | 2 | 6 | 3 | 2 | 0 | 6 | 8 | 3 | 3 | 3 | 9 | 3 | |
| 2 | 5 | 0 | 0 | 9 | 9 | 1 | 0 | 0 | 8 | 0 | 0 | 4 | 9 | 8 | 0 | 9 | 2 | 3 | 2 | 0 | 0 | 1 | 2 | 0 | |
| B6C3F1 MICE MALE | | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 PPM | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | |
| 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Hepatocellular Carcinoma | X | X | | X | | X | | X | | X | | X | | X | | X | | X | | X | | X | | X | 14 |
| Hepatocellular Carcinoma, Multiple | | | | | | X | | X | | X | | | | | | | | | | | | | | | 3 |
| Hepatocholangiocarcinoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Plasma Cell Tumor Malignant, Metastatic, Uncertain Primary Site | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Mesentery | | | | | | | | | | | | | | | | | | | | | | | | | 4 |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | 49 |
| Plasma Cell Tumor Malignant, Metastatic, Uncertain Primary Site | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | 48 |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | A | + | + | + | + | 47 |
| Tooth | | | | | | | | | | | | | | | | | | | | | | | | | 6 |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----------|
| | 6 7 6 7 7 7 6 7 7 7 7 7 4 7 6 7 7 6 6 5 7 7 7 5 7
4 0 9 3 2 2 1 3 3 1 3 3 5 2 6 3 2 0 6 8 3 3 3 9 3
2 5 0 0 9 9 1 0 0 8 0 0 4 9 8 0 9 2 3 2 0 0 1 2 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
30 PPM | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2
2 2 2 2 3 3 3 3 3 3 3 3 3 3 4 4 4 4 4 4 4 4 4 5
6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | | | | | | | | | | | | | | | | |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | 49 |
| Capsule, Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | 49 |
| Pheochromocytoma Benign | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | 48 |
| Parathyroid Gland | + | M | M | + | M | + | + | M | + | + | + | M | M | + | + | + | M | M | M | A | + | + | M | + | + | 28 |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | 49 |
| Pars Distalis, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | 49 |

GENERAL BODY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----------|
| Peritoneum | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Plasma Cell Tumor Malignant,
Metastatic, Uncertain Primary Site | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

GENITAL SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----------|
| | 6 7 6 7 7 7 6 7 7 7 7 7 4 7 6 7 7 6 6 5 7 7 7 5 7
4 0 9 3 2 2 1 3 3 1 3 3 5 2 6 3 2 0 6 8 3 3 3 9 3
2 5 0 0 9 9 1 0 0 8 0 0 4 9 8 0 9 2 3 2 0 0 1 2 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
30 PPM | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2
2 2 2 2 3 3 3 3 3 3 3 3 3 3 3 3 4 4 4 4 4 4 4 4
6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|
| Epididymis | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Preputial Gland | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Prostate | + A + + + + + | | | | | | | | | | | | | | | | | | | | | | | | 48 |
| Seminal Vesicle | + + + + + + + + + + + + A + + + + + A + + + + + | | | | | | | | | | | | | | | | | | | | | | | | 47 |
| Testes | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|
| Bone Marrow | + A + + + + + | | | | | | | | | | | | | | | | | | | | | | | | 49 |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymph Node, Bronchial | + M + + + + + M M M + M M + M + M M + M M + M M + | | | | | | | | | | | | | | | | | | | | | | | | 30 |
| Plasma Cell Tumor Malignant,
Metastatic, Uncertain Primary Site | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymph Node, Mandibular | M + + + + + M + + + + + M + + M + M A M M M M + | | | | | | | | | | | | | | | | | | | | | | | | 26 |
| Lymph Node, Mediastinal | + + + + M M + M + + M + + M + + M + + + + M M + + | | | | | | | | | | | | | | | | | | | | | | | | 36 |
| Hepatocholangiocarcinoma, Metastatic,
Liver | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | males
(cont...) |
|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--------------------|
| | 7 7 7 7 7 7 7 7 7 6 7 7 7 5 7 7 7 5 7 4 7 7 6 6 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 3 3 3 3 3 2 2 2 0 2 0 3 2 2 1 3 9 3 9 3 3 4 5 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 0 0 0 0 0 9 9 9 7 9 0 0 3 9 6 1 3 0 3 0 0 3 6 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
60 PPM | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 0 0 0 0 0 0 0 0 0 1 1 1 1 1 1 1 1 1 1 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Esophagus | + | | | | | | | | | | | | | | | | | | | | | | | |
| Gallbladder | + + + + + + + + + + + + A + M + + M + + A M + M + + | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Cecum | + + + + + + + + + + + + A + I + + + + + + A + + A + + | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Colon | + + + + + + + + + + + + A + + + + + + + + A + + A + + | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Rectum | + + + + + + + + + + + + A + A + + + + + + A + + + + + | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Duodenum | + + + + + + + + + + + + A + A + + + + + + A + + A + + | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Ileum | + + + + + + + + + + + + A + A + + + + + + A + + A + + | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Jejunum | + + + + + + + + + + + + A + A + + + + + + A + + A + + | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | |
| Liver | + | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Adenoma | X | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Adenoma, Multiple | X | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Carcinoma | X | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Carcinoma, Multiple | X | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 7 7 7 7 7 7 7 6 7 7 7 5 7 7 7 5 7 4 7 7 6 6 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 3 3 3 3 3 2 2 2 0 2 0 3 2 2 1 3 9 3 9 3 3 4 5 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 0 0 0 0 0 9 9 9 7 9 0 0 3 9 6 1 3 0 3 0 0 3 6 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
60 PPM | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 0 0 0 0 0 0 0 0 0 1 1 1 1 1 1 1 1 1 2 2 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 males (cont...) | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------|---|--|--|--|--|---|--|--|--|--|---|--|---|--|--|---|--|--|--|--|---|--|--|--|--|
| Lymphoma Malignant | X | | | | | | | | | | | | X | | | | | | | | | | | | |
| Mesentery | + | | | | | + | | | | | + | | | | | + | | | | | + | | | | |
| Pancreas | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Salivary Glands | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Forestomach | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | X | | | | | | | | | | | | X | | | | | | | | | | | | |
| Stomach, Glandular | + + + + + + + + + + + A + + + + + + + + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | X | | | | | | | | | | | | X | | | | | | | | | | | | |
| Tooth | + | | | | | | | | | | | | + | | | | | | | | | | | | |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|--|--|--|--|--|--|--|--|--|--|--|---|--|--|--|--|--|--|--|--|--|--|--|--|
| Heart | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | X | | | | | | | | | | | | X | | | | | | | | | | | | |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Adrenal Cortex | + | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 7 7 7 7 7 7 7 6 7 7 7 5 7 7 7 5 7 4 7 7 6 6 7 | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 3 3 3 3 3 2 2 2 0 2 0 3 2 2 1 3 9 3 9 3 3 4 5 2 | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 0 0 0 0 0 9 9 9 7 9 0 0 3 9 6 1 3 0 3 0 0 3 6 9 | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
60 PPM | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 0 0 0 0 0 0 0 0 0 1 1 1 1 1 1 1 1 1 1 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 males (cont...) | | | | | | | | | | | | | | | | | | | | | | | |

Adenoma

Lymphoma Malignant

X

Adrenal Medulla

+ + + + | +

Islets, Pancreatic

+ +

Carcinoma

X

Parathyroid Gland

+ + + + + M M + M + + + + M + + M + + + M M M +

Pituitary Gland

+ + + + + + + + + + + + + + A + + + + + M + + + + +

Thyroid Gland

+ + + + + + + + + + + + + + A + + + + + + + + + + +

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

Epididymis

+ +

Lymphoma Malignant

X

X

Preputial Gland

+ +

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 7 7 7 7 7 7 7 6 7 7 7 5 7 7 7 5 7 4 7 7 6 6 7 | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 3 3 3 3 3 2 2 2 0 2 0 3 2 2 1 3 9 3 9 3 3 4 5 2 | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 0 0 0 0 0 9 9 9 7 9 0 0 3 9 6 1 3 0 3 0 0 3 6 9 | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
60 PPM | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 0 0 0 0 0 0 0 0 0 1 1 1 1 1 1 1 1 1 1 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 males (cont...) | | | | | | | | | | | | | | | | | | | | | | | |

Plasma Cell Tumor Malignant

Spleen Lymphoma Malignant

+ A + + + + +

X X X

Thymus Lymphoma Malignant

+ + + + + + + M + + + + + + + + + + + + + M +

X X

INTEGUMENTARY SYSTEM

Mammary Gland

M M

Skin Subcutaneous Tissue, Hemangiosarcoma

+ +

X

MUSCULOSKELETAL SYSTEM

Bone

+ +

NERVOUS SYSTEM

Brain

+ +

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 7 7 7 7 7 7 7 6 7 7 7 5 7 7 7 5 7 4 7 7 6 6 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 3 3 3 3 3 2 2 2 0 2 0 3 2 2 1 3 9 3 9 3 3 4 5 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 0 0 0 0 0 9 9 9 7 9 0 0 3 9 6 1 3 0 3 0 0 3 6 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
60 PPM | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 males (cont...) | | | | | | | | | | | | | | | | | | | | | | | | |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Larynx | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lung | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Alveolar/Bronchiolar Adenoma | X X | | | | | | | | | | | | | | | | | | | | | | | | |
| Alveolar/Bronchiolar Carcinoma | X X X X X X | | | | | | | | | | | | | | | | | | | | | | | | |
| Alveolar/Bronchiolar Carcinoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemangiosarcoma | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Carcinoma, Metastatic, Liver | X X X X X X | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | X X X X X X | | | | | | | | | | | | | | | | | | | | | | | | |
| Nose | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | X X X X X X | | | | | | | | | | | | | | | | | | | | | | | | |
| Trachea | + | | | | | | | | | | | | | | | | | | | | | | | | |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Eye | + + + + + + + + + + + A + A + + + + + A + + + + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Harderian Gland | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Adenoma | X X | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 7 7 7 7 5 7 7 7 7 7 7 7 7 7 7 7 5 7 7 7 7 6 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 3 3 2 9 3 2 3 3 3 3 2 2 2 2 3 2 2 3 2 0 9 3 2 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 1 1 9 3 1 9 0 0 0 0 1 9 9 9 9 0 1 9 1 9 7 4 0 9 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 60 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| | * TOTALS | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|-----------|
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Mesentery | + | | | | | | | | | | | | | | | | | | | | | | | | 10 |
| Pancreas | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Salivary Glands | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Stomach, Forestomach | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Stomach, Glandular | + A + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | 48 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Tooth | + | | | | | | | | | | | | | | | | | | | | | | | | 7 |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|-----------|
| Heart | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 2 |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|-----------|
| Adrenal Cortex | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
|----------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|-----------|

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 7 7 5 7 7 7 7 7 7 7 7 7 7 5 7 7 7 7 6 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 3 3 2 9 3 2 3 3 3 3 2 2 2 2 3 2 2 3 2 0 9 3 2 3 | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 1 1 9 3 1 9 0 0 0 0 1 9 9 9 0 1 9 1 9 7 4 0 9 0 | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
60 PPM | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 2 2 2 3 3 3 3 3 3 3 3 3 3 3 3 4 4 4 4 4 4 4 5 | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | * TOTALS | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|-----------------------|
| Adenoma | X | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Adrenal Medulla | + | | | | | | | | | | | | | | | | | | | | | | | | 49 |
| Islets, Pancreatic
Carcinoma | + | | | | | | | | | | | | | | | | | | | | | | | | 50
1 |
| Parathyroid Gland | + + + M + M + M M M + M I + + + M M + M + + + + + | | | | | | | | | | | | | | | | | | | | | | | | 32 |
| Pituitary Gland | + | | | | | | | | | | | | | | | | | | | | | | | | 48 |
| Thyroid Gland | + | | | | | | | | | | | | | | | | | | | | | | | | 49 |

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|-----------|
| Epididymis | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Preputial Gland | + M + | | | | | | | | | | | | | | | | | | | | | | | | 49 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 7 7 5 7 7 7 7 7 7 7 7 7 7 5 7 7 7 7 6 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 3 3 2 9 3 2 3 3 3 3 2 2 2 2 3 2 2 3 2 0 9 3 2 3 | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 1 1 9 3 1 9 0 0 0 0 1 9 9 9 0 1 9 1 9 7 4 0 9 0 | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| 60 PPM | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 2 2 2 3 3 3 3 3 3 3 3 3 3 3 3 4 4 4 4 4 4 4 5 | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | * TOTALS | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|-----------|
| Plasma Cell Tumor Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Spleen | + | | | | | | | | | | | | | | | | | | | | | | | | 49 |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | 4 |
| Thymus | + + M + + + + + + + + + + + M + I + + + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | 45 |
| Lymphoma Malignant | + | | | | | | | | | | | | | | | | | | | | | | | | 2 |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|-----------|
| Mammary Gland | M | | | | | | | | | | | | | | | | | | | | | | | | 0 |
| Skin | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Subcutaneous Tissue, Hemangiosarcoma | + | | | | | | | | | | | | | | | | | | | | | | | | 1 |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|-----------|
| Bone | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
|------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|-----------|

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|-----------|
| Brain | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
|-------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|-----------|

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|----------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
| | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | 2 | 3 | 3 | 2 | 9 | 3 | 2 | 3 | 3 | 3 | 3 | 2 | 2 | 2 | 2 | 3 | 2 | 2 | 3 | 2 | 0 | 9 | 3 | 2 | 3 |
| | 9 | 1 | 1 | 9 | 3 | 1 | 9 | 0 | 0 | 0 | 1 | 9 | 9 | 9 | 9 | 0 | 1 | 9 | 1 | 9 | 7 | 4 | 0 | 9 | 0 |
| B6C3F1 MICE MALE
60 PPM | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Larynx | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Alveolar/Bronchiolar Adenoma | | | | | | | | X | | | | X | X | | | | | | | | X | | | | | 6 |
| Alveolar/Bronchiolar Carcinoma | | | | | | | X | | X | | X | | | | | | X | | | | | X | | | | 11 |
| Alveolar/Bronchiolar Carcinoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | X | | 1 |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | X | | | | | | | | | | | | | | | | | | | | | | 5 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Adenoma | | | | | | X | | | | | X | | | | | | | | | | | | | | | 4 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 6 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 8 | 8 | 3 | 2 | 2 | 2 | 3 | 2 | 2 | 2 | 3 | 9 | 2 | 2 | 3 | 3 | 2 | 2 | 3 | 2 | 3 | 3 | 1 | 2 | 3 | |
| 7 | 6 | 0 | 9 | 9 | 9 | 1 | 9 | 9 | 9 | 0 | 1 | 9 | 9 | 0 | 1 | 9 | 9 | 0 | 9 | 0 | 1 | 2 | 9 | 1 | |
| B6C3F1 MICE MALE
120 PPM
ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |

males (cont...)

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Esophagus | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Gallbladder | + M + M + + + + + + + + + + + + + + + + + M + + + A + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Cecum | + A + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Colon | + A + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Rectum | + A + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Duodenum | + A + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Polyp Adenomatous | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Ileum | + A + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Jejunum | + A + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Liver | + | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | | males
(cont...) | | | | | |
|------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------------|---|--|--|---|---|
| | 6 5 7 7 7 7 7 7 7 7 7 5 7 7 7 7 7 7 7 7 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
120 PPM | 8 8 3 2 2 2 3 2 2 2 3 9 2 2 3 3 2 2 3 2 3 3 1 2 3 | | | | | | | | | | | | | | | | | | | | | | | | | males
(cont...) | | | | | |
| | 7 6 0 9 9 9 1 9 9 9 0 1 9 9 0 1 9 9 0 9 0 1 2 9 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | | males
(cont...) | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 0 0 0 0 0 0 0 0 0 1 1 1 1 1 1 1 1 1 1 2 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | X | | | | | |
| Hepatocellular Adenoma | X | | | | | X | | | | X | X | | | | | | | | | | | X | X | | | | | | | | |
| Hepatocellular Adenoma, Multiple | | | | | | | X | | | X | | | | | X | X | | | X | | | | | X | X | | | | | | |
| Hepatocellular Carcinoma | X | X | | | | | | | | | | | | | | | | | | X | X | X | | | X | | | | | X | X |
| Hepatocellular Carcinoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | X | | | | | |
| Mesentery | | | | | | | | | | | | | | | | | | | | | | | | | | | + | | | | |
| Oral Mucosa | | | | | | | | | | | | | | | | | | | | | | | | | | | + | | | | |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | | | |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | | | |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | X | | | | |
| Squamous Cell Papilloma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | X | | | | |
| Tooth | | | | | | | | | | | | | | | | | | | | | | | | | | | + | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 6 5 7 7 7 7 7 7 7 7 7 5 7 7 7 7 7 7 7 7 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 8 8 3 2 2 2 3 2 2 2 3 9 2 2 3 3 2 2 3 2 3 3 1 2 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 7 6 0 9 9 9 1 9 9 9 0 1 9 9 0 1 9 9 0 9 0 1 2 9 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
120 PPM | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 0 0 0 0 0 0 0 0 0 1 1 1 1 1 1 1 1 1 1 2 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | | |

males (cont...)

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Blood Vessel | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Heart | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Adrenal Cortex | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Capsule, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Adrenal Medulla | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Islets, Pancreatic | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Parathyroid Gland | M M M + + + + + + + + + + M M + M + + M M M + + + M + | | | | | | | | | | | | | | | | | | | | | | | | |
| Pituitary Gland | + + + + + + + M + + + + + + + + + + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Thyroid Gland | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | males
(cont...) |
|-------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 6 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| 8 | 8 | 3 | 2 | 2 | 2 | 3 | 2 | 2 | 2 | 3 | 9 | 2 | 2 | 3 | 3 | 2 | 2 | 3 | 2 | 3 | 3 | 1 | 2 | 3 | | |
| 7 | 6 | 0 | 9 | 9 | 9 | 1 | 9 | 9 | 9 | 0 | 1 | 9 | 9 | 0 | 1 | 9 | 9 | 0 | 9 | 0 | 1 | 2 | 9 | 1 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Lymph Node, Mandibular
Lymphoma Malignant | + | M | + | M | + | M | M | + | + | + | M | + | M | M | + | M | + | + | M | + | M | M | M | M | + | | |
| Sarcoma, Metastatic, Uncertain Primary Site | | | | | | | | | | | | | | | | | | | | | | | | | | X | |
| Lymph Node, Mediastinal
Lymphoma Malignant | M | + | + | M | M | + | M | M | + | + | + | + | + | + | + | + | + | M | + | M | M | M | + | + | M | M | |
| Lymph Node, Mesenteric
Lymphoma Malignant | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | M | + | + | |
| Spleen
Hemangiosarcoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | X | |
| Thymus
Lymphoma Malignant | + | M | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | M | + | M | + | + | |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Mammary Gland | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | |
| Skin
Subcutaneous Tissue,
Hemangiosarcoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 6 5 7 7 7 7 7 7 7 7 7 5 7 7 7 7 7 7 7 7 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 8 8 3 2 2 2 3 2 2 2 3 9 2 2 3 3 2 2 3 2 3 3 1 2 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 7 6 0 9 9 9 1 9 9 9 0 1 9 9 0 1 9 9 0 9 0 1 2 9 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
120 PPM | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 0 0 0 0 0 0 0 0 0 1 1 1 1 1 1 1 1 1 1 2 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | | |

males (cont...)

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Nose | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Sarcoma, Metastatic, Uncertain Primary Site | | | | | | | | | | | | | | | | | | | | | | | | | |
| Trachea | + | | | | | | | | | | | | | | | | | | | | | | | | |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Eye | + A + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Sarcoma, Metastatic, Uncertain Primary Site | | | | | | | | | | | | | | | | | | | | | | | | | |
| Harderian Gland | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sarcoma, Metastatic, Uncertain Primary Site | | | | | | | | | | | | | | | | | | | | | | | | | |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Kidney | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--------------------|
| | 6 5 7 7 7 7 7 7 7 7 7 5 7 7 7 7 7 7 7 7 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
120 PPM | 8 8 3 2 2 2 3 2 2 2 3 9 2 2 3 3 2 2 3 2 3 3 1 2 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 7 6 0 9 9 9 1 9 9 9 0 1 9 9 0 1 9 9 0 9 0 1 2 9 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| 120 PPM | 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 0 0 0 0 0 0 0 0 0 1 1 1 1 1 1 1 1 1 1 2 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | males
(cont...) |

Urinary Bladder
Lymphoma Malignant

+ A + +
X

SYSTEMIC LESIONS

Multiple Organ
Lymphoma Malignant

+
X

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
x .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|-----------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----------|
| | 7 7 4 7 7 5 7 7 7 7 4 4 7 7 7 7 4 6 7 7 7 5 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
120 PPM | 3 3 9 2 3 9 0 0 2 3 9 7 3 2 3 3 4 4 0 3 2 6 3 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 1 6 9 0 2 5 4 9 0 8 8 0 9 0 0 4 9 5 1 9 3 1 9 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 2 2 2 3 3 3 3 3 3 3 3 3 3 3 3 4 4 4 4 4 4 4 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|----|
| Lymph Node, Mandibular | M | M | + | M | + | + | M | + | + | M | + | + | M | M | + | + | + | M | M | + | + | M | M | + | M | 25 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Sarcoma, Metastatic, Uncertain Primary Site | | | | | | | | | | | | | | | | | | X | | | | | | | | 1 |
| Lymph Node, Mediastinal | M | + | + | M | + | + | M | + | + | + | + | + | + | + | + | + | + | M | + | M | + | + | + | + | M | 33 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | 49 | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | X | | | | 2 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | X | | | 1 | |
| Thymus | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | M | + | + | + | 43 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Mammary Gland | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | 0 |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Subcutaneous Tissue, Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | X | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------------------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 3 | 4 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 5 | 5 | 7 | 7 | 7 | 5 | 3 | 5 | 7 | 7 | 7 | 6 | 1 | 7 | 5 | |
| | 6 | 3 | 3 | 3 | 7 | 3 | 3 | 3 | 3 | 3 | 4 | 1 | 3 | 3 | 3 | 1 | 9 | 1 | 3 | 3 | 3 | 6 | 2 | 3 | 2 | |
| | 7 | 2 | 2 | 3 | 7 | 2 | 3 | 2 | 1 | 3 | 9 | 9 | 1 | 2 | 2 | 4 | 4 | 5 | 3 | 2 | 3 | 6 | 4 | 3 | 1 | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| CONTROL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | females
(cont...) |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Gallbladder | + | M | + | + | + | M | + | M | I | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Cecum | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + |
| Leiomyosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Duodenum | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + |
| Leiomyosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Intestine Small, Ileum | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Polyp Adenomatous | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Intestine Small, Jejunum | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 3 | 4 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 5 | 5 | 7 | 7 | 7 | 5 | 3 | 5 | 7 | 7 | 7 | 6 | 1 | 7 | 5 | |
| | 6 | 3 | 3 | 3 | 7 | 3 | 3 | 3 | 3 | 3 | 4 | 1 | 3 | 3 | 3 | 1 | 9 | 1 | 3 | 3 | 3 | 6 | 2 | 3 | 2 | |
| | 7 | 2 | 2 | 3 | 7 | 2 | 3 | 2 | 1 | 3 | 9 | 9 | 1 | 2 | 2 | 4 | 4 | 5 | 3 | 2 | 3 | 6 | 4 | 3 | 1 | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| CONTROL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | |

females
(cont...)

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hemangiosarcoma | | | X | X | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Adenoma | | | | | | | | | X | | | X | | | | | | | X | X | | | | X |
| Hepatocellular Adenoma, Multiple | | | | | | | | | | | | | | | | | | | | | | X | | |
| Hepatocellular Carcinoma | | | X | | | X | | | | | | | | | | | | | | | | | | |
| Hepatocellular Carcinoma, Multiple | | | | X | | | | | | | | | | | | | | | X | | | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | X |
| Osteosarcoma, Metastatic, Uncertain Primary Site | | X | | | | | | | | | | | | | | | | | | | | | | |
| Mesentery | | | + | | | | | + | | | | | + | | | | | + | | | + | | | |
| Hemangiosarcoma | | | X | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | |
| Squamous Cell Papilloma | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------------------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 3 | 4 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 5 | 5 | 7 | 7 | 7 | 5 | 3 | 5 | 7 | 7 | 7 | 6 | 1 | 7 | 5 | |
| | 6 | 3 | 3 | 3 | 7 | 3 | 3 | 3 | 3 | 3 | 4 | 1 | 3 | 3 | 3 | 1 | 9 | 1 | 3 | 3 | 3 | 6 | 2 | 3 | 2 | |
| | 7 | 2 | 2 | 3 | 7 | 2 | 3 | 2 | 1 | 3 | 9 | 9 | 1 | 2 | 2 | 4 | 4 | 5 | 3 | 2 | 3 | 6 | 4 | 3 | 1 | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| CONTROL | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | females
(cont...) |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Parathyroid Gland | + | + | M | + | + | M | + | + | M | + | M | + | + | + | + | + | + | + | + | + | + | + | M | M | M | M |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pars Distalis, Adenoma | | | | | | | | | X | | | | | X | X | | | | | | | | | | | |
| Pars Intermedia, Adenoma | | | X | | | | | | | | | | | | | | | | | | | | | | | |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Follicular Cell, Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | | |

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Clitoral Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | M | + | + |
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Cystadenoma | | | | X | | | | | | | | | | | | | | | | | | | | | | |
| Luteoma | | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | X | |
| Teratoma Benign | | | | | X | | | | | | | | | | | | | | | | | | | | | |
| Teratoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 3 | 4 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 5 | 5 | 7 | 7 | 7 | 5 | 3 | 5 | 7 | 7 | 7 | 6 | 1 | 7 | 5 | |
| | 6 | 3 | 3 | 3 | 7 | 3 | 3 | 3 | 3 | 3 | 4 | 1 | 3 | 3 | 3 | 1 | 9 | 1 | 3 | 3 | 3 | 6 | 2 | 3 | 2 | |
| | 7 | 2 | 2 | 3 | 7 | 2 | 3 | 2 | 1 | 3 | 9 | 9 | 1 | 2 | 2 | 4 | 4 | 5 | 3 | 2 | 3 | 6 | 4 | 3 | 1 | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| CONTROL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | females (cont...) |

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Uterus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Adenoma | | | | X | | | | | | | | | | | | | | | | | | | | |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemangiosarcoma | | | X | | | | | | | | | | | | | | | | | | | | | |
| Leiomyosarcoma | | | | | | | X | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | X | | | | | | | | | | | | | | | | |
| Polyp Stromal | | | | | | | | | | | | | | | | | | | | | | | | |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Hemangiosarcoma | | | X | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node | + | | | | | + | | | | | | | | | | | | | | | | | | | |
| Iliac, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lumbar, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pancreatic, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Renal, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Bronchial | + | M | M | M | M | + | + | + | M | + | + | + | + | M | + | + | M | + | + | + | M | M | M | + | + |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 3 | 4 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 5 | 5 | 7 | 7 | 7 | 5 | 3 | 5 | 7 | 7 | 7 | 6 | 1 | 7 | 5 | |
| | 6 | 3 | 3 | 3 | 7 | 3 | 3 | 3 | 3 | 3 | 4 | 1 | 3 | 3 | 3 | 1 | 9 | 1 | 3 | 3 | 3 | 6 | 2 | 3 | 2 | |
| | 7 | 2 | 2 | 3 | 7 | 2 | 3 | 2 | 1 | 3 | 9 | 9 | 1 | 2 | 2 | 4 | 4 | 5 | 3 | 2 | 3 | 6 | 4 | 3 | 1 | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| CONTROL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | females (cont...) |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mandibular | + | + | + | + | M | + | + | I | M | + | M | + | M | M | I | + | + | + | + | + | + | M | + | M | M | |
| Hemangiosarcoma | | | | X | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mediastinal | + | + | + | M | + | + | + | + | M | + | + | M | + | M | + | M | M | + | + | + | + | + | + | + | M | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mast Cell Tumor Malignant, Metastatic, Uncertain Primary Site | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Osteosarcoma, Metastatic, Uncertain Primary Site | | | | X | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Teratoma Malignant, Metastatic, Ovary | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Hemangiosarcoma | | | | X | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 3 | 4 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 5 | 5 | 7 | 7 | 7 | 5 | 3 | 5 | 7 | 7 | 7 | 6 | 1 | 7 | 5 |
| | 6 | 3 | 3 | 3 | 7 | 3 | 3 | 3 | 3 | 3 | 4 | 1 | 3 | 3 | 3 | 1 | 9 | 1 | 3 | 3 | 3 | 6 | 2 | 3 | 2 |
| | 7 | 2 | 2 | 3 | 7 | 2 | 3 | 2 | 1 | 3 | 9 | 9 | 1 | 2 | 2 | 4 | 4 | 5 | 3 | 2 | 3 | 6 | 4 | 3 | 1 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CONTROL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |

females (cont...)

Mast Cell Tumor Malignant, Metastatic, Uncertain Primary Site

Thymus +

Histiocytic Sarcoma

Lymphoma Malignant X

INTEGUMENTARY SYSTEM

Mammary Gland +

Carcinoma

Skin +

Sebaceous Gland, Adenoma X

Subcutaneous Tissue, Histiocytic Sarcoma

Subcutaneous Tissue, Sarcoma X

MUSCULOSKELETAL SYSTEM

Bone +

Hemangiosarcoma X

Skeletal Muscle +

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 3 | 4 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 5 | 5 | 7 | 7 | 7 | 5 | 3 | 5 | 7 | 7 | 7 | 6 | 1 | 7 | 5 |
| | 6 | 3 | 3 | 3 | 7 | 3 | 3 | 3 | 3 | 3 | 4 | 1 | 3 | 3 | 3 | 1 | 9 | 1 | 3 | 3 | 3 | 6 | 2 | 3 | 2 |
| | 7 | 2 | 2 | 3 | 7 | 2 | 3 | 2 | 1 | 3 | 9 | 9 | 1 | 2 | 2 | 4 | 4 | 5 | 3 | 2 | 3 | 6 | 4 | 3 | 1 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CONTROL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |

females (cont...)

Hemangiosarcoma X

NERVOUS SYSTEM

Brain +

RESPIRATORY SYSTEM

Larynx +

Lung +

Alveolar/Bronchiolar Adenoma X X

Carcinoma, Metastatic, Harderian Gland X

Hepatocellular Carcinoma, Metastatic, Liver X X

Histiocytic Sarcoma

Lymphoma Malignant X

Osteosarcoma, Metastatic, Uncertain Primary Site X

Mediastinum, Hemangiosarcoma X

Nose +

Lymphoma Malignant

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|--|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------|
| | 0673 | 0763 | 0773 | 0773 | 0773 | 0773 | 0773 | 0773 | 0773 | 0773 | 0773 | 0773 | 0773 | 0773 | 0773 | 0773 | 0773 | 0773 | 0773 | 0773 | 0773 | 0773 | 0773 | 0773 | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| CONTROL | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | 2 | |
| Hepatocellular Adenoma | | | X | | | X | | | | | | | | X | | | | | X | | | | X | 10 | |
| Hepatocellular Adenoma, Multiple | | | | | | | X | | | | X | | | | | | | | | | | | X | 4 | |
| Hepatocellular Carcinoma | | | | X | | | | | X | | | | X | | | | | | | | | | | 5 | |
| Hepatocellular Carcinoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | 2 | |
| Histiocytic Sarcoma | | | | | X | | | | | | | | | | | | | | X | | | | | 2 | |
| Lymphoma Malignant | X | | X | | X | | | X | | X | | | | | X | | X | | | | | | | 8 | |
| Osteosarcoma, Metastatic, Uncertain Primary Site | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Mesentery | + | + | + | + | | | | | | + | + | | + | | | | | | + | | + | | + | 16 | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Lymphoma Malignant | | | X | | | | | | | | | | | | | | | | | | | | | 1 | |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Lymphoma Malignant | X | | X | | | | | | | X | | | | X | | | | | | | | | | 4 | |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Lymphoma Malignant | | | X | | | | | X | | | | | | | | X | | | | | | | | 3 | |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Lymphoma Malignant | X | | X | | | | | | | | | | | | | | | | | | | | | 2 | |
| Squamous Cell Papilloma | | | | | | | | | X | | | | | | | | | | | | | | | 1 | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|---|--|
| | 6 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 5 | 7 | 7 | 6 | 7 | | 7 | 6 | |
| | 7 | 3 | 7 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 9 | 3 | 3 | 3 | 9 | 0 | 1 | 0 | 3 | 3 | 7 | | |
| | 3 | 2 | 6 | 3 | 3 | 3 | 1 | 3 | 1 | 2 | 3 | 3 | 3 | 3 | 2 | 2 | 2 | 2 | 2 | 5 | 3 | 7 | 2 | 3 | 4 | | | |
| B6C3F1 MICE FEMALE CONTROL | 0 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Lymphoma Malignant | X | | X | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Tooth | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Blood Vessel | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | X | | X | | | | | | | | | | | | | | | | | | | | | | | | 3 |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 6 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 5 | 7 | 7 | 6 | 7 | 7 | 6 |
| 7 | 3 | 7 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 9 | 3 | 3 | 3 | 9 | 0 | 1 | 0 | 3 | 3 | 7 |
| 3 | 2 | 6 | 3 | 3 | 3 | 1 | 3 | 1 | 2 | 3 | 3 | 3 | 3 | 2 | 2 | 2 | 2 | 2 | 5 | 3 | 7 | 2 | 3 | 4 | |
| B6C3F1 MICE FEMALE CONTROL | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mast Cell Tumor Malignant, Metastatic, Uncertain Primary Site | | | | | | | | | | | | | | | | | | | | | | | | | X | 1 | |
| Thymus | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | X | 1 |
| Lymphoma Malignant | X | | X | | X | | | | X | | | X | | | | | | | | | | X | | | | | |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | | X | 1 |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Sebaceous Gland, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Subcutaneous Tissue, Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | X | 1 |
| Subcutaneous Tissue, Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|---|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 7 7 7 7 7 7 7 7 5 7 7 7 7 5 7 7 7 6 7 4 5 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 3 3 3 3 3 3 3 3 8 3 0 3 3 1 3 3 3 3 3 0 6 3 3 0 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 3 2 1 3 3 3 2 3 6 1 6 1 3 4 3 3 2 9 2 1 3 2 2 4 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 30 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |

females (cont...)

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Gallbladder | + | + | + | + | + | + | + | + | + | M | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hepatocellular Adenoma | X | | | | | | | | | | | | | | X | | | | | | | | | X | |
| Hepatocellular Adenoma, Multiple | | | | | | | | | | | | | | | | | | | | X | | | | | |
| Hepatocellular Carcinoma | | | | | | | | | | | X | | | | | | | | | | | | | | |
| Hepatocellular Carcinoma, Multiple | | | | | X | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|-------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 6 | 7 | 4 | 5 | 7 | 7 | 7 | 7 | 0 | |
| 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 8 | 3 | 0 | 3 | 3 | 1 | 3 | 3 | 3 | 3 | 3 | 0 | 6 | 3 | 3 | 0 | 3 | 0 | |
| 3 | 2 | 1 | 3 | 3 | 3 | 2 | 3 | 6 | 1 | 6 | 1 | 3 | 4 | 3 | 3 | 2 | 9 | 2 | 1 | 3 | 2 | 2 | 4 | 3 | 0 | |

B6C3F1 MICE FEMALE
30 PPM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|--|--|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | X | | | X | | | | | | X | | | X | | | X | | | | | |
| Mesentery | | | | + | | | + | | | | | | + | | | | + | | + | | | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | X | | | | | | | | | | | | |
| Pancreas | | | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | X | X | | | | | | | | | | |
| Salivary Glands | | | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | X | | | | | X | | | | | | | | | | | |
| Stomach, Forestomach | | | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Squamous Cell Papilloma | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Glandular | | | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Tongue | | | | | | | | | | | | | | | | | | | | | | | | |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|--|--|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Blood Vessel | | | | | | | | | | | | | | | | | | | | | | | | |
| Heart | | | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 7 7 7 7 7 7 7 7 5 7 7 7 7 5 7 7 7 6 7 4 5 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 3 3 3 3 3 3 3 3 8 3 0 3 3 1 3 3 3 3 3 0 6 3 3 0 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 3 2 1 3 3 3 2 3 6 1 6 1 3 4 3 3 2 9 2 1 3 2 2 4 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 30 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |

females (cont...)

Lymphoma Malignant

X X

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Adrenal Cortex | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Capsule, Adenoma | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Capsule, Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Adrenal Medulla | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Pheochromocytoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Islets, Pancreatic | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Parathyroid Gland | M + + + + M M + + + M + + + + + + + + M + + M M | | | | | | | | | | | | | | | | | | | | | | | | |
| Pituitary Gland | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Pars Distalis, Adenoma | X X | | | | | | | | | | | | | | | | | | | | | | | | |
| Thyroid Gland | + | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|-------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 6 | 7 | 4 | 5 | 7 | 7 | 7 | 7 | 0 | |
| 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 8 | 3 | 0 | 3 | 3 | 1 | 3 | 3 | 3 | 3 | 3 | 0 | 6 | 3 | 3 | 0 | 3 | 0 | |
| 3 | 2 | 1 | 3 | 3 | 3 | 2 | 3 | 6 | 1 | 6 | 1 | 3 | 4 | 3 | 3 | 2 | 9 | 2 | 1 | 3 | 2 | 2 | 4 | 3 | 0 | |

B6C3F1 MICE FEMALE

30 PPM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lymphoma Malignant | | | X | X | | | | X | X | | | X | X | | | | | | | | | | | | |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | X | X | | | | X | X | | | X | X | | | | | | X | | | | | | |
| Thymus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | X | | | | | X | | | | X | X | | | | | | | | | | | | |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Carcinoma | | | | | | | | | X | | | | | | | | | | | | | | | X | |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Subcutaneous Tissue, Fibrous Histiocytoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Subcutaneous Tissue, Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Subcutaneous Tissue, Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Subcutaneous Tissue, Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | X |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 6 | 7 | 4 | 5 | 7 | 7 | 7 | 7 |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 8 | 3 | 0 | 3 | 3 | 1 | 3 | 3 | 3 | 3 | 3 | 0 | 6 | 3 | 3 | 0 | 3 |
| | 3 | 2 | 1 | 3 | 3 | 3 | 2 | 3 | 6 | 1 | 6 | 1 | 3 | 4 | 3 | 3 | 2 | 9 | 2 | 1 | 3 | 2 | 2 | 4 | 3 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 30 PPM | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |

females (cont...)

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |

X

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Larynx | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Alveolar/Bronchiolar Carcinoma | | | | | X | | | | | X | | | X | | | | | | | | | | X | | |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | X | X | | X | X | | | | | | | | | | | |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|---------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 6 | 7 | 4 | 5 | 7 | 7 | 7 | 7 | 0 | |
| 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 8 | 3 | 0 | 3 | 3 | 1 | 3 | 3 | 3 | 3 | 3 | 0 | 6 | 3 | 3 | 0 | 3 | 3 | |
| 3 | 2 | 1 | 3 | 3 | 3 | 2 | 3 | 6 | 1 | 6 | 1 | 3 | 4 | 3 | 3 | 2 | 9 | 2 | 1 | 3 | 2 | 2 | 4 | 3 | 3 | |
| B6C3F1 MICE FEMALE | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 PPM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | | |

Lymphoma Malignant

X

Trachea

+ +

SPECIAL SENSES SYSTEM

Eye

+ +

Harderian Gland

+ +

Adenoma

X

URINARY SYSTEM

Kidney

+ +

Histiocytic Sarcoma

Lymphoma Malignant

Renal Tubule, Adenoma

X

X

X

X

Urinary Bladder

+ +

Lymphoma Malignant

X

X

SYSTEMIC LESIONS

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 6 7 7 7 7 2 7 6 7 7 7 7 7 6 7 7 7 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 3 3 9 3 3 3 3 9 3 4 3 3 3 3 3 7 3 3 3 3 2 3 3 3 | | | | | | | | | | | | | | | | | | | | | | | |
| | 3 2 0 2 3 2 3 8 3 5 2 1 3 1 1 2 4 1 3 1 1 1 3 1 2 | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| 30 PPM | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 3 | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 2 2 2 3 3 3 3 3 3 3 3 3 3 3 4 4 4 4 4 4 4 4 4 | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | * TOTALS | | | | | | | | | | | | | | | | | | | | | | | |

Lymphoma Malignant

1

Trachea

+ +

50

SPECIAL SENSES SYSTEM

Eye

+ A + + +

49

Harderian Gland

+ +

50

Adenoma

1

URINARY SYSTEM

Kidney

+ +

50

Histiocytic Sarcoma

X

1

Lymphoma Malignant

X

5

Renal Tubule, Adenoma

X

1

Urinary Bladder

+ +

50

Lymphoma Malignant

X

X

4

SYSTEMIC LESIONS

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | 5 | 3 | 3 | 3 | 3 | 0 | 3 | 3 | 3 | 3 | 3 | 3 | 0 | 3 | 0 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 0 | 3 | |
| | 3 | 2 | 2 | 2 | 2 | 4 | 1 | 3 | 2 | 3 | 3 | 4 | 1 | 5 | 3 | 3 | 2 | 1 | 1 | 3 | 2 | 1 | 1 | 2 | 1 | |
| B6C3F1 MICE FEMALE | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 60 PPM | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | females (cont...) |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | |
| Hepatocellular Adenoma | | | X | | X | | | | X | X | | X | | | X | | X | X | | X | X | | | | | |
| Hepatocellular Adenoma, Multiple | | X | | | | | | | | | | | | | X | | | | | | | | | | | |
| Hepatocellular Carcinoma | | | | | | | | | | | | | | | | | | | | | X | | | | | |
| Hepatocellular Carcinoma, Multiple | X | | | | | | | | | | | X | | | | | | | | | | | | X | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | X | | | | | | | | | | | | X | | | | | | | | | | | | |
| Mesentery | | + | + | | | + | | + | | + | + | + | | | | | + | | | | + | | | | | |
| Lymphoma Malignant | | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Pancreas | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | X | | | | | | | | | | | | |
| Salivary Glands | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Lymphoma Malignant | | | | | | | | | | | | X | | | | | | | | | | | | | | |
| Stomach, Forestomach | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Squamous Cell Papilloma | | | | | | | | | | | | | | | | | | | | | | X | | | | |
| Stomach, Glandular | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | A | + | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 6 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
60 PPM | 5 3 3 3 3 0 3 3 3 3 3 0 3 0 3 3 3 3 3 3 3 3 0 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 3 2 2 2 2 4 1 3 2 3 3 4 1 5 3 3 2 1 1 3 2 1 1 2 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | | |

females (cont...)

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Thyroid Gland | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
|---------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Clitoral Gland | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Cystadenoma | | | | X | | | | | | | | | | | | | | | | | | | | | | |
| Hemangiosarcoma | | | | | | | X | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Luteoma | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Uterus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Polyp Stromal | | | X | | | | | | | | | | | | | | | | | | | | | | | |

HEMATOPOIETIC SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | 5 | 3 | 3 | 3 | 3 | 0 | 3 | 3 | 3 | 3 | 3 | 3 | 0 | 3 | 0 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 0 | 3 | |
| | 3 | 2 | 2 | 2 | 2 | 4 | 1 | 3 | 2 | 3 | 3 | 4 | 1 | 5 | 3 | 3 | 2 | 1 | 1 | 3 | 2 | 1 | 1 | 2 | 1 | |
| B6C3F1 MICE FEMALE | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 60 PPM | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | | |
| | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | | |
| | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | | |
| | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | | |
| | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | | |
| | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | | |
| | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | | |
| | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | | |
| | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | | |
| | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | | |
| | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | | |
| | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | | |
| | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | | |
| | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | | |
| | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | | |
| | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | | |
| | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | | |
| | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | | |
| | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | | |
| | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | | |
| | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | | |
| | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | | |
| | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | | |
| | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | | |
| | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | | |
| | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | | |
| | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | | |
| | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | | |
| | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | | |
| | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | | |
| | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | | |
| | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | | |
| | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | | |
| | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | | |
| | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | | |
| | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | | |
| | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | | |
| | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | | |
| | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | | |
| | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | | |
| | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | | |
| | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | | |
| | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | | |
| | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | | |
| | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | | |
| | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | | |
| | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | | |
| | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | | |
| | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | | |
| | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | | |
| | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | | |
| | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | | |
| | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | | |
| | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | | |
| | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | | |
| | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | | |
| | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | | |
| | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | | |
| | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | | |
| | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | | |
| | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | | |
| | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | | |
| | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | | |
| | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | | |
| | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | | |
| | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | | | | | | | | | | | | | | | | |

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|-------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 0 |
| 5 | 3 | 3 | 3 | 3 | 0 | 3 | 3 | 3 | 3 | 3 | 3 | 0 | 3 | 0 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 0 | 3 | 0 |
| 3 | 2 | 2 | 2 | 2 | 4 | 1 | 3 | 2 | 3 | 3 | 4 | 1 | 5 | 3 | 3 | 2 | 1 | 1 | 3 | 2 | 1 | 1 | 2 | 1 | 0 |

B6C3F1 MICE FEMALE

60 PPM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | X | | | | | | | | | | | | X | | | | | | | | X | | |
| Thymus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | X | | | | | | | | | X | | | X | | | | | | | | | | |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Subcutaneous Tissue,
Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Subcutaneous Tissue, Lymphoma
Malignant | | | | | | | | | | | | | | | | | | | | | | | | |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 6 7 | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 5 3 3 3 3 0 3 3 3 3 3 0 3 0 3 3 3 3 3 3 3 3 0 3 | | | | | | | | | | | | | | | | | | | | | | | |
| | 3 2 2 2 2 4 1 3 2 3 3 4 1 5 3 3 2 1 1 3 2 1 1 2 1 | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
60 PPM | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 5 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | | | | | | | | | | | | | | | | | | | | | | | |

females
(cont...)

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Brain | + | | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Larynx | + | | | | | | | | | | | | | | | | | | | | | | | |
| Lung | + | | | | | | | | | | | | | | | | | | | | | | | |
| Alveolar/Bronchiolar Adenoma | X | | | | | | | | | | | | | | | | | | | | | | | |
| Alveolar/Bronchiolar Carcinoma | X X | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Carcinoma, Metastatic, Liver | X X X | | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | X X | | | | | | | | | | | | | | | | | | | | | | | |
| Nose | + | | | | | | | | | | | | | | | | | | | | | | | |
| Trachea | + | | | | | | | | | | | | | | | | | | | | | | | |

SPECIAL SENSES SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | | |
| | 3 | 3 | 1 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 5 | 3 | 3 | 3 | 3 | 3 | 9 | 3 | 3 | 3 |
| | 2 | 2 | 4 | 2 | 3 | 1 | 1 | 3 | 3 | 3 | 1 | 3 | 2 | 1 | 3 | 6 | 2 | 2 | 2 | 1 | 2 | 0 | 3 | 2 | 2 | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 60 PPM | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Gallbladder | + | + | + | I | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | M | + | 44 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Polyp Adenomatous | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Carcinoma | | | | | X | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | | | X | | | | | | | | | | | | | | | | | 2 |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|------------------------------------|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------|
| | 07322 | 07334 | 07342 | 07353 | 07361 | 07371 | 07383 | 07393 | 07403 | 07413 | 07423 | 07433 | 07443 | 07453 | 07463 | 07473 | 07483 | 07493 | 07503 | 07513 | 07523 | 07533 | 07543 | 07553 | |
| B6C3F1 MICE FEMALE | | | | | | | | | | | | | | | | | | | | | | | | | |
| 60 PPM | | | | | | | | | | | | | | | | | | | | | | | | | |
| | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0056 | 0057 | 0058 | 0059 | 0060 | 0061 | 0062 | 0063 | 0064 | 0065 | 0066 | 0067 | 0068 | 0069 | 0070 | 0071 | 0072 | 0073 | 0074 | 0075 | 0076 | 0077 | 0078 | 0079 | |
| Hepatocellular Adenoma | | | | | X | | | | | | X | | | | | X | | | | | | X | | | 14 |
| Hepatocellular Adenoma, Multiple | | | | | | | | | | | | | | | | X | | | | | | | | | 3 |
| Hepatocellular Carcinoma | X | | X | | | | | | | | | | | | | | | | X | | | | X | | 5 |
| Hepatocellular Carcinoma, Multiple | | | | | X | | | | | | | | | | | | | | | | | | | | 4 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | X | | | 1 |
| Lymphoma Malignant | | | X | | | X | | | | | | | | | | X | | | | | | | | | 5 |
| Mesentery | | | | + | + | | | | + | | | | | | | | | + | | | | | + | | 15 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | X | | | 1 |
| Lymphoma Malignant | | | X | | | X | | | X | | | | | | | X | | | | | | | | | 5 |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | X | | | | | | | X | | | | | X | | | | | | | | | | 4 |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Squamous Cell Papilloma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Lymphoma Malignant | | | | | | | | | | | | | | X | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-----------------|
| | 0732 | 0733 | 0734 | 0735 | 0736 | 0737 | 0738 | 0739 | 0740 | 0741 | 0742 | 0743 | 0744 | 0745 | 0746 | 0747 | 0748 | 0749 | 0750 | 0751 | 0752 | 0753 | 0754 | 0755 | |
| B6C3F1 MICE FEMALE | 00526 | 00527 | 00528 | 00529 | 00530 | 00531 | 00532 | 00533 | 00534 | 00535 | 00536 | 00537 | 00538 | 00539 | 00540 | 00541 | 00542 | 00543 | 00544 | 00545 | 00546 | 00547 | 00548 | 00549 | |
| 60 PPM | 00550 | 00551 | 00552 | 00553 | 00554 | 00555 | 00556 | 00557 | 00558 | 00559 | 00560 | 00561 | 00562 | 00563 | 00564 | 00565 | 00566 | 00567 | 00568 | 00569 | 00570 | 00571 | 00572 | 00573 | * TOTALS |
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | X | 1 | |
| Lymphoma Malignant | | | X | | | | | | | | | | | | X | | | | | | | | | 3 | |
| Lymph Node | | | | | | | | | | | | | | | + | | | | | | | | | 3 | |
| Iliac, Lymphoma Malignant | | | | | | | | | | | | | | | X | | | | | | | | | 1 | |
| Renal, Lymphoma Malignant | | | | | | | | | | | | | | | X | | | | | | | | | 1 | |
| Lymph Node, Bronchial | + | + | + | + | M | M | + | M | M | M | M | M | M | M | + | + | M | + | M | M | + | + | M | M | 28 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | X | 1 | |
| Lymphoma Malignant | | | X | | | | | | | | | | | | X | | | | | | | | | 6 | |
| Lymph Node, Mandibular | + | M | + | + | + | + | + | M | M | + | M | M | + | + | + | + | M | M | + | + | + | + | M | + | 30 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | X | 1 | |
| Lymphoma Malignant | | | X | | | X | | | | | | | | | X | X | | | | | | | | 7 | |
| Lymph Node, Mediastinal | M | + | + | + | + | + | M | + | + | + | + | + | + | M | + | + | + | + | + | M | + | + | M | + | 38 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | X | 1 | |
| Lymphoma Malignant | | | X | | | X | | | X | X | | | | X | X | | | | | | | | | 10 | |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | X | 1 | |
| Lymphoma Malignant | | | X | | | X | | | X | X | | | | X | X | | | | | | | | | 10 | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 3 | 0 | 3 | 3 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 8 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 3 |
| 2 | 5 | 2 | 1 | 3 | 3 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 3 | 5 | 3 | 2 | 3 | 3 | 3 | 3 | 0 | 2 | 3 | 3 |

| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 5 |

females (cont...)

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Gallbladder | + | + | + | + | + | + | + | + | + | I | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Colon | + | + | M | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + |
| Polyp Adenomatous | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + |
| Carcinoma | | | X | | | | | | | | | | | | | | | | | | | | | | |
| Carcinoma, Metastatic, Uncertain Primary Site | | | | | | | | | | X | | | | | | | | | | | | | | | |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | females (cont...) |
|-------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | |
| 3 | 0 | 3 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 8 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 3 | |
| 2 | 5 | 2 | 1 | 3 | 3 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 3 | 5 | 3 | 2 | 3 | 3 | 3 | 3 | 0 | 2 | 3 | | |

B6C3F1 MICE FEMALE
120 PPM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Hepatocellular Adenoma | X | | X | X | | X | | | | X | | | | | X | | X | | X | | | | | | | |
| Hepatocellular Adenoma, Multiple | | | | | X | X | | X | | X | | X | | | | | | | | | | | | | | |
| Hepatocellular Carcinoma | | | | | | | X | | | | | | | | | | | | X | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | X | | | | | | | | | X | | |
| Mesentery | | | + | | + | + | | | | | | | | + | + | | | | | | | | + | | | |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Squamous Cell Papilloma | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | X |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 6 7 7 7 7 7 7 5 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
120 PPM | 3 0 3 3 3 3 3 2 3 3 3 3 3 3 3 8 3 3 3 3 2 3 3 3 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 5 2 1 3 3 2 1 2 1 2 1 2 1 3 5 3 2 3 3 3 0 2 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 0 0 0 0 0 0 0 0 0 1 1 1 1 1 1 1 1 1 1 2 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | | |

females (cont...)

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Adrenal Cortex | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Capsule, Adenoma | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Adrenal Medulla | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pheochromocytoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Islets, Pancreatic | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Parathyroid Gland | + M + + + M + M + + M + + + M M I + + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Pituitary Gland | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Pars Distalis, Adenoma | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Pars Intermedia, Adenoma | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Thyroid Gland | + + + + I + | | | | | | | | | | | | | | | | | | | | | | | | |

GENERAL BODY SYSTEM

NONE

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 6 7 7 7 7 7 7 5 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
120 PPM | 3 0 3 3 3 3 3 2 3 3 3 3 3 3 3 8 3 3 3 3 2 3 3 3 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 5 2 1 3 3 2 1 2 1 2 1 2 1 3 5 3 2 3 3 3 3 0 2 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 0 0 0 0 0 0 0 0 0 1 1 1 1 1 1 1 1 1 1 2 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | | |

females (cont...)

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Clitoral Gland | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Ovary | + + + + + + + + + + + + + + + + A + + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Carcinoma, Metastatic, Uncertain Primary Site | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Cystadenoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemangioma | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Luteoma | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Uterus | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Carcinoma | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Carcinoma, Metastatic, Uncertain Primary Site | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Bone Marrow | + + + + + + + + + + + + + + + + A + + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 6 7 7 7 7 7 7 5 7 7 | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
120 PPM | 3 0 3 3 3 3 3 2 3 3 3 3 3 3 3 8 3 3 3 3 2 3 3 3 | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 5 2 1 3 3 2 1 2 1 2 1 2 1 3 5 3 2 3 3 3 0 2 3 | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 7 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 0 0 0 0 0 0 0 0 0 1 1 1 1 1 1 1 1 1 1 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | |

females (cont...)

INTEGUMENTARY SYSTEM

Mammary Gland

+ +

Skin

+ +

Sebacous Gland, Adenoma

X

Subcutaneous Tissue, Sarcoma

X

MUSCULOSKELETAL SYSTEM

Bone

+ +

Hemangiosarcoma

X

Skeletal Muscle

Lymphoma Malignant

NERVOUS SYSTEM

Brain

+ +

Carcinoma, Metastatic, Uncertain Primary Site

X

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 3 | 0 | 3 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 8 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 3 |
| 2 | 5 | 2 | 1 | 3 | 3 | 2 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | 3 | 5 | 3 | 2 | 3 | 3 | 3 | 3 | 0 | 2 | 3 | 3 |

| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 5 |

120 PPM females (cont...)

Lymphoma Malignant

URINARY SYSTEM

Kidney

+ +

Carcinoma, Metastatic, Uncertain
Primary Site

X

Lymphoma Malignant

X

Urinary Bladder

+ + + + + + + + + + + + + + + A + + + + + + + + +

Carcinoma, Metastatic, Uncertain
Primary Site

X

Lymphoma Malignant

X

X

SYSTEMIC LESIONS

Multiple Organ

+ +

Histiocytic Sarcoma

Lymphoma Malignant

X

X X

X

X X

X

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----------|
| | 6 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
120 PPM
ANIMAL ID | 4 3 0 3 3 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 3 3 2 2 1 2 3 2 3 2 3 3 2 2 2 3 3 1 3 2 5 2 1 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
120 PPM
ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 2 2 2 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
120 PPM
ANIMAL ID | 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|
| Adrenal Cortex | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Capsule, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Adrenal Medulla | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Pheochromocytoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Islets, Pancreatic | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Parathyroid Gland | M M + M + + + + + M + M + M + M + + M + + + + + M | | | | | | | | | | | | | | | | | | | | | | | | 34 |
| Pituitary Gland | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Pars Distalis, Adenoma | X X X X | | | | | | | | | | | | | | | | | | | | | | | | 7 |
| Pars Intermedia, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Thyroid Gland | + | | | | | | | | | | | | | | | | | | | | | | | | 49 |

GENERAL BODY SYSTEM

NONE

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

