

TDMS No. 95003 - 06
Test Type: CHRONIC
Route: SKIN APPLICATION
Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Methyl trans-styryl ketone

CAS Number: 1896-62-4

Date Report Requested: 10/09/2009

Time Report Requested: 14:36:21

First Dose M/F: 04/26/04 / 04/26/04

Lab: SRI

F1_M3

C Number: C95003C
Lock Date: 01/29/2007
Cage Range: ALL
Date Range: ALL
Reasons For Removal: ALL
Removal Date Range: ALL
Treatment Groups: Include ALL
Study Gender: Both
TDMSE Version: 2.1.0

TDMS No. 95003 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Methyl trans-styryl ketone
 CAS Number: 1896-62-4

Date Report Requested: 10/09/2009
 Time Report Requested: 14:36:21
 First Dose M/F: 04/26/04 / 04/26/04
 Lab: SRI

DAY ON TEST	0																									
	5	7	7	6	7	5	7	7	7	7	7	7	7	6	6	7	6	5	7	7	7	7	7	6	7	
2	0	2	1	3	2	3	2	2	3	3	2	3	3	6	2	9	0	3	3	3	2	3	9	3		
1	9	9	9	0	1	1	9	9	0	0	9	0	1	8	9	8	3	0	1	0	9	0	1	1		
B6C3F1 MICE MALE 0 MG/KG	ANIMAL ID	0																								
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		0	0	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	2	2	2	2	2	
1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5		

males
(cont...)

ALIMENTARY SYSTEM

Esophagus	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
Gallbladder	+	A	+	+	+	+	+	+	+	M	+	+	+	A	+	+	+	A	+	+	+	+	+	A	+
Intestine Large, Cecum Carcinoma	A	A	+	+	+	+	+	+	+	+	+	+	+	A	+	+	+	A	+	+	+	+	+	A	+
Intestine Large, Colon	A	A	+	+	+	+	+	+	+	+	+	+	+	A	A	+	+	A	+	+	+	+	+	A	+
Intestine Large, Rectum	A	A	+	+	+	+	+	+	+	+	+	+	+	A	+	+	+	A	+	+	+	+	+	A	+
Intestine Small, Duodenum	A	A	+	+	+	+	+	+	+	+	+	+	+	A	A	+	+	A	+	+	+	+	+	A	+
Intestine Small, Ileum	A	A	+	+	I	+	+	+	+	+	+	+	+	A	+	+	+	A	+	+	+	+	+	A	+
Intestine Small, Jejunum Adenoma	A	A	+	+	+	+	+	+	+	+	+	+	+	A	+	+	+	A	+	+	+	+	+	A	+
Carcinoma						X																			
Carcinoma, Metastatic, Lung								X																	
Lymphoma Malignant																		X							
Liver	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 95003 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Methyl trans-styryl ketone

CAS Number: 1896-62-4

Date Report Requested: 10/09/2009

Time Report Requested: 14:36:21

First Dose M/F: 04/26/04 / 04/26/04

Lab: SRI

DAY ON TEST	0 0																									males (cont...)
	5	7	7	6	7	5	7	7	7	7	7	7	6	6	7	6	5	7	7	7	7	7	6	7		
ANIMAL ID	2 0 2 1 3 2 3 2 2 3 3 2 3 3 6 2 9 0 3 3 3 2 3 9 3																									males (cont...)
	1	9	9	9	0	1	1	9	9	0	0	9	0	1	8	9	8	3	0	1	0	9	0	1		
B6C3F1 MICE MALE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	males (cont...)	
0 MG/KG	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	0	0	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	2	2	2	2	2		
	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4		5

Pituitary Gland	+	+	+	+	+	+	+	+	+	+	+	+	+	+	M	+	+	+	+	+	+	+	+	+
Thyroid Gland	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Follicular Cell, Adenoma													X											

GENERAL BODY SYSTEM

Tissue NOS																+									+
------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	---	--	--	--	--	--	--	--	--	---

GENITAL SYSTEM

Epididymis	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Lymphoma Malignant																								X
Preputial Gland	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Lymphoma Malignant																								X
Prostate	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Lymphoma Malignant																								X
Seminal Vesicle	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Lymphoma Malignant																								X
Testes	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 95003 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Methyl trans-styryl ketone
 CAS Number: 1896-62-4

Date Report Requested: 10/09/2009
 Time Report Requested: 14:36:21
 First Dose M/F: 04/26/04 / 04/26/04
 Lab: SRI

DAY ON TEST	0 0																								
	5 7 7 6 7 5 7 7 7 7 7 7 6 6 7 6 5 7 7 7 7 7 6 7																								
ANIMAL ID	2 0 2 1 3 2 3 2 2 3 3 2 3 3 6 2 9 0 3 3 3 2 3 9 3																								
	1 9 9 9 0 1 1 9 9 0 0 9 0 1 8 9 8 3 0 1 0 9 0 1 1																								
B6C3F1 MICE MALE 0 MG/KG	0 0																								
	0 0																								
	0 0																								
	0 0																								
	1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5																								

males
(cont...)

HEMATOPOIETIC SYSTEM

Bone Marrow	+ +																								
Hemangiosarcoma, Metastatic, Spleen	X																								
Lymph Node	+ +																								
Iliac, Lymphoma Malignant	+																								
Inguinal, Lymphoma Malignant	X																								
Mediastinal, Lymphoma Malignant	X																								
Pancreatic, Lymphoma Malignant	X																								
Renal, Lymphoma Malignant	X																								
Lymph Node, Mandibular	+ +																								
Lymphoma Malignant	X																								
Lymph Node, Mesenteric	+ A +																								
Carcinoma, Metastatic, Intestine Large, Cecum	X																								
Lymphoma Malignant	X																								
Spleen	+ +																								
Hemangiosarcoma	X X																								
Lymphoma Malignant	X																								

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 95003 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Methyl trans-styryl ketone
 CAS Number: 1896-62-4

Date Report Requested: 10/09/2009
 Time Report Requested: 14:36:21
 First Dose M/F: 04/26/04 / 04/26/04
 Lab: SRI

DAY ON TEST	ANIMAL ID																									males (cont...)
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
5	7	7	6	7	5	7	7	7	7	7	7	7	6	6	7	6	5	7	7	7	7	7	6	7	0	
2	0	2	1	3	2	3	2	2	3	3	2	3	3	6	2	9	0	3	3	3	2	3	9	3	0	
1	9	9	9	0	1	1	9	9	0	0	9	0	1	8	9	8	3	0	1	0	9	0	1	1	0	

B6C3F1 MICE MALE 0 MG/KG	ANIMAL ID																									males (cont...)
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	0	
	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	0	

INTEGUMENTARY SYSTEM

Thymus	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Lymphoma Malignant																									X
Mammary Gland	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Skin	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Hemangioma																									
Lymphoma Malignant																									X
Subcutaneous Tissue, Fibrosarcoma																									X
Subcutaneous Tissue, Hemangiosarcoma																									

MUSCULOSKELETAL SYSTEM

Bone	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Sternum, Hemangiosarcoma, Metastatic, Spleen																									X
Skeletal Muscle																									
Hemangiosarcoma																									

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 95003 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Methyl trans-styryl ketone
 CAS Number: 1896-62-4

Date Report Requested: 10/09/2009
 Time Report Requested: 14:36:21
 First Dose M/F: 04/26/04 / 04/26/04
 Lab: SRI

	DAY ON TEST																									
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	5	7	7	6	7	5	7	7	7	7	7	7	6	6	7	6	5	7	7	7	7	7	6	7		
	2	0	2	1	3	2	3	2	2	3	3	2	3	3	6	2	9	0	3	3	3	2	3	9	3	
	1	9	9	9	0	1	1	9	9	0	0	9	0	1	8	9	8	3	0	1	0	9	0	1	1	
B6C3F1 MICE MALE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
0 MG/KG	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	
	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	males (cont...)

NERVOUS SYSTEM

Brain	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
Carcinoma, Metastatic, Lung																										X

RESPIRATORY SYSTEM

Lung	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Alveolar/Bronchiolar Adenoma						X					X														
Alveolar/Bronchiolar Adenoma, Multiple																									X
Alveolar/Bronchiolar Carcinoma			X						X					X		X									
Alveolar/Bronchiolar Carcinoma, Multiple																									
Hepatocellular Carcinoma, Metastatic, Liver	X				X									X											
Lymphoma Malignant																									X
Nose	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Trachea	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+

SPECIAL SENSES SYSTEM

Eye	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
-----	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 95003 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Methyl trans-styryl ketone
 CAS Number: 1896-62-4

Date Report Requested: 10/09/2009
 Time Report Requested: 14:36:21
 First Dose M/F: 04/26/04 / 04/26/04
 Lab: SRI

DAY ON TEST	0 0																								* TOTALS
	7 7 7 7 7 7 7 7 7 5 6 7 7 4 7 7 7 7 5 7 7 7 7 7 7																								
B6C3F1 MICE MALE 0 MG/KG	3 3 3 1 2 3 3 3 2 8 2 2 2 0 3 3 3 3 9 1 3 3 2 2 3																								* TOTALS
	0 0 0 4 9 0 0 0 1 5 2 9 9 2 0 0 0 0 8 2 0 1 9 9 0																								
ANIMAL ID	0 0																								* TOTALS
	0 0																								
0 MG/KG	2 2 2 2 3 3 3 3 3 3 3 3 3 3 4 4 4 4 4 4 4 4 4 4 5																								* TOTALS
	6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0																								

HEMATOPOIETIC SYSTEM

Bone Marrow	+ +																								50
Hemangiosarcoma, Metastatic, Spleen																									1
Lymph Node	+ +																								5
Iliac, Lymphoma Malignant	X																								1
Inguinal, Lymphoma Malignant																									1
Mediastinal, Lymphoma Malignant																									1
Pancreatic, Lymphoma Malignant																									1
Renal, Lymphoma Malignant																									1
Lymph Node, Mandibular	+ + + + + + + + + + M + + + + + + + + + + + + + + +																								49
Lymphoma Malignant																									1
Lymph Node, Mesenteric	+ +																								49
Carcinoma, Metastatic, Intestine Large, Cecum																									1
Lymphoma Malignant	X X																								3
Spleen	+ + + + + + + + + A + + + + + + + + A + + + + + +																								48
Hemangiosarcoma	X																								3
Lymphoma Malignant	X																								2

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 95003 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Methyl trans-styryl ketone

CAS Number: 1896-62-4

Date Report Requested: 10/09/2009

Time Report Requested: 14:36:21

First Dose M/F: 04/26/04 / 04/26/04

Lab: SRI

DAY ON TEST	0 0																								
	5 7 7 6 7 6 7 7 5 7 7 7 7 7 6 7 7 7 7 7 7 7 7 5 7																								
ANIMAL ID	0 0																								
	0 0																								
B6C3F1 MICE MALE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
10 MG/KG	5	5	5	5	5	5	5	5	5	6	6	6	6	6	6	6	6	6	6	6	6	7	7	7	7
	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5

males (cont...)

ALIMENTARY SYSTEM

Esophagus	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
Gallbladder	A	+	+	M	+	+	+	+	A	+	+	+	+	+	+	M	+	+	+	+	+	+	+	A	+
Intestine Large, Cecum	+	+	+	A	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Intestine Large, Colon	A	+	+	A	+	+	+	+	A	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Lymphoma Malignant																									
Intestine Large, Rectum	M	+	+	A	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	A	+
Intestine Small, Duodenum	A	+	+	A	+	+	+	+	A	+	+	+	+	+	+	+	+	+	+	+	+	+	+	A	+
Intestine Small, Ileum	A	+	+	A	+	+	+	+	A	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Intestine Small, Jejunum	A	+	+	M	+	+	+	+	M	+	+	+	+	+	+	+	+	+	+	+	+	+	+	A	+
Adenoma																									X
Carcinoma										X															
Lymphoma Malignant											X														
Liver	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Carcinoma, Metastatic, Pancreas											X														

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 95003 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Methyl trans-styryl ketone
 CAS Number: 1896-62-4

Date Report Requested: 10/09/2009
 Time Report Requested: 14:36:21
 First Dose M/F: 04/26/04 / 04/26/04
 Lab: SRI

	DAY ON TEST																									males (cont...)
	0509	0709	0700	0601	0703	0608	0703	0300	0009	0001	0009	0009	0009	0009	0007	0006	0007	0007	0007	0007	0007	0007	0007	0005	0007	
B6C3F1 MICE MALE	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
10 MG/KG	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	

Salivary Glands	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Stomach, Forestomach	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Hemangioma																								
Hemangiosarcoma						X																		
Squamous Cell Papilloma			X																					
Stomach, Glandular	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Carcinoma, Metastatic, Pancreas												X												
Hemangiosarcoma					X																			
Tooth																								

CARDIOVASCULAR SYSTEM

Blood Vessel																								
Heart	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Cholangiocarcinoma, Metastatic, Liver																X								
Hepatocholangiocarcinoma, Metastatic, Liver																								X
Lymphoma Malignant													X											

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 95003 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Methyl trans-styryl ketone
 CAS Number: 1896-62-4

Date Report Requested: 10/09/2009
 Time Report Requested: 14:36:21
 First Dose M/F: 04/26/04 / 04/26/04
 Lab: SRI

DAY ON TEST	0 0																								
	5 7 7 6 7 6 7 7 5 7 7 7 7 7 6 7 7 7 7 7 7 7 5 7																								
ANIMAL ID	0 2 3 4 3 8 3 3 0 2 3 2 2 1 2 8 3 2 2 2 2 3 3 9 3																								
	9 9 0 1 1 3 1 0 0 9 1 9 9 4 9 1 0 9 9 9 9 0 1 0 0																								
B6C3F1 MICE MALE 10 MG/KG	0 0																								
	0 0																								
	0 0																								
	5 5 5 5 5 5 5 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6																								
	1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5																								

males
(cont...)

ENDOCRINE SYSTEM

Adrenal Cortex	+ +																								
Bilateral, Capsule, Adenoma	X																								
Capsule, Adenoma	X X X																								
Adrenal Medulla	+ +																								
Pheochromocytoma Benign																									
Islets, Pancreatic	+ +																								
Adenoma																									
Cholangiocarcinoma, Metastatic, Liver	X																								
Parathyroid Gland	M + + M + + + + M + + + + + + + + + + + + + + +																								
Pituitary Gland	+ +																								
Thyroid Gland	I +																								

GENERAL BODY SYSTEM

Tissue NOS	+ +																								
Cholangiocarcinoma, Metastatic, Liver	X																								
Hemangiosarcoma	X																								

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 95003 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Methyl trans-styryl ketone
 CAS Number: 1896-62-4

Date Report Requested: 10/09/2009
 Time Report Requested: 14:36:21
 First Dose M/F: 04/26/04 / 04/26/04
 Lab: SRI

DAY ON TEST	0 0																								
	5 7 7 6 7 6 7 7 5 7 7 7 7 7 6 7 7 7 7 7 7 7 7 5 7																								
B6C3F1 MICE MALE 10 MG/KG	0 0																								
	0 0																								
ANIMAL ID	0 0																								
	5 5 5 5 5 5 5 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6																								
	1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5																								

males
(cont...)

GENITAL SYSTEM

Coagulating Gland																								
Epididymis	+ +																								
Preputial Gland	+ +																								
Prostate	+ +																								
Seminal Vesicle	+ +																								
Carcinoma, Metastatic, Pancreas X																								
Testes	+ +																								
Cholangiocarcinoma, Metastatic, Liver X																								

HEMATOPOIETIC SYSTEM

Bone Marrow	+ +																								
Lymph Node + + +																								
Cholangiocarcinoma, Metastatic, Liver X																								
Bronchial, Hepatocholangiocarcinoma, X																								

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 95003 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Methyl trans-styryl ketone

CAS Number: 1896-62-4

Date Report Requested: 10/09/2009

Time Report Requested: 14:36:21

First Dose M/F: 04/26/04 / 04/26/04

Lab: SRI

DAY ON TEST	0 0																								
	5 7 7 6 7 6 7 7 5 7 7 7 7 7 6 7 7 7 7 7 7 7 5 7																								
ANIMAL ID	0 0																								
	0 0																								
10 MG/KG	5 5 5 5 5 5 5 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6																								
	1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5																								

males (cont...)

INTEGUMENTARY SYSTEM

Mammary Gland	+ +																								
Skin	+ +																								
Squamous Cell Papilloma	X																								
Subcutaneous Tissue, Hemangioma	X																								
Subcutaneous Tissue, Hemangiosarcoma	X																								

MUSCULOSKELETAL SYSTEM

Bone	+ +																								
Skeletal Muscle	+ +																								
Alveolar/Bronchiolar Carcinoma, Metastatic, Lung	X																								
Cholangiocarcinoma, Metastatic, Liver	X																								
Hepatocellular Carcinoma, Metastatic, Liver																									

NERVOUS SYSTEM

Brain	+ +																								
-------	---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 95003 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Methyl trans-styryl ketone
 CAS Number: 1896-62-4

Date Report Requested: 10/09/2009
 Time Report Requested: 14:36:21
 First Dose M/F: 04/26/04 / 04/26/04
 Lab: SRI

DAY ON TEST	0 0																								
	5 7 7 6 7 6 7 7 5 7 7 7 7 7 6 7 7 7 7 7 7 7 5 7																								
ANIMAL ID	0 2 3 4 3 8 3 3 0 2 3 2 2 1 2 8 3 2 2 2 2 3 3 9 3																								
	9 9 0 1 1 3 1 0 0 9 1 9 9 4 9 1 0 9 9 9 9 0 1 0 0																								
B6C3F1 MICE MALE 10 MG/KG	0 0																								
	0 0																								
	0 0																								
	5 5 5 5 5 5 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6																								
	1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5																								

males
(cont...)

Meningioma Benign X

RESPIRATORY SYSTEM

Lung	+ +																								
Alveolar/Bronchiolar Adenoma	X X X X X																								
Alveolar/Bronchiolar Carcinoma	X																								
Alveolar/Bronchiolar Carcinoma, Multiple	X																								
Cholangiocarcinoma, Metastatic, Liver	X																								
Hepatocellular Carcinoma, Metastatic, Liver																									
Hepatocholangiocarcinoma, Metastatic, Liver	X																								
Nose	+ +																								
Pleura	+																								
Trachea	+ +																								

SPECIAL SENSES SYSTEM

Eye	+ +																								
-----	---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 95003 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Methyl trans-styryl ketone
 CAS Number: 1896-62-4

Date Report Requested: 10/09/2009
 Time Report Requested: 14:36:21
 First Dose M/F: 04/26/04 / 04/26/04
 Lab: SRI

DAY ON TEST	0 0																								
	5 7 7 6 7 6 7 7 5 7 7 7 7 7 6 7 7 7 7 7 7 7 7 5 7																								
ANIMAL ID	0 2 3 4 3 8 3 3 0 2 3 2 2 1 2 8 3 2 2 2 2 3 3 9 3																								
	9 9 0 1 1 3 1 0 0 9 1 9 9 4 9 1 0 9 9 9 9 0 1 0 0																								
B6C3F1 MICE MALE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
10 MG/KG	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	5	5	5	5	5	5	5	5	5	6	6	6	6	6	6	6	6	6	6	6	6	7	7	7	7
	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5

males
(cont...)

Harderian Gland	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Adenoma																									
Carcinoma																									
Bilateral, Adenoma																									

URINARY SYSTEM

Kidney	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Cholangiocarcinoma, Metastatic, Liver																									
Lymphoma Malignant																									
Urinary Bladder	+	+	+	A	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+

SYSTEMIC LESIONS

Multiple Organ	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Histiocytic Sarcoma																									
Lymphoma Malignant																									

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 95003 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Methyl trans-styryl ketone

CAS Number: 1896-62-4

Date Report Requested: 10/09/2009

Time Report Requested: 14:36:21

First Dose M/F: 04/26/04 / 04/26/04

Lab: SRI

	DAY ON TEST																								* TOTALS
	0731	0760	0763	0766	0777	0777	0777	0777	0777	0777	0777	0777	0777	0777	0777	0777	0777	0777	0777	0777	0777	0777	0777	0777	
B6C3F1 MICE MALE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
10 MG/KG	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ANIMAL ID	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	
	7	7	7	7	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	
	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	
Cholangiocarcinoma																									
Hemangiosarcoma																									
Hepatoblastoma		X																		X					
Hepatocellular Adenoma			X		X	X	X	X	X					X			X					X			
Hepatocellular Adenoma, Multiple		X								X				X					X	X	X		X	X	
Hepatocellular Carcinoma	X		X		X	X												X	X	X		X	X		
Hepatocellular Carcinoma, Multiple				X				X		X		X	X		X	X					X				
Hepatocholangiocarcinoma														X											
Histiocytic Sarcoma													X												
Lymphoma Malignant																						X			
Mesentery														+		+		+		+		+			
Carcinoma, Metastatic, Pancreas																									
Cholangiocarcinoma, Metastatic, Liver																									
Hemangiosarcoma																									
Hepatocellular Carcinoma, Metastatic, Liver																					X				
Pancreas																									
Cholangiocarcinoma, Metastatic, Liver																									
Histiocytic Sarcoma																									
Lymphoma Malignant																									
Acinus, Carcinoma																									

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 95003 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Methyl trans-styryl ketone
 CAS Number: 1896-62-4

Date Report Requested: 10/09/2009
 Time Report Requested: 14:36:21
 First Dose M/F: 04/26/04 / 04/26/04
 Lab: SRI

DAY ON TEST	0 0																								* TOTALS
	7 6 6 6 7 7 7 7 7 6 5 5 7 6 7 7 7 7 7 7 7 7 7 7																								
B6C3F1 MICE MALE 10 MG/KG	3 1 1 3 3 3 3 3 3 5 1 1 3 2 3 3 3 1 3 2 3 2 3 3 2																								* TOTALS
	1 0 3 1 0 0 1 1 1 9 3 5 0 6 0 1 0 1 1 9 1 9 1 1 9																								
ANIMAL ID	0 0																								* TOTALS
	0 0																								
10 MG/KG	0 0																								* TOTALS
	7 7 7 7 8 8 8 8 8 8 8 8 8 9 9 9 9 9 9 9 9 9 9 9																								
																								* TOTALS	

ENDOCRINE SYSTEM

Adrenal Cortex	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Bilateral, Capsule, Adenoma																										1
Capsule, Adenoma																							X			5
Adrenal Medulla	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Pheochromocytoma Benign												X														1
Islets, Pancreatic	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Adenoma																							X			1
Cholangiocarcinoma, Metastatic, Liver																										1
Parathyroid Gland	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	47
Pituitary Gland	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	M	+	+	+	+	+	+	+	+	49
Thyroid Gland	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	49

GENERAL BODY SYSTEM

Tissue NOS																										2
Cholangiocarcinoma, Metastatic, Liver																										1
Hemangiosarcoma																										1

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 95003 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Methyl trans-styryl ketone
 CAS Number: 1896-62-4

Date Report Requested: 10/09/2009
 Time Report Requested: 14:36:21
 First Dose M/F: 04/26/04 / 04/26/04
 Lab: SRI

DAY ON TEST	0 0																							
	7 6 6 6 7 7 7 7 7 6 5 5 7 6 7 7 7 7 7 7 7 7 7 7																							
ANIMAL ID	3 1 1 3 3 3 3 3 3 5 1 1 3 2 3 3 3 1 3 2 3 2 3 3 2																							
	1 0 3 1 0 0 1 1 1 9 3 5 0 6 0 1 0 1 1 9 1 9 1 1 9																							
B6C3F1 MICE MALE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
10 MG/KG	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	7	7	7	7	8	8	8	8	8	8	8	8	8	8	8	9	9	9	9	9	9	9	9	0
	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9
																								* TOTALS

GENITAL SYSTEM

Coagulating Gland																								+	1
Epididymis																								+	50
Preputial Gland																								+	50
Prostate																								+	50
Seminal Vesicle																								+	50
Carcinoma, Metastatic, Pancreas																									1
Testes																								+	50
Cholangiocarcinoma, Metastatic, Liver																									1

HEMATOPOIETIC SYSTEM

Bone Marrow																								+	50
Lymph Node																								+	5
Cholangiocarcinoma, Metastatic, Liver																									1
Bronchial, Hepatocholangiocarcinoma,																									1

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 95003 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Methyl trans-styryl ketone
 CAS Number: 1896-62-4

Date Report Requested: 10/09/2009
 Time Report Requested: 14:36:21
 First Dose M/F: 04/26/04 / 04/26/04
 Lab: SRI

DAY ON TEST	0 0																								
	7 6 6 6 7 7 7 7 7 6 5 5 7 6 7 7 7 7 7 7 7 7 7 7																								
ANIMAL ID	3 1 1 3 3 3 3 3 3 5 1 1 3 2 3 3 3 1 3 2 3 2 3 3 2																								
	1 0 3 1 0 0 1 1 1 9 3 5 0 6 0 1 0 1 1 9 1 9 1 1 9																								
B6C3F1 MICE MALE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
10 MG/KG	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7	7	7	7	8	8	8	8	8	8	8	8	8	8	9	9	9	9	9	9	9	9	9	0	
	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0
	* TOTALS																								

Metastatic, Liver																								
Bronchial, Lymphoma Malignant														X										1
Iliac, Cholangiocarcinoma, Metastatic, Liver																								1
Iliac, Lymphoma Malignant																								1
Renal, Lymphoma Malignant																								1
Lymph Node, Mandibular Lymphoma Malignant	+	+	+	+	+	+	+	+	+	+	M	+	+	+	+	+	+	+	+	+	+	+	+	46
Lymph Node, Mesenteric Carcinoma, Metastatic, Pancreas	+	+	+	+	+	+	+	+	+	+	+	+	M	+	M	+	+	A	+	+	+	+	+	44
Cholangiocarcinoma, Metastatic, Liver																								1
Lymphoma Malignant																							X	5
Spleen Lymphoma Malignant	+	+	+	A	+	+	+	+	+	+	A	+	+	+	+	+	+	A	+	+	+	+	+	47
Thymus	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	M	+	+	+	+	+	48
Cholangiocarcinoma, Metastatic, Liver																								1
Hepatocholangiocarcinoma, Metastatic, Liver																								1
Lymphoma Malignant																							X	2

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 95003 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Methyl trans-styryl ketone
 CAS Number: 1896-62-4

Date Report Requested: 10/09/2009
 Time Report Requested: 14:36:21
 First Dose M/F: 04/26/04 / 04/26/04
 Lab: SRI

DAY ON TEST	0 0																								
	6 6 6 7 5 7 7 7 7 7 5 7 7 7 7 7 6 5 7 7 7 4 7 5																								
ANIMAL ID	7 5 9 3 2 3 3 2 3 3 7 0 3 2 2 3 2 2 9 2 2 0 7 2 3																								
	5 3 8 0 1 1 0 9 0 1 1 5 1 9 9 1 9 7 6 9 9 3 1 9 4																								
B6C3F1 MICE MALE 30 MG/KG	0 0																								
	0 0																								
	1 1																								
	0 0 0 0 0 0 0 0 0 0 1 1 1 1 1 1 1 1 1 1 1 1 2 2 2																								
	1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5																								

males
(cont...)

ALIMENTARY SYSTEM

Esophagus	+ +																								
Gallbladder	+ + + + + + + M M + M A + + + + + + + + + + + A + +																								
Intestine Large, Cecum	A + + + + + + + + + + A + + + + + + + + + + + + + A																								
Intestine Large, Colon Lymphoma Malignant	A + + + + + + + + + + A A + + + + + + + + + + + A + A																								
Intestine Large, Rectum	A + + + + + + + + + + A + + + + + + + + + + + + + A																								
Intestine Small, Duodenum Carcinoma	A + + + + + + + + + + A A + + + + + + + + + + + A + A X																								
Intestine Small, Ileum	A + + + + + + + + + + A + + + + + + + + + + + + + A + A																								
Intestine Small, Jejunum	A + + + + + + + + + + A + + + + + + + + + + + + + A + A																								
Liver	+ +																								
Hemangiosarcoma																									
Hepatoblastoma																									
Hepatoblastoma, Multiple	X																								

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 95003 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Methyl trans-styryl ketone
 CAS Number: 1896-62-4

Date Report Requested: 10/09/2009
 Time Report Requested: 14:36:21
 First Dose M/F: 04/26/04 / 04/26/04
 Lab: SRI

DAY ON TEST	ANIMAL ID																									males (cont...)
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6	6	6	7	5	7	7	7	7	7	5	7	7	7	7	7	7	6	5	7	7	7	4	7	5		
7	5	9	3	2	3	3	2	3	3	7	0	3	2	2	3	2	2	9	2	2	0	7	2	3		
5	3	8	0	1	1	0	9	0	1	1	5	1	9	9	1	9	7	6	9	9	3	1	9	4		
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
	0	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2		
	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	

B6C3F1 MICE MALE
30 MG/KG

Hepatocellular Adenoma					X	X	X	X	X														X	X	X
Hepatocellular Adenoma, Multiple												X	X		X										
Hepatocellular Carcinoma							X		X		X		X	X	X			X					X		X
Hepatocellular Carcinoma, Multiple	X		X				X		X									X	X						
Histiocytic Sarcoma, Metastatic, Lung				X																					
Lymphoma Malignant																									

Mesentery					+	+																			
Hepatocellular Carcinoma, Metastatic, Liver							X																		
Pancreas	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Salivary Glands	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Stomach, Forestomach	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Squamous Cell Papilloma																									X
Stomach, Glandular	A	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+

CARDIOVASCULAR SYSTEM

Blood Vessel

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 95003 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Methyl trans-styryl ketone
 CAS Number: 1896-62-4

Date Report Requested: 10/09/2009
 Time Report Requested: 14:36:21
 First Dose M/F: 04/26/04 / 04/26/04
 Lab: SRI

DAY ON TEST	0 0																								
	6 6 6 7 5 7 7 7 7 7 5 7 7 7 7 7 6 5 7 7 7 4 7 5																								
ANIMAL ID	7 5 9 3 2 3 3 2 3 3 7 0 3 2 2 3 2 2 9 2 2 0 7 2 3																								
	5 3 8 0 1 1 0 9 0 1 1 5 1 9 9 1 9 7 6 9 9 3 1 9 4																								
B6C3F1 MICE MALE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30 MG/KG	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5

males
(cont...)

Heart +

ENDOCRINE SYSTEM

Adrenal Cortex	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Capsule, Adenoma	X							X	X												X			
Adrenal Medulla	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Pheochromocytoma Benign																					X			
Islets, Pancreatic	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Adenoma																								
Parathyroid Gland	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Pituitary Gland	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Thyroid Gland	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
C-cell, Carcinoma																								X

GENERAL BODY SYSTEM

Tissue NOS	+
Alveolar/Bronchiolar Carcinoma,	

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 95003 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Methyl trans-styryl ketone
 CAS Number: 1896-62-4

Date Report Requested: 10/09/2009
 Time Report Requested: 14:36:21
 First Dose M/F: 04/26/04 / 04/26/04
 Lab: SRI

DAY ON TEST	0 0																								
	6 6 6 7 5 7 7 7 7 7 5 7 7 7 7 7 6 5 7 7 7 4 7 5																								
ANIMAL ID	7 5 9 3 2 3 3 2 3 3 7 0 3 2 2 3 2 2 9 2 2 0 7 2 3																								
	5 3 8 0 1 1 0 9 0 1 1 5 1 9 9 1 9 7 6 9 9 3 1 9 4																								
B6C3F1 MICE MALE 30 MG/KG	0 0																								
	0 0																								
	1 1																								
	0 0 0 0 0 0 0 0 0 0 1 1 1 1 1 1 1 1 1 1 2 2 2 2 2																								
	1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5																								

males
(cont...)

Metastatic, Lung
 Hepatocellular Carcinoma, Metastatic,
 Liver

X

GENITAL SYSTEM

Epididymis	+ +																								
Penis	+ +																								
Preputial Gland	+ +																								
Lymphoma Malignant																									
Prostate	+ +																								
Seminal Vesicle	+ +																								
Testes	+ +																								

HEMATOPOIETIC SYSTEM

Bone Marrow	+ +																								
Lymph Node	+ +																								
Lymphoma Malignant																									

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 95003 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Methyl trans-styryl ketone
 CAS Number: 1896-62-4

Date Report Requested: 10/09/2009
 Time Report Requested: 14:36:21
 First Dose M/F: 04/26/04 / 04/26/04
 Lab: SRI

DAY ON TEST	0 0																								
	6 6 6 7 5 7 7 7 7 7 5 7 7 7 7 7 6 5 7 7 7 4 7 5																								
ANIMAL ID	7 5 9 3 2 3 3 2 3 3 7 0 3 2 2 3 2 2 9 2 2 0 7 2 3																								
	5 3 8 0 1 1 0 9 0 1 1 5 1 9 9 1 9 7 6 9 9 3 1 9 4																								
B6C3F1 MICE MALE 30 MG/KG	0 0																								
	0 0																								
	1 1																								
	0 0 0 0 0 0 0 0 0 0 1 1 1 1 1 1 1 1 1 1 2 2 2 2 2																								
	1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5																								

males
(cont...)

Iliac, Lymphoma Malignant
 Inguinal, Lymphoma Malignant
 Pancreatic, Histiocytic Sarcoma
 Pancreatic, Lymphoma Malignant
 Renal, Lymphoma Malignant

X

Lymph Node, Mandibular
 Lymphoma Malignant

+ +

Lymph Node, Mesenteric
 Hemangioma
 Lymphoma Malignant

A +

Spleen
 Lymphoma Malignant

+ + + + + + + + + + A + + + + + + + + + + + + + + +

Thymus
 Alveolar/Bronchiolar Carcinoma,
 Metastatic, Lung

M + + + + + + + + + + + + + + + + | + + + + + | + + +

INTEGUMENTARY SYSTEM

Mammary Gland

+ +

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 95003 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Methyl trans-styryl ketone
 CAS Number: 1896-62-4

Date Report Requested: 10/09/2009
 Time Report Requested: 14:36:21
 First Dose M/F: 04/26/04 / 04/26/04
 Lab: SRI

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | males
(cont...) |
|-------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 6 | 6 | 6 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 5 | 7 | 7 | 7 | 4 | 7 | 5 | | |
| 7 | 5 | 9 | 3 | 2 | 3 | 3 | 2 | 3 | 3 | 7 | 0 | 3 | 2 | 2 | 3 | 2 | 2 | 9 | 2 | 2 | 0 | 7 | 2 | 3 | | |
| 5 | 3 | 8 | 0 | 1 | 1 | 0 | 9 | 0 | 1 | 1 | 5 | 1 | 9 | 9 | 1 | 9 | 7 | 6 | 9 | 9 | 3 | 1 | 9 | 4 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|---|
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Subcutaneous Tissue,
Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Subcutaneous Tissue, Melanoma Benign | | | | | | | | | | | | | | | | | | | | | | | | | | |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|--|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Alveolar/Bronchiolar Carcinoma,
Metastatic, Lung | | | | | | | | | | | | | | | | | | | | | | | | | | |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | | | X | | | | | | | | | | | | | | X |
| Alveolar/Bronchiolar Carcinoma | | | | X | X | | | | | | | | | | | | | | | | | | | | |
| Alveolar/Bronchiolar Carcinoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Hepatoblastoma, Metastatic, Liver | | | | | | X | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 95003 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Methyl trans-styryl ketone
 CAS Number: 1896-62-4

Date Report Requested: 10/09/2009
 Time Report Requested: 14:36:21
 First Dose M/F: 04/26/04 / 04/26/04
 Lab: SRI

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 7 7 7 7 7 7 7 5 7 7 5 7 7 7 7 7 7 7 7 7 7 7 6 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 3 2 2 2 3 3 2 3 2 3 7 3 3 1 3 3 3 2 3 2 3 3 3 4 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 9 9 9 0 1 9 0 9 1 1 0 0 9 0 0 0 9 0 9 0 1 0 9 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 30 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| | * TOTALS | | | | | | | | | | | | | | | | | | | | | | | | |

Heart + **50**

ENDOCRINE SYSTEM

Adrenal Cortex + **50**
 Capsule, Adenoma X X X **7**

Adrenal Medulla + **50**
 Pheochromocytoma Benign **1**

Islets, Pancreatic + **50**
 Adenoma X **1**

Parathyroid Gland + + + + + + + + + I + + + + + + + + + + + + + M + + **48**

Pituitary Gland + **50**

Thyroid Gland + **50**
 C-cell, Carcinoma **1**

GENERAL BODY SYSTEM

Tissue NOS + **2**
 Alveolar/Bronchiolar Carcinoma, X **1**

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 95003 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Methyl trans-styryl ketone
 CAS Number: 1896-62-4

Date Report Requested: 10/09/2009
 Time Report Requested: 14:36:21
 First Dose M/F: 04/26/04 / 04/26/04
 Lab: SRI

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 7 7 7 7 7 5 7 7 5 7 7 7 7 7 7 7 7 7 7 7 6 7 | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 3 2 2 2 3 3 2 3 2 3 7 3 3 1 3 3 3 2 3 2 3 3 3 4 3 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 9 9 9 0 1 9 0 9 1 1 0 0 9 0 0 0 9 0 9 0 1 0 9 0 | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
30 MG/KG | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 2 2 2 3 | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | | | | | | | | | | | | | | | |
| * TOTALS | | | | | | | | | | | | | | | | | | | | | | | | |

Metastatic, Lung
 Hepatocellular Carcinoma, Metastatic,
 Liver 1

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|
| Epididymis | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Penis | + | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Preputial Gland | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Lymphoma Malignant | X + | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Prostate | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Seminal Vesicle | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Testes | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|
| Bone Marrow | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Lymph Node | + | | | | | | | | | | | | | | | | | | | | | | | | 4 |
| Lymphoma Malignant | X + | | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 95003 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Methyl trans-styryl ketone
 CAS Number: 1896-62-4

Date Report Requested: 10/09/2009
 Time Report Requested: 14:36:21
 First Dose M/F: 04/26/04 / 04/26/04
 Lab: SRI

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|-------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----------|
| | 7 7 7 7 7 7 7 5 7 7 5 7 7 7 7 7 7 7 7 7 7 7 6 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 3 2 2 2 3 3 2 3 2 3 7 3 3 1 3 3 3 2 3 2 3 3 3 4 3 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| | 0 9 9 9 0 1 9 0 9 1 1 0 0 9 0 0 0 9 0 9 0 1 0 9 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 2 2 2 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 4 5 6 7 8 9 0 | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|---|---|----|
| Hepatocellular Carcinoma, Metastatic, Liver | X | | | | | | | | | | | | | | | | | | | | | | | | X | X | X | 6 |
| Histiocytic Sarcoma, Metastatic, Lung | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Nose | + | | | | | | | | | | | | | | | | | | | | | | | | + | + | + | 50 |
| Trachea | + | | | | | | | | | | | | | | | | | | | | | | | | + | + | + | 50 |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|---|---|----|----|
| Eye | + | | | | | | | | | | | | | | | | | | | | | | | | + | + | A | + | 48 |
| Harderian Gland | + | | | | | | | | | | | | | | | | | | | | | | | | + | + | + | 50 | |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | X | | | 4 | |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | | X | | 2 | |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|---|---|----|
| Kidney | + | | | | | | | | | | | | | | | | | | | | | | | | + | + | + | 49 |
| Alveolar/Bronchiolar Carcinoma, Metastatic, Lung | | | | | | | | | | | | | | | | | | | | | | | | | | | X | 1 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | X | 1 |
| Urinary Bladder | + | | | | | | | | | | | | | | | | | | | | | | | | + | + | + | 49 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 95003 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Methyl trans-styryl ketone

CAS Number: 1896-62-4

Date Report Requested: 10/09/2009

Time Report Requested: 14:36:21

First Dose M/F: 04/26/04 / 04/26/04

Lab: SRI

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 6 7 7 6 7 7 7 7 7 7 7 7 7 7 6 7 7 7 7 6 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 7 3 3 4 3 3 3 3 2 3 2 2 2 2 3 3 2 3 3 3 5 2 3 2 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 0 0 5 0 1 0 0 8 0 9 9 9 9 0 0 9 0 1 1 9 3 0 9 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
90 MG/KG | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 5 5 5 5 5 5 5 5 5 5 6 6 6 6 6 6 6 6 6 6 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | | |

males
(cont...)

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Esophagus | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Gallbladder | A + + A + + + + A + + + + + A + M + + + M A + + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Cecum | A + + + + + + + A + + + + + + + + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Colon | A + + A + + + + A + + + + + A + + + + + + A + + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Rectum | A + + + + + + + A + + + + + + + + + + + + A + + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Duodenum | A + + A + + + + A + + + + + A + + + + + + A + + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Ileum | A + + A + + + + A + + + + + A + + + + + + A + + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Jejunum | A + + A + + + + A + + + + + A + + + + + + A + + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Liver | + + + + + + + + A + + + + + + + + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatoblastoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Adenoma | X X X X X X X X X X X X X X X | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Adenoma, Multiple | X X X X X X X X X X X X X X X | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 95003 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Methyl trans-styryl ketone
 CAS Number: 1896-62-4

Date Report Requested: 10/09/2009
 Time Report Requested: 14:36:21
 First Dose M/F: 04/26/04 / 04/26/04
 Lab: SRI

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | males
(cont...) |
|-------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 6 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 0 | 0 | |
| 7 | 3 | 3 | 4 | 3 | 3 | 3 | 3 | 2 | 3 | 2 | 2 | 2 | 2 | 3 | 3 | 2 | 3 | 3 | 3 | 5 | 2 | 3 | 2 | 3 | 0 | |
| 6 | 0 | 0 | 5 | 0 | 1 | 0 | 0 | 8 | 0 | 9 | 9 | 9 | 9 | 0 | 0 | 9 | 0 | 1 | 1 | 9 | 3 | 0 | 9 | 1 | 0 | |

B6C3F1 MICE MALE
90 MG/KG

| | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Hepatocellular Carcinoma | X | X | | | | | | X | | | | | | | | X | X | X | | X | | | X | X |
| Hepatocellular Carcinoma, Multiple | | | | X | | | | | | | | | X | X | X | | | | X | | | | | |
| Hepatocholangiocarcinoma | | | | X | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | | | | X | | | | | | | | | | | | | | | | | | | | |
| Mesentery | | | | | + | | | | | | | + | | | | | | | | | | | | |
| Pancreas | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Stomach, Glandular | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | X | |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Adrenal Cortex | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | | | X |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 95003 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Methyl trans-styryl ketone
 CAS Number: 1896-62-4

Date Report Requested: 10/09/2009
 Time Report Requested: 14:36:21
 First Dose M/F: 04/26/04 / 04/26/04
 Lab: SRI

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | males
(cont...) |
|-------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 6 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 0 | 0 | |
| 7 | 3 | 3 | 4 | 3 | 3 | 3 | 3 | 2 | 3 | 2 | 2 | 2 | 2 | 3 | 3 | 2 | 3 | 3 | 3 | 5 | 2 | 3 | 2 | 3 | 0 | |
| 6 | 0 | 0 | 5 | 0 | 1 | 0 | 0 | 8 | 0 | 9 | 9 | 9 | 9 | 0 | 0 | 9 | 0 | 1 | 1 | 9 | 3 | 0 | 9 | 1 | 0 | |

B6C3F1 MICE MALE
90 MG/KG

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Preputial Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Prostate | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Seminal Vesicle | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | X | |
| Testes | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Interstitial Cell, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | X | |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Lymph Node | | | | + | + | | | | | | + | | | | | | | | | | | | + | + | | |
| Inguinal, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | X | | |
| Mediastinal, Lymphoma Malignant | | | | | | | | | | | | | | | | X | | | | | | | | X | | |
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | X | | |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | M | A | + | + | |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 95003 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Methyl trans-styryl ketone
 CAS Number: 1896-62-4

Date Report Requested: 10/09/2009
 Time Report Requested: 14:36:21
 First Dose M/F: 04/26/04 / 04/26/04
 Lab: SRI

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 6 7 7 6 7 7 7 7 7 7 7 7 7 7 6 7 7 7 7 6 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 7 3 3 4 3 3 3 3 2 3 2 2 2 2 3 3 2 3 3 3 5 2 3 2 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 0 0 5 0 1 0 0 8 0 9 9 9 9 0 0 9 0 1 1 9 3 0 9 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 90 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |

males (cont...)

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Spleen | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Hemangiosarcoma | X | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | X | | | | | |
| Thymus | + | I | + | + | M | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | M | + | + | M | + | |
| Lymphoma Malignant | | | | | | | | | | | | | | | X | | | | | | | | | | X | |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Histiocytic Sarcoma | | | | X | | | | | | | | | | | | | | | | | | | | | | |
| Pinna, Hemangioma | | | | | X | | | | | | | | | | | | | | | | | | | | | |
| Subcutaneous Tissue, Hepatocellular Carcinoma, Metastatic, Lung | | | | X | | | | | | | | | | | | | | | | | | | | | | |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Histiocytic Sarcoma, Metastatic, Lung | | | | X | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 95003 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Methyl trans-styryl ketone
 CAS Number: 1896-62-4

Date Report Requested: 10/09/2009
 Time Report Requested: 14:36:21
 First Dose M/F: 04/26/04 / 04/26/04
 Lab: SRI

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | males
(cont...) |
|------------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 6 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 0 | |
| 7 | 3 | 3 | 4 | 3 | 3 | 3 | 3 | 2 | 3 | 2 | 2 | 2 | 2 | 3 | 3 | 2 | 3 | 3 | 3 | 5 | 2 | 3 | 2 | 3 | 0 | |
| 6 | 0 | 0 | 5 | 0 | 1 | 0 | 0 | 8 | 0 | 9 | 9 | 9 | 9 | 0 | 0 | 9 | 0 | 1 | 1 | 9 | 3 | 0 | 9 | 1 | 0 | |
| B6C3F1 MICE MALE
90 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Eye | A | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Kidney | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Renal Tubule, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Renal Tubule, Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Urinary Bladder | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

SYSTEMIC LESIONS

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 95003 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Methyl trans-styryl ketone
 CAS Number: 1896-62-4

Date Report Requested: 10/09/2009
 Time Report Requested: 14:36:21
 First Dose M/F: 04/26/04 / 04/26/04
 Lab: SRI

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----------|
| | 7 7 7 5 7 7 7 7 7 6 7 7 7 7 7 7 7 7 7 7 7 5 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 3 3 9 2 2 2 3 2 7 3 2 2 2 1 1 3 3 2 3 3 2 2 3 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 0 0 0 9 9 9 0 9 3 1 9 9 0 9 8 0 0 9 0 0 9 1 0 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
90 MG/KG | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 7 7 7 7 8 8 8 8 8 8 8 8 8 8 8 8 9 9 9 9 9 9 9 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | | | | | | | | | | | | | | | | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|
| Esophagus | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Gallbladder | + M + + M + + + + A + + + A A + + + + + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | 38 |
| Intestine Large, Cecum | + + + + + + + + + A + + + + A + + + + + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | 46 |
| Intestine Large, Colon | + + + + + + + + + A + + + + A + + + + + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | 43 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Intestine Large, Rectum | + + + + + + + + + + + + + + + A + + + + + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | 46 |
| Intestine Small, Duodenum | + + + + + + + + + A + + + + A + + + + + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | 43 |
| Intestine Small, Ileum | + + + + + + + + + A + + + + A + + + + + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | 43 |
| Intestine Small, Jejunum | + + + + + + + + + + + + + + + A + + + + + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | 44 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Liver | + | | | | | | | | | | | | | | | | | | | | | | | | 49 |
| Hepatoblastoma, Multiple | X | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hepatocellular Adenoma | X | | | | | | | | | | | | | | | | | | | | | | | | 19 |
| Hepatocellular Adenoma, Multiple | X | | | | | | | | | | | | | | | | | | | | | | | | 10 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 95003 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Methyl trans-styryl ketone

CAS Number: 1896-62-4

Date Report Requested: 10/09/2009

Time Report Requested: 14:36:21

First Dose M/F: 04/26/04 / 04/26/04

Lab: SRI

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | |
| | 2 | 3 | 3 | 9 | 2 | 2 | 2 | 3 | 2 | 7 | 3 | 2 | 2 | 2 | 1 | 1 | 3 | 3 | 2 | 3 | 3 | 2 | 2 | 3 | 2 |
| | 9 | 0 | 0 | 0 | 9 | 9 | 9 | 0 | 9 | 3 | 1 | 9 | 9 | 0 | 9 | 8 | 0 | 0 | 9 | 0 | 0 | 9 | 1 | 0 | 9 |
| B6C3F1 MICE MALE
90 MG/KG | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 |
| | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |

| | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Hepatocellular Carcinoma | X | X | | | | | | | | X | | | | X | X | X | | | | | | | X | 16 |
| Hepatocellular Carcinoma, Multiple | | | X | X | X | X | X | | X | | X | X | | | | | | X | | | | X | | 15 |
| Hepatocholangiocarcinoma | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | X | | 2 |
| Mesentery | | | | | | | | | | | | | | | | | | | | | | | | 6 |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | 48 |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | 1 |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 95003 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Methyl trans-styryl ketone
 CAS Number: 1896-62-4

Date Report Requested: 10/09/2009
 Time Report Requested: 14:36:21
 First Dose M/F: 04/26/04 / 04/26/04
 Lab: SRI

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|----------------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----------|
| | 7 7 7 5 7 7 7 7 7 6 7 7 7 7 7 7 7 7 7 7 7 5 7 7
2 3 3 9 2 2 2 3 2 7 3 2 2 2 1 1 3 3 2 3 3 2 2 3 2
9 0 0 0 9 9 9 0 9 3 1 9 9 0 9 8 0 0 9 0 0 9 1 0 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| | 0
1 2
7 7 7 7 8 8 8 8 8 8 8 8 8 8 9 9 9 9 9 9 9 9 9 0
6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| Preputial Gland | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Prostate | + + + + + + + + + + + + + + + + + + M + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | 48 |
| Seminal Vesicle | + | | | | | | | | | | | | | | | | | | | | | | | | 49 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Testes | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Interstitial Cell, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|
| Bone Marrow | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Lymph Node | | | | | | | | | | | | | | | | | | | | | | | | | 6 |
| Inguinal, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Mediastinal, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Lymph Node, Mandibular | + + + + + + + + + + + + + + + + + M + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | 49 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymph Node, Mesenteric | + + + + + + + + + + + + + + + A + M + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | 45 |
| Hepatocellular Carcinoma, Metastatic, Liver | X | | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 95003 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Methyl trans-styryl ketone
 CAS Number: 1896-62-4

Date Report Requested: 10/09/2009
 Time Report Requested: 14:36:21
 First Dose M/F: 04/26/04 / 04/26/04
 Lab: SRI

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 7 5 7 7 7 7 7 6 7 7 7 7 7 7 7 7 7 7 7 5 7 7 | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
90 MG/KG | 2 3 3 9 2 2 2 3 2 7 3 2 2 2 1 1 3 3 2 3 3 2 2 3 2 | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 0 0 0 9 9 9 0 9 3 1 9 9 0 9 8 0 0 9 0 0 9 1 0 9 | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| 90 MG/KG | 1 2 | | | | | | | | | | | | | | | | | | | | | | | |
| | 7 7 7 7 8 8 8 8 8 8 8 8 8 8 8 9 9 9 9 9 9 9 9 0 | | | | | | | | | | | | | | | | | | | | | | | |
| 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| * TOTALS | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|-----------|
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Spleen | + | | | | | | | | | | | | | | | | | | | | | | | | 49 |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Thymus | M + + + + + + + I + + + + + M M + + + + + + M + + | | | | | | | | | | | | | | | | | | | | | | | | 40 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 2 |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|-----------|
| Mammary Gland | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Skin | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Pinna, Hemangioma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Subcutaneous Tissue, Hepatocellular Carcinoma, Metastatic, Lung | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|-----------|
| Bone | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Histiocytic Sarcoma, Metastatic, Lung | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 95003 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Methyl trans-styryl ketone
 CAS Number: 1896-62-4

Date Report Requested: 10/09/2009
 Time Report Requested: 14:36:21
 First Dose M/F: 04/26/04 / 04/26/04
 Lab: SRI

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|-----------------|--|
| | 7 7 7 5 7 7 7 7 7 6 7 7 7 7 7 7 7 7 7 7 7 5 7 7 | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 3 3 9 2 2 2 3 2 7 3 2 2 2 1 1 3 3 2 3 3 2 2 3 2 | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 0 0 0 9 9 9 0 9 3 1 9 9 0 9 8 0 0 9 0 0 9 1 0 9 | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
90 MG/KG | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 | | | | | | | | | | | | | | | | | | | | | | | |
| | 7 7 7 7 8 8 8 8 8 8 8 8 8 8 9 9 9 9 9 9 9 9 9 9 | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|-----------|
| Eye | + + + + + + + + + A + + + + A + + + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | 45 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Harderian Gland | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Adenoma | X | | | | | | | | | | | | | | | | | | | | | | | | 5 |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|-----------|
| Kidney | + + + + + + + + + + + + + + A + + + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | 47 |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Renal Tubule, Adenoma | X | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Renal Tubule, Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Urinary Bladder | + + + + + + + + + + + + + + A + + + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | 48 |

SYSTEMIC LESIONS

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 95003 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Methyl trans-styryl ketone
 CAS Number: 1896-62-4

Date Report Requested: 10/09/2009
 Time Report Requested: 14:36:21
 First Dose M/F: 04/26/04 / 04/26/04
 Lab: SRI

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| | 7 | 7 | 7 | 7 | 7 | 7 | 2 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | |
| 3 | 3 | 3 | 1 | 3 | 3 | 8 | 3 | 4 | 3 | 3 | 3 | 3 | 3 | 9 | 0 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 9 | | |
| 2 | 2 | 3 | 9 | 2 | 2 | 5 | 2 | 9 | 3 | 2 | 3 | 2 | 1 | 8 | 8 | 3 | 3 | 3 | 1 | 3 | 1 | 1 | 1 | 8 | | |
| B6C3F1 MICE FEMALE
0 MG/KG | ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | | |

females
(cont...)

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Gallbladder | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | X | X |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | X |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | X |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | X |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 95003 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Methyl trans-styryl ketone
 CAS Number: 1896-62-4

Date Report Requested: 10/09/2009
 Time Report Requested: 14:36:21
 First Dose M/F: 04/26/04 / 04/26/04
 Lab: SRI

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) | |
|------------------------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|----------------------|--|
| | 0
7
3
2 | 0
7
3
2 | 0
7
3
3 | 0
7
1
9 | 0
7
3
2 | 0
7
3
2 | 0
2
8
5 | 0
7
3
2 | 0
6
4
9 | 0
7
3
3 | 0
7
3
2 | 0
7
3
3 | 0
7
3
3 | 0
7
3
3 | 0
6
9
8 | 0
6
0
8 | 0
7
3
3 | 0
7
3
3 | 0
7
3
3 | 0
7
3
1 | 0
7
3
3 | 0
7
3
1 | 0
7
3
1 | 0
7
3
1 | 0
6
9
8 | | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 0 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | | |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Adenoma | | | | X | | | | X | | | | X | | | | | | X | | | | | | | | | |
| Hepatocellular Adenoma, Multiple | X | X | X | | X | X | | | | X | X | X | | X | X | | | X | X | X | | | | | | | |
| Hepatocellular Carcinoma | | | | | | | | | | X | X | X | | | | | X | X | | | X | | X | X | | | |
| Hepatocellular Carcinoma, Multiple | | X | | | | | | | | X | | | | | X | | | | | | | | | | | | |
| Lymphoma Malignant | X | | | | | | X | X | X | X | | | | | X | | | | | | | | X | X | | | |
| Mesentery | | + | | | | | | | + | + | | + | + | + | | | + | | + | | | | | | + | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | X | | |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | X | X | |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | X | | | | | | | | | | |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Lymphoma Malignant | | | | | | | | | | X | | | | | | | | | | | | | | | | | |
| Squamous Cell Papilloma | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Glandular | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | | |
| Lymphoma Malignant | | | | | | | | | | X | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 95003 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Methyl trans-styryl ketone
 CAS Number: 1896-62-4

Date Report Requested: 10/09/2009
 Time Report Requested: 14:36:21
 First Dose M/F: 04/26/04 / 04/26/04
 Lab: SRI

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|---|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 7 | 7 | 7 | 7 | 7 | 7 | 2 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | |
| 3 | 3 | 3 | 1 | 3 | 3 | 8 | 3 | 4 | 3 | 3 | 3 | 3 | 3 | 9 | 0 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 9 | |
| 2 | 2 | 3 | 9 | 2 | 2 | 5 | 2 | 9 | 3 | 2 | 3 | 2 | 1 | 8 | 8 | 3 | 3 | 3 | 1 | 3 | 1 | 1 | 1 | 8 | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
0 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | |

Multiple Organ

Histiocytic Sarcoma

Lymphoma Malignant

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| X | X | | X | | | | X | | X | X | X | X | | X | | | | | | | | X | X | X |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 95003 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Methyl trans-styryl ketone
 CAS Number: 1896-62-4

Date Report Requested: 10/09/2009
 Time Report Requested: 14:36:21
 First Dose M/F: 04/26/04 / 04/26/04
 Lab: SRI

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|-------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
| | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 6 | 7 | 7 | 7 | 6 | 7 | 7 | 6 | 6 | 7 | 7 | |
| | 3 | 1 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 7 | 9 | 3 | 3 | 3 | 8 | 3 | 3 | 7 | 9 | 3 | 3 | 9 |
| | 3 | 9 | 2 | 3 | 3 | 1 | 3 | 2 | 2 | 1 | 2 | 1 | 5 | 7 | 2 | 2 | 3 | 7 | 1 | 2 | 8 | 2 | 2 | 2 | 8 |
| B6C3F1 MICE FEMALE
0 MG/KG | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 | | | | | | | | | | | | | | | | | | | | | | | | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | A | + | + | M | A | + | + | 44 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Intestine Large, Cecum | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | 47 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Intestine Large, Colon | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | A | A | + | + | 44 |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | A | A | + | + | 45 |
| Intestine Small, Duodenum | + | A | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | A | + | + | A | A | + | + | 43 |
| Carcinoma | | | | | | | | X | | | | | | | | | | | | | | | | | 1 |
| Intestine Small, Ileum | + | A | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | A | + | + | A | A | + | + | 43 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Intestine Small, Jejunum | + | A | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | A | + | + | A | A | + | + | 43 |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | X | | | | | | | | | | | | | | | | | 2 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 95003 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Methyl trans-styryl ketone

CAS Number: 1896-62-4

Date Report Requested: 10/09/2009

Time Report Requested: 14:36:21

First Dose M/F: 04/26/04 / 04/26/04

Lab: SRI

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|------------------------------------|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------|------|
| | 0733 | 0761 | 0773 | 0773 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | | 0777 |
| B6C3F1 MICE FEMALE | 00226 | 00227 | 00228 | 00229 | 00230 | 00231 | 00232 | 00233 | 00234 | 00235 | 00236 | 00237 | 00238 | 00239 | 00240 | 00241 | 00242 | 00243 | 00244 | 00245 | 00246 | 00247 | 00248 | 00249 | 00250 | |
| 0 MG/KG | 67890 | 12345 | 67890 | 12345 | 67890 | 12345 | 67890 | 12345 | 67890 | 12345 | 67890 | 12345 | 67890 | 12345 | 67890 | 12345 | 67890 | 12345 | 67890 | 12345 | 67890 | 12345 | 67890 | 12345 | 67890 | |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangiosarcoma | | | | | | | | | | | | | | X | | | | | | | | | | | | 1 |
| Hepatocellular Adenoma | | | | | | | | | | | | | | X | X | X | | | | | X | | | X | | 9 |
| Hepatocellular Adenoma, Multiple | | | X | | | X | | X | | X | | X | | | | | X | X | | | | X | | | | 21 |
| Hepatocellular Carcinoma | | X | | | X | X | | X | X | | | | | | | X | X | | X | | | | | | | 16 |
| Hepatocellular Carcinoma, Multiple | | | | | | | | | | | | X | | | | | | | | X | | | X | X | | 7 |
| Lymphoma Malignant | | | | X | | | | | | | | | X | X | | | X | | | | X | | | | | 13 |
| Mesentery | | + | | | | + | + | | | | | | | | | | | | | + | + | + | | + | | 16 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | X | | | | | | | | | | 2 |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Squamous Cell Papilloma | | | | | | | | | | | | | | | | X | | | | | | | | | | 1 |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 95003 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Methyl trans-styryl ketone
 CAS Number: 1896-62-4

Date Report Requested: 10/09/2009
 Time Report Requested: 14:36:21
 First Dose M/F: 04/26/04 / 04/26/04
 Lab: SRI

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|-------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----------|
| | 7 6 7 7 7 7 7 7 7 7 7 7 6 6 7 7 7 6 7 7 6 6 7 7 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
0 MG/KG | 3 1 3 3 3 3 3 3 3 3 3 3 7 9 3 3 3 8 3 3 7 9 3 3 9 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| | 3 9 2 3 3 1 3 2 2 1 2 1 5 7 2 2 3 7 1 2 8 2 2 2 8 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 2 2 2 3 3 3 3 3 3 3 3 3 3 3 3 4 4 4 4 4 4 4 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | | | | | | | | | | | | | | | | |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|
| Bone Marrow | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Lymph Node | + | | | | | | | | | | | | | | | | | | | | | | | | 13 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Iliac, Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Iliac, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 5 |
| Inguinal, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Mediastinal, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 3 |
| Pancreatic, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Renal, Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | 5 |
| Lymph Node, Mandibular | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | 9 |
| Lymph Node, Mesenteric | + A + + + M + + + + + + + + + + + + + + + + M + + + | | | | | | | | | | | | | | | | | | | | | | | | 47 |
| Lymphoma Malignant | X X | | | | | | | | | | | | | | | | | | | | | | | | 8 |
| Spleen | + A + + + + | | | | | | | | | | | | | | | | | | | | | | | | 49 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 95003 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Methyl trans-styryl ketone
 CAS Number: 1896-62-4

Date Report Requested: 10/09/2009
 Time Report Requested: 14:36:21
 First Dose M/F: 04/26/04 / 04/26/04
 Lab: SRI

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 6 | 7 | 7 | 7 | 6 | 7 | 7 | 6 | 6 | 7 | 7 | 6 |
| | 3 | 1 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 7 | 9 | 3 | 3 | 3 | 8 | 3 | 3 | 7 | 9 | 3 | 3 | 9 |
| | 3 | 9 | 2 | 3 | 3 | 1 | 3 | 2 | 2 | 1 | 2 | 1 | 5 | 7 | 2 | 2 | 3 | 7 | 1 | 2 | 8 | 2 | 2 | 2 | 8 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| | * TOTALS | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Pleura | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hemangiosarcoma, Metastatic, Lung | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| | | | | | | | | | | | | | | | | | | | | | | | | | 50 |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Eye | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + |
| | | | | | | | | | | | | | | | | | | | | | | | | | 47 |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| | | | | | | | | | | | | | | | | | | | | | | | | | 4 |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 49 |
| Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 10 |
| | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Urinary Bladder | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 49 |
| | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

SYSTEMIC LESIONS

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 95003 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Methyl trans-styryl ketone

CAS Number: 1896-62-4

Date Report Requested: 10/09/2009

Time Report Requested: 14:36:21

First Dose M/F: 04/26/04 / 04/26/04

Lab: SRI

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|---|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|---|----------------------|
| | 0
7
3
3 | 0
7
3
1 | 0
7
3
3 | 0
7
3
2 | 0
5
9
0 | 0
5
9
7 | 0
7
3
3 | 0
6
7
6 | 0
7
3
3 | 0
7
3
3 | 0
7
3
3 | 0
7
3
3 | 0
7
3
3 | 0
6
7
2 | 0
7
3
2 | 0
7
3
2 | 0
6
7
2 | 0
7
3
2 | 0
7
3
3 | 0
6
7
3 | 0
7
3
7 | 0
7
3
3 | 0
7
3
3 | 0
7
3
3 | | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 10 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | |
| Hepatocellular Adenoma, Multiple | | X | | X | | | X | | | X | | X | | | X | | X | | X | | X | | X | | X | |
| Hepatocellular Carcinoma | | | | | | | | | | | | | | | | | | | X | X | X | X | X | X | X | |
| Hepatocellular Carcinoma, Multiple | | | | | | | | | | X | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | X | | | |
| Lymphoma Malignant | | | | X | | X | | | | | | | | | | | | | | | | | | | X | |
| Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mesentery | | | | + | | | | | | | | | | | | | | | | | | | | | | |
| Fibrosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | X | | | |
| Liposarcoma | | | | | | | | | | | | | | | | | | | | | | | | | X | |
| Pancreas | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | X | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Salivary Glands | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Forestomach | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Squamous Cell Papilloma | | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 95003 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Methyl trans-styryl ketone
 CAS Number: 1896-62-4

Date Report Requested: 10/09/2009
 Time Report Requested: 14:36:21
 First Dose M/F: 04/26/04 / 04/26/04
 Lab: SRI

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|---------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 7 | 7 | 7 | 7 | 5 | 5 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| 3 | 3 | 3 | 3 | 9 | 9 | 3 | 7 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 7 | 3 | 3 | 3 | |
| 3 | 1 | 3 | 2 | 0 | 7 | 3 | 6 | 3 | 3 | 2 | 2 | 2 | 9 | 1 | 2 | 2 | 3 | 3 | 8 | 2 | 1 | 2 | 3 | 3 | | |
| B6C3F1 MICE FEMALE | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 10 MG/KG | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | | |

Parathyroid Gland

+ + + + + M + + + + + + + + + + + + + + + + M + +

Pituitary Gland

+ +

Pars Distalis, Adenoma

X X

Pars Intermedia, Adenoma

X

Thyroid Gland

+ +

GENERAL BODY SYSTEM

Tissue NOS

+

Fibrosarcoma

X

Histiocytic Sarcoma

GENITAL SYSTEM

Clitoral Gland

+ + + + + + + I + + + + + + + + + + + + + + + + +

Ovary

+ +

Fibrosarcoma

Lymphoma Malignant

X

Sarcoma

Teratoma Malignant

X

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 95003 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Methyl trans-styryl ketone
 CAS Number: 1896-62-4

Date Report Requested: 10/09/2009
 Time Report Requested: 14:36:21
 First Dose M/F: 04/26/04 / 04/26/04
 Lab: SRI

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 7 | 7 | 7 | 7 | 5 | 5 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 |
| | 3 | 3 | 3 | 3 | 9 | 9 | 3 | 7 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 7 | 3 | 3 | 3 | 3 |
| | 3 | 1 | 3 | 2 | 0 | 7 | 3 | 6 | 3 | 3 | 2 | 2 | 2 | 9 | 1 | 2 | 2 | 3 | 3 | 8 | 2 | 1 | 2 | 3 | 3 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10 MG/KG | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |

females
(cont...)

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Uterus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Hemangiosarcoma | | | | X | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | X | | | | | | | | | | | | | | | | | | | |
| Polyp Stromal | | | | | | | | | | | | | | | | X | | | | | | | | | |
| Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Vagina | | | | | | | | | | + | | | | | | | | | | | | | | | |
| Sarcoma, Metastatic, Uncertain Primary Site | | | | | | | | | | X | | | | | | | | | | | | | | | |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node | | + | + | | + | + | | | + | | | | + | | | | | | | | | | | | + |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Sarcoma, Metastatic, Uncertain Primary Site | | | | | | | | | | X | | | | | | | | | | | | | | | |
| Bronchial, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Iliac, Lymphoma Malignant | | | | | | X | | | | | | | | X | | | | | | | | | | | X |
| Mediastinal, Lymphoma Malignant | | | X | | | | | | | | | | | | | | | | | | | | | | X |
| Renal, Lymphoma Malignant | | | | | | | | | | | | | | X | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 95003 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Methyl trans-styryl ketone
 CAS Number: 1896-62-4

Date Report Requested: 10/09/2009
 Time Report Requested: 14:36:21
 First Dose M/F: 04/26/04 / 04/26/04
 Lab: SRI

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 7 | 7 | 7 | 7 | 5 | 5 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 |
| | 3 | 3 | 3 | 3 | 9 | 9 | 3 | 7 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 7 | 3 | 3 | 3 | 3 | 3 |
| | 3 | 1 | 3 | 2 | 0 | 7 | 3 | 6 | 3 | 3 | 2 | 2 | 2 | 9 | 1 | 2 | 2 | 3 | 3 | 8 | 2 | 1 | 2 | 3 | 3 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10 MG/KG | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |

females
(cont...)

Carcinoma

Skin +
 Schwannoma Malignant
 Subcutaneous Tissue, Fibrosarcoma

MUSCULOSKELETAL SYSTEM

Bone +
 Skeletal Muscle
 Fibrosarcoma, Metastatic, Uncertain
 Primary Site

NERVOUS SYSTEM

Brain +
 Peripheral Nerve +
 Spinal Cord +

RESPIRATORY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 95003 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Methyl trans-styryl ketone
 CAS Number: 1896-62-4

Date Report Requested: 10/09/2009
 Time Report Requested: 14:36:21
 First Dose M/F: 04/26/04 / 04/26/04
 Lab: SRI

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|-------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 7 | 7 | 7 | 7 | 5 | 5 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| 3 | 3 | 3 | 3 | 9 | 9 | 3 | 7 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 7 | 3 | 3 | 3 | 3 | |
| 3 | 1 | 3 | 2 | 0 | 7 | 3 | 6 | 3 | 3 | 2 | 2 | 2 | 9 | 1 | 2 | 2 | 3 | 3 | 8 | 2 | 1 | 2 | 3 | 3 | | |

B6C3F1 MICE FEMALE
10 MG/KG

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Alveolar/Bronchiolar Carcinoma | | | | | X | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | X | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | X | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | |
| Pheochromocytoma Malignant, Metastatic, Adrenal Medulla | | X | | | | | | | | | | | | | | | | | | | | | | |
| Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Adenoma | | | | | | | | | | X | | | | | | | | | | | X | | | |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Bilateral, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 95003 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Methyl trans-styryl ketone
 CAS Number: 1896-62-4

Date Report Requested: 10/09/2009
 Time Report Requested: 14:36:21
 First Dose M/F: 04/26/04 / 04/26/04
 Lab: SRI

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 7 | 7 | 7 | 7 | 5 | 5 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 |
| | 3 | 3 | 3 | 3 | 9 | 9 | 3 | 7 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 7 | 3 | 3 | 3 | 3 | 3 |
| | 3 | 1 | 3 | 2 | 0 | 7 | 3 | 6 | 3 | 3 | 2 | 2 | 2 | 9 | 1 | 2 | 2 | 3 | 3 | 8 | 2 | 1 | 2 | 3 | 3 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10 MG/KG | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |
| | | | | | | | | | | | | | | | | | | | | | | | | | |

females
(cont...)

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | X | | X | | X | | | | | | | | | | | | | | | | | | | |
| Bilateral, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | X |

SYSTEMIC LESIONS

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | X | |
| Lymphoma Malignant | | X | X | X | | X | X | | | | X | X | | X | | | | | | | | | X | X | X |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 95003 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Methyl trans-styryl ketone

CAS Number: 1896-62-4

Date Report Requested: 10/09/2009

Time Report Requested: 14:36:21

First Dose M/F: 04/26/04 / 04/26/04

Lab: SRI

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|-----------|-----------------|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 5 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | | |
| | 3 | 3 | 3 | 3 | 3 | 3 | 0 | 3 | 3 | 7 | 3 | 3 | 3 | 3 | 3 | 9 | 8 | 5 | 3 | 1 | 3 | 3 | 3 | 3 | | |
| | 2 | 2 | 2 | 3 | 1 | 3 | 9 | 1 | 1 | 1 | 3 | 2 | 3 | 2 | 2 | 3 | 0 | 1 | 3 | 1 | 1 | 3 | 3 | 2 | | |
| B6C3F1 MICE FEMALE
10 MG/KG | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | | 3 |
| | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | | 0 |
| 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | | |
| Hepatocellular Adenoma, Multiple | | | X | | X | | X | X | X | | | X | X | | X | | | X | | X | | X | | 21 | | |
| Hepatocellular Carcinoma | | | | | | | X | | | | | X | | | | | | | | | | | X | 10 | | |
| Hepatocellular Carcinoma, Multiple | X | | | | | X | | X | | | X | | X | | | | | | | | | X | | 7 | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Lymphoma Malignant | | | | | | | | | | X | | | X | | | X | | | | | | | | 6 | | |
| Sarcoma | | | | | | | | | | | | | | | | | X | | | | | | | 1 | | |
| Mesentery | + | + | + | | + | + | + | | + | | | + | + | + | + | | + | | + | + | | | 22 | | | |
| Fibrosarcoma | | | | | | | | | | | | | | | | | | | | | | X | | 1 | | |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | X | | | | | | | | | | | | | | | | | | 1 | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Liposarcoma | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Lymphoma Malignant | | | | | | | | | | X | | | X | | | | | | | X | | | | 3 | | |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Lymphoma Malignant | | | | | | | | | | | | | X | | | | | | | | | | | 1 | | |
| Squamous Cell Papilloma | | | X | | | | | | | | | | | | | | | | | | | | | 1 | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 95003 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Methyl trans-styryl ketone
 CAS Number: 1896-62-4

Date Report Requested: 10/09/2009
 Time Report Requested: 14:36:21
 First Dose M/F: 04/26/04 / 04/26/04
 Lab: SRI

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|----------|
| | 7 7 7 7 7 6 7 7 5 7 7 7 7 7 5 6 6 7 7 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 3 3 3 3 3 0 3 3 7 3 3 3 3 3 9 8 5 3 1 3 3 3 3 3 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
| | 2 2 2 3 1 3 9 1 1 1 3 2 3 2 2 3 0 1 3 1 1 3 3 2 2 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | * TOTALS |
| 10 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | |
| | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Uterus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Polyp Stromal | | | | | | | X | | | | | | | | | | | | | | | X | | | | 3 |
| Sarcoma | | | | | | | | | | | | | | | | X | | | | | | | | | | 1 |
| Vagina | | | | | | | | | | | | + | | | | | | | | | | | | | | 2 |
| Sarcoma, Metastatic, Uncertain Primary Site | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Sarcoma | | | | | | | | | | | | | | | | | X | | | | | | | | | 1 |
| Lymph Node | | | | + | | | | | | + | | + | | | | | | | | | | + | | | | 11 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | X | | | | 2 |
| Sarcoma, Metastatic, Uncertain Primary Site | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Bronchial, Lymphoma Malignant | | | | | | | | | | | | | | X | | | | | | | | | | | | 2 |
| Iliac, Lymphoma Malignant | | | | | | | | | | X | | X | | | | | | | | | | X | | | | 6 |
| Mediastinal, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | X | | | | 3 |
| Renal, Lymphoma Malignant | | | | | | | | | | X | | X | | | | | | | | | | X | | | | 4 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 95003 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Methyl trans-styryl ketone
 CAS Number: 1896-62-4

Date Report Requested: 10/09/2009
 Time Report Requested: 14:36:21
 First Dose M/F: 04/26/04 / 04/26/04
 Lab: SRI

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|--|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
| | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 5 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | 3 | 3 | 3 | 3 | 3 | 3 | 0 | 3 | 3 | 7 | 3 | 3 | 3 | 3 | 3 | 9 | 8 | 5 | 3 | 1 | 3 | 3 | 3 | 3 | |
| | 2 | 2 | 2 | 3 | 1 | 3 | 9 | 1 | 1 | 1 | 3 | 2 | 3 | 2 | 2 | 3 | 0 | 1 | 3 | 1 | 1 | 3 | 3 | 2 | 2 |
| B6C3F1 MICE FEMALE
10 MG/KG | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|-----|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|
| Carcinoma | X | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Skin | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Schwannoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Subcutaneous Tissue, Fibrosarcoma | X X | | | | | | | | | | | | | | | | | | | | | | | | 2 |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|
| Bone | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Skeletal Muscle | + | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Fibrosarcoma, Metastatic, Uncertain Primary Site | X | | | | | | | | | | | | | | | | | | | | | | | | 1 |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|
| Brain | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Peripheral Nerve | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Spinal Cord | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 95003 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Methyl trans-styryl ketone
 CAS Number: 1896-62-4

Date Report Requested: 10/09/2009
 Time Report Requested: 14:36:21
 First Dose M/F: 04/26/04 / 04/26/04
 Lab: SRI

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|---------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 0 |
| 3 | 3 | 3 | 3 | 3 | 3 | 0 | 3 | 3 | 7 | 3 | 3 | 3 | 3 | 3 | 3 | 9 | 8 | 5 | 3 | 1 | 3 | 3 | 3 | 3 | 0 |
| 2 | 2 | 2 | 3 | 1 | 3 | 9 | 1 | 1 | 1 | 3 | 2 | 3 | 2 | 2 | 3 | 0 | 1 | 3 | 1 | 1 | 3 | 3 | 2 | 2 | 0 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 10 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 |
| | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | X | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | | X | | | | | | | | | | | | | X | | | 5 |
| Bilateral, Lymphoma Malignant | | | | | | | | | | | | | X | | | | | | | | | | | | 1 |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | X | | | | | X | | | | | | | | | | | | 3 |

SYSTEMIC LESIONS

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|----|
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | X | X | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | 24 | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 95003 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Methyl trans-styryl ketone
 CAS Number: 1896-62-4

Date Report Requested: 10/09/2009
 Time Report Requested: 14:36:21
 First Dose M/F: 04/26/04 / 04/26/04
 Lab: SRI

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
30 MG/KG | 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL | | | | | | | | | | | | | | | | | | | | | | | | | |

TDMS No. 95003 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Methyl trans-styryl ketone
 CAS Number: 1896-62-4

Date Report Requested: 10/09/2009
 Time Report Requested: 14:36:21
 First Dose M/F: 04/26/04 / 04/26/04
 Lab: SRI

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|---------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 7 | 4 | 7 | 7 | 6 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 0 | |
| 3 | 6 | 3 | 3 | 8 | 3 | 6 | 3 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 8 | 3 | 3 | 1 | 3 | 3 | 3 | 7 | 0 | |
| 2 | 7 | 1 | 3 | 8 | 2 | 1 | 2 | 2 | 2 | 3 | 5 | 3 | 2 | 2 | 2 | 3 | 1 | 3 | 3 | 9 | 3 | 2 | 2 | 6 | 0 | |
| B6C3F1 MICE FEMALE | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | |
| Capsule, Adenoma | | | | | | | | | X | | | | | | | | | | | | | | | | |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Pheochromocytoma Benign | | | | | | | X | | | | | | | | | | | | | | | | | | |
| Pheochromocytoma Malignant | | | | | | | | | | | X | | | | | | | | X | | | | | | |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Adenoma | | | | | | | | | | X | | | | | | | | | | | | | | | X |
| Parathyroid Gland | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pars Distalis, Adenoma | | | | | | | | | | | | | | | | X | | | | | | | | | |
| Pars Distalis, Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Follicular Cell, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Follicular Cell, Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 95003 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Methyl trans-styryl ketone
 CAS Number: 1896-62-4

Date Report Requested: 10/09/2009
 Time Report Requested: 14:36:21
 First Dose M/F: 04/26/04 / 04/26/04
 Lab: SRI

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|---------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 7 | 4 | 7 | 7 | 6 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 0 | |
| 3 | 6 | 3 | 3 | 8 | 3 | 6 | 3 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 8 | 3 | 3 | 1 | 3 | 3 | 3 | 7 | 0 | |
| 2 | 7 | 1 | 3 | 8 | 2 | 1 | 2 | 2 | 2 | 3 | 5 | 3 | 2 | 2 | 2 | 3 | 1 | 3 | 3 | 9 | 3 | 2 | 2 | 6 | 0 | |
| B6C3F1 MICE FEMALE | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Leiomyosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |

SYSTEMIC LESIONS

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 95003 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Methyl trans-styryl ketone
 CAS Number: 1896-62-4

Date Report Requested: 10/09/2009
 Time Report Requested: 14:36:21
 First Dose M/F: 04/26/04 / 04/26/04
 Lab: SRI

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 6 5 7 7 7 7 4 7 7 5 6 6 7 7 3 7 7 7 6 7 7 7 6 7 | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
30 MG/KG | 1 9 5 3 3 3 3 6 0 3 7 6 8 3 3 8 3 3 1 4 3 3 3 2 3 | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 7 7 3 1 2 3 5 4 1 7 8 8 3 3 6 3 2 6 8 1 2 2 4 3 | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| * TOTALS | 3 | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 2 2 3 | | | | | | | | | | | | | | | | | | | | | | | |
| 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | | | | | | | | | | | | | | | | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---------|
| Esophagus | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Gallbladder | A + A + + + + + + + + + M A + + I M + A A + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | 40 |
| Intestine Large, Cecum
Carcinoma | A + A + + + + + + + + + A + + + + + + + A + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | 45
1 |
| Intestine Large, Colon | A + A + + + + + + + + + A A + + + + + + A A + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | 42 |
| Intestine Large, Rectum | A + A + + + + + + + + + A A + + + + + + A + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | 43 |
| Intestine Small, Duodenum | + + A + + + + + + + + + A A + + + + + + A A + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | 43 |
| Intestine Small, Ileum | A + A + + + + + + + + + A A + + + + + + A A + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | 42 |
| Intestine Small, Jejunum
Lymphoma Malignant | A + A + + + + + + + + + A A + + + + + + A A + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | 42
1 |
| Liver | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hepatocellular Adenoma | X | | | | | | | | | | | | | | | | | | | | | | | | 9 |
| Hepatocellular Adenoma, Multiple | X | | | | | | | | | | | | | | | | | | | | | | | | 28 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 95003 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Methyl trans-styryl ketone
 CAS Number: 1896-62-4

Date Report Requested: 10/09/2009
 Time Report Requested: 14:36:21
 First Dose M/F: 04/26/04 / 04/26/04
 Lab: SRI

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|-------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 7 | 6 | 5 | 7 | 7 | 7 | 7 | 4 | 7 | 7 | 5 | 6 | 6 | 7 | 7 | 3 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 6 | 7 | 0 |
| 1 | 9 | 5 | 3 | 3 | 3 | 3 | 6 | 0 | 3 | 7 | 6 | 8 | 3 | 3 | 8 | 3 | 3 | 1 | 4 | 3 | 3 | 3 | 2 | 3 | 0 |
| 4 | 7 | 7 | 3 | 1 | 2 | 3 | 5 | 4 | 1 | 7 | 8 | 8 | 3 | 3 | 6 | 3 | 2 | 6 | 8 | 1 | 2 | 2 | 4 | 3 | 0 |

B6C3F1 MICE FEMALE
30 MG/KG

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Hepatocellular Carcinoma | X | | | X | | | | | | | | | X | | | | | | | X | | | X | | 12 |
| Hepatocellular Carcinoma, Multiple | X | | | | | | X | | | | | | | | | X | | | | | | | | | 3 |
| Lymphoma Malignant | | | X | | | | | | | | | | | | | | | X | | | | | X | | 7 |
| Mesentery | | + | | + | + | | | | | + | + | + | | | | | | | | | | + | | | 17 |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | X | | | | | | 4 |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | X | | 3 |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Squamous Cell Papilloma | | | | | | | | | | | | | | | | | | | | X | | | | | 2 |
| Stomach, Glandular | + | + | A | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

ENDOCRINE SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 95003 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Methyl trans-styryl ketone
 CAS Number: 1896-62-4

Date Report Requested: 10/09/2009
 Time Report Requested: 14:36:21
 First Dose M/F: 04/26/04 / 04/26/04
 Lab: SRI

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 6 5 7 7 7 7 4 7 7 5 6 6 7 7 3 7 7 7 6 7 7 7 6 7 | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
30 MG/KG | 1 9 5 3 3 3 3 6 0 3 7 6 8 3 3 8 3 3 1 4 3 3 3 2 3 | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 7 7 3 1 2 3 5 4 1 7 8 8 3 3 6 3 2 6 8 1 2 2 4 3 | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 3 | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 2 2 2 3 | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| * TOTALS | | | | | | | | | | | | | | | | | | | | | | | | |

GENERAL BODY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|
| Tissue NOS | + | | | | | | | | | | | | | | | | | | | | | | | | 4 |
| Fibrosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Fibrosarcoma, Metastatic, Skin | X | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|
| Clitoral Gland | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Ovary | + + + + + + + + + + + + A + + + + + + + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | 48 |
| Cystadenoma | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 3 |
| Teratoma Benign | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Bilateral, Cystadenoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Uterus | + + + + + + + + + + + + A + + + + + + + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | 49 |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | 4 |
| Polyp Stromal | X | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Vagina | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 95003 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Methyl trans-styryl ketone
 CAS Number: 1896-62-4

Date Report Requested: 10/09/2009
 Time Report Requested: 14:36:21
 First Dose M/F: 04/26/04 / 04/26/04
 Lab: SRI

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|---------------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------|
| | 0714 | 0677 | 0533 | 0077 | 0077 | 0077 | 0077 | 0077 | 0077 | 0077 | 0077 | 0077 | 0077 | 0077 | 0077 | 0077 | 0077 | 0077 | 0077 | 0077 | 0077 | 0077 | 0077 | 0077 | |
| B6C3F1 MICE FEMALE | 0032 | 0032 | 0032 | 0032 | 0032 | 0032 | 0032 | 0032 | 0032 | 0032 | 0032 | 0032 | 0032 | 0032 | 0032 | 0032 | 0032 | 0032 | 0032 | 0032 | 0032 | 0032 | 0032 | 0032 | |
| 30 MG/KG | 0032 | 0032 | 0032 | 0032 | 0032 | 0032 | 0032 | 0032 | 0032 | 0032 | 0032 | 0032 | 0032 | 0032 | 0032 | 0032 | 0032 | 0032 | 0032 | 0032 | 0032 | 0032 | 0032 | 0032 | |
| Lymphoma Malignant | | | | | | | | | | X | | | | | | | | | | | | | | | |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Hemangiosarcoma | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | X | | | | X | | X | X | | | | | | | | | X | | | | X | | |
| Thymus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Lymphoma Malignant | | X | | | | | | | | | | | | | | | | | | | | | | X | |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Basal Cell Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Fibrosarcoma | | | | | X | | | | | | | | | | | X | | | | | | | | | 3 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | X | | | | | | | | | | | | | | | | X | | | | | | 3 |
| Pinna, Neural Crest Tumor | | | | | | | | | | | | | | | | | | | | | | | X | | 1 |
| Site Of Application, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Site Of Application, Mast Cell Tumor Benign | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Subcutaneous Tissue, Fibrosarcoma | | | | | | | | | | | | | | | X | | | | | | | | | | 1 |
| Subcutaneous Tissue, | | | | | | | | | | | | | | | | | | | | | | | | | 2 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 95003 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Methyl trans-styryl ketone
 CAS Number: 1896-62-4

Date Report Requested: 10/09/2009
 Time Report Requested: 14:36:21
 First Dose M/F: 04/26/04 / 04/26/04
 Lab: SRI

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|---------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 7 | 6 | 5 | 7 | 7 | 7 | 7 | 4 | 7 | 7 | 5 | 6 | 6 | 7 | 7 | 3 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 6 | 7 | 0 |
| 1 | 9 | 5 | 3 | 3 | 3 | 3 | 6 | 0 | 3 | 7 | 6 | 8 | 3 | 3 | 8 | 3 | 3 | 1 | 4 | 3 | 3 | 3 | 2 | 3 | 0 |
| 4 | 7 | 7 | 3 | 1 | 2 | 3 | 5 | 4 | 1 | 7 | 8 | 8 | 3 | 3 | 6 | 3 | 2 | 6 | 8 | 1 | 2 | 2 | 4 | 3 | 0 |
| B6C3F1 MICE FEMALE | | | | | | | | | | | | | | | | | | | | | | | | | |
| 30 MG/KG | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | A | + | + | + | + | + | + | 48 |
| Leiomyosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | X | 4 |

SYSTEMIC LESIONS

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|----------|
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | X | X | | X | | X | | X | X | | | | | | | | X | X | | | | | | X | 20 | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 95003 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Methyl trans-styryl ketone
 CAS Number: 1896-62-4

Date Report Requested: 10/09/2009
 Time Report Requested: 14:36:21
 First Dose M/F: 04/26/04 / 04/26/04
 Lab: SRI

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 3 | 7 | 7 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | | |
| | 7 | 3 | 3 | 8 | 0 | 3 | 3 | 3 | 3 | 2 | 2 | 3 | 3 | 3 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 9 | 2 | |
| | 9 | 3 | 3 | 0 | 3 | 2 | 1 | 1 | 1 | 9 | 9 | 2 | 1 | 3 | 7 | 5 | 9 | 3 | 2 | 2 | 2 | 2 | 1 | 8 | 9 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 90 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |
| | | | | | | | | | | | | | | | | | | | | | | | | | |

females
(cont...)

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Gallbladder | A | + | + | A | A | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | I | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | X | | | | | | | | | | | |
| Intestine Large, Cecum | + | + | + | A | A | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | |
| Intestine Large, Colon | A | + | + | A | A | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | |
| Intestine Large, Rectum | A | + | + | A | A | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | X | | | | | | | | | | | |
| Intestine Small, Duodenum | A | + | + | A | A | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | |
| Intestine Small, Ileum | A | + | + | A | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Lymphoma Malignant | | | | | | | | | | | | | | | X | | | | | | | | | | |
| Intestine Small, Jejunum | A | + | + | A | A | + | + | + | + | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | |
| Lymphoma Malignant | | | | | | | | | | | | | | X | | | | | | | | | | | |
| Liver | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Hepatocellular Adenoma | | | X | | | | X | | | | | | | | X | | | | | X | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 95003 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Methyl trans-styryl ketone
 CAS Number: 1896-62-4

Date Report Requested: 10/09/2009
 Time Report Requested: 14:36:21
 First Dose M/F: 04/26/04 / 04/26/04
 Lab: SRI

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|---------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 3 | 7 | 7 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 0 | |
| 7 | 3 | 3 | 8 | 0 | 3 | 3 | 3 | 3 | 2 | 2 | 3 | 3 | 3 | 3 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 9 | 2 | 0 | |
| 9 | 3 | 3 | 0 | 3 | 2 | 1 | 1 | 1 | 9 | 9 | 2 | 1 | 3 | 7 | 5 | 9 | 3 | 2 | 2 | 2 | 2 | 1 | 8 | 9 | 0 | |
| B6C3F1 MICE FEMALE | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 90 MG/KG | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 7 | |

Tooth +

CARDIOVASCULAR SYSTEM

Blood Vessel

Heart +

ENDOCRINE SYSTEM

Adrenal Cortex

Histiocytic Sarcoma

+ +

Adrenal Medulla

Pheochromocytoma Benign

Pheochromocytoma Malignant

+ +

Islets, Pancreatic

+ + + A A + + + + + + + + + + M + + + + + + + + +

Parathyroid Gland

M + + + + M + + + + + + + + + + + + + + + + + +

Pituitary Gland

Lymphoma Malignant

Pars Distalis, Adenoma

+ + + A + + + + M + M + + + + + + + + + M + + + +
 X

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 95003 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Methyl trans-styryl ketone
 CAS Number: 1896-62-4

Date Report Requested: 10/09/2009
 Time Report Requested: 14:36:21
 First Dose M/F: 04/26/04 / 04/26/04
 Lab: SRI

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|--|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 3 | 7 | 7 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | | |
| 7 | 3 | 3 | 8 | 0 | 3 | 3 | 3 | 3 | 2 | 2 | 3 | 3 | 3 | 3 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 9 | 2 | | |
| 9 | 3 | 3 | 0 | 3 | 2 | 1 | 1 | 1 | 9 | 9 | 2 | 1 | 3 | 7 | 5 | 9 | 3 | 2 | 2 | 2 | 2 | 1 | 8 | 9 | | |
| <hr/> | | | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
90 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | | |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | |

Pars Distalis, Carcinoma

X

Thyroid Gland

+ + + A A +

Follicular Cell, Adenoma

X

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

Clitoral Gland

+ + M + + + I + + + + + + + + + + + + + + + M + + +

Histiocytic Sarcoma

X

Ovary

+ +

Cystadenoma

Lymphoma Malignant

X

Oviduct

Uterus

+ +

Histiocytic Sarcoma

Polyp Stromal

X

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 95003 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Methyl trans-styryl ketone
 CAS Number: 1896-62-4

Date Report Requested: 10/09/2009
 Time Report Requested: 14:36:21
 First Dose M/F: 04/26/04 / 04/26/04
 Lab: SRI

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 3 7 7 6 6 7 7 7 7 7 7 7 7 7 5 7 7 7 7 7 7 7 7 6 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 7 3 3 8 0 3 3 3 3 2 2 3 3 3 3 2 2 2 3 3 3 3 3 9 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 3 3 0 3 2 1 1 1 9 9 2 1 3 7 5 9 3 2 2 2 2 2 1 8 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 90 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |

females (cont...)

Lymphoma Malignant X X X X X X

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Myoepithelioma | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Fibrosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Melanoma Benign | | | | | | | | | | | | | | | | | | | | | | | | | |
| Subcutaneous Tissue, Fibrosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Subcutaneous Tissue, Schwannoma Malignant | | | | | | | | | | X | | | | | | | | | | | | | | | |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | | | | + |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | X |

NERVOUS SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 95003 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Methyl trans-styryl ketone
 CAS Number: 1896-62-4

Date Report Requested: 10/09/2009
 Time Report Requested: 14:36:21
 First Dose M/F: 04/26/04 / 04/26/04
 Lab: SRI

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 3 | 7 | 7 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | |
| | 7 | 3 | 3 | 8 | 0 | 3 | 3 | 3 | 3 | 2 | 2 | 3 | 3 | 3 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 9 | 2 | |
| | 9 | 3 | 3 | 0 | 3 | 2 | 1 | 1 | 1 | 9 | 9 | 2 | 1 | 3 | 7 | 5 | 9 | 3 | 2 | 2 | 2 | 2 | 1 | 8 | 9 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 90 MG/KG | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |
| | | | | | | | | | | | | | | | | | | | | | | | | | |

females
(cont...)

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Carcinoma, Metastatic, Pituitary Gland | | | | | | | | | | | | | | | | | | | | | | | | | |
| X | | | | | | | | | | | | | | | | | | | | | | | | | |
| Spinal Cord | | | | | | | | | | | | | | | | | | | | | | | | | |
| + | | | | | | | | | | | | | | | | | | | | | | | | | |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | | | | | | | | | | | | | | | | |
| X | | | | | | | | | | | | | | | | | | | | | | | | |
| Alveolar/Bronchiolar Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | |
| X | | | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | |
| X | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | |
| X | | | | | | | | | | | | | | | | | | | | | | | | |
| X | | | | | | | | | | | | | | | | | | | | | | | | |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Pleura | | | | | | | | | | | | | | | | | | | | | | | | |
| + | | | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | |
| X | | | | | | | | | | | | | | | | | | | | | | | | |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-----|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Eye | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
|-----|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 95003 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Methyl trans-styryl ketone
 CAS Number: 1896-62-4

Date Report Requested: 10/09/2009
 Time Report Requested: 14:36:21
 First Dose M/F: 04/26/04 / 04/26/04
 Lab: SRI

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 3 | 7 | 7 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | |
| | 7 | 3 | 3 | 8 | 0 | 3 | 3 | 3 | 3 | 2 | 2 | 3 | 3 | 3 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 9 | 2 | |
| | 9 | 3 | 3 | 0 | 3 | 2 | 1 | 1 | 1 | 9 | 9 | 2 | 1 | 3 | 7 | 5 | 9 | 3 | 2 | 2 | 2 | 1 | 8 | 9 | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 90 MG/KG | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |

females
(cont...)

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Harderian Gland | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Adenoma | | | | | | | | | | X | | X | | | | | | | | | | | | |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | X | | | | | | | | | | | |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Kidney | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | X | | | | | | | | X | | | | X | | | | | | | | | | | X |
| Urinary Bladder | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

SYSTEMIC LESIONS

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Histiocytic Sarcoma | | | | X | | | | | | | | | X | | | | | | | | | | | |
| Lymphoma Malignant | X | X | X | | | | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 95003 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Methyl trans-styryl ketone
 CAS Number: 1896-62-4

Date Report Requested: 10/09/2009
 Time Report Requested: 14:36:21
 First Dose M/F: 04/26/04 / 04/26/04
 Lab: SRI

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|--|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
| | 6 | 7 | 6 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 6 | 7 | 4 | |
| | 5 | 3 | 5 | 2 | 3 | 5 | 3 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 5 | 3 | 8 | 3 | 9 |
| | 3 | 3 | 3 | 9 | 2 | 5 | 1 | 2 | 1 | 3 | 1 | 9 | 2 | 3 | 1 | 2 | 2 | 9 | 2 | 1 | 7 | 2 | 1 | 2 | 9 |
| B6C3F1 MICE FEMALE
90 MG/KG | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 |
| | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 |
| 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Gallbladder | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | 43 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | 46 |
| Intestine Large, Colon | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | 44 |
| Intestine Large, Rectum | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | 44 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Intestine Small, Duodenum | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | 44 |
| Intestine Small, Ileum | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | 45 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Intestine Small, Jejunum | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | 44 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Hepatocellular Adenoma | X | | | | X | | | | | | | | | | | | X | X | | | X | X | | | 10 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 95003 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Methyl trans-styryl ketone

CAS Number: 1896-62-4

Date Report Requested: 10/09/2009

Time Report Requested: 14:36:21

First Dose M/F: 04/26/04 / 04/26/04

Lab: SRI

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-----------|-----------------|
| | 0653 | 0733 | 0853 | 0923 | 0053 | 0173 | 0273 | 0373 | 0473 | 0573 | 0673 | 0773 | 0873 | 0973 | 1073 | 1173 | 1273 | 1373 | 1473 | 1573 | 1673 | 1773 | 1873 | 1973 | |
| B6C3F1 MICE FEMALE | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | |
| 90 MG/KG | 0736 | 0737 | 0838 | 0939 | 0040 | 0141 | 0242 | 0343 | 0444 | 0545 | 0646 | 0747 | 0848 | 0949 | 1050 | 1151 | 1252 | 1353 | 1454 | 1555 | 1656 | 1757 | 1858 | 1959 | * TOTALS |
| Hepatocellular Adenoma, Multiple | | | | | | X | X | X | X | | X | X | X | | X | | | | | | X | | X | 19 | |
| Hepatocellular Carcinoma | | | | X | | X | | | X | | | | | | | | | | | | | | | 5 | |
| Hepatocellular Carcinoma, Multiple | | | | | | | | X | | | | | | | | | | X | | | | | | 3 | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | X | | | 2 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | X | X | | 10 | |
| Mesentery | + | | | | | | + | + | | | | + | | | | + | | | | | | | + | 13 | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Lymphoma Malignant | | | | | | | | X | | | | | | | | | | | | | | | | 1 | |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | X | | 1 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | X | | | | | | X | | | 3 | |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Squamous Cell Papilloma | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | 46 | |
| Tongue | | | | | | | | | | | | | | | + | | | | | | | | | 1 | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 95003 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Methyl trans-styryl ketone
 CAS Number: 1896-62-4

Date Report Requested: 10/09/2009
 Time Report Requested: 14:36:21
 First Dose M/F: 04/26/04 / 04/26/04
 Lab: SRI

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
| | 6 | 7 | 6 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 6 | 7 | 4 | |
| | 5 | 3 | 5 | 2 | 3 | 5 | 3 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 5 | 3 | 8 | 3 | 9 |
| | 3 | 3 | 3 | 9 | 2 | 5 | 1 | 2 | 1 | 3 | 1 | 9 | 2 | 3 | 1 | 2 | 2 | 9 | 2 | 1 | 7 | 2 | 1 | 2 | 9 |
| B6C3F1 MICE FEMALE
90 MG/KG | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |

Tooth 1

CARDIOVASCULAR SYSTEM

Blood Vessel 1

Heart 50

ENDOCRINE SYSTEM

Adrenal Cortex 50

 Histiocytic Sarcoma 1

Adrenal Medulla 50

 Pheochromocytoma Benign 2

 Pheochromocytoma Malignant 1

Islets, Pancreatic 47

Parathyroid Gland 46

Pituitary Gland 46

 Lymphoma Malignant 1

 Pars Distalis, Adenoma 3

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 95003 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Methyl trans-styryl ketone
 CAS Number: 1896-62-4

Date Report Requested: 10/09/2009
 Time Report Requested: 14:36:21
 First Dose M/F: 04/26/04 / 04/26/04
 Lab: SRI

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 6 7 6 7 7 6 7 7 7 7 7 7 7 7 7 7 7 7 6 7 6 7 4 | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 5 3 5 2 3 5 3 3 3 3 3 2 3 3 3 3 3 2 3 3 5 3 8 3 9 | | | | | | | | | | | | | | | | | | | | | | | |
| | 3 3 3 9 2 5 1 2 1 3 1 9 2 3 1 2 2 9 2 1 7 2 1 2 9 | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| 90 MG/KG | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 3 4 | | | | | | | | | | | | | | | | | | | | | | | |
| | 7 7 7 7 8 8 8 8 8 8 8 8 8 8 8 8 9 9 9 9 9 9 9 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | * TOTALS | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|-----------|
| Pars Distalis, Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Thyroid Gland | + A + + + + | | | | | | | | | | | | | | | | | | | | | | | | 47 |
| Follicular Cell, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

GENERAL BODY SYSTEM
 NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|-----------|
| Clitoral Gland | + M + | | | | | | | | | | | | | | | | | | | | | | | | 46 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Ovary | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Cystadenoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Oviduct | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Uterus | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Polyp Stromal | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 95003 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Methyl trans-styryl ketone
 CAS Number: 1896-62-4

Date Report Requested: 10/09/2009
 Time Report Requested: 14:36:21
 First Dose M/F: 04/26/04 / 04/26/04
 Lab: SRI

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|---|
| | 6 7 6 7 7 6 7 7 7 7 7 7 7 7 7 7 7 7 6 7 6 7 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 5 3 5 2 3 5 3 3 3 3 3 2 3 3 3 3 3 2 3 3 5 3 8 3 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 3 3 3 9 2 5 1 2 1 3 1 9 2 3 1 2 2 9 2 1 7 2 1 2 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 90 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 |
| | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |

Lymphoma Malignant

X X X

X

10

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Myoepithelioma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Fibrosarcoma | | | | | | | X | | | | | | | | | | | | | | | | | | 1 |
| Histiocytic Sarcoma | X | | | | | | | | | | | X | | | | | | | | | | | | | 2 |
| Melanoma Benign | | | | | | X | | | | | | | | | | | | | | | | | | | 1 |
| Subcutaneous Tissue, Fibrosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Subcutaneous Tissue, Schwannoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Skeletal Muscle | + | | | | | | | | | | | | | | | | | | | | | | + | | 3 |
| Histiocytic Sarcoma | X | | | | | | | | | | | | | | | | | | | | | X | | | 3 |

NERVOUS SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 95003 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Methyl trans-styryl ketone
 CAS Number: 1896-62-4

Date Report Requested: 10/09/2009
 Time Report Requested: 14:36:21
 First Dose M/F: 04/26/04 / 04/26/04
 Lab: SRI

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|--|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
| | 6 | 7 | 6 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 6 | 7 | 4 | |
| | 5 | 3 | 5 | 2 | 3 | 5 | 3 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 3 | 3 | 2 | 3 | 3 | 5 | 3 | 8 | 3 | 9 |
| | 3 | 3 | 3 | 9 | 2 | 5 | 1 | 2 | 1 | 3 | 1 | 9 | 2 | 3 | 1 | 2 | 2 | 9 | 2 | 1 | 7 | 2 | 1 | 2 | 9 |
| B6C3F1 MICE FEMALE
90 MG/KG | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 |
| | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 |
| 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Carcinoma, Metastatic, Pituitary Gland | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Spinal Cord | | | | | | | | | | | | | | | | | | | | | | | | | 2 |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Alveolar/Bronchiolar Adenoma | X | | | | | | | | | | | | | X | | | | | | | | | | | 4 |
| Alveolar/Bronchiolar Carcinoma | | | | | | | | | | | | | | | | | | | | | | | X | | 2 |
| Histiocytic Sarcoma | X | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 3 |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Pleura | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Eye | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | 47 |
|-----|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 95003 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Methyl trans-styryl ketone
 CAS Number: 1896-62-4

Date Report Requested: 10/09/2009
 Time Report Requested: 14:36:21
 First Dose M/F: 04/26/04 / 04/26/04
 Lab: SRI

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|
| | 0653 | 0733 | 0653 | 0723 | 0773 | 0675 | 0771 | 0771 | 0771 | 0771 | 0771 | 0771 | 0771 | 0771 | 0771 | 0771 | 0771 | 0771 | 0771 | 0771 | 0771 | 0771 | 0771 | 0771 | |
| B6C3F1 MICE FEMALE | 0033 | 0033 | 0033 | 0039 | 0032 | 0035 | 0031 | 0022 | 0011 | 0033 | 0011 | 0092 | 0033 | 0033 | 0033 | 0033 | 0033 | 0032 | 0033 | 0033 | 0035 | 0033 | 0038 | 0039 | |
| 90 MG/KG | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | |
| * TOTALS | 6789 | 0123 | 4567 | 8901 | 2345 | 6789 | 0123 | 4567 | 8901 | 2345 | 6789 | 0123 | 4567 | 8901 | 2345 | 6789 | 0123 | 4567 | 8901 | 2345 | 6789 | 0123 | 4567 | 8901 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Adenoma | | | X | | | | | | | | | | | | | | | | | X | | | X | | 5 |
| Carcinoma | | | | | | | | | | | X | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|-----------|
| Kidney | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | A | + | + | + | + | 47 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | 4 |
| Urinary Bladder | + | + | + | + | + | A | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |

SYSTEMIC LESIONS

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Histiocytic Sarcoma | X | | | | | | | | | | | X | | | | | | | | | | X | | | | 5 |
| Lymphoma Malignant | | X | | | | | X | | | X | X | | X | X | X | X | | | | | | X | X | | | 25 |

*** END OF REPORT ***

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically