

TDMS No. 95011 - 06

**Test Type: CHRONIC**

## **Route: GAVAGE**

**Species/Strain:** MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

## 5-(HYDROXYMETHYL)-2-FURFURAL

**CAS Number:** 67-47-0

**Pathologist:** TOFT, J. - Blackshear, P.

**Date Report Requested:** 11/10/2006

Time Report Requested: 09:06:29

**First Dose M/F:** 08/09/01 / 08/08/01

## Lab: BAT

**C Number:** C95011B

**Lock Date:** 03/11/2004

**Cage Range:** ALL

**Date Range:** ALL

**Reasons For Removal:** 25021 TSAC 25020 NATD 25019 MSAC  
25018 DACC

**Removal Date Range:** ALL

**Treatment Groups:** Include ALL

Note: Animals arranged according to days on test.

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

DAY ON TEST	3	5	5	5	6	6	6	6	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7
	2	2	8	8	0	2	5	9	9	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	7	4	0	8	2	5	1	2	9	3	8	8	8	8	8	8	8	8	9	9	9	9	9	9	9	9	9
<b>B6C3F1 MICE MALE</b>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<b>0 MG/KG</b>	ANIMAL ID	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		2	0	0	2	2	1	3	0	3	1	0	1	1	1	1	1	2	4	0	0	1	1	2	2	2	2
		1	1	2	9	2	4	4	8	2	1	4	0	5	7	8	9	3	2	3	5	2	6	0	4	5	males (cont...)

## ALIMENTARY SYSTEM

Esophagus	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Gallbladder	+	+	+	+	+	M	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Intestine Large, Cecum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Carcinoma																		X								
Intestine Large, Colon	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Intestine Large, Rectum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Intestine Small, Duodenum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Carcinoma																			X							
Intestine Small, Ileum	+	+	+	+	+	M	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Intestine Small, Jejunum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Liver	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Hemangiosarcoma																										
Hepatoblastoma																										
Hepatocellular Adenoma	X	X	X						X	X	X	X					X									
Hepatocellular Adenoma, Multiple									X								X		X	X	X	X			X	

\* .. Total animals with tissue examined microscopically; Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A .. Autolysis precludes evaluation

x .. Lesion present

BLANK .. Not examined microscopically

I .. Insufficient tissue





TDMS No. 95011 - 06

**Test Type:** CHRONIC

## **Route:** GAVAGE

**Species/Strain:** MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

## 5-(HYDROXYMETHYL)-2-FURFURAL

**CAS Number:** 67-47-0

**Pathologist:** TOFT, J. - Blackshear, P

Date Report Requested: 11/10/2006

Time Report Registered: 09:06:29

**First Dose M/F:** 08/09/01 / 08/08/01

## Lab: BAT

## **HEMATOPOIETIC SYSTEM**

\* .. Total animals with tissue examined microscopically; Total animals with tumor

### M .. Missing tissue

† ... Tissue examined microscopically

A.. Autolysis precludes evaluation

x Lesion present

**BLANK** Not examined microscopically

.. Lesion present  
 Insufficient tissue

BEANK :: Not examined microscopically



TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

DAY ON TEST	3	5	5	5	6	6	6	6	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	
	2	2	8	8	0	2	5	9	9	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	7	4	0	8	2	5	1	2	9	3	8	8	8	8	8	8	8	8	9	9	9	9	9	9	9	9	
<b>B6C3F1 MICE MALE</b>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
<b>0 MG/KG</b>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	2	0	0	2	2	1	3	0	3	1	0	1	1	1	1	1	2	4	0	0	1	1	2	2	2	2	
	1	1	2	9	2	4	4	8	2	1	4	0	5	7	8	9	3	2	3	5	2	6	0	4	5	males (cont...)	

Carcinoma, Metastatic, Harderian Gland

X X X X

Hepatocellular Carcinoma, Metastatic,  
LiverMediastinum, Alveolar/Bronchiolar  
Carcinoma, Metastatic, LungSerosa, Alveolar/Bronchiolar Carcinoma,  
Metastatic, Lung

Nose	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Trachea	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+

**SPECIAL SENSES SYSTEM**

Eye	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Harderian Gland	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Adenoma																									
Carcinoma								X			X			X		X									

**URINARY SYSTEM**

Kidney	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
Alveolar/Bronchiolar Carcinoma, Metastatic, Lung								X																		

\* .. Total animals with tissue examined microscopically; Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A .. Autolysis precludes evaluation

x .. Lesion present

BLANK .. Not examined microscopically

I .. Insufficient tissue

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

DAY ON TEST	3	5	5	5	6	6	6	6	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	
	2	2	8	8	0	2	5	9	9	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
	7	4	0	8	2	5	1	2	9	3	8	8	8	8	8	8	8	8	9	9	9	9	9	9	9	9	
<b>B6C3F1 MICE MALE</b>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
<b>0 MG/KG</b>	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	2	0	0	2	2	1	3	0	3	1	0	1	1	1	1	1	2	4	0	0	1	1	2	2	2	2	
	1	1	2	9	2	4	4	8	2	1	4	0	5	7	8	9	3	2	3	5	2	6	0	4	5	males (cont...)	

Renal Tubule, Adenoma

Urinary Bladder

+ +

## SYSTEMIC LESIONS

Multiple Organ

+ +

Lymphoma Malignant

X X

\* .. Total animals with tissue examined microscopically; Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A .. Autolysis precludes evaluation

x .. Lesion present

BLANK .. Not examined microscopically

| .. Insufficient tissue

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

| DAY ON TEST             | 7         | 7               | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |   |
|-------------------------|-----------|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
|                         | 2         | 2               | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
|                         | 9         | 9               | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <b>B6C3F1 MICE MALE</b> | 0         | 0               | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <b>0 MG/KG</b>          | ANIMAL ID | 0               | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|                         |           | 2               | 2 | 2 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 0 | 0 | 0 | 1 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
|                         |           | 6               | 7 | 8 | 0 | 3 | 5 | 6 | 0 | 6 | 7 | 9 | 6 | 7 | 9 | 3 | 1 | 7 | 8 | 9 | 1 | 3 | 4 | 5 | 8 | 0 |   |
|                         |           | <b>* TOTALS</b> |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |

**ALIMENTARY SYSTEM**

|                                  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |    |    |
|----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|----|----|
| Esophagus                        | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | +  | 50 |    |
| Gallbladder                      | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | +  | 49 |    |
| Intestine Large, Cecum           | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | +  | 50 |    |
| Carcinoma                        |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |    | 1  |
| Intestine Large, Colon           | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | +  | 50 |    |
| Intestine Large, Rectum          | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | +  | 50 |    |
| Intestine Small, Duodenum        | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | +  | 50 |    |
| Carcinoma                        |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |    | 2  |
| Intestine Small, Ileum           | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | +  | 49 |    |
| Intestine Small, Jejunum         | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | +  | 50 |    |
| Liver                            | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | +  | 50 |    |
| Hemangiosarcoma                  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |    | 1  |
| Hepatoblastoma                   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |    | 1  |
| Hepatocellular Adenoma           | X | X |   |   |   | X |   |   |   |   |   |   |   |   |   |   | X |   |   |   |   |   |   |   |    |    | 14 |
| Hepatocellular Adenoma, Multiple |   | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | 19 |    |    |

\* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

| B6C3F1 MICE MALE<br>0 MG/KG        | ANIMAL ID | 7        | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7  |    |
|------------------------------------|-----------|----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|----|
|                                    |           | 2        | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3  |    |
|                                    |           | 9        | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0  |    |
|                                    |           | 0        | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0  |    |
|                                    |           | 0        | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0  |    |
|                                    |           | 0        | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0  |    |
|                                    |           | 2        | 2 | 2 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 0 | 0 | 0 | 0 | 1 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 5  |    |
|                                    |           | 6        | 7 | 8 | 0 | 3 | 5 | 6 | 0 | 6 | 7 | 9 | 6 | 7 | 9 | 3 | 1 | 7 | 8 | 9 | 1 | 3 | 4 | 5 | 8 | 0  |    |
|                                    |           | * TOTALS |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |    |
| Hepatocellular Carcinoma           |           |          |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | 5  |    |
| Hepatocellular Carcinoma, Multiple |           |          |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | X |   |   | 6  |    |
| Mesentery                          |           |          |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | +  | 4  |
| Pancreas                           |           | +        | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |    |
| Salivary Glands                    |           | +        | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |    |
| Stomach, Forestomach               |           | +        | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |    |
| Squamous Cell Papilloma            |           |          |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | 2  |    |
| Stomach, Glandular                 |           | +        | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |    |
| Tooth                              |           | +        |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | +  | 12 |

## CARDIOVASCULAR SYSTEM

|              |  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |   |
|--------------|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|
| Blood Vessel |  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | +  | 3 |
| Heart        |  | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |   |

## ENDOCRINE SYSTEM

|                |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |
|----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
|----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

\* .. Total animals with tissue examined microscopically; Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A .. Autolysis precludes evaluation

x .. Lesion present

BLANK .. Not examined microscopically

| .. Insufficient tissue

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

| DAY ON TEST             | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7        |   |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|
|                         | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3        | 3 |
|                         | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0        | 0 |
| <b>B6C3F1 MICE MALE</b> | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0        | 0 |
| <b>0 MG/KG</b>          | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0        | 0 |
|                         | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 0 | 0 | 0 | 0 | 1 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4        | 5 |
|                         | 6 | 7 | 8 | 0 | 3 | 5 | 6 | 0 | 6 | 7 | 9 | 6 | 7 | 9 | 3 | 1 | 7 | 8 | 9 | 1 | 3 | 4 | 5 | 8 | 0 | * TOTALS |   |

|                                    |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |
|------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Subcapsular, Adenoma               | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | 5  |
| Adrenal Medulla                    | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Islets, Pancreatic                 | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Parathyroid Gland                  | + | + | + | M | + | M | + | + | + | + | + | + | + | + | + | M | + | + | M | + | + | + | M | + | + | 41 |
| Pituitary Gland                    | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Thyroid Gland                      | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Follicular Cell, Adenoma           |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | X | 1  |
| Follicular Cell, Adenoma, Multiple |   |   |   |   |   |   | X |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | 1  |

**GENERAL BODY SYSTEM**

NONE

**GENITAL SYSTEM**

|                 |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Epididymis      | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Preputial Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Prostate        | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

\* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

| B6C3F1 MICE MALE<br>0 MG/KG | ANIMAL ID | 7        | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7  |   |
|-----------------------------|-----------|----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|
|                             |           | 2        | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3  | 3 |
|                             |           | 9        | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0  | 0 |
|                             |           | 0        | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0  |   |
|                             |           | 0        | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0  |   |
|                             |           | 0        | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0  |   |
|                             |           | 2        | 2 | 2 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 0 | 0 | 0 | 1 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 5  |   |
|                             |           | 6        | 7 | 8 | 0 | 3 | 5 | 6 | 0 | 6 | 7 | 9 | 6 | 7 | 9 | 3 | 1 | 7 | 8 | 9 | 1 | 3 | 4 | 5 | 8  |   |
|                             |           | * TOTALS |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |   |
| Seminal Vesicle             |           | +        | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |   |
| Testes                      |           | +        | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |   |

## HEMATOPOIETIC SYSTEM

|   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |   |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|
| Bone Marrow   | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |   |
| Lymph Node  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    | 4 |
| Mediastinal, Alveolar/Bronchiolar Carcinoma, Metastatic, Lung |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    | 1 |
| Lymph Node, Mandibular  | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |   |
| Lymph Node, Mesenteric  | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |   |
| Carcinoma, Metastatic, Intestine Large, Cecum                 |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    | 1 |
| Hepatocellular Carcinoma, Metastatic, Liver                   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    | 1 |
| Spleen  | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |   |
| Hemangiosarcoma   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | X |   |   |   |   |   |   |   |    | 1 |
| Thymus  | + | + | + | + | + | M | + | + | M | + | + | + | + | M | + | + | + | + | M | + | + | + | + | M | 43 |   |
| Alveolar/Bronchiolar Carcinoma, Metastatic, Lung              |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    | 1 |

\* .. Total animals with tissue examined microscopically; Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A .. Autolysis precludes evaluation

x .. Lesion present

BLANK .. Not examined microscopically

| .. Insufficient tissue

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

| DAY ON TEST             | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7        |   |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|
|                         | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3        | 3 |
|                         | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0        | 0 |
| <b>B6C3F1 MICE MALE</b> | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0        | 0 |
| <b>0 MG/KG</b>          | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0        | 0 |
|                         | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 0 | 0 | 0 | 0 | 1 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4        | 5 |
|                         | 6 | 7 | 8 | 0 | 3 | 5 | 6 | 0 | 6 | 7 | 9 | 6 | 7 | 9 | 3 | 1 | 7 | 8 | 9 | 1 | 3 | 4 | 5 | 8 | 0 | * TOTALS |   |

**INTEGUMENTARY SYSTEM**

|               |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |
|---------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Mammary Gland | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | 0  |
| Skin          | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

**MUSCULOSKELETAL SYSTEM**

|   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |   |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|
| Bone  | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |   |
| Skeletal Muscle                                     |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    | 1 |
| Alveolar/Bronchiolar Carcinoma,<br>Metastatic, Lung |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    | 1 |

**NERVOUS SYSTEM**

|       |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

**RESPIRATORY SYSTEM**

|                                |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |
|--------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Lung                           | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Alveolar/Bronchiolar Adenoma   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | X | X | X |   |   |   |   |   |   | 10 |
| Alveolar/Bronchiolar Carcinoma | X |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | X | X |   |   |   |   |   |   |   | 7  |

\* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

| DAY ON TEST             | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7        |   |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|
|                         | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3        | 3 |
|                         | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0        | 0 |
| <b>B6C3F1 MICE MALE</b> | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0        | 0 |
| <b>0 MG/KG</b>          | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0        | 0 |
|                         | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 0 | 0 | 0 | 1 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 5        | 5 |
|                         | 6 | 7 | 8 | 0 | 3 | 5 | 6 | 0 | 6 | 7 | 9 | 6 | 7 | 9 | 3 | 1 | 7 | 8 | 9 | 1 | 3 | 4 | 5 | 8 | 0 | * TOTALS |   |

|   |   |   |
|---|---|---|
| Carcinoma, Metastatic, Harderian Gland                        | X | 1 |
| Hepatocellular Carcinoma, Metastatic, Liver                   | X | 6 |
| Mediastinum, Alveolar/Bronchiolar Carcinoma, Metastatic, Lung |   | 1 |
| Serosa, Alveolar/Bronchiolar Carcinoma, Metastatic, Lung      |   | 1 |

|         |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |
|---------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Nose    | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

**SPECIAL SENSES SYSTEM**

|                 |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Eye             | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Adenoma         | X |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | 11 |
| Carcinoma       |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | 3  |

**URINARY SYSTEM**

|  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Kidney   | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Alveolar/Bronchiolar Carcinoma, Metastatic, Lung |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | 1  |

\* .. Total animals with tissue examined microscopically; Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A .. Autolysis precludes evaluation

x .. Lesion present

BLANK .. Not examined microscopically

| .. Insufficient tissue

TDMS No. 95011 - 06

**Test Type: CHRONIC**

## **Route: Gavage**

**Species/Strain:** MICE/B6C3F1

**P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)**

## 5-(HYDROXYMETHYL)-2-FURFURAL

**CAS Number:** 67-47-0

**Pathologist:** TOFT, J. - Blackshear, P

**Date Report Requested:** 11/10/2006

Time Report Requested: 09:06:29

**First Dose M/F:** 08/09/01 / 08/08/01

## Lab: BAT

## Renal Tubule, Adenoma

X

1

## Urinary Bladder

50

## **SYSTEMIC LESIONS**

## Multiple Organ

50

## Lymphoma Malignant

2

\* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

- + .. Tissue examined
- x Lesion present

| Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

**BLANK** Not examined microscopically

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

| DAY ON TEST             | 3 | 4 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
|                         | 8 | 4 | 1 | 5 | 5 | 7 | 0 | 2 | 2 | 4 | 4 | 6 | 8 | 9 | 9 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
|                         | 0 | 6 | 8 | 1 | 5 | 2 | 3 | 5 | 9 | 3 | 8 | 8 | 3 | 7 | 9 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| <b>B6C3F1 MICE MALE</b> | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <b>188 MG/KG</b>        | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|                         | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|                         | 9 | 5 | 7 | 6 | 6 | 9 | 7 | 9 | 6 | 9 | 9 | 5 | 9 | 7 | 9 | 5 | 5 | 6 | 6 | 6 | 7 | 7 | 8 | 8 |
|                         | 9 | 7 | 4 | 9 | 2 | 2 | 3 | 8 | 4 | 1 | 0 | 3 | 6 | 9 | 3 | 1 | 4 | 1 | 5 | 7 | 6 | 7 | 1 | 6 |

males  
(cont...)

## ALIMENTARY SYSTEM

|  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus  | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Gallbladder  | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Cecum                             | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Colon                             | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Leiomyosarcoma                                     |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
| Intestine Large, Rectum                            | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Duodenum                          | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Leiomyosarcoma, Metastatic, Intestine Large, Colon |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
| X  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
| Intestine Small, Ileum                             | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Jejunum                           | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Liver  | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hepatoblastoma                                     |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
| X  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
| Hepatocellular Adenoma                             |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
| X  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
| Hepatocellular Adenoma, Multiple                   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
| X  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |

\* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

| DAY ON TEST             | 3 | 4 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
|                         | 8 | 4 | 1 | 5 | 5 | 7 | 0 | 2 | 2 | 4 | 4 | 6 | 8 | 9 | 9 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
|                         | 0 | 6 | 8 | 1 | 5 | 2 | 3 | 5 | 9 | 3 | 8 | 8 | 3 | 7 | 9 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| <b>B6C3F1 MICE MALE</b> | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <b>188 MG/KG</b>        | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|                         | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
|                         | 9 | 5 | 7 | 6 | 6 | 9 | 7 | 9 | 6 | 9 | 9 | 5 | 9 | 7 | 9 | 5 | 5 | 6 | 6 | 6 | 7 | 7 | 8 | 8 | 0 | 0 |
|                         | 9 | 7 | 4 | 9 | 2 | 2 | 3 | 8 | 4 | 1 | 0 | 3 | 6 | 9 | 3 | 1 | 4 | 1 | 5 | 7 | 6 | 7 | 1 | 6 | 0 | 0 |

**males  
(cont...)**

|                                       |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
|---------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Hepatocellular Carcinoma              | X | X | X | X | X | X | X |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
| Hepatocellular Carcinoma, Multiple    |   | X |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | X |
| Hepatocholangiocarcinoma              |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
| Leiomyosarcoma, Metastatic, Intestine |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
| Large, Colon                          |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
| Mesentery                             |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
| Leiomyosarcoma, Metastatic, Intestine |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
| Large, Colon                          |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
| Pancreas                              | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |   |
| Salivary Glands                       | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |   |
| Stomach, Forestomach                  | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |   |
| Stomach, Glandular                    | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |   |
| Tooth                                 |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
| Odontoma                              |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |

**CARDIOVASCULAR SYSTEM**

Blood Vessel

\* .. Total animals with tissue examined microscopically; Total animals with tumor  
+ .. Tissue examined microscopically  
x .. Lesion present  
| .. Insufficient tissue

M .. Missing tissue  
A .. Autolysis precludes evaluation  
BLANK .. Not examined microscopically

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

|                         |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
|                         | 3 | 4 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
|                         | 8 | 4 | 1 | 5 | 5 | 7 | 0 | 2 | 2 | 4 | 4 | 6 | 8 | 9 | 9 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
|                         | 0 | 6 | 8 | 1 | 5 | 2 | 3 | 5 | 9 | 3 | 8 | 8 | 3 | 7 | 9 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| <b>B6C3F1 MICE MALE</b> | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <b>188 MG/KG</b>        | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|                         | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|                         | 9 | 5 | 7 | 6 | 6 | 9 | 7 | 9 | 6 | 9 | 9 | 5 | 9 | 7 | 9 | 5 | 5 | 6 | 6 | 6 | 7 | 7 | 8 |
|                         | 9 | 7 | 4 | 9 | 2 | 2 | 3 | 8 | 4 | 1 | 0 | 3 | 6 | 9 | 3 | 1 | 4 | 1 | 5 | 7 | 6 | 7 | 1 |

males  
(cont...)

|                                       |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |
|---------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Heart                                 | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |  |
| Leiomyosarcoma, Metastatic, Intestine |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |
| Large, Colon                          | X |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |
| Liposarcoma, Metastatic, Uncertain    |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |
| Primary Site                          |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |

**ENDOCRINE SYSTEM**

|                          |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |
|--------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Adrenal Cortex           | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |  |
| Subcapsular, Adenoma     |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |
| Adrenal Medulla          | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |  |
| Islets, Pancreatic       | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |  |
| Parathyroid Gland        | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + |  |
| Pituitary Gland          | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |  |
| Thyroid Gland            | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |  |
| Follicular Cell, Adenoma |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | X |  |

**GENERAL BODY SYSTEM**

|      |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| NONE |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|

\* .. Total animals with tissue examined microscopically; Total animals with tumor  
+ .. Tissue examined microscopically  
x .. Lesion present  
| .. Insufficient tissue

M .. Missing tissue  
A .. Autolysis precludes evaluation  
BLANK .. Not examined microscopically





TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

| DAY ON TEST             | 3 | 4 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |   |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
|                         | 8 | 4 | 1 | 5 | 5 | 7 | 0 | 2 | 2 | 4 | 4 | 6 | 8 | 9 | 9 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
|                         | 0 | 6 | 8 | 1 | 5 | 2 | 3 | 5 | 9 | 3 | 8 | 8 | 3 | 7 | 9 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| <b>B6C3F1 MICE MALE</b> | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <b>188 MG/KG</b>        | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|                         | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
|                         | 9 | 5 | 7 | 6 | 6 | 9 | 7 | 9 | 6 | 9 | 9 | 5 | 9 | 7 | 9 | 5 | 5 | 6 | 6 | 6 | 7 | 7 | 8 | 8 | 0 |
|                         | 9 | 7 | 4 | 9 | 2 | 2 | 3 | 8 | 4 | 1 | 0 | 3 | 6 | 9 | 3 | 1 | 4 | 1 | 5 | 7 | 6 | 7 | 1 | 6 | 0 |

**males  
(cont...)**

Large, Colon

Subcutaneous Tissue, Schwannoma  
Malignant

X

**MUSCULOSKELETAL SYSTEM**

|   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Bone  | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |  |
| Skeletal Muscle                                       |   |   |   |   |   |   | + | + |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |
| Hepatocholangiocarcinoma, Metastatic,<br>Liver        |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |
| Leiomyosarcoma, Metastatic, Intestine<br>Large, Colon |   |   |   |   |   |   | X |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |
| Liposarcoma, Metastatic, Uncertain<br>Primary Site    |   |   |   |   |   |   |   | X |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |
| Schwannoma Malignant, Metastatic, Skin                |   |   |   |   |   |   |   |   | X |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |

**NERVOUS SYSTEM**

|       |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |  |
|       |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |

**RESPIRATORY SYSTEM**

|                              |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |
|------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Lung                         | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |  |
| Alveolar/Bronchiolar Adenoma |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |

\* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

l .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically





TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

|                         |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |               |   |   |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---------------|---|---|
|                         | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7             | 7 | 7 |
|                         | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3             | 3 | 3 |
|                         | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0             | 0 | 0 |
| <b>B6C3F1 MICE MALE</b> | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0             | 0 | 0 |
| <b>188 MG/KG</b>        | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0             | 0 | 0 |
|                         | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0             | 0 | 0 |
|                         | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 8 | 8 | 8 | 8 | 9 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9             | 9 | 9 |
|                         | 2 | 5 | 6 | 8 | 9 | 3 | 8 | 2 | 3 | 5 | 9 | 7 | 0 | 6 | 0 | 1 | 2 | 5 | 8 | 0 | 4 | 7 | 8 | 4 | 5 | * | <b>TOTALS</b> |   |   |

## ALIMENTARY SYSTEM

|  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |    |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|----|
| Esophagus  | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |    |
| Gallbladder  | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |    |
| Intestine Large, Cecum                             | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |    |
| Intestine Large, Colon                             | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |    |
| Leiomyosarcoma                                     |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    | 1  |
| Intestine Large, Rectum                            | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |    |
| Intestine Small, Duodenum                          | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |    |
| Leiomyosarcoma, Metastatic, Intestine Large, Colon |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    | 1  |
| Intestine Small, Ileum                             | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |    |
| Intestine Small, Jejunum                           | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |    |
| Liver  | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |    |
| Hepatoblastoma                                     |   |   |   |   |   |   |   |   |   |   |   |   |   |   | X | X |   |   |   |   |   |   |   |   |   |   |    | 4  |
| Hepatocellular Adenoma                             | X |   |   |   |   |   |   |   |   |   |   |   |   |   | X |   |   |   |   |   |   |   |   |   |   |   |    | 10 |
| Hepatocellular Adenoma, Multiple                   | X |   |   |   |   |   |   |   |   |   |   |   |   |   | X | X | X | X | X | X | X | X | X | X | X | X | 20 |    |

\* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

| DAY ON TEST   | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7        | 7  |    |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|----|----|
|   | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3        | 3  | 3  |
|   | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0        | 0  | 0  |
| <b>B6C3F1 MICE MALE</b>                               | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0        | 0  |    |
| <b>188 MG/KG</b>                                      | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0        | 0  |    |
|   | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0        | 0  |    |
|   | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 8 | 8 | 8 | 8 | 9 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 9 | 9 | 9        | 9  |    |
|   | 2 | 5 | 6 | 8 | 9 | 3 | 8 | 2 | 3 | 5 | 9 | 7 | 0 | 6 | 0 | 1 | 2 | 5 | 8 | 0 | 4 | 7 | 8 | 4 | 5 | * TOTALS |    |    |
| Hepatocellular Carcinoma                              |   |   |   |   |   |   |   |   |   |   |   |   |   |   | X | X |   |   |   |   |   |   |   |   |   |          |    | 11 |
| Hepatocellular Carcinoma, Multiple                    |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |          |    | 3  |
| Hepatocholangiocarcinoma                              |   |   |   |   |   |   |   |   |   |   |   |   |   |   | X |   |   |   |   |   |   |   |   |   |   |          |    | 1  |
| Leiomyosarcoma, Metastatic, Intestine<br>Large, Colon |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |          |    | 1  |
| Mesentery   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |          |    | 4  |
| Leiomyosarcoma, Metastatic, Intestine<br>Large, Colon |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |          |    | 1  |
| Pancreas  | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | +        | 50 |    |
| Salivary Glands                                       | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | +        | 50 |    |
| Stomach, Forestomach                                  | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | +        | 50 |    |
| Stomach, Glandular                                    | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | +        | 50 |    |
| Tooth   | + |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |          |    | 7  |
| Odontoma  |   | X |   |   |   |   |   |   |   |   |   |   |   |   | X |   |   |   |   |   |   |   |   |   |   |          |    | 3  |

**CARDIOVASCULAR SYSTEM**

Blood Vessel

+

1

\* .. Total animals with tissue examined microscopically; Total animals with tumor  
+ .. Tissue examined microscopically  
x .. Lesion present  
| .. Insufficient tissue

M .. Missing tissue  
A .. Autolysis precludes evaluation  
BLANK .. Not examined microscopically

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

|   |                  |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |   |
|---|------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|---|
|   | DAY ON TEST      | 7<br>2<br>9           |                       |   |
| <b>B6C3F1 MICE MALE</b>                               | <b>ANIMAL ID</b> | 0<br>0<br>0<br>5<br>2 | 0<br>0<br>0<br>5<br>5 | 0<br>0<br>0<br>5<br>6 | 0<br>0<br>0<br>6<br>6 | 0<br>0<br>0<br>8<br>8 | 0<br>0<br>0<br>8<br>8 | 0<br>0<br>0<br>9<br>9 | 0<br>0<br>0<br>6<br>6 | 0<br>0<br>0<br>6<br>6 | 0<br>0<br>0<br>7<br>7 | 0<br>0<br>0<br>7<br>7 | 0<br>0<br>0<br>7<br>7 | 0<br>0<br>0<br>8<br>8 |   |
| <b>188 MG/KG</b>                                      |                  |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |   |
|   |                  |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |   |
| Heart   |                  | +                     | M                     | +                     | +                     | +                     | +                     | +                     | +                     | +                     | +                     | +                     | +                     | +                     | +                     | +                     | +                     | +                     | +                     | +                     | +                     | +                     | +                     |   |
| Leiomyosarcoma, Metastatic, Intestine<br>Large, Colon |                  |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       | 1 |
| Liposarcoma, Metastatic, Uncertain<br>Primary Site    |                  |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       | 1 |

**\* TOTALS**

**ENDOCRINE SYSTEM**

|                          |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |
|--------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Adrenal Cortex           | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Subcapsular, Adenoma     |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | X |   |   | X |   | X | 3  |
| Adrenal Medulla          | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Islets, Pancreatic       | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Parathyroid Gland        | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | 48 |
| Pituitary Gland          | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Thyroid Gland            | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Follicular Cell, Adenoma |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | X |   |   |   |   | 2  |

**GENERAL BODY SYSTEM**

NONE

\* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

| DAY ON TEST             | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7        |   |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|
|                         | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3        | 3 |
|                         | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0        | 0 |
| <b>B6C3F1 MICE MALE</b> | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0        | 0 |
| <b>188 MG/KG</b>        | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0        | 0 |
|                         | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 8 | 8 | 8 | 9 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9        | 9 |
|                         | 2 | 5 | 6 | 8 | 9 | 3 | 8 | 2 | 3 | 5 | 9 | 7 | 0 | 6 | 0 | 1 | 2 | 5 | 8 | 0 | 4 | 7 | 8 | 4 | 5 | * TOTALS |   |

**GENITAL SYSTEM**

|   |    |
|---|----|
| Coagulating Gland                                     | 2  |
| Leiomyosarcoma, Metastatic, Intestine<br>Large, Colon | 1  |
| Epididymis  | 50 |
| Leiomyosarcoma, Metastatic, Intestine<br>Large, Colon | 1  |
| Preputial Gland                                       | 50 |
| Prostate  | 50 |
| Seminal Vesicle                                       | 50 |
| Leiomyosarcoma, Metastatic, Intestine<br>Large, Colon | 1  |
| Testes  | 50 |
| Interstitial Cell, Adenoma                            | 1  |

**HEMATOPOIETIC SYSTEM**

|             |    |
|-------------|----|
| Bone Marrow | 50 |
|-------------|----|

\* .. Total animals with tissue examined microscopically; Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A .. Autolysis precludes evaluation

x .. Lesion present

BLANK .. Not examined microscopically

| .. Insufficient tissue

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

| DAY ON TEST             | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7               |   |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|---|
|                         | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3               | 3 |
|                         | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0               | 0 |
| <b>B6C3F1 MICE MALE</b> | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0               | 0 |
| <b>188 MG/KG</b>        | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0               | 0 |
|                         | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0               | 0 |
|                         | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 8 | 8 | 8 | 9 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9               | 9 |
|                         | 2 | 5 | 6 | 8 | 9 | 3 | 8 | 2 | 3 | 5 | 9 | 7 | 0 | 6 | 0 | 1 | 2 | 5 | 8 | 0 | 4 | 7 | 8 | 4 | 5 | * <b>TOTALS</b> |   |

|   |   |    |
|---|---|----|
| Lymph Node  | + | 3  |
| Mediastinal, Hepatocholangiocarcinoma,<br>Metastatic, Liver     | X | 1  |
| Mediastinal, Liposarcoma, Metastatic,<br>Uncertain Primary Site |   | 1  |
| .....   |   |    |
| Lymph Node, Mandibular  | + | 50 |
| .....   |   |    |
| Lymph Node, Mesenteric  | + | 49 |
| Leiomyosarcoma, Metastatic, Intestine<br>Large, Colon           |   | 1  |
| .....   |   |    |
| Spleen  | + | 50 |
| Leiomyosarcoma, Metastatic, Intestine<br>Large, Colon           |   | 1  |
| .....   |   |    |
| Thymus  | + | 47 |
| Leiomyosarcoma, Metastatic, Uncertain<br>Primary Site           |   | 1  |

**INTEGUMENTARY SYSTEM**

|               |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |
|---------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Mammary Gland | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | 2  |
| Skin          | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

Leiomyosarcoma, Metastatic, Intestine 1

\* .. Total animals with tissue examined microscopically; Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A .. Autolysis precludes evaluation

x .. Lesion present

BLANK .. Not examined microscopically

| .. Insufficient tissue

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

|                         |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |          |   |   |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|---|
|                         | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7        | 7 | 7 |
| DAY ON TEST             | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3        | 3 | 3 |
|                         | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0        | 0 | 0 |
| <b>B6C3F1 MICE MALE</b> | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0        | 0 | 0 |
| <b>188 MG/KG</b>        | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0        | 0 | 0 |
|                         | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 8 | 8 | 8 | 8 | 9 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 9 | 9        | 9 | 9 |
|                         | 2 | 5 | 6 | 8 | 9 | 3 | 8 | 2 | 3 | 5 | 9 | 7 | 0 | 6 | 0 | 1 | 2 | 5 | 8 | 0 | 4 | 7 | 8 | 4 | 5 | * TOTALS |   |   |

Large, Colon

Subcutaneous Tissue, Schwannoma  
Malignant

1

**MUSCULOSKELETAL SYSTEM**

|   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |   |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|
| Bone  | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |   |
| Skeletal Muscle                                       |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    | 4 |
| Hepatocholangiocarcinoma, Metastatic,<br>Liver        |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    | 1 |
| X   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |   |
| Leiomyosarcoma, Metastatic, Intestine<br>Large, Colon |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    | 1 |
| Liposarcoma, Metastatic, Uncertain<br>Primary Site    |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    | 1 |
| Schwannoma Malignant, Metastatic, Skin                |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    | 1 |

**NERVOUS SYSTEM**

|       |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

**RESPIRATORY SYSTEM**

|                              |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |   |
|------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|
| Lung                         | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |   |
| Alveolar/Bronchiolar Adenoma |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    | 3 |

\* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

|                         |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |          |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
|                         | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7        |
|                         | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3        |
|                         | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0        |
| <b>B6C3F1 MICE MALE</b> | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0        |
| <b>188 MG/KG</b>        | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0        |
|                         | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 8 | 8 | 8 | 8 | 9 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | * TOTALS |
|                         | 2 | 5 | 6 | 8 | 9 | 3 | 8 | 2 | 3 | 5 | 9 | 7 | 0 | 6 | 0 | 1 | 2 | 5 | 8 | 0 | 4 | 7 | 8 | 4 | 5 |   |   |   |          |

|   |   |   |   |
|---|---|---|---|
| Alveolar/Bronchiolar Adenoma, Multiple                          | X | X | 2 |
| Alveolar/Bronchiolar Carcinoma                                  |   |   | 1 |
| Carcinoma, Metastatic, Harderian Gland                          |   | X | 1 |
| Hepatoblastoma, Metastatic, Liver                               |   |   | 1 |
| Hepatocellular Carcinoma, Metastatic, Liver                     | X |   | 4 |
| Hepatocholangiocarcinoma, Metastatic, Liver                     | X |   | 1 |
| Leiomyosarcoma, Metastatic, Intestine Large, Colon              |   |   | 1 |
| Liposarcoma, Metastatic, Uncertain Primary Site                 |   |   | 1 |
| Mediastinum, Leiomyosarcoma, Metastatic, Intestine Large, Colon |   |   | 1 |
| Mediastinum, Liposarcoma, Metastatic, Uncertain Primary Site    |   |   | 1 |

|         |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |
|---------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Nose    | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

**SPECIAL SENSES SYSTEM**

|  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |   |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|
| Eye                                    | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |   |
| Carcinoma, Metastatic, Harderian Gland |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    | 1 |

\* .. Total animals with tissue examined microscopically; Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A .. Autolysis precludes evaluation

x .. Lesion present

BLANK .. Not examined microscopically

| .. Insufficient tissue

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

| <b>B6C3F1 MICE MALE</b><br><b>188 MG/KG</b> | ANIMAL ID | DAY ON TEST |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | * TOTALS |
|---|-----------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
|   |           | 7           | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |          |
|   |           | 2           | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |          |
|   |           | 9           | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |          |

|                 |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |   |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |   |
| Adenoma         |   |   |   |   | X | X |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    | 5 |
| Carcinoma       |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    | 2 |

## URINARY SYSTEM

|   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |   |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|
| Kidney  | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |   |
| Leiomyosarcoma, Metastatic, Intestine<br>Large, Colon |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    | 1 |
| Urinary Bladder                                       | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |   |

## SYSTEMIC LESIONS

|                                      |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |   |
|--------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|
| Multiple Organ<br>Lymphoma Malignant | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |   |
|                                      |   |   |   |   | X |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    | 1 |

\* .. Total animals with tissue examined microscopically; Total animals with tumor  
+ .. Tissue examined microscopically  
x .. Lesion present  
| .. Insufficient tissue

M .. Missing tissue  
A .. Autolysis precludes evaluation  
BLANK .. Not examined microscopically

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

|                         |             |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |
|-------------------------|-------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
|                         | DAY ON TEST | 3<br>9<br>4           | 3<br>9<br>9           | 4<br>8<br>5           | 5<br>2<br>7           | 6<br>0<br>2           | 7<br>2<br>5           | 7<br>2<br>8           | 7<br>2<br>8           | 7<br>2<br>9           |
| <b>B6C3F1 MICE MALE</b> |             | 0<br>0<br>1<br>4<br>0 | 0<br>0<br>1<br>2<br>7 | 0<br>0<br>1<br>1<br>3 | 0<br>0<br>1<br>0<br>2 | 0<br>0<br>0<br>0<br>4 | 0<br>0<br>1<br>0<br>2 | 0<br>0<br>0<br>1<br>3 | 0<br>0<br>1<br>2<br>5 | 0<br>0<br>0<br>3<br>2 | 0<br>0<br>1<br>1<br>9 | 0<br>0<br>1<br>1<br>0 | 0<br>0<br>1<br>1<br>3 | 0<br>0<br>1<br>1<br>1 | 0<br>0<br>1<br>1<br>5 | 0<br>0<br>1<br>1<br>6 | 0<br>0<br>1<br>2<br>7 | 0<br>0<br>1<br>2<br>8 | 0<br>0<br>1<br>3<br>9 | 0<br>0<br>1<br>3<br>0 | 0<br>0<br>1<br>3<br>7 | 0<br>0<br>1<br>3<br>8 |
| <b>375 MG/KG</b>        | ANIMAL ID   |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |
|                         |             |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |

**males  
(cont...)****ALIMENTARY SYSTEM**

|                                  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
|----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus                        | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Gallbladder                      | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Cecum           | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Colon           | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Rectum          | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Duodenum        | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Ileum           | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Jejunum         | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Liver                            | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hemangioma                       |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | X |   |   |   |   |
| Hemangiosarcoma                  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | X |   |   |   |
| Hemangiosarcoma, Multiple        |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | X |   |   |
| Hepatoblastoma                   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | X |   |   |   |
| Hepatocellular Adenoma           | X |   |   |   |   | X |   | X |   |   |   |   |   |   |   |   |   | X |   |   |   |   |
| Hepatocellular Adenoma, Multiple |   | X |   |   |   |   | X |   | X | X | X | X | X | X | X | X | X | X | X | X | X | X |

\* .. Total animals with tissue examined microscopically; Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A .. Autolysis precludes evaluation

x .. Lesion present

BLANK .. Not examined microscopically

I .. Insufficient tissue

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

**P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)**

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

| DAY ON TEST             | 3 | 3 | 4 | 5 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |   |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
|                         | 9 | 9 | 8 | 2 | 5 | 0 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
|                         | 4 | 9 | 5 | 7 | 2 | 3 | 5 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| <b>B6C3F1 MICE MALE</b> | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |   |
| <b>375 MG/KG</b>        | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |   |
|                         | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |   |
|                         | 4 | 1 | 2 | 1 | 1 | 4 | 1 | 0 | 0 | 1 | 2 | 3 | 0 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |   |
|                         | 0 | 7 | 3 | 9 | 2 | 2 | 4 | 2 | 3 | 5 | 2 | 5 | 9 | 0 | 3 | 1 | 5 | 6 | 7 | 8 | 9 | 0 | 3 | 7 | 8 |   |   |   |   |

males  
(cont...)

|                                    |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |
|------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Hepatocellular Carcinoma           | X | X | X |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |
| Hepatocellular Carcinoma, Multiple | X |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |
| Hepatocholangiocarcinoma           | X |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |
| Mesentery                          |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |
| Pancreas                           | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |  |
| Salivary Glands                    | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |  |
| Stomach, Forestomach               | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |  |
| Squamous Cell Papilloma            |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |
| Stomach, Glandular                 | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |  |
| Tooth                              |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |
| Odontoma                           |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |

**CARDIOVASCULAR SYSTEM**

|   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Heart                                       | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |  |
| Hepatocholangiocarcinoma, Metastatic, Liver |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |

**ENDOCRINE SYSTEM**

\* .. Total animals with tissue examined microscopically; Total animals with tumor  
 + .. Tissue examined microscopically  
 x .. Lesion present  
 | .. Insufficient tissue

M .. Missing tissue  
 A .. Autolysis precludes evaluation  
 BLANK .. Not examined microscopically

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

|                         |             |                  |                  |                  |                  |                  |                  |                  |                  |                  |                  |                  |                  |                  |                  |                  |                  |                  |                  |                  |                  |                  |                  |                  |                            |
|-------------------------|-------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|----------------------------|
|                         | DAY ON TEST | 3<br>9<br>4      | 3<br>9<br>9      | 4<br>8<br>5      | 5<br>2<br>7      | 6<br>0<br>2      | 7<br>2<br>5      | 7<br>2<br>8      | 7<br>2<br>8      | 7<br>2<br>8      | 7<br>2<br>8      | 7<br>2<br>9                |
| <b>B6C3F1 MICE MALE</b> |             | 0<br>0<br>0                |
| <b>375 MG/KG</b>        | ANIMAL ID   | 0<br>1<br>4<br>0 | 1<br>1<br>1<br>7 | 1<br>1<br>2<br>3 | 1<br>1<br>1<br>9 | 1<br>1<br>1<br>2 | 1<br>1<br>0<br>2 | 1<br>1<br>0<br>3 | 1<br>1<br>0<br>5 | 1<br>1<br>2<br>2 | 1<br>1<br>2<br>5 | 1<br>1<br>1<br>9 | 1<br>1<br>1<br>0 | 1<br>1<br>1<br>3 | 1<br>1<br>1<br>1 | 1<br>1<br>1<br>5 | 1<br>1<br>1<br>6 | 1<br>1<br>2<br>7 | 1<br>1<br>2<br>8 | 1<br>1<br>3<br>9 | 1<br>1<br>3<br>0 | 1<br>1<br>3<br>3 | 1<br>1<br>3<br>7 | 1<br>1<br>3<br>8 | <b>males<br/>(cont...)</b> |

Adrenal Cortex

+ +

Adenoma

Subcapsular, Adenoma

X X X

Subcapsular, Adenoma, Multiple

Adrenal Medulla

+ +

Islets, Pancreatic

+ +

Parathyroid Gland

+ + + + + M +

Pituitary Gland

+ +

Thyroid Gland

+ +

Follicular Cell, Adenoma

X

Follicular Cell, Carcinoma

X

**GENERAL BODY SYSTEM**

NONE

**GENITAL SYSTEM**

Coagulating Gland

+ +

\* .. Total animals with tissue examined microscopically; Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A .. Autolysis precludes evaluation

x .. Lesion present

BLANK .. Not examined microscopically

I .. Insufficient tissue

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

| B6C3F1 MICE MALE<br>375 MG/KG | ANIMAL ID | 3 | 3 | 4 | 5 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |   |
|-------------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
|                               |           | 9 | 9 | 8 | 2 | 5 | 0 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
|                               |           | 4 | 9 | 5 | 7 | 2 | 3 | 5 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
|                               |           | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |   |
|                               |           | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |   |
|                               |           | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |   |
|                               |           | 4 | 1 | 2 | 1 | 1 | 4 | 1 | 0 | 0 | 1 | 2 | 3 | 0 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 |   |
|                               |           | 0 | 7 | 3 | 9 | 2 | 2 | 4 | 2 | 3 | 5 | 2 | 5 | 9 | 0 | 3 | 1 | 5 | 6 | 7 | 8 | 9 | 0 | 3 | 7 | 8 |   |   |

males  
(cont...)

  

|                            |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |
|----------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Epididymis                 | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |  |
| Preputial Gland            | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |  |
| Prostate                   | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |  |
| Seminal Vesicle            | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |  |
| Testes                     | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |  |
| Interstitial Cell, Adenoma |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |

## HEMATOPOIETIC SYSTEM

|  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Bone Marrow  | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |  |
| Lymph Node   | + | + | + |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |
| Hepatocarcinoma, Metastatic,<br>Liver              |   |   |   |   |   |   | X |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |
| Mediastinal, Hepatocarcinoma,<br>Metastatic, Liver |   |   |   |   |   | X |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |
| Lymph Node, Mandibular                             | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |  |
| Lymph Node, Mesenteric                             | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |  |
| Spleen   | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |  |

\* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically





TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

|                         |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
|                         | 3 | 3 | 4 | 5 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
|                         | 9 | 9 | 8 | 2 | 5 | 0 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
|                         | 4 | 9 | 5 | 7 | 2 | 3 | 5 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| <b>B6C3F1 MICE MALE</b> | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <b>375 MG/KG</b>        | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|                         | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
|                         | 4 | 1 | 2 | 1 | 1 | 4 | 1 | 0 | 0 | 1 | 2 | 3 | 0 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 |
|                         | 0 | 7 | 3 | 9 | 2 | 2 | 4 | 2 | 3 | 5 | 2 | 5 | 9 | 0 | 3 | 1 | 5 | 6 | 7 | 8 | 9 | 0 | 3 | 7 | 8 |   |   |   |

**males  
(cont...)**Hepatocolangiocarcinoma, Metastatic,  
Liver

X

Urinary Bladder

+ +

**SYSTEMIC LESIONS**

Multiple Organ

+ +

Histiocytic Sarcoma

X X

X

Lymphoma Malignant

\* .. Total animals with tissue examined microscopically; Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A .. Autolysis precludes evaluation

x .. Lesion present

BLANK .. Not examined microscopically

| .. Insufficient tissue

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

|                         |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |                 |   |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|---|
|                         | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7               | 7 |
|                         | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3               | 3 |
|                         | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0               | 0 |
| <b>B6C3F1 MICE MALE</b> | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0               | 0 |
| <b>375 MG/KG</b>        | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0               | 0 |
|                         | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1               | 1 |
|                         | 3 | 4 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 5               | 5 |
|                         | 9 | 1 | 8 | 1 | 4 | 5 | 6 | 7 | 8 | 1 | 6 | 8 | 0 | 4 | 1 | 2 | 4 | 6 | 3 | 4 | 5 | 6 | 7 | 9 | 0 |   | <b>* TOTALS</b> |   |

## ALIMENTARY SYSTEM

|                                  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |           |          |          |
|----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|----------|----------|
| Esophagus                        | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | <b>50</b> |          |          |
| Gallbladder                      | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | <b>49</b> |          |          |
| Intestine Large, Cecum           | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | <b>50</b> |          |          |
| Intestine Large, Colon           | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | <b>50</b> |          |          |
| Intestine Large, Rectum          | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | <b>50</b> |          |          |
| Intestine Small, Duodenum        | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | <b>50</b> |          |          |
| Intestine Small, Ileum           | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | <b>50</b> |          |          |
| Intestine Small, Jejunum         | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | <b>50</b> |          |          |
| Liver                            | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | <b>50</b> |          |          |
| Hemangioma                       |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |           | <b>1</b> |          |
| Hemangiosarcoma                  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |           | <b>1</b> |          |
| Hemangiosarcoma, Multiple        |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |           | X        | <b>1</b> |
| Hepatoblastoma                   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |           | <b>7</b> |          |
| Hepatocellular Adenoma           |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |           | <b>5</b> |          |
| Hepatocellular Adenoma, Multiple | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | <b>36</b> |          |          |

\* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

| DAY ON TEST                        | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7        | 7  |   |
|------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|----|---|
|                                    | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3        | 3  | 3 |
|                                    | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0        | 0  |   |
| <b>B6C3F1 MICE MALE</b>            | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0        | 0  |   |
| <b>375 MG/KG</b>                   | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0        | 0  |   |
|                                    | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1        | 1  |   |
|                                    | 3 | 4 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 5        | 5  |   |
|                                    | 9 | 1 | 8 | 1 | 4 | 5 | 6 | 7 | 8 | 1 | 6 | 8 | 0 | 4 | 1 | 2 | 4 | 6 | 3 | 4 | 5 | 6 | 7 | 9 | 0 | * TOTALS |    |   |
| Hepatocellular Carcinoma           | X | X | X |   |   | X |   |   | X |   |   |   |   |   |   |   |   |   |   |   | X | X | X |   |   |          | 11 |   |
| Hepatocellular Carcinoma, Multiple |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |          |    | 3 |
| Hepatocholangiocarcinoma           |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |          |    | 1 |
| Mesentery                          | + |   | + |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |          |    | 4 |
| Pancreas                           | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | +        | 50 |   |
| Salivary Glands                    | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | +        | 50 |   |
| Stomach, Forestomach               | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | +        | 50 |   |
| Squamous Cell Papilloma            |   |   |   |   |   |   | X |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |          |    | 1 |
| Stomach, Glandular                 | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | +        | 50 |   |
| Tooth                              |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |          |    | 4 |
| Odontoma                           |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |          |    | 2 |

**CARDIOVASCULAR SYSTEM**

|   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |  |   |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|--|---|
| Heart                                       | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |  |   |
| Hepatocellular Carcinoma, Metastatic, Liver |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |  | 1 |

**ENDOCRINE SYSTEM**

\* .. Total animals with tissue examined microscopically; Total animals with tumor  
+ .. Tissue examined microscopically  
x .. Lesion present  
| .. Insufficient tissue

M .. Missing tissue  
A .. Autolysis precludes evaluation  
BLANK .. Not examined microscopically

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

| DAY ON TEST             | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7        |   |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|
|                         | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3        | 3 |
|                         | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0        | 0 |
| <b>B6C3F1 MICE MALE</b> | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0        | 0 |
| <b>375 MG/KG</b>        | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0        | 0 |
|                         | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1        | 1 |
|                         | 3 | 4 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 5        | 5 |
|                         | 9 | 1 | 8 | 1 | 4 | 5 | 6 | 7 | 8 | 1 | 6 | 8 | 0 | 4 | 1 | 2 | 4 | 6 | 3 | 4 | 5 | 6 | 7 | 9 | 0 | * TOTALS |   |

|                                |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |
|--------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Adrenal Cortex                 | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Adenoma                        |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | 1  |
| Subcapsular, Adenoma           |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | 6  |
| Subcapsular, Adenoma, Multiple |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | 2  |
| Adrenal Medulla                | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Islets, Pancreatic             | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Parathyroid Gland              | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Pituitary Gland                | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Thyroid Gland                  | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Follicular Cell, Adenoma       |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | 3  |
| Follicular Cell, Carcinoma     |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | 1  |

**GENERAL BODY SYSTEM**

NONE

**GENITAL SYSTEM**

Coagulating Gland

2

\* .. Total animals with tissue examined microscopically; Total animals with tumor  
+ .. Tissue examined microscopically  
x .. Lesion present  
| .. Insufficient tissue

M .. Missing tissue  
A .. Autolysis precludes evaluation  
BLANK .. Not examined microscopically

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

| B6C3F1 MICE MALE<br>375 MG/KG | ANIMAL ID | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7        |   |
|-------------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|
|                               |           | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3        | 3 |
|                               |           | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0        | 0 |
|                               | 0         | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0        |   |
|                               | 0         | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0        |   |
|                               | 1         | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1        |   |
|                               | 3         | 4 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 5        |   |
|                               | 9         | 1 | 8 | 1 | 4 | 5 | 6 | 7 | 8 | 1 | 6 | 8 | 0 | 4 | 1 | 2 | 4 | 6 | 3 | 4 | 5 | 6 | 7 | 9 | 0 | * TOTALS |   |
| Epididymis                    |           | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50       |   |
| Preputial Gland               |           | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50       |   |
| Prostate                      |           | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50       |   |
| Seminal Vesicle               |           | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50       |   |
| Testes                        |           | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50       |   |
| Interstitial Cell, Adenoma    |           |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | X |   |   |   |   |   |   | 1        |   |

## HEMATOPOIETIC SYSTEM

|  |  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |
|--|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Bone Marrow  |  | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymph Node   |  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | 4  |
| Hepatocarcinoma, Metastatic,<br>Liver              |  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | 1  |
| Mediastinal, Hepatocarcinoma,<br>Metastatic, Liver |  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | 1  |
| Lymph Node, Mandibular                             |  | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Lymph Node, Mesenteric                             |  | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Spleen   |  | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

\* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

|                         |             |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                 |  |
|-------------------------|-------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------|--|
|                         | DAY ON TEST | 7<br>2<br>9           | 7<br>2<br>9           | 7<br>3<br>0           | 7<br>3<br>0     |  |
| <b>B6C3F1 MICE MALE</b> |             | 0<br>0<br>1<br>3<br>9 | 0<br>0<br>1<br>4<br>1 | 0<br>0<br>1<br>0<br>5 | 0<br>0<br>1<br>0<br>6 | 0<br>0<br>1<br>0<br>7 | 0<br>0<br>1<br>0<br>8 | 0<br>0<br>1<br>1<br>1 | 0<br>0<br>1<br>1<br>6 | 0<br>0<br>1<br>1<br>8 | 0<br>0<br>1<br>1<br>0 | 0<br>0<br>1<br>2<br>4 | 0<br>0<br>1<br>2<br>0 | 0<br>0<br>3<br>3<br>1 | 0<br>0<br>3<br>3<br>2 | 0<br>0<br>3<br>3<br>4 | 0<br>0<br>4<br>4<br>4 | 0<br>0<br>4<br>4<br>6 | 0<br>0<br>4<br>4<br>3 | 0<br>0<br>5<br>5<br>4 | 0<br>0<br>1<br>7<br>6 | 0<br>0<br>1<br>9<br>7 | <b>* TOTALS</b> |  |
| 375 MG/KG               | ANIMAL ID   |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                 |  |

|        |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |
|--------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Thymus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 |
|--------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

**INTEGUMENTARY SYSTEM**

|               |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
|---------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mammary Gland | M | + | M | M | M | M | M | M | M | M | + | M | M | M | M | M | M | M | M | M | M | M | M | 3 |
|---------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

|      |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |
|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

**MUSCULOSKELETAL SYSTEM**

|      |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |
|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

|                 |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |   |  |  |  |  |  |  |  |   |
|-----------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|--|--|--|--|--|--|--|---|
| Skeletal Muscle |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  | + |  |  |  |  |  |  |  | 1 |
|-----------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|--|--|--|--|--|--|--|---|

**NERVOUS SYSTEM**

|       |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

**RESPIRATORY SYSTEM**

|      |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |
|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

|                              |   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |    |
|------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|
| Alveolar/Bronchiolar Adenoma | X |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  | 10 |
|------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|

|                                |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |   |
|--------------------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|
| Alveolar/Bronchiolar Carcinoma |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  | 1 |
|--------------------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|

\* .. Total animals with tissue examined microscopically; Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A .. Autolysis precludes evaluation

x .. Lesion present

BLANK .. Not examined microscopically

| .. Insufficient tissue

TDMS No. 95011 - 06

**Test Type:** CHRONIC

## **Route:** GAVAGE

**Species/Strain:** MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

## 5-(HYDROXYMETHYL)-2-FURFURAL

**CAS Number:** 67-47-0

**Pathologist:** TOFT, J. - Blackshear, P

Date Report Registered: 11/10/2006

Time Report Requested: 09:06:29

**First Dose M/F:** 08/09/01 / 08/08/01

## Lab: BAT

Hepatocellular Carcinoma, Metastatic,  
Liver X X X 4

Hepatocellular carcinoma, Metastatic,  
Liver

Mediastinum,  
Hepatocarcinoma,  
Metastatic. Liver

## SPECIAL SENSES SYSTEM

Adenoma X X 7

Carcinoma X 1

Lacrimal Gland + 1

## **URINARY SYSTEM**

\* ... Total animals with tissue examined microscopically; Total animals with tumor

+ Tissue examined microscopically

- + .. Tissue examined
- x Lesion present

x .. Lesion present  
| Insufficient tissue

### M .. Missing tissue

#### A Autolysis precludes evaluation

**BLANK** Not examined microscopically.

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

| DAY ON TEST                                 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |   |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
|   | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
|   | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <b>B6C3F1 MICE MALE</b><br><b>375 MG/KG</b> | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ANIMAL ID                                   | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|   | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
|   | 3 | 4 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
|   | 9 | 1 | 8 | 1 | 4 | 5 | 6 | 7 | 8 | 1 | 6 | 8 | 0 | 4 | 1 | 2 | 4 | 6 | 3 | 4 | 5 | 6 | 7 | 9 | 0 |

**\* TOTALS**Hepatocarcinoma, Metastatic,  
Liver

1

Urinary Bladder

+ 50

**SYSTEMIC LESIONS**

Multiple Organ

+ 50

Histiocytic Sarcoma

X

Lymphoma Malignant

1

3

\* .. Total animals with tissue examined microscopically; Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A .. Autolysis precludes evaluation

x .. Lesion present

BLANK .. Not examined microscopically

I .. Insufficient tissue

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

| DAY ON TEST             | 0 | 1 | 1 | 2 | 2 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | 5 | 5 | 5 | 5 | 5 |   |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
|                         | 1 | 9 | 9 | 1 | 1 | 5 | 5 | 6 | 7 | 1 | 3 | 3 | 4 | 5 | 6 | 6 | 7 | 9 | 0 | 1 | 1 | 2 | 6 | 8 |   |
|                         | 9 | 0 | 7 | 7 | 7 | 2 | 2 | 0 | 1 | 7 | 2 | 6 | 6 | 9 | 5 | 3 | 7 | 6 | 8 | 9 | 0 | 3 | 8 | 8 | 9 |
| <b>B6C3F1 MICE MALE</b> | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <b>750 MG/KG</b>        | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|                         | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
|                         | 5 | 9 | 9 | 5 | 9 | 7 | 8 | 9 | 9 | 7 | 6 | 6 | 7 | 9 | 9 | 6 | 7 | 9 | 8 | 7 | 6 | 5 | 5 | 5 | 8 |
|                         | 1 | 8 | 9 | 4 | 5 | 6 | 7 | 6 | 4 | 9 | 2 | 1 | 4 | 7 | 0 | 6 | 7 | 2 | 6 | 2 | 4 | 6 | 5 | 2 | 1 |

**males  
(cont...)**

**ALIMENTARY SYSTEM**

|                                    |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
|------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus                          | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Gallbladder                        | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Cecum             | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Colon             | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Rectum            | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Duodenum          | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Ileum             | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Jejunum           | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Liver                              | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hepatocellular Adenoma             |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | X |   |   |   |   |   |   |   |
| Hepatocellular Adenoma, Multiple   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
| Hepatocellular Carcinoma           |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | X |   |   |   |   |   |   |
| Hepatocellular Carcinoma, Multiple |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
| Hepatocholangiocarcinoma           |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |

\* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

**P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)**

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqsted: 11/10/2006

Time Report Reqsted: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

| DAY ON TEST             | 0 | 1 | 1 | 2 | 2 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | 5 | 5 | 5 | 5 | 5 |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
|                         | 1 | 9 | 9 | 1 | 1 | 5 | 5 | 6 | 7 | 1 | 3 | 3 | 4 | 5 | 6 | 6 | 7 | 9 | 0 | 1 | 1 | 2 | 6 | 8 |
|                         | 9 | 0 | 7 | 7 | 7 | 2 | 2 | 0 | 1 | 7 | 2 | 6 | 6 | 9 | 5 | 3 | 7 | 6 | 8 | 9 | 0 | 3 | 8 | 8 |
| <b>B6C3F1 MICE MALE</b> | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <b>750 MG/KG</b>        | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|                         | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
|                         | 5 | 9 | 9 | 5 | 9 | 7 | 8 | 9 | 9 | 7 | 6 | 6 | 6 | 7 | 9 | 9 | 6 | 7 | 9 | 8 | 7 | 6 | 5 | 5 |
|                         | 1 | 8 | 9 | 4 | 5 | 6 | 7 | 6 | 4 | 9 | 2 | 1 | 4 | 7 | 0 | 6 | 7 | 2 | 6 | 2 | 4 | 6 | 5 | 2 |

**males  
(cont...)**

Mesentery

Oral Mucosa

Pancreas

+ +

Salivary Glands

+ +

Stomach, Forestomach

+ +

Squamous Cell Papilloma

Stomach, Glandular

+ +

Tooth

**CARDIOVASCULAR SYSTEM**

Blood Vessel

+

Heart

+ +

**ENDOCRINE SYSTEM**

Adrenal Cortex

+ +

\* .. Total animals with tissue examined microscopically; Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A .. Autolysis precludes evaluation

x .. Lesion present

BLANK .. Not examined microscopically

I .. Insufficient tissue

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

| DAY ON TEST             | 0 | 1 | 1 | 2 | 2 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | 5 | 5 | 5 | 5 | 5 |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
|                         | 1 | 9 | 9 | 1 | 1 | 5 | 5 | 6 | 7 | 1 | 3 | 3 | 4 | 5 | 6 | 6 | 7 | 9 | 0 | 1 | 1 | 2 | 6 | 8 |
|                         | 9 | 0 | 7 | 7 | 7 | 2 | 2 | 0 | 1 | 7 | 2 | 6 | 6 | 9 | 5 | 3 | 7 | 6 | 8 | 9 | 0 | 3 | 8 | 8 |
| <b>B6C3F1 MICE MALE</b> | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <b>750 MG/KG</b>        | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|                         | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
|                         | 5 | 9 | 9 | 5 | 9 | 7 | 8 | 9 | 9 | 7 | 6 | 6 | 6 | 7 | 9 | 9 | 6 | 7 | 9 | 8 | 7 | 6 | 5 | 5 |
|                         | 1 | 8 | 9 | 4 | 5 | 6 | 7 | 6 | 4 | 9 | 2 | 1 | 4 | 7 | 0 | 6 | 7 | 2 | 6 | 2 | 4 | 6 | 5 | 2 |

males  
(cont...)

|                          |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
|--------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Adrenal Medulla          | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Islets, Pancreatic       | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Parathyroid Gland        | + | + | + | + | + | M | M | M | M | + | + | M | + | M | + | + | M | M | + | + | M | + | + | + |
| Pituitary Gland          | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Thyroid Gland            | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Follicular Cell, Adenoma |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |

**GENERAL BODY SYSTEM**

NONE

**GENITAL SYSTEM**

|                 |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Epididymis      | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Preputial Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Prostate        | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Seminal Vesicle | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Testes          | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

\* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

| DAY ON TEST             | 0 | 1 | 1 | 2 | 2 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | 5 | 5 | 5 | 5 | 5 |   |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
|                         | 1 | 9 | 9 | 1 | 1 | 5 | 5 | 6 | 7 | 1 | 3 | 3 | 4 | 5 | 6 | 6 | 7 | 9 | 0 | 1 | 1 | 2 | 6 | 8 |   |
|                         | 9 | 0 | 7 | 7 | 7 | 2 | 2 | 0 | 1 | 7 | 2 | 6 | 6 | 9 | 5 | 3 | 7 | 6 | 8 | 9 | 0 | 3 | 8 | 8 | 9 |
| <b>B6C3F1 MICE MALE</b> | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <b>750 MG/KG</b>        | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|                         | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
|                         | 5 | 9 | 9 | 5 | 9 | 7 | 8 | 9 | 9 | 7 | 6 | 6 | 7 | 9 | 9 | 6 | 7 | 9 | 8 | 7 | 6 | 5 | 5 | 5 | 8 |
|                         | 1 | 8 | 9 | 4 | 5 | 6 | 7 | 6 | 4 | 9 | 2 | 1 | 4 | 7 | 0 | 6 | 7 | 2 | 6 | 2 | 4 | 6 | 5 | 2 | 1 |

males  
(cont...)

Interstitial Cell, Adenoma

## HEMATOPOIETIC SYSTEM

Bone Marrow

+ +

Lymph Node, Mandibular

+ + + + + + + + + + + + + + + M + + + + + + + + + +

Lymph Node, Mesenteric

+ +

Spleen

+ +

Thymus

+ +

## INTEGUMENTARY SYSTEM

Mammary Gland

M M

Skin

+ +

## MUSCULOSKELETAL SYSTEM

Bone

+ +

Skeletal Muscle

.....

\* .. Total animals with tissue examined microscopically; Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A .. Autolysis precludes evaluation

x .. Lesion present

BLANK .. Not examined microscopically

| .. Insufficient tissue

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

| DAY ON TEST             | 0 | 1 | 1 | 2 | 2 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | 5 | 5 | 5 | 5 | 5 |   |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
|                         | 1 | 9 | 9 | 1 | 1 | 5 | 5 | 6 | 7 | 1 | 3 | 3 | 4 | 5 | 6 | 6 | 7 | 9 | 0 | 1 | 1 | 2 | 6 | 8 | 8 |
|                         | 9 | 0 | 7 | 7 | 7 | 2 | 2 | 0 | 1 | 7 | 2 | 6 | 6 | 9 | 5 | 3 | 7 | 6 | 8 | 9 | 0 | 3 | 8 | 8 | 9 |
| <b>B6C3F1 MICE MALE</b> | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <b>750 MG/KG</b>        | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|                         | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
|                         | 5 | 9 | 9 | 5 | 9 | 7 | 8 | 9 | 9 | 7 | 6 | 6 | 6 | 7 | 9 | 9 | 6 | 7 | 9 | 8 | 7 | 6 | 5 | 5 | 8 |
|                         | 1 | 8 | 9 | 4 | 5 | 6 | 7 | 6 | 4 | 9 | 2 | 1 | 4 | 7 | 0 | 6 | 7 | 2 | 6 | 2 | 4 | 6 | 5 | 2 | 1 |

males  
(cont...)

Hemangiosarcoma

**NERVOUS SYSTEM**

Brain +

**RESPIRATORY SYSTEM**

Lung +

Alveolar/Bronchiolar Adenoma

Alveolar/Bronchiolar Adenoma, Multiple

Hepatocellular Carcinoma, Metastatic,  
Liver

X

Nose + + + + + + + A +

Trachea +

**SPECIAL SENSES SYSTEM**

Eye +

Harderian Gland +

Adenoma

\* .. Total animals with tissue examined microscopically; Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A .. Autolysis precludes evaluation

x .. Lesion present

BLANK .. Not examined microscopically

I .. Insufficient tissue

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

| DAY ON TEST             | 0 | 1 | 1 | 2 | 2 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | 5 | 5 | 5 | 5 | 5 |   |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
|                         | 1 | 9 | 9 | 1 | 1 | 5 | 5 | 6 | 7 | 1 | 3 | 3 | 4 | 5 | 6 | 6 | 7 | 9 | 0 | 1 | 1 | 2 | 6 | 8 |   |
|                         | 9 | 0 | 7 | 7 | 7 | 2 | 2 | 0 | 1 | 7 | 2 | 6 | 6 | 9 | 5 | 3 | 7 | 6 | 8 | 9 | 0 | 3 | 8 | 8 | 9 |
| <b>B6C3F1 MICE MALE</b> | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <b>750 MG/KG</b>        | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|                         | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
|                         | 5 | 9 | 9 | 5 | 9 | 7 | 8 | 9 | 9 | 7 | 6 | 6 | 6 | 7 | 9 | 9 | 6 | 7 | 9 | 8 | 7 | 6 | 5 | 5 | 8 |
|                         | 1 | 8 | 9 | 4 | 5 | 6 | 7 | 6 | 4 | 9 | 2 | 1 | 4 | 7 | 0 | 6 | 7 | 2 | 6 | 2 | 4 | 6 | 5 | 2 | 1 |

**males  
(cont...)**

**URINARY SYSTEM**

|                 |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Kidney          | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

**SYSTEMIC LESIONS**

|                |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
|----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
|----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

\* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

|                         |             |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |  |
|-------------------------|-------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|--|
|                         | DAY ON TEST | 5<br>8<br>9           | 6<br>4<br>3           | 6<br>5<br>2           | 6<br>5<br>2           | 6<br>7<br>2           | 6<br>7<br>2           | 7<br>1<br>8           | 7<br>2<br>9           | 7<br>3<br>9           | 7<br>3<br>9           | 7<br>3<br>9           | 7<br>3<br>9           | 7<br>3<br>9           | 7<br>3<br>9           |  |
| <b>B6C3F1 MICE MALE</b> |             | 0<br>0<br>1<br>8<br>5 | 0<br>0<br>1<br>6<br>3 | 0<br>0<br>1<br>6<br>7 | 0<br>0<br>1<br>5<br>0 | 0<br>0<br>1<br>7<br>5 | 0<br>0<br>1<br>8<br>8 | 0<br>0<br>1<br>8<br>8 | 0<br>0<br>1<br>5<br>8 | 0<br>0<br>1<br>6<br>8 | 0<br>0<br>1<br>6<br>8 | 0<br>0<br>1<br>7<br>8 | 0<br>0<br>1<br>8<br>9 | 0<br>0<br>1<br>9<br>9 | 0<br>0<br>1<br>9<br>8 | 0<br>0<br>1<br>5<br>9 | 0<br>0<br>1<br>6<br>7 | 0<br>0<br>1<br>7<br>8 | 0<br>0<br>1<br>8<br>8 | 0<br>0<br>1<br>8<br>8 | 0<br>0<br>1<br>8<br>8 |  |
| <b>750 MG/KG</b>        | ANIMAL ID   | 0<br>0<br>1<br>8<br>5 | 0<br>0<br>1<br>6<br>3 | 0<br>0<br>1<br>6<br>7 | 0<br>0<br>1<br>5<br>0 | 0<br>0<br>1<br>7<br>5 | 0<br>0<br>1<br>8<br>8 | 0<br>0<br>1<br>8<br>8 | 0<br>0<br>1<br>5<br>8 | 0<br>0<br>1<br>6<br>8 | 0<br>0<br>1<br>6<br>8 | 0<br>0<br>1<br>7<br>8 | 0<br>0<br>1<br>8<br>9 | 0<br>0<br>1<br>9<br>9 | 0<br>0<br>1<br>9<br>8 | 0<br>0<br>1<br>5<br>9 | 0<br>0<br>1<br>6<br>7 | 0<br>0<br>1<br>7<br>8 | 0<br>0<br>1<br>8<br>8 | 0<br>0<br>1<br>8<br>8 | 0<br>0<br>1<br>8<br>8 |  |
|                         |             | <b>* TOTALS</b>       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |  |

**ALIMENTARY SYSTEM**

|                                    |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |
|------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Esophagus                          | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Gallbladder                        | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Intestine Large, Cecum             | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Intestine Large, Colon             | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Intestine Large, Rectum            | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Intestine Small, Duodenum          | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Intestine Small, Ileum             | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Intestine Small, Jejunum           | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Liver                              | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Hepatocellular Adenoma             |   |   |   |   |   |   |   |   |   |   | X |   |   |   |   |   |   |   |   |   |   | 6  |
| Hepatocellular Adenoma, Multiple   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | 4  |
| Hepatocellular Carcinoma           |   |   |   |   |   |   | X |   |   |   |   |   |   |   |   |   |   |   |   |   |   | 5  |
| Hepatocellular Carcinoma, Multiple |   |   |   |   |   |   |   |   |   |   |   | X |   |   |   |   |   |   |   |   |   | 1  |
| Hepatocholangiocarcinoma           |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | X |   |   |   | 1  |

\* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqsted: 11/10/2006

Time Report Reqsted: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

|                         | DAY ON TEST | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7  | 7        |
|-------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|----------|
| B6C3F1 MICE MALE        | ANIMAL ID   | 8 | 4 | 5 | 5 | 6 | 7 | 7 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3  | 3        |
| 750 MG/KG               |             | 9 | 3 | 2 | 2 | 2 | 2 | 2 | 8 | 9 | 6 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0  | 0        |
|                         |             | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0  | 0        |
|                         |             | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0  | 0        |
|                         |             | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1  | 1        |
|                         |             | 8 | 6 | 6 | 7 | 0 | 5 | 7 | 7 | 8 | 8 | 5 | 6 | 6 | 6 | 7 | 8 | 8 | 9 | 9 | 5 | 6 | 7 | 8 | 8 | 8  | 8        |
|                         |             | 5 | 3 | 7 | 3 | 0 | 7 | 1 | 5 | 9 | 8 | 8 | 0 | 8 | 9 | 8 | 3 | 4 | 1 | 3 | 9 | 5 | 0 | 0 | 2 |    | * TOTALS |
| Mesentery               |             |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    | 2        |
| Oral Mucosa             |             |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    | 1        |
| Pancreas                |             | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |          |
| Salivary Glands         |             | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |          |
| Stomach, Forestomach    |             | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |          |
| Squamous Cell Papilloma |             |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | X |   |   |   |   |   |    | 1        |
| Stomach, Glandular      |             | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |          |
| Tooth                   |             |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | + |   |   |   |   |   |    | 1        |

## CARDIOVASCULAR SYSTEM

|              |  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |   |
|--------------|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|
| Blood Vessel |  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    | 1 |
| Heart        |  | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |   |

## ENDOCRINE SYSTEM

|                |  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |  |
|----------------|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|--|
| Adrenal Cortex |  | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |  |
|                |  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |  |

\* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 95011 - 06

**Test Type:** CHRONIC

**Route:** GAVAGE

**Species/Strain:** MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

## 5-(HYDROXYMETHYL)-2-FURFURAL

**CAS Number:** 67-47-0

**Pathologist:** TOFT, J. - Blackshear, P

Date Report Registered: 11/10/2006

Time Report Requested: 09:06:29

**First Dose M/F:** 08/09/01 / 08/08/01

## Lab: BAT

## **GENERAL BODY SYSTEM**

NONE

## **GENITAL SYSTEM**

\* .. Total animals with tissue examined microscopically; Total animals with tumor

† ... Tissue examined microscopically

x Lesion present

.. Lesion present  
 Insufficient tissue

### M .. Missing tissue

A .. Autolysis precludes evaluation

**BLANK** Not examined microscopically

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

|                         |             |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |  |
|-------------------------|-------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|--|
|                         | DAY ON TEST | 5<br>8<br>9           | 6<br>4<br>3           | 6<br>5<br>2           | 6<br>5<br>2           | 6<br>7<br>2           | 6<br>7<br>2           | 7<br>1<br>8           | 7<br>2<br>9           | 7<br>3<br>9           |                       |  |
| <b>B6C3F1 MICE MALE</b> |             | 0<br>0<br>1<br>8<br>5 | 0<br>0<br>1<br>6<br>3 | 0<br>0<br>1<br>6<br>7 | 0<br>0<br>1<br>5<br>0 | 0<br>0<br>1<br>7<br>5 | 0<br>0<br>1<br>7<br>8 | 0<br>0<br>1<br>8<br>8 | 0<br>0<br>1<br>5<br>8 | 0<br>0<br>1<br>6<br>8 | 0<br>0<br>1<br>6<br>6 | 0<br>0<br>1<br>7<br>7 | 0<br>0<br>1<br>8<br>8 | 0<br>0<br>1<br>9<br>9 | 0<br>0<br>1<br>9<br>8 | 0<br>0<br>1<br>9<br>3 | 0<br>0<br>1<br>9<br>4 | 0<br>0<br>1<br>9<br>1 | 0<br>0<br>1<br>9<br>5 | 0<br>0<br>1<br>9<br>9 | 0<br>0<br>1<br>9<br>5 | 0<br>0<br>1<br>9<br>0 | 0<br>0<br>1<br>9<br>2 |  |
| <b>750 MG/KG</b>        | ANIMAL ID   |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |  |
|                         |             |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |  |

**\* TOTALS**

Interstitial Cell, Adenoma

X

1

**HEMATOPOIETIC SYSTEM**

|                        |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |
|------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Bone Marrow            | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Spleen                 | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Thymus                 | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |

**INTEGUMENTARY SYSTEM**

|               |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |
|---------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Mammary Gland | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | 0  |
| Skin          | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |

**MUSCULOSKELETAL SYSTEM**

|                 |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Bone            | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Skeletal Muscle |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | 1  |

\* .. Total animals with tissue examined microscopically; Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A .. Autolysis precludes evaluation

x .. Lesion present

BLANK .. Not examined microscopically

| .. Insufficient tissue

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

**P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)**

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

|                         |             |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |
|-------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
|                         | DAY ON TEST | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |  |
|                         |             | 8 | 4 | 5 | 5 | 6 | 7 | 7 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 |  |
|                         |             | 9 | 3 | 2 | 2 | 2 | 2 | 2 | 8 | 9 | 6 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 |  |
| <b>B6C3F1 MICE MALE</b> |             | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |  |
| <b>750 MG/KG</b>        |             | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |  |
|                         |             | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |  |
|                         |             | 8 | 6 | 6 | 7 | 0 | 5 | 7 | 7 | 8 | 8 | 5 | 6 | 6 | 6 | 7 | 8 | 8 | 9 | 9 | 5 | 6 | 7 | 8 | 8 |  |
|                         |             | 5 | 3 | 7 | 3 | 0 | 7 | 1 | 5 | 9 | 8 | 8 | 0 | 8 | 9 | 8 | 3 | 4 | 1 | 3 | 9 | 5 | 0 | 0 | 2 |  |

**\* TOTALS**

Hemangiosarcoma

X

1

**NERVOUS SYSTEM**

Brain + 49

**RESPIRATORY SYSTEM**

Lung + 49

Alveolar/Bronchiolar Adenoma X + + 2

Alveolar/Bronchiolar Adenoma, Multiple 1

Hepatocellular Carcinoma, Metastatic, Liver X 1

Nose + 47

Trachea + 49

**SPECIAL SENSES SYSTEM**

Eye + 49

Harderian Gland + 48

Adenoma X X X X X 4

\* .. Total animals with tissue examined microscopically; Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A .. Autolysis precludes evaluation

x .. Lesion present

BLANK .. Not examined microscopically

| .. Insufficient tissue

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

|                         |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |          |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
|                         | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7        |
|                         | 8 | 4 | 5 | 5 | 6 | 7 | 7 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3        |
|                         | 9 | 3 | 2 | 2 | 2 | 2 | 2 | 8 | 9 | 6 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0        |
| <b>B6C3F1 MICE MALE</b> | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0        |
| <b>750 MG/KG</b>        | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0        |
| ANIMAL ID               | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1        |
|                         | 8 | 6 | 6 | 7 | 0 | 5 | 7 | 7 | 8 | 8 | 5 | 6 | 6 | 6 | 7 | 8 | 8 | 9 | 9 | 5 | 6 | 7 | 8 | 8 | 8        |
|                         | 5 | 3 | 7 | 3 | 0 | 7 | 1 | 5 | 9 | 8 | 8 | 0 | 8 | 9 | 8 | 3 | 4 | 1 | 3 | 9 | 5 | 0 | 0 | 2 | * TOTALS |

## URINARY SYSTEM

|                 |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Kidney          | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |

## SYSTEMIC LESIONS

|                |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |
|----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
|----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

\*\*\* END OF MALE DATA \*\*\*

\* .. Total animals with tissue examined microscopically; Total animals with tumor  
+ .. Tissue examined microscopically  
x .. Lesion present  
| .. Insufficient tissue

M .. Missing tissue  
A .. Autolysis precludes evaluation  
BLANK .. Not examined microscopically

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

|                           |             |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |  |
|---------------------------|-------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|--|
|                           | DAY ON TEST | 2<br>3<br>0           | 4<br>5<br>0           | 4<br>9<br>3           | 5<br>2<br>1           | 6<br>0<br>3           | 6<br>2<br>5           | 6<br>7<br>7           | 6<br>9<br>0           | 7<br>1<br>6           | 7<br>2<br>7           |  |
| <b>B6C3F1 MICE FEMALE</b> |             | 0<br>0<br>2<br>4<br>6 | 0<br>0<br>2<br>3<br>4 | 0<br>0<br>2<br>1<br>3 | 0<br>0<br>2<br>0<br>2 |  |
| <b>0 MG/KG</b>            | ANIMAL ID   |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |  |
|                           |             |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |  |

females  
(cont...)

## ALIMENTARY SYSTEM

|                                  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
|----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus                        | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Gallbladder                      | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Cecum           | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Colon           | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Rectum          | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Duodenum        | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Ileum           | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Jejunum         | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Liver                            | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hepatoblastoma                   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
| Hepatocellular Adenoma           |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | X |   |   | X |   |   | X |
| Hepatocellular Adenoma, Multiple |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | X |   | X |   |   |   |
| Hepatocellular Carcinoma         |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | X |   |   |   |   |   |
| Mesentery                        | + | + |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |

\* .. Total animals with tissue examined microscopically; Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A .. Autolysis precludes evaluation

x .. Lesion present

BLANK .. Not examined microscopically

I .. Insufficient tissue

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

| DAY ON TEST               | 2 | 4 | 4 | 5 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |   |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
|                           | 3 | 5 | 9 | 2 | 0 | 2 | 5 | 7 | 9 | 0 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
|                           | 0 | 0 | 3 | 1 | 1 | 3 | 5 | 7 | 6 | 0 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |   |
| <b>B6C3F1 MICE FEMALE</b> | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |   |
| <b>0 MG/KG</b>            | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |   |
|                           | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |   |
|                           | 4 | 3 | 4 | 1 | 2 | 0 | 2 | 2 | 0 | 2 | 2 | 0 | 0 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 4 | 4 |   |
|                           | 6 | 9 | 4 | 3 | 6 | 2 | 0 | 4 | 1 | 2 | 1 | 7 | 8 | 2 | 4 | 9 | 5 | 7 | 1 | 2 | 6 | 7 | 8 | 0 | 3 |   |

females  
(cont...)

Hepatoblastoma, Metastatic, Liver

|                         |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Pancreas                | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Salivary Glands         | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Stomach, Forestomach    | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Squamous Cell Papilloma |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | X |
| Stomach, Glandular      | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Tongue                  |   | + |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
| Squamous Cell Carcinoma |   | X |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |

**CARDIOVASCULAR SYSTEM**

|              |       |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
|--------------|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Blood Vessel | ..... |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
| Heart        | +     | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

**ENDOCRINE SYSTEM**

|                 |       |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------------|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Adrenal Cortex  | ..... |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
| Adrenal Medulla | +     | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

\* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically



TDMS No. 95011 - 06

**Test Type:** CHRONIC

## **Route:** GAVAGE

**Species/Strain:** MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

## 5-(HYDROXYMETHYL)-2-FURFURAL

**CAS Number:** 67-47-0

**Pathologist:** TOFT, J. - Blackshear, P.

Date Report Registered: 11/10/2006

Time Report Requested: 09:06:29

**First Dose M/F:** 08/09/01 / 08/08/01

## Lab: BAT

### Hemangioma

8

## Polyp Stromal

## **HEMATOPOIETIC SYSTEM**

## **INTEGUMENTARY SYSTEM**

\* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

x .. Lesion present  
| .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically



TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

**P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)**

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqsted: 11/10/2006

Time Report Reqsted: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

|                           |             |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
|                           | DAY ON TEST | 2 | 4 | 4 | 5 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |  |
|                           |             | 3 | 5 | 9 | 2 | 0 | 2 | 5 | 7 | 9 | 0 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |  |
|                           |             | 0 | 0 | 3 | 1 | 1 | 3 | 5 | 7 | 6 | 0 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |   |  |
| <b>B6C3F1 MICE FEMALE</b> |             | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |  |
| <b>0 MG/KG</b>            |             | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |  |
|                           |             | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |  |
|                           |             | 4 | 3 | 4 | 1 | 2 | 0 | 2 | 2 | 0 | 2 | 2 | 0 | 0 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 |  |
|                           |             | 6 | 9 | 4 | 3 | 6 | 2 | 0 | 4 | 1 | 2 | 1 | 7 | 8 | 2 | 4 | 9 | 5 | 7 | 1 | 2 | 6 | 7 | 8 | 0 | 3 |   |  |

Alveolar/Bronchiolar Carcinoma

Carcinoma, Metastatic, Mammary Gland

X

Hepatocellular Carcinoma, Metastatic,  
Liver

Nose

+ M +

Trachea

+ +

**SPECIAL SENSES SYSTEM**

Eye

+ + + + + + + + + + M +

Harderian Gland

+ +

Adenoma

X

X X

Bilateral, Adenoma

**URINARY SYSTEM**

Kidney

+ +

Urinary Bladder

+ +

**SYSTEMIC LESIONS**

\* .. Total animals with tissue examined microscopically; Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A .. Autolysis precludes evaluation

x .. Lesion present

BLANK .. Not examined microscopically

| .. Insufficient tissue

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

|                    |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
|                    | 2 | 4 | 4 | 5 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
|                    | 3 | 5 | 9 | 2 | 0 | 2 | 5 | 7 | 9 | 0 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
|                    | 0 | 0 | 3 | 1 | 1 | 3 | 5 | 7 | 6 | 0 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| .....              | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 MG/KG            | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
|                    | 4 | 3 | 4 | 1 | 2 | 0 | 2 | 2 | 0 | 2 | 2 | 0 | 0 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 |
|                    | 6 | 9 | 4 | 3 | 6 | 2 | 0 | 4 | 1 | 2 | 1 | 7 | 8 | 2 | 4 | 9 | 5 | 7 | 1 | 2 | 6 | 7 | 8 | 0 | 3 |   |   |

females  
(cont...)

Multiple Organ

Lymphoma Malignant

+ X + + + + + + + + + X

\* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

l .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

| DAY ON TEST               | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |                 |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|
|                           | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2               |
|                           | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9               |
| <b>B6C3F1 MICE FEMALE</b> | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0               |
| <b>0 MG/KG</b>            | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0               |
|                           | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2               |
|                           | 4 | 4 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 4 | 4 | 5 | 0 | 1 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 4               |
|                           | 8 | 9 | 3 | 4 | 5 | 6 | 0 | 6 | 7 | 8 | 9 | 0 | 3 | 1 | 2 | 0 | 9 | 1 | 5 | 3 | 8 | 4 | 5 | 5 | 5 | 7 | <b>* TOTALS</b> |

## ALIMENTARY SYSTEM

|                                  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |
|----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Esophagus                        | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Gallbladder                      | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Cecum           | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Colon           | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Rectum          | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Duodenum        | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Ileum           | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Jejunum         | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Liver                            | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hepatoblastoma                   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | X |   |   |   |   |   |   |   | 1  |
| Hepatocellular Adenoma           |   | X |   |   |   |   | X |   |   | X | X |   |   |   |   |   |   |   |   | X | X | X |   |   |   | 10 |
| Hepatocellular Adenoma, Multiple |   |   |   |   |   |   |   |   | X |   |   |   |   |   |   |   |   |   | X |   |   |   |   |   |   | 4  |
| Hepatocellular Carcinoma         |   |   |   |   |   |   | X |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | 2  |
| Mesentery                        | + |   | + |   |   | + |   |   | + |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | 12 |

\* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

| DAY ON TEST               | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |   |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
|                           | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
|                           | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| <b>B6C3F1 MICE FEMALE</b> | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <b>0 MG/KG</b>            | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|                           | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
|                           | 4 | 4 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 4 | 4 | 5 | 0 | 1 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 4 | 4 |
|                           | 8 | 9 | 3 | 4 | 5 | 6 | 0 | 6 | 7 | 8 | 9 | 0 | 3 | 1 | 2 | 0 | 9 | 1 | 5 | 3 | 8 | 4 | 5 | 5 | 5 | 7 |   |

**\* TOTALS**

|                                   |   |    |
|-----------------------------------|---|----|
| Hepatoblastoma, Metastatic, Liver | X | 1  |
| Pancreas                          | + | 49 |
| Salivary Glands                   | + | 49 |
| Stomach, Forestomach              | + | 50 |
| Squamous Cell Papilloma           | X | 2  |
| Stomach, Glandular                | + | 50 |
| Tongue                            |   | 1  |
| Squamous Cell Carcinoma           |   | 1  |

**CARDIOVASCULAR SYSTEM**

|              |   |    |
|--------------|---|----|
| Blood Vessel | + | 1  |
| Heart        | + | 50 |

**ENDOCRINE SYSTEM**

|                 |   |    |
|-----------------|---|----|
| Adrenal Cortex  | + | 50 |
| Adrenal Medulla | + | 50 |

\* .. Total animals with tissue examined microscopically; Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A .. Autolysis precludes evaluation

x .. Lesion present

BLANK .. Not examined microscopically

I .. Insufficient tissue

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

| DAY ON TEST               | 7               | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |   |
|---------------------------|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
|                           | 2               | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
|                           | 7               | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| <b>B6C3F1 MICE FEMALE</b> | 0               | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <b>0 MG/KG</b>            | 0               | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|                           | 2               | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
|                           | 4               | 4 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 4 | 4 | 5 | 0 | 1 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 4 | 4 |
|                           | 8               | 9 | 3 | 4 | 5 | 6 | 0 | 6 | 7 | 8 | 9 | 0 | 3 | 1 | 2 | 0 | 9 | 1 | 5 | 3 | 8 | 4 | 5 | 5 | 5 | 7 |   |
|                           | <b>* TOTALS</b> |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |

|                                     |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |   |
|-------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|
| Islets, Pancreatic                  | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |   |
| Parathyroid Gland                   | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | M | + | + | + | + | M | + | + | M | + | 43 |   |
| Pituitary Gland                     | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | I | + | + | + | + | + | + | + | + | + | 49 |   |
| Pars Distalis, Adenoma              |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | X |   |   |   |   |   |   |   |    | 2 |
| Pars Intermedia, Adenoma            |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | X |   |   |   |   |   |   |    | 2 |
| Thyroid Gland                       | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | 48 |   |
| Bilateral, Follicular Cell, Adenoma |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | X |   |   |   |   |   |   |   |    | 1 |

**GENERAL BODY SYSTEM**

NONE

**GENITAL SYSTEM**

|                |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |   |
|----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|
| Clitoral Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |   |
| Ovary          | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |   |
| Cystadenoma    |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | X |   |   | X |   | X |   | X |   | 3  |   |
| Oviduct        |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | + |   |   |   |   |   |   |   |    | 2 |
| Uterus         | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |   |

\* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

| DAY ON TEST                   | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |   |
|-------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
|                               | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
|                               | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| B6C3F1 MICE FEMALE<br>0 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|                               | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|                               | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
|                               | 4 | 4 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 4 | 4 | 5 | 0 | 1 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 4 | 4 |
|                               | 8 | 9 | 3 | 4 | 5 | 6 | 0 | 6 | 7 | 8 | 9 | 0 | 3 | 1 | 2 | 0 | 9 | 1 | 5 | 3 | 8 | 4 | 5 | 5 | 5 | 7 |   |

\* TOTALS

Hemangioma

X

2

Polyp Stromal

X

1

## HEMATOPOIETIC SYSTEM

|                                     |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |
|-------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Bone Marrow                         | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Hemangiosarcoma, Metastatic, Spleen |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | 1  |
| Lymph Node                          |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | 10 |
| Lymph Node, Mandibular              | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |    |
| Lymph Node, Mesenteric              | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Hemangiosarcoma                     |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | 1  |
| Spleen                              | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Hemangiosarcoma                     |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | 4  |
| Thymus                              | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | 47 |

## INTEGUMENTARY SYSTEM

|               |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |
|---------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Carcinoma     |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | 1  |

\* .. Total animals with tissue examined microscopically; Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A .. Autolysis precludes evaluation

x .. Lesion present

BLANK .. Not examined microscopically

| .. Insufficient tissue

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

| DAY ON TEST               | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |   |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
|                           | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
|                           | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| <b>B6C3F1 MICE FEMALE</b> | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <b>0 MG/KG</b>            | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|                           | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
|                           | 4 | 4 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 4 | 4 | 5 | 0 | 1 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 4 | 4 |
|                           | 8 | 9 | 3 | 4 | 5 | 6 | 0 | 6 | 7 | 8 | 9 | 0 | 3 | 1 | 2 | 0 | 9 | 1 | 5 | 3 | 8 | 4 | 5 | 5 | 5 | 7 |   |

**\* TOTALS**

|  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Skin   | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Subcutaneous Tissue,<br>Hemangiosarcoma, Metastatic,<br>Spleen |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | 1  |

**MUSCULOSKELETAL SYSTEM**

|                                     |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |
|-------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Bone                                | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Skeletal Muscle                     |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | 4  |
| Hemangiosarcoma, Metastatic, Spleen |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | 1  |

**NERVOUS SYSTEM**

|                  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |
|------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Brain            | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Peripheral Nerve |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | 1  |
| Spinal Cord      |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | 1  |

**RESPIRATORY SYSTEM**

|                              |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |
|------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Lung                         | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Alveolar/Bronchiolar Adenoma |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | 2  |

\* .. Total animals with tissue examined microscopically; Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A .. Autolysis precludes evaluation

x .. Lesion present

BLANK .. Not examined microscopically

| .. Insufficient tissue

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

| DAY ON TEST               | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |   |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
|                           | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
|                           | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| <b>B6C3F1 MICE FEMALE</b> | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <b>0 MG/KG</b>            | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|                           | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
|                           | 4 | 4 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 4 | 4 | 5 | 0 | 1 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 4 | 4 |
|                           | 8 | 9 | 3 | 4 | 5 | 6 | 0 | 6 | 7 | 8 | 9 | 0 | 3 | 1 | 2 | 0 | 9 | 1 | 5 | 3 | 8 | 4 | 5 | 5 | 5 | 7 |   |

**\* TOTALS**

|   |   |   |
|---|---|---|
| Alveolar/Bronchiolar Carcinoma              | X | 1 |
| Carcinoma, Metastatic, Mammary Gland        |   | 1 |
| Hepatocellular Carcinoma, Metastatic, Liver | X | 1 |

|         |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |
|---------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Nose    | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

**SPECIAL SENSES SYSTEM**

|                    |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Eye                | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Harderian Gland    | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Adenoma            |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | X | 6  |
| Bilateral, Adenoma |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | X | 1  |

**URINARY SYSTEM**

|                 |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Kidney          | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

**SYSTEMIC LESIONS**

\* .. Total animals with tissue examined microscopically; Total animals with tumor  
+ .. Tissue examined microscopically  
x .. Lesion present  
| .. Insufficient tissue

M .. Missing tissue  
A .. Autolysis precludes evaluation  
BLANK .. Not examined microscopically

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

| DAY ON TEST               | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |   |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
|                           | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
|                           | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| <b>B6C3F1 MICE FEMALE</b> | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <b>0 MG/KG</b>            | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|                           | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
|                           | 4 | 4 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 5 | 0 | 1 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 4 | 4 | 4 |
|                           | 8 | 9 | 3 | 4 | 5 | 6 | 0 | 6 | 7 | 8 | 9 | 0 | 3 | 1 | 2 | 0 | 9 | 1 | 5 | 3 | 8 | 4 | 5 | 5 | 5 | 7 |   |

Multiple Organ

+ X 50

Lymphoma Malignant

X

X

X

8

\* .. Total animals with tissue examined microscopically; Total animals with tumor  
 + .. Tissue examined microscopically  
 x .. Lesion present  
 | .. Insufficient tissue

M .. Missing tissue  
 A .. Autolysis precludes evaluation  
 BLANK .. Not examined microscopically

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

| DAY ON TEST                     | 5 | 5 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |   |
|---------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
|                                 | 2 | 4 | 0 | 6 | 7 | 9 | 0 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
|                                 | 7 | 9 | 3 | 7 | 1 | 5 | 3 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |   |
| B6C3F1 MICE FEMALE<br>188 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |   |
|                                 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |   |
|                                 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 2 | 2 | 2 |   |
|                                 | 6 | 6 | 6 | 6 | 5 | 7 | 6 | 5 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 0 | 5 | 5 | 6 |   |
|                                 | 6 | 0 | 7 | 2 | 8 | 4 | 4 | 1 | 1 | 8 | 1 | 2 | 5 | 7 | 9 | 1 | 3 | 3 | 4 | 5 | 9 | 0 | 2 | 3 | 3 |   |   |

females  
(cont...)

## ALIMENTARY SYSTEM

Esophagus

+ +

Gallbladder

+ M +

Intestine Large, Cecum

+ +

Fibrous Histiocytoma, Metastatic, Skin

X

Intestine Large, Colon

+ +

Fibrous Histiocytoma, Metastatic, Skin

X

Intestine Large, Rectum

+ +

Intestine Small, Duodenum

+ +

Fibrous Histiocytoma, Metastatic, Skin

X

Intestine Small, Ileum

+ +

Fibrous Histiocytoma, Metastatic, Skin

X

Intestine Small, Jejunum

+ +

Hemangioma

X

Liver

+ +

Fibrous Histiocytoma, Metastatic, Skin

X

\* .. Total animals with tissue examined microscopically; Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A .. Autolysis precludes evaluation

x .. Lesion present

BLANK .. Not examined microscopically

I .. Insufficient tissue

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

|                           |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
|                           | 5 | 5 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |  |
|                           | 2 | 4 | 0 | 6 | 7 | 9 | 0 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |  |
|                           | 7 | 9 | 3 | 7 | 1 | 5 | 3 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 |  |
| <b>B6C3F1 MICE FEMALE</b> |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |
| <b>188 MG/KG</b>          |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |
|                           | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |  |
|                           | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |  |
|                           | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 2 | 2 | 2 | 2 |  |
|                           | 6 | 6 | 6 | 6 | 5 | 7 | 6 | 5 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | 5 | 5 | 6 |   |   |  |
|                           | 6 | 0 | 7 | 2 | 8 | 4 | 4 | 1 | 1 | 8 | 1 | 2 | 5 | 7 | 9 | 1 | 3 | 3 | 4 | 5 | 9 | 0 | 2 | 3 | 3 |   |   |   |   |   |  |

**females  
(cont...)**

|  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Hemangioma                             | X |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |
| Hepatocellular Adenoma                 | X |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |
| Hepatocellular Adenoma, Multiple       | X |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |
| Hepatocellular Carcinoma               |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |
| Mesentery                              | + | + |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |
| Carcinoma, Metastatic, Uterus          |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |
| Fibrous Histiocytoma, Metastatic, Skin | X |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |
| Pancreas                               | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |  |
| Fibrous Histiocytoma, Metastatic, Skin |   | X |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |
| Salivary Glands                        | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |  |
| Stomach, Forestomach                   | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |  |
| Squamous Cell Papilloma                |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |
| Stomach, Glandular                     | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |  |
| Fibrous Histiocytoma, Metastatic, Skin |   | X |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |

**CARDIOVASCULAR SYSTEM**

|              |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Blood Vessel | M |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |
| Heart        | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |  |

\* .. Total animals with tissue examined microscopically; Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A .. Autolysis precludes evaluation

x .. Lesion present

BLANK .. Not examined microscopically

| .. Insufficient tissue

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

| DAY ON TEST               | 5 | 5 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |   |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
|                           | 2 | 4 | 0 | 6 | 7 | 9 | 0 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
|                           | 7 | 9 | 3 | 7 | 1 | 5 | 3 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 8 | 8 | 8 |
| <b>B6C3F1 MICE FEMALE</b> | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |   |
| <b>188 MG/KG</b>          | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |   |
|                           | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 2 | 2 |   |
|                           | 6 | 6 | 6 | 6 | 5 | 7 | 6 | 5 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 0 | 5 | 5 |   |
|                           | 6 | 0 | 7 | 2 | 8 | 4 | 4 | 1 | 1 | 8 | 1 | 2 | 5 | 7 | 9 | 1 | 3 | 3 | 4 | 5 | 9 | 0 | 2 | 3 | 3 |   |   |

females  
(cont...)

Fibrous Histiocytoma, Metastatic, Skin

X

## ENDOCRINE SYSTEM

|  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Adrenal Cortex                         | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Fibrous Histiocytoma, Metastatic, Skin |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | X |   |   |   |   |   |   |   |   |   |
| Adrenal Medulla                        | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Islets, Pancreatic Adenoma             | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Parathyroid Gland                      | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | M | + | + |
| Pituitary Gland                        | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Pars Distalis, Adenoma                 |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | X | X |   |   |   |   |   |   |   |   |   |
| Thyroid Gland                          | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Follicular Cell, Adenoma               |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | X |
| Follicular Cell, Adenoma, Multiple     |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |

## GENERAL BODY SYSTEM

NONE

\* .. Total animals with tissue examined microscopically; Total animals with tumor  
+ .. Tissue examined microscopically  
x .. Lesion present  
| .. Insufficient tissue

M .. Missing tissue  
A .. Autolysis precludes evaluation  
BLANK .. Not examined microscopically

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

| DAY ON TEST               | 5 | 5 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |   |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
|                           | 2 | 4 | 0 | 6 | 7 | 9 | 0 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
|                           | 7 | 9 | 3 | 7 | 1 | 5 | 3 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 8 | 8 | 8 |
| <b>B6C3F1 MICE FEMALE</b> | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <b>188 MG/KG</b>          | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ANIMAL ID                 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 2 | 2 | 2 |
|                           | 6 | 6 | 6 | 6 | 5 | 7 | 6 | 5 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 0 | 5 | 5 | 6 |
|                           | 6 | 0 | 7 | 2 | 8 | 4 | 4 | 1 | 1 | 8 | 1 | 2 | 5 | 7 | 9 | 1 | 3 | 3 | 4 | 5 | 9 | 0 | 2 | 3 | 3 | 3 |   |

females  
(cont...)

## GENITAL SYSTEM

|                   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
|-------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Clitoral Gland    | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Ovary             | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Cystadenoma       |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | X |
| Thecoma Malignant |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | X |
| Oviduct           |   |   |   |   |   |   | + |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
| Uterus            | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Carcinoma         |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
| Polyp Stromal     |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
| Vagina            |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | + |

## HEMATOPOIETIC SYSTEM

|  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone Marrow  | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hemangiosarcoma  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | X |
| Lymph Node   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
| Mediastinal, Fibrous Histiocytoma,<br>Metastatic, Skin |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | X |

\* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

| DAY ON TEST               | 5 | 5 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |   |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
|                           | 2 | 4 | 0 | 6 | 7 | 9 | 0 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
|                           | 7 | 9 | 3 | 7 | 1 | 5 | 3 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 8 | 8 | 8 |
| <b>B6C3F1 MICE FEMALE</b> | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |   |
| <b>188 MG/KG</b>          | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |   |
|                           | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 2 | 2 |   |
|                           | 6 | 6 | 6 | 6 | 5 | 7 | 6 | 5 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 0 | 5 | 5 |   |
|                           | 6 | 0 | 7 | 2 | 8 | 4 | 4 | 1 | 1 | 8 | 1 | 2 | 5 | 7 | 9 | 1 | 3 | 3 | 4 | 5 | 9 | 0 | 2 | 3 | 3 |   |   |

females  
(cont...)

Lymph Node, Mandibular

+ +

Lymph Node, Mesenteric

M +

Carcinoma, Metastatic, Uterus

X

Fibrous Histiocytoma

Spleen

+ +

Fibrous Histiocytoma, Metastatic, Skin

X

Hemangiosarcoma

X

Thymus

+ +

Fibrous Histiocytoma, Metastatic, Skin

X

**INTEGUMENTARY SYSTEM**

Mammary Gland

+ +

Skin

+ +

Subcutaneous Tissue, Fibrosarcoma

X

X

Subcutaneous Tissue, Fibrous  
Histiocytoma

X

Subcutaneous Tissue,  
Hemangiosarcoma

\* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

|                           |           |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |   |
|---------------------------|-----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|---|
|                           | 5         | 5     | 6     | 6     | 6     | 6     | 7     | 7     | 7     | 7     | 7     | 7     | 7     | 7     | 7     | 7     | 7     | 7     | 7     | 7     | 7     | 7     | 7     | 7     | 7     | 7     | 7     | 7     | 7     |   |
|                           | 2         | 4     | 0     | 6     | 7     | 9     | 0     | 2     | 2     | 2     | 2     | 2     | 2     | 2     | 2     | 2     | 2     | 2     | 2     | 2     | 2     | 2     | 2     | 2     | 2     | 2     | 2     | 2     | 2     |   |
|                           | 7         | 9     | 3     | 7     | 1     | 5     | 3     | 7     | 7     | 7     | 7     | 7     | 7     | 7     | 7     | 7     | 7     | 7     | 7     | 7     | 7     | 7     | 7     | 7     | 7     | 8     | 8     | 8     | 8     |   |
| .....                     | .....     | ..... | ..... | ..... | ..... | ..... | ..... | ..... | ..... | ..... | ..... | ..... | ..... | ..... | ..... | ..... | ..... | ..... | ..... | ..... | ..... | ..... | ..... | ..... | ..... | ..... | ..... | ..... | ..... |   |
| <b>B6C3F1 MICE FEMALE</b> |           | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     |   |
|                           | ANIMAL ID | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0     | 0 |
| <b>188 MG/KG</b>          |           | 2     | 2     | 2     | 2     | 2     | 2     | 2     | 2     | 2     | 2     | 2     | 2     | 2     | 2     | 2     | 2     | 2     | 2     | 2     | 2     | 2     | 2     | 2     | 3     | 2     | 2     | 2     | 2     | 2 |
|                           |           | 6     | 6     | 6     | 6     | 5     | 7     | 6     | 5     | 6     | 6     | 7     | 7     | 7     | 7     | 7     | 8     | 8     | 8     | 9     | 9     | 9     | 9     | 9     | 0     | 5     | 5     | 6     | 6     |   |
|                           |           | 6     | 0     | 7     | 2     | 8     | 4     | 4     | 1     | 1     | 8     | 1     | 2     | 5     | 7     | 9     | 1     | 3     | 3     | 4     | 5     | 9     | 0     | 2     | 3     | 3     | 3     | 3     | 3     |   |

females  
(cont...)**MUSCULOSKELETAL SYSTEM**

|  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Bone                                   | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |  |
| Skeletal Muscle                        |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |
| Fibrous Histiocytoma, Metastatic, Skin |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |

**NERVOUS SYSTEM**

|       |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

**RESPIRATORY SYSTEM**

|   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Lung  | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |  |
| Alveolar/Bronchiolar Adenoma                        |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |
| Alveolar/Bronchiolar Adenoma, Multiple              |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |
| Alveolar/Bronchiolar Carcinoma                      |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |
| Fibrous Histiocytoma, Metastatic, Skin              |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |
| Mediastinum, Fibrous Histiocytoma, Metastatic, Skin |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |

|      |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

|         |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
|---------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
|---------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

\* .. Total animals with tissue examined microscopically; Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A .. Autolysis precludes evaluation

x .. Lesion present

BLANK .. Not examined microscopically

I .. Insufficient tissue

TDMS No. 95011 - 06

**Test Type:** CHRONIC

## **Route:** GAVAGE

**Species/Strain:** MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

## 5-(HYDROXYMETHYL)-2-FURFURAL

**CAS Number:** 67-47-0

**Pathologist:** TOFT, J. - Blackshear, P

Date Report Registered: 11/10/2006

Time Report Requested: 09:06:29

**First Dose M/F:** 08/09/01 / 08/08/01

## Lab: BAT

## SPECIAL SENSES SYSTEM

Ear

Eye

## Harderian Gland

### Adenoma

## **URINARY SYSTEM**

Kidney

## Urinary Bladder

### Fibrous Histiocytoma, Metastatic, Skin

## **SYSTEMIC LESIONS**

## Multiple Organ

#### **Lymphoma Malignant**

\* .. Total animals with tissue examined microscopically: Total animals with tumor

† .. Tissue examined microscopically

x ... Lesion present

X .. Lesion present  
| Insufficient tissue

### M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK - Not examined microscopically

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

| DAY ON TEST               | 7               | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |   |
|---------------------------|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
|                           | 2               | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
|                           | 8               | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |   |
| <b>B6C3F1 MICE FEMALE</b> | 0               | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |   |
| <b>188 MG/KG</b>          | 0               | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |   |
|                           | 2               | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |   |
|                           | 6               | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 5 | 5 | 5 | 5 | 6 | 7 | 7 | 8 | 8 | 9 | 9 |   |
|                           | 9               | 0 | 8 | 2 | 4 | 5 | 6 | 7 | 9 | 0 | 2 | 7 | 8 | 4 | 5 | 6 | 7 | 5 | 3 | 6 | 0 | 8 | 1 | 6 |   |   |
|                           | <b>* TOTALS</b> |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |

## ALIMENTARY SYSTEM

|  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |   |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|
| Esophagus                              | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |   |
| Gallbladder                            | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |   |
| Intestine Large, Cecum                 | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |   |
| Fibrous Histiocytoma, Metastatic, Skin |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    | 1 |
| Intestine Large, Colon                 | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |   |
| Fibrous Histiocytoma, Metastatic, Skin |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    | 1 |
| Intestine Large, Rectum                | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |   |
| Intestine Small, Duodenum              | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |   |
| Fibrous Histiocytoma, Metastatic, Skin |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    | 1 |
| Intestine Small, Ileum                 | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |   |
| Fibrous Histiocytoma, Metastatic, Skin |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    | 1 |
| Intestine Small, Jejunum               | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |   |
| Hemangioma                             |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    | 1 |
| Liver                                  | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |   |
| Fibrous Histiocytoma, Metastatic, Skin |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    | 1 |

\* .. Total animals with tissue examined microscopically; Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A .. Autolysis precludes evaluation

x .. Lesion present

BLANK .. Not examined microscopically

| .. Insufficient tissue

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

| DAY ON TEST                            | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7  | 7        |   |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|----------|---|
|  | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2  | 2        | 2 |
|  | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9  | 9        | 9 |
| <b>B6C3F1 MICE FEMALE</b>              | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0  | 0        |   |
| <b>188 MG/KG</b>                       | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0  | 0        |   |
|  | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2  | 2        |   |
|  | 6 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 5 | 5 | 5 | 5 | 6 | 7 | 7 | 8 | 8 | 9  | 9        |   |
|  | 9 | 0 | 8 | 2 | 4 | 5 | 6 | 7 | 9 | 0 | 2 | 7 | 8 | 4 | 5 | 6 | 7 | 5 | 3 | 6 | 0 | 8 | 1 | 6  | * TOTALS |   |
| Hemangioma                             |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    | 1        |   |
| Hepatocellular Adenoma                 | X |   | X |   | X |   | X |   | X |   | X |   | X |   | X |   | X |   | X | X | X | X |   | 16 |          |   |
| Hepatocellular Adenoma, Multiple       |   |   |   |   | X |   |   |   | X |   |   |   | X |   | X |   | X |   |   |   |   |   |   | 10 |          |   |
| Hepatocellular Carcinoma               |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    | 1        |   |
| Mesentery                              |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    | 7        |   |
| Carcinoma, Metastatic, Uterus          |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    | 1        |   |
| Fibrous Histiocytoma, Metastatic, Skin |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    | 1        |   |
| Pancreas                               | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | +  | 49       |   |
| Fibrous Histiocytoma, Metastatic, Skin |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    | 1        |   |
| Salivary Glands                        | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | +  | 49       |   |
| Stomach, Forestomach                   | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | +  | 49       |   |
| Squamous Cell Papilloma                |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    | 1        |   |
| Stomach, Glandular                     | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | +  | 49       |   |
| Fibrous Histiocytoma, Metastatic, Skin |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    | 1        |   |

**CARDIOVASCULAR SYSTEM**

|              |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Blood Vessel |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | 1  |
| Heart        | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |

\* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

l .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

| DAY ON TEST               | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7        |   |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|
|                           | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2        | 2 |
|                           | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9        | 9 |
| <b>B6C3F1 MICE FEMALE</b> | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0        | 0 |
| <b>188 MG/KG</b>          | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0        | 0 |
|                           | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2        | 2 |
|                           | 6 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 5 | 5 | 5 | 5 | 6 | 7 | 7 | 8 | 8 | 9 | 9        | 9 |
|                           | 9 | 0 | 8 | 2 | 4 | 5 | 6 | 7 | 9 | 0 | 2 | 7 | 8 | 4 | 5 | 6 | 7 | 5 | 3 | 6 | 0 | 8 | 1 | 6 | * TOTALS |   |

Fibrous Histiocytoma, Metastatic, Skin

1

## ENDOCRINE SYSTEM

|  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Adrenal Cortex                         | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Fibrous Histiocytoma, Metastatic, Skin |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | 1  |
| Adrenal Medulla                        | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Islets, Pancreatic Adenoma             | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
|  |   |   |   |   |   |   |   |   |   |   |   |   |   |   | X |   |   |   |   |   |   |   |   |   | 1  |
| Parathyroid Gland                      | + | + | M | M | + | + | + | M | M | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | 41 |
| Pituitary Gland                        | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Pars Distalis, Adenoma                 |   |   |   |   |   |   |   |   |   | X | X |   |   |   |   |   |   |   |   |   | X |   |   |   | 5  |
| Thyroid Gland                          | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Follicular Cell, Adenoma               |   |   |   |   |   |   |   |   |   | X | X | X |   |   |   |   |   |   |   |   |   |   |   |   | 5  |
| Follicular Cell, Adenoma, Multiple     |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | 1  |

## GENERAL BODY SYSTEM

NONE

\* .. Total animals with tissue examined microscopically; Total animals with tumor  
+ .. Tissue examined microscopically  
x .. Lesion present  
| .. Insufficient tissue

M .. Missing tissue  
A .. Autolysis precludes evaluation  
BLANK .. Not examined microscopically

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

| DAY ON TEST               | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |          |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
|                           | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2        |
|                           | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9        |
| <b>B6C3F1 MICE FEMALE</b> | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0        |
| <b>188 MG/KG</b>          | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0        |
|                           | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2        |
|                           | 6 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 5 | 5 | 5 | 5 | 6 | 7 | 7 | 8 | 8 | 9 | 9        |
|                           | 9 | 0 | 8 | 2 | 4 | 5 | 6 | 7 | 9 | 0 | 2 | 7 | 8 | 4 | 5 | 6 | 7 | 5 | 3 | 6 | 0 | 8 | 1 | 6 | * TOTALS |

**GENITAL SYSTEM**

|                   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |   |
|-------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|
| Clitoral Gland    | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |   |
| Ovary             | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |   |
| Cystadenoma       |   |   |   |   | X |   |   |   |   |   | X |   |   |   |   |   |   | X |   |   |   |   |   | 4  |   |
| Thecoma Malignant |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    | 1 |
| Oviduct           |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    | 1 |
| Uterus            | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |   |
| Carcinoma         |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | X |   |   |   |   |    | 1 |
| Polyp Stromal     |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | X |   |   |   |   |    | 1 |
| Vagina            |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    | 1 |

**HEMATOPOIETIC SYSTEM**

|  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |   |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|
| Bone Marrow  | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |   |
| Hemangiosarcoma  |   |   |   |   | X |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    | 2 |
| Lymph Node   | + | + |   | + |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    | 7 |
| Mediastinal, Fibrous Histiocytoma,<br>Metastatic, Skin |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    | 1 |

\* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

| DAY ON TEST               | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |          |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
|                           | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2        |
|                           | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9        |
| <b>B6C3F1 MICE FEMALE</b> | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0        |
| <b>188 MG/KG</b>          | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0        |
|                           | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2        |
|                           | 6 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 5 | 5 | 5 | 5 | 6 | 7 | 7 | 8 | 8 | 9 | 9        |
|                           | 9 | 0 | 8 | 2 | 4 | 5 | 6 | 7 | 9 | 0 | 2 | 7 | 8 | 4 | 5 | 6 | 7 | 5 | 3 | 6 | 0 | 8 | 1 | 6 | * TOTALS |

|  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |   |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|
| Lymph Node, Mandibular                 | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |   |
| Lymph Node, Mesenteric                 | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |   |
| Carcinoma, Metastatic, Uterus          |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | X |   |   |   |   |   | 1  |   |
| Fibrous Histiocytoma                   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    | 1 |
| Spleen                                 | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |   |
| Fibrous Histiocytoma, Metastatic, Skin |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    | 1 |
| Hemangiosarcoma                        |   |   |   |   |   |   | X |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    | 2 |
| Thymus                                 | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |   |
| Fibrous Histiocytoma, Metastatic, Skin |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    | 1 |

**INTEGUMENTARY SYSTEM**

|   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |   |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|
| Mammary Gland                             | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |   |
| Skin                                      | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |   |
| Subcutaneous Tissue, Fibrosarcoma         |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    | 2 |
| Subcutaneous Tissue, Fibrous Histiocytoma |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    | 1 |
| Subcutaneous Tissue, Hemangiosarcoma      |   |   |   |   |   | X |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    | 1 |

\* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

| DAY ON TEST               | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7               |   |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|---|
|                           | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2               | 2 |
|                           | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9               | 9 |
| <b>B6C3F1 MICE FEMALE</b> | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0               |   |
| <b>188 MG/KG</b>          | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0               |   |
|                           | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2               |   |
|                           | 6 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 5 | 5 | 5 | 5 | 6 | 7 | 7 | 8 | 8 | 9 | 9               |   |
|                           | 9 | 0 | 8 | 2 | 4 | 5 | 6 | 7 | 9 | 0 | 2 | 7 | 8 | 4 | 5 | 6 | 7 | 5 | 3 | 6 | 0 | 8 | 1 | 6 |                 |   |
|                           |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | <b>* TOTALS</b> |   |

**MUSCULOSKELETAL SYSTEM**

|  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |           |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Bone                                   | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | <b>49</b> |
| Skeletal Muscle                        |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | <b>2</b>  |
| Fibrous Histiocytoma, Metastatic, Skin |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | <b>1</b>  |

**NERVOUS SYSTEM**

|       |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |           |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | <b>49</b> |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|

**RESPIRATORY SYSTEM**

|   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |           |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Lung  | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | <b>49</b> |
| Alveolar/Bronchiolar Adenoma                        |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | <b>1</b>  |
| Alveolar/Bronchiolar Adenoma, Multiple              |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | <b>1</b>  |
| Alveolar/Bronchiolar Carcinoma                      |   |   | X |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | <b>3</b>  |
| Fibrous Histiocytoma, Metastatic, Skin              |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | <b>1</b>  |
| Mediastinum, Fibrous Histiocytoma, Metastatic, Skin |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | <b>1</b>  |

|      |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |           |
|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | <b>49</b> |
|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|

|         |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |           |
|---------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | <b>49</b> |
|---------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|

\* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

l .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

|                           |             |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |  |
|---------------------------|-------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|--|
|                           | DAY ON TEST | 7<br>2<br>8           |                       |  |
| <b>B6C3F1 MICE FEMALE</b> | ANIMAL ID   | 0<br>0<br>2<br>6<br>9 | 0<br>0<br>2<br>7<br>0 | 0<br>0<br>2<br>8<br>2 | 0<br>0<br>2<br>8<br>4 | 0<br>0<br>2<br>8<br>5 | 0<br>0<br>2<br>8<br>6 | 0<br>0<br>2<br>8<br>7 | 0<br>0<br>2<br>8<br>9 | 0<br>0<br>2<br>8<br>9 | 0<br>0<br>2<br>9<br>0 | 0<br>0<br>2<br>9<br>2 | 0<br>0<br>2<br>9<br>4 | 0<br>0<br>2<br>9<br>5 | 0<br>0<br>2<br>9<br>6 | 0<br>0<br>2<br>9<br>7 | 0<br>0<br>2<br>9<br>8 | 0<br>0<br>2<br>9<br>9 | 0<br>0<br>2<br>9<br>0 | 0<br>0<br>2<br>9<br>1 | 0<br>0<br>2<br>9<br>6 | 0<br>0<br>2<br>9<br>1 | 0<br>0<br>2<br>9<br>6 | 0<br>0<br>2<br>9<br>1 |  |
| <b>188 MG/KG</b>          |             | <b>* TOTALS</b>       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |                       |  |

**SPECIAL SENSES SYSTEM**

|                 |       |   |    |
|-----------------|-------|---|----|
| Ear             | ..... | + | 1  |
| Eye             | ..... | + | 49 |
| Harderian Gland | ..... | + | 48 |
| Adenoma         | ..... | X | 3  |

**URINARY SYSTEM**

|                 |       |   |    |
|-----------------|-------|---|----|
| Kidney          | ..... | + | 49 |
| Urinary Bladder | ..... | + | 49 |

Fibrous Histiocytoma, Metastatic, Skin 1

**SYSTEMIC LESIONS**

|                    |       |   |    |
|--------------------|-------|---|----|
| Multiple Organ     | ..... | + | 49 |
| Lymphoma Malignant | ..... | X | 6  |

\* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

|                           |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
|                           | 4 | 4 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
|                           | 7 | 9 | 3 | 5 | 1 | 2 | 4 | 4 | 5 | 7 | 7 | 7 | 9 | 9 | 0 | 0 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
|                           | 5 | 6 | 1 | 5 | 5 | 6 | 8 | 9 | 4 | 3 | 3 | 5 | 3 | 5 | 0 | 1 | 1 | 2 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| <b>B6C3F1 MICE FEMALE</b> | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <b>375 MG/KG</b>          | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|                           | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
|                           | 2 | 0 | 4 | 0 | 4 | 4 | 0 | 4 | 3 | 1 | 3 | 3 | 3 | 1 | 2 | 0 | 4 | 3 | 0 | 0 | 0 | 1 | 1 | 1 | 1 |
|                           | 4 | 1 | 8 | 6 | 9 | 2 | 3 | 4 | 7 | 4 | 1 | 4 | 6 | 9 | 9 | 5 | 3 | 2 | 2 | 4 | 7 | 0 | 1 | 3 | 8 |

females  
(cont...)

## ALIMENTARY SYSTEM

|                                    |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |
|------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Esophagus                          | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |  |
| Gallbladder                        | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |  |
| Intestine Large, Cecum             | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |  |
| Intestine Large, Colon             | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |  |
| Intestine Large, Rectum            | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |  |
| Intestine Small, Duodenum          | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |  |
| Intestine Small, Ileum             | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |  |
| Intestine Small, Jejunum           | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |  |
| Liver                              | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |  |
| Hepatocellular Adenoma             |   |   | X | X |   |   |   |   |   |   |   |   |   | X | X | X | X | X |   |   |   | X | X |   |   |  |
| Hepatocellular Adenoma, Multiple   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |
| Hepatocellular Carcinoma           |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |
| Hepatocellular Carcinoma, Multiple |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |
| Mesentery                          |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |
|                                    |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |
|                                    |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |
|                                    |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |

\* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

| <b>B6C3F1 MICE FEMALE<br/>375 MG/KG</b> | ANIMAL ID | DAY ON TEST |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
|---|-----------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
|   |           | 4           | 4 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |   |
|   |           | 7           | 9 | 3 | 5 | 1 | 2 | 4 | 4 | 5 | 7 | 7 | 7 | 9 | 9 | 0 | 0 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
|   |           | 5           | 6 | 1 | 5 | 5 | 6 | 8 | 9 | 4 | 3 | 3 | 5 | 3 | 5 | 0 | 1 | 1 | 2 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |

Hemangiosarcoma, Metastatic, Spleen

X

Oral Mucosa

Pancreas

+ +

Salivary Glands

+ + + + + + + + + + + M + + + + + + + + + + + + + + + +

Stomach, Forestomach

+ +

Stomach, Glandular

+ +

Tongue

M

**CARDIOVASCULAR SYSTEM**

Blood Vessel

+

Heart

+ +

Hemangiosarcoma, Metastatic, Spleen

X

**ENDOCRINE SYSTEM**

Adrenal Cortex

+ +

\* .. Total animals with tissue examined microscopically; Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A .. Autolysis precludes evaluation

x .. Lesion present

BLANK .. Not examined microscopically

I .. Insufficient tissue

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

|                    |           |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
|--------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
|                    | 4         | 4 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |   |
|                    | 7         | 9 | 3 | 5 | 1 | 2 | 4 | 4 | 5 | 7 | 7 | 7 | 9 | 9 | 0 | 0 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |   |
|                    | 5         | 6 | 1 | 5 | 5 | 6 | 8 | 9 | 4 | 3 | 3 | 5 | 3 | 5 | 0 | 1 | 1 | 2 | 7 | 7 | 7 | 7 | 7 | 7 |   |
|                    | 0         | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |   |
|                    | 0         | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |   |
| B6C3F1 MICE FEMALE | ANIMAL ID | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |   |
| 375 MG/KG          |           | 2 | 0 | 4 | 0 | 4 | 4 | 0 | 4 | 3 | 1 | 3 | 3 | 3 | 1 | 2 | 0 | 4 | 3 | 0 | 0 | 0 | 1 | 1 |   |
|                    |           | 4 | 1 | 8 | 6 | 9 | 2 | 3 | 4 | 7 | 4 | 1 | 4 | 6 | 9 | 9 | 5 | 3 | 2 | 2 | 4 | 7 | 0 | 1 | 3 |

females  
(cont...)

|                                     |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
|-------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Adrenal Medulla                     | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Islets, Pancreatic                  | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Parathyroid Gland                   | M | + | M | + | + | + | + | + | M | + | + | + | M | + | M | M | + | + | + | M | M | M | + | + |
| Pituitary Gland                     | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | M |
| Pars Distalis, Adenoma              |   |   |   |   |   |   |   |   |   |   |   |   | X |   |   |   |   |   |   |   |   |   |   |   |
| Thyroid Gland                       | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + |
| Bilateral, Follicular Cell, Adenoma |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
| Follicular Cell, Adenoma            |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |

## GENERAL BODY SYSTEM

NONE

## GENITAL SYSTEM

|                |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
|----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Clitoral Gland | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Ovary          | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | I | + | + |
| Cystadenoma    |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | X |   |   |
| Oviduct        |   |   |   |   |   |   |   |   |   |   |   |   |   | + |   |   |   |   |   |   |   |   |   |   |

\* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

**P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)**

Date Report Reqsted: 11/10/2006

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Time Report Reqsted: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

| ANIMAL ID                 | DAY ON TEST | 4 | 4 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |   |  |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
|                           |             | 7 | 9 | 3 | 5 | 1 | 2 | 4 | 4 | 5 | 7 | 7 | 7 | 9 | 9 | 0 | 0 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |  |
|                           |             | 5 | 6 | 1 | 5 | 5 | 6 | 8 | 9 | 4 | 3 | 3 | 5 | 3 | 5 | 0 | 1 | 1 | 2 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |  |
| <b>B6C3F1 MICE FEMALE</b> |             | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |   |  |
| <b>375 MG/KG</b>          |             | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |   |  |
|                           |             | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |   |  |
|                           |             | 2 | 0 | 4 | 0 | 4 | 4 | 0 | 4 | 3 | 1 | 3 | 3 | 3 | 1 | 2 | 0 | 4 | 3 | 0 | 0 | 0 | 1 | 1 | 1 | 1 |   |  |
|                           |             | 4 | 1 | 8 | 6 | 9 | 2 | 3 | 4 | 7 | 4 | 1 | 4 | 6 | 9 | 9 | 5 | 3 | 2 | 2 | 4 | 7 | 0 | 1 | 3 | 8 |   |  |
|                           |             |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |
| Uterus                    |             | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |   |  |
| Polyp Stromal             |             |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |
| Sarcoma Stromal           |             |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |
|                           |             |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |
| Vagina                    |             |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |

**HEMATOPOIETIC SYSTEM**

|                                     |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
|-------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone Marrow                         | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |   |
| Hemangiosarcoma, Metastatic, Spleen |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | X |
| Lymph Node                          |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | + | + | + |   |   |   |   |   |   |   |
| Lymph Node, Mandibular              | + | + | + | + | + | + | + | + | + | + | + | M | M | + | + | M | + | + | + | + | + | + | + | + | + | + |   |
| Lymph Node, Mesenteric              | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |   |
| Spleen                              | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |   |
| Hemangiosarcoma                     |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | X |
| Thymus                              | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |   |

**INTEGUMENTARY SYSTEM**

|               |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
|---------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
|---------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

\* .. Total animals with tissue examined microscopically; Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A .. Autolysis precludes evaluation

x .. Lesion present

BLANK .. Not examined microscopically

| .. Insufficient tissue

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

|                           |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
|                           | 4 | 4 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
|                           | 7 | 9 | 3 | 5 | 1 | 2 | 4 | 4 | 5 | 7 | 7 | 7 | 9 | 9 | 0 | 0 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
|                           | 5 | 6 | 1 | 5 | 5 | 6 | 8 | 9 | 4 | 3 | 3 | 5 | 3 | 5 | 0 | 1 | 1 | 2 | 7 | 7 | 7 | 7 | 7 | 7 |
| <b>B6C3F1 MICE FEMALE</b> | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <b>375 MG/KG</b>          | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|                           | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
|                           | 2 | 0 | 4 | 0 | 4 | 4 | 0 | 4 | 3 | 1 | 3 | 3 | 3 | 1 | 2 | 0 | 4 | 3 | 0 | 0 | 0 | 1 | 1 | 1 |
|                           | 4 | 1 | 8 | 6 | 9 | 2 | 3 | 4 | 7 | 4 | 1 | 4 | 6 | 9 | 9 | 5 | 3 | 2 | 2 | 4 | 7 | 0 | 1 | 3 |

females  
(cont...)

Carcinoma

X

Skin

+ +

Subcutaneous Tissue, Sarcoma Stromal,  
Metastatic, UterusSubcutaneous Tissue, Schwannoma  
Malignant

X

**MUSCULOSKELETAL SYSTEM**

Bone

+ +

Vertebra, Osteosarcoma

X

Skeletal Muscle

**NERVOUS SYSTEM**

Brain

+ +

Peripheral Nerve

+

Spinal Cord

+

**RESPIRATORY SYSTEM**

\* .. Total animals with tissue examined microscopically; Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A .. Autolysis precludes evaluation

x .. Lesion present

BLANK .. Not examined microscopically

| .. Insufficient tissue

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

| DAY ON TEST               | 4 | 4 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |   |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
|                           | 7 | 9 | 3 | 5 | 1 | 2 | 4 | 4 | 5 | 7 | 7 | 7 | 9 | 9 | 0 | 0 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
|                           | 5 | 6 | 1 | 5 | 5 | 6 | 8 | 9 | 4 | 3 | 3 | 5 | 3 | 5 | 0 | 1 | 1 | 2 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| <b>B6C3F1 MICE FEMALE</b> | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |   |
| <b>375 MG/KG</b>          | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |   |
|                           | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |   |
|                           | 2 | 0 | 4 | 0 | 4 | 4 | 0 | 4 | 3 | 1 | 3 | 3 | 3 | 1 | 2 | 0 | 4 | 3 | 0 | 0 | 0 | 1 | 1 | 1 | 1 |   |
|                           | 4 | 1 | 8 | 6 | 9 | 2 | 3 | 4 | 7 | 4 | 1 | 4 | 6 | 9 | 9 | 5 | 3 | 2 | 2 | 4 | 7 | 0 | 1 | 3 | 8 |   |

females  
(cont...)

|  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Lung   | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |  |
|  |   |   |   |   |   |   |   |   |   | X |   |   |   | X |   |   |   |   |   |   |   |   |   |   |   |  |
| Alveolar/Bronchiolar Adenoma                   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |
| Alveolar/Bronchiolar Carcinoma                 |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |
| Hepatocellular Carcinoma, Metastatic,<br>Liver |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |
| Nose   | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |  |
| Trachea  | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |  |

**SPECIAL SENSES SYSTEM**

|                 |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Eye             | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
|                 |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Adenoma         |   |   | X | X | X |   |   |   |   | X |   |   |   |   |   |   |   |   | X | X | X |   |   | X |   |

|                |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|----------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Zymbal's Gland |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|----------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|

**URINARY SYSTEM**

|                                     |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |
|-------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Kidney                              | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |  |
|                                     |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | X |   |   |   |   |   |   |  |
| Hemangiosarcoma, Metastatic, Spleen |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |

\* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

|                    |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
|                    | 4 | 4 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
|                    | 7 | 9 | 3 | 5 | 1 | 2 | 4 | 4 | 5 | 7 | 7 | 7 | 9 | 9 | 0 | 0 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
|                    | 5 | 6 | 1 | 5 | 5 | 6 | 8 | 9 | 4 | 3 | 3 | 5 | 3 | 5 | 0 | 1 | 1 | 2 | 7 | 7 | 7 | 7 | 7 | 7 |
| .....              | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 375 MG/KG          | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
|                    | 2 | 0 | 4 | 0 | 4 | 4 | 0 | 4 | 3 | 1 | 3 | 3 | 3 | 1 | 2 | 0 | 4 | 3 | 0 | 0 | 0 | 1 | 1 | 1 |
|                    | 4 | 1 | 8 | 6 | 9 | 2 | 3 | 4 | 7 | 4 | 1 | 4 | 6 | 9 | 9 | 5 | 3 | 2 | 2 | 4 | 7 | 0 | 1 | 3 |

females  
(cont...)

Urinary Bladder

+ M + + +

Sarcoma Stromal, Metastatic, Uterus

## SYSTEMIC LESIONS

Multiple Organ

+ +

Histiocytic Sarcoma

X X X

Lymphoma Malignant

\* .. Total animals with tissue examined microscopically; Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A .. Autolysis precludes evaluation

x .. Lesion present

BLANK .. Not examined microscopically

| .. Insufficient tissue

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

| DAY ON TEST               | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7        |   |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|
|                           | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2        | 2 |
|                           | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9        | 9 |
| <b>B6C3F1 MICE FEMALE</b> | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0        | 0 |
| <b>375 MG/KG</b>          | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0        | 0 |
|                           | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3        | 3 |
|                           | 2 | 2 | 2 | 3 | 3 | 4 | 4 | 4 | 5 | 0 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 3 | 4 | 0 | 2 | 3 | 3 | 3 | 4        | 4 |
|                           | 0 | 3 | 6 | 0 | 3 | 1 | 6 | 7 | 0 | 9 | 2 | 5 | 6 | 7 | 1 | 2 | 5 | 7 | 9 | 5 | 8 | 8 | 5 | 8 | 0 | * TOTALS |   |

## ALIMENTARY SYSTEM

|                                    |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |
|------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Esophagus                          | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Gallbladder                        | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Intestine Large, Cecum             | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Colon             | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Rectum            | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Duodenum          | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Ileum             | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Jejunum           | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Liver                              | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hepatocellular Adenoma             | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | 19 |
| Hepatocellular Adenoma, Multiple   | X |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | 7  |
| Hepatocellular Carcinoma           |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | 1  |
| Hepatocellular Carcinoma, Multiple |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | 1  |
| Mesentery                          | + |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | 6  |

\* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

| DAY ON TEST               | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7        | 7 |   |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|---|
|                           | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2        | 2 | 2 |
|                           | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9        | 9 | 9 |
| <b>B6C3F1 MICE FEMALE</b> | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0        | 0 |   |
| <b>375 MG/KG</b>          | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0        | 0 |   |
|                           | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3        | 3 |   |
|                           | 2 | 2 | 2 | 3 | 3 | 4 | 4 | 4 | 5 | 0 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 3 | 4 | 0 | 2 | 3 | 3 | 3 | 4        | 4 |   |
|                           | 0 | 3 | 6 | 0 | 3 | 1 | 6 | 7 | 0 | 9 | 2 | 5 | 6 | 7 | 1 | 2 | 5 | 7 | 9 | 5 | 8 | 8 | 5 | 8 | 0 | * TOTALS |   |   |

Hemangiosarcoma, Metastatic, Spleen 1

|                      |   |    |
|----------------------|---|----|
| Oral Mucosa          | + | 2  |
| Pancreas             | + | 50 |
| Salivary Glands      | + | 49 |
| Stomach, Forestomach | + | 50 |
| Stomach, Glandular   | + | 50 |
| Tongue               | 0 |    |

**CARDIOVASCULAR SYSTEM**

|                                     |   |    |
|-------------------------------------|---|----|
| Blood Vessel                        | + | 3  |
| Heart                               | + | 50 |
| Hemangiosarcoma, Metastatic, Spleen | 1 |    |

**ENDOCRINE SYSTEM**

|                |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |
|----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
|                |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |

\* .. Total animals with tissue examined microscopically; Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A .. Autolysis precludes evaluation

x .. Lesion present

BLANK .. Not examined microscopically

| .. Insufficient tissue

TDMS No. 95011 - 06

**Test Type:** CHRONIC

## **Route:** GAVAGE

**Species/Strain:** MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

## 5-(HYDROXYMETHYL)-2-FURFURAL

**CAS Number:** 67-47-0

**Pathologist:** TOFT, J. - Blackshear, P

Date Report Registered: 11/10/2006

Time Report Requested: 09:06:29

**First Dose M/F:** 08/09/01 / 08/08/01

## Lab: BAT

## **GENERAL BODY SYSTEM**

**NONE**

## **GENITAL SYSTEM**

\* .. Total animals with tissue examined microscopically; Total animals with tumor

† ... Tissue examined microscopically

x Lesion present

.. Lesion present  
 Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

**BLANK** Not examined microscopically

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

**P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)**

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

| ANIMAL ID                 | DAY ON TEST | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7        | 7  |   |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|----|---|
|                           |             | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2        | 2  | 2 |
|                           |             | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9        | 9  |   |
| <b>B6C3F1 MICE FEMALE</b> |             | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0        | 0  |   |
| <b>375 MG/KG</b>          |             | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0        | 0  |   |
|                           |             | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3        | 3  |   |
|                           |             | 2 | 2 | 2 | 3 | 3 | 3 | 4 | 4 | 4 | 5 | 0 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 3 | 4 | 0 | 2 | 3 | 3 | 4        | 0  |   |
|                           |             | 0 | 3 | 6 | 0 | 3 | 1 | 6 | 7 | 0 | 9 | 2 | 5 | 6 | 7 | 1 | 2 | 5 | 7 | 9 | 5 | 8 | 8 | 5 | 8 | 0 | * TOTALS |    |   |
| Uterus                    |             | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | +        | 50 |   |
| Polyp Stromal             |             |   |   |   |   |   |   |   |   |   |   | X |   |   |   |   |   | X |   |   | X |   |   |   |   |   |          | 3  |   |
| Sarcoma Stromal           |             |   |   |   |   |   |   |   |   |   |   | X |   |   |   |   |   |   |   |   |   |   |   |   |   |   |          | 1  |   |
| Vagina                    |             |   |   |   |   |   |   |   |   |   |   |   | + |   |   |   |   |   |   |   |   |   |   |   |   |   |          | 1  |   |

**HEMATOPOIETIC SYSTEM**

|                                     |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |   |
|-------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|
| Bone Marrow                         | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |   |
| Hemangiosarcoma, Metastatic, Spleen |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    | 1 |
| Lymph Node                          |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    | 3 |
| Lymph Node, Mandibular              | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | 46 |   |
| Lymph Node, Mesenteric              | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | 49 |   |
| Spleen                              | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |   |
| Hemangiosarcoma                     |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    | 1 |
| Thymus                              | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |   |

**INTEGUMENTARY SYSTEM**

|               |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |
|---------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
|---------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

\* .. Total animals with tissue examined microscopically; Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A .. Autolysis precludes evaluation

x .. Lesion present

BLANK .. Not examined microscopically

| .. Insufficient tissue

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

| DAY ON TEST               | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7        |   |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|
|                           | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2        | 2 |
|                           | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9        | 9 |
| <b>B6C3F1 MICE FEMALE</b> | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0        | 0 |
| <b>375 MG/KG</b>          | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0        | 0 |
|                           | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3        | 3 |
|                           | 2 | 2 | 2 | 3 | 3 | 4 | 4 | 4 | 5 | 0 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 3 | 4 | 0 | 2 | 3 | 3 | 3 | 4        | 4 |
|                           | 0 | 3 | 6 | 0 | 3 | 1 | 6 | 7 | 0 | 9 | 2 | 5 | 6 | 7 | 1 | 2 | 5 | 7 | 9 | 5 | 8 | 8 | 5 | 8 | 0 | * TOTALS |   |

Carcinoma 1

Skin + 50

Subcutaneous Tissue, Sarcoma Stromal, Metastatic, Uterus X 1

Subcutaneous Tissue, Schwannoma Malignant 1

**MUSCULOSKELETAL SYSTEM**

Bone + 50

Vertebra, Osteosarcoma 1

Skeletal Muscle + 1

**NERVOUS SYSTEM**

Brain + 50

Peripheral Nerve 1

Spinal Cord 1

**RESPIRATORY SYSTEM**

\* .. Total animals with tissue examined microscopically; Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A .. Autolysis precludes evaluation

x .. Lesion present

BLANK .. Not examined microscopically

| .. Insufficient tissue

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

| DAY ON TEST               | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7        |   |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|
|                           | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2        | 2 |
|                           | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9        | 9 |
| <b>B6C3F1 MICE FEMALE</b> | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0        | 0 |
| <b>375 MG/KG</b>          | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0        | 0 |
|                           | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3        | 3 |
|                           | 2 | 2 | 2 | 3 | 3 | 4 | 4 | 4 | 5 | 0 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 3 | 4 | 0 | 2 | 3 | 3 | 3 | 4        | 4 |
|                           | 0 | 3 | 6 | 0 | 3 | 1 | 6 | 7 | 0 | 9 | 2 | 5 | 6 | 7 | 1 | 2 | 5 | 7 | 9 | 5 | 8 | 8 | 5 | 8 | 0 | * TOTALS |   |

|  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Lung   | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Alveolar/Bronchiolar Adenoma                   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | 2  |
| Alveolar/Bronchiolar Carcinoma                 |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | X |   |   |   | 1  |
| Hepatocellular Carcinoma, Metastatic,<br>Liver |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | X |   |   | 1  |
| Nose   | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Trachea  | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

**SPECIAL SENSES SYSTEM**

|                 |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Eye             | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Adenoma         |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | 9  |

|                |   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |   |
|----------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|
| Zymbal's Gland | + |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  | 1 |
|----------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|

**URINARY SYSTEM**

|                                     |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |
|-------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Kidney                              | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangiosarcoma, Metastatic, Spleen |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | 1  |

\* .. Total animals with tissue examined microscopically; Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A .. Autolysis precludes evaluation

x .. Lesion present

BLANK .. Not examined microscopically

| .. Insufficient tissue

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

|                                     |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |               |    |   |
|-------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---------------|----|---|
|                                     | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7             | 7  | 7 |
|                                     | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2             | 2  | 2 |
|                                     | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9             | 9  | 9 |
| <b>B6C3F1 MICE FEMALE</b>           | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0             | 0  | 0 |
| <b>375 MG/KG</b>                    | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0             | 0  | 0 |
|                                     | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3             | 3  | 3 |
|                                     | 2 | 2 | 2 | 3 | 3 | 3 | 4 | 4 | 4 | 5 | 0 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 3 | 4 | 0 | 2 | 3 | 3 | 3 | 4             | 0  | 2 |
|                                     | 0 | 3 | 6 | 0 | 3 | 1 | 6 | 7 | 0 | 9 | 2 | 5 | 6 | 7 | 1 | 2 | 5 | 7 | 9 | 5 | 8 | 8 | 5 | 8 | 0 | * | <b>TOTALS</b> | 1  |   |
| Urinary Bladder                     | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | +             | 49 |   |
| Sarcoma Stromal, Metastatic, Uterus |   |   |   |   |   |   |   |   |   |   | X |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |               |    |   |

## SYSTEMIC LESIONS

|                     |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |  |   |  |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|--|---|--|
| Multiple Organ      | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |  |   |  |
| Histiocytic Sarcoma |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |  | 1 |  |
| Lymphoma Malignant  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |  | 5 |  |

\* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

| .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

| DAY ON TEST               | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | 6 | 6 | 6 | 6 |   |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
|                           | 2 | 8 | 9 | 9 | 0 | 0 | 1 | 3 | 3 | 0 | 5 | 9 | 2 | 2 | 2 | 4 | 4 | 6 | 6 | 7 | 0 | 2 | 4 | 5 | 7 |
|                           | 2 | 1 | 0 | 9 | 6 | 6 | 1 | 0 | 7 | 3 | 9 | 9 | 7 | 9 | 9 | 3 | 8 | 8 | 8 | 0 | 7 | 1 | 4 | 9 | 5 |
| <b>B6C3F1 MICE FEMALE</b> | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <b>750 MG/KG</b>          | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|                           | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
|                           | 5 | 6 | 6 | 9 | 5 | 6 | 9 | 9 | 7 | 7 | 9 | 8 | 5 | 8 | 9 | 5 | 6 | 7 | 7 | 8 | 9 | 7 | 7 | 8 | 5 |
|                           | 8 | 5 | 0 | 5 | 2 | 2 | 3 | 9 | 3 | 1 | 4 | 0 | 4 | 9 | 6 | 1 | 6 | 4 | 5 | 4 | 0 | 9 | 8 | 8 | 7 |

females  
(cont...)

## ALIMENTARY SYSTEM

|                                    |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
|------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus                          | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + |   |
| Gallbladder                        | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + |
| Intestine Large, Cecum             | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Colon             | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Rectum            | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Duodenum          | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Ileum             | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Jejunum           | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Liver                              | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hepatocellular Adenoma             |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
| Hepatocellular Adenoma, Multiple   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
| Hepatocellular Carcinoma           |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | X | X | X |   |   |   |
| Hepatocellular Carcinoma, Multiple |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
| Mesentery                          |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |

\* .. Total animals with tissue examined microscopically; Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A .. Autolysis precludes evaluation

x .. Lesion present

BLANK .. Not examined microscopically

I .. Insufficient tissue

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

| DAY ON TEST               | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | 6 | 6 | 6 | 6 |   |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
|                           | 2 | 8 | 9 | 9 | 0 | 0 | 1 | 3 | 3 | 0 | 5 | 9 | 2 | 2 | 2 | 4 | 4 | 4 | 6 | 6 | 7 | 0 | 2 | 4 | 5 |
|                           | 2 | 1 | 0 | 9 | 6 | 6 | 1 | 0 | 7 | 3 | 9 | 9 | 7 | 9 | 9 | 3 | 8 | 8 | 8 | 0 | 7 | 1 | 4 | 9 | 5 |
| <b>B6C3F1 MICE FEMALE</b> | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <b>750 MG/KG</b>          | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|                           | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
|                           | 5 | 6 | 6 | 9 | 5 | 6 | 9 | 9 | 7 | 7 | 9 | 8 | 5 | 8 | 9 | 5 | 6 | 7 | 7 | 8 | 9 | 7 | 7 | 8 | 5 |
|                           | 8 | 5 | 0 | 5 | 2 | 2 | 3 | 9 | 3 | 1 | 4 | 0 | 4 | 9 | 6 | 1 | 6 | 4 | 5 | 4 | 0 | 9 | 8 | 8 | 7 |

females  
(cont...)

|                         |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Pancreas                | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Salivary Glands         | M | + | + | + | M | M | M | + | + | + | + | + | + | + | + | M | + | + | + | + | M | + | + | + |
| Stomach, Forestomach    | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Squamous Cell Papilloma |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
| Stomach, Glandular      | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

**CARDIOVASCULAR SYSTEM**

|              |       |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
|--------------|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Blood Vessel | ..... | + |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
| Heart        | +     | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

**ENDOCRINE SYSTEM**

|                    |       |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
|--------------------|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Adrenal Cortex     | ..... |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
| Adrenal Medulla    | ..... |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
| Islets, Pancreatic | ..... |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
| Parathyroid Gland  | +     | + | M | + | + | M | + | M | M | M | M | + | + | + | + | M | + | + | + | M | + | + | + | + |

\* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

I .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically



TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

|                           |             |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
|                           | DAY ON TEST | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | 6 | 6 | 6 | 6 |
|                           |             | 2 | 8 | 9 | 9 | 0 | 0 | 1 | 3 | 3 | 0 | 5 | 9 | 2 | 2 | 2 | 4 | 4 | 4 | 6 | 6 | 7 | 0 | 2 | 4 | 5 |
|                           |             | 2 | 1 | 0 | 9 | 6 | 6 | 1 | 0 | 7 | 3 | 9 | 9 | 7 | 9 | 9 | 3 | 8 | 8 | 8 | 0 | 7 | 1 | 4 | 9 | 5 |
| <b>B6C3F1 MICE FEMALE</b> |             | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <b>750 MG/KG</b>          |             | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|                           |             | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
|                           |             | 5 | 6 | 6 | 9 | 5 | 6 | 9 | 9 | 7 | 7 | 9 | 8 | 5 | 8 | 9 | 5 | 6 | 7 | 7 | 8 | 9 | 7 | 7 | 8 | 5 |
|                           |             | 8 | 5 | 0 | 5 | 2 | 2 | 3 | 9 | 3 | 1 | 4 | 0 | 4 | 9 | 6 | 1 | 6 | 4 | 5 | 4 | 0 | 9 | 8 | 8 | 7 |

females  
(cont...)

Lymph Node, Mandibular

M + + + M M M + + + + + + + + M + + + + M + + + +

Lymph Node, Mesenteric

+ +

Spleen

+ +

Thymus

+ M + + + +

**INTEGUMENTARY SYSTEM**

Mammary Gland

M M M M +

Skin

+ +

**MUSCULOSKELETAL SYSTEM**

Bone

+ +

Skeletal Muscle

Rhabdomyosarcoma

**NERVOUS SYSTEM**

Brain

+ +

\* .. Total animals with tissue examined microscopically; Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A .. Autolysis precludes evaluation

x .. Lesion present

BLANK .. Not examined microscopically

| .. Insufficient tissue

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

| DAY ON TEST               | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | 6 | 6 | 6 | 6 |   |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
|                           | 2 | 8 | 9 | 9 | 0 | 0 | 1 | 3 | 3 | 0 | 5 | 9 | 2 | 2 | 2 | 4 | 4 | 4 | 6 | 6 | 7 | 0 | 2 | 4 | 5 | 7 |
|                           | 2 | 1 | 0 | 9 | 6 | 6 | 1 | 0 | 7 | 3 | 9 | 9 | 7 | 9 | 9 | 3 | 8 | 8 | 8 | 0 | 7 | 1 | 4 | 9 | 5 |   |
| <b>B6C3F1 MICE FEMALE</b> | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |   |
| <b>750 MG/KG</b>          | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |   |
| ANIMAL ID                 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |   |
|                           | 5 | 6 | 6 | 9 | 5 | 6 | 9 | 9 | 7 | 7 | 9 | 8 | 5 | 8 | 9 | 5 | 6 | 7 | 7 | 8 | 9 | 7 | 7 | 8 | 5 |   |
|                           | 8 | 5 | 0 | 5 | 2 | 2 | 3 | 9 | 3 | 1 | 4 | 0 | 4 | 9 | 6 | 1 | 6 | 4 | 5 | 4 | 0 | 9 | 8 | 8 | 7 |   |

**females  
(cont...)**

**RESPIRATORY SYSTEM**

Lung +

Alveolar/Bronchiolar Adenoma

Hemangioma

Hepatocellular Carcinoma, Metastatic,  
Liver

X X X

Nose +

Trachea +

**SPECIAL SENSES SYSTEM**

Eye +

Harderian Gland + X  
Adenoma**URINARY SYSTEM**

Kidney +

\* .. Total animals with tissue examined microscopically; Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A .. Autolysis precludes evaluation

x .. Lesion present

BLANK .. Not examined microscopically

I .. Insufficient tissue

TDMS No. 95011 - 06

**Test Type:** CHRONIC

## **Route:** GAVAGE

**Species/Strain:** MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

## 5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

**Pathologist:** TOFT, J. - Blackshear, P.

Date Report Registered: 11/10/2006

Time Report Requested: 09:06:29

**First Dose M/F:** 08/09/01 / 08/08/01

## Lab: BAT

|                           | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | 6 | 6 | 6 | 6 |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY ON TEST               | 2 | 8 | 9 | 9 | 0 | 0 | 1 | 3 | 3 | 0 | 5 | 9 | 2 | 2 | 2 | 4 | 6 | 6 | 7 | 0 | 2 | 4 | 5 | 7 |   |
|                           | 2 | 1 | 0 | 9 | 6 | 6 | 1 | 0 | 7 | 3 | 9 | 9 | 7 | 9 | 9 | 3 | 8 | 8 | 8 | 0 | 7 | 1 | 4 | 9 | 5 |
| <b>B6C3F1 MICE FEMALE</b> | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|                           | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <b>750 MG/KG</b>          | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
|                           | 5 | 6 | 6 | 9 | 5 | 6 | 9 | 9 | 7 | 7 | 9 | 8 | 5 | 8 | 9 | 5 | 6 | 7 | 7 | 8 | 9 | 7 | 7 | 8 | 5 |
|                           | 8 | 5 | 0 | 5 | 2 | 2 | 3 | 9 | 3 | 1 | 4 | 0 | 4 | 9 | 6 | 1 | 6 | 4 | 5 | 4 | 0 | 9 | 8 | 8 | 7 |

## **SYSTEMIC LESIONS**

## Multiple Organ

## Lymphoma Malignant

## females (cont...)

\* .. Total animals with tissue examined microscopically; Total animals with tumor

† .. Tissue examined microscopically

- + .. Tissue examined
- x Lesion present

.. Lesion present  
 Insufficient tissue

### M .. Missing tissue

A.. Autolysis precludes evaluation

**BLANK** Not examined microscopically

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

| DAY ON TEST               | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7        |   |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|
|                           | 0 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2        | 2 |
|                           | 8 | 0 | 8 | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9        | 9 |
| <b>B6C3F1 MICE FEMALE</b> | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0        | 0 |
| <b>750 MG/KG</b>          | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0        | 0 |
|                           | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3        | 3 |
|                           | 8 | 8 | 7 | 5 | 7 | 8 | 8 | 8 | 9 | 5 | 5 | 6 | 6 | 6 | 6 | 7 | 7 | 8 | 9 | 9 | 9 | 0 | 5 | 6 | 6 | 9        | 9 |
|                           | 5 | 7 | 0 | 9 | 6 | 1 | 2 | 6 | 7 | 3 | 6 | 1 | 3 | 7 | 8 | 2 | 7 | 3 | 2 | 8 | 0 | 5 | 4 | 9 | 1 | * TOTALS |   |

## ALIMENTARY SYSTEM

|                                    |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |
|------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Esophagus                          | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Gallbladder                        | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Intestine Large, Cecum             | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Colon             | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Rectum            | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Duodenum          | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Ileum             | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Intestine Small, Jejunum           | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Liver                              | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hepatocellular Adenoma             |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | X | X | X | X |   |   |   |   | 5  |
| Hepatocellular Adenoma, Multiple   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | 1  |
| Hepatocellular Carcinoma           |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | 3  |
| Hepatocellular Carcinoma, Multiple |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | 1  |
| Mesentery                          | + |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | 1  |

\* .. Total animals with tissue examined microscopically; Total animals with tumor

+ .. Tissue examined microscopically

x .. Lesion present

l .. Insufficient tissue

M .. Missing tissue

A .. Autolysis precludes evaluation

BLANK .. Not examined microscopically

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

| DAY ON TEST               | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7        |   |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|
|                           | 0 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2        | 2 |
|                           | 8 | 0 | 8 | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9        | 9 |
| <b>B6C3F1 MICE FEMALE</b> | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0        | 0 |
| <b>750 MG/KG</b>          | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0        | 0 |
|                           | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3        | 3 |
|                           | 8 | 8 | 7 | 5 | 7 | 8 | 8 | 8 | 9 | 5 | 5 | 6 | 6 | 6 | 6 | 7 | 7 | 8 | 9 | 9 | 9 | 0 | 5 | 6 | 6 | 9        | 9 |
|                           | 5 | 7 | 0 | 9 | 6 | 1 | 2 | 6 | 7 | 3 | 6 | 1 | 3 | 7 | 8 | 2 | 7 | 3 | 2 | 8 | 0 | 5 | 4 | 9 | 1 | * TOTALS |   |

|                         |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Pancreas                | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Salivary Glands         | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 43 |
| Stomach, Forestomach    | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Squamous Cell Papilloma |   |   |   |   |   |   |   |   |   | X |   |   |   |   |   | X | X |   |   |   |   |   |   |   |   | 3  |
| Stomach, Glandular      | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

**CARDIOVASCULAR SYSTEM**

|              |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |   |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|
| Blood Vessel | + |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    | 2 |
| Heart        | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |   |

**ENDOCRINE SYSTEM**

|                    |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Adrenal Cortex     | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | 49 |
| Adrenal Medulla    | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | 49 |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Parathyroid Gland  | + | + | M | + | + | + | + | + | + | + | + | + | + | + | M | M | + | M | + | M | + | + | + | M | + | 36 |

\* .. Total animals with tissue examined microscopically; Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A .. Autolysis precludes evaluation

x .. Lesion present

BLANK .. Not examined microscopically

I .. Insufficient tissue

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

| DAY ON TEST               | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7               |   |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|---|
|                           | 0 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2               | 2 |
|                           | 8 | 0 | 8 | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9               | 9 |
| <b>B6C3F1 MICE FEMALE</b> | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0               | 0 |
| <b>750 MG/KG</b>          | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0               | 0 |
|                           | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3               | 3 |
|                           | 8 | 8 | 7 | 5 | 7 | 8 | 8 | 8 | 9 | 5 | 5 | 6 | 6 | 6 | 6 | 7 | 7 | 8 | 9 | 9 | 9 | 0 | 5 | 6 | 6 | 9               | 9 |
|                           | 5 | 7 | 0 | 9 | 6 | 1 | 2 | 6 | 7 | 3 | 6 | 1 | 3 | 7 | 8 | 2 | 7 | 3 | 2 | 8 | 0 | 5 | 4 | 9 | 1 | * <b>TOTALS</b> |   |

Pituitary Gland

+ + + M + + + + + + + M + M M + + + + + + + + M M + 44

Thyroid Gland

+ + M + 47

**GENERAL BODY SYSTEM**

NONE

**GENITAL SYSTEM**

Clitoral Gland

+ M + + 47

Ovary

+ M + + 48

Cystadenoma

X X 2

Uterus

+ 50

Hemangiosarcoma

X 1

Polyp Stromal

X 1

**HEMATOPOIETIC SYSTEM**

Bone Marrow

+ 50

Lymph Node

+ + + 3

\* .. Total animals with tissue examined microscopically; Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A .. Autolysis precludes evaluation

x .. Lesion present

BLANK .. Not examined microscopically

| .. Insufficient tissue

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

| DAY ON TEST               | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7               |   |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|---|
|                           | 0 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2               | 2 |
|                           | 8 | 0 | 8 | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9               | 9 |
| <b>B6C3F1 MICE FEMALE</b> | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0               | 0 |
| <b>750 MG/KG</b>          | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0               | 0 |
|                           | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3               | 3 |
|                           | 8 | 8 | 7 | 5 | 7 | 8 | 8 | 8 | 9 | 5 | 5 | 6 | 6 | 6 | 6 | 7 | 7 | 8 | 9 | 9 | 9 | 0 | 5 | 6 | 6 | 9               | 9 |
|                           | 5 | 7 | 0 | 9 | 6 | 1 | 2 | 6 | 7 | 3 | 6 | 1 | 3 | 7 | 8 | 2 | 7 | 3 | 2 | 8 | 0 | 5 | 4 | 9 | 1 | * <b>TOTALS</b> |   |

|                        |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |
|------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Lymph Node, Mandibular | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 43 |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Spleen                 | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Thymus                 | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | M | + | + | + | + | + | + | + | + | 47 |

**INTEGUMENTARY SYSTEM**

|               |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |
|---------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 46 |
| Skin          | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

**MUSCULOSKELETAL SYSTEM**

|                  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |   |
|------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|
| Bone             | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |   |
| Skeletal Muscle  | + |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    | 2 |
| Rhabdomyosarcoma |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | X |   |   |   |   | 1  |   |

**NERVOUS SYSTEM**

|       |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

\* .. Total animals with tissue examined microscopically; Total animals with tumor

M .. Missing tissue

+ .. Tissue examined microscopically

A .. Autolysis precludes evaluation

x .. Lesion present

BLANK .. Not examined microscopically

| .. Insufficient tissue

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

| DAY ON TEST               | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7        |   |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|
|                           | 0 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2        | 2 |
|                           | 8 | 0 | 8 | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9        | 9 |
| <b>B6C3F1 MICE FEMALE</b> | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0        | 0 |
| <b>750 MG/KG</b>          | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0        | 0 |
|                           | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3        | 3 |
|                           | 8 | 8 | 7 | 5 | 7 | 8 | 8 | 8 | 9 | 5 | 5 | 6 | 6 | 6 | 6 | 7 | 7 | 8 | 9 | 9 | 9 | 0 | 5 | 6 | 6 | 9        | 9 |
|                           | 5 | 7 | 0 | 9 | 6 | 1 | 2 | 6 | 7 | 3 | 6 | 1 | 3 | 7 | 8 | 2 | 7 | 3 | 2 | 8 | 0 | 5 | 4 | 9 | 1 | * TOTALS |   |

## RESPIRATORY SYSTEM

|  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |    |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|----|
| Lung   | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |    |
| Alveolar/Bronchiolar Adenoma                   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | X |   |   |   | X | X |   |   |   |    | 3  |
| Hemangioma                                     |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | X |   |   |   |   |    | 1  |
| Hepatocellular Carcinoma, Metastatic,<br>Liver |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    | 3  |
| Nose   | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | +  | 50 |
| Trachea  | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | +  | 50 |

## SPECIAL SENSES SYSTEM

|                            |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |
|----------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Eye                        | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Harderian Gland<br>Adenoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | 48 |

X .. Lesion present      M .. Missing tissue  
 + .. Tissue examined microscopically      A .. Autolysis precludes evaluation  
 BLANK .. Not examined microscopically

## URINARY SYSTEM

|        |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |
|--------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
|--------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

\* .. Total animals with tissue examined microscopically; Total animals with tumor  
 + .. Tissue examined microscopically  
 X .. Lesion present  
 | .. Insufficient tissue

M .. Missing tissue  
 A .. Autolysis precludes evaluation  
 BLANK .. Not examined microscopically

TDMS No. 95011 - 06

Test Type: CHRONIC

Route: GAVAGE

Species/Strain: MICE/B6C3F1

## P17: NEOPLASMS BY INDIVIDUAL ANIMAL (SYSTEMIC LESIONS ABRIDGED)

5-(HYDROXYMETHYL)-2-FURFURAL

CAS Number: 67-47-0

Pathologist: TOFT, J. - Blackshear, P.

Date Report Reqstd: 11/10/2006

Time Report Reqstd: 09:06:29

First Dose M/F: 08/09/01 / 08/08/01

Lab: BAT

| DAY ON TEST               | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7        |   |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|
|                           | 0 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2        | 2 |
|                           | 8 | 0 | 8 | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9        | 9 |
| <b>B6C3F1 MICE FEMALE</b> | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0        | 0 |
| <b>750 MG/KG</b>          | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0        | 0 |
|                           | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3        | 3 |
|                           | 8 | 8 | 7 | 5 | 7 | 8 | 8 | 8 | 9 | 5 | 5 | 6 | 6 | 6 | 6 | 7 | 7 | 8 | 9 | 9 | 9 | 0 | 5 | 6 | 6 | 9        | 9 |
|                           | 5 | 7 | 0 | 9 | 6 | 1 | 2 | 6 | 7 | 3 | 6 | 1 | 3 | 7 | 8 | 2 | 7 | 3 | 2 | 8 | 0 | 5 | 4 | 9 | 1 | * TOTALS |   |
| Urinary Bladder           | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50       |   |

## SYSTEMIC LESIONS

|                    |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Multiple Organ     | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant |   |   |   |   | X |   |   |   |   |   |   |   |   | X |   |   |   |   |   |   |   |   |   |   |   | 2  |

\*\*\* END OF REPORT \*\*\*

\* .. Total animals with tissue examined microscopically; Total animals with tumor  
+ .. Tissue examined microscopically  
x .. Lesion present  
| .. Insufficient tissue

M .. Missing tissue  
A .. Autolysis precludes evaluation  
BLANK .. Not examined microscopically