



Experiment Number: 96014 - 05  
 Test Type: CHRONIC  
 Route: DOSED WATER  
 Species/Strain: RATS/F344/N Tac

**P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE(a)**  
 Water disinfection byproducts (Bromodichloroacetic acid)  
 CAS Number: 71133-14-7

Date Report Requested: 03/05/2013  
 Time Report Requested: 08:02:50  
 First Dose M/F: 10/26/06 / 10/27/06  
 Lab: BAT

---

Fischer 344-Taconic RATS MALE	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
-------------------------------	--------	----------	----------	-----------

---

**Disposition Summary**

<b>Animals Initially In Study</b>	<b>66</b>	<b>66</b>	<b>66</b>	<b>66</b>
<b>Early Deaths</b>				
<b>Moribund Sacrifice</b>	<b>26</b>	<b>23</b>	<b>20</b>	<b>27</b>
<b>Natural Death</b>	<b>5</b>	<b>6</b>	<b>5</b>	<b>4</b>
<b>Survivors</b>				
<b>Terminal Sacrifice</b>	<b>19</b>	<b>21</b>	<b>25</b>	<b>19</b>
<b>Animals Examined Microscopically</b>	<b>50</b>	<b>50</b>	<b>50</b>	<b>50</b>

---

ALIMENTARY SYSTEM

Esophagus	(50)	(50)	(50)	(50)
Intestine Large, Cecum	(50)	(50)	(49)	(50)
Erosion			1 (2%)	
Inflammation			2 (4%)	
Intestine Large, Colon	(50)	(50)	(50)	(50)
Amyloid Deposition		1 (2%)		
Inflammation	1 (2%)	1 (2%)		
Parasite Metazoan	6 (12%)	8 (16%)	10 (20%)	8 (16%)
Thrombosis		1 (2%)		
Intestine Large, Rectum	(50)	(50)	(50)	(50)
Intestine Small, Duodenum	(50)	(50)	(49)	(50)
Intestine Small, Ileum	(50)	(50)	(49)	(50)
Intestine Small, Jejunum	(50)	(50)	(49)	(50)
Liver	(50)	(50)	(50)	(50)
Angiectasis		1 (2%)	3 (6%)	4 (8%)
Basophilic Focus	13 (26%)	23 (46%)	17 (34%)	20 (40%)
Clear Cell Focus	19 (38%)	20 (40%)	21 (42%)	16 (32%)
Congestion				1 (2%)
Degeneration, Cystic	12 (24%)	12 (24%)	11 (22%)	14 (28%)
Eosinophilic Focus	6 (12%)	10 (20%)	7 (14%)	14 (28%)
Fatty Change	8 (16%)	7 (14%)	4 (8%)	1 (2%)
Fatty Change, Focal			1 (2%)	4 (8%)
Fibrosis			1 (2%)	
Hematopoietic Cell Proliferation	1 (2%)			3 (6%)

a - Number of animals examined microscopically at site and number of animals with lesion

Experiment Number: 96014 - 05  
 Test Type: CHRONIC  
 Route: DOSED WATER  
 Species/Strain: RATS/F344/N Tac

**P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE(a)**  
 Water disinfection byproducts (Bromodichloroacetic acid)  
 CAS Number: 71133-14-7

Date Report Requested: 03/05/2013  
 Time Report Requested: 08:02:50  
 First Dose M/F: 10/26/06 / 10/27/06  
 Lab: BAT

Fischer 344-Taconic RATS MALE	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Hemorrhage		1 (2%)	1 (2%)	
Hepatodiaphragmatic Nodule	9 (18%)	4 (8%)	3 (6%)	2 (4%)
Inflammation, Chronic Active	32 (64%)	36 (72%)	36 (72%)	36 (72%)
Mixed Cell Focus	3 (6%)	2 (4%)	6 (12%)	1 (2%)
Necrosis	2 (4%)	1 (2%)	4 (8%)	5 (10%)
Pigmentation, Hemosiderin	1 (2%)		2 (4%)	1 (2%)
Regeneration			1 (2%)	
Tension Lipidosis			1 (2%)	2 (4%)
Thrombosis				1 (2%)
Bile Duct, Cyst	1 (2%)			1 (2%)
Bile Duct, Hyperplasia	49 (98%)	48 (96%)	49 (98%)	48 (96%)
Hepatocyte, Degeneration			1 (2%)	3 (6%)
Oval Cell, Hyperplasia			1 (2%)	
Mesentery	(7)	(4)	(9)	(10)
Fat, Necrosis	7 (100%)	3 (75%)	3 (33%)	3 (30%)
Oral Mucosa	(50)	(50)	(50)	(50)
Pancreas	(50)	(50)	(49)	(50)
Atrophy	18 (36%)	19 (38%)	15 (31%)	21 (42%)
Cytoplasmic Alteration	1 (2%)			
Acinus, Hyperplasia	4 (8%)	1 (2%)	3 (6%)	4 (8%)
Salivary Glands	(50)	(50)	(50)	(50)
Atrophy			1 (2%)	
Metaplasia, Serous	1 (2%)			
Stomach, Forestomach	(50)	(50)	(50)	(50)
Erosion				1 (2%)
Inflammation	13 (26%)	8 (16%)	4 (8%)	
Perforation	1 (2%)			
Ulcer	6 (12%)	3 (6%)	1 (2%)	
Epithelium, Dysplasia	1 (2%)			
Epithelium, Hyperplasia	12 (24%)	8 (16%)	4 (8%)	1 (2%)
Stomach, Glandular	(50)	(50)	(50)	(50)
Erosion	1 (2%)		1 (2%)	
Hyperplasia, Focal	1 (2%)			
Inflammation	7 (14%)	1 (2%)	2 (4%)	
Mineralization	1 (2%)		1 (2%)	1 (2%)
Ulcer	2 (4%)			

a - Number of animals examined microscopically at site and number of animals with lesion

Experiment Number: 96014 - 05  
 Test Type: CHRONIC  
 Route: DOSED WATER  
 Species/Strain: RATS/F344/N Tac

**P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE(a)**  
 Water disinfection byproducts (Bromodichloroacetic acid)  
 CAS Number: 71133-14-7

Date Report Requested: 03/05/2013  
 Time Report Requested: 08:02:50  
 First Dose M/F: 10/26/06 / 10/27/06  
 Lab: BAT

Fischer 344-Taconic RATS MALE	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Epithelium, Hyperplasia			1 (2%)	
Tongue	(50)	(50)	(50)	(50)
Inflammation	1 (2%)			
Epithelium, Hyperplasia			1 (2%)	2 (4%)
Tooth	(1)	(0)	(0)	(0)
Degeneration	1 (100%)			

**CARDIOVASCULAR SYSTEM**

Blood Vessel	(50)	(50)	(50)	(50)
Aneurysm			1 (2%)	
Inflammation	5 (10%)		3 (6%)	
Aorta, Mineralization		1 (2%)		
Heart	(50)	(50)	(50)	(50)
Cardiomyopathy	47 (94%)	48 (96%)	48 (96%)	48 (96%)
Mineralization		3 (6%)		
Atrium, Inflammation		1 (2%)		
Atrium, Thrombosis	5 (10%)	6 (12%)	7 (14%)	5 (10%)
Pericardium, Inflammation, Chronic Active	1 (2%)			

**ENDOCRINE SYSTEM**

Adrenal Cortex	(50)	(50)	(50)	(50)
Atrophy	1 (2%)			
Degeneration, Cystic	1 (2%)	1 (2%)	1 (2%)	1 (2%)
Hyperplasia	5 (10%)	2 (4%)	2 (4%)	
Hypertrophy	1 (2%)	3 (6%)		
Mineralization			1 (2%)	
Vacuolization Cytoplasmic	14 (28%)	9 (18%)	17 (34%)	13 (26%)
Adrenal Medulla	(50)	(50)	(50)	(50)
Hyperplasia	15 (30%)	18 (36%)	15 (30%)	9 (18%)
Islets, Pancreatic	(50)	(50)	(49)	(50)
Hyperplasia		2 (4%)		1 (2%)
Parathyroid Gland	(49)	(48)	(46)	(44)
Hyperplasia	6 (12%)	1 (2%)	1 (2%)	1 (2%)

a - Number of animals examined microscopically at site and number of animals with lesion

Experiment Number: 96014 - 05  
 Test Type: CHRONIC  
 Route: DOSED WATER  
 Species/Strain: RATS/F344/N Tac

**P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE(a)**  
 Water disinfection byproducts (Bromodichloroacetic acid)  
 CAS Number: 71133-14-7

Date Report Requested: 03/05/2013  
 Time Report Requested: 08:02:50  
 First Dose M/F: 10/26/06 / 10/27/06  
 Lab: BAT

Fischer 344-Taconic RATS MALE	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Pituitary Gland	(50)	(49)	(49)	(48)
Atrophy	2 (4%)			
Pars Distalis, Atrophy	1 (2%)			
Pars Distalis, Hyperplasia	12 (24%)	14 (29%)	18 (37%)	21 (44%)
Thyroid Gland	(50)	(50)	(50)	(50)
C-cell, Hyperplasia	22 (44%)	20 (40%)	21 (42%)	24 (48%)
Follicle, Cyst				2 (4%)
Follicular Cell, Hyperplasia	2 (4%)			1 (2%)

GENERAL BODY SYSTEM

None

GENITAL SYSTEM

Epididymis	(50)	(50)	(50)	(50)
Atrophy	8 (16%)	7 (14%)	5 (10%)	4 (8%)
Inflammation	1 (2%)			1 (2%)
Mesothelium, Hyperplasia			1 (2%)	
Preputial Gland	(50)	(50)	(50)	(49)
Hyperplasia	1 (2%)	2 (4%)	2 (4%)	
Inflammation	2 (4%)			
Duct, Hyperplasia, Squamous			1 (2%)	
Duct, Inflammation			1 (2%)	
Prostate	(50)	(50)	(50)	(50)
Atrophy	1 (2%)			
Cyst			1 (2%)	
Inflammation	42 (84%)	41 (82%)	45 (90%)	35 (70%)
Epithelium, Hyperplasia	11 (22%)	17 (34%)	12 (24%)	14 (28%)
Seminal Vesicle	(50)	(50)	(50)	(50)
Atrophy	1 (2%)			
Hyperplasia			1 (2%)	1 (2%)
Inflammation	3 (6%)	3 (6%)	2 (4%)	1 (2%)
Testes	(50)	(50)	(50)	(50)
Atrophy	15 (30%)	16 (32%)	16 (32%)	17 (34%)

a - Number of animals examined microscopically at site and number of animals with lesion

Experiment Number: 96014 - 05  
 Test Type: CHRONIC  
 Route: DOSED WATER  
 Species/Strain: RATS/F344/N Tac

**P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE(a)**  
 Water disinfection byproducts (Bromodichloroacetic acid)  
 CAS Number: 71133-14-7

Date Report Requested: 03/05/2013  
 Time Report Requested: 08:02:50  
 First Dose M/F: 10/26/06 / 10/27/06  
 Lab: BAT

Fischer 344-Taconic RATS MALE	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Inflammation	1 (2%)			
Germinal Epithelium, Degeneration	8 (16%)	10 (20%)	8 (16%)	9 (18%)
Interstitial Cell, Hyperplasia	23 (46%)	26 (52%)	24 (48%)	19 (38%)

**HEMATOPOIETIC SYSTEM**

Bone Marrow	(50)	(50)	(50)	(50)
Angiectasis	4 (8%)	29 (58%)	34 (68%)	40 (80%)
Hemorrhage		5 (10%)	1 (2%)	
Hyperplasia	17 (34%)	19 (38%)	20 (40%)	30 (60%)
Myelofibrosis	1 (2%)			2 (4%)
Necrosis		1 (2%)		
Thrombosis		4 (8%)		1 (2%)
Lymph Node	(5)	(2)	(8)	(7)
Iliac, Ectasia				1 (14%)
Iliac, Hyperplasia, Lymphoid				1 (14%)
Iliac, Necrosis, Lymphoid				1 (14%)
Inguinal, Ectasia				1 (14%)
Lumbar, Ectasia			1 (13%)	
Lumbar, Infiltration Cellular, Histiocyte			1 (13%)	
Mediastinal, Hyperplasia			1 (13%)	
Mediastinal, Hyperplasia, Lymphoid		1 (50%)		
Mediastinal, Infiltration Cellular, Histiocyte				1 (14%)
Mediastinal, Infiltration Cellular, Mast Cell		1 (50%)		
Mediastinal, Infiltration Cellular, Plasma Cell				1 (14%)
Pancreatic, Inflammation, Histiocytic				1 (14%)
Renal, Hyperplasia, Lymphoid			1 (13%)	
Renal, Infiltration Cellular, Histiocyte				1 (14%)
Renal, Infiltration Cellular, Plasma Cell	2 (40%)			
Lymph Node, Mandibular	(50)	(50)	(50)	(50)
Ectasia	4 (8%)	1 (2%)	2 (4%)	
Lymph Node, Mesenteric	(50)	(50)	(49)	(50)
Atrophy	2 (4%)			4 (8%)
Ectasia			1 (2%)	1 (2%)
Hemorrhage				2 (4%)

a - Number of animals examined microscopically at site and number of animals with lesion

Experiment Number: 96014 - 05  
 Test Type: CHRONIC  
 Route: DOSED WATER  
 Species/Strain: RATS/F344/N Tac

**P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE(a)**  
 Water disinfection byproducts (Bromodichloroacetic acid)  
 CAS Number: 71133-14-7

Date Report Requested: 03/05/2013  
 Time Report Requested: 08:02:50  
 First Dose M/F: 10/26/06 / 10/27/06  
 Lab: BAT

Fischer 344-Taconic RATS MALE	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Necrosis				1 (2%)
Spleen	(50)	(50)	(49)	(50)
Hematopoietic Cell Proliferation	32 (64%)	31 (62%)	31 (63%)	32 (64%)
Hemorrhage				1 (2%)
Hyperplasia, Lymphoid		1 (2%)		
Infarct	2 (4%)	1 (2%)		1 (2%)
Pigmentation, Hemosiderin	35 (70%)	36 (72%)	32 (65%)	28 (56%)
Stromal Hyperplasia	1 (2%)		1 (2%)	2 (4%)
Thrombosis				1 (2%)
Capsule, Fibrosis				1 (2%)
Lymphoid Follicle, Atrophy			3 (6%)	
Red Pulp, Atrophy		1 (2%)	1 (2%)	
Thymus	(48)	(47)	(48)	(49)
Atrophy	47 (98%)	46 (98%)	46 (96%)	49 (100%)

**INTEGUMENTARY SYSTEM**

Mammary Gland	(49)	(50)	(49)	(49)
Hyperplasia	6 (12%)	1 (2%)	2 (4%)	1 (2%)
Inflammation, Chronic	1 (2%)			
Inflammation, Chronic Active	1 (2%)			
Skin	(50)	(50)	(50)	(50)
Cyst Epithelial Inclusion	1 (2%)		2 (4%)	
Hyperplasia, Squamous		1 (2%)		
Inflammation	3 (6%)	5 (10%)	5 (10%)	5 (10%)
Ulcer	2 (4%)	3 (6%)	1 (2%)	3 (6%)
Dermis, Fibrosis				1 (2%)
Epidermis, Hyperkeratosis	2 (4%)	1 (2%)	2 (4%)	2 (4%)
Epidermis, Hyperplasia	3 (6%)	5 (10%)	5 (10%)	2 (4%)
Epidermis, Hyperplasia, Basal Cell				1 (2%)
Epidermis, Hyperplasia, Squamous	1 (2%)			

**MUSCULOSKELETAL SYSTEM**

Bone	(50)	(50)	(50)	(50)
------	------	------	------	------

a - Number of animals examined microscopically at site and number of animals with lesion

Experiment Number: 96014 - 05  
 Test Type: CHRONIC  
 Route: DOSED WATER  
 Species/Strain: RATS/F344/N Tac

**P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE(a)**  
 Water disinfection byproducts (Bromodichloroacetic acid)  
 CAS Number: 71133-14-7

Date Report Requested: 03/05/2013  
 Time Report Requested: 08:02:50  
 First Dose M/F: 10/26/06 / 10/27/06  
 Lab: BAT

Fischer 344-Taconic RATS MALE	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Fibrous Osteodystrophy	1 (2%)			
Osteopetrosis	3 (6%)	1 (2%)		4 (8%)
Cartilage, Sternum, Degeneration				1 (2%)
Tibia, Fracture				1 (2%)
Skeletal Muscle	(4)	(0)	(2)	(0)
<b>NERVOUS SYSTEM</b>				
Brain	(50)	(50)	(50)	(50)
Gliosis		1 (2%)		
Hemorrhage		2 (4%)		
Infiltration Cellular, Lymphocyte		1 (2%)		
Meninges, Hyperplasia				1 (2%)
Peripheral Nerve	(0)	(2)	(0)	(0)
Degeneration		1 (50%)		
Spinal Cord	(0)	(2)	(0)	(0)
<b>RESPIRATORY SYSTEM</b>				
Lung	(50)	(50)	(50)	(50)
Fibrosis				1 (2%)
Inflammation, Chronic Active	15 (30%)	11 (22%)	11 (22%)	19 (38%)
Metaplasia, Osseous			1 (2%)	
Mineralization	1 (2%)			
Thrombosis	1 (2%)			
Alveolar Epithelium, Hyperplasia	5 (10%)	7 (14%)	12 (24%)	10 (20%)
Alveolar Epithelium, Hypertrophy				2 (4%)
Alveolus, Infiltration Cellular, Histiocyte	20 (40%)	22 (44%)	25 (50%)	22 (44%)
Bronchiole, Hyperplasia	1 (2%)			
Nose	(50)	(50)	(50)	(50)
Foreign Body	12 (24%)	16 (32%)	10 (20%)	17 (34%)
Inflammation	15 (30%)	21 (42%)	14 (28%)	22 (44%)
Glands, Olfactory Epithelium, Hyperplasia		1 (2%)		
Glands, Respiratory Epithelium, Hyperplasia	1 (2%)			
Olfactory Epithelium, Metaplasia				1 (2%)

a - Number of animals examined microscopically at site and number of animals with lesion



Experiment Number: 96014 - 05  
 Test Type: CHRONIC  
 Route: DOSED WATER  
 Species/Strain: RATS/F344/N Tac

**P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE(a)**  
 Water disinfection byproducts (Bromodichloroacetic acid)  
 CAS Number: 71133-14-7

Date Report Requested: 03/05/2013  
 Time Report Requested: 08:02:50  
 First Dose M/F: 10/26/06 / 10/27/06  
 Lab: BAT

Fischer 344-Taconic RATS MALE	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Respiratory Epithelium, Hyperplasia	4 (8%)			
Trachea	(50)	(50)	(50)	(50)

**SPECIAL SENSES SYSTEM**

Ear	(1)	(0)	(0)	(0)
Eye	(50)	(50)	(50)	(50)
Anterior Chamber, Inflammation			1 (2%)	1 (2%)
Cornea, Inflammation				1 (2%)
Iris, Inflammation	1 (2%)	1 (2%)		
Lens, Cataract	2 (4%)	5 (10%)	1 (2%)	6 (12%)
Retina, Degeneration	4 (8%)	2 (4%)	3 (6%)	5 (10%)
Retina, Dysplasia				1 (2%)
Retina, Gliosis		2 (4%)		
Harderian Gland	(50)	(50)	(50)	(50)
Hyperplasia, Squamous				1 (2%)
Inflammation	1 (2%)		1 (2%)	
Metaplasia, Squamous				1 (2%)
Zymbal's Gland	(1)	(2)	(0)	(2)

**URINARY SYSTEM**

Kidney	(50)	(50)	(50)	(50)
Accumulation, Hyaline Droplet	3 (6%)		1 (2%)	
Mineralization	16 (32%)	21 (42%)	25 (50%)	23 (46%)
Nephropathy	48 (96%)	49 (98%)	49 (98%)	49 (98%)
Cortex, Cyst	1 (2%)	1 (2%)		
Cortex, Inflammation, Focal	1 (2%)			
Pelvis, Dilatation		2 (4%)		
Renal Tubule, Dilatation		2 (4%)		
Renal Tubule, Hyperplasia, Atypical				1 (2%)
Renal Tubule, Necrosis				1 (2%)
Urinary Bladder	(50)	(50)	(50)	(50)
Inflammation	1 (2%)	2 (4%)		

a - Number of animals examined microscopically at site and number of animals with lesion

**Experiment Number:** 96014 - 05  
**Test Type:** CHRONIC  
**Route:** DOSED WATER  
**Species/Strain:** RATS/F344/N Tac

**P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE(a)**  
Water disinfection byproducts (Bromodichloroacetic acid)  
**CAS Number:** 71133-14-7

**Date Report Requested:** 03/05/2013  
**Time Report Requested:** 08:02:50  
**First Dose M/F:** 10/26/06 / 10/27/06  
**Lab:** BAT

---

Fischer 344-Taconic RATS MALE

0 mg/L

250 mg/L

500 mg/L

1000 mg/L

---

\*\*\* END OF MALE \*\*\*

a - Number of animals examined microscopically at site and number of animals with lesion

Experiment Number: 96014 - 05  
 Test Type: CHRONIC  
 Route: DOSED WATER  
 Species/Strain: RATS/F344/N Tac

**P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE(a)**  
 Water disinfection byproducts (Bromodichloroacetic acid)  
 CAS Number: 71133-14-7

Date Report Requested: 03/05/2013  
 Time Report Requested: 08:02:50  
 First Dose M/F: 10/26/06 / 10/27/06  
 Lab: BAT

---

Fischer 344-Taconic RATS FEMALE	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
---------------------------------	--------	----------	----------	-----------

---

**Disposition Summary**

<b>Animals Initially In Study</b>	<b>66</b>	<b>66</b>	<b>66</b>	<b>66</b>
<b>Early Deaths</b>				
<b>Moribund Sacrifice</b>	<b>10</b>	<b>22</b>	<b>42</b>	<b>44</b>
<b>Natural Death</b>	<b>6</b>	<b>2</b>	<b>1</b>	<b>4</b>
<b>Survivors</b>				
<b>Terminal Sacrifice</b>	<b>34</b>	<b>26</b>	<b>7</b>	<b>2</b>
<b>Animals Examined Microscopically</b>	<b>50</b>	<b>50</b>	<b>50</b>	<b>50</b>

---

ALIMENTARY SYSTEM

Esophagus	(50)	(50)	(50)	(50)
Intestine Large, Cecum	(50)	(50)	(50)	(50)
Inflammation		1 (2%)		
Intestine Large, Colon	(50)	(50)	(50)	(50)
Parasite Metazoan	6 (12%)	9 (18%)	5 (10%)	4 (8%)
Intestine Large, Rectum	(50)	(50)	(50)	(50)
Intestine Small, Duodenum	(50)	(50)	(50)	(50)
Intestine Small, Ileum	(50)	(50)	(50)	(50)
Intestine Small, Jejunum	(50)	(50)	(50)	(50)
Liver	(50)	(50)	(50)	(50)
Angiectasis	3 (6%)		1 (2%)	2 (4%)
Basophilic Focus	42 (84%)	46 (92%)	46 (92%)	46 (92%)
Clear Cell Focus	14 (28%)	10 (20%)	5 (10%)	8 (16%)
Degeneration, Cystic	1 (2%)	1 (2%)		
Eosinophilic Focus	6 (12%)	13 (26%)	21 (42%)	22 (44%)
Fatty Change	10 (20%)	7 (14%)	5 (10%)	5 (10%)
Fatty Change, Focal	1 (2%)	2 (4%)		
Hematopoietic Cell Proliferation	3 (6%)	7 (14%)	14 (28%)	9 (18%)
Hepatodiaphragmatic Nodule	5 (10%)	9 (18%)	12 (24%)	15 (30%)
Inflammation, Chronic Active	36 (72%)	33 (66%)	40 (80%)	35 (70%)
Mixed Cell Focus	2 (4%)	3 (6%)	2 (4%)	3 (6%)
Necrosis	2 (4%)	1 (2%)	1 (2%)	2 (4%)
Necrosis, Multifocal	1 (2%)			
Tension Lipidosis	1 (2%)			

a - Number of animals examined microscopically at site and number of animals with lesion

Experiment Number: 96014 - 05  
 Test Type: CHRONIC  
 Route: DOSED WATER  
 Species/Strain: RATS/F344/N Tac

**P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE(a)**  
 Water disinfection byproducts (Bromodichloroacetic acid)  
 CAS Number: 71133-14-7

Date Report Requested: 03/05/2013  
 Time Report Requested: 08:02:50  
 First Dose M/F: 10/26/06 / 10/27/06  
 Lab: BAT

Fischer 344-Taconic RATS FEMALE	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Bile Duct, Hyperplasia	28 (56%)	27 (54%)	28 (56%)	22 (44%)
Oval Cell, Hyperplasia	2 (4%)			
Serosa, Fibrosis				1 (2%)
Mesentery	(3)	(4)	(3)	(2)
Fat, Necrosis	3 (100%)	4 (100%)	3 (100%)	2 (100%)
Oral Mucosa	(0)	(0)	(0)	(1)
Pancreas	(50)	(50)	(50)	(50)
Atrophy	9 (18%)	13 (26%)	11 (22%)	14 (28%)
Acinus, Hyperplasia	6 (12%)	1 (2%)		
Salivary Glands	(50)	(50)	(50)	(50)
Degeneration		1 (2%)		
Inflammation		1 (2%)		
Stomach, Forestomach	(50)	(50)	(50)	(50)
Inflammation	2 (4%)	1 (2%)	1 (2%)	
Ulcer	1 (2%)	1 (2%)	1 (2%)	
Epithelium, Dysplasia				1 (2%)
Epithelium, Hyperplasia	2 (4%)	1 (2%)	4 (8%)	
Stomach, Glandular	(50)	(50)	(50)	(50)
Erosion				1 (2%)
Mineralization	1 (2%)			
Tongue	(50)	(50)	(50)	(50)
Foreign Body	1 (2%)			
Inflammation	1 (2%)			
Ulcer	1 (2%)			
Epithelium, Hyperplasia	1 (2%)			
<b>CARDIOVASCULAR SYSTEM</b>				
Blood Vessel	(50)	(50)	(50)	(50)
Heart	(50)	(50)	(50)	(50)
Cardiomyopathy	45 (90%)	42 (84%)	39 (78%)	35 (70%)
Atrium, Thrombosis		1 (2%)		
Epicardium, Inflammation				1 (2%)

a - Number of animals examined microscopically at site and number of animals with lesion

Experiment Number: 96014 - 05  
 Test Type: CHRONIC  
 Route: DOSED WATER  
 Species/Strain: RATS/F344/N Tac

**P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE(a)**  
 Water disinfection byproducts (Bromodichloroacetic acid)  
 CAS Number: 71133-14-7

Date Report Requested: 03/05/2013  
 Time Report Requested: 08:02:50  
 First Dose M/F: 10/26/06 / 10/27/06  
 Lab: BAT

Fischer 344-Taconic RATS FEMALE	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
<b>ENDOCRINE SYSTEM</b>				
Adrenal Cortex	(50)	(50)	(50)	(50)
Degeneration, Cystic	4 (8%)	2 (4%)	2 (4%)	6 (12%)
Hematopoietic Cell Proliferation	1 (2%)			
Hyperplasia		1 (2%)		
Hypertrophy	5 (10%)		1 (2%)	5 (10%)
Necrosis				2 (4%)
Vacuolization Cytoplasmic	3 (6%)	6 (12%)	2 (4%)	
Zona Fasciculata, Hyperplasia		4 (8%)	1 (2%)	1 (2%)
Adrenal Medulla	(50)	(50)	(50)	(50)
Hyperplasia	2 (4%)		5 (10%)	1 (2%)
Islets, Pancreatic	(50)	(50)	(50)	(50)
Parathyroid Gland	(47)	(46)	(49)	(49)
Pituitary Gland	(50)	(50)	(49)	(50)
Cyst		1 (2%)		
Inflammation		1 (2%)		
Pars Distalis, Angiectasis			1 (2%)	1 (2%)
Pars Distalis, Cyst			1 (2%)	
Pars Distalis, Hyperplasia	15 (30%)	18 (36%)	22 (45%)	17 (34%)
Pars Distalis, Vacuolization Cytoplasmic			1 (2%)	
Thyroid Gland	(50)	(50)	(50)	(50)
Atrophy			1 (2%)	
Cyst		1 (2%)		
C-cell, Hyperplasia	33 (66%)	31 (62%)	26 (52%)	26 (52%)
Follicular Cell, Hyperplasia	1 (2%)	2 (4%)		1 (2%)

**GENERAL BODY SYSTEM**

None

**GENITAL SYSTEM**

Clitoral Gland	(50)	(49)	(49)	(48)
----------------	------	------	------	------

a - Number of animals examined microscopically at site and number of animals with lesion

Experiment Number: 96014 - 05  
 Test Type: CHRONIC  
 Route: DOSED WATER  
 Species/Strain: RATS/F344/N Tac

**P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE(a)**  
 Water disinfection byproducts (Bromodichloroacetic acid)  
 CAS Number: 71133-14-7

Date Report Requested: 03/05/2013  
 Time Report Requested: 08:02:50  
 First Dose M/F: 10/26/06 / 10/27/06  
 Lab: BAT

Fischer 344-Taconic RATS FEMALE	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Cyst	1 (2%)	1 (2%)		
Hyperplasia	1 (2%)	5 (10%)	3 (6%)	
Inflammation	2 (4%)			
Ovary	(50)	(50)	(50)	(50)
Atrophy	9 (18%)	9 (18%)	6 (12%)	3 (6%)
Cyst	10 (20%)	12 (24%)	10 (20%)	6 (12%)
Infiltration Cellular, Histiocyte	1 (2%)			
Uterus	(50)	(50)	(50)	(50)
Atrophy		1 (2%)		
Cervix, Hypertrophy		1 (2%)	1 (2%)	
Cervix, Inflammation	2 (4%)	3 (6%)		1 (2%)
Cervix, Metaplasia, Squamous	2 (4%)	1 (2%)		1 (2%)
Cervix, Epithelium, Hyperplasia	1 (2%)			
Endometrium, Hyperplasia, Adenomatous			1 (2%)	
Endometrium, Hyperplasia, Cystic	10 (20%)	9 (18%)	12 (24%)	9 (18%)
Vagina	(1)	(0)	(0)	(0)
Epithelium, Hyperplasia	1 (100%)			

**HEMATOPOIETIC SYSTEM**

Bone Marrow	(50)	(50)	(50)	(50)
Angiectasis	1 (2%)	19 (38%)	32 (64%)	39 (78%)
Atrophy				1 (2%)
Hemorrhage	1 (2%)	1 (2%)		
Hyperplasia	23 (46%)	35 (70%)	40 (80%)	43 (86%)
Infiltration Cellular, Histiocyte		1 (2%)	1 (2%)	1 (2%)
Myelofibrosis				1 (2%)
Necrosis	1 (2%)			1 (2%)
Lymph Node	(4)	(4)	(2)	(2)
Inguinal, Infiltration Cellular, Plasma Cell	1 (25%)			
Lumbar, Ectasia		1 (25%)		
Mediastinal, Hyperplasia, Lymphoid		1 (25%)		
Mediastinal, Infiltration Cellular, Histiocyte	1 (25%)			
Mediastinal, Infiltration Cellular, Plasma Cell				1 (50%)
Pancreatic, Infiltration Cellular, Histiocyte	1 (25%)			

a - Number of animals examined microscopically at site and number of animals with lesion

Experiment Number: 96014 - 05  
 Test Type: CHRONIC  
 Route: DOSED WATER  
 Species/Strain: RATS/F344/N Tac

**P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE(a)**  
 Water disinfection byproducts (Bromodichloroacetic acid)  
 CAS Number: 71133-14-7

Date Report Requested: 03/05/2013  
 Time Report Requested: 08:02:50  
 First Dose M/F: 10/26/06 / 10/27/06  
 Lab: BAT

Fischer 344-Taconic RATS FEMALE	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Lymph Node, Mandibular	(50)	(50)	(50)	(50)
Atrophy			1 (2%)	
Infiltration Cellular, Plasma Cell	1 (2%)		1 (2%)	
Lymph Node, Mesenteric	(50)	(50)	(50)	(50)
Atrophy	4 (8%)		2 (4%)	
Ectasia			1 (2%)	
Infiltration Cellular, Histiocyte				1 (2%)
Spleen	(50)	(50)	(50)	(50)
Hematopoietic Cell Proliferation	6 (12%)	13 (26%)	29 (58%)	31 (62%)
Hyperplasia, Lymphoid		1 (2%)		
Pigmentation, Hemosiderin	39 (78%)	43 (86%)	41 (82%)	39 (78%)
Thrombosis				2 (4%)
Capsule, Mineralization	1 (2%)			
Lymphoid Follicle, Atrophy	5 (10%)	1 (2%)	1 (2%)	3 (6%)
Thymus	(48)	(49)	(47)	(48)
Atrophy	45 (94%)	48 (98%)	44 (94%)	45 (94%)

**INTEGUMENTARY SYSTEM**

Mammary Gland	(50)	(50)	(50)	(50)
Galactocele		1 (2%)		
Hyperplasia		4 (8%)	2 (4%)	10 (20%)
Inflammation	1 (2%)			
Skin	(50)	(50)	(50)	(50)
Cyst Epithelial Inclusion	1 (2%)	1 (2%)		
Inflammation	3 (6%)			2 (4%)
Ulcer	2 (4%)			
Epidermis, Hyperkeratosis				1 (2%)
Epidermis, Hyperplasia, Squamous	2 (4%)			1 (2%)
Sebaceous Gland, Hyperplasia			1 (2%)	

**MUSCULOSKELETAL SYSTEM**

Bone	(50)	(50)	(50)	(50)
Fibrous Osteodystrophy	1 (2%)	1 (2%)		

a - Number of animals examined microscopically at site and number of animals with lesion

Experiment Number: 96014 - 05  
 Test Type: CHRONIC  
 Route: DOSED WATER  
 Species/Strain: RATS/F344/N Tac

**P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE(a)**  
 Water disinfection byproducts (Bromodichloroacetic acid)  
 CAS Number: 71133-14-7

Date Report Requested: 03/05/2013  
 Time Report Requested: 08:02:50  
 First Dose M/F: 10/26/06 / 10/27/06  
 Lab: BAT

Fischer 344-Taconic RATS FEMALE	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Hyperplasia			1 (2%)	
Osteopetrosis	2 (4%)	2 (4%)	8 (16%)	5 (10%)
Tibia, Fracture		1 (2%)		
Vertebra, Fracture				1 (2%)
Skeletal Muscle	(0)	(1)	(0)	(0)
<b>NERVOUS SYSTEM</b>				
Brain	(50)	(50)	(50)	(50)
Hemorrhage		2 (4%)		
Necrosis		1 (2%)		
Spinal Cord	(0)	(0)	(1)	(0)
<b>RESPIRATORY SYSTEM</b>				
Lung	(50)	(50)	(50)	(50)
Inflammation, Chronic Active	20 (40%)	26 (52%)	26 (52%)	28 (56%)
Alveolar Epithelium, Hyperplasia	11 (22%)	4 (8%)	8 (16%)	8 (16%)
Alveolar Epithelium, Hypertrophy	1 (2%)			
Alveolus, Hyperplasia			1 (2%)	
Alveolus, Infiltration Cellular, Histiocyte	38 (76%)	46 (92%)	43 (86%)	43 (86%)
Bronchiole, Hyperplasia		1 (2%)		1 (2%)
Mediastinum, Inflammation	1 (2%)			
Nose	(50)	(50)	(50)	(50)
Foreign Body	2 (4%)	1 (2%)	2 (4%)	1 (2%)
Inflammation	5 (10%)	5 (10%)	9 (18%)	5 (10%)
Respiratory Epithelium, Hyperplasia			1 (2%)	
Trachea	(50)	(50)	(50)	(50)
<b>SPECIAL SENSES SYSTEM</b>				
Eye	(50)	(50)	(50)	(50)
Fibrosis			1 (2%)	
Anterior Chamber, Inflammation			1 (2%)	

a - Number of animals examined microscopically at site and number of animals with lesion



Experiment Number: 96014 - 05  
 Test Type: CHRONIC  
 Route: DOSED WATER  
 Species/Strain: RATS/F344/N Tac

**P03: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE(a)**  
 Water disinfection byproducts (Bromodichloroacetic acid)  
 CAS Number: 71133-14-7

Date Report Requested: 03/05/2013  
 Time Report Requested: 08:02:50  
 First Dose M/F: 10/26/06 / 10/27/06  
 Lab: BAT

Fischer 344-Taconic RATS FEMALE	0 mg/L	250 mg/L	500 mg/L	1000 mg/L
Ciliary Body, Fibrosis	1 (2%)			
Cornea, Inflammation		1 (2%)		1 (2%)
Iris, Inflammation	1 (2%)			
Lens, Cataract	5 (10%)	1 (2%)	6 (12%)	3 (6%)
Posterior Chamber, Inflammation	1 (2%)			
Retina, Degeneration	6 (12%)	2 (4%)	5 (10%)	3 (6%)
Retina, Gliosis	1 (2%)	1 (2%)	1 (2%)	
Harderian Gland	(50)	(50)	(50)	(50)
Inflammation			1 (2%)	1 (2%)
Lacrimal Gland	(0)	(2)	(0)	(0)
Zymbal's Gland	(0)	(0)	(0)	(2)

URINARY SYSTEM

Kidney	(50)	(50)	(50)	(50)
Infarct	1 (2%)	1 (2%)		1 (2%)
Infiltration Cellular, Lymphoid		1 (2%)		
Inflammation	1 (2%)			
Mineralization	28 (56%)	21 (42%)	20 (40%)	27 (54%)
Nephropathy	43 (86%)	40 (80%)	44 (88%)	46 (92%)
Cortex, Cyst	1 (2%)		1 (2%)	
Papilla, Necrosis	1 (2%)			1 (2%)
Pelvis, Calculus Micro Observation Only		3 (6%)	4 (8%)	
Pelvis, Inflammation	1 (2%)		1 (2%)	
Renal Tubule, Dilatation				1 (2%)
Renal Tubule, Hyperplasia, Atypical		1 (2%)	1 (2%)	
Renal Tubule, Necrosis				1 (2%)
Urinary Bladder	(50)	(50)	(50)	(50)
Transitional Epithelium, Hyperplasia		1 (2%)		

\*\*\* END OF REPORT \*\*\*

a - Number of animals examined microscopically at site and number of animals with lesion