

TDMS No. 96015 - 05
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: RATS/F 344

E08: WATER AND COMPOUND CONSUMPTION TABLE
WATER DISINFECTION BYPRODUCTS (DIBROMOACETONITRILE)
CAS Number: 3252-43-5

Date Report Reqsted: 06/09/2006
Time Report Reqsted: 12:02:16
First Dose M/F: 09/05/01 / 09/05/01
Lab: SRI

C Number: C96015
Lock Date: 04/30/2004
Cage Range: ALL
Date Range: ALL
Reasons For Removal: ALL
Removal Date Range: ALL
Treatment Groups: Include ALL
Control List: Male: 001 Female: 002

TDMS No. 96015 - 05
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344

E08: WATER AND COMPOUND CONSUMPTION TABLE
 WATER DISINFECTION BYPRODUCTS (DIBROMOACETONITRILE)
 CAS Number: 3252-43-5

Date Report Reqsted: 06/09/2006
 Time Report Reqsted: 12:02:16
 First Dose M/F: 09/05/01 / 09/05/01
 Lab: SRI

MALE

WEEK	0 MG/L				50 MG/L				100 MG/L							
	DAILY WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DAILY WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY	DAILY WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1	15.1	5818	94.3	50	14.0	5872	94.2	50	0.93	7.4	11.1	5746	93.9	50	0.74	11.8
2	15.3	8225	131.6	50	14.2	8454	133.2	50	0.93	5.3	13.0	8449	128.1	50	0.85	10.1
3	17.5	8274	163.7	50	16.0	8324	166.3	50	0.91	4.8	14.7	8350	161.9	50	0.84	9.1
4	17.9	8442	193.3	50	16.6	8437	195.8	50	0.93	4.2	15.2	8427	190.9	50	0.85	8.0
5	17.9	8448	216.6	50	16.2	8332	219.5	50	0.91	3.7	15.1	8332	213.7	50	0.84	7.1
6	18.1	8416	239.2	50	16.6	8414	240.7	50	0.92	3.4	15.4	8055	234.7	50	0.85	6.6
7	17.8	8188	258.4	50	17.0	8226	258.6	50	0.96	3.3	15.2	8063	250.4	50	0.85	6.1
8	18.7	7224	269.9	50	16.6	8335	272.1	50	0.89	3.1	16.0	8116	263.7	50	0.86	6.1
9	18.9	8386	285.1	50	16.0	8386	286.4	50	0.85	2.8	15.3	8259	277.1	50	0.81	5.5
10	18.9	7792	300.1	50	16.3	8132	300.2	50	0.86	2.7	15.9	8129	290.3	50	0.84	5.5
11	19.0	8333	310.7	50	17.3	8115	310.6	50	0.91	2.8	15.1	8186	298.9	50	0.79	5.1
12	19.8	8345	319.4	50	17.1	8386	321.6	50	0.86	2.7	15.6	8150	309.2	50	0.79	5.0
13	19.9	8293	327.3	50	17.1	7962	329.8	50	0.86	2.6	15.4	8012	315.4	50	0.77	4.9
17	17.3	7985	351.9	50	16.2	8101	356.7	50	0.94	2.3	15.3	7879	339.4	50	0.88	4.5
22	15.9	8234	384.0	50	15.2	7857	386.2	50	0.96	2.0	14.2	7842	371.3	50	0.89	3.8
25	16.9	7955	400.3	50	15.6	8237	398.9	50	0.92	2.0	14.7	8104	384.5	50	0.87	3.8
29	16.3	7790	412.8	50	14.9	8083	413.1	50	0.91	1.8	14.3	7863	396.7	50	0.88	3.6
34	16.4	8051	436.5	50	15.0	8101	433.5	50	0.91	1.7	14.2	7867	419.7	50	0.87	3.4
37	15.6	8100	440.9	50	15.9	8229	438.8	50	1.02	1.8	14.1	7794	424.6	49	0.90	3.3
41	15.6	7803	452.6	50	15.2	8184	451.0	50	0.97	1.7	14.1	7474	435.1	49	0.90	3.2
45	15.6	8095	465.2	50	14.3	7970	460.9	50	0.92	1.6	13.6	7871	444.9	49	0.87	3.1
49	15.7	7807	471.7	50	14.7	8099	468.2	50	0.94	1.6	13.7	7926	450.7	49	0.87	3.0
53	15.6	7798	480.3	50	14.5	8165	472.9	50	0.93	1.5	13.6	7828	457.3	49	0.87	3.0
57	16.4	8315	488.7	50	14.8	8316	483.2	50	0.90	1.5	13.9	7558	465.7	49	0.85	3.0
61	15.8	8215	486.6	50	15.0	8209	481.4	50	0.95	1.6	14.0	8043	466.9	49	0.89	3.0
65	16.1	8371	494.4	50	14.6	8085	488.6	50	0.91	1.5	13.8	8200	473.5	49	0.86	2.9
69	15.7	7954	500.0	50	14.2	7918	491.7	49	0.90	1.4	13.6	7914	476.4	49	0.87	2.9
73	15.7	7958	502.3	49	14.7	7882	495.2	48	0.94	1.5	13.5	7492	483.7	47	0.86	2.8
77	16.2	7643	500.1	47	15.0	7732	488.6	48	0.93	1.5	13.9	6945	477.6	47	0.86	2.9
81	16.6	7292	503.5	46	14.7	7403	494.1	45	0.89	1.5	13.6	7475	476.4	47	0.82	2.9
85	17.0	7443	504.2	45	15.3	7317	494.5	44	0.90	1.5	14.5	7121	480.6	44	0.85	3.0
89	17.1	6807	496.8	43	16.0	7002	494.5	43	0.94	1.6	15.0	6386	471.8	43	0.88	3.2
93	17.7	6763	497.3	41	15.7	7089	495.8	43	0.89	1.6	14.6	6663	472.4	41	0.82	3.1
97	16.5	6341	501.6	39	14.3	6587	492.2	41	0.87	1.5	14.0	5368	472.6	34	0.85	3.0
101	17.1	5954	487.6	36	15.3	6118	491.4	37	0.89	1.6	14.3	4936	466.2	30	0.84	3.1

TDMS No. 96015 - 05
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: RATS/F 344

E08: WATER AND COMPOUND CONSUMPTION TABLE
WATER DISINFECTION BYPRODUCTS (DIBROMOACETONITRILE)
CAS Number: 3252-43-5

Date Report Reqsted: 06/09/2006
Time Report Reqsted: 12:02:16
First Dose M/F: 09/05/01 / 09/05/01
Lab: SRI

MALE

WEEK	200 MG/L					
	DAILY WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1	8.5	5798	94.1	50	0.56	18.1
2	11.5	8443	122.0	50	0.75	18.9
3	13.4	8188	155.5	49	0.77	17.2
4	13.3	8263	184.9	49	0.74	14.4
5	13.4	8167	207.5	49	0.75	12.9
6	14.1	8236	230.6	49	0.78	12.2
7	14.6	7460	246.3	49	0.82	11.9
8	15.0	8225	262.1	49	0.80	11.4
9	14.6	7872	276.0	49	0.77	10.6
10	14.2	7595	289.4	49	0.75	9.8
11	14.1	8239	299.1	49	0.74	9.4
12	15.0	7679	308.0	49	0.76	9.7
13	15.2	7782	312.1	49	0.76	9.7
17	14.6	7568	337.4	49	0.84	8.7
22	13.1	7736	364.0	49	0.82	7.2
25	14.1	7675	379.6	49	0.83	7.4
29	13.4	7916	391.4	49	0.82	6.8
34	13.1	7840	412.3	49	0.80	6.4
37	13.1	7833	414.9	49	0.84	6.3
41	14.6	7772	427.7	49	0.94	6.8
45	12.7	7862	435.5	49	0.81	5.8
49	13.1	7990	440.9	49	0.83	5.9
53	13.6	7825	447.9	49	0.87	6.1
57	13.8	7898	458.9	48	0.84	6.0
61	13.5	7366	454.1	48	0.85	5.9
65	12.8	8035	462.4	48	0.80	5.5
69	12.1	7742	463.9	48	0.77	5.2
73	12.5	7867	466.3	48	0.80	5.4
77	13.1	7711	464.3	48	0.81	5.6
81	13.2	7123	464.2	47	0.80	5.7
85	13.1	7741	465.6	47	0.77	5.6
89	14.1	7096	456.5	46	0.82	6.2
93	14.1	7401	461.9	45	0.80	6.1
97	12.1	7285	457.4	45	0.73	5.3
101	12.6	6561	456.9	40	0.74	5.5

*** END OF MALES ***

TDMS No. 96015 - 05
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: RATS/F 344

E08: WATER AND COMPOUND CONSUMPTION TABLE
 WATER DISINFECTION BYPRODUCTS (DIBROMOACETONITRILE)
 CAS Number: 3252-43-5

Date Report Reqsted: 06/09/2006
 Time Report Reqsted: 12:02:16
 First Dose M/F: 09/05/01 / 09/05/01
 Lab: SRI

FEMALE

WEEK	0 MG/L				50 MG/L				100 MG/L							
	DAILY WATER(WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DAILY WATER(WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY	DAILY WATER(WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1	12.5	5329	86.3	50	11.1	5781	86.8	50	0.89	6.4	9.3	5857	86.2	50	0.74	10.8
2	12.3	8525	118.5	50	11.5	8465	120.5	50	0.93	4.8	10.2	8466	116.9	50	0.83	8.7
3	13.5	8267	133.3	50	12.7	8300	135.0	50	0.94	4.7	11.3	8100	132.5	50	0.84	8.5
4	13.0	7964	142.2	50	12.3	8464	144.3	50	0.95	4.3	11.3	8186	141.4	50	0.87	8.0
5	12.5	8438	151.9	50	11.7	8282	152.7	50	0.94	3.8	10.3	8395	149.6	50	0.82	6.9
6	12.9	8420	159.6	50	11.9	8310	161.4	50	0.92	3.7	10.6	8190	157.0	50	0.82	6.7
7	13.2	8208	166.6	50	12.3	8304	168.2	50	0.93	3.7	10.6	7945	164.3	50	0.80	6.5
8	13.2	8400	171.3	50	12.1	7918	172.5	50	0.92	3.5	11.3	8290	169.6	50	0.86	6.7
9	13.2	8143	175.0	50	11.5	8387	175.9	50	0.87	3.3	10.9	8388	173.5	50	0.83	6.3
10	13.0	7916	180.7	50	11.4	8456	181.7	50	0.88	3.1	11.5	8456	177.5	50	0.88	6.5
11	12.8	8054	183.9	50	11.4	8403	186.1	50	0.89	3.1	11.0	8063	182.5	50	0.86	6.0
12	12.7	8349	183.9	50	11.6	8376	186.6	50	0.91	3.1	10.6	7728	181.9	50	0.83	5.8
13	12.6	8000	192.3	50	11.0	7973	193.1	50	0.87	2.8	9.4	8116	187.1	50	0.75	5.0
17	11.9	7407	199.0	50	11.2	7760	202.2	50	0.94	2.8	10.3	7740	199.9	50	0.87	5.2
22	10.9	7958	210.0	50	10.7	8163	209.9	50	0.98	2.5	9.3	8152	208.3	50	0.85	4.5
25	11.8	8238	215.6	50	11.1	7631	215.6	50	0.94	2.6	9.4	7870	213.0	50	0.80	4.4
29	10.8	7964	223.4	50	10.3	8082	223.9	50	0.95	2.3	9.5	7841	221.6	50	0.88	4.3
34	11.2	8111	233.4	50	10.4	8096	234.7	50	0.93	2.2	9.5	8083	230.8	50	0.85	4.1
37	10.5	7866	238.5	50	11.1	8236	242.3	50	1.06	2.3	9.7	7968	236.8	50	0.92	4.1
41	11.2	7898	247.4	50	10.6	8236	248.5	50	0.95	2.1	11.0	7760	242.8	50	0.98	4.5
45	10.8	7987	255.9	50	10.2	8078	256.7	50	0.94	2.0	9.6	8105	251.9	50	0.89	3.8
49	11.1	8149	262.6	50	10.2	8258	265.6	50	0.92	1.9	9.2	7845	258.4	50	0.83	3.6
53	10.7	8173	270.9	50	9.6	7920	271.8	50	0.90	1.8	9.6	8161	266.2	50	0.90	3.6
57	11.9	8076	275.9	50	11.1	8202	281.8	50	0.93	2.0	10.3	8076	274.6	50	0.87	3.8
61	11.5	7758	288.2	49	10.6	8217	290.4	50	0.92	1.8	9.6	8212	280.9	50	0.83	3.4
65	11.5	8066	297.5	49	10.9	8111	301.2	50	0.95	1.8	9.9	8130	292.9	50	0.86	3.4
69	11.5	7938	305.7	49	10.8	8078	311.4	50	0.94	1.7	9.4	8072	300.6	50	0.82	3.1
73	11.0	8055	310.3	49	10.8	8229	319.4	50	0.98	1.7	9.7	8203	308.0	50	0.88	3.1
77	11.7	7900	311.4	48	11.3	8128	320.1	50	0.97	1.8	10.3	7954	310.4	49	0.88	3.3
81	11.5	7119	318.8	44	11.5	8001	327.1	49	1.00	1.8	10.6	7860	319.0	48	0.92	3.3
85	12.5	7113	325.0	42	11.0	7983	328.9	48	0.88	1.7	11.0	7969	323.5	47	0.88	3.4
89	12.8	6400	325.8	41	11.7	7402	334.6	44	0.91	1.7	11.6	6669	325.3	45	0.91	3.6
93	14.6	6597	327.8	40	12.7	7094	336.6	43	0.87	1.9	11.8	7279	326.8	44	0.81	3.6
97	13.4	5686	334.9	35	11.9	6266	343.0	39	0.89	1.7	11.0	6223	336.5	38	0.82	3.3
101	14.0	5365	337.6	32	12.3	6288	347.0	38	0.88	1.8	11.0	5847	337.1	34	0.79	3.3

TDMS No. 96015 - 05
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: RATS/F 344

E08: WATER AND COMPOUND CONSUMPTION TABLE
WATER DISINFECTION BYPRODUCTS (DIBROMOACETONITRILE)
CAS Number: 3252-43-5

Date Report Reqsted: 06/09/2006
Time Report Reqsted: 12:02:16
First Dose M/F: 09/05/01 / 09/05/01
Lab: SRI

FEMALE

WEEK	200 MG/L					
	DAILY WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1	7.4	5767	86.6	50	0.59	17.1
2	9.2	8336	113.6	50	0.75	16.2
3	9.6	8352	128.3	50	0.71	15.0
4	9.4	8428	137.9	50	0.72	13.6
5	9.0	8040	146.4	50	0.72	12.3
6	9.6	8402	154.5	50	0.74	12.4
7	9.4	8402	160.7	50	0.71	11.7
8	9.8	8289	165.2	50	0.74	11.9
9	10.2	7807	168.0	50	0.77	12.1
10	9.5	7567	173.1	50	0.73	11.0
11	9.5	8410	176.4	50	0.74	10.8
12	9.3	8373	176.5	50	0.73	10.5
13	9.4	7771	184.2	50	0.75	10.2
17	10.2	7034	190.7	50	0.86	10.7
22	8.6	8160	202.6	50	0.79	8.5
25	9.0	7846	205.5	50	0.76	8.8
29	8.9	8075	214.6	50	0.82	8.3
34	8.6	8070	222.7	50	0.77	7.7
37	8.6	7949	227.5	50	0.82	7.6
41	10.1	8220	237.6	50	0.90	8.5
45	8.5	7972	243.7	50	0.79	7.0
49	8.4	7999	247.8	50	0.76	6.8
53	9.5	8126	258.9	50	0.89	7.3
57	9.6	7644	267.2	49	0.81	7.2
61	9.2	7688	273.0	49	0.80	6.7
65	9.8	7617	281.7	49	0.85	7.0
69	9.0	7792	290.2	48	0.78	6.2
73	8.9	7870	297.5	48	0.81	6.0
77	10.3	7789	296.2	48	0.88	7.0
81	10.0	7408	301.5	47	0.87	6.6
85	10.3	7688	307.4	46	0.82	6.7
89	10.9	6803	307.4	45	0.85	7.1
93	11.5	7189	310.6	43	0.79	7.4
97	10.8	5970	318.2	38	0.81	6.8
101	11.3	6101	317.4	36	0.81	7.1

*** END OF REPORT ***