

TDMS No. 96015 - 06
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: MICE/B6C3F1

E08: WATER AND COMPOUND CONSUMPTION TABLE
WATER DISINFECTION BYPRODUCTS (DIBROMOACETONITRILE)
CAS Number: 3252-43-5

Date Report Reqsted: 07/11/2006
Time Report Reqsted: 07:37:59
First Dose M/F: 08/22/01 / 08/22/01
Lab: SRI

C Number: C96015
Lock Date: 04/30/2004
Cage Range: ALL
Date Range: ALL
Reasons For Removal: ALL
Removal Date Range: ALL
Treatment Groups: Include ALL
Control List: Male: 001 Female: 002

TDMS No. 96015 - 06
 Test Type: CHRONIC
 Route: DOSED WATER
 Species/Strain: MICE/B6C3F1

E08: WATER AND COMPOUND CONSUMPTION TABLE
 WATER DISINFECTION BYPRODUCTS (DIBROMOACETONITRILE)
 CAS Number: 3252-43-5

Date Report Reqsted: 07/11/2006
 Time Report Reqsted: 07:37:59
 First Dose M/F: 08/22/01 / 08/22/01
 Lab: SRI

MALE

WEEK	0 MG/L				50 MG/L				100 MG/L							
	DAILY WATER(WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DAILY WATER(WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY	DAILY WATER(WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1	3.8	5711	20.6	50	3.2	5564	20.8	50	0.84	7.7	2.2	5569	21.3	50	0.58	10.3
2	3.3	8210	22.7	50	3.0	7950	22.4	50	0.91	6.7	2.8	7963	22.2	50	0.85	12.6
3	3.5	8026	24.6	50	3.1	8007	24.5	50	0.89	6.3	2.9	7412	24.1	50	0.83	12.1
4	3.7	7853	25.9	49	3.6	8214	25.9	50	0.97	6.9	2.8	8277	25.3	50	0.76	11.0
5	3.6	7936	27.3	49	3.3	8149	27.1	50	0.92	6.1	3.0	7943	26.5	50	0.83	11.3
6	4.2	7872	28.2	49	3.6	8041	28.3	50	0.86	6.4	3.2	7717	27.7	50	0.76	11.6
7	3.9	8066	30.1	49	3.6	8057	29.8	50	0.92	6.0	3.2	8144	29.0	50	0.82	11.0
8	3.6	7350	31.0	49	3.3	7738	30.9	50	0.92	5.3	3.0	8038	30.0	50	0.83	10.0
9	3.8	7891	32.5	49	3.3	7596	32.1	50	0.87	5.1	3.0	7928	31.5	50	0.79	9.5
10	3.9	8001	32.7	49	3.5	8222	32.4	50	0.90	5.4	3.0	8021	31.3	50	0.77	9.6
11	4.6	3340	34.7	49	3.6	7038	34.0	50	0.78	5.3	3.1	8077	32.9	50	0.67	9.4
12	2.5	12346	36.1	49	2.9	9348	35.6	50	1.16	4.1	3.0	8332	34.7	50	1.20	8.7
13	3.9	7822	37.6	49	3.4	8091	37.1	50	0.87	4.6	3.3	7775	36.0	50	0.85	9.2
17	3.7	8041	41.7	49	3.3	8316	41.4	50	0.89	4.0	3.1	7919	39.8	50	0.84	7.8
21	3.6	7634	45.1	49	3.1	7808	43.9	50	0.86	3.5	3.1	7545	42.2	50	0.86	7.4
25	3.5	7999	46.9	49	3.0	8202	46.2	50	0.86	3.2	2.7	8075	45.0	50	0.77	6.0
29	3.4	8059	48.4	49	2.9	8243	47.5	50	0.85	3.1	2.5	8190	45.8	50	0.74	5.5
33	3.6	8235	49.4	49	3.1	8250	48.7	50	0.86	3.2	2.7	8384	47.5	50	0.75	5.7
37	3.8	7810	49.5	49	3.3	8043	48.6	50	0.87	3.4	3.0	7444	48.0	49	0.79	6.3
41	4.0	7936	51.2	49	3.4	8060	50.5	50	0.85	3.4	2.8	7868	49.4	49	0.70	5.7
45	4.3	7775	52.1	49	3.4	8139	51.5	50	0.79	3.3	3.0	7630	50.5	49	0.70	5.9
49	4.5	7981	53.3	49	3.4	8046	52.3	50	0.76	3.2	2.9	7891	51.7	49	0.64	5.6
53	4.2	7602	53.3	49	3.4	8003	52.7	50	0.81	3.2	2.8	7520	51.6	49	0.67	5.4
57	4.8	7892	53.3	49	3.7	7777	52.7	50	0.77	3.5	3.1	7929	51.5	49	0.65	6.0
61	4.9	7875	53.5	49	3.8	8180	52.7	50	0.78	3.6	3.1	7944	51.9	49	0.63	6.0
65	4.8	7634	53.5	48	3.7	7926	52.7	49	0.77	3.5	3.0	7885	51.5	49	0.63	5.8
69	5.2	7876	54.0	48	3.8	7831	52.9	49	0.73	3.6	3.2	8046	51.3	49	0.62	6.2
73	5.2	7862	54.0	48	3.8	7939	52.9	49	0.73	3.6	3.2	7886	51.4	49	0.62	6.2
77	5.1	7807	53.7	48	3.8	8191	52.5	49	0.75	3.6	3.3	8002	51.3	49	0.65	6.4
81	5.6	7629	53.1	48	4.0	7947	51.9	49	0.71	3.9	3.5	7854	50.5	49	0.63	6.9
85	5.5	7732	52.8	48	3.8	8063	51.6	49	0.69	3.7	4.0	7600	51.2	47	0.73	7.8
89	5.6	7459	50.9	46	3.9	7910	49.5	49	0.70	3.9	3.5	6754	50.8	42	0.63	6.9
93	5.0	7192	50.3	45	4.0	7696	48.9	47	0.80	4.1	3.4	6965	48.7	42	0.68	7.0
97	4.7	6497	50.3	43	3.9	7192	48.2	45	0.83	4.0	3.6	6490	48.9	40	0.77	7.4
101	4.9	3991	50.6	41	3.4	4086	47.5	43	0.69	3.6	3.3	3674	47.9	39	0.67	6.9

TDMS No. 96015 - 06
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: MICE/B6C3F1

E08: WATER AND COMPOUND CONSUMPTION TABLE
WATER DISINFECTION BYPRODUCTS (DIBROMOACETONITRILE)
CAS Number: 3252-43-5

Date Report Reqsted: 07/11/2006
Time Report Reqsted: 07:37:59
First Dose M/F: 08/22/01 / 08/22/01
Lab: SRI

MALE

WEEK	200 MG/L					
	DAILY WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1	2.0	5772	20.8	50	0.53	19.2
2	2.2	8098	21.3	50	0.67	20.7
3	2.4	7862	23.4	50	0.69	20.5
4	2.6	8082	25.1	49	0.70	20.7
5	2.6	7597	26.1	49	0.72	19.9
6	3.0	7856	27.4	49	0.71	21.9
7	2.7	7794	28.6	49	0.69	18.9
8	2.5	7630	29.6	49	0.69	16.9
9	2.6	7640	30.8	49	0.68	16.9
10	2.7	7700	30.7	49	0.69	17.6
11	2.7	8100	31.1	49	0.59	17.3
12	2.7	7775	32.9	49	1.08	16.4
13	2.7	7498	34.0	49	0.69	15.9
17	2.7	7929	37.9	49	0.73	14.3
21	2.6	7533	39.3	49	0.72	13.2
25	2.2	7931	41.5	49	0.63	10.6
29	2.3	7710	43.4	49	0.68	10.6
33	2.3	8202	44.8	49	0.64	10.3
37	2.3	7616	44.8	49	0.61	10.3
41	2.4	7640	47.8	49	0.60	10.0
45	2.5	7815	49.2	49	0.58	10.2
49	2.4	8004	49.9	49	0.53	9.6
53	2.4	7798	49.7	48	0.57	9.7
57	2.7	7801	49.0	48	0.56	11.0
61	2.7	7782	49.8	48	0.55	10.8
65	2.6	7859	50.0	48	0.54	10.4
69	2.6	7902	50.0	48	0.50	10.4
73	2.4	7906	49.8	48	0.46	9.6
77	2.9	7964	49.6	48	0.57	11.7
81	3.0	7612	49.2	47	0.54	12.2
85	2.7	7655	49.2	47	0.49	11.0
89	3.0	7104	47.2	45	0.54	12.7
93	3.1	7062	45.3	44	0.62	13.7
97	3.3	6897	45.0	43	0.70	14.7
101	3.1	3749	44.1	42	0.63	14.0

*** END OF MALES ***

FEMALE

WEEK	0 MG/L				50 MG/L				100 MG/L							
	DAILY WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DAILY WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY	DAILY WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1	2.8	5696	17.8	50	2.5	5698	17.8	50	0.89	7.0	2.5	5602	17.4	50	0.89	14.4
2	2.7	8057	18.9	50	2.3	7587	18.7	50	0.85	6.2	2.1	7865	18.7	50	0.78	11.2
3	2.9	8279	20.3	50	2.6	7990	19.7	50	0.90	6.6	2.3	8181	19.8	50	0.79	11.6
4	3.1	8000	21.1	50	2.5	8031	20.8	50	0.81	6.0	2.3	8035	20.7	50	0.74	11.1
5	3.0	8037	22.1	50	3.0	8305	21.9	50	1.00	6.8	2.5	8010	21.3	50	0.83	11.7
6	3.5	8172	22.8	50	3.0	7895	22.1	50	0.86	6.8	2.6	7999	22.0	50	0.74	11.8
7	3.3	7865	24.0	50	2.8	7769	23.3	50	0.85	6.0	2.7	7774	22.8	50	0.82	11.8
8	3.2	7346	24.8	50	3.2	7213	23.5	50	1.00	6.8	2.9	7831	23.6	50	0.91	12.3
9	3.4	8158	26.1	50	3.2	7975	24.9	50	0.94	6.4	2.8	7667	24.2	50	0.82	11.5
10	3.6	7312	26.5	50	3.0	8415	25.8	50	0.83	5.8	2.9	7600	24.9	50	0.81	11.7
11	3.7	3440	27.8	50	3.0	3067	26.7	50	0.81	5.6	2.8	8051	25.7	50	0.76	10.9
12	2.3	12565	29.3	50	2.0	12592	27.5	50	0.87	3.6	2.9	7892	26.8	50	1.26	10.8
13	3.6	7047	30.9	50	3.3	7993	28.8	50	0.92	5.7	2.9	7937	27.6	50	0.81	10.5
17	3.1	7890	35.6	50	2.7	8125	33.8	50	0.87	4.0	3.1	7354	31.8	50	1.00	9.8
21	3.1	7729	39.3	50	2.7	7576	36.8	49	0.87	3.7	3.1	7061	36.0	50	1.00	8.6
25	2.6	8279	43.6	50	2.6	7217	40.0	49	1.00	3.3	2.2	7917	38.4	49	0.85	5.7
29	3.0	7768	46.5	50	2.4	7932	42.8	49	0.80	2.8	2.1	8090	41.9	49	0.70	5.0
33	2.5	8432	48.7	50	2.6	8120	45.3	49	1.04	2.9	2.2	8234	44.2	49	0.88	5.0
37	2.6	8083	51.7	50	2.2	8051	48.0	49	0.85	2.3	2.3	7572	46.8	49	0.88	4.9
41	2.7	8154	54.3	50	2.7	7411	50.8	49	1.00	2.7	2.2	7401	49.4	49	0.81	4.5
45	2.6	8124	55.8	50	2.3	8102	53.2	49	0.88	2.2	2.2	7981	51.8	49	0.85	4.2
49	2.9	8237	57.2	50	2.3	7598	54.7	48	0.79	2.1	2.5	7902	55.1	49	0.86	4.5
53	2.9	7956	57.5	50	2.3	7678	56.5	48	0.79	2.0	2.6	6201	56.3	49	0.90	4.6
57	2.8	8097	57.9	50	2.6	7909	57.1	48	0.93	2.3	2.3	7248	55.9	49	0.82	4.1
61	2.7	8368	58.6	50	2.2	7937	56.5	48	0.81	1.9	2.3	7730	57.4	49	0.85	4.0
65	2.6	8232	58.4	50	2.3	7226	56.6	44	0.88	2.0	2.2	8067	58.1	49	0.85	3.8
69	2.8	8137	59.2	50	2.6	7111	57.8	43	0.93	2.2	2.2	7461	58.2	49	0.79	3.8
73	2.8	8274	59.7	50	2.2	6996	58.7	43	0.79	1.9	2.5	7944	59.6	49	0.89	4.2
77	2.9	7999	59.5	49	2.7	6752	58.7	43	0.93	2.3	2.4	7514	59.6	46	0.83	4.0
81	3.1	7646	60.0	47	2.7	7012	57.9	43	0.87	2.3	2.5	6815	58.9	45	0.81	4.2
85	2.8	7186	60.9	45	2.5	7045	58.5	42	0.89	2.1	2.6	7474	60.5	45	0.93	4.3
89	2.8	7267	59.2	44	2.5	6685	57.8	41	0.89	2.2	2.3	6965	58.2	45	0.82	4.0
93	2.8	7111	58.1	44	2.5	6133	57.1	40	0.89	2.2	2.2	7537	57.1	45	0.79	3.9
97	3.3	6609	57.7	42	2.6	6164	57.4	38	0.79	2.3	2.5	7297	57.1	45	0.76	4.4
101	2.8	3891	56.1	41	2.5	3594	56.5	37	0.89	2.2	2.1	4231	56.3	44	0.75	3.7

TDMS No. 96015 - 06
Test Type: CHRONIC
Route: DOSED WATER
Species/Strain: MICE/B6C3F1

E08: WATER AND COMPOUND CONSUMPTION TABLE
WATER DISINFECTION BYPRODUCTS (DIBROMOACETONITRILE)
CAS Number: 3252-43-5

Date Report Reqsted: 07/11/2006
Time Report Reqsted: 07:37:59
First Dose M/F: 08/22/01 / 08/22/01
Lab: SRI

FEMALE

WEEK	200 MG/L					
	DAILY WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1	1.6	5845	17.6	50	0.57	18.2
2	1.7	8316	18.0	50	0.63	18.9
3	2.2	7996	19.4	50	0.76	22.7
4	1.8	8031	19.8	50	0.58	18.2
5	2.0	7899	21.0	50	0.67	19.0
6	2.4	8252	21.3	50	0.69	22.6
7	2.5	7758	22.2	50	0.76	22.5
8	2.1	8398	22.9	50	0.66	18.3
9	2.4	7598	23.3	50	0.71	20.6
10	2.2	8307	24.2	50	0.61	18.2
11	2.3	8032	24.9	50	0.62	18.5
12	2.4	8230	25.9	50	1.04	18.5
13	2.6	8022	27.2	50	0.72	19.1
17	3.1	7897	30.9	50	1.00	20.0
21	2.4	7277	33.4	50	0.77	14.4
25	1.8	8202	35.9	50	0.69	10.0
29	2.1	8153	38.8	50	0.70	10.8
33	2.0	8388	41.7	50	0.80	9.6
37	1.9	7894	43.5	50	0.73	8.7
41	1.8	7743	46.2	50	0.67	7.8
45	1.9	8035	49.1	50	0.73	7.7
49	2.0	7910	51.7	50	0.69	7.7
53	2.2	7063	52.8	50	0.76	8.3
57	2.0	8137	53.5	50	0.71	7.5
61	2.1	8023	54.0	50	0.78	7.8
65	1.9	8230	54.6	50	0.73	7.0
69	2.0	7892	55.6	50	0.71	7.2
73	1.9	8258	56.9	50	0.68	6.7
77	2.2	8060	56.7	50	0.76	7.8
81	2.9	6999	57.1	50	0.94	10.2
85	2.0	8303	57.0	50	0.71	7.0
89	1.8	8129	55.6	50	0.64	6.5
93	2.0	7859	53.8	50	0.71	7.4
97	2.1	7945	54.5	49	0.64	7.7
101	1.9	4517	55.1	47	0.68	6.9

*** END OF REPORT ***