

**TDMS No.** 96019-05  
**Test Type:** CHRONIC  
**Route:** DOSED WATER  
**Species/Strain:** RATS/F 344

**E03: GROWTH CURVE**  
WATER DISINFECTION BYPRODUCTS (BROMOCHLOROACETIC ACID)  
**CAS Number:** 5589-96-8


**Date Report Requested:** 03/29/2006  
**Time Report Requested:** 9:03:09  
**First Dose M/F:** 09/26/01 / 09/26/01  
**Lab:** SRI

**C Number:** C96019  
**Lock Date:** 07/14/2004  
**Cage Range:** 1 - 9999  
**Date Range:** 1-JAN-1940 to 17-SEP-2040  
**Reasons For Removal:** ALL  
**Removal Date Range:** ALL  
**Treatment Groups:** Include ALL

TDMS No. 96019-05  
Test Type: CHRONIC  
Route: DOSED WATER  
Species/Strain: RATS/F 344

**E03: GROWTH CURVE**  
WATER DISINFECTION BYPRODUCTS (BROMOCHLOROACETIC ACID)  
CAS Number: 5589-96-8

Date Report Requested: 03/29/2006  
Time Report Requested: 9:03:09  
First Dose M/F: 09/26/01 / 09/26/01  
Lab: SRI



TDMS No. 96019-05  
Test Type: CHRONIC  
Route: DOSED WATER  
Species/Strain: RATS/F 344

**E03: GROWTH CURVE**  
WATER DISINFECTION BYPRODUCTS (BROMOCHLOROACETIC ACID)  
CAS Number: 5589-96-8

Date Report Requested: 03/29/2006  
Time Report Requested: 9:03:09  
First Dose M/F: 09/26/01 / 09/26/01  
Lab: SRI

