

**TDMS No.** 96019 - 05  
**Test Type:** CHRONIC  
**Route:** DOSED WATER  
**Species/Strain:** RATS/F 344

**E08: WATER AND COMPOUND CONSUMPTION TABLE**  
WATER DISINFECTION BYPRODUCTS (BROMOCHLOROACETIC ACID)  
**CAS Number:** 5589-96-8

**Date Report Reqsted:** 03/28/2006  
**Time Report Reqsted:** 14:47:30  
**First Dose M/F:** 09/26/01 / 09/26/01  
**Lab:** SRI

**C Number:** C96019

**Lock Date:** 07/14/2004

**Cage Range:** ALL

**Date Range:** ALL

**Reasons For Removal:** ALL

**Removal Date Range:** ALL

**Treatment Groups:** Include ALL

**Control List:** Male: 001

Female: 002

TDMS No. 96019 - 05  
 Test Type: CHRONIC  
 Route: DOSED WATER  
 Species/Strain: RATS/F 344

**E08: WATER AND COMPOUND CONSUMPTION TABLE**  
 WATER DISINFECTION BYPRODUCTS (BROMOCHLOROACETIC ACID)  
 CAS Number: 5589-96-8

Date Report Reqsted: 03/28/2006  
 Time Report Reqsted: 14:47:30  
 First Dose M/F: 09/26/01 / 09/26/01  
 Lab: SRI

**MALE**

WEEK	0 MG/L				250 MG/L				500 MG/L				DOSE/ CTRL	DOSE/ DAY	DOSE/ CTRL	DOSE/ DAY
	DAILY WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DAILY WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DAILY WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS				
1	16.2	9473	101.5	66	16.2	9469	101.0	66	1.00	40.1	16.4	9459	102.5	66	1.01	80.0
2	17.2	11078	133.1	66	17.5	11077	133.6	66	1.02	32.7	17.5	11075	136.7	66	1.02	64.0
3	18.9	10458	167.6	66	18.8	10687	169.3	66	0.99	27.8	18.8	11050	171.5	66	0.99	54.8
4	19.3	10319	201.3	66	19.1	10697	201.6	66	0.99	23.7	19.5	10897	204.0	66	1.01	47.8
5	19.2	10671	226.0	66	18.7	11254	226.6	66	0.97	20.6	18.7	11263	229.1	66	0.97	40.8
6	19.2	10937	247.6	66	18.5	10947	248.3	66	0.96	18.6	18.8	10712	249.8	66	0.98	37.6
7	19.6	9992	264.7	66	19.0	11091	264.2	66	0.97	18.0	19.1	10881	265.8	66	0.97	35.9
8	19.3	9956	280.5	66	18.8	10975	280.1	66	0.97	16.8	18.6	10842	281.4	66	0.96	33.0
9	19.0	10630	293.1	66	18.5	11007	292.4	66	0.97	15.8	18.5	10476	293.0	66	0.97	31.6
10	16.2	10979	304.2	66	17.1	10469	303.5	66	1.06	14.1	16.4	10729	304.6	66	1.01	26.9
11	17.2	11093	313.7	66	17.1	10665	313.5	66	0.99	13.6	16.8	11054	314.4	66	0.98	26.7
12	17.3	11206	325.1	66	16.9	10895	324.6	66	0.98	13.0	17.1	10958	322.9	66	0.99	26.5
13	17.1	10373	331.3	66	17.1	10941	329.7	66	1.00	13.0	16.9	10906	329.7	66	0.99	25.6
17	16.7	10416	359.2	66	16.9	10520	353.7	66	1.01	11.9	16.8	10752	353.2	66	1.01	23.8
21	17.2	10659	388.7	66	17.1	10656	379.6	66	0.99	11.3	17.0	10577	379.3	66	0.99	22.4
25	16.5	10744	413.0	66	16.4	10740	402.7	66	0.99	10.2	16.1	10734	400.7	66	0.98	20.1
29	15.7	9413	429.4	58	15.5	9371	416.9	58	0.99	9.3	15.4	9515	415.1	58	0.98	18.5
33	17.1	8328	448.5	58	16.7	9205	433.1	58	0.98	9.6	16.5	9348	431.1	58	0.96	19.1
37	17.5	9321	461.5	58	16.7	9559	447.7	58	0.95	9.3	16.6	9465	443.6	58	0.95	18.7
41	17.5	9610	472.4	58	17.0	9580	455.9	58	0.97	9.3	17.0	9584	451.3	58	0.97	18.8
45	16.6	9176	484.1	58	16.8	9522	467.1	58	1.01	9.0	16.0	9502	463.4	58	0.96	17.3
49	16.5	9170	488.6	58	16.1	9501	473.2	58	0.98	8.5	16.0	9087	466.8	57	0.97	17.1
53	16.7	9285	498.9	57	17.3	9540	476.4	58	1.04	9.1	16.7	9148	470.2	57	1.00	17.8
57	16.8	6965	501.8	49	16.8	7823	480.4	50	1.00	8.7	16.3	7686	477.1	48	0.97	17.1
61	16.3	8076	509.7	49	16.3	8230	484.3	50	1.00	8.4	16.2	7900	483.4	48	0.99	16.8
65	16.5	7840	514.5	49	16.3	8238	487.7	50	0.99	8.4	16.0	7571	486.3	48	0.97	16.5
69	16.8	7881	520.2	49	16.1	7974	490.5	50	0.96	8.2	16.2	7446	490.4	47	0.96	16.5
73	16.3	7884	524.0	48	15.9	8100	497.4	49	0.98	8.0	16.2	7597	493.6	46	0.99	16.4
77	17.3	7379	526.0	46	16.4	7158	492.1	48	0.95	8.3	17.2	6949	492.2	46	0.99	17.5
81	17.8	7120	523.7	46	17.7	6928	488.1	45	0.99	9.1	18.3	6707	483.4	44	1.03	18.9
85	18.5	6811	520.8	45	17.6	7122	487.3	44	0.95	9.0	18.1	6280	477.7	41	0.98	18.9
89	18.2	6759	519.3	41	18.4	6547	490.1	41	1.01	9.4	18.1	6100	479.4	37	0.99	18.9
93	17.9	6371	524.2	39	17.2	6126	495.3	37	0.96	8.7	17.0	5608	470.3	36	0.95	18.1
97	17.3	6072	522.4	37	17.0	5277	488.9	33	0.98	8.7	16.3	5303	462.4	33	0.94	17.6
101	18.3	5307	511.6	34	18.0	4830	475.3	31	0.98	9.5	17.5	4482	464.5	29	0.96	18.8

TDMS No. 96019 - 05  
Test Type: CHRONIC  
Route: DOSED WATER  
Species/Strain: RATS/F 344

**E08: WATER AND COMPOUND CONSUMPTION TABLE**  
WATER DISINFECTION BYPRODUCTS (BROMOCHLOROACETIC ACID)  
CAS Number: 5589-96-8

Date Report Reqsted: 03/28/2006  
Time Report Reqsted: 14:47:30  
First Dose M/F: 09/26/01 / 09/26/01  
Lab: SRI

---

**MALE**

---

WEEK	1000 MG/L					
	DAILY WATER	WATER(HOURS)	BODY WT(G)	NUM WTS	DOSE/CTRL	DOSE/DAY
1	16.4	9460	100.7	66	1.01	162.8
2	17.6	10997	133.6	66	1.02	131.8
3	18.7	10842	169.4	66	0.99	110.4
4	19.1	11048	202.1	66	0.99	94.5
5	18.7	10616	225.9	66	0.97	82.8
6	18.4	11080	247.5	66	0.96	74.3
7	18.8	10793	263.9	66	0.96	71.2
8	18.6	10785	278.5	66	0.96	66.8
9	18.4	10940	289.5	66	0.97	63.6
10	16.1	10933	300.4	66	0.99	53.6
11	16.6	11030	310.2	66	0.97	53.5
12	17.0	10826	319.9	66	0.98	53.1
13	17.2	10577	324.9	66	1.01	52.9
17	16.2	10734	351.2	66	0.97	46.1
21	16.4	10580	379.0	66	0.95	43.3
25	15.6	10731	397.8	66	0.95	39.2
29	14.7	9529	410.3	58	0.94	35.8
33	15.9	9026	423.5	58	0.93	37.5
37	15.7	9460	437.4	58	0.90	35.9
41	15.9	9579	444.7	58	0.91	35.8
45	15.4	9173	454.1	58	0.93	33.9
49	14.8	9442	460.0	58	0.90	32.2
53	15.2	9257	460.7	57	0.91	33.0
57	15.3	7300	461.0	48	0.91	33.2
61	15.0	7891	464.8	48	0.92	32.3
65	15.1	7737	466.8	47	0.92	32.3
69	15.3	7470	469.8	46	0.91	32.6
73	14.7	7568	471.0	46	0.90	31.2
77	15.7	7016	467.3	44	0.91	33.6
81	16.9	6815	462.5	43	0.95	36.5
85	17.3	6662	459.1	42	0.94	37.7
89	16.4	6745	456.9	42	0.90	35.9
93	16.2	5924	450.4	38	0.91	36.0
97	16.4	5636	448.7	36	0.95	36.6
101	17.9	5032	444.9	31	0.98	40.2

\*\*\* END OF MALES \*\*\*

TDMS No. 96019 - 05  
 Test Type: CHRONIC  
 Route: DOSED WATER  
 Species/Strain: RATS/F 344

**E08: WATER AND COMPOUND CONSUMPTION TABLE**  
 WATER DISINFECTION BYPRODUCTS (BROMOCHLOROACETIC ACID)  
 CAS Number: 5589-96-8

Date Report Reqsted: 03/28/2006  
 Time Report Reqsted: 14:47:30  
 First Dose M/F: 09/26/01 / 09/26/01  
 Lab: SRI

**FEMALE**

WEEK	0 MG/L				250 MG/L				500 MG/L				DOSE/ CTRL	DOSE/ DAY	DOSE/ CTRL	DOSE/ DAY
	DAILY WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DAILY WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DAILY WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS				
1	13.5	9473	92.7	66	13.7	9462	92.8	66	1.01	36.9	14.2	9463	91.7	66	1.05	77.4
2	14.2	11079	113.9	66	14.4	11079	114.5	66	1.01	31.4	14.5	10949	116.2	66	1.02	62.4
3	14.5	10955	130.1	66	14.4	11017	131.0	66	0.99	27.5	14.1	10571	132.2	66	0.97	53.3
4	14.1	9962	142.0	66	14.2	11000	141.7	66	1.01	25.1	13.9	10484	143.2	66	0.99	48.5
5	14.4	10501	152.5	66	13.9	11259	152.6	66	0.97	22.8	13.5	11135	153.1	65	0.94	44.1
6	14.6	11088	158.7	66	13.7	11079	160.2	66	0.94	21.4	13.8	10907	158.8	65	0.95	43.4
7	14.9	10345	166.8	66	14.0	11092	166.6	66	0.94	21.0	14.1	10566	168.1	65	0.95	41.9
8	14.3	10411	177.0	66	13.5	10768	175.4	66	0.94	19.2	13.2	10606	177.8	65	0.92	37.1
9	13.5	10990	180.1	66	12.9	10960	177.1	66	0.96	18.2	12.8	10678	177.6	65	0.95	36.0
10	12.4	10514	182.9	66	11.4	11051	179.3	66	0.92	15.9	11.7	10611	180.9	65	0.94	32.3
11	12.3	10178	187.3	66	11.6	10716	181.8	66	0.94	16.0	11.5	10778	184.2	65	0.93	31.2
12	12.0	11222	187.4	66	11.7	11141	185.2	66	0.97	15.8	11.6	11025	188.1	65	0.97	30.8
13	12.4	10026	190.5	66	11.7	10750	190.0	66	0.94	15.4	11.6	10796	188.4	65	0.94	30.8
17	12.4	10167	201.8	66	11.7	10174	198.7	66	0.94	14.7	11.5	10592	200.2	65	0.93	28.7
21	11.8	10320	212.1	66	11.6	10666	207.2	66	0.98	14.0	11.6	10500	209.0	65	0.98	27.8
25	11.9	10745	222.1	66	11.3	10644	218.3	66	0.95	12.9	11.0	10454	218.6	65	0.92	25.2
29	11.5	9001	233.3	58	11.0	9506	229.6	58	0.96	12.0	10.7	9357	227.8	57	0.93	23.5
33	12.2	9131	241.7	58	12.1	9341	235.7	58	0.99	12.8	11.4	9093	235.2	57	0.93	24.2
37	12.4	9185	248.2	58	12.1	9045	243.0	58	0.98	12.4	11.7	9304	241.7	57	0.94	24.2
41	12.2	9602	257.9	58	11.8	9576	252.6	58	0.97	11.7	11.6	9418	252.1	57	0.95	23.0
45	11.2	9533	268.4	58	11.9	9517	260.7	58	1.06	11.4	11.2	9247	260.9	57	1.00	21.5
49	11.4	9563	274.9	58	11.5	8861	266.1	58	1.01	10.8	10.9	9270	267.8	57	0.96	20.4
53	12.1	9544	285.2	58	11.9	9527	275.8	58	0.98	10.8	11.5	9266	275.7	57	0.95	20.9
57	12.5	8040	291.8	50	12.2	7932	277.9	50	0.98	11.0	11.9	8045	282.9	49	0.95	21.0
61	12.3	8074	303.3	49	12.5	8074	291.3	49	1.02	10.7	11.8	8063	293.5	49	0.96	20.1
65	12.0	7928	311.8	49	11.8	8079	299.7	49	0.98	9.8	11.6	8068	301.7	49	0.97	19.2
69	12.3	7749	320.5	48	12.8	7680	306.8	49	1.04	10.4	11.8	7840	310.4	49	0.96	19.0
73	12.1	7484	328.2	45	12.6	7832	314.4	48	1.04	10.0	11.9	7793	315.5	48	0.98	18.9
77	12.4	6817	335.1	44	13.3	7094	320.6	46	1.07	10.4	12.8	7688	323.2	48	1.03	19.8
81	13.7	7146	336.5	44	14.3	7253	320.7	46	1.04	11.1	13.4	7614	322.9	47	0.98	20.7
85	15.1	6924	338.6	44	14.4	6843	323.1	44	0.95	11.1	13.9	7592	324.8	47	0.92	21.4
89	14.7	7111	346.1	43	14.7	6820	329.5	42	1.00	11.2	14.1	7746	331.6	47	0.96	21.3
93	14.1	6801	351.2	41	14.2	6482	327.1	39	1.01	10.9	13.8	7108	337.9	43	0.98	20.4
97	14.3	6243	356.0	38	14.3	6206	328.8	39	1.00	10.9	13.9	6580	344.5	40	0.97	20.2
101	15.5	5536	357.3	35	14.5	4876	333.5	32	0.94	10.9	14.1	6502	349.7	40	0.91	20.2

TDMS No. 96019 - 05  
Test Type: CHRONIC  
Route: DOSED WATER  
Species/Strain: RATS/F 344

**E08: WATER AND COMPOUND CONSUMPTION TABLE**  
WATER DISINFECTION BYPRODUCTS (BROMOCHLOROACETIC ACID)  
CAS Number: 5589-96-8

Date Report Reqsted: 03/28/2006  
Time Report Reqsted: 14:47:30  
First Dose M/F: 09/26/01 / 09/26/01  
Lab: SRI

**FEMALE**

WEEK	1000 MG/L					
	DAILY WATER	WATER (G)	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1	13.8	9461	93.4	66	1.02	147.7
2	14.1	11070	117.3	66	0.99	120.2
3	13.8	11052	131.7	66	0.95	104.8
4	13.6	10686	141.9	66	0.96	95.8
5	13.4	10867	151.1	66	0.93	88.7
6	13.3	10686	157.0	66	0.91	84.7
7	13.7	10988	166.5	66	0.92	82.3
8	13.2	9793	174.5	66	0.92	75.6
9	12.6	10797	175.6	66	0.93	71.7
10	10.5	11169	176.8	66	0.85	59.4
11	11.1	10971	180.7	66	0.90	61.4
12	11.6	10733	185.2	66	0.97	62.6
13	11.9	10631	185.2	66	0.96	64.3
17	11.6	10736	200.7	66	0.94	57.8
21	11.1	10204	207.6	66	0.94	53.5
25	11.1	10729	217.3	66	0.93	51.1
29	10.5	9503	226.4	58	0.91	46.4
33	11.1	9166	233.1	58	0.91	47.6
37	11.3	9444	237.9	58	0.91	47.5
41	11.5	9043	248.1	57	0.94	46.4
45	11.0	9231	256.4	57	0.98	42.9
49	11.0	9197	262.7	57	0.96	41.9
53	11.2	9252	269.6	57	0.93	41.5
57	11.6	7343	273.5	48	0.93	42.4
61	11.6	7897	281.5	48	0.94	41.2
65	11.5	7905	288.1	48	0.96	39.9
69	12.1	7794	297.0	48	0.98	40.7
73	12.3	7919	304.1	48	1.02	40.4
77	12.4	7641	307.5	48	1.00	40.3
81	13.2	7767	307.2	48	0.96	43.0
85	14.3	7747	305.3	48	0.95	46.8
89	13.9	7562	309.9	47	0.95	44.8
93	13.3	7267	313.5	44	0.94	42.4
97	14.2	6573	325.0	40	0.99	43.7
101	14.2	5869	326.2	37	0.92	43.5

\*\*\* END OF REPORT \*\*\*