

**TDMS No.** 96019 - 06  
**Test Type:** CHRONIC  
**Route:** DOSED WATER  
**Species/Strain:** MICE/B6C3F1

**E08: WATER AND COMPOUND CONSUMPTION TABLE**  
WATER DISINFECTION BYPRODUCTS (BROMOCHLOROACETIC ACID)  
**CAS Number:** 5589-96-8

**Date Report Reqsted:** 08/21/2006  
**Time Report Reqsted:** 10:19:58  
**First Dose M/F:** 10/10/01 / 10/10/01  
**Lab:** SRI

**C Number:** C96019  
**Lock Date:** 07/14/2004  
**Cage Range:** ALL  
**Date Range:** ALL  
**Reasons For Removal:** ALL  
**Removal Date Range:** ALL  
**Treatment Groups:** Include ALL  
**Control List:** Male: 001 Female: 002

TDMS No. 96019 - 06

Test Type: CHRONIC

Route: DOSED WATER

Species/Strain: MICE/B6C3F1

**E08: WATER AND COMPOUND CONSUMPTION TABLE**  
 WATER DISINFECTION BYPRODUCTS (BROMOCHLOROACETIC ACID)  
 CAS Number: 5589-96-8

Date Report Reqsted: 08/21/2006

Time Report Reqsted: 10:19:58

First Dose M/F: 10/10/01 / 10/10/01

Lab: SRI

**MALE**

WEEK	0 MG/L				250 MG/L				500 MG/L				DOSE/ CTRL	DOSE/ DAY	DOSE/ CTRL	DOSE/ DAY
	DAILY WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DAILY WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DAILY WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS				
1	4.2	7083	21.3	66	4.0	7232	21.5	66	0.95	46.4	3.8	8294	21.4	66	0.90	88.8
2	4.3	9163	23.3	66	4.4	10242	23.8	66	1.02	46.3	4.0	10104	23.6	66	0.93	84.8
3	4.1	9661	24.7	66	4.1	10073	24.8	66	1.00	41.3	3.9	9614	24.7	66	0.95	78.9
4	4.2	10195	26.4	66	3.9	10329	26.4	66	0.93	37.0	3.9	9992	26.4	66	0.93	73.9
5	4.3	10034	28.2	66	4.1	9552	28.3	66	0.95	36.2	4.3	10304	28.4	66	1.00	75.7
6	4.4	10057	29.8	66	4.0	10553	29.9	66	0.91	33.4	4.1	10281	29.8	66	0.93	68.7
7	4.5	10507	30.9	66	4.1	10698	31.5	66	0.91	32.5	4.0	10533	31.0	66	0.89	64.5
8	4.6	11093	32.7	66	4.3	10744	33.2	66	0.93	32.3	4.1	10671	32.9	66	0.89	62.3
9	4.2	11046	34.4	66	3.7	10717	34.8	66	0.88	26.6	3.7	10987	34.2	66	0.88	54.2
10	4.2	11350	35.7	66	3.8	11203	35.9	66	0.90	26.4	3.8	11005	35.4	66	0.90	53.7
11	4.1	10754	37.3	66	3.8	10794	37.4	66	0.93	25.4	3.6	10623	36.7	66	0.88	49.0
12	4.0	10932	38.5	66	3.9	10609	38.5	66	0.97	25.3	3.7	10910	37.8	66	0.93	49.0
13	3.9	9571	39.9	66	3.7	10301	39.7	66	0.95	23.3	3.8	10033	39.0	66	0.97	48.7
17	3.7	9917	44.6	66	3.4	10506	44.4	66	0.92	19.1	3.4	10335	43.6	66	0.92	39.0
21	3.9	10107	47.0	66	3.6	10637	46.9	66	0.92	19.2	3.4	10247	46.6	66	0.87	36.5
25	4.0	9206	48.6	66	3.9	10206	48.7	66	0.97	20.0	3.5	10847	48.2	66	0.88	36.3
29	4.1	8772	49.5	58	4.0	9333	49.7	58	0.98	20.1	3.7	8680	49.3	58	0.90	37.5
33	4.3	8922	50.2	58	4.1	9200	50.4	58	0.95	20.3	3.9	9247	50.5	57	0.91	38.6
37	4.5	9283	51.0	58	4.3	9205	51.7	58	0.96	20.8	3.9	9628	51.7	57	0.87	37.8
41	4.6	9428	52.1	58	4.4	9449	52.5	58	0.96	21.0	4.4	9284	52.3	57	0.96	42.1
45	4.5	9247	52.8	58	4.2	9129	53.2	58	0.93	19.7	4.0	9115	53.0	57	0.89	37.7
49	4.7	8496	53.2	57	4.7	9152	53.4	58	1.00	22.0	4.5	8901	53.3	57	0.96	42.2
53	1.3	8677	53.5	57	4.7	9275	53.6	58	3.62	21.9	4.5	9206	53.4	57	3.46	42.1
57	4.6	7768	53.9	49	4.7	8242	54.3	50	1.02	21.6	4.5	7603	54.1	49	0.98	41.6
61	4.9	7844	54.0	49	5.1	7936	54.5	50	1.04	23.4	4.8	7653	54.4	49	0.98	44.1
65	5.1	7965	54.1	49	5.3	8085	54.1	50	1.04	24.5	4.6	8018	54.2	49	0.90	42.4
69	5.2	7732	53.6	49	5.4	7568	54.0	50	1.04	25.0	4.6	7566	54.5	47	0.88	42.2
73	5.2	6977	53.0	49	5.7	7035	54.0	49	1.10	26.4	5.3	6998	54.6	47	1.02	48.5
77	5.3	6731	53.9	48	5.2	6920	54.5	49	0.98	23.9	5.0	6218	55.2	46	0.94	45.3
81	5.1	6961	52.7	47	5.3	7028	52.7	48	1.04	25.2	5.7	6653	54.2	46	1.12	52.6
85	5.0	6759	52.0	46	5.2	6638	51.6	46	1.04	25.2	5.7	6756	52.5	45	1.14	54.2
89	5.1	6560	50.2	44	5.3	6108	50.3	42	1.04	26.3	5.9	6028	50.9	42	1.16	58.0
93	4.9	6294	49.2	41	5.3	5715	48.3	41	1.08	27.4	6.3	6135	48.3	41	1.29	65.2
97	5.2	6031	47.4	40	5.3	5253	46.0	38	1.02	28.8	7.0	6012	45.5	40	1.35	76.9
101	5.5	5782	46.8	38	5.6	4452	42.7	37	1.02	32.8	7.6	4770	43.8	32	1.38	86.8

TDMS No. 96019 - 06  
Test Type: CHRONIC  
Route: DOSED WATER  
Species/Strain: MICE/B6C3F1

**E08: WATER AND COMPOUND CONSUMPTION TABLE**  
WATER DISINFECTION BYPRODUCTS (BROMOCHLOROACETIC ACID)  
CAS Number: 5589-96-8

Date Report Reqsted: 08/21/2006  
Time Report Reqsted: 10:19:58  
First Dose M/F: 10/10/01 / 10/10/01  
Lab: SRI

---

**MALE**

---

WEEK	1000 MG/L					
	DAILY WATER(WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1	3.8	8464	21.4	66	0.90	177.9
2	3.7	10015	23.5	66	0.86	157.4
3	4.0	10678	24.8	66	0.98	161.0
4	4.0	10028	26.3	66	0.95	151.8
5	3.9	10064	28.0	66	0.91	139.4
6	3.9	10271	29.5	66	0.89	132.4
7	3.9	10512	30.7	66	0.87	126.9
8	4.0	10553	32.8	66	0.87	121.9
9	3.5	10915	34.4	66	0.83	101.9
10	3.6	11047	35.3	66	0.86	102.0
11	3.5	10694	36.6	66	0.85	95.6
12	3.6	10944	37.6	66	0.90	95.8
13	3.6	10218	38.9	66	0.92	92.6
17	3.2	10170	43.4	66	0.86	73.7
21	3.3	10475	46.3	66	0.85	71.3
25	3.1	10430	48.2	66	0.78	64.3
29	3.5	8869	49.3	58	0.85	70.9
33	3.5	9064	50.2	58	0.81	69.7
37	3.6	9692	51.1	58	0.80	70.5
41	3.9	9457	51.8	58	0.85	75.4
45	3.6	9654	52.4	58	0.80	68.8
49	3.9	9033	52.5	58	0.83	74.2
53	4.1	9104	52.9	58	3.15	77.5
57	3.8	8022	53.6	50	0.83	70.9
61	4.0	7801	53.7	49	0.82	74.6
65	4.0	7995	53.4	49	0.78	74.9
69	4.2	7889	53.2	49	0.81	78.9
73	4.8	7552	53.0	48	0.92	90.6
77	4.6	7387	53.1	48	0.87	86.6
81	4.9	7361	50.7	48	0.96	96.6
85	5.2	6881	50.1	45	1.04	103.9
89	5.0	6329	48.1	42	0.98	103.9
93	5.2	5261	45.7	37	1.06	113.8
97	5.7	5195	42.4	33	1.10	134.5
101	6.3	3996	40.6	28	1.15	155.2

\*\*\* END OF MALES \*\*\*

**FEMALE**

WEEK	0 MG/L				250 MG/L				500 MG/L				DOSE/ CTRL	DOSE/ DAY	DOSE/ CTRL	DOSE/ DAY
	DAILY WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DAILY WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS	DAILY WATER(G)	WATER HOURS	BODY WT(G)	NUM WTS				
1	3.0	8446	18.4	66	3.1	7195	18.5	66	1.03	41.8	3.1	9100	18.4	66	1.03	84.5
2	3.0	9850	18.6	66	3.2	10824	18.9	66	1.07	42.3	3.1	10887	18.8	66	1.03	82.3
3	3.1	8194	20.3	66	3.3	8583	20.4	66	1.06	40.4	3.3	10705	20.5	66	1.06	80.3
4	3.2	10560	21.5	66	3.3	10552	21.5	66	1.03	38.4	3.2	10966	21.6	66	1.00	74.1
5	3.8	9533	23.0	66	3.5	9436	22.9	66	0.92	38.2	3.4	10563	22.7	66	0.89	75.0
6	3.3	10700	23.3	66	3.7	9761	23.3	66	1.12	39.6	3.4	10285	23.0	66	1.03	73.8
7	3.7	9728	24.3	66	3.6	10729	24.5	66	0.97	36.8	3.6	9551	24.1	66	0.97	74.8
8	3.8	10199	25.4	66	3.4	10439	25.4	66	0.89	33.5	3.4	10864	25.2	66	0.89	67.6
9	3.7	10575	27.0	66	3.4	11057	27.2	66	0.92	31.2	3.4	11071	26.5	66	0.92	64.1
10	3.5	11294	28.0	66	3.3	11354	28.2	66	0.94	29.2	3.5	11160	27.6	66	1.00	63.4
11	3.2	11044	29.8	66	3.2	11065	29.8	66	1.00	26.9	3.3	10765	28.8	66	1.03	57.4
12	3.2	10631	30.8	66	3.2	10675	31.3	66	1.00	25.6	3.3	10332	30.3	66	1.03	54.4
13	3.7	7989	32.2	66	3.2	10462	32.5	66	0.86	24.6	3.4	9713	31.7	66	0.92	53.6
17	2.9	10440	37.7	66	2.8	10368	37.5	66	0.97	18.6	2.9	10525	36.3	66	1.00	40.0
21	2.7	10676	42.6	66	2.8	10549	42.3	66	1.04	16.5	2.7	9537	40.0	66	1.00	33.8
25	2.4	11100	46.6	66	2.4	11024	47.0	66	1.00	12.8	2.4	11122	44.5	66	1.00	27.0
29	2.4	8930	50.0	58	2.4	9421	50.2	58	1.00	11.9	2.4	9125	47.9	58	1.00	25.1
33	2.5	8729	52.8	58	2.5	9569	53.6	58	1.00	11.7	2.5	9543	51.3	58	1.00	24.4
37	2.6	9211	55.1	58	2.7	8935	56.4	58	1.04	12.0	2.6	9141	53.5	58	1.00	24.3
41	2.8	9335	56.8	57	2.7	9463	57.7	58	0.96	11.7	2.6	9502	55.8	58	0.93	23.3
45	2.6	9382	58.3	57	2.5	9655	59.0	58	0.96	10.6	2.4	9674	57.7	58	0.92	20.8
49	2.8	7915	58.5	57	2.7	9386	58.4	58	0.96	11.6	2.5	8186	57.7	58	0.89	21.7
53	3.1	8260	59.4	56	2.8	9349	59.2	58	0.90	11.8	2.7	9503	58.5	58	0.87	23.1
57	2.6	7650	59.3	47	2.8	8024	59.2	50	1.08	11.8	2.6	8073	59.3	50	1.00	21.9
61	2.8	7419	61.4	47	2.8	7691	60.2	50	1.00	11.6	2.6	7351	60.6	50	0.93	21.4
65	2.9	7618	62.1	47	2.8	8252	60.6	50	0.97	11.5	2.7	7904	61.1	50	0.93	22.1
69	3.0	7411	62.0	47	2.7	8087	60.7	50	0.90	11.1	3.0	8392	61.3	50	1.00	24.5
73	2.8	6640	61.4	47	2.9	8128	60.1	50	1.04	12.1	2.7	8097	60.9	49	0.96	22.2
77	3.1	7363	63.0	45	3.1	8135	61.8	50	1.00	12.5	2.9	7789	62.3	49	0.94	23.3
81	3.4	7201	62.3	45	3.1	7886	61.1	50	0.91	12.7	2.8	7884	61.2	49	0.82	22.9
85	3.5	7073	62.0	45	3.2	7682	60.1	47	0.91	13.3	3.1	7553	60.5	48	0.89	25.6
89	3.4	7298	61.8	44	3.5	7693	59.0	47	1.03	14.8	3.6	7500	59.1	47	1.06	30.5
93	3.3	7018	62.2	43	3.4	7369	59.2	46	1.03	14.4	3.6	7145	57.9	44	1.09	31.1
97	3.9	6528	60.8	41	4.1	7257	57.7	44	1.05	17.8	4.1	6440	55.4	40	1.05	37.0
101	4.0	6368	61.0	39	4.9	6773	57.0	43	1.23	21.5	4.8	5999	55.1	38	1.20	43.6

TDMS No. 96019 - 06  
Test Type: CHRONIC  
Route: DOSED WATER  
Species/Strain: MICE/B6C3F1

**E08: WATER AND COMPOUND CONSUMPTION TABLE**  
WATER DISINFECTION BYPRODUCTS (BROMOCHLOROACETIC ACID)  
CAS Number: 5589-96-8

Date Report Reqsted: 08/21/2006  
Time Report Reqsted: 10:19:58  
First Dose M/F: 10/10/01 / 10/10/01  
Lab: SRI

**FEMALE**

WEEK	1000 MG/L					
	DAILY WATER	WATER(HOURS)	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1	2.8	8553	18.5	66	0.93	151.2
2	3.0	11072	18.9	66	1.00	158.3
3	3.2	9915	20.3	66	1.03	158.0
4	3.3	10794	21.7	66	1.03	152.0
5	3.3	10870	22.9	66	0.87	144.3
6	3.4	10733	23.5	66	1.03	144.7
7	3.2	10750	24.6	66	0.86	130.1
8	3.3	11033	25.6	66	0.87	129.1
9	3.5	10854	26.6	66	0.95	131.8
10	3.1	11271	27.3	66	0.89	113.6
11	3.0	10604	29.1	66	0.94	103.1
12	3.2	10525	30.2	66	1.00	105.9
13	3.0	10558	31.2	66	0.81	96.1
17	2.6	10524	35.1	66	0.90	74.1
21	2.5	10518	39.1	66	0.93	63.9
25	2.4	11239	43.0	66	1.00	55.8
29	2.4	9413	45.6	58	1.00	52.7
33	2.2	9649	48.2	58	0.88	45.6
37	2.3	9803	50.4	58	0.88	45.6
41	2.7	9458	52.2	58	0.96	51.8
45	2.3	9683	54.6	58	0.88	42.2
49	2.7	8274	54.1	58	0.96	49.9
53	2.5	9375	55.9	57	0.81	44.7
57	2.3	8093	56.8	49	0.88	40.5
61	2.7	6878	58.0	49	0.96	46.5
65	2.4	7885	58.7	49	0.83	40.9
69	2.5	8102	58.7	49	0.83	42.6
73	2.8	7286	58.4	48	1.00	48.0
77	2.6	7726	59.6	48	0.84	43.6
81	2.6	7566	59.7	47	0.76	43.6
85	2.8	7597	59.2	47	0.80	47.3
89	3.2	7550	58.2	47	0.94	55.0
93	2.7	7079	58.0	46	0.82	46.5
97	3.4	7389	55.1	46	0.87	61.7
101	3.6	6606	54.7	43	0.90	65.8

\*\*\* END OF REPORT \*\*\*