

TDMS No. 99027-04
Test Type: CHRONIC
Route: DOSED FEED
Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
CHROMIUM PICOLINATE MONOHYDRATE
CAS Number: 27882-76-4
Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.
F1_M3

Date Report Requested: 09/26/2006
Time Report Requested: 8:26:05
First Dose M/F: 07/29/02 / 07/29/02
Lab: SRI

C Number:	C99027		
Lock Date:	05/03/2005		
Cage Range:	1 - 9999		
Date Range:	1-JAN-1940 to 17-SEP-2040		
Reasons For Removal:	25021 Terminal Sacrifice	25020 Natural Death	25019 Moribund Sacrifice
Removal Date Range:	JAN /1 /1940 - SEP /17 /2040		
Treatment Groups:	Include 1 0 PPM	Include 2 0 PPM	Include 3 2000 PPM
	Include 4 2000 PPM	Include 5 10000 PPM	Include 6 10000 PPM
	Include 7 50000 PPM	Include 8 50000 PPM	

TDMS No. 99027-04
Test Type: CHRONIC
Route: DOSED FEED
Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
CHROMIUM PICOLINATE MONOHYDRATE
CAS Number: 27882-76-4
Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
Time Report Requested: 8:26:05
First Dose M/F: 07/29/02 / 07/29/02
Lab: SRI

SUMMARY OF STATISTICALLY SIGNIFICANT (P<=.05) RESULTS IN THE ANALYSIS OF CHROMIUM PICOLINATE MONOHYDRATE

MALE MICE

Organ

Adrenal Cortex
Liver

Pituitary Gland: Pars Distalis
Preputial Gland
Thymus

FEMALE MICE

Organ

Kidney
Liver

Lung
Lymph Node, Mandibular

Lymph Node, Mesenteric
Pituitary Gland: Pars Distalis
Salivary Glands
Skin
Spleen
Spleen: Lymphoid Follicle
Stomach, Glandular
Thyroid Gland: Follicle

Morphology

Accessory Adrenal Cortical Nodule
Clear Cell Focus
Mixed Cell Focus
Necrosis Focal
Cyst
Inflammation Chronic
Atrophy

Morphology

Nephropathy
Basophilic Focus
Necrosis Focal
Tension Lipidosis
Hyperplasia Lymphoid
Atrophy
Hyperplasia Lymphoid
Atrophy
Angiectasis
Hyperplasia Lymphoid
Edema
Angiectasis
Atrophy
Erosion
Degeneration Focal

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Adrenal Cortex
 Accessory Adrenal Cortical Nodule**

LESION RATES

OVERALL (a)	2/50 (4%)	8/50 (16%)	1/49 (2%)	2/50 (4%)
POLY-3 RATE (b)	2/48.53	8/47.09	1/46.17	2/47.46
POLY-3 PERCENT (g)	4.1%	17%	2.2%	4.2%
TERMINAL (d)	1/46 (2%)	7/43 (16%)	0/38 (0%)	2/45 (4%)
FIRST INCIDENCE	600	721	676	729 (T)

STATISTICAL TESTS

LIFE TABLE	P=0.212N	P=0.041*	P=0.532N	P=0.683
POLY 3	P=0.218N	P=0.041*	P=0.517N	P=0.686
POLY 1.5	P=0.217N	P=0.042*	P=0.514N	P=0.687
POLY 6	P=0.218N	P=0.040*	P=0.524N	P=0.683
LOGISTIC REGRESSION	P=0.216N	P=0.046*	P=0.485N	P=0.689N
COCH-ARM / FISHERS	P=0.215N	P=0.046*	P=0.508N	P=0.691N
ORDER RESTRICTED	P=0.114N	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.130N	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Adrenal Cortex
 Hyperplasia Focal**

LESION RATES

OVERALL (a)	2/50 (4%)	0/50 (0%)	1/49 (2%)	1/50 (2%)
POLY-3 RATE (b)	2/48.09	0/47.05	1/45.97	1/47.46
POLY-3 PERCENT (g)	4.2%	0%	2.2%	2.1%
TERMINAL (d)	2/46 (4%)	0/43 (0%)	1/38 (3%)	1/45 (2%)
FIRST INCIDENCE	729 (T)	---	729 (T)	729 (T)

STATISTICAL TESTS

LIFE TABLE	P=0.659N	P=0.253N	P=0.567N	P=0.508N
POLY 3	P=0.668N	P=0.242N	P=0.516N	P=0.505N
POLY 1.5	P=0.669N	P=0.242N	P=0.513N	P=0.504N
POLY 6	P=0.668N	P=0.242N	P=0.522N	P=0.505N
LOGISTIC REGRESSION	P=0.659N	(e)	P=0.567N	P=0.508N
COCH-ARM / FISHERS	P=0.672N	P=0.247N	P=0.508N	P=0.500N
ORDER RESTRICTED	P=0.280N	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.294N	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Adrenal Cortex
 Hypertrophy Focal**

LESION RATES

OVERALL (a)	11/50 (22%)	7/50 (14%)	8/49 (16%)	6/50 (12%)
POLY-3 RATE (b)	11/48.09	7/47.05	8/45.97	6/47.46
POLY-3 PERCENT (g)	22.9%	14.9%	17.4%	12.6%
TERMINAL (d)	11/46 (24%)	7/43 (16%)	8/38 (21%)	6/45 (13%)
FIRST INCIDENCE	729 (T)	729 (T)	729 (T)	729 (T)

STATISTICAL TESTS

LIFE TABLE	P=0.194N	P=0.265N	P=0.480N	P=0.154N
POLY 3	P=0.214N	P=0.232N	P=0.344N	P=0.149N
POLY 1.5	P=0.215N	P=0.232N	P=0.337N	P=0.149N
POLY 6	P=0.213N	P=0.231N	P=0.360N	P=0.150N
LOGISTIC REGRESSION	P=0.194N	P=0.265N	P=0.480N	P=0.154N
COCH-ARM / FISHERS	P=0.216N	P=0.218N	P=0.323N	P=0.143N
ORDER RESTRICTED	P=0.140N	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.154N	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Adrenal Cortex: Capsule
 Hyperplasia**

LESION RATES

OVERALL (a)	7/50 (14%)	4/50 (8%)	5/49 (10%)	9/50 (18%)
POLY-3 RATE (b)	7/48.09	4/47.05	5/46.17	9/47.46
POLY-3 PERCENT (g)	14.6%	8.5%	10.8%	19%
TERMINAL (d)	7/46 (15%)	4/43 (9%)	4/38 (11%)	9/45 (20%)
FIRST INCIDENCE	729 (T)	729 (T)	676	729 (T)

STATISTICAL TESTS

LIFE TABLE	P=0.166	P=0.301N	P=0.510N	P=0.374
POLY 3	P=0.147	P=0.274N	P=0.408N	P=0.382
POLY 1.5	P=0.146	P=0.274N	P=0.404N	P=0.382
POLY 6	P=0.146	P=0.273N	P=0.419N	P=0.380
LOGISTIC REGRESSION	P=0.147	P=0.301N	P=0.424N	P=0.374
COCH-ARM / FISHERS	P=0.147	P=0.262N	P=0.394N	P=0.393
ORDER RESTRICTED	P=0.211	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.226	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Adrenal Medulla
 Hyperplasia**

LESION RATES

OVERALL (a)	1/49 (2%)	1/50 (2%)	2/49 (4%)	1/49 (2%)
POLY-3 RATE (b)	1/47.48	1/47.05	2/46.14	1/46.58
POLY-3 PERCENT (g)	2.1%	2.1%	4.3%	2.2%
TERMINAL (d)	1/46 (2%)	1/43 (2%)	1/38 (3%)	0/44 (0%)
FIRST INCIDENCE	729 (T)	729 (T)	684	700

STATISTICAL TESTS

LIFE TABLE	P=0.621N	P=0.747	P=0.443	P=0.755
POLY 3	P=0.631N	P=0.758	P=0.490	P=0.756
POLY 1.5	P=0.631N	P=0.759	P=0.494	P=0.757
POLY 6	P=0.631N	P=0.758	P=0.483	P=0.755
LOGISTIC REGRESSION	P=0.631N	P=0.747	P=0.498	P=0.762
COCH-ARM / FISHERS	P=0.630N	P=0.747N	P=0.500	P=0.753N
ORDER RESTRICTED	P=0.576	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.580	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Reqsted: 09/26/2006
 Time Report Reqsted: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Bone Marrow
 Hyperplasia**

LESION RATES

OVERALL (a)	19/50 (38%)	25/50 (50%)	24/50 (48%)	15/50 (30%)
POLY-3 RATE (b)	19/48.62	25/49.22	24/48.70	15/47.83
POLY-3 PERCENT (g)	39.1%	50.8%	49.3%	31.4%
TERMINAL (d)	17/46 (37%)	19/43 (44%)	16/38 (42%)	13/45 (29%)
FIRST INCIDENCE	618	52	584	661

STATISTICAL TESTS

LIFE TABLE	P=0.060N	P=0.126	P=0.088	P=0.296N
POLY 3	P=0.064N	P=0.169	P=0.210	P=0.282N
POLY 1.5	P=0.063N	P=0.166	P=0.206	P=0.280N
POLY 6	P=0.067N	P=0.171	P=0.211	P=0.286N
LOGISTIC REGRESSION	P=0.054N	P=0.168	P=0.201	P=0.276N
COCH-ARM / FISHERS	P=0.054N	P=0.157	P=0.210	P=0.263N
ORDER RESTRICTED	P=0.102N	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.108N	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Reqsted: 09/26/2006
 Time Report Reqsted: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Bone
 Fibrosis**

LESION RATES

OVERALL (a)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
POLY-3 RATE (b)	0/48.09	0/47.05	0/46.75	0/47.46
POLY-3 PERCENT (g)	0%	0%	0%	0%
TERMINAL (d)	0/46 (0%)	0/43 (0%)	0/38 (0%)	0/45 (0%)
FIRST INCIDENCE	---	---	---	---

STATISTICAL TESTS

LIFE TABLE	(e)	(e)	(e)	(e)
POLY 3	(e)	(e)	(e)	(e)
POLY 1.5	(e)	(e)	(e)	(e)
POLY 6	(e)	(e)	(e)	(e)
LOGISTIC REGRESSION	(e)	(e)	(e)	(e)
COCH-ARM / FISHERS	(e)	(e)	(e)	(e)
ORDER RESTRICTED	(e)	(e)	(e)	(e)
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Reqsted: 09/26/2006
 Time Report Reqsted: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Eye
 Inflammation Chronic**

LESION RATES

OVERALL (a)	2/50 (4%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
POLY-3 RATE (b)	2/48.09	1/47.05	0/46.75	0/47.46
POLY-3 PERCENT (g)	4.2%	2.1%	0%	0%
TERMINAL (d)	2/46 (4%)	1/43 (2%)	0/38 (0%)	0/45 (0%)
FIRST INCIDENCE	729 (T)	729 (T)	---	---

STATISTICAL TESTS

LIFE TABLE	P=0.238N	P=0.524N	P=0.281N	P=0.243N
POLY 3	P=0.238N	P=0.508N	P=0.244N	P=0.240N
POLY 1.5	P=0.239N	P=0.507N	P=0.241N	P=0.240N
POLY 6	P=0.237N	P=0.507N	P=0.249N	P=0.241N
LOGISTIC REGRESSION	P=0.238N	P=0.524N	(e)	(e)
COCH-ARM / FISHERS	P=0.241N	P=0.500N	P=0.247N	P=0.247N
ORDER RESTRICTED	P=0.076N	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.088N	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Harderian Gland
 Hyperplasia Focal**

LESION RATES

OVERALL (a)	0/50 (0%)	2/50 (4%)	1/50 (2%)	0/50 (0%)
POLY-3 RATE (b)	0/48.09	2/47.05	1/46.75	0/47.46
POLY-3 PERCENT (g)	0%	4.3%	2.1%	0%
TERMINAL (d)	0/46 (0%)	2/43 (5%)	1/38 (3%)	0/45 (0%)
FIRST INCIDENCE	---	729 (T)	729 (T)	---

STATISTICAL TESTS

LIFE TABLE	P=0.354N	P=0.224	P=0.462	(e)
POLY 3	P=0.363N	P=0.232	P=0.494	(e)
POLY 1.5	P=0.363N	P=0.233	P=0.496	(e)
POLY 6	P=0.362N	P=0.233	P=0.490	(e)
LOGISTIC REGRESSION	(e)	P=0.224	P=0.462	(e)
COCH-ARM / FISHERS	P=0.360N	P=0.247	P=0.500	(e)
ORDER RESTRICTED	P=0.320	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.334	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Reqsted: 09/26/2006
 Time Report Reqsted: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Heart
 Inflammation Chronic**

LESION RATES

OVERALL (a)	1/50 (2%)	0/50 (0%)	1/50 (2%)	0/50 (0%)
POLY-3 RATE (b)	1/48.09	0/47.05	1/46.75	0/47.46
POLY-3 PERCENT (g)	2.1%	0%	2.1%	0%
TERMINAL (d)	1/46 (2%)	0/43 (0%)	1/38 (3%)	0/45 (0%)
FIRST INCIDENCE	729 (T)	---	729 (T)	---

STATISTICAL TESTS

LIFE TABLE	P=0.478N	P=0.513N	P=0.719	P=0.504N
POLY 3	P=0.484N	P=0.504N	P=0.754	P=0.503N
POLY 1.5	P=0.484N	P=0.504N	P=0.756	P=0.503N
POLY 6	P=0.484N	P=0.504N	P=0.749	P=0.503N
LOGISTIC REGRESSION	P=0.478N	(e)	P=0.719	(e)
COCH-ARM / FISHERS	P=0.486N	P=0.500N	P=0.753N	P=0.500N
ORDER RESTRICTED	P=0.254N	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.267N	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Reqsted: 09/26/2006
 Time Report Reqsted: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Intestine Small, Jejunum
 Inflammation Chronic**

LESION RATES

OVERALL (a)	2/50 (4%)	0/48 (0%)	1/48 (2%)	0/49 (0%)
POLY-3 RATE (b)	2/48.09	0/46.13	1/45.97	0/47.17
POLY-3 PERCENT (g)	4.2%	0%	2.2%	0%
TERMINAL (d)	2/46 (4%)	0/43 (0%)	1/38 (3%)	0/45 (0%)
FIRST INCIDENCE	729 (T)	---	729 (T)	---

STATISTICAL TESTS

LIFE TABLE	P=0.313N	P=0.253N	P=0.567N	P=0.243N
POLY 3	P=0.317N	P=0.247N	P=0.516N	P=0.242N
POLY 1.5	P=0.319N	P=0.247N	P=0.513N	P=0.243N
POLY 6	P=0.316N	P=0.246N	P=0.522N	P=0.241N
LOGISTIC REGRESSION	P=0.313N	(e)	P=0.567N	(e)
COCH-ARM / FISHERS	P=0.318N	P=0.258N	P=0.515N	P=0.253N
ORDER RESTRICTED	P=0.077N	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.091N	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Islets, Pancreatic
 Hyperplasia**

LESION RATES

OVERALL (a)	3/50 (6%)	1/49 (2%)	3/50 (6%)	2/50 (4%)
POLY-3 RATE (b)	3/48.09	1/46.13	3/46.95	2/47.46
POLY-3 PERCENT (g)	6.2%	2.2%	6.4%	4.2%
TERMINAL (d)	3/46 (7%)	1/43 (2%)	2/38 (5%)	2/45 (4%)
FIRST INCIDENCE	729 (T)	729 (T)	676	729 (T)

STATISTICAL TESTS

LIFE TABLE	P=0.567N	P=0.330N	P=0.581	P=0.510N
POLY 3	P=0.578N	P=0.321N	P=0.651	P=0.506N
POLY 1.5	P=0.578N	P=0.320N	P=0.655	P=0.506N
POLY 6	P=0.578N	P=0.319N	P=0.643	P=0.507N
LOGISTIC REGRESSION	P=0.579N	P=0.330N	P=0.653	P=0.510N
COCH-ARM / FISHERS	P=0.579N	P=0.316N	P=0.661N	P=0.500N
ORDER RESTRICTED	P=0.505N	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.514N	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Kidney
 Cyst**

LESION RATES

OVERALL (a)	4/50 (8%)	4/50 (8%)	3/50 (6%)	3/50 (6%)
POLY-3 RATE (b)	4/48.09	4/47.92	3/46.95	3/47.46
POLY-3 PERCENT (g)	8.3%	8.4%	6.4%	6.3%
TERMINAL (d)	4/46 (9%)	3/43 (7%)	2/38 (5%)	3/45 (7%)
FIRST INCIDENCE	729 (T)	376	676	729 (T)

STATISTICAL TESTS

LIFE TABLE	P=0.434N	P=0.610	P=0.593N	P=0.512N
POLY 3	P=0.456N	P=0.641	P=0.513N	P=0.507N
POLY 1.5	P=0.455N	P=0.638	P=0.509N	P=0.507N
POLY 6	P=0.456N	P=0.642N	P=0.523N	P=0.508N
LOGISTIC REGRESSION	P=0.450N	P=0.623N	P=0.516N	P=0.512N
COCH-ARM / FISHERS	P=0.451N	P=0.643N	P=0.500N	P=0.500N
ORDER RESTRICTED	P=0.555N	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.562N	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Kidney
 Hydronephrosis**

LESION RATES

OVERALL (a)	1/50 (2%)	1/50 (2%)	2/50 (4%)	1/50 (2%)
POLY-3 RATE (b)	1/48.09	1/47.92	2/46.97	1/47.46
POLY-3 PERCENT (g)	2.1%	2.1%	4.3%	2.1%
TERMINAL (d)	1/46 (2%)	0/43 (0%)	1/38 (3%)	1/45 (2%)
FIRST INCIDENCE	729 (T)	376	670	729 (T)

STATISTICAL TESTS

LIFE TABLE	P=0.619N	P=0.753	P=0.453	P=0.757
POLY 3	P=0.630N	P=0.760	P=0.492	P=0.757
POLY 1.5	P=0.629N	P=0.759	P=0.495	P=0.758
POLY 6	P=0.630N	P=0.760N	P=0.486	P=0.757
LOGISTIC REGRESSION	P=0.616N	P=0.701N	P=0.500	P=0.757
COCH-ARM / FISHERS	P=0.627N	P=0.753N	P=0.500	P=0.753N
ORDER RESTRICTED	P=0.578	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.583	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Reqsted: 09/26/2006
 Time Report Reqsted: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Kidney
 Hyperplasia Lymphoid**

LESION RATES

OVERALL (a)	2/50 (4%)	1/50 (2%)	0/50 (0%)	1/50 (2%)
POLY-3 RATE (b)	2/48.09	1/47.05	0/46.75	1/47.46
POLY-3 PERCENT (g)	4.2%	2.1%	0%	2.1%
TERMINAL (d)	2/46 (4%)	1/43 (2%)	0/38 (0%)	1/45 (2%)
FIRST INCIDENCE	729 (T)	729 (T)	---	729 (T)

STATISTICAL TESTS

LIFE TABLE	P=0.585N	P=0.524N	P=0.281N	P=0.508N
POLY 3	P=0.595N	P=0.508N	P=0.244N	P=0.505N
POLY 1.5	P=0.596N	P=0.507N	P=0.241N	P=0.504N
POLY 6	P=0.593N	P=0.507N	P=0.249N	P=0.505N
LOGISTIC REGRESSION	P=0.585N	P=0.524N	(e)	P=0.508N
COCH-ARM / FISHERS	P=0.598N	P=0.500N	P=0.247N	P=0.500N
ORDER RESTRICTED	P=0.232N	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.244N	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Kidney
 Infarct**

LESION RATES

OVERALL (a)	5/50 (10%)	2/50 (4%)	2/50 (4%)	3/50 (6%)
POLY-3 RATE (b)	5/48.09	2/47.05	2/46.75	3/47.46
POLY-3 PERCENT (g)	10.4%	4.3%	4.3%	6.3%
TERMINAL (d)	5/46 (11%)	2/43 (5%)	2/38 (5%)	3/45 (7%)
FIRST INCIDENCE	729 (T)	729 (T)	729 (T)	729 (T)

STATISTICAL TESTS

LIFE TABLE	P=0.526N	P=0.245N	P=0.300N	P=0.369N
POLY 3	P=0.543N	P=0.226N	P=0.228N	P=0.364N
POLY 1.5	P=0.545N	P=0.225N	P=0.224N	P=0.364N
POLY 6	P=0.542N	P=0.225N	P=0.237N	P=0.365N
LOGISTIC REGRESSION	P=0.526N	P=0.245N	P=0.300N	P=0.369N
COCH-ARM / FISHERS	P=0.547N	P=0.218N	P=0.218N	P=0.357N
ORDER RESTRICTED	P=0.215N	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.229N	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Reqsted: 09/26/2006
 Time Report Reqsted: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Kidney
 Metaplasia Osseous**

LESION RATES

OVERALL (a)	2/50 (4%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
POLY-3 RATE (b)	2/48.09	1/47.05	0/46.75	0/47.46
POLY-3 PERCENT (g)	4.2%	2.1%	0%	0%
TERMINAL (d)	2/46 (4%)	1/43 (2%)	0/38 (0%)	0/45 (0%)
FIRST INCIDENCE	729 (T)	729 (T)	---	---

STATISTICAL TESTS

LIFE TABLE	P=0.238N	P=0.524N	P=0.281N	P=0.243N
POLY 3	P=0.238N	P=0.508N	P=0.244N	P=0.240N
POLY 1.5	P=0.239N	P=0.507N	P=0.241N	P=0.240N
POLY 6	P=0.237N	P=0.507N	P=0.249N	P=0.241N
LOGISTIC REGRESSION	P=0.238N	P=0.524N	(e)	(e)
COCH-ARM / FISHERS	P=0.241N	P=0.500N	P=0.247N	P=0.247N
ORDER RESTRICTED	P=0.076N	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.088N	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Reqsted: 09/26/2006
 Time Report Reqsted: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Kidney
 Nephropathy**

LESION RATES

OVERALL (a)	37/50 (74%)	35/50 (70%)	30/50 (60%)	34/50 (68%)
POLY-3 RATE (b)	37/49.06	35/47.84	30/48.53	34/47.46
POLY-3 PERCENT (g)	75.4%	73.2%	61.8%	71.6%
TERMINAL (d)	34/46 (74%)	34/43 (79%)	22/38 (58%)	34/45 (76%)
FIRST INCIDENCE	600	439	584	729 (T)

STATISTICAL TESTS

LIFE TABLE	P=0.352N	P=0.559	P=0.475N	P=0.394N
POLY 3	P=0.520N	P=0.492N	P=0.108N	P=0.424N
POLY 1.5	P=0.494N	P=0.477N	P=0.107N	P=0.396N
POLY 6	P=0.558N	P=0.516N	P=0.116N	P=0.472N
LOGISTIC REGRESSION	P=0.448N	P=0.474N	P=0.115N	P=0.365N
COCH-ARM / FISHERS	P=0.446N	P=0.412N	P=0.101N	P=0.330N
ORDER RESTRICTED	P=0.272N	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.289N	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Kidney: Renal Tubule
 Accumulation, Hyaline Droplet**

LESION RATES

OVERALL (a)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
POLY-3 RATE (b)	0/48.09	0/47.05	0/46.75	0/47.46
POLY-3 PERCENT (g)	0%	0%	0%	0%
TERMINAL (d)	0/46 (0%)	0/43 (0%)	0/38 (0%)	0/45 (0%)
FIRST INCIDENCE	---	---	---	---

STATISTICAL TESTS

LIFE TABLE	(e)	(e)	(e)	(e)
POLY 3	(e)	(e)	(e)	(e)
POLY 1.5	(e)	(e)	(e)	(e)
POLY 6	(e)	(e)	(e)	(e)
LOGISTIC REGRESSION	(e)	(e)	(e)	(e)
COCH-ARM / FISHERS	(e)	(e)	(e)	(e)
ORDER RESTRICTED	(e)	(e)	(e)	(e)
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Kidney: Renal Tubule
 Dilatation Diffuse**

LESION RATES

OVERALL (a)	0/50 (0%)	2/50 (4%)	0/50 (0%)	1/50 (2%)
POLY-3 RATE (b)	0/48.09	2/48.04	0/46.75	1/47.93
POLY-3 PERCENT (g)	0%	4.2%	0%	2.1%
TERMINAL (d)	0/46 (0%)	0/43 (0%)	0/38 (0%)	0/45 (0%)
FIRST INCIDENCE	---	376	---	592

STATISTICAL TESTS

LIFE TABLE	P=0.639	P=0.242	(e)	P=0.496
POLY 3	P=0.641	P=0.237	(e)	P=0.499
POLY 1.5	P=0.639	P=0.236	(e)	P=0.499
POLY 6	P=0.643	P=0.239	(e)	P=0.500
LOGISTIC REGRESSION	P=0.672	P=0.306	(e)	P=0.544
COCH-ARM / FISHERS	P=0.640	P=0.247	(e)	P=0.500
ORDER RESTRICTED	P=0.322	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.334	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Kidney: Renal Tubule
 Hyperplasia**

LESION RATES

OVERALL (a)	0/50 (0%)	4/50 (8%)	0/50 (0%)	0/50 (0%)
POLY-3 RATE (b)	0/48.09	4/47.05	0/46.75	0/47.46
POLY-3 PERCENT (g)	0%	8.5%	0%	0%
TERMINAL (d)	0/46 (0%)	4/43 (9%)	0/38 (0%)	0/45 (0%)
FIRST INCIDENCE	---	729 (T)	---	---

STATISTICAL TESTS

LIFE TABLE	P=0.196N	P=0.055	(e)	(e)
POLY 3	P=0.196N	P=0.058	(e)	(e)
POLY 1.5	P=0.197N	P=0.058	(e)	(e)
POLY 6	P=0.194N	P=0.058	(e)	(e)
LOGISTIC REGRESSION	(e)	P=0.055	(e)	(e)
COCH-ARM / FISHERS	P=0.198N	P=0.059	(e)	(e)
ORDER RESTRICTED	P=0.108N	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.121N	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

Liver
 Basophilic Focus

LESION RATES

OVERALL (a)	9/50 (18%)	10/50 (20%)	10/50 (20%)	8/50 (16%)
POLY-3 RATE (b)	9/48.09	10/47.05	10/46.75	8/47.46
POLY-3 PERCENT (g)	18.7%	21.3%	21.4%	16.9%
TERMINAL (d)	9/46 (20%)	10/43 (23%)	10/38 (26%)	8/45 (18%)
FIRST INCIDENCE	729 (T)	729 (T)	729 (T)	729 (T)

STATISTICAL TESTS

LIFE TABLE	P=0.346N	P=0.435	P=0.319	P=0.520N
POLY 3	P=0.383N	P=0.479	P=0.473	P=0.512N
POLY 1.5	P=0.385N	P=0.480	P=0.483	P=0.511N
POLY 6	P=0.382N	P=0.481	P=0.452	P=0.514N
LOGISTIC REGRESSION	P=0.346N	P=0.435	P=0.319	P=0.520N
COCH-ARM / FISHERS	P=0.382N	P=0.500	P=0.500	P=0.500N
ORDER RESTRICTED	P=0.518N	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.527N	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

Liver
 Clear Cell Focus

LESION RATES

OVERALL (a)	12/50 (24%)	7/50 (14%)	6/50 (12%)	4/50 (8%)
POLY-3 RATE (b)	12/48.09	7/47.05	6/46.75	4/47.46
POLY-3 PERCENT (g)	25%	14.9%	12.8%	8.4%
TERMINAL (d)	12/46 (26%)	7/43 (16%)	6/38 (16%)	4/45 (9%)
FIRST INCIDENCE	729 (T)	729 (T)	729 (T)	729 (T)

STATISTICAL TESTS

LIFE TABLE	P=0.054N	P=0.194N	P=0.191N	P=0.031N*
POLY 3	P=0.059N	P=0.166N	P=0.106N	P=0.028N*
POLY 1.5	P=0.060N	P=0.165N	P=0.102N	P=0.028N*
POLY 6	P=0.058N	P=0.164N	P=0.115N	P=0.028N*
LOGISTIC REGRESSION	P=0.054N	P=0.194N	P=0.191N	P=0.031N*
COCH-ARM / FISHERS	P=0.062N	P=0.154N	P=0.096N	P=0.027N*
ORDER RESTRICTED	P=0.015N*	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.020N*	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Reqsted: 09/26/2006
 Time Report Reqsted: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

Liver
 Eosinophilic Focus

LESION RATES

OVERALL (a)	7/50 (14%)	4/50 (8%)	5/50 (10%)	5/50 (10%)
POLY-3 RATE (b)	7/48.09	4/47.05	5/47.33	5/47.46
POLY-3 PERCENT (g)	14.6%	8.5%	10.6%	10.5%
TERMINAL (d)	7/46 (15%)	4/43 (9%)	3/38 (8%)	5/45 (11%)
FIRST INCIDENCE	729 (T)	729 (T)	584	729 (T)

STATISTICAL TESTS

LIFE TABLE	P=0.487N	P=0.301N	P=0.501N	P=0.395N
POLY 3	P=0.511N	P=0.274N	P=0.391N	P=0.389N
POLY 1.5	P=0.512N	P=0.274N	P=0.388N	P=0.389N
POLY 6	P=0.511N	P=0.273N	P=0.400N	P=0.390N
LOGISTIC REGRESSION	P=0.512N	P=0.301N	P=0.386N	P=0.395N
COCH-ARM / FISHERS	P=0.511N	P=0.262N	P=0.380N	P=0.380N
ORDER RESTRICTED	P=0.370N	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.382N	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

Liver
 Hematopoietic Cell Proliferation

LESION RATES

OVERALL (a)	1/50 (2%)	1/50 (2%)	1/50 (2%)	1/50 (2%)
POLY-3 RATE (b)	1/48.23	1/47.05	1/46.97	1/47.46
POLY-3 PERCENT (g)	2.1%	2.1%	2.1%	2.1%
TERMINAL (d)	0/46 (0%)	1/43 (2%)	0/38 (0%)	1/45 (2%)
FIRST INCIDENCE	695	729 (T)	670	729 (T)

STATISTICAL TESTS

LIFE TABLE	P=0.684N	P=0.753	P=0.743	P=0.755
POLY 3	P=0.688	P=0.755	P=0.755	P=0.757
POLY 1.5	P=0.688	P=0.755	P=0.757	P=0.757
POLY 6	P=0.687	P=0.755	P=0.750	P=0.756
LOGISTIC REGRESSION	P=0.691N	P=0.761	P=0.755N	P=0.762
COCH-ARM / FISHERS	P=0.691N	P=0.753N	P=0.753N	P=0.753N
ORDER RESTRICTED	P=0.740	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.740	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Reqsted: 09/26/2006
 Time Report Reqsted: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

Liver
 Hyperplasia Lymphoid

LESION RATES

OVERALL (a)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
POLY-3 RATE (b)	0/48.09	0/47.05	0/46.75	0/47.46
POLY-3 PERCENT (g)	0%	0%	0%	0%
TERMINAL (d)	0/46 (0%)	0/43 (0%)	0/38 (0%)	0/45 (0%)
FIRST INCIDENCE	---	---	---	---

STATISTICAL TESTS

LIFE TABLE	(e)	(e)	(e)	(e)
POLY 3	(e)	(e)	(e)	(e)
POLY 1.5	(e)	(e)	(e)	(e)
POLY 6	(e)	(e)	(e)	(e)
LOGISTIC REGRESSION	(e)	(e)	(e)	(e)
COCH-ARM / FISHERS	(e)	(e)	(e)	(e)
ORDER RESTRICTED	(e)	(e)	(e)	(e)
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

Liver
 Infiltration Cellular Mixed Cell

LESION RATES

OVERALL (a)	1/50 (2%)	4/50 (8%)	2/50 (4%)	5/50 (10%)
POLY-3 RATE (b)	1/48.09	4/47.18	2/47.05	5/47.83
POLY-3 PERCENT (g)	2.1%	8.5%	4.3%	10.5%
TERMINAL (d)	1/46 (2%)	3/43 (7%)	0/38 (0%)	3/45 (7%)
FIRST INCIDENCE	729 (T)	697	676	661

STATISTICAL TESTS

LIFE TABLE	P=0.161	P=0.168	P=0.457	P=0.104
POLY 3	P=0.145	P=0.173	P=0.492	P=0.101
POLY 1.5	P=0.144	P=0.173	P=0.495	P=0.100
POLY 6	P=0.147	P=0.174	P=0.487	P=0.101
LOGISTIC REGRESSION	P=0.145	P=0.173	P=0.504	P=0.102
COCH-ARM / FISHERS	P=0.145	P=0.181	P=0.500	P=0.102
ORDER RESTRICTED	P=0.066	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.076	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Reqsted: 09/26/2006
 Time Report Reqsted: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

Liver
 Inflammation Chronic

LESION RATES

OVERALL (a)	0/50 (0%)	2/50 (4%)	0/50 (0%)	1/50 (2%)
POLY-3 RATE (b)	0/48.09	2/47.05	0/46.75	1/47.46
POLY-3 PERCENT (g)	0%	4.3%	0%	2.1%
TERMINAL (d)	0/46 (0%)	2/43 (5%)	0/38 (0%)	1/45 (2%)
FIRST INCIDENCE	---	729 (T)	---	729 (T)

STATISTICAL TESTS

LIFE TABLE	P=0.646	P=0.224	(e)	P=0.496
POLY 3	P=0.637	P=0.232	(e)	P=0.497
POLY 1.5	P=0.637	P=0.233	(e)	P=0.497
POLY 6	P=0.638	P=0.233	(e)	P=0.497
LOGISTIC REGRESSION	(e)	P=0.224	(e)	P=0.496
COCH-ARM / FISHERS	P=0.640	P=0.247	(e)	P=0.500
ORDER RESTRICTED	P=0.320	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.334	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

Liver
 Mixed Cell Focus

LESION RATES

OVERALL (a)	14/50 (28%)	8/50 (16%)	6/50 (12%)	8/50 (16%)
POLY-3 RATE (b)	14/48.09	8/47.05	6/46.77	8/47.46
POLY-3 PERCENT (g)	29.1%	17%	12.8%	16.9%
TERMINAL (d)	14/46 (30%)	8/43 (19%)	5/38 (13%)	8/45 (18%)
FIRST INCIDENCE	729 (T)	729 (T)	724	729 (T)

STATISTICAL TESTS

LIFE TABLE	P=0.258N	P=0.149N	P=0.099N	P=0.123N
POLY 3	P=0.281N	P=0.123N	P=0.043N*	P=0.118N
POLY 1.5	P=0.283N	P=0.123N	P=0.041N*	P=0.119N
POLY 6	P=0.279N	P=0.122N	P=0.048N*	P=0.119N
LOGISTIC REGRESSION	P=0.265N	P=0.149N	P=0.081N	P=0.123N
COCH-ARM / FISHERS	P=0.287N	P=0.114N	P=0.039N*	P=0.114N
ORDER RESTRICTED	P=0.052N	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.062N	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Reqsted: 09/26/2006
 Time Report Reqsted: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

Liver
 Necrosis Focal

LESION RATES

OVERALL (a)	2/50 (4%)	5/50 (10%)	8/50 (16%)	4/50 (8%)
POLY-3 RATE (b)	2/48.48	5/48.18	8/47.92	4/47.46
POLY-3 PERCENT (g)	4.1%	10.4%	16.7%	8.4%
TERMINAL (d)	1/46 (2%)	3/43 (7%)	4/38 (11%)	4/45 (9%)
FIRST INCIDENCE	618	52	584	729 (T)

STATISTICAL TESTS

LIFE TABLE	P=0.558N	P=0.208	P=0.039*	P=0.329
POLY 3	P=0.589N	P=0.214	P=0.044*	P=0.328
POLY 1.5	P=0.587N	P=0.216	P=0.044*	P=0.330
POLY 6	P=0.593	P=0.214	P=0.042*	P=0.324
LOGISTIC REGRESSION	P=0.562N	P=0.281	P=0.053	P=0.336
COCH-ARM / FISHERS	P=0.573N	P=0.218	P=0.046*	P=0.339
ORDER RESTRICTED	P=0.127	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.141	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Reqsted: 09/26/2006
 Time Report Reqsted: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

Liver
 Tension Lipidosis

LESION RATES

OVERALL (a)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)
POLY-3 RATE (b)	0/48.09	0/47.05	0/46.75	1/47.46
POLY-3 PERCENT (g)	0%	0%	0%	2.1%
TERMINAL (d)	0/46 (0%)	0/43 (0%)	0/38 (0%)	1/45 (2%)
FIRST INCIDENCE	---	---	---	729 (T)

STATISTICAL TESTS

LIFE TABLE	P=0.246	(e)	(e)	P=0.496
POLY 3	P=0.237	(e)	(e)	P=0.497
POLY 1.5	P=0.237	(e)	(e)	P=0.497
POLY 6	P=0.236	(e)	(e)	P=0.497
LOGISTIC REGRESSION	(e)	(e)	(e)	P=0.496
COCH-ARM / FISHERS	P=0.237	(e)	(e)	P=0.500
ORDER RESTRICTED	P=0.118	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.131	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

Liver: Hepatocyte
 Vacuolization Cytoplasmic

LESION RATES

OVERALL (a)	3/50 (6%)	1/50 (2%)	4/50 (8%)	2/50 (4%)
POLY-3 RATE (b)	3/48.48	1/47.92	4/47.02	2/47.93
POLY-3 PERCENT (g)	6.2%	2.1%	8.5%	4.2%
TERMINAL (d)	2/46 (4%)	0/43 (0%)	2/38 (5%)	1/45 (2%)
FIRST INCIDENCE	618	376	670	592

STATISTICAL TESTS

LIFE TABLE	P=0.535N	P=0.322N	P=0.430	P=0.510N
POLY 3	P=0.546N	P=0.310N	P=0.483	P=0.505N
POLY 1.5	P=0.546N	P=0.310N	P=0.489	P=0.505N
POLY 6	P=0.546N	P=0.310N	P=0.472	P=0.506N
LOGISTIC REGRESSION	P=0.534N	P=0.234N	P=0.506	P=0.480N
COCH-ARM / FISHERS	P=0.545N	P=0.309N	P=0.500	P=0.500N
ORDER RESTRICTED	P=0.498	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.506	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

Liver: Kupffer Cell
 Hyperplasia

LESION RATES

OVERALL (a)	4/50 (8%)	1/50 (2%)	0/50 (0%)	2/50 (4%)
POLY-3 RATE (b)	4/48.53	1/47.18	0/46.75	2/47.46
POLY-3 PERCENT (g)	8.2%	2.1%	0%	4.2%
TERMINAL (d)	3/46 (7%)	0/43 (0%)	0/38 (0%)	2/45 (4%)
FIRST INCIDENCE	600	697	---	729 (T)

STATISTICAL TESTS

LIFE TABLE	P=0.589N	P=0.197N	P=0.085N	P=0.350N
POLY 3	P=0.596N	P=0.188N	P=0.065N	P=0.348N
POLY 1.5	P=0.598N	P=0.187N	P=0.064N	P=0.346N
POLY 6	P=0.594N	P=0.188N	P=0.069N	P=0.351N
LOGISTIC REGRESSION	P=0.601N	P=0.173N	P=0.060N	P=0.335N
COCH-ARM / FISHERS	P=0.601N	P=0.181N	P=0.059N	P=0.339N
ORDER RESTRICTED	P=0.081N	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.095N	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

Lung
 Hemorrhage

LESION RATES

OVERALL (a)	1/50 (2%)	2/50 (4%)	2/50 (4%)	0/50 (0%)
POLY-3 RATE (b)	1/48.09	2/47.05	2/46.75	0/47.46
POLY-3 PERCENT (g)	2.1%	4.3%	4.3%	0%
TERMINAL (d)	1/46 (2%)	2/43 (5%)	2/38 (5%)	0/45 (0%)
FIRST INCIDENCE	729 (T)	729 (T)	729 (T)	---

STATISTICAL TESTS

LIFE TABLE	P=0.222N	P=0.476	P=0.433	P=0.504N
POLY 3	P=0.229N	P=0.492	P=0.490	P=0.503N
POLY 1.5	P=0.230N	P=0.493	P=0.494	P=0.503N
POLY 6	P=0.229N	P=0.493	P=0.483	P=0.503N
LOGISTIC REGRESSION	P=0.222N	P=0.476	P=0.433	(e)
COCH-ARM / FISHERS	P=0.227N	P=0.500	P=0.500	P=0.500N
ORDER RESTRICTED	P=0.223N	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.236N	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

Lung
 Hyperplasia Lymphoid

LESION RATES

OVERALL (a)	2/50 (4%)	1/50 (2%)	1/50 (2%)	0/50 (0%)
POLY-3 RATE (b)	2/48.09	1/47.05	1/46.75	0/47.46
POLY-3 PERCENT (g)	4.2%	2.1%	2.1%	0%
TERMINAL (d)	2/46 (4%)	1/43 (2%)	1/38 (3%)	0/45 (0%)
FIRST INCIDENCE	729 (T)	729 (T)	729 (T)	---

STATISTICAL TESTS

LIFE TABLE	P=0.224N	P=0.524N	P=0.567N	P=0.243N
POLY 3	P=0.227N	P=0.508N	P=0.510N	P=0.240N
POLY 1.5	P=0.227N	P=0.507N	P=0.506N	P=0.240N
POLY 6	P=0.226N	P=0.507N	P=0.517N	P=0.241N
LOGISTIC REGRESSION	P=0.224N	P=0.524N	P=0.567N	(e)
COCH-ARM / FISHERS	P=0.227N	P=0.500N	P=0.500N	P=0.247N
ORDER RESTRICTED	P=0.121N	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.133N	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

Lung
 Infiltration Cellular Histiocyte

LESION RATES

OVERALL (a)	3/50 (6%)	5/50 (10%)	2/50 (4%)	4/50 (8%)
POLY-3 RATE (b)	3/48.23	5/47.05	2/46.75	4/47.46
POLY-3 PERCENT (g)	6.2%	10.6%	4.3%	8.4%
TERMINAL (d)	2/46 (4%)	5/43 (12%)	2/38 (5%)	4/45 (9%)
FIRST INCIDENCE	695	729 (T)	729 (T)	729 (T)

STATISTICAL TESTS

LIFE TABLE	P=0.557	P=0.326	P=0.581N	P=0.488
POLY 3	P=0.536	P=0.343	P=0.514N	P=0.491
POLY 1.5	P=0.535	P=0.345	P=0.509N	P=0.492
POLY 6	P=0.536	P=0.343	P=0.525N	P=0.489
LOGISTIC REGRESSION	P=0.539	P=0.345	P=0.515N	P=0.493
COCH-ARM / FISHERS	P=0.538	P=0.357	P=0.500N	P=0.500
ORDER RESTRICTED	P=0.533	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.542	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Lung: Alveolar Epithelium
 Hyperplasia**

LESION RATES

OVERALL (a)	1/50 (2%)	1/50 (2%)	3/50 (6%)	3/50 (6%)
POLY-3 RATE (b)	1/48.09	1/47.05	3/46.75	3/47.46
POLY-3 PERCENT (g)	2.1%	2.1%	6.4%	6.3%
TERMINAL (d)	1/46 (2%)	1/43 (2%)	3/38 (8%)	3/45 (7%)
FIRST INCIDENCE	729 (T)	729 (T)	729 (T)	729 (T)

STATISTICAL TESTS

LIFE TABLE	P=0.267	P=0.747	P=0.240	P=0.298
POLY 3	P=0.249	P=0.756	P=0.295	P=0.301
POLY 1.5	P=0.249	P=0.756	P=0.299	P=0.301
POLY 6	P=0.248	P=0.756	P=0.288	P=0.300
LOGISTIC REGRESSION	P=0.267	P=0.747	P=0.240	P=0.298
COCH-ARM / FISHERS	P=0.249	P=0.753N	P=0.309	P=0.309
ORDER RESTRICTED	P=0.236	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.248	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

Lymph Node, Mandibular Atrophy

LESION RATES

OVERALL (a)	0/47 (0%)	1/46 (2%)	1/45 (2%)	0/44 (0%)
POLY-3 RATE (b)	0/45.09	1/44.92	1/43.39	0/42.46
POLY-3 PERCENT (g)	0%	2.2%	2.3%	0%
TERMINAL (d)	0/43 (0%)	0/40 (0%)	0/36 (0%)	0/40 (0%)
FIRST INCIDENCE	---	376	101	---

STATISTICAL TESTS

LIFE TABLE	P=0.515N	P=0.500	P=0.500	(e)
POLY 3	P=0.525N	P=0.499	P=0.492	(e)
POLY 1.5	P=0.525N	P=0.498	P=0.493	(e)
POLY 6	P=0.525N	P=0.500	P=0.490	(e)
LOGISTIC REGRESSION	P=0.953N	P=0.380	(e)	(e)
COCH-ARM / FISHERS	P=0.526N	P=0.495	P=0.489	(e)
ORDER RESTRICTED	P=0.399	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.412	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

Lymph Node, Mandibular
 Hyperplasia Lymphoid

LESION RATES

OVERALL (a)	2/47 (4%)	4/46 (9%)	2/45 (4%)	2/44 (5%)
POLY-3 RATE (b)	2/45.23	4/44.05	2/42.40	2/42.72
POLY-3 PERCENT (g)	4.4%	9.1%	4.7%	4.7%
TERMINAL (d)	1/43 (2%)	4/40 (10%)	2/36 (6%)	1/40 (3%)
FIRST INCIDENCE	695	729 (T)	729 (T)	661

STATISTICAL TESTS

LIFE TABLE	P=0.464N	P=0.311	P=0.632	P=0.677
POLY 3	P=0.476N	P=0.325	P=0.670	P=0.673
POLY 1.5	P=0.477N	P=0.326	P=0.673	P=0.673
POLY 6	P=0.474N	P=0.325	P=0.665	P=0.673
LOGISTIC REGRESSION	P=0.479N	P=0.326	P=0.675	P=0.664
COCH-ARM / FISHERS	P=0.483N	P=0.328	P=0.675	P=0.666
ORDER RESTRICTED	P=0.535N	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.544N	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Lymph Node, Mandibular
 Pigmentation**

LESION RATES

OVERALL (a)	1/47 (2%)	1/46 (2%)	1/45 (2%)	0/44 (0%)
POLY-3 RATE (b)	1/45.09	1/44.05	1/42.63	0/42.46
POLY-3 PERCENT (g)	2.2%	2.3%	2.4%	0%
TERMINAL (d)	1/43 (2%)	1/40 (3%)	0/36 (0%)	0/40 (0%)
FIRST INCIDENCE	729 (T)	729 (T)	666	---

STATISTICAL TESTS

LIFE TABLE	P=0.345N	P=0.746	P=0.736	P=0.514N
POLY 3	P=0.350N	P=0.755	P=0.748	P=0.512N
POLY 1.5	P=0.350N	P=0.755	P=0.748	P=0.512N
POLY 6	P=0.350N	P=0.756	P=0.746	P=0.513N
LOGISTIC REGRESSION	P=0.352N	P=0.746	P=0.757	(e)
COCH-ARM / FISHERS	P=0.351N	P=0.747	P=0.742	P=0.516N
ORDER RESTRICTED	P=0.329N	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.345N	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

Lymph Node, Mesenteric Atrophy

LESION RATES

OVERALL (a)	1/46 (2%)	1/48 (2%)	0/48 (0%)	3/48 (6%)
POLY-3 RATE (b)	1/44.09	1/46.09	0/45.85	3/46.72
POLY-3 PERCENT (g)	2.3%	2.2%	0%	6.4%
TERMINAL (d)	1/42 (2%)	0/42 (0%)	0/38 (0%)	1/43 (2%)
FIRST INCIDENCE	729 (T)	52	---	25

STATISTICAL TESTS

LIFE TABLE	P=0.118	P=0.760	P=0.520N	P=0.312
POLY 3	P=0.118	P=0.751N	P=0.492N	P=0.326
POLY 1.5	P=0.117	P=0.751N	P=0.491N	P=0.325
POLY 6	P=0.119	P=0.750N	P=0.496N	P=0.327
LOGISTIC REGRESSION	P=0.127	P=0.621N	(e)	P=0.399
COCH-ARM / FISHERS	P=0.115	P=0.742N	P=0.489N	P=0.325
ORDER RESTRICTED	P=0.114	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.129	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Lymph Node, Mesenteric
 Hematopoietic Cell Proliferation**

LESION RATES

OVERALL (a)	3/46 (7%)	3/48 (6%)	5/48 (10%)	6/48 (13%)
POLY-3 RATE (b)	3/44.09	3/45.15	5/46.44	6/45.58
POLY-3 PERCENT (g)	6.8%	6.6%	10.8%	13.2%
TERMINAL (d)	3/42 (7%)	2/42 (5%)	2/38 (5%)	5/43 (12%)
FIRST INCIDENCE	729 (T)	712	671	700

STATISTICAL TESTS

LIFE TABLE	P=0.204	P=0.660	P=0.312	P=0.255
POLY 3	P=0.191	P=0.651N	P=0.385	P=0.259
POLY 1.5	P=0.191	P=0.651N	P=0.386	P=0.258
POLY 6	P=0.191	P=0.649N	P=0.381	P=0.259
LOGISTIC REGRESSION	P=0.189	P=0.652N	P=0.373	P=0.256
COCH-ARM / FISHERS	P=0.191	P=0.641N	P=0.381	P=0.265
ORDER RESTRICTED	P=0.238	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.248	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

Lymph Node, Mesenteric Hemorrhage

LESION RATES

OVERALL (a)	5/46 (11%)	9/48 (19%)	9/48 (19%)	9/48 (19%)
POLY-3 RATE (b)	5/44.09	9/45.15	9/46.44	9/45.58
POLY-3 PERCENT (g)	11.3%	19.9%	19.4%	19.8%
TERMINAL (d)	5/42 (12%)	8/42 (19%)	6/38 (16%)	8/43 (19%)
FIRST INCIDENCE	729 (T)	712	671	700

STATISTICAL TESTS

LIFE TABLE	P=0.381	P=0.194	P=0.151	P=0.207
POLY 3	P=0.358	P=0.205	P=0.222	P=0.211
POLY 1.5	P=0.357	P=0.205	P=0.224	P=0.211
POLY 6	P=0.358	P=0.208	P=0.217	P=0.211
LOGISTIC REGRESSION	P=0.359	P=0.208	P=0.218	P=0.208
COCH-ARM / FISHERS	P=0.363	P=0.218	P=0.218	P=0.218
ORDER RESTRICTED	P=0.239	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.249	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Reqsted: 09/26/2006
 Time Report Reqsted: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Lymph Node, Mesenteric
 Hyperplasia Lymphoid**

LESION RATES

OVERALL (a)	3/46 (7%)	2/48 (4%)	2/48 (4%)	2/48 (4%)
POLY-3 RATE (b)	3/44.09	2/45.09	2/45.85	2/45.46
POLY-3 PERCENT (g)	6.8%	4.4%	4.4%	4.4%
TERMINAL (d)	3/42 (7%)	2/42 (5%)	2/38 (5%)	2/43 (5%)
FIRST INCIDENCE	729 (T)	729 (T)	729 (T)	729 (T)

STATISTICAL TESTS

LIFE TABLE	P=0.509N	P=0.500N	P=0.546N	P=0.489N
POLY 3	P=0.521N	P=0.490N	P=0.482N	P=0.486N
POLY 1.5	P=0.522N	P=0.490N	P=0.479N	P=0.486N
POLY 6	P=0.520N	P=0.488N	P=0.491N	P=0.487N
LOGISTIC REGRESSION	P=0.509N	P=0.500N	P=0.546N	P=0.489N
COCH-ARM / FISHERS	P=0.520N	P=0.480N	P=0.480N	P=0.480N
ORDER RESTRICTED	P=0.475N	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.483N	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Reqsted: 09/26/2006
 Time Report Reqsted: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

Lymph Node: Iliac
 Hyperplasia Lymphoid

LESION RATES

OVERALL (a)	0/2 (0%)	0/2 (0%)	0/2 (0%)	1/4 (25%)
POLY-3 RATE (b)	0/1.06	0/1.81	0/1.98	1/3.30
POLY-3 PERCENT (g)	0%	0%	0%	30.3%
TERMINAL (d)	0/1 (0%)	0/0 (0%)	0/1 (0%)	1/3 (33%)
FIRST INCIDENCE	---	---	---	729 (T)

STATISTICAL TESTS

LIFE TABLE	P=0.536	(e)	(e)	P=0.718
POLY 3	P=0.409	(e)	(e)	P=0.698
POLY 1.5	P=0.407	(e)	(e)	P=0.686
POLY 6	P=0.413	(e)	(e)	P=0.697
LOGISTIC REGRESSION	(e)	(e)	(e)	P=0.718
COCH-ARM / FISHERS	P=0.363	(e)	(e)	P=0.667
ORDER RESTRICTED	P=0.427	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.512	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Reqsted: 09/26/2006
 Time Report Reqsted: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Mammary Gland
 Hyperplasia**

LESION RATES

OVERALL (a)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
POLY-3 RATE (b)	0/48.09	0/47.05	0/46.75	0/47.46
POLY-3 PERCENT (g)	0%	0%	0%	0%
TERMINAL (d)	0/46 (0%)	0/43 (0%)	0/38 (0%)	0/45 (0%)
FIRST INCIDENCE	---	---	---	---

STATISTICAL TESTS

LIFE TABLE	(e)	(e)	(e)	(e)
POLY 3	(e)	(e)	(e)	(e)
POLY 1.5	(e)	(e)	(e)	(e)
POLY 6	(e)	(e)	(e)	(e)
LOGISTIC REGRESSION	(e)	(e)	(e)	(e)
COCH-ARM / FISHERS	(e)	(e)	(e)	(e)
ORDER RESTRICTED	(e)	(e)	(e)	(e)
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Reqsted: 09/26/2006
 Time Report Reqsted: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Mesentery
 Hemorrhage**

LESION RATES

OVERALL (a)	1/3 (33%)	4/7 (57%)	0/2 (0%)	1/4 (25%)
POLY-3 RATE (b)	1/3.00	4/7.00	0/1.95	1/4.00
POLY-3 PERCENT (g)	33.3%	57.1%	0%	25%
TERMINAL (d)	1/3 (33%)	4/7 (57%)	0/1 (0%)	1/4 (25%)
FIRST INCIDENCE	729 (T)	729 (T)	---	729 (T)

STATISTICAL TESTS

LIFE TABLE	P=0.391N	P=0.500	P=0.718N	P=0.712N
POLY 3	P=0.406N	P=0.500	P=0.581N	P=0.696N
POLY 1.5	P=0.407N	P=0.500	P=0.579N	P=0.696N
POLY 6	P=0.404N	P=0.500	P=0.586N	P=0.696N
LOGISTIC REGRESSION	P=0.391N	P=0.250	(e)	P=0.712N
COCH-ARM / FISHERS	P=0.404N	P=0.500	P=0.600N	P=0.714N
ORDER RESTRICTED	P=0.332N	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.348N	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Reqsted: 09/26/2006
 Time Report Reqsted: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

Mesentery: Fat
 Necrosis

LESION RATES

OVERALL (a)	2/3 (67%)	2/7 (29%)	2/2 (100%)	3/4 (75%)
POLY-3 RATE (b)	2/3.00	2/7.00	2/2.00	3/4.00
POLY-3 PERCENT (g)	66.7%	28.6%	100%	75%
TERMINAL (d)	2/3 (67%)	2/7 (29%)	1/1 (100%)	3/4 (75%)
FIRST INCIDENCE	729 (T)	729 (T)	717	729 (T)

STATISTICAL TESTS

LIFE TABLE	P=0.346	P=0.344N	P=0.330	P=0.712
POLY 3	P=0.289	P=0.343N	P=0.577	P=0.696
POLY 1.5	P=0.289	P=0.343N	P=0.577	P=0.696
POLY 6	P=0.289	P=0.343N	P=0.577	P=0.696
LOGISTIC REGRESSION	P=0.346	P=0.344N	(e)	P=0.712
COCH-ARM / FISHERS	P=0.292	P=0.333N	P=0.600	P=0.714
ORDER RESTRICTED	P=0.222	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.228	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Reqsted: 09/26/2006
 Time Report Reqsted: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Nose
 Inflammation Chronic**

LESION RATES

OVERALL (a)	0/50 (0%)	3/50 (6%)	0/50 (0%)	1/50 (2%)
POLY-3 RATE (b)	0/48.09	3/48.05	0/46.75	1/47.46
POLY-3 PERCENT (g)	0%	6.2%	0%	2.1%
TERMINAL (d)	0/46 (0%)	2/43 (5%)	0/38 (0%)	1/45 (2%)
FIRST INCIDENCE	---	52	---	729 (T)

STATISTICAL TESTS

LIFE TABLE	P=0.627N	P=0.115	(e)	P=0.496
POLY 3	P=0.637N	P=0.119	(e)	P=0.497
POLY 1.5	P=0.638N	P=0.119	(e)	P=0.497
POLY 6	P=0.635N	P=0.119	(e)	P=0.497
LOGISTIC REGRESSION	P=0.607N	P=0.177	(e)	P=0.496
COCH-ARM / FISHERS	P=0.636N	P=0.121	(e)	P=0.500
ORDER RESTRICTED	P=0.265	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.279	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Reqsted: 09/26/2006
 Time Report Reqsted: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Pancreas
 Atrophy**

LESION RATES

OVERALL (a)	1/50 (2%)	0/49 (0%)	0/49 (0%)	1/50 (2%)
POLY-3 RATE (b)	1/48.09	0/46.13	0/46.75	1/47.46
POLY-3 PERCENT (g)	2.1%	0%	0%	2.1%
TERMINAL (d)	1/46 (2%)	0/43 (0%)	0/38 (0%)	1/45 (2%)
FIRST INCIDENCE	729 (T)	---	---	729 (T)

STATISTICAL TESTS

LIFE TABLE	P=0.522	P=0.513N	P=0.538N	P=0.757
POLY 3	P=0.518	P=0.508N	P=0.506N	P=0.757
POLY 1.5	P=0.517	P=0.508N	P=0.504N	P=0.758
POLY 6	P=0.518	P=0.508N	P=0.510N	P=0.757
LOGISTIC REGRESSION	P=0.522	(e)	(e)	P=0.757
COCH-ARM / FISHERS	P=0.517	P=0.505N	P=0.505N	P=0.753N
ORDER RESTRICTED	P=0.400	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.412	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Reqsted: 09/26/2006
 Time Report Reqsted: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Pancreas
 Cyst**

LESION RATES

OVERALL (a)	0/50 (0%)	0/49 (0%)	1/49 (2%)	0/50 (0%)
POLY-3 RATE (b)	0/48.09	0/46.13	1/46.75	0/47.46
POLY-3 PERCENT (g)	0%	0%	2.1%	0%
TERMINAL (d)	0/46 (0%)	0/43 (0%)	1/38 (3%)	0/45 (0%)
FIRST INCIDENCE	---	---	729 (T)	---

STATISTICAL TESTS

LIFE TABLE	P=0.754N	(e)	P=0.462	(e)
POLY 3	P=0.761N	(e)	P=0.494	(e)
POLY 1.5	P=0.761N	(e)	P=0.496	(e)
POLY 6	P=0.762N	(e)	P=0.490	(e)
LOGISTIC REGRESSION	(e)	(e)	P=0.462	(e)
COCH-ARM / FISHERS	P=0.761N	(e)	P=0.495	(e)
ORDER RESTRICTED	P=0.375	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.388	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

Pancreas: Acinus
 Cytoplasmic Alteration

LESION RATES

OVERALL (a)	0/50 (0%)	1/49 (2%)	2/49 (4%)	0/50 (0%)
POLY-3 RATE (b)	0/48.09	1/46.20	2/47.07	0/47.46
POLY-3 PERCENT (g)	0%	2.2%	4.3%	0%
TERMINAL (d)	0/46 (0%)	0/43 (0%)	0/38 (0%)	0/45 (0%)
FIRST INCIDENCE	---	712	670	---

STATISTICAL TESTS

LIFE TABLE	P=0.450N	P=0.496	P=0.225	(e)
POLY 3	P=0.449N	P=0.492	P=0.233	(e)
POLY 1.5	P=0.448N	P=0.492	P=0.234	(e)
POLY 6	P=0.450N	P=0.493	P=0.229	(e)
LOGISTIC REGRESSION	P=0.443N	P=0.495	P=0.210	(e)
COCH-ARM / FISHERS	P=0.446N	P=0.495	P=0.242	(e)
ORDER RESTRICTED	P=0.318	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.334	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Reqsted: 09/26/2006
 Time Report Reqsted: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Parathyroid Gland
 Cyst**

LESION RATES

OVERALL (a)	4/46 (9%)	0/48 (0%)	2/49 (4%)	1/46 (2%)
POLY-3 RATE (b)	4/44.23	0/45.05	2/46.77	1/44.46
POLY-3 PERCENT (g)	9%	0%	4.3%	2.3%
TERMINAL (d)	3/42 (7%)	0/41 (0%)	1/38 (3%)	1/42 (2%)
FIRST INCIDENCE	695	---	724	729 (T)

STATISTICAL TESTS

LIFE TABLE	P=0.356N	P=0.067N	P=0.394N	P=0.183N
POLY 3	P=0.361N	P=0.058N	P=0.312N	P=0.177N
POLY 1.5	P=0.362N	P=0.058N	P=0.308N	P=0.177N
POLY 6	P=0.361N	P=0.058N	P=0.322N	P=0.178N
LOGISTIC REGRESSION	P=0.366N	P=0.059N	P=0.312N	P=0.177N
COCH-ARM / FISHERS	P=0.373N	P=0.054N	P=0.309N	P=0.181N
ORDER RESTRICTED	P=0.072N	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.078N	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Reqsted: 09/26/2006
 Time Report Reqsted: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Pituitary Gland: Pars Distalis
 Angiectasis**

LESION RATES

OVERALL (a)	0/48 (0%)	0/49 (0%)	0/48 (0%)	0/49 (0%)
POLY-3 RATE (b)	0/46.09	0/46.05	0/44.75	0/46.46
POLY-3 PERCENT (g)	0%	0%	0%	0%
TERMINAL (d)	0/44 (0%)	0/42 (0%)	0/36 (0%)	0/44 (0%)
FIRST INCIDENCE	---	---	---	---

STATISTICAL TESTS

LIFE TABLE	(e)	(e)	(e)	(e)
POLY 3	(e)	(e)	(e)	(e)
POLY 1.5	(e)	(e)	(e)	(e)
POLY 6	(e)	(e)	(e)	(e)
LOGISTIC REGRESSION	(e)	(e)	(e)	(e)
COCH-ARM / FISHERS	(e)	(e)	(e)	(e)
ORDER RESTRICTED	(e)	(e)	(e)	(e)
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Pituitary Gland: Pars Distalis
 Cyst**

LESION RATES

OVERALL (a)	1/48 (2%)	0/49 (0%)	2/48 (4%)	4/49 (8%)
POLY-3 RATE (b)	1/46.09	0/46.05	2/44.75	4/46.46
POLY-3 PERCENT (g)	2.2%	0%	4.5%	8.6%
TERMINAL (d)	1/44 (2%)	0/42 (0%)	2/36 (6%)	4/44 (9%)
FIRST INCIDENCE	729 (T)	---	729 (T)	729 (T)

STATISTICAL TESTS

LIFE TABLE	P=0.050*	P=0.509N	P=0.430	P=0.180
POLY 3	P=0.042*	P=0.500N	P=0.490	P=0.181
POLY 1.5	P=0.042*	P=0.500N	P=0.493	P=0.182
POLY 6	P=0.042*	P=0.500N	P=0.482	P=0.181
LOGISTIC REGRESSION	P=0.050*	(e)	P=0.430	P=0.180
COCH-ARM / FISHERS	P=0.043*	P=0.495N	P=0.500	P=0.187
ORDER RESTRICTED	P=0.039*	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.047*	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Pituitary Gland: Pars Distalis
 Hyperplasia Focal**

LESION RATES

OVERALL (a)	0/48 (0%)	1/49 (2%)	1/48 (2%)	0/49 (0%)
POLY-3 RATE (b)	0/46.09	1/46.05	1/44.75	0/46.46
POLY-3 PERCENT (g)	0%	2.2%	2.2%	0%
TERMINAL (d)	0/44 (0%)	1/42 (2%)	1/36 (3%)	0/44 (0%)
FIRST INCIDENCE	---	729 (T)	729 (T)	---

STATISTICAL TESTS

LIFE TABLE	P=0.502N	P=0.491	P=0.460	(e)
POLY 3	P=0.513N	P=0.500	P=0.494	(e)
POLY 1.5	P=0.513N	P=0.500	P=0.496	(e)
POLY 6	P=0.513N	P=0.500	P=0.490	(e)
LOGISTIC REGRESSION	(e)	P=0.491	P=0.460	(e)
COCH-ARM / FISHERS	P=0.511N	P=0.505	P=0.500	(e)
ORDER RESTRICTED	P=0.396N	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.404N	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Reqsted: 09/26/2006
 Time Report Reqsted: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Preputial Gland
 Cyst**

LESION RATES

OVERALL (a)	17/50 (34%)	12/50 (24%)	17/50 (34%)	18/50 (36%)
POLY-3 RATE (b)	17/49.06	12/47.13	17/47.43	18/47.46
POLY-3 PERCENT (g)	34.7%	25.5%	35.8%	37.9%
TERMINAL (d)	14/46 (30%)	11/43 (26%)	13/38 (34%)	18/45 (40%)
FIRST INCIDENCE	600	710	666	729 (T)

STATISTICAL TESTS

LIFE TABLE	P=0.318	P=0.253N	P=0.361	P=0.468
POLY 3	P=0.254	P=0.225N	P=0.536	P=0.452
POLY 1.5	P=0.260	P=0.216N	P=0.553	P=0.465
POLY 6	P=0.243	P=0.234N	P=0.504	P=0.430
LOGISTIC REGRESSION	P=0.267	P=0.202N	P=0.569	P=0.484
COCH-ARM / FISHERS	P=0.270	P=0.189N	P=0.583N	P=0.500
ORDER RESTRICTED	P=0.330	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.347	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Preputial Gland
 Inflammation Chronic**

LESION RATES

OVERALL (a)	26/50 (52%)	25/50 (50%)	22/50 (44%)	16/50 (32%)
POLY-3 RATE (b)	26/48.53	25/47.20	22/47.51	16/47.46
POLY-3 PERCENT (g)	53.6%	53%	46.3%	33.7%
TERMINAL (d)	25/46 (54%)	23/43 (54%)	19/38 (50%)	16/45 (36%)
FIRST INCIDENCE	600	710	635	729 (T)

STATISTICAL TESTS

LIFE TABLE	P=0.015N*	P=0.528	P=0.560	P=0.040N*
POLY 3	P=0.020N*	P=0.558N	P=0.306N	P=0.037N*
POLY 1.5	P=0.020N*	P=0.550N	P=0.296N	P=0.037N*
POLY 6	P=0.021N*	P=0.559N	P=0.329N	P=0.040N*
LOGISTIC REGRESSION	P=0.019N*	P=0.545N	P=0.315N	P=0.037N*
COCH-ARM / FISHERS	P=0.021N*	P=0.500N	P=0.274N	P=0.034N*
ORDER RESTRICTED	P=0.033N*	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.033N*	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Salivary Glands
 Hyperplasia Lymphoid**

LESION RATES

OVERALL (a)	1/50 (2%)	1/50 (2%)	1/50 (2%)	1/50 (2%)
POLY-3 RATE (b)	1/48.09	1/47.18	1/46.75	1/47.46
POLY-3 PERCENT (g)	2.1%	2.1%	2.1%	2.1%
TERMINAL (d)	1/46 (2%)	0/43 (0%)	1/38 (3%)	1/45 (2%)
FIRST INCIDENCE	729 (T)	697	729 (T)	729 (T)

STATISTICAL TESTS

LIFE TABLE	P=0.679N	P=0.755	P=0.719	P=0.757
POLY 3	P=0.688	P=0.756	P=0.754	P=0.757
POLY 1.5	P=0.688	P=0.756	P=0.756	P=0.758
POLY 6	P=0.688	P=0.757	P=0.749	P=0.757
LOGISTIC REGRESSION	P=0.690	P=0.761	P=0.719	P=0.757
COCH-ARM / FISHERS	P=0.691N	P=0.753N	P=0.753N	P=0.753N
ORDER RESTRICTED	P=0.741	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.741	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

Skin
 Edema

LESION RATES

OVERALL (a)	0/50 (0%)	1/50 (2%)	2/50 (4%)	0/50 (0%)
POLY-3 RATE (b)	0/48.09	1/47.12	2/46.82	0/47.46
POLY-3 PERCENT (g)	0%	2.1%	4.3%	0%
TERMINAL (d)	0/46 (0%)	0/43 (0%)	0/38 (0%)	0/45 (0%)
FIRST INCIDENCE	---	712	717	---

STATISTICAL TESTS

LIFE TABLE	P=0.444N	P=0.496	P=0.207	(e)
POLY 3	P=0.452N	P=0.496	P=0.231	(e)
POLY 1.5	P=0.452N	P=0.496	P=0.234	(e)
POLY 6	P=0.453N	P=0.497	P=0.227	(e)
LOGISTIC REGRESSION	P=0.449N	P=0.499	P=0.231	(e)
COCH-ARM / FISHERS	P=0.449N	P=0.500	P=0.247	(e)
ORDER RESTRICTED	P=0.320	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.334	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Reqsted: 09/26/2006
 Time Report Reqsted: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Skin
 Inflammation Chronic**

LESION RATES

OVERALL (a)	2/50 (4%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
POLY-3 RATE (b)	2/48.09	1/47.05	0/46.75	0/47.46
POLY-3 PERCENT (g)	4.2%	2.1%	0%	0%
TERMINAL (d)	2/46 (4%)	1/43 (2%)	0/38 (0%)	0/45 (0%)
FIRST INCIDENCE	729 (T)	729 (T)	---	---

STATISTICAL TESTS

LIFE TABLE	P=0.238N	P=0.524N	P=0.281N	P=0.243N
POLY 3	P=0.238N	P=0.508N	P=0.244N	P=0.240N
POLY 1.5	P=0.239N	P=0.507N	P=0.241N	P=0.240N
POLY 6	P=0.237N	P=0.507N	P=0.249N	P=0.241N
LOGISTIC REGRESSION	P=0.238N	P=0.524N	(e)	(e)
COCH-ARM / FISHERS	P=0.241N	P=0.500N	P=0.247N	P=0.247N
ORDER RESTRICTED	P=0.076N	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.088N	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Reqsted: 09/26/2006
 Time Report Reqsted: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Spleen
 Angiectasis**

LESION RATES

OVERALL (a)	0/50 (0%)	0/49 (0%)	0/50 (0%)	1/50 (2%)
POLY-3 RATE (b)	0/48.09	0/46.13	0/46.75	1/47.93
POLY-3 PERCENT (g)	0%	0%	0%	2.1%
TERMINAL (d)	0/46 (0%)	0/43 (0%)	0/38 (0%)	0/45 (0%)
FIRST INCIDENCE	---	---	---	592

STATISTICAL TESTS

LIFE TABLE	P=0.237	(e)	(e)	P=0.496
POLY 3	P=0.239	(e)	(e)	P=0.499
POLY 1.5	P=0.239	(e)	(e)	P=0.499
POLY 6	P=0.240	(e)	(e)	P=0.500
LOGISTIC REGRESSION	P=0.249	(e)	(e)	P=0.544
COCH-ARM / FISHERS	P=0.238	(e)	(e)	P=0.500
ORDER RESTRICTED	P=0.120	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.132	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Spleen
 Hematopoietic Cell Proliferation**

LESION RATES

OVERALL (a)	15/50 (30%)	13/49 (27%)	19/50 (38%)	16/50 (32%)
POLY-3 RATE (b)	15/48.62	13/47.19	19/49.00	16/47.83
POLY-3 PERCENT (g)	30.9%	27.6%	38.8%	33.5%
TERMINAL (d)	13/46 (28%)	10/43 (23%)	8/38 (21%)	14/45 (31%)
FIRST INCIDENCE	618	376	584	661

STATISTICAL TESTS

LIFE TABLE	P=0.482	P=0.482N	P=0.156	P=0.474
POLY 3	P=0.432	P=0.448N	P=0.273	P=0.478
POLY 1.5	P=0.438	P=0.450N	P=0.265	P=0.481
POLY 6	P=0.424	P=0.446N	P=0.280	P=0.474
LOGISTIC REGRESSION	P=0.453	P=0.439N	P=0.268	P=0.485
COCH-ARM / FISHERS	P=0.454	P=0.437N	P=0.263	P=0.500
ORDER RESTRICTED	P=0.374	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.386	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Reqsted: 09/26/2006
 Time Report Reqsted: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

Spleen: Lymphoid Follicle
 Atrophy

LESION RATES

OVERALL (a)	0/50 (0%)	1/49 (2%)	1/50 (2%)	2/50 (4%)
POLY-3 RATE (b)	0/48.09	1/47.13	1/47.75	2/48.93
POLY-3 PERCENT (g)	0%	2.1%	2.1%	4.1%
TERMINAL (d)	0/46 (0%)	0/43 (0%)	0/38 (0%)	0/45 (0%)
FIRST INCIDENCE	---	52	101	25

STATISTICAL TESTS

LIFE TABLE	P=0.227	P=0.500	P=0.500	P=0.237
POLY 3	P=0.236	P=0.496	P=0.499	P=0.241
POLY 1.5	P=0.235	P=0.496	P=0.500	P=0.240
POLY 6	P=0.237	P=0.497	P=0.494	P=0.242
LOGISTIC REGRESSION	P=0.128	(e)	(e)	P=0.335
COCH-ARM / FISHERS	P=0.230	P=0.495	P=0.500	P=0.247
ORDER RESTRICTED	P=0.122	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.136	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Reqsted: 09/26/2006
 Time Report Reqsted: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

Spleen: Lymphoid Follicle
 Hyperplasia

LESION RATES

OVERALL (a)	0/50 (0%)	0/49 (0%)	1/50 (2%)	0/50 (0%)
POLY-3 RATE (b)	0/48.09	0/46.13	1/46.75	0/47.46
POLY-3 PERCENT (g)	0%	0%	2.1%	0%
TERMINAL (d)	0/46 (0%)	0/43 (0%)	1/38 (3%)	0/45 (0%)
FIRST INCIDENCE	---	---	729 (T)	---

STATISTICAL TESTS

LIFE TABLE	P=0.754N	(e)	P=0.462	(e)
POLY 3	P=0.762N	(e)	P=0.494	(e)
POLY 1.5	P=0.762N	(e)	P=0.496	(e)
POLY 6	P=0.763N	(e)	P=0.490	(e)
LOGISTIC REGRESSION	(e)	(e)	P=0.462	(e)
COCH-ARM / FISHERS	P=0.762N	(e)	P=0.500	(e)
ORDER RESTRICTED	P=0.375	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.387	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Reqsted: 09/26/2006
 Time Report Reqsted: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Stomach, Forestomach
 Diverticulum**

LESION RATES

OVERALL (a)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
POLY-3 RATE (b)	0/48.09	1/47.05	0/46.75	0/47.46
POLY-3 PERCENT (g)	0%	2.1%	0%	0%
TERMINAL (d)	0/46 (0%)	1/43 (2%)	0/38 (0%)	0/45 (0%)
FIRST INCIDENCE	---	729 (T)	---	---

STATISTICAL TESTS

LIFE TABLE	P=0.618N	P=0.487	(e)	(e)
POLY 3	P=0.627N	P=0.496	(e)	(e)
POLY 1.5	P=0.628N	P=0.496	(e)	(e)
POLY 6	P=0.625N	P=0.496	(e)	(e)
LOGISTIC REGRESSION	(e)	P=0.487	(e)	(e)
COCH-ARM / FISHERS	P=0.626N	P=0.500	(e)	(e)
ORDER RESTRICTED	P=0.379N	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.390N	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Stomach, Forestomach: Epithelium
 Hyperplasia**

LESION RATES

OVERALL (a)	2/50 (4%)	2/50 (4%)	2/50 (4%)	1/50 (2%)
POLY-3 RATE (b)	2/48.48	2/47.05	2/46.95	1/47.46
POLY-3 PERCENT (g)	4.1%	4.3%	4.3%	2.1%
TERMINAL (d)	1/46 (2%)	2/43 (5%)	1/38 (3%)	1/45 (2%)
FIRST INCIDENCE	618	729 (T)	676	729 (T)

STATISTICAL TESTS

LIFE TABLE	P=0.385N	P=0.673	P=0.652	P=0.508N
POLY 3	P=0.394N	P=0.683	P=0.682	P=0.507N
POLY 1.5	P=0.394N	P=0.684	P=0.686	P=0.506N
POLY 6	P=0.395N	P=0.682	P=0.674	P=0.510N
LOGISTIC REGRESSION	P=0.391N	P=0.692N	P=0.684N	P=0.491N
COCH-ARM / FISHERS	P=0.392N	P=0.691N	P=0.691N	P=0.500N
ORDER RESTRICTED	P=0.462N	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.473N	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Reqsted: 09/26/2006
 Time Report Reqsted: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Stomach, Glandular
 Erosion**

LESION RATES

OVERALL (a)	1/50 (2%)	0/49 (0%)	2/50 (4%)	3/50 (6%)
POLY-3 RATE (b)	1/48.48	0/46.13	2/47.77	3/48.75
POLY-3 PERCENT (g)	2.1%	0%	4.2%	6.2%
TERMINAL (d)	0/46 (0%)	0/43 (0%)	0/38 (0%)	0/45 (0%)
FIRST INCIDENCE	618	---	101	486

STATISTICAL TESTS

LIFE TABLE	P=0.128	P=0.504N	P=0.481	P=0.305
POLY 3	P=0.130	P=0.510N	P=0.495	P=0.308
POLY 1.5	P=0.127	P=0.509N	P=0.499	P=0.305
POLY 6	P=0.131	P=0.510N	P=0.486	P=0.309
LOGISTIC REGRESSION	P=0.133	P=0.467N	P=0.612	P=0.363
COCH-ARM / FISHERS	P=0.124	P=0.505N	P=0.500	P=0.309
ORDER RESTRICTED	P=0.111	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.124	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Reqsted: 09/26/2006
 Time Report Reqsted: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Stomach, Glandular: Epithelium
 Hyperplasia**

LESION RATES

OVERALL (a)	1/50 (2%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
POLY-3 RATE (b)	1/48.09	0/46.13	0/46.75	0/47.46
POLY-3 PERCENT (g)	2.1%	0%	0%	0%
TERMINAL (d)	1/46 (2%)	0/43 (0%)	0/38 (0%)	0/45 (0%)
FIRST INCIDENCE	729 (T)	---	---	---

STATISTICAL TESTS

LIFE TABLE	P=0.581N	P=0.513N	P=0.538N	P=0.504N
POLY 3	P=0.582N	P=0.508N	P=0.506N	P=0.503N
POLY 1.5	P=0.583N	P=0.508N	P=0.504N	P=0.503N
POLY 6	P=0.580N	P=0.508N	P=0.510N	P=0.503N
LOGISTIC REGRESSION	P=0.581N	(e)	(e)	(e)
COCH-ARM / FISHERS	P=0.587N	P=0.505N	P=0.500N	P=0.500N
ORDER RESTRICTED	P=0.122N	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.136N	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

Testes: Germinal Epithelium
 Atrophy

LESION RATES

OVERALL (a)	3/50 (6%)	1/50 (2%)	1/50 (2%)	2/50 (4%)
POLY-3 RATE (b)	3/48.09	1/47.05	1/46.95	2/47.46
POLY-3 PERCENT (g)	6.2%	2.1%	2.1%	4.2%
TERMINAL (d)	3/46 (7%)	1/43 (2%)	0/38 (0%)	2/45 (4%)
FIRST INCIDENCE	729 (T)	729 (T)	676	729 (T)

STATISTICAL TESTS

LIFE TABLE	P=0.632	P=0.330N	P=0.365N	P=0.510N
POLY 3	P=0.624	P=0.313N	P=0.314N	P=0.506N
POLY 1.5	P=0.624	P=0.313N	P=0.311N	P=0.506N
POLY 6	P=0.625	P=0.313N	P=0.321N	P=0.507N
LOGISTIC REGRESSION	P=0.622	P=0.330N	P=0.309N	P=0.510N
COCH-ARM / FISHERS	P=0.623	P=0.309N	P=0.309N	P=0.500N
ORDER RESTRICTED	P=0.299N	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.313N	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

Thymus
 Atrophy

LESION RATES

OVERALL (a)	1/41 (2%)	4/46 (9%)	7/47 (15%)	6/43 (14%)
POLY-3 RATE (b)	1/39.48	4/45.15	7/46.44	6/42.30
POLY-3 PERCENT (g)	2.5%	8.9%	15.1%	14.2%
TERMINAL (d)	1/38 (3%)	1/41 (2%)	0/37 (0%)	3/39 (8%)
FIRST INCIDENCE	729 (T)	376	584	592

STATISTICAL TESTS

LIFE TABLE	P=0.179	P=0.195	P=0.032*	P=0.065
POLY 3	P=0.159	P=0.222	P=0.051	P=0.067
POLY 1.5	P=0.158	P=0.220	P=0.050*	P=0.066
POLY 6	P=0.161	P=0.223	P=0.051	P=0.068
LOGISTIC REGRESSION	P=0.115	P=0.201	P=0.031*	P=0.057
COCH-ARM / FISHERS	P=0.153	P=0.218	P=0.045*	P=0.062
ORDER RESTRICTED	P=0.059	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.066	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 PPM	2000 PPM	10000 PPM	50000 PPM
Thymus Cyst				
LESION RATES				
OVERALL (a)	3/41 (7%)	2/46 (4%)	2/47 (4%)	3/43 (7%)
POLY-3 RATE (b)	3/39.48	2/44.09	2/44.97	3/41.46
POLY-3 PERCENT (g)	7.6%	4.5%	4.5%	7.2%
TERMINAL (d)	3/38 (8%)	2/41 (5%)	2/37 (5%)	3/39 (8%)
FIRST INCIDENCE	729 (T)	729 (T)	729 (T)	729 (T)
STATISTICAL TESTS				
LIFE TABLE	P=0.506	P=0.465N	P=0.512N	P=0.652N
POLY 3	P=0.498	P=0.450N	P=0.441N	P=0.640N
POLY 1.5	P=0.498	P=0.449N	P=0.437N	P=0.638N
POLY 6	P=0.496	P=0.451N	P=0.451N	P=0.643N
LOGISTIC REGRESSION	P=0.506	P=0.465N	P=0.512N	P=0.652N
COCH-ARM / FISHERS	P=0.495	P=0.445N	P=0.435N	P=0.639N
ORDER RESTRICTED	P=0.533N	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.537N	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Reqsted: 09/26/2006
 Time Report Reqsted: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

Thymus
 Hyperplasia Lymphoid

LESION RATES

OVERALL (a)	0/41 (0%)	0/46 (0%)	0/47 (0%)	0/43 (0%)
POLY-3 RATE (b)	0/39.48	0/44.09	0/44.97	0/41.46
POLY-3 PERCENT (g)	0%	0%	0%	0%
TERMINAL (d)	0/38 (0%)	0/41 (0%)	0/37 (0%)	0/39 (0%)
FIRST INCIDENCE	---	---	---	---

STATISTICAL TESTS

LIFE TABLE	(e)	(e)	(e)	(e)
POLY 3	(e)	(e)	(e)	(e)
POLY 1.5	(e)	(e)	(e)	(e)
POLY 6	(e)	(e)	(e)	(e)
LOGISTIC REGRESSION	(e)	(e)	(e)	(e)
COCH-ARM / FISHERS	(e)	(e)	(e)	(e)
ORDER RESTRICTED	(e)	(e)	(e)	(e)
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Reqsted: 09/26/2006
 Time Report Reqsted: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

Thyroid Gland: Follicle
 Degeneration Focal

LESION RATES

OVERALL (a)	9/50 (18%)	6/50 (12%)	11/50 (22%)	8/50 (16%)
POLY-3 RATE (b)	9/48.53	6/47.18	11/46.85	8/47.46
POLY-3 PERCENT (g)	18.5%	12.7%	23.5%	16.9%
TERMINAL (d)	8/46 (17%)	5/43 (12%)	10/38 (26%)	8/45 (18%)
FIRST INCIDENCE	600	697	704	729 (T)

STATISTICAL TESTS

LIFE TABLE	P=0.522N	P=0.335N	P=0.245	P=0.521N
POLY 3	P=0.561N	P=0.309N	P=0.367	P=0.520N
POLY 1.5	P=0.559N	P=0.306N	P=0.380	P=0.516N
POLY 6	P=0.566N	P=0.309N	P=0.344	P=0.527N
LOGISTIC REGRESSION	P=0.556N	P=0.298N	P=0.375	P=0.510N
COCH-ARM / FISHERS	P=0.555N	P=0.288N	P=0.402	P=0.500N
ORDER RESTRICTED	P=0.448	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.459	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Thyroid Gland: Follicular Cell
 Hyperplasia**

LESION RATES

OVERALL (a)	3/50 (6%)	0/50 (0%)	1/50 (2%)	1/50 (2%)
POLY-3 RATE (b)	3/48.09	0/47.05	1/46.75	1/47.46
POLY-3 PERCENT (g)	6.2%	0%	2.1%	2.1%
TERMINAL (d)	3/46 (7%)	0/43 (0%)	1/38 (3%)	1/45 (2%)
FIRST INCIDENCE	729 (T)	---	729 (T)	729 (T)

STATISTICAL TESTS

LIFE TABLE	P=0.509N	P=0.134N	P=0.376N	P=0.313N
POLY 3	P=0.517N	P=0.123N	P=0.316N	P=0.310N
POLY 1.5	P=0.519N	P=0.123N	P=0.312N	P=0.310N
POLY 6	P=0.517N	P=0.123N	P=0.324N	P=0.311N
LOGISTIC REGRESSION	P=0.509N	(e)	P=0.376N	P=0.313N
COCH-ARM / FISHERS	P=0.522N	P=0.121N	P=0.309N	P=0.309N
ORDER RESTRICTED	P=0.106N	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.119N	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Reqsted: 09/26/2006
 Time Report Reqsted: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Males			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

Urinary Bladder
 Hyperplasia Lymphoid

LESION RATES

OVERALL (a)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
POLY-3 RATE (b)	0/48.09	0/46.09	0/46.75	0/47.46
POLY-3 PERCENT (g)	0%	0%	0%	0%
TERMINAL (d)	0/46 (0%)	0/43 (0%)	0/38 (0%)	0/45 (0%)
FIRST INCIDENCE	---	---	---	---

STATISTICAL TESTS

LIFE TABLE	(e)	(e)	(e)	(e)
POLY 3	(e)	(e)	(e)	(e)
POLY 1.5	(e)	(e)	(e)	(e)
POLY 6	(e)	(e)	(e)	(e)
LOGISTIC REGRESSION	(e)	(e)	(e)	(e)
COCH-ARM / FISHERS	(e)	(e)	(e)	(e)
ORDER RESTRICTED	(e)	(e)	(e)	(e)
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Reqsted: 09/26/2006
 Time Report Reqsted: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Adrenal Cortex
 Accessory Adrenal Cortical Nodule**

LESION RATES

OVERALL (a)	9/50 (18%)	3/49 (6%)	11/50 (22%)	5/50 (10%)
POLY-3 RATE (b)	9/47.17	3/47.61	11/48.44	5/46.71
POLY-3 PERCENT (g)	19.1%	6.3%	22.7%	10.7%
TERMINAL (d)	9/45 (20%)	2/44 (5%)	10/44 (23%)	3/39 (8%)
FIRST INCIDENCE	729 (T)	670	629	659

STATISTICAL TESTS

LIFE TABLE	P=0.422N	P=0.069N	P=0.382	P=0.280N
POLY 3	P=0.334N	P=0.058N	P=0.427	P=0.198N
POLY 1.5	P=0.320N	P=0.057N	P=0.430	P=0.188N
POLY 6	P=0.352N	P=0.060N	P=0.423	P=0.214N
LOGISTIC REGRESSION	P=0.322N	P=0.061N	P=0.420	P=0.206N
COCH-ARM / FISHERS	P=0.308N	P=0.065N	P=0.402	P=0.194N
ORDER RESTRICTED	P=0.196N	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.211N	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Adrenal Cortex
 Hyperplasia Focal**

LESION RATES

OVERALL (a)	1/50 (2%)	0/49 (0%)	1/50 (2%)	1/50 (2%)
POLY-3 RATE (b)	1/47.17	0/47.38	1/48.08	1/46.40
POLY-3 PERCENT (g)	2.1%	0%	2.1%	2.2%
TERMINAL (d)	1/45 (2%)	0/44 (0%)	1/44 (2%)	1/39 (3%)
FIRST INCIDENCE	729 (T)	---	729 (T)	729 (T)

STATISTICAL TESTS

LIFE TABLE	P=0.538	P=0.504N	P=0.757	P=0.730
POLY 3	P=0.564	P=0.499N	P=0.756N	P=0.757
POLY 1.5	P=0.570	P=0.497N	P=0.755N	P=0.759N
POLY 6	P=0.557	P=0.502N	P=0.758N	P=0.750
LOGISTIC REGRESSION	P=0.538	(e)	P=0.757	P=0.730
COCH-ARM / FISHERS	P=0.576	P=0.505N	P=0.753N	P=0.753N
ORDER RESTRICTED	P=0.530	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.538	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Reqsted: 09/26/2006
 Time Report Reqsted: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Adrenal Cortex
 Hypertrophy Focal**

LESION RATES

OVERALL (a)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
POLY-3 RATE (b)	0/47.17	0/47.38	0/48.08	0/46.40
POLY-3 PERCENT (g)	0%	0%	0%	0%
TERMINAL (d)	0/45 (0%)	0/44 (0%)	0/44 (0%)	0/39 (0%)
FIRST INCIDENCE	---	---	---	---

STATISTICAL TESTS

LIFE TABLE	(e)	(e)	(e)	(e)
POLY 3	(e)	(e)	(e)	(e)
POLY 1.5	(e)	(e)	(e)	(e)
POLY 6	(e)	(e)	(e)	(e)
LOGISTIC REGRESSION	(e)	(e)	(e)	(e)
COCH-ARM / FISHERS	(e)	(e)	(e)	(e)
ORDER RESTRICTED	(e)	(e)	(e)	(e)
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Adrenal Cortex: Capsule
 Hyperplasia**

LESION RATES

OVERALL (a)	3/50 (6%)	4/49 (8%)	2/50 (4%)	0/50 (0%)
POLY-3 RATE (b)	3/47.17	4/47.38	2/48.08	0/46.40
POLY-3 PERCENT (g)	6.4%	8.4%	4.2%	0%
TERMINAL (d)	3/45 (7%)	4/44 (9%)	2/44 (5%)	0/39 (0%)
FIRST INCIDENCE	729 (T)	729 (T)	729 (T)	---

STATISTICAL TESTS

LIFE TABLE	P=0.078N	P=0.488	P=0.510N	P=0.148N
POLY 3	P=0.064N	P=0.502	P=0.491N	P=0.122N
POLY 1.5	P=0.062N	P=0.507	P=0.488N	P=0.118N
POLY 6	P=0.068N	P=0.494	P=0.496N	P=0.128N
LOGISTIC REGRESSION	P=0.078N	P=0.488	P=0.510N	(e)
COCH-ARM / FISHERS	P=0.061N	P=0.489	P=0.500N	P=0.121N
ORDER RESTRICTED	P=0.069N	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.082N	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Adrenal Medulla
 Hyperplasia**

LESION RATES

OVERALL (a)	2/49 (4%)	1/48 (2%)	1/49 (2%)	0/50 (0%)
POLY-3 RATE (b)	2/46.27	1/46.63	1/47.19	0/46.40
POLY-3 PERCENT (g)	4.3%	2.1%	2.1%	0%
TERMINAL (d)	2/45 (4%)	1/44 (2%)	1/44 (2%)	0/39 (0%)
FIRST INCIDENCE	729 (T)	729 (T)	729 (T)	---

STATISTICAL TESTS

LIFE TABLE	P=0.255N	P=0.508N	P=0.508N	P=0.270N
POLY 3	P=0.231N	P=0.497N	P=0.493N	P=0.237N
POLY 1.5	P=0.227N	P=0.495N	P=0.491N	P=0.232N
POLY 6	P=0.236N	P=0.502N	P=0.496N	P=0.244N
LOGISTIC REGRESSION	P=0.255N	P=0.508N	P=0.508N	(e)
COCH-ARM / FISHERS	P=0.221N	P=0.508N	P=0.500N	P=0.242N
ORDER RESTRICTED	P=0.117N	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.131N	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Reqsted: 09/26/2006
 Time Report Reqsted: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Bone Marrow
 Hyperplasia**

LESION RATES

OVERALL (a)	5/50 (10%)	10/49 (20%)	8/50 (16%)	10/50 (20%)
POLY-3 RATE (b)	5/47.90	10/48.68	8/49.06	10/47.81
POLY-3 PERCENT (g)	10.4%	20.5%	16.3%	20.9%
TERMINAL (d)	3/45 (7%)	6/44 (14%)	3/44 (7%)	3/39 (8%)
FIRST INCIDENCE	480	543	628	617

STATISTICAL TESTS

LIFE TABLE	P=0.196	P=0.137	P=0.281	P=0.106
POLY 3	P=0.253	P=0.138	P=0.292	P=0.129
POLY 1.5	P=0.264	P=0.139	P=0.294	P=0.135
POLY 6	P=0.242	P=0.137	P=0.293	P=0.123
LOGISTIC REGRESSION	P=0.267	P=0.099	P=0.256	P=0.125
COCH-ARM / FISHERS	P=0.267	P=0.122	P=0.277	P=0.131
ORDER RESTRICTED	P=0.136	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.148	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Bone
 Fibrosis**

LESION RATES

OVERALL (a)	4/50 (8%)	9/49 (18%)	7/50 (14%)	5/50 (10%)
POLY-3 RATE (b)	4/47.17	9/47.38	7/48.08	5/46.40
POLY-3 PERCENT (g)	8.5%	19%	14.6%	10.8%
TERMINAL (d)	4/45 (9%)	9/44 (21%)	7/44 (16%)	5/39 (13%)
FIRST INCIDENCE	729 (T)	729 (T)	729 (T)	729 (T)

STATISTICAL TESTS

LIFE TABLE	P=0.490N	P=0.108	P=0.248	P=0.411
POLY 3	P=0.393N	P=0.117	P=0.273	P=0.490
POLY 1.5	P=0.377N	P=0.121	P=0.277	P=0.503
POLY 6	P=0.417N	P=0.111	P=0.267	P=0.469
LOGISTIC REGRESSION	P=0.490N	P=0.108	P=0.248	P=0.411
COCH-ARM / FISHERS	P=0.371N	P=0.109	P=0.262	P=0.500
ORDER RESTRICTED	P=0.293	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.309	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Eye
 Inflammation Chronic**

LESION RATES

OVERALL (a)	0/50 (0%)	1/48 (2%)	1/50 (2%)	0/50 (0%)
POLY-3 RATE (b)	0/47.17	1/46.70	1/48.08	0/46.40
POLY-3 PERCENT (g)	0%	2.1%	2.1%	0%
TERMINAL (d)	0/45 (0%)	1/44 (2%)	1/44 (2%)	0/39 (0%)
FIRST INCIDENCE	---	729 (T)	729 (T)	---

STATISTICAL TESTS

LIFE TABLE	P=0.546N	P=0.496	P=0.496	(e)
POLY 3	P=0.515N	P=0.498	P=0.504	(e)
POLY 1.5	P=0.510N	P=0.499	P=0.505	(e)
POLY 6	P=0.523N	P=0.496	P=0.502	(e)
LOGISTIC REGRESSION	(e)	P=0.496	P=0.496	(e)
COCH-ARM / FISHERS	P=0.510N	P=0.490	P=0.500	(e)
ORDER RESTRICTED	P=0.402	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.415	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Harderian Gland
 Hyperplasia Focal**

LESION RATES

OVERALL (a)	0/50 (0%)	2/48 (4%)	0/50 (0%)	0/50 (0%)
POLY-3 RATE (b)	0/47.17	2/46.70	0/48.08	0/46.40
POLY-3 PERCENT (g)	0%	4.3%	0%	0%
TERMINAL (d)	0/45 (0%)	2/44 (5%)	0/44 (0%)	0/39 (0%)
FIRST INCIDENCE	---	729 (T)	---	---

STATISTICAL TESTS

LIFE TABLE	P=0.431N	P=0.234	(e)	(e)
POLY 3	P=0.398N	P=0.235	(e)	(e)
POLY 1.5	P=0.395N	P=0.236	(e)	(e)
POLY 6	P=0.404N	P=0.233	(e)	(e)
LOGISTIC REGRESSION	(e)	P=0.234	(e)	(e)
COCH-ARM / FISHERS	P=0.400N	P=0.237	(e)	(e)
ORDER RESTRICTED	P=0.249N	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.264N	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Heart
 Inflammation Chronic**

LESION RATES

OVERALL (a)	1/50 (2%)	0/49 (0%)	2/50 (4%)	0/50 (0%)
POLY-3 RATE (b)	1/47.89	0/47.38	2/48.08	0/46.40
POLY-3 PERCENT (g)	2.1%	0%	4.2%	0%
TERMINAL (d)	0/45 (0%)	0/44 (0%)	2/44 (5%)	0/39 (0%)
FIRST INCIDENCE	480	---	729 (T)	---

STATISTICAL TESTS

LIFE TABLE	P=0.449N	P=0.496N	P=0.497	P=0.496N
POLY 3	P=0.437N	P=0.502N	P=0.501	P=0.506N
POLY 1.5	P=0.431N	P=0.499N	P=0.505	P=0.501N
POLY 6	P=0.444N	P=0.506N	P=0.497	P=0.514N
LOGISTIC REGRESSION	P=0.436N	P=0.656N	P=0.458	P=0.595N
COCH-ARM / FISHERS	P=0.424N	P=0.505N	P=0.500	P=0.500N
ORDER RESTRICTED	P=0.330N	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.348N	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Reqsted: 09/26/2006
 Time Report Reqsted: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Intestine Small, Jejunum
 Inflammation Chronic**

LESION RATES

OVERALL (a)	0/48 (0%)	0/49 (0%)	0/50 (0%)	0/48 (0%)
POLY-3 RATE (b)	0/46.27	0/47.38	0/48.08	0/44.93
POLY-3 PERCENT (g)	0%	0%	0%	0%
TERMINAL (d)	0/45 (0%)	0/44 (0%)	0/44 (0%)	0/39 (0%)
FIRST INCIDENCE	---	---	---	---

STATISTICAL TESTS

LIFE TABLE	(e)	(e)	(e)	(e)
POLY 3	(e)	(e)	(e)	(e)
POLY 1.5	(e)	(e)	(e)	(e)
POLY 6	(e)	(e)	(e)	(e)
LOGISTIC REGRESSION	(e)	(e)	(e)	(e)
COCH-ARM / FISHERS	(e)	(e)	(e)	(e)
ORDER RESTRICTED	(e)	(e)	(e)	(e)
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Reqsted: 09/26/2006
 Time Report Reqsted: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Islets, Pancreatic
 Hyperplasia**

LESION RATES

OVERALL (a)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
POLY-3 RATE (b)	0/47.17	0/47.38	0/48.08	0/46.40
POLY-3 PERCENT (g)	0%	0%	0%	0%
TERMINAL (d)	0/45 (0%)	0/44 (0%)	0/44 (0%)	0/39 (0%)
FIRST INCIDENCE	---	---	---	---

STATISTICAL TESTS

LIFE TABLE	(e)	(e)	(e)	(e)
POLY 3	(e)	(e)	(e)	(e)
POLY 1.5	(e)	(e)	(e)	(e)
POLY 6	(e)	(e)	(e)	(e)
LOGISTIC REGRESSION	(e)	(e)	(e)	(e)
COCH-ARM / FISHERS	(e)	(e)	(e)	(e)
ORDER RESTRICTED	(e)	(e)	(e)	(e)
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Reqsted: 09/26/2006
 Time Report Reqsted: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Kidney
 Cyst**

LESION RATES

OVERALL (a)	0/50 (0%)	0/49 (0%)	1/50 (2%)	0/50 (0%)
POLY-3 RATE (b)	0/47.17	0/47.38	1/48.08	0/46.40
POLY-3 PERCENT (g)	0%	0%	2.1%	0%
TERMINAL (d)	0/45 (0%)	0/44 (0%)	1/44 (2%)	0/39 (0%)
FIRST INCIDENCE	---	---	729 (T)	---

STATISTICAL TESTS

LIFE TABLE	P=0.786N	(e)	P=0.496	(e)
POLY 3	P=0.766N	(e)	P=0.504	(e)
POLY 1.5	P=0.763N	(e)	P=0.505	(e)
POLY 6	P=0.770N	(e)	P=0.502	(e)
LOGISTIC REGRESSION	(e)	(e)	P=0.496	(e)
COCH-ARM / FISHERS	P=0.762N	(e)	P=0.500	(e)
ORDER RESTRICTED	P=0.384	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.396	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Reqsted: 09/26/2006
 Time Report Reqsted: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Kidney
 Hydronephrosis**

LESION RATES

OVERALL (a)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
POLY-3 RATE (b)	0/47.17	0/47.38	0/48.08	0/46.40
POLY-3 PERCENT (g)	0%	0%	0%	0%
TERMINAL (d)	0/45 (0%)	0/44 (0%)	0/44 (0%)	0/39 (0%)
FIRST INCIDENCE	---	---	---	---

STATISTICAL TESTS

LIFE TABLE	(e)	(e)	(e)	(e)
POLY 3	(e)	(e)	(e)	(e)
POLY 1.5	(e)	(e)	(e)	(e)
POLY 6	(e)	(e)	(e)	(e)
LOGISTIC REGRESSION	(e)	(e)	(e)	(e)
COCH-ARM / FISHERS	(e)	(e)	(e)	(e)
ORDER RESTRICTED	(e)	(e)	(e)	(e)
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Kidney
 Hyperplasia Lymphoid**

LESION RATES

OVERALL (a)	2/50 (4%)	0/49 (0%)	3/50 (6%)	4/50 (8%)
POLY-3 RATE (b)	2/47.17	0/47.38	3/48.08	4/46.45
POLY-3 PERCENT (g)	4.2%	0%	6.2%	8.6%
TERMINAL (d)	2/45 (4%)	0/44 (0%)	3/44 (7%)	3/39 (8%)
FIRST INCIDENCE	729 (T)	---	729 (T)	717

STATISTICAL TESTS

LIFE TABLE	P=0.083	P=0.243N	P=0.490	P=0.277
POLY 3	P=0.111	P=0.236N	P=0.509	P=0.330
POLY 1.5	P=0.115	P=0.235N	P=0.512	P=0.340
POLY 6	P=0.105	P=0.240N	P=0.504	P=0.316
LOGISTIC REGRESSION	P=0.091	(e)	P=0.490	P=0.294
COCH-ARM / FISHERS	P=0.120	P=0.253N	P=0.500	P=0.339
ORDER RESTRICTED	P=0.107	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.121	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Reqsted: 09/26/2006
 Time Report Reqsted: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Kidney
 Infarct**

LESION RATES

OVERALL (a)	1/50 (2%)	0/49 (0%)	2/50 (4%)	1/50 (2%)
POLY-3 RATE (b)	1/47.17	0/47.38	2/48.08	1/46.40
POLY-3 PERCENT (g)	2.1%	0%	4.2%	2.2%
TERMINAL (d)	1/45 (2%)	0/44 (0%)	2/44 (5%)	1/39 (3%)
FIRST INCIDENCE	729 (T)	---	729 (T)	729 (T)

STATISTICAL TESTS

LIFE TABLE	P=0.578	P=0.504N	P=0.492	P=0.730
POLY 3	P=0.607	P=0.499N	P=0.507	P=0.757
POLY 1.5	P=0.613	P=0.497N	P=0.509	P=0.759N
POLY 6	P=0.597	P=0.502N	P=0.503	P=0.750
LOGISTIC REGRESSION	P=0.578	(e)	P=0.492	P=0.730
COCH-ARM / FISHERS	P=0.620	P=0.505N	P=0.500	P=0.753N
ORDER RESTRICTED	P=0.382	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.394	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Reqsted: 09/26/2006
 Time Report Reqsted: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Kidney
 Metaplasia Osseous**

LESION RATES

OVERALL (a)	1/50 (2%)	1/49 (2%)	2/50 (4%)	4/50 (8%)
POLY-3 RATE (b)	1/47.17	1/47.38	2/48.08	4/46.40
POLY-3 PERCENT (g)	2.1%	2.1%	4.2%	8.6%
TERMINAL (d)	1/45 (2%)	1/44 (2%)	2/44 (5%)	4/39 (10%)
FIRST INCIDENCE	729 (T)	729 (T)	729 (T)	729 (T)

STATISTICAL TESTS

LIFE TABLE	P=0.055	P=0.757	P=0.492	P=0.139
POLY 3	P=0.079	P=0.759N	P=0.507	P=0.174
POLY 1.5	P=0.082	P=0.758N	P=0.509	P=0.181
POLY 6	P=0.074	P=0.758	P=0.503	P=0.164
LOGISTIC REGRESSION	P=0.055	P=0.757	P=0.492	P=0.139
COCH-ARM / FISHERS	P=0.084	P=0.747	P=0.500	P=0.181
ORDER RESTRICTED	P=0.091	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.104	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Kidney
 Nephropathy**

LESION RATES

OVERALL (a)	7/50 (14%)	17/49 (35%)	13/50 (26%)	11/50 (22%)
POLY-3 RATE (b)	7/47.17	17/48.22	13/48.44	11/47.63
POLY-3 PERCENT (g)	14.8%	35.3%	26.8%	23.1%
TERMINAL (d)	7/45 (16%)	15/44 (34%)	12/44 (27%)	7/39 (18%)
FIRST INCIDENCE	729 (T)	543	628	614

STATISTICAL TESTS

LIFE TABLE	P=0.509	P=0.017*	P=0.098	P=0.151
POLY 3	P=0.462N	P=0.018*	P=0.117	P=0.224
POLY 1.5	P=0.450N	P=0.018*	P=0.118	P=0.231
POLY 6	P=0.478N	P=0.017*	P=0.114	P=0.214
LOGISTIC REGRESSION	P=0.463N	P=0.017*	P=0.114	P=0.220
COCH-ARM / FISHERS	P=0.457N	P=0.015*	P=0.105	P=0.218
ORDER RESTRICTED	P=0.096	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.108	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Kidney: Renal Tubule
 Accumulation, Hyaline Droplet**

LESION RATES

OVERALL (a)	0/50 (0%)	0/49 (0%)	2/50 (4%)	2/50 (4%)
POLY-3 RATE (b)	0/47.17	0/47.38	2/48.80	2/46.81
POLY-3 PERCENT (g)	0%	0%	4.1%	4.3%
TERMINAL (d)	0/45 (0%)	0/44 (0%)	0/44 (0%)	0/39 (0%)
FIRST INCIDENCE	---	---	628	614

STATISTICAL TESTS

LIFE TABLE	P=0.160	(e)	P=0.247	P=0.227
POLY 3	P=0.169	(e)	P=0.245	P=0.236
POLY 1.5	P=0.172	(e)	P=0.245	P=0.240
POLY 6	P=0.163	(e)	P=0.245	P=0.230
LOGISTIC REGRESSION	P=0.164	(e)	P=0.195	P=0.228
COCH-ARM / FISHERS	P=0.174	(e)	P=0.247	P=0.247
ORDER RESTRICTED	P=0.115	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.128	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Reqsted: 09/26/2006
 Time Report Reqsted: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Kidney: Renal Tubule
 Dilatation Diffuse**

LESION RATES

OVERALL (a)	0/50 (0%)	0/49 (0%)	0/50 (0%)	1/50 (2%)
POLY-3 RATE (b)	0/47.17	0/47.38	0/48.08	1/46.66
POLY-3 PERCENT (g)	0%	0%	0%	2.1%
TERMINAL (d)	0/45 (0%)	0/44 (0%)	0/44 (0%)	0/39 (0%)
FIRST INCIDENCE	---	---	---	659

STATISTICAL TESTS

LIFE TABLE	P=0.225	(e)	(e)	P=0.487
POLY 3	P=0.235	(e)	(e)	P=0.498
POLY 1.5	P=0.237	(e)	(e)	P=0.502
POLY 6	P=0.232	(e)	(e)	P=0.492
LOGISTIC REGRESSION	P=0.233	(e)	(e)	P=0.489
COCH-ARM / FISHERS	P=0.238	(e)	(e)	P=0.500
ORDER RESTRICTED	P=0.118	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.131	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Kidney: Renal Tubule
 Hyperplasia**

LESION RATES

OVERALL (a)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
POLY-3 RATE (b)	0/47.17	0/47.38	0/48.08	0/46.40
POLY-3 PERCENT (g)	0%	0%	0%	0%
TERMINAL (d)	0/45 (0%)	0/44 (0%)	0/44 (0%)	0/39 (0%)
FIRST INCIDENCE	---	---	---	---

STATISTICAL TESTS

LIFE TABLE	(e)	(e)	(e)	(e)
POLY 3	(e)	(e)	(e)	(e)
POLY 1.5	(e)	(e)	(e)	(e)
POLY 6	(e)	(e)	(e)	(e)
LOGISTIC REGRESSION	(e)	(e)	(e)	(e)
COCH-ARM / FISHERS	(e)	(e)	(e)	(e)
ORDER RESTRICTED	(e)	(e)	(e)	(e)
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

Liver
 Basophilic Focus

LESION RATES

OVERALL (a)	3/50 (6%)	5/49 (10%)	4/50 (8%)	0/50 (0%)
POLY-3 RATE (b)	3/47.17	5/47.61	4/48.08	0/46.40
POLY-3 PERCENT (g)	6.4%	10.5%	8.3%	0%
TERMINAL (d)	3/45 (7%)	4/44 (9%)	4/44 (9%)	0/39 (0%)
FIRST INCIDENCE	729 (T)	670	729 (T)	---

STATISTICAL TESTS

LIFE TABLE	P=0.059N	P=0.344	P=0.488	P=0.148N
POLY 3	P=0.046N*	P=0.362	P=0.510	P=0.122N
POLY 1.5	P=0.044N*	P=0.365	P=0.514	P=0.118N
POLY 6	P=0.051N	P=0.356	P=0.505	P=0.128N
LOGISTIC REGRESSION	P=0.047N*	P=0.359	P=0.488	(e)
COCH-ARM / FISHERS	P=0.043N*	P=0.346	P=0.500	P=0.121N
ORDER RESTRICTED	P=0.070N	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.078N	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Reqsted: 09/26/2006
 Time Report Reqsted: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

Liver
 Clear Cell Focus

LESION RATES

OVERALL (a)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
POLY-3 RATE (b)	0/47.17	0/47.38	0/48.08	0/46.40
POLY-3 PERCENT (g)	0%	0%	0%	0%
TERMINAL (d)	0/45 (0%)	0/44 (0%)	0/44 (0%)	0/39 (0%)
FIRST INCIDENCE	---	---	---	---

STATISTICAL TESTS

LIFE TABLE	(e)	(e)	(e)	(e)
POLY 3	(e)	(e)	(e)	(e)
POLY 1.5	(e)	(e)	(e)	(e)
POLY 6	(e)	(e)	(e)	(e)
LOGISTIC REGRESSION	(e)	(e)	(e)	(e)
COCH-ARM / FISHERS	(e)	(e)	(e)	(e)
ORDER RESTRICTED	(e)	(e)	(e)	(e)
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Reqsted: 09/26/2006
 Time Report Reqsted: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

Liver
 Eosinophilic Focus

LESION RATES

OVERALL (a)	1/50 (2%)	1/49 (2%)	0/50 (0%)	0/50 (0%)
POLY-3 RATE (b)	1/47.17	1/47.38	0/48.08	0/46.40
POLY-3 PERCENT (g)	2.1%	2.1%	0%	0%
TERMINAL (d)	1/45 (2%)	1/44 (2%)	0/44 (0%)	0/39 (0%)
FIRST INCIDENCE	729 (T)	729 (T)	---	---

STATISTICAL TESTS

LIFE TABLE	P=0.403N	P=0.757	P=0.504N	P=0.529N
POLY 3	P=0.380N	P=0.759N	P=0.496N	P=0.503N
POLY 1.5	P=0.378N	P=0.758N	P=0.495N	P=0.499N
POLY 6	P=0.383N	P=0.758	P=0.498N	P=0.510N
LOGISTIC REGRESSION	P=0.403N	P=0.757	(e)	(e)
COCH-ARM / FISHERS	P=0.375N	P=0.747	P=0.500N	P=0.500N
ORDER RESTRICTED	P=0.254N	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.269N	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

Liver
 Hematopoietic Cell Proliferation

LESION RATES

OVERALL (a)	2/50 (4%)	0/49 (0%)	0/50 (0%)	3/50 (6%)
POLY-3 RATE (b)	2/47.89	0/47.38	0/48.08	3/47.08
POLY-3 PERCENT (g)	4.2%	0%	0%	6.4%
TERMINAL (d)	1/45 (2%)	0/44 (0%)	0/44 (0%)	0/39 (0%)
FIRST INCIDENCE	480	---	---	617

STATISTICAL TESTS

LIFE TABLE	P=0.109	P=0.240N	P=0.240N	P=0.473
POLY 3	P=0.117	P=0.240N	P=0.236N	P=0.492
POLY 1.5	P=0.118	P=0.237N	P=0.234N	P=0.501
POLY 6	P=0.115	P=0.244N	P=0.239N	P=0.480
LOGISTIC REGRESSION	P=0.111	P=0.292N	P=0.276N	P=0.462
COCH-ARM / FISHERS	P=0.122	P=0.253N	P=0.247N	P=0.500
ORDER RESTRICTED	P=0.097	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.111	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

Liver
 Hyperplasia Lymphoid

LESION RATES

OVERALL (a)	4/50 (8%)	2/49 (4%)	3/50 (6%)	1/50 (2%)
POLY-3 RATE (b)	4/47.17	2/47.38	3/48.08	1/46.45
POLY-3 PERCENT (g)	8.5%	4.2%	6.2%	2.2%
TERMINAL (d)	4/45 (9%)	2/44 (5%)	3/44 (7%)	0/39 (0%)
FIRST INCIDENCE	729 (T)	729 (T)	729 (T)	717

STATISTICAL TESTS

LIFE TABLE	P=0.254N	P=0.348N	P=0.512N	P=0.226N
POLY 3	P=0.217N	P=0.335N	P=0.490N	P=0.184N
POLY 1.5	P=0.212N	P=0.332N	P=0.486N	P=0.177N
POLY 6	P=0.226N	P=0.342N	P=0.495N	P=0.193N
LOGISTIC REGRESSION	P=0.238N	P=0.348N	P=0.512N	P=0.202N
COCH-ARM / FISHERS	P=0.204N	P=0.349N	P=0.500N	P=0.181N
ORDER RESTRICTED	P=0.136N	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.150N	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

Liver
 Infiltration Cellular Mixed Cell

LESION RATES

OVERALL (a)	2/50 (4%)	2/49 (4%)	3/50 (6%)	2/50 (4%)
POLY-3 RATE (b)	2/47.17	2/47.38	3/48.08	2/46.45
POLY-3 PERCENT (g)	4.2%	4.2%	6.2%	4.3%
TERMINAL (d)	2/45 (4%)	2/44 (5%)	3/44 (7%)	1/39 (3%)
FIRST INCIDENCE	729 (T)	729 (T)	729 (T)	717

STATISTICAL TESTS

LIFE TABLE	P=0.609	P=0.686	P=0.490	P=0.644
POLY 3	P=0.606N	P=0.692N	P=0.509	P=0.688
POLY 1.5	P=0.597N	P=0.689N	P=0.512	P=0.692N
POLY 6	P=0.618N	P=0.690	P=0.504	P=0.677
LOGISTIC REGRESSION	P=0.628	P=0.686	P=0.490	P=0.672
COCH-ARM / FISHERS	P=0.592N	P=0.684	P=0.500	P=0.691N
ORDER RESTRICTED	P=0.631	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.633	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

Liver
 Inflammation Chronic

LESION RATES

OVERALL (a)	1/50 (2%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
POLY-3 RATE (b)	1/47.17	0/47.38	0/48.08	0/46.40
POLY-3 PERCENT (g)	2.1%	0%	0%	0%
TERMINAL (d)	1/45 (2%)	0/44 (0%)	0/44 (0%)	0/39 (0%)
FIRST INCIDENCE	729 (T)	---	---	---

STATISTICAL TESTS

LIFE TABLE	P=0.612N	P=0.504N	P=0.504N	P=0.529N
POLY 3	P=0.592N	P=0.499N	P=0.496N	P=0.503N
POLY 1.5	P=0.593N	P=0.497N	P=0.495N	P=0.499N
POLY 6	P=0.591N	P=0.502N	P=0.498N	P=0.510N
LOGISTIC REGRESSION	P=0.612N	(e)	(e)	(e)
COCH-ARM / FISHERS	P=0.587N	P=0.505N	P=0.500N	P=0.500N
ORDER RESTRICTED	P=0.123N	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.138N	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Reqsted: 09/26/2006
 Time Report Reqsted: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

Liver
 Mixed Cell Focus

LESION RATES

OVERALL (a)	1/50 (2%)	0/49 (0%)	3/50 (6%)	0/50 (0%)
POLY-3 RATE (b)	1/47.17	0/47.38	3/48.08	0/46.40
POLY-3 PERCENT (g)	2.1%	0%	6.2%	0%
TERMINAL (d)	1/45 (2%)	0/44 (0%)	3/44 (7%)	0/39 (0%)
FIRST INCIDENCE	729 (T)	---	729 (T)	---

STATISTICAL TESTS

LIFE TABLE	P=0.422N	P=0.504N	P=0.297	P=0.529N
POLY 3	P=0.392N	P=0.499N	P=0.312	P=0.503N
POLY 1.5	P=0.386N	P=0.497N	P=0.315	P=0.499N
POLY 6	P=0.402N	P=0.502N	P=0.309	P=0.510N
LOGISTIC REGRESSION	P=0.422N	(e)	P=0.297	(e)
COCH-ARM / FISHERS	P=0.380N	P=0.505N	P=0.309	P=0.500N
ORDER RESTRICTED	P=0.274N	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.289N	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

Liver
 Necrosis Focal

LESION RATES

OVERALL (a)	0/50 (0%)	4/49 (8%)	4/50 (8%)	4/50 (8%)
POLY-3 RATE (b)	0/47.17	4/47.38	4/48.44	4/46.40
POLY-3 PERCENT (g)	0%	8.4%	8.3%	8.6%
TERMINAL (d)	0/45 (0%)	4/44 (9%)	3/44 (7%)	4/39 (10%)
FIRST INCIDENCE	---	729 (T)	628	729 (T)

STATISTICAL TESTS

LIFE TABLE	P=0.206	P=0.061	P=0.064	P=0.047*
POLY 3	P=0.259	P=0.061	P=0.064	P=0.058
POLY 1.5	P=0.271	P=0.062	P=0.065	P=0.061
POLY 6	P=0.243	P=0.059	P=0.063	P=0.054
LOGISTIC REGRESSION	P=0.261	P=0.061	P=0.062	P=0.047*
COCH-ARM / FISHERS	P=0.273	P=0.056	P=0.059	P=0.059
ORDER RESTRICTED	P=0.065	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.077	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

Liver
 Tension Lipidosis

LESION RATES

OVERALL (a)	2/50 (4%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
POLY-3 RATE (b)	2/47.17	0/47.38	0/48.08	0/46.40
POLY-3 PERCENT (g)	4.2%	0%	0%	0%
TERMINAL (d)	2/45 (4%)	0/44 (0%)	0/44 (0%)	0/39 (0%)
FIRST INCIDENCE	729 (T)	---	---	---

STATISTICAL TESTS

LIFE TABLE	P=0.375N	P=0.243N	P=0.243N	P=0.270N
POLY 3	P=0.356N	P=0.236N	P=0.233N	P=0.241N
POLY 1.5	P=0.356N	P=0.235N	P=0.232N	P=0.236N
POLY 6	P=0.356N	P=0.240N	P=0.235N	P=0.248N
LOGISTIC REGRESSION	P=0.375N	(e)	(e)	(e)
COCH-ARM / FISHERS	P=0.348N	P=0.253N	P=0.247N	P=0.247N
ORDER RESTRICTED	P=0.031N*	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.039N*	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

Liver: Hepatocyte
 Vacuolization Cytoplasmic

LESION RATES

OVERALL (a)	0/50 (0%)	1/49 (2%)	0/50 (0%)	0/50 (0%)
POLY-3 RATE (b)	0/47.17	1/47.38	0/48.08	0/46.40
POLY-3 PERCENT (g)	0%	2.1%	0%	0%
TERMINAL (d)	0/45 (0%)	1/44 (2%)	0/44 (0%)	0/39 (0%)
FIRST INCIDENCE	---	729 (T)	---	---

STATISTICAL TESTS

LIFE TABLE	P=0.650N	P=0.496	(e)	(e)
POLY 3	P=0.624N	P=0.501	(e)	(e)
POLY 1.5	P=0.622N	P=0.503	(e)	(e)
POLY 6	P=0.628N	P=0.498	(e)	(e)
LOGISTIC REGRESSION	(e)	P=0.496	(e)	(e)
COCH-ARM / FISHERS	P=0.625N	P=0.495	(e)	(e)
ORDER RESTRICTED	P=0.384N	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.396N	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

Liver: Kupffer Cell
 Hyperplasia

LESION RATES

OVERALL (a)	1/50 (2%)	1/49 (2%)	1/50 (2%)	0/50 (0%)
POLY-3 RATE (b)	1/47.19	1/47.38	1/48.09	0/46.40
POLY-3 PERCENT (g)	2.1%	2.1%	2.1%	0%
TERMINAL (d)	0/45 (0%)	1/44 (2%)	0/44 (0%)	0/39 (0%)
FIRST INCIDENCE	726	729 (T)	726	---

STATISTICAL TESTS

LIFE TABLE	P=0.369N	P=0.753	P=0.757	P=0.528N
POLY 3	P=0.345N	P=0.759N	P=0.756N	P=0.503N
POLY 1.5	P=0.341N	P=0.758N	P=0.755N	P=0.499N
POLY 6	P=0.351N	P=0.758	P=0.758N	P=0.510N
LOGISTIC REGRESSION	P=0.356N	P=0.758	P=0.760N	P=0.514N
COCH-ARM / FISHERS	P=0.337N	P=0.747	P=0.753N	P=0.500N
ORDER RESTRICTED	P=0.330N	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.346N	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Reqsted: 09/26/2006
 Time Report Reqsted: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

Lung
 Hemorrhage

LESION RATES

OVERALL (a)	2/50 (4%)	2/49 (4%)	1/50 (2%)	3/50 (6%)
POLY-3 RATE (b)	2/47.17	2/47.38	1/48.08	3/46.40
POLY-3 PERCENT (g)	4.2%	4.2%	2.1%	6.5%
TERMINAL (d)	2/45 (4%)	2/44 (5%)	1/44 (2%)	3/39 (8%)
FIRST INCIDENCE	729 (T)	729 (T)	729 (T)	729 (T)

STATISTICAL TESTS

LIFE TABLE	P=0.299	P=0.686	P=0.508N	P=0.435
POLY 3	P=0.353	P=0.692N	P=0.493N	P=0.492
POLY 1.5	P=0.360	P=0.689N	P=0.491N	P=0.502
POLY 6	P=0.342	P=0.690	P=0.497N	P=0.478
LOGISTIC REGRESSION	P=0.299	P=0.686	P=0.508N	P=0.435
COCH-ARM / FISHERS	P=0.365	P=0.684	P=0.500N	P=0.500
ORDER RESTRICTED	P=0.383	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.395	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

Lung
 Hyperplasia Lymphoid

LESION RATES

OVERALL (a)	1/50 (2%)	1/49 (2%)	1/50 (2%)	5/50 (10%)
POLY-3 RATE (b)	1/47.17	1/47.38	1/48.08	5/46.61
POLY-3 PERCENT (g)	2.1%	2.1%	2.1%	10.7%
TERMINAL (d)	1/45 (2%)	1/44 (2%)	1/44 (2%)	4/39 (10%)
FIRST INCIDENCE	729 (T)	729 (T)	729 (T)	674

STATISTICAL TESTS

LIFE TABLE	P=0.011*	P=0.757	P=0.757	P=0.077
POLY 3	P=0.016*	P=0.759N	P=0.756N	P=0.099
POLY 1.5	P=0.017*	P=0.758N	P=0.755N	P=0.103
POLY 6	P=0.015*	P=0.758	P=0.758N	P=0.092
LOGISTIC REGRESSION	P=0.016*	P=0.757	P=0.757	P=0.100
COCH-ARM / FISHERS	P=0.018*	P=0.747	P=0.753N	P=0.102
ORDER RESTRICTED	P=0.025*	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.027*	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Reqsted: 09/26/2006
 Time Report Reqsted: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

Lung
 Infiltration Cellular Histiocyte

LESION RATES

OVERALL (a)	0/50 (0%)	4/49 (8%)	1/50 (2%)	2/50 (4%)
POLY-3 RATE (b)	0/47.17	4/47.70	1/48.08	2/46.41
POLY-3 PERCENT (g)	0%	8.4%	2.1%	4.3%
TERMINAL (d)	0/45 (0%)	3/44 (7%)	1/44 (2%)	1/39 (3%)
FIRST INCIDENCE	---	642	729 (T)	726

STATISTICAL TESTS

LIFE TABLE	P=0.528	P=0.064	P=0.496	P=0.209
POLY 3	P=0.575	P=0.062	P=0.504	P=0.234
POLY 1.5	P=0.584	P=0.063	P=0.505	P=0.238
POLY 6	P=0.561	P=0.061	P=0.502	P=0.227
LOGISTIC REGRESSION	P=0.579	P=0.059	P=0.496	P=0.214
COCH-ARM / FISHERS	P=0.582	P=0.056	P=0.500	P=0.247
ORDER RESTRICTED	P=0.160	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.177	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Lung: Alveolar Epithelium
 Hyperplasia**

LESION RATES

OVERALL (a)	0/50 (0%)	2/49 (4%)	1/50 (2%)	1/50 (2%)
POLY-3 RATE (b)	0/47.17	2/47.38	1/48.08	1/46.40
POLY-3 PERCENT (g)	0%	4.2%	2.1%	2.2%
TERMINAL (d)	0/45 (0%)	2/44 (5%)	1/44 (2%)	1/39 (3%)
FIRST INCIDENCE	---	729 (T)	729 (T)	729 (T)

STATISTICAL TESTS

LIFE TABLE	P=0.637	P=0.234	P=0.496	P=0.471
POLY 3	P=0.668	P=0.238	P=0.504	P=0.497
POLY 1.5	P=0.675	P=0.240	P=0.505	P=0.501
POLY 6	P=0.657	P=0.235	P=0.502	P=0.490
LOGISTIC REGRESSION (e)	P=0.675	P=0.234	P=0.496	P=0.471
COCH-ARM / FISHERS	P=0.675	P=0.242	P=0.500	P=0.500
ORDER RESTRICTED	P=0.276	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.291	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

Lymph Node, Mandibular Atrophy

LESION RATES

OVERALL (a)	2/50 (4%)	0/46 (0%)	0/46 (0%)	0/48 (0%)
POLY-3 RATE (b)	2/49.17	0/45.29	0/44.45	0/45.01
POLY-3 PERCENT (g)	4.1%	0%	0%	0%
TERMINAL (d)	0/45 (0%)	0/43 (0%)	0/42 (0%)	0/39 (0%)
FIRST INCIDENCE	22	---	---	---

STATISTICAL TESTS

LIFE TABLE	P=0.349N	P=0.243N	P=0.239N	P=0.239N
POLY 3	P=0.353N	P=0.256N	P=0.260N	P=0.257N
POLY 1.5	P=0.352N	P=0.256N	P=0.259N	P=0.254N
POLY 6	P=0.354N	P=0.257N	P=0.261N	P=0.263N
LOGISTIC REGRESSION	(e)	(e)	(e)	(e)
COCH-ARM / FISHERS	P=0.350N	P=0.269N	P=0.269N	P=0.258N
ORDER RESTRICTED	P=0.036N*	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.055N	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Lymph Node, Mandibular
 Hyperplasia Lymphoid**

LESION RATES

OVERALL (a)	1/50 (2%)	3/46 (7%)	6/46 (13%)	2/48 (4%)
POLY-3 RATE (b)	1/47.17	3/45.29	6/44.45	2/45.63
POLY-3 PERCENT (g)	2.1%	6.6%	13.5%	4.4%
TERMINAL (d)	1/45 (2%)	3/43 (7%)	6/42 (14%)	0/39 (0%)
FIRST INCIDENCE	729 (T)	729 (T)	729 (T)	628

STATISTICAL TESTS

LIFE TABLE	P=0.562N	P=0.289	P=0.048*	P=0.473
POLY 3	P=0.502N	P=0.291	P=0.047*	P=0.488
POLY 1.5	P=0.495N	P=0.291	P=0.047*	P=0.492
POLY 6	P=0.511N	P=0.289	P=0.046*	P=0.483
LOGISTIC REGRESSION	P=0.499N	P=0.289	P=0.048*	P=0.472
COCH-ARM / FISHERS	P=0.497N	P=0.278	P=0.044*	P=0.485
ORDER RESTRICTED	P=0.142	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.160	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Lymph Node, Mandibular
 Pigmentation**

LESION RATES

OVERALL (a)	7/50 (14%)	5/46 (11%)	6/46 (13%)	2/48 (4%)
POLY-3 RATE (b)	7/47.17	5/45.29	6/44.45	2/45.01
POLY-3 PERCENT (g)	14.8%	11%	13.5%	4.4%
TERMINAL (d)	7/45 (16%)	5/43 (12%)	6/42 (14%)	2/39 (5%)
FIRST INCIDENCE	729 (T)	729 (T)	729 (T)	729 (T)

STATISTICAL TESTS

LIFE TABLE	P=0.114N	P=0.411N	P=0.553N	P=0.119N
POLY 3	P=0.090N	P=0.408N	P=0.546N	P=0.091N
POLY 1.5	P=0.085N	P=0.408N	P=0.543N	P=0.087N
POLY 6	P=0.096N	P=0.412N	P=0.549N	P=0.097N
LOGISTIC REGRESSION	P=0.114N	P=0.411N	P=0.553N	P=0.119N
COCH-ARM / FISHERS	P=0.081N	P=0.440N	P=0.565N	P=0.090N
ORDER RESTRICTED	P=0.082N	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.100N	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Lymph Node, Mesenteric
 Atrophy**

LESION RATES

OVERALL (a)	2/50 (4%)	0/48 (0%)	0/49 (0%)	0/48 (0%)
POLY-3 RATE (b)	2/49.17	0/46.63	0/47.08	0/44.86
POLY-3 PERCENT (g)	4.1%	0%	0%	0%
TERMINAL (d)	0/45 (0%)	0/44 (0%)	0/43 (0%)	0/38 (0%)
FIRST INCIDENCE	22	---	---	---

STATISTICAL TESTS

LIFE TABLE	P=0.349N	P=0.243N	P=0.239N	P=0.239N
POLY 3	P=0.355N	P=0.249N	P=0.247N	P=0.258N
POLY 1.5	P=0.354N	P=0.248N	P=0.246N	P=0.254N
POLY 6	P=0.355N	P=0.252N	P=0.249N	P=0.265N
LOGISTIC REGRESSION	(e)	(e)	(e)	(e)
COCH-ARM / FISHERS	P=0.354N	P=0.258N	P=0.253N	P=0.258N
ORDER RESTRICTED	P=0.037N*	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.052N	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Lymph Node, Mesenteric
 Hematopoietic Cell Proliferation**

LESION RATES

OVERALL (a)	3/50 (6%)	0/48 (0%)	1/49 (2%)	1/48 (2%)
POLY-3 RATE (b)	3/47.17	0/46.63	1/47.08	1/44.86
POLY-3 PERCENT (g)	6.4%	0%	2.1%	2.2%
TERMINAL (d)	3/45 (7%)	0/44 (0%)	1/43 (2%)	1/38 (3%)
FIRST INCIDENCE	729 (T)	---	729 (T)	729 (T)

STATISTICAL TESTS

LIFE TABLE	P=0.581N	P=0.125N	P=0.322N	P=0.367N
POLY 3	P=0.544N	P=0.121N	P=0.306N	P=0.324N
POLY 1.5	P=0.541N	P=0.120N	P=0.304N	P=0.317N
POLY 6	P=0.548N	P=0.123N	P=0.310N	P=0.334N
LOGISTIC REGRESSION	P=0.581N	(e)	P=0.322N	P=0.367N
COCH-ARM / FISHERS	P=0.531N	P=0.129N	P=0.316N	P=0.324N
ORDER RESTRICTED	P=0.111N	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.128N	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Reqsted: 09/26/2006
 Time Report Reqsted: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

Lymph Node, Mesenteric Hemorrhage

LESION RATES

OVERALL (a)	0/50 (0%)	0/48 (0%)	2/49 (4%)	2/48 (4%)
POLY-3 RATE (b)	0/47.17	0/46.63	2/47.09	2/44.86
POLY-3 PERCENT (g)	0%	0%	4.3%	4.5%
TERMINAL (d)	0/45 (0%)	0/44 (0%)	1/43 (2%)	2/38 (5%)
FIRST INCIDENCE	---	---	726	729 (T)

STATISTICAL TESTS

LIFE TABLE	P=0.136	(e)	P=0.232	P=0.202
POLY 3	P=0.159	(e)	P=0.237	P=0.226
POLY 1.5	P=0.164	(e)	P=0.238	P=0.230
POLY 6	P=0.153	(e)	P=0.235	P=0.220
LOGISTIC REGRESSION	P=0.140	(e)	P=0.233	P=0.202
COCH-ARM / FISHERS	P=0.166	(e)	P=0.242	P=0.237
ORDER RESTRICTED	P=0.108	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.124	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Reqsted: 09/26/2006
 Time Report Reqsted: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

Lymph Node, Mesenteric
 Hyperplasia Lymphoid

LESION RATES

OVERALL (a)	4/50 (8%)	0/48 (0%)	3/49 (6%)	3/48 (6%)
POLY-3 RATE (b)	4/47.17	0/46.63	3/47.08	3/45.12
POLY-3 PERCENT (g)	8.5%	0%	6.4%	6.7%
TERMINAL (d)	4/45 (9%)	0/44 (0%)	3/43 (7%)	2/38 (5%)
FIRST INCIDENCE	729 (T)	---	729 (T)	659

STATISTICAL TESTS

LIFE TABLE	P=0.389	P=0.066N	P=0.525N	P=0.583N
POLY 3	P=0.441	P=0.062N	P=0.501N	P=0.524N
POLY 1.5	P=0.447	P=0.061N	P=0.497N	P=0.516N
POLY 6	P=0.433	P=0.063N	P=0.506N	P=0.537N
LOGISTIC REGRESSION	P=0.446	(e)	P=0.525N	P=0.522N
COCH-ARM / FISHERS	P=0.456	P=0.064N	P=0.511N	P=0.523N
ORDER RESTRICTED	P=0.299N	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.316N	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

Lymph Node: Iliac
 Hyperplasia Lymphoid

LESION RATES

OVERALL (a)	0/3 (0%)	2/8 (25%)	0/4 (0%)	0/4 (0%)
POLY-3 RATE (b)	0/3.00	2/7.17	0/3.18	0/2.85
POLY-3 PERCENT (g)	0%	27.9%	0%	0%
TERMINAL (d)	0/3 (0%)	2/6 (33%)	0/1 (0%)	0/0 (0%)
FIRST INCIDENCE	---	729 (T)	---	---

STATISTICAL TESTS

LIFE TABLE	P=1.000N	P=0.395	(e)	(e)
POLY 3	P=0.499N	P=0.439	(e)	(e)
POLY 1.5	P=0.478N	P=0.453	(e)	(e)
POLY 6	P=0.536N	P=0.421	(e)	(e)
LOGISTIC REGRESSION	(e)	P=0.395	(e)	(e)
COCH-ARM / FISHERS	P=0.454N	P=0.509	(e)	(e)
ORDER RESTRICTED	P=0.425N	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.424N	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM
Mammary Gland Hyperplasia				
LESION RATES				
OVERALL (a)	0/50 (0%)	2/49 (4%)	1/50 (2%)	1/50 (2%)
POLY-3 RATE (b)	0/47.17	2/47.70	1/48.08	1/46.40
POLY-3 PERCENT (g)	0%	4.2%	2.1%	2.2%
TERMINAL (d)	0/45 (0%)	1/44 (2%)	1/44 (2%)	1/39 (3%)
FIRST INCIDENCE	---	642	729 (T)	729 (T)
STATISTICAL TESTS				
LIFE TABLE	P=0.642	P=0.240	P=0.496	P=0.471
POLY 3	P=0.668	P=0.240	P=0.504	P=0.497
POLY 1.5	P=0.675	P=0.241	P=0.505	P=0.501
POLY 6	P=0.657	P=0.238	P=0.502	P=0.490
LOGISTIC REGRESSION	P=0.675	P=0.217	P=0.496	P=0.471
COCH-ARM / FISHERS	P=0.675	P=0.242	P=0.500	P=0.500
ORDER RESTRICTED	P=0.277	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.292	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Mesentery
 Hemorrhage**

LESION RATES

OVERALL (a)	1/7 (14%)	1/5 (20%)	0/4 (0%)	0/7 (0%)
POLY-3 RATE (b)	1/6.27	1/4.75	0/3.89	0/6.12
POLY-3 PERCENT (g)	15.9%	21%	0%	0%
TERMINAL (d)	1/5 (20%)	1/4 (25%)	0/3 (0%)	0/4 (0%)
FIRST INCIDENCE	729 (T)	729 (T)	---	---

STATISTICAL TESTS

LIFE TABLE	P=0.391N	P=0.723	P=0.602N	P=0.545N
POLY 3	P=0.351N	P=0.701	P=0.595N	P=0.505N
POLY 1.5	P=0.345N	P=0.696	P=0.599N	P=0.500N
POLY 6	P=0.362N	P=0.700	P=0.593N	P=0.519N
LOGISTIC REGRESSION	P=0.391N	P=0.723	(e)	(e)
COCH-ARM / FISHERS	P=0.332N	P=0.682	P=0.636N	P=0.500N
ORDER RESTRICTED	P=0.199N	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.257N	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

Mesentery: Fat
 Necrosis

LESION RATES

OVERALL (a)	5/7 (71%)	3/5 (60%)	3/4 (75%)	5/7 (71%)
POLY-3 RATE (b)	5/6.99	3/4.75	3/3.89	5/6.51
POLY-3 PERCENT (g)	71.6%	63.1%	77.1%	76.8%
TERMINAL (d)	4/5 (80%)	3/4 (75%)	3/3 (100%)	4/4 (100%)
FIRST INCIDENCE	480	729 (T)	729 (T)	617

STATISTICAL TESTS

LIFE TABLE	P=0.249	P=0.446N	P=0.702N	P=0.521
POLY 3	P=0.535	P=0.622N	P=0.683	P=0.651
POLY 1.5	P=0.563	P=0.600N	P=0.691	P=0.680
POLY 6	P=0.479	P=0.658N	P=0.667	P=0.594
LOGISTIC REGRESSION	P=0.591	P=0.602N	P=0.691	P=0.723
COCH-ARM / FISHERS	P=0.600	P=0.576N	P=0.788N	P=0.720N
ORDER RESTRICTED	P=0.550	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.583	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Reqsted: 09/26/2006
 Time Report Reqsted: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Nose
 Inflammation Chronic**

LESION RATES

OVERALL (a)	0/50 (0%)	0/49 (0%)	1/50 (2%)	0/50 (0%)
POLY-3 RATE (b)	0/47.17	0/47.38	1/48.08	0/46.40
POLY-3 PERCENT (g)	0%	0%	2.1%	0%
TERMINAL (d)	0/45 (0%)	0/44 (0%)	1/44 (2%)	0/39 (0%)
FIRST INCIDENCE	---	---	729 (T)	---

STATISTICAL TESTS

LIFE TABLE	P=0.786N	(e)	P=0.496	(e)
POLY 3	P=0.766N	(e)	P=0.504	(e)
POLY 1.5	P=0.763N	(e)	P=0.505	(e)
POLY 6	P=0.770N	(e)	P=0.502	(e)
LOGISTIC REGRESSION	(e)	(e)	P=0.496	(e)
COCH-ARM / FISHERS	P=0.762N	(e)	P=0.500	(e)
ORDER RESTRICTED	P=0.384	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.396	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

Ovary
Cyst

LESION RATES

OVERALL (a)	16/48 (33%)	18/49 (37%)	14/49 (29%)	18/49 (37%)
POLY-3 RATE (b)	16/45.17	18/47.38	14/47.09	18/45.62
POLY-3 PERCENT (g)	35.4%	38%	29.7%	39.5%
TERMINAL (d)	16/43 (37%)	18/44 (41%)	14/44 (32%)	16/38 (42%)
FIRST INCIDENCE	729 (T)	729 (T)	729 (T)	674

STATISTICAL TESTS

LIFE TABLE	P=0.199	P=0.447	P=0.381N	P=0.252
POLY 3	P=0.377	P=0.484	P=0.360N	P=0.429
POLY 1.5	P=0.402	P=0.495	P=0.352N	P=0.457
POLY 6	P=0.343	P=0.463	P=0.371N	P=0.387
LOGISTIC REGRESSION	P=0.247	P=0.447	P=0.381N	P=0.305
COCH-ARM / FISHERS	P=0.418	P=0.445	P=0.387N	P=0.445
ORDER RESTRICTED	P=0.486	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.493	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Reqsted: 09/26/2006
 Time Report Reqsted: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM
Ovary Hemorrhage				
LESION RATES				
OVERALL (a)	7/48 (15%)	15/49 (31%)	10/49 (20%)	10/49 (20%)
POLY-3 RATE (b)	7/45.17	15/47.70	10/47.45	10/45.40
POLY-3 PERCENT (g)	15.5%	31.5%	21.1%	22%
TERMINAL (d)	7/43 (16%)	14/44 (32%)	9/44 (21%)	10/38 (26%)
FIRST INCIDENCE	729 (T)	642	629	729 (T)
STATISTICAL TESTS				
LIFE TABLE	P=0.481	P=0.051	P=0.316	P=0.204
POLY 3	P=0.521N	P=0.058	P=0.337	P=0.300
POLY 1.5	P=0.496N	P=0.059	P=0.339	P=0.318
POLY 6	P=0.557N	P=0.054	P=0.333	P=0.274
LOGISTIC REGRESSION	P=0.545N	P=0.056	P=0.330	P=0.204
COCH-ARM / FISHERS	P=0.485N	P=0.050*	P=0.314	P=0.314
ORDER RESTRICTED	P=0.229	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.239	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

Ovary: Interstitial Cell
 Hyperplasia

LESION RATES

OVERALL (a)	0/48 (0%)	4/49 (8%)	1/49 (2%)	0/49 (0%)
POLY-3 RATE (b)	0/45.17	4/47.38	1/47.09	0/45.40
POLY-3 PERCENT (g)	0%	8.4%	2.1%	0%
TERMINAL (d)	0/43 (0%)	4/44 (9%)	1/44 (2%)	0/38 (0%)
FIRST INCIDENCE	---	729 (T)	729 (T)	---

STATISTICAL TESTS

LIFE TABLE	P=0.217N	P=0.066	P=0.505	(e)
POLY 3	P=0.186N	P=0.067	P=0.508	(e)
POLY 1.5	P=0.181N	P=0.068	P=0.510	(e)
POLY 6	P=0.195N	P=0.065	P=0.507	(e)
LOGISTIC REGRESSION	(e)	P=0.066	P=0.505	(e)
COCH-ARM / FISHERS	P=0.186N	P=0.061	P=0.505	(e)
ORDER RESTRICTED	P=0.157N	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.169N	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Reqsted: 09/26/2006
 Time Report Reqsted: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Pancreas
 Atrophy**

LESION RATES

OVERALL (a)	2/50 (4%)	2/48 (4%)	0/50 (0%)	1/50 (2%)
POLY-3 RATE (b)	2/47.17	2/46.63	0/48.08	1/46.40
POLY-3 PERCENT (g)	4.2%	4.3%	0%	2.2%
TERMINAL (d)	2/45 (4%)	2/44 (5%)	0/44 (0%)	1/39 (3%)
FIRST INCIDENCE	729 (T)	729 (T)	---	729 (T)

STATISTICAL TESTS

LIFE TABLE	P=0.518N	P=0.686	P=0.243N	P=0.550N
POLY 3	P=0.472N	P=0.689	P=0.233N	P=0.506N
POLY 1.5	P=0.467N	P=0.691	P=0.232N	P=0.498N
POLY 6	P=0.479N	P=0.685	P=0.235N	P=0.517N
LOGISTIC REGRESSION	P=0.518N	P=0.686	(e)	P=0.550N
COCH-ARM / FISHERS	P=0.463N	P=0.676	P=0.247N	P=0.500N
ORDER RESTRICTED	P=0.269N	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.284N	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Reqsted: 09/26/2006
 Time Report Reqsted: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Pancreas
 Cyst**

LESION RATES

OVERALL (a)	2/50 (4%)	2/48 (4%)	0/50 (0%)	1/50 (2%)
POLY-3 RATE (b)	2/47.17	2/46.63	0/48.08	1/46.40
POLY-3 PERCENT (g)	4.2%	4.3%	0%	2.2%
TERMINAL (d)	2/45 (4%)	2/44 (5%)	0/44 (0%)	1/39 (3%)
FIRST INCIDENCE	729 (T)	729 (T)	---	729 (T)

STATISTICAL TESTS

LIFE TABLE	P=0.518N	P=0.686	P=0.243N	P=0.550N
POLY 3	P=0.472N	P=0.689	P=0.233N	P=0.506N
POLY 1.5	P=0.467N	P=0.691	P=0.232N	P=0.498N
POLY 6	P=0.479N	P=0.685	P=0.235N	P=0.517N
LOGISTIC REGRESSION	P=0.518N	P=0.686	(e)	P=0.550N
COCH-ARM / FISHERS	P=0.463N	P=0.676	P=0.247N	P=0.500N
ORDER RESTRICTED	P=0.269N	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.284N	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Reqsted: 09/26/2006
 Time Report Reqsted: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

Pancreas: Acinus
 Cytoplasmic Alteration

LESION RATES

OVERALL (a)	1/50 (2%)	0/48 (0%)	1/50 (2%)	2/50 (4%)
POLY-3 RATE (b)	1/47.17	0/46.63	1/48.08	2/46.66
POLY-3 PERCENT (g)	2.1%	0%	2.1%	4.3%
TERMINAL (d)	1/45 (2%)	0/44 (0%)	1/44 (2%)	0/39 (0%)
FIRST INCIDENCE	729 (T)	---	729 (T)	674

STATISTICAL TESTS

LIFE TABLE	P=0.210	P=0.504N	P=0.757	P=0.457
POLY 3	P=0.240	P=0.502N	P=0.756N	P=0.496
POLY 1.5	P=0.244	P=0.501N	P=0.755N	P=0.503
POLY 6	P=0.234	P=0.505N	P=0.758N	P=0.487
LOGISTIC REGRESSION	P=0.247	(e)	P=0.757	P=0.501
COCH-ARM / FISHERS	P=0.248	P=0.510N	P=0.753N	P=0.500
ORDER RESTRICTED	P=0.223	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.237	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Parathyroid Gland
 Cyst**

LESION RATES

OVERALL (a)	0/46 (0%)	0/48 (0%)	1/45 (2%)	1/46 (2%)
POLY-3 RATE (b)	0/43.27	0/46.38	1/43.20	1/42.76
POLY-3 PERCENT (g)	0%	0%	2.3%	2.3%
TERMINAL (d)	0/42 (0%)	0/43 (0%)	1/41 (2%)	1/36 (3%)
FIRST INCIDENCE	---	---	729 (T)	729 (T)

STATISTICAL TESTS

LIFE TABLE	P=0.336	(e)	P=0.495	P=0.469
POLY 3	P=0.366	(e)	P=0.500	P=0.498
POLY 1.5	P=0.371	(e)	P=0.501	P=0.502
POLY 6	P=0.359	(e)	P=0.498	P=0.491
LOGISTIC REGRESSION	(e)	(e)	P=0.495	P=0.469
COCH-ARM / FISHERS	P=0.373	(e)	P=0.495	P=0.500
ORDER RESTRICTED	P=0.249	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.260	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Pituitary Gland: Pars Distalis
 Angiectasis**

LESION RATES

OVERALL (a)	3/47 (6%)	1/48 (2%)	1/50 (2%)	0/50 (0%)
POLY-3 RATE (b)	3/45.89	1/46.38	1/48.08	0/46.40
POLY-3 PERCENT (g)	6.5%	2.2%	2.1%	0%
TERMINAL (d)	3/44 (7%)	1/43 (2%)	1/44 (2%)	0/39 (0%)
FIRST INCIDENCE	729 (T)	729 (T)	729 (T)	---

STATISTICAL TESTS

LIFE TABLE	P=0.174N	P=0.314N	P=0.305N	P=0.143N
POLY 3	P=0.153N	P=0.302N	P=0.289N	P=0.117N
POLY 1.5	P=0.151N	P=0.297N	P=0.285N	P=0.112N
POLY 6	P=0.157N	P=0.309N	P=0.294N	P=0.123N
LOGISTIC REGRESSION	P=0.174N	P=0.314N	P=0.305N	(e)
COCH-ARM / FISHERS	P=0.146N	P=0.301N	P=0.285N	P=0.110N
ORDER RESTRICTED	P=0.036N*	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.045N*	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Pituitary Gland: Pars Distalis
 Cyst**

LESION RATES

OVERALL (a)	3/47 (6%)	1/48 (2%)	0/50 (0%)	2/50 (4%)
POLY-3 RATE (b)	3/45.89	1/46.38	0/48.08	2/46.40
POLY-3 PERCENT (g)	6.5%	2.2%	0%	4.3%
TERMINAL (d)	3/44 (7%)	1/43 (2%)	0/44 (0%)	2/39 (5%)
FIRST INCIDENCE	729 (T)	729 (T)	---	729 (T)

STATISTICAL TESTS

LIFE TABLE	P=0.545	P=0.314N	P=0.121N	P=0.555N
POLY 3	P=0.593	P=0.302N	P=0.111N	P=0.495N
POLY 1.5	P=0.598	P=0.297N	P=0.109N	P=0.483N
POLY 6	P=0.586	P=0.309N	P=0.113N	P=0.512N
LOGISTIC REGRESSION	P=0.545	P=0.314N	(e)	P=0.555N
COCH-ARM / FISHERS	P=0.606	P=0.301N	P=0.110N	P=0.470N
ORDER RESTRICTED	P=0.179N	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.194N	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Reqsted: 09/26/2006
 Time Report Reqsted: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Pituitary Gland: Pars Distalis
 Hyperplasia Focal**

LESION RATES

OVERALL (a)	5/47 (11%)	3/48 (6%)	5/50 (10%)	2/50 (4%)
POLY-3 RATE (b)	5/45.99	3/46.38	5/48.08	2/46.41
POLY-3 PERCENT (g)	10.9%	6.5%	10.4%	4.3%
TERMINAL (d)	4/44 (9%)	3/43 (7%)	5/44 (11%)	1/39 (3%)
FIRST INCIDENCE	704	729 (T)	729 (T)	726

STATISTICAL TESTS

LIFE TABLE	P=0.283N	P=0.373N	P=0.627	P=0.274N
POLY 3	P=0.229N	P=0.352N	P=0.602N	P=0.213N
POLY 1.5	P=0.220N	P=0.344N	P=0.593N	P=0.202N
POLY 6	P=0.243N	P=0.364N	P=0.612N	P=0.228N
LOGISTIC REGRESSION	P=0.253N	P=0.352N	P=0.604N	P=0.221N
COCH-ARM / FISHERS	P=0.206N	P=0.345N	P=0.590N	P=0.193N
ORDER RESTRICTED	P=0.195N	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.210N	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Salivary Glands
 Hyperplasia Lymphoid**

LESION RATES

OVERALL (a)	10/50 (20%)	6/48 (13%)	3/49 (6%)	8/49 (16%)
POLY-3 RATE (b)	10/47.17	6/46.97	3/47.09	8/46.01
POLY-3 PERCENT (g)	21.2%	12.8%	6.4%	17.4%
TERMINAL (d)	10/45 (22%)	6/44 (14%)	3/44 (7%)	7/39 (18%)
FIRST INCIDENCE	729 (T)	729 (T)	729 (T)	674

STATISTICAL TESTS

LIFE TABLE	P=0.365	P=0.219N	P=0.040N*	P=0.528N
POLY 3	P=0.462	P=0.209N	P=0.035N*	P=0.420N
POLY 1.5	P=0.472	P=0.207N	P=0.034N*	P=0.406N
POLY 6	P=0.448	P=0.215N	P=0.036N*	P=0.442N
LOGISTIC REGRESSION	P=0.417	P=0.219N	P=0.040N*	P=0.458N
COCH-ARM / FISHERS	P=0.485	P=0.233N	P=0.039N*	P=0.416N
ORDER RESTRICTED	P=0.152N	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.168N	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Reqsted: 09/26/2006
 Time Report Reqsted: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

Skin
 Edema

LESION RATES

OVERALL (a)	0/50 (0%)	0/49 (0%)	0/50 (0%)	3/50 (6%)
POLY-3 RATE (b)	0/47.17	0/47.38	0/48.08	3/48.04
POLY-3 PERCENT (g)	0%	0%	0%	6.3%
TERMINAL (d)	0/45 (0%)	0/44 (0%)	0/44 (0%)	0/39 (0%)
FIRST INCIDENCE	---	---	---	235

STATISTICAL TESTS

LIFE TABLE	P=0.008**	(e)	(e)	P=0.124
POLY 3	P=0.008**	(e)	(e)	P=0.122
POLY 1.5	P=0.008**	(e)	(e)	P=0.124
POLY 6	P=0.008**	(e)	(e)	P=0.118
LOGISTIC REGRESSION	P=0.003**	(e)	(e)	P=0.050*
COCH-ARM / FISHERS	P=0.008**	(e)	(e)	P=0.121
ORDER RESTRICTED	P=0.009**	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.012*	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Reqsted: 09/26/2006
 Time Report Reqsted: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Skin
 Inflammation Chronic**

LESION RATES

OVERALL (a)	0/50 (0%)	0/49 (0%)	0/50 (0%)	1/50 (2%)
POLY-3 RATE (b)	0/47.17	0/47.38	0/48.08	1/46.40
POLY-3 PERCENT (g)	0%	0%	0%	2.2%
TERMINAL (d)	0/45 (0%)	0/44 (0%)	0/44 (0%)	1/39 (3%)
FIRST INCIDENCE	---	---	---	729 (T)

STATISTICAL TESTS

LIFE TABLE	P=0.214	(e)	(e)	P=0.471
POLY 3	P=0.234	(e)	(e)	P=0.497
POLY 1.5	P=0.237	(e)	(e)	P=0.501
POLY 6	P=0.230	(e)	(e)	P=0.490
LOGISTIC REGRESSION	(e)	(e)	(e)	P=0.471
COCH-ARM / FISHERS	P=0.238	(e)	(e)	P=0.500
ORDER RESTRICTED	P=0.117	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.131	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Reqsted: 09/26/2006
 Time Report Reqsted: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Spleen
 Angiectasis**

LESION RATES

OVERALL (a)	2/50 (4%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
POLY-3 RATE (b)	2/47.89	0/47.38	0/48.08	0/46.40
POLY-3 PERCENT (g)	4.2%	0%	0%	0%
TERMINAL (d)	1/45 (2%)	0/44 (0%)	0/44 (0%)	0/39 (0%)
FIRST INCIDENCE	480	---	---	---

STATISTICAL TESTS

LIFE TABLE	P=0.362N	P=0.240N	P=0.240N	P=0.253N
POLY 3	P=0.353N	P=0.240N	P=0.236N	P=0.244N
POLY 1.5	P=0.354N	P=0.237N	P=0.234N	P=0.238N
POLY 6	P=0.353N	P=0.244N	P=0.239N	P=0.253N
LOGISTIC REGRESSION	P=0.368N	P=0.292N	P=0.276N	P=0.265N
COCH-ARM / FISHERS	P=0.348N	P=0.253N	P=0.247N	P=0.247N
ORDER RESTRICTED	P=0.032N*	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.042N*	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Reqsted: 09/26/2006
 Time Report Reqsted: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Spleen
 Hematopoietic Cell Proliferation**

LESION RATES

OVERALL (a)	14/50 (28%)	12/49 (24%)	11/50 (22%)	11/50 (22%)
POLY-3 RATE (b)	14/47.90	12/47.63	11/48.92	11/48.16
POLY-3 PERCENT (g)	29.2%	25.2%	22.5%	22.8%
TERMINAL (d)	12/45 (27%)	11/44 (25%)	7/44 (16%)	4/39 (10%)
FIRST INCIDENCE	480	665	628	594

STATISTICAL TESTS

LIFE TABLE	P=0.514N	P=0.437N	P=0.348N	P=0.448N
POLY 3	P=0.368N	P=0.416N	P=0.301N	P=0.316N
POLY 1.5	P=0.362N	P=0.404N	P=0.297N	P=0.306N
POLY 6	P=0.373N	P=0.434N	P=0.303N	P=0.328N
LOGISTIC REGRESSION	P=0.361N	P=0.410N	P=0.314N	P=0.322N
COCH-ARM / FISHERS	P=0.362N	P=0.433N	P=0.322N	P=0.322N
ORDER RESTRICTED	P=0.365N	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.377N	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

Spleen: Lymphoid Follicle Atrophy

LESION RATES

OVERALL (a)	2/50 (4%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
POLY-3 RATE (b)	2/49.17	0/47.38	0/48.08	0/46.40
POLY-3 PERCENT (g)	4.1%	0%	0%	0%
TERMINAL (d)	0/45 (0%)	0/44 (0%)	0/44 (0%)	0/39 (0%)
FIRST INCIDENCE	22	---	---	---

STATISTICAL TESTS

LIFE TABLE	P=0.349N	P=0.243N	P=0.239N	P=0.239N
POLY 3	P=0.349N	P=0.246N	P=0.242N	P=0.251N
POLY 1.5	P=0.349N	P=0.244N	P=0.241N	P=0.246N
POLY 6	P=0.349N	P=0.249N	P=0.245N	P=0.258N
LOGISTIC REGRESSION	(e)	(e)	(e)	(e)
COCH-ARM / FISHERS	P=0.348N	P=0.253N	P=0.247N	P=0.247N
ORDER RESTRICTED	P=0.034N*	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.047N*	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

Spleen: Lymphoid Follicle
 Hyperplasia

LESION RATES

OVERALL (a)	5/50 (10%)	7/49 (14%)	11/50 (22%)	9/50 (18%)
POLY-3 RATE (b)	5/47.17	7/47.38	11/48.08	9/46.87
POLY-3 PERCENT (g)	10.6%	14.8%	22.9%	19.2%
TERMINAL (d)	5/45 (11%)	7/44 (16%)	11/44 (25%)	7/39 (18%)
FIRST INCIDENCE	729 (T)	729 (T)	729 (T)	659

STATISTICAL TESTS

LIFE TABLE	P=0.183	P=0.363	P=0.078	P=0.131
POLY 3	P=0.280	P=0.383	P=0.091	P=0.189
POLY 1.5	P=0.293	P=0.389	P=0.094	P=0.199
POLY 6	P=0.263	P=0.372	P=0.087	P=0.176
LOGISTIC REGRESSION	P=0.247	P=0.363	P=0.078	P=0.187
COCH-ARM / FISHERS	P=0.298	P=0.365	P=0.086	P=0.194
ORDER RESTRICTED	P=0.137	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.150	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Reqsted: 09/26/2006
 Time Report Reqsted: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Stomach, Forestomach
 Diverticulum**

LESION RATES

OVERALL (a)	0/50 (0%)	0/48 (0%)	2/50 (4%)	0/50 (0%)
POLY-3 RATE (b)	0/47.17	0/46.38	2/48.08	0/46.40
POLY-3 PERCENT (g)	0%	0%	4.2%	0%
TERMINAL (d)	0/45 (0%)	0/43 (0%)	2/44 (5%)	0/39 (0%)
FIRST INCIDENCE	---	---	729 (T)	---

STATISTICAL TESTS

LIFE TABLE	P=0.655N	(e)	P=0.234	(e)
POLY 3	P=0.629N	(e)	P=0.242	(e)
POLY 1.5	P=0.623N	(e)	P=0.243	(e)
POLY 6	P=0.637N	(e)	P=0.240	(e)
LOGISTIC REGRESSION	(e)	(e)	P=0.234	(e)
COCH-ARM / FISHERS	P=0.620N	(e)	P=0.247	(e)
ORDER RESTRICTED	P=0.251	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.267	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Reqsted: 09/26/2006
 Time Report Reqsted: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Stomach, Forestomach: Epithelium
 Hyperplasia**

LESION RATES

OVERALL (a)	1/50 (2%)	1/48 (2%)	1/50 (2%)	2/50 (4%)
POLY-3 RATE (b)	1/47.17	1/46.97	1/48.19	2/46.40
POLY-3 PERCENT (g)	2.1%	2.1%	2.1%	4.3%
TERMINAL (d)	1/45 (2%)	0/43 (0%)	0/44 (0%)	2/39 (5%)
FIRST INCIDENCE	729 (T)	543	702	729 (T)

STATISTICAL TESTS

LIFE TABLE	P=0.339	P=0.760	P=0.755	P=0.450
POLY 3	P=0.367	P=0.759	P=0.756N	P=0.494
POLY 1.5	P=0.374	P=0.760	P=0.754N	P=0.502
POLY 6	P=0.357	P=0.757	P=0.757N	P=0.483
LOGISTIC REGRESSION	P=0.377	P=0.721	P=0.759N	P=0.450
COCH-ARM / FISHERS	P=0.379	P=0.742	P=0.753N	P=0.500
ORDER RESTRICTED	P=0.405	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.419	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Reqsted: 09/26/2006
 Time Report Reqsted: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Stomach, Glandular
 Erosion**

LESION RATES

OVERALL (a)	0/50 (0%)	0/47 (0%)	0/50 (0%)	2/50 (4%)
POLY-3 RATE (b)	0/47.17	0/45.63	0/48.08	2/47.26
POLY-3 PERCENT (g)	0%	0%	0%	4.2%
TERMINAL (d)	0/45 (0%)	0/43 (0%)	0/44 (0%)	0/39 (0%)
FIRST INCIDENCE	---	---	---	594

STATISTICAL TESTS

LIFE TABLE	P=0.045*	(e)	(e)	P=0.247
POLY 3	P=0.043*	(e)	(e)	P=0.238
POLY 1.5	P=0.044*	(e)	(e)	P=0.241
POLY 6	P=0.042*	(e)	(e)	P=0.233
LOGISTIC REGRESSION	P=0.036*	(e)	(e)	P=0.196
COCH-ARM / FISHERS	P=0.045*	(e)	(e)	P=0.247
ORDER RESTRICTED	P=0.030*	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.037*	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Reqsted: 09/26/2006
 Time Report Reqsted: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Stomach, Glandular: Epithelium
 Hyperplasia**

LESION RATES

OVERALL (a)	0/50 (0%)	0/47 (0%)	2/50 (4%)	0/50 (0%)
POLY-3 RATE (b)	0/47.17	0/45.63	2/48.08	0/46.40
POLY-3 PERCENT (g)	0%	0%	4.2%	0%
TERMINAL (d)	0/45 (0%)	0/43 (0%)	2/44 (5%)	0/39 (0%)
FIRST INCIDENCE	---	---	729 (T)	---

STATISTICAL TESTS

LIFE TABLE	P=0.655N	(e)	P=0.234	(e)
POLY 3	P=0.628N	(e)	P=0.242	(e)
POLY 1.5	P=0.622N	(e)	P=0.243	(e)
POLY 6	P=0.636N	(e)	P=0.240	(e)
LOGISTIC REGRESSION	(e)	(e)	P=0.234	(e)
COCH-ARM / FISHERS	P=0.618N	(e)	P=0.247	(e)
ORDER RESTRICTED	P=0.251	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.268	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Reqsted: 09/26/2006
 Time Report Reqsted: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

Thymus
 Atrophy

LESION RATES

OVERALL (a)	2/49 (4%)	2/48 (4%)	0/46 (0%)	2/48 (4%)
POLY-3 RATE (b)	2/48.17	2/46.93	0/44.45	2/45.14
POLY-3 PERCENT (g)	4.2%	4.3%	0%	4.4%
TERMINAL (d)	0/44 (0%)	0/43 (0%)	0/42 (0%)	0/39 (0%)
FIRST INCIDENCE	22	642	---	614

STATISTICAL TESTS

LIFE TABLE	P=0.563	P=0.686	P=0.239N	P=0.690
POLY 3	P=0.558	P=0.684	P=0.255N	P=0.670
POLY 1.5	P=0.562	P=0.685	P=0.255N	P=0.676
POLY 6	P=0.551	P=0.682	P=0.257N	P=0.662
LOGISTIC REGRESSION	P=0.496	P=0.206	(e)	P=0.445
COCH-ARM / FISHERS	P=0.572	P=0.684	P=0.263N	P=0.684
ORDER RESTRICTED	P=0.466N	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.484N	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Reqsted: 09/26/2006
 Time Report Reqsted: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

Thymus
 Cyst

LESION RATES

OVERALL (a)	0/49 (0%)	0/48 (0%)	0/46 (0%)	0/48 (0%)
POLY-3 RATE (b)	0/46.17	0/46.38	0/44.45	0/44.46
POLY-3 PERCENT (g)	0%	0%	0%	0%
TERMINAL (d)	0/44 (0%)	0/43 (0%)	0/42 (0%)	0/39 (0%)
FIRST INCIDENCE	---	---	---	---

STATISTICAL TESTS

LIFE TABLE	(e)	(e)	(e)	(e)
POLY 3	(e)	(e)	(e)	(e)
POLY 1.5	(e)	(e)	(e)	(e)
POLY 6	(e)	(e)	(e)	(e)
LOGISTIC REGRESSION	(e)	(e)	(e)	(e)
COCH-ARM / FISHERS	(e)	(e)	(e)	(e)
ORDER RESTRICTED	(e)	(e)	(e)	(e)
MAX-ISO-POLY-3	(e)	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Thymus
 Hyperplasia Lymphoid**

LESION RATES

OVERALL (a)	2/49 (4%)	0/48 (0%)	2/46 (4%)	0/48 (0%)
POLY-3 RATE (b)	2/46.17	0/46.38	2/44.45	0/44.46
POLY-3 PERCENT (g)	4.3%	0%	4.5%	0%
TERMINAL (d)	2/44 (5%)	0/43 (0%)	2/42 (5%)	0/39 (0%)
FIRST INCIDENCE	729 (T)	---	729 (T)	---

STATISTICAL TESTS

LIFE TABLE	P=0.319N	P=0.244N	P=0.678	P=0.265N
POLY 3	P=0.305N	P=0.236N	P=0.680	P=0.246N
POLY 1.5	P=0.301N	P=0.234N	P=0.681	P=0.241N
POLY 6	P=0.312N	P=0.240N	P=0.678	P=0.253N
LOGISTIC REGRESSION	P=0.319N	(e)	P=0.678	(e)
COCH-ARM / FISHERS	P=0.293N	P=0.253N	P=0.667	P=0.253N
ORDER RESTRICTED	P=0.123N	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.141N	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
 Time Report Requested: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

Thyroid Gland: Follicle
 Degeneration Focal

LESION RATES

OVERALL (a)	15/50 (30%)	17/49 (35%)	24/49 (49%)	16/50 (32%)
POLY-3 RATE (b)	15/47.17	17/47.61	24/47.45	16/46.67
POLY-3 PERCENT (g)	31.8%	35.7%	50.6%	34.3%
TERMINAL (d)	15/45 (33%)	16/44 (36%)	23/44 (52%)	13/39 (33%)
FIRST INCIDENCE	729 (T)	670	628	674

STATISTICAL TESTS

LIFE TABLE	P=0.456	P=0.384	P=0.040*	P=0.320
POLY 3	P=0.463N	P=0.427	P=0.048*	P=0.485
POLY 1.5	P=0.433N	P=0.435	P=0.050*	P=0.511
POLY 6	P=0.506N	P=0.412	P=0.046*	P=0.448
LOGISTIC REGRESSION	P=0.528N	P=0.388	P=0.045*	P=0.387
COCH-ARM / FISHERS	P=0.417N	P=0.388	P=0.042*	P=0.500
ORDER RESTRICTED	P=0.224	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.238	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Reqsted: 09/26/2006
 Time Report Reqsted: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

**Thyroid Gland: Follicular Cell
 Hyperplasia**

LESION RATES

OVERALL (a)	1/50 (2%)	1/49 (2%)	0/49 (0%)	3/50 (6%)
POLY-3 RATE (b)	1/47.17	1/47.38	0/47.09	3/46.76
POLY-3 PERCENT (g)	2.1%	2.1%	0%	6.4%
TERMINAL (d)	1/45 (2%)	1/44 (2%)	0/44 (0%)	2/39 (5%)
FIRST INCIDENCE	729 (T)	729 (T)	---	628

STATISTICAL TESTS

LIFE TABLE	P=0.088	P=0.757	P=0.504N	P=0.268
POLY 3	P=0.111	P=0.759N	P=0.500N	P=0.302
POLY 1.5	P=0.113	P=0.758N	P=0.499N	P=0.309
POLY 6	P=0.107	P=0.758	P=0.502N	P=0.293
LOGISTIC REGRESSION	P=0.114	P=0.757	(e)	P=0.306
COCH-ARM / FISHERS	P=0.115	P=0.747	P=0.505N	P=0.309
ORDER RESTRICTED	P=0.100	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.113	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Reqsted: 09/26/2006
 Time Report Reqsted: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

Urinary Bladder
 Hyperplasia Lymphoid

LESION RATES

OVERALL (a)	6/49 (12%)	3/49 (6%)	3/50 (6%)	5/50 (10%)
POLY-3 RATE (b)	6/47.19	3/47.38	3/48.08	5/46.61
POLY-3 PERCENT (g)	12.7%	6.3%	6.2%	10.7%
TERMINAL (d)	5/45 (11%)	3/44 (7%)	3/44 (7%)	4/39 (10%)
FIRST INCIDENCE	726	729 (T)	729 (T)	674

STATISTICAL TESTS

LIFE TABLE	P=0.396	P=0.257N	P=0.256N	P=0.596N
POLY 3	P=0.476	P=0.240N	P=0.233N	P=0.509N
POLY 1.5	P=0.486	P=0.237N	P=0.230N	P=0.495N
POLY 6	P=0.463	P=0.248N	P=0.238N	P=0.529N
LOGISTIC REGRESSION	P=0.449	P=0.263N	P=0.250N	P=0.524N
COCH-ARM / FISHERS	P=0.500	P=0.243N	P=0.233N	P=0.486N
ORDER RESTRICTED	P=0.320N	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.335N	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Reqsted: 09/26/2006
 Time Report Reqsted: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

Uterus
 Angiectasis

LESION RATES

OVERALL (a)	2/50 (4%)	0/49 (0%)	1/50 (2%)	3/50 (6%)
POLY-3 RATE (b)	2/47.19	0/47.38	1/48.08	3/46.79
POLY-3 PERCENT (g)	4.2%	0%	2.1%	6.4%
TERMINAL (d)	1/45 (2%)	0/44 (0%)	1/44 (2%)	2/39 (5%)
FIRST INCIDENCE	726	---	729 (T)	617

STATISTICAL TESTS

LIFE TABLE	P=0.137	P=0.247N	P=0.508N	P=0.449
POLY 3	P=0.163	P=0.236N	P=0.493N	P=0.496
POLY 1.5	P=0.166	P=0.235N	P=0.491N	P=0.504
POLY 6	P=0.159	P=0.240N	P=0.497N	P=0.484
LOGISTIC REGRESSION	P=0.170	P=0.242N	P=0.501N	P=0.501
COCH-ARM / FISHERS	P=0.171	P=0.253N	P=0.500N	P=0.500
ORDER RESTRICTED	P=0.183	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.197	(e)	(e)	(e)

TDMS No. 99027-04
 Test Type: CHRONIC
 Route: DOSED FEED
 Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
 CHROMIUM PICOLINATE MONOHYDRATE
 CAS Number: 27882-76-4
 Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Reqsted: 09/26/2006
 Time Report Reqsted: 8:26:05
 First Dose M/F: 07/29/02 / 07/29/02
 Lab: SRI

**STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS IN MICE(B6C3F1)
 TERMINAL SACRIFICE AT 105 WEEKS**

DOSE	Females			
	0 PPM	2000 PPM	10000 PPM	50000 PPM

Uterus
 Hyperplasia Cystic

LESION RATES

OVERALL (a)	47/50 (94%)	44/49 (90%)	45/50 (90%)	44/50 (88%)
POLY-3 RATE (b)	47/48.00	44/48.17	45/48.69	44/47.89
POLY-3 PERCENT (g)	97.9%	91.3%	92.4%	91.9%
TERMINAL (d)	44/45 (98%)	41/44 (93%)	42/44 (96%)	38/39 (97%)
FIRST INCIDENCE	480	642	628	614

STATISTICAL TESTS

LIFE TABLE	P=0.103	P=0.376N	P=0.497N	P=0.255
POLY 3	P=0.368N	P=0.154N	P=0.209N	P=0.170N
POLY 1.5	P=0.300N	P=0.131N	P=0.174N	P=0.122N
POLY 6	P=0.468N	P=0.194N	P=0.245N	P=0.258N
LOGISTIC REGRESSION	P=0.388N	P=0.102N	P=0.148N	P=0.118N
COCH-ARM / FISHERS	P=0.300N	P=0.346N	P=0.357N	P=0.243N
ORDER RESTRICTED	P=0.163N	(e)	(e)	(e)
MAX-ISO-POLY-3	P=0.176N	(e)	(e)	(e)

TDMS No. 99027-04
Test Type: CHRONIC
Route: DOSED FEED
Species/Strain: MICE/B6C3F1

P10: STATISTICAL ANALYSIS OF NON-NEOPLASTIC LESIONS
CHROMIUM PICOLINATE MONOHYDRATE
CAS Number: 27882-76-4
Pathologist: HEATH, J. - Blackshear, P. - Unknown, U.

Date Report Requested: 09/26/2006
Time Report Requested: 8:26:05
First Dose M/F: 07/29/02 / 07/29/02
Lab: SRI

LEGEND

- (a) Number of tumor-bearing animals/number of animals examined at site.
- (b) Number of tumor-bearing animals/Poly-3 number
- (d) Observed incidence at terminal kill.
- (f) Beneath the control incidence are the P-values associated with the trend test. Beneath the dosed group incidence are the P-values corresponding to pairwise comparisons between the controls and that dosed group. The life table analysis regards tumors in animals dying prior to terminal kill as being (directly or indirectly) the cause of death.
- (e) Value of Statistic cannot be computed.
- (g) Poly-3 adjusted lifetime tumor incidence.
- (I) Interim sacrifice
- (T) Terminal sacrifice
- # Tumor rates based on numbers of animals necropsied.
- * To the right of any statistical result, indicates significance at ($P \leq 0.05$).
- ** To the right of any statistical result, indicates significance at ($P \leq 0.01$).
- N Indicates a negative trend for all tests
- Logistic regression is an alternative method for analyzing the incidence of non-fatal tumors.
The Cochran-Armitage and Fishers exact tests compare directly the overall incidence rates.

*** END OF REPORT ***