

TDMS No. 99028 - 06
Test Type: CHRONIC
Route: SKIN APPLICATION
Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

bis(2-Chloroethoxy)methane

CAS Number: 111-91-1

Date Report Requested: 04/07/2008

Time Report Requested: 11:52:50

First Dose M/F: 10/03/02 / 10/02/02

Lab: BAT

F1_M3

C Number: C99028
Lock Date: 09/20/2005
Cage Range: ALL
Date Range: ALL
Reasons For Removal: ALL
Removal Date Range: ALL
Treatment Groups: Include ALL
TDMSE Version: 2.0.0

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

DAY ON TEST	0 0																									0
	7 7 7 7 7 7 5 7 7 6 7 7 7 5 6 7 7 7 7 7 5 7 3 7 7																									
B6C3F1 MICE MALE 0 MG/KG	3 3 3 3 2 2 3 3 2 3 2 2 2 5 9 3 2 2 2 2 7 2 9 3 3																									0
	0 0 0 0 9 9 9 0 9 3 8 9 9 8 4 0 9 9 9 9 8 9 7 0 0																									
ANIMAL ID	0 0																									0
	0 0																									
0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5	0 0																									0
	0 0																									
																									males (cont...)	

ALIMENTARY SYSTEM

Esophagus	+ +																								
Gallbladder	+ +																								
Intestine Large, Cecum	+ +																								
Intestine Large, Colon	+ +																								
Intestine Large, Rectum	+ +																								
Intestine Small, Duodenum	+ +																								
Intestine Small, Ileum	+ +																								
Intestine Small, Jejunum	+ +																								
Histiocytic Sarcoma	X																								
Liver	+ +																								
Carcinoma, Metastatic, Thyroid Gland																									
Hemangiosarcoma	X																								
Hepatoblastoma																									
Hepatocellular Adenoma	X X X X X X X																								

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

	DAY ON TEST																									males (cont...)
	0 7 3 0	0 7 3 0	0 7 3 0	0 7 3 0	0 7 2 9	0 7 2 9	0 5 3 9	0 7 3 0	0 7 2 9	0 6 3 8	0 7 2 9	0 7 2 9	0 5 2 8	0 6 9 4	0 7 2 9	0 7 2 9	0 7 2 9	0 5 2 9	0 7 2 8	0 3 2 9	0 7 2 7	0 3 9 0	0 7 3 0			
B6C3F1 MICE MALE 0 MG/KG	ANIMAL ID																									
	0 0 0 0 1	0 0 0 0 2	0 0 0 0 3	0 0 0 0 4	0 0 0 0 5	0 0 0 0 6	0 0 0 0 7	0 0 0 0 8	0 0 0 0 9	0 0 0 0 0	0 0 0 0 1	0 0 0 0 2	0 0 0 0 3	0 0 0 0 4	0 0 0 0 5	0 0 0 0 6	0 0 0 0 7	0 0 0 0 8	0 0 0 0 9	0 0 0 0 0	0 0 0 0 1	0 0 0 0 2	0 0 0 0 3	0 0 0 0 4	0 0 0 0 5	
Hepatocellular Adenoma, Multiple	X				X	X			X	X			X	X			X				X			X		
Hepatocellular Carcinoma						X							X	X						X						
Hepatocellular Carcinoma, Multiple			X					X																		
Histiocytic Sarcoma								X																		
Ito Cell Tumor Benign																										
Mesentery																										
Hemangioma																										
Pancreas	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
Histiocytic Sarcoma								X																		
Salivary Glands	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
Histiocytic Sarcoma								X																		
Stomach, Forestomach	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
Stomach, Glandular	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
Tongue																										
Tooth																										
Odontoma																										

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

DAY ON TEST	0 0																								
	7 7 7 7 7 7 5 7 7 6 7 7 7 5 6 7 7 7 7 7 5 7 3 7 7																								
ANIMAL ID	3 3 3 3 2 2 3 3 2 3 2 2 2 5 9 3 2 2 2 2 7 2 9 3 3																								
	0 0 0 0 9 9 9 0 9 3 8 9 9 8 4 0 9 9 9 9 8 9 7 0 0																								
B6C3F1 MICE MALE 0 MG/KG	0 0																								
	0 0																								
	0 0																								
	0 0																								
	1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 2 2 2																								

males
(cont...)

CARDIOVASCULAR SYSTEM

Blood Vessel	+ +																								
Heart	+ +																								
Histiocytic Sarcoma	X																								

ENDOCRINE SYSTEM

Adrenal Cortex	+ +																								
Carcinoma, Metastatic, Thyroid Gland	X																								
Bilateral, Adenoma																									
Capsule, Histiocytic Sarcoma	X																								
Subcapsular, Adenoma	X X X																								
Adrenal Medulla	+ +																								
Islets, Pancreatic	+ +																								
Parathyroid Gland	+ + + + + + + + + + + + + + + + + + M + + + + + + +																								
Pituitary Gland	+ +																								
Pars Distalis, Adenoma																									
Pars Intermedia, Adenoma	X																								

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

DAY ON TEST	0 0																								
	7 7 7 7 7 7 5 7 7 6 7 7 7 5 6 7 7 7 7 7 5 7 3 7 7																								
ANIMAL ID	3 3 3 3 2 2 3 3 2 3 2 2 2 5 9 3 2 2 2 2 7 2 9 3 3																								
	0 0 0 0 9 9 9 0 9 3 8 9 9 8 4 0 9 9 9 9 8 9 7 0 0																								
B6C3F1 MICE MALE 0 MG/KG	0 0																								
	0 0																								
	0 0																								
	0 0																								
	1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 males (cont...)																								

Thyroid Gland +
 Follicular Cell, Carcinoma X

GENERAL BODY SYSTEM
 NONE

GENITAL SYSTEM

Coagulating Gland +

Epididymis +
 Histiocytic Sarcoma X

Preputial Gland +

Prostate +
 Hemangioma X
 Histiocytic Sarcoma X

Seminal Vesicle +
 Histiocytic Sarcoma X

Testes +

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

DAY ON TEST	0 0																								
	7 7 7 7 7 7 5 7 7 6 7 7 7 5 6 7 7 7 7 7 5 7 3 7 7																								
ANIMAL ID	3 3 3 3 2 2 3 3 2 3 2 2 2 5 9 3 2 2 2 2 7 2 9 3 3																								
	0 0 0 0 9 9 9 0 9 3 8 9 9 8 4 0 9 9 9 9 8 9 7 0 0																								
B6C3F1 MICE MALE 0 MG/KG	0 0																								
	0 0																								
	0 0																								
	0 0																								
	1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 males (cont...)																								

Histiocytic Sarcoma X
 Interstitial Cell, Adenoma

HEMATOPOIETIC SYSTEM

Bone Marrow	+ +																								
Carcinoma, Metastatic, Thyroid Gland																									
Hemangiosarcoma																									
Lymph Node	+ +																								
Histiocytic Sarcoma	X																								
Lumbar, Histiocytic Sarcoma	X																								
Mediastinal, Carcinoma, Metastatic, Thyroid Gland																									
Renal, Histiocytic Sarcoma	X																								
Lymph Node, Mandibular	+ +																								
Histiocytic Sarcoma	X																								
Lymph Node, Mesenteric	+ +																								
Histiocytic Sarcoma	X																								
Spleen	+ +																								
Hemangiosarcoma	X																								

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

DAY ON TEST	0 0																								
	7 7 7 7 7 7 5 7 7 6 7 7 7 5 6 7 7 7 7 7 5 7 3 7 7																								
ANIMAL ID	3 3 3 3 2 2 3 3 2 3 2 2 2 5 9 3 2 2 2 2 7 2 9 3 3																								
	0 0 0 0 9 9 9 0 9 3 8 9 9 8 4 0 9 9 9 9 8 9 7 0 0																								
B6C3F1 MICE MALE 0 MG/KG	0 0																								
	0 0																								
	0 0																								
	0 0																								
	1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 males (cont...)																								

Histiocytic Sarcoma	X																								
Thymus	+ +																								
Histiocytic Sarcoma	X																								

INTEGUMENTARY SYSTEM

Mammary Gland	M M																								
Carcinoma																									
Skin	+ +																								
Site Of Application - Dermis, Hemangiosarcoma																									

MUSCULOSKELETAL SYSTEM

Bone	+ +																								
------	---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

NERVOUS SYSTEM

Brain	+ +																								
-------	---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

RESPIRATORY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

DAY ON TEST	0 0																								
	7 7 7 7 7 7 5 7 7 6 7 7 7 5 6 7 7 7 7 5 7 3 7 7																								
ANIMAL ID	3 3 3 3 2 2 3 3 2 3 2 2 2 5 9 3 2 2 2 2 7 2 9 3 3																								
	0 0 0 0 9 9 9 0 9 3 8 9 9 8 4 0 9 9 9 9 8 9 7 0 0																								
B6C3F1 MICE MALE 0 MG/KG	0 0																								
	0 0																								
	0 0																								
	0 0																								
	1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 males (cont...)																								

Lung	+ +																								
Alveolar/Bronchiolar Adenoma	X X																								
Alveolar/Bronchiolar Adenoma, Multiple	X																								
Alveolar/Bronchiolar Carcinoma	X X																								
Alveolar/Bronchiolar Carcinoma, Multiple	X																								
Carcinoma, Metastatic, Harderian Gland																									
Carcinoma, Metastatic, Thyroid Gland	X																								
Hepatocellular Carcinoma, Metastatic, Liver	X X																								
Histiocytic Sarcoma	X																								
Nose	+ +																								
Histiocytic Sarcoma	X																								
Trachea	+ +																								

SPECIAL SENSES SYSTEM

Eye	+ +																								
Carcinoma, Metastatic, Harderian Gland																									
Sarcoma	X																								
Harderian Gland	+ +																								

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

DAY ON TEST	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	7	7	7	7	7	7	5	7	7	6	7	7	7	5	6	7	7	7	7	7	5	7	3	7	7
ANIMAL ID	3	3	3	3	2	2	3	3	2	3	2	2	2	5	9	3	2	2	2	2	7	2	9	3	3
	0	0	0	0	9	9	9	0	9	3	8	9	9	8	4	0	9	9	9	9	8	9	7	0	0
B6C3F1 MICE MALE 0 MG/KG	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2
	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5

males
(cont...)

Adenoma										X															X		X	
Carcinoma																												
Histiocytic Sarcoma										X																		
Sarcoma																												

Zymbal's Gland

+

URINARY SYSTEM

Kidney	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
Carcinoma, Metastatic, Thyroid Gland																												X
Histiocytic Sarcoma										X																		
Urinary Bladder	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Histiocytic Sarcoma										X																		

SYSTEMIC LESIONS

Multiple Organ	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Histiocytic Sarcoma										X																		

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

DAY ON TEST	0 0																								* TOTALS
	7 7 5 7 7 7 7 7 7 4 7 7 7 7 7 7 7 4 5 7 7 4 5 7																								
B6C3F1 MICE MALE 0 MG/KG	3 3 4 3 2 2 2 2 2 9 2 2 3 3 2 0 3 3 6 3 3 3 9 3 2																								* TOTALS
	0 0 4 0 8 9 8 8 9 9 9 9 0 0 8 7 0 0 1 3 0 0 5 3 8																								
ANIMAL ID	0 0																								* TOTALS
	0 0																								
ANIMAL ID	2 2 2 2 3 3 3 3 3 3 3 3 3 3 4 4 4 4 4 4 4 4 4 5																								* TOTALS
	6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0																								

ALIMENTARY SYSTEM

Esophagus	+ +																								50
Gallbladder	+ +																								50
Intestine Large, Cecum	+ +																								50
Intestine Large, Colon	+ +																								50
Intestine Large, Rectum	+ +																								50
Intestine Small, Duodenum	+ +																								50
Intestine Small, Ileum	+ +																								50
Intestine Small, Jejunum	+ +																								50
Histiocytic Sarcoma																									1
Liver	+ +																								50
Carcinoma, Metastatic, Thyroid Gland																									1
Hemangiosarcoma																									1
Hepatoblastoma	X																								2
Hepatocellular Adenoma	X X X X X X X X																								13

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

DAY ON TEST	ANIMAL ID																								* TOTALS
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
7	7	5	7	7	7	7	7	7	4	7	7	7	7	7	7	7	4	5	7	7	4	5	7		
3	3	4	3	2	2	2	2	2	9	2	2	3	3	2	0	3	3	6	3	3	3	9	3		
0	0	4	0	8	9	8	8	9	9	9	9	0	0	8	7	0	0	1	3	0	0	5	3	8	
<hr/>																									
B6C3F1 MICE MALE 0 MG/KG	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	2	2	2	2	3	3	3	3	3	3	3	3	3	3	3	4	4	4	4	4	4	4	4	5	
6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9		
<hr/>																									
Hepatocellular Adenoma, Multiple	X			X					X	X		X	X	X			X						X		
Hepatocellular Carcinoma		X												X		X							X		
Hepatocellular Carcinoma, Multiple					X	X				X											X				
Histiocytic Sarcoma																									
Ito Cell Tumor Benign													X												
<hr/>																									
Mesentery	+								+											+			5		
Hemangioma	X																						1		
<hr/>																									
Pancreas	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50		
Histiocytic Sarcoma																							1		
<hr/>																									
Salivary Glands	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50		
Histiocytic Sarcoma																							1		
<hr/>																									
Stomach, Forestomach	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50		
<hr/>																									
Stomach, Glandular	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50		
<hr/>																									
Tongue																					+		1		
<hr/>																									
Tooth																						+	5		
Odontoma																							1		

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

DAY ON TEST	0 0																								* TOTALS
	7 7 5 7 7 7 7 7 7 4 7 7 7 7 7 7 4 5 7 7 4 5 7																								
ANIMAL ID	3 3 4 3 2 2 2 2 2 9 2 2 3 3 2 0 3 3 6 3 3 3 9 3 2																								* TOTALS
	0 0 4 0 8 9 8 8 9 9 9 9 0 0 8 7 0 0 1 3 0 0 5 3 8																								
B6C3F1 MICE MALE 0 MG/KG	0 0																								* TOTALS
	0 0																								
	0 0																								
	2 2 2 2 3 3 3 3 3 3 3 3 3 3 3 3 4 4 4 4 4 4 4 5																								
	6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0																								

CARDIOVASCULAR SYSTEM

Blood Vessel	+ +																								50
Heart	+ +																								50
Histiocytic Sarcoma																									1

ENDOCRINE SYSTEM

Adrenal Cortex	+ + + + + + + M + + + + + + + + + + + + + + + + + +																								49
Carcinoma, Metastatic, Thyroid Gland																									1
Bilateral, Adenoma	X																								1
Capsule, Histiocytic Sarcoma																									1
Subcapsular, Adenoma	X X X																								5
Adrenal Medulla	+ + + + + + + M + + + + + + + + + + + + + + + + + +																								49
Islets, Pancreatic	+ +																								50
Parathyroid Gland	+ + + + + + + + + + + + + M + + + + + + + M + + + +																								47
Pituitary Gland	+ +																								50
Pars Distalis, Adenoma	X																								1
Pars Intermedia, Adenoma																									1

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

	DAY ON TEST																									
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
B6C3F1 MICE MALE	7	7	5	7	7	7	7	7	7	4	7	7	7	7	7	7	7	4	5	7	7	4	5	7		
	3	3	4	3	2	2	2	2	2	9	2	2	3	3	2	0	3	3	6	3	3	3	9	3	2	
	0	0	4	0	8	9	8	8	9	9	9	9	0	0	8	7	0	0	1	3	0	0	5	3	8	
0 MG/KG	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	2	2	2	2	3	3	3	3	3	3	3	3	3	3	3	4	4	4	4	4	4	4	4	4	5	
	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	* TOTALS

Thyroid Gland	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Follicular Cell, Carcinoma																												1

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

Coagulating Gland																												1
Epididymis	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Histiocytic Sarcoma																												1
Preputial Gland	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Prostate	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Hemangioma																												1
Histiocytic Sarcoma																												1
Seminal Vesicle	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Histiocytic Sarcoma																												1
Testes	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

DAY ON TEST	0 0																							
	7 7 5 7 7 7 7 7 7 4 7 7 7 7 7 7 4 5 7 7 4 5 7																							
ANIMAL ID	3 3 4 3 2 2 2 2 2 9 2 2 3 3 2 0 3 3 6 3 3 3 9 3 2																							
	0 0 4 0 8 9 8 8 9 9 9 9 0 0 8 7 0 0 1 3 0 0 5 3 8																							
B6C3F1 MICE MALE 0 MG/KG	0 0																							
	0 0																							
	0 0																							
	2 2 2 2 3 3 3 3 3 3 3 3 3 3 3 3 4 4 4 4 4 4 4 4																							
	6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0																							
																							* TOTALS	

Histiocytic Sarcoma																									1
Interstitial Cell, Adenoma																									2

HEMATOPOIETIC SYSTEM

Bone Marrow	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Carcinoma, Metastatic, Thyroid Gland																									1
Hemangiosarcoma																									1
Lymph Node																									2
Histiocytic Sarcoma																									1
Lumbar, Histiocytic Sarcoma																									1
Mediastinal, Carcinoma, Metastatic, Thyroid Gland																									1
Renal, Histiocytic Sarcoma																									1
Lymph Node, Mandibular	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Histiocytic Sarcoma																									1
Lymph Node, Mesenteric	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Histiocytic Sarcoma																									1
Spleen	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Hemangiosarcoma																									3

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

DAY ON TEST	ANIMAL ID																								* TOTALS
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
7	7	5	7	7	7	7	7	7	4	7	7	7	7	7	7	7	4	5	7	7	4	5	7		
3	3	4	3	2	2	2	2	2	9	2	2	3	3	2	0	3	3	6	3	3	3	9	3	2	
0	0	4	0	8	9	8	8	9	9	9	9	0	0	8	7	0	0	1	3	0	0	5	3	8	
<hr/>																									
B6C3F1 MICE MALE 0 MG/KG	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	2	2	2	3	3	3	3	3	3	3	3	3	3	3	4	4	4	4	4	4	4	4	4	5	
6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	

Histiocytic Sarcoma																									1
Thymus	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	49
Histiocytic Sarcoma																									1

INTEGUMENTARY SYSTEM

Mammary Gland	M	M	M	M	M	M	M	M	M	M	M	M	+	M	M	M	M	M	M	M	M	M	M	M	1
Carcinoma																									1
Skin	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Site Of Application - Dermis, Hemangiosarcoma																									1

MUSCULOSKELETAL SYSTEM

Bone	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
------	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	----

NERVOUS SYSTEM

Brain	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
-------	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	----

RESPIRATORY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

	DAY ON TEST																									* TOTALS
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
B6C3F1 MICE MALE 0 MG/KG	7	7	5	7	7	7	7	7	7	4	7	7	7	7	7	7	7	4	5	7	7	4	5	7		
	3	3	4	3	2	2	2	2	2	9	2	2	3	3	2	0	3	3	6	3	3	3	9	3	2	
	0	0	4	0	8	9	8	8	9	9	9	9	0	0	8	7	0	0	1	3	0	0	5	3	8	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	2	2	2	2	3	3	3	3	3	3	3	3	3	3	3	4	4	4	4	4	4	4	4	4	5	
	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	

Lung	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Alveolar/Bronchiolar Adenoma												X	X			X										5
Alveolar/Bronchiolar Adenoma, Multiple																										1
Alveolar/Bronchiolar Carcinoma									X									X								4
Alveolar/Bronchiolar Carcinoma, Multiple																										1
Carcinoma, Metastatic, Harderian Gland																			X							1
Carcinoma, Metastatic, Thyroid Gland																										1
Hepatocellular Carcinoma, Metastatic, Liver							X																			3
Histiocytic Sarcoma																										1
Nose	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Histiocytic Sarcoma																										1
Trachea	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50

SPECIAL SENSES SYSTEM

Eye	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Carcinoma, Metastatic, Harderian Gland																			X							1
Sarcoma																										1
Harderian Gland	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
Test Type: CHRONIC
Route: SKIN APPLICATION
Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
CAS Number: 111-91-1

Date Report Requested: 04/07/2008
Time Report Requested: 11:52:50
First Dose M/F: 10/03/02 / 10/02/02
Lab: BAT

DAY ON TEST		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
DAY ON TEST		7	7	5	7	7	7	7	7	7	7	7	7	7	7	7	4	5	7	7	4	5	7			
		3	3	4	3	2	2	2	2	9	2	2	3	3	2	0	3	3	6	3	3	9	3	2		
		0	0	4	0	8	9	8	8	9	9	9	0	0	8	7	0	0	1	3	0	0	5	3	8	
B6C3F1 MICE MALE																										
ANIMAL ID		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
ANIMAL ID		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
0 MG/KG		2	2	2	2	3	3	3	3	3	3	3	3	3	3	4	4	4	4	4	4	4	4	5		
		6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0
		* TOTALS																								
Adenoma		X					X				X						X	X	X				10			
Carcinoma																		X					2			
Histiocytic Sarcoma																							1			
Sarcoma																							1			
Zymbal's Gland																							1			
URINARY SYSTEM																										
Kidney		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50			
Carcinoma, Metastatic, Thyroid Gland																							1			
Histiocytic Sarcoma																							1			
Urinary Bladder		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50			
Histiocytic Sarcoma																							1			
SYSTEMIC LESIONS																										
Multiple Organ		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50			
Histiocytic Sarcoma																							1			

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

DAY ON TEST	0 0																								
	7 7 5 5 7 7 6 7 7 5 7 7 7 7 7 7 7 4 6 6 7 7 7 7																								
ANIMAL ID	2 2 3 2 3 3 3 3 2 8 2 2 2 2 2 3 2 2 9 1 5 0 3 2 3																								
	9 9 3 1 0 0 1 0 9 9 8 9 9 8 8 0 9 9 5 1 6 1 0 9 0																								
B6C3F1 MICE MALE 150 MG/KG	0 0																								
	0 0																								
	0 0																								
	5 5 5 5 5 5 5 5 6 6 6 6 6 6 6 6 6 6 6 6 7 7 7 7 7																								
	1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5																								

males
(cont...)

ALIMENTARY SYSTEM

Esophagus	+ +																								
Gallbladder	+ + + + + + + + + + + + + + + + M + + + + + + + + +																								
Intestine Large, Cecum	+ +																								
Carcinoma																									
Lymphoma Malignant	X																								
Intestine Large, Colon	+ +																								
Lymphoma Malignant	X																								
Intestine Large, Rectum	+ +																								
Intestine Small, Duodenum	+ +																								
Intestine Small, Ileum	+ +																								
Lymphoma Malignant	X																								
Intestine Small, Jejunum	+ +																								
Carcinoma	X																								
Lymphoma Malignant	X																								
Peyer's Patch, Lymphoma Malignant	X																								

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

DAY ON TEST	0 0																									males (cont...)				
	7 7 5 5 7 7 6 7 7 5 7 7 7 7 7 7 7 7 4 6 6 7 7 7 7																													
ANIMAL ID	2 2 3 2 3 3 3 3 2 8 2 2 2 2 2 3 2 2 9 1 5 0 3 2 3																									males (cont...)				
	9 9 3 1 0 0 1 0 9 9 8 9 9 8 8 0 9 9 5 1 6 1 0 9 0																													
B6C3F1 MICE MALE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
150 MG/KG	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	5	5	5	5	5	5	5	5	5	6	6	6	6	6	6	6	6	6	6	6	6	7	7	7	7	7				
	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5					

Liver	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Hemangiosarcoma	X																								
Hepatoblastoma																X									
Hepatoblastoma, Multiple	X																								
Hepatocellular Adenoma							X										X					X			X
Hepatocellular Adenoma, Multiple	X	X			X			X	X	X		X	X	X	X	X			X			X			
Hepatocellular Carcinoma				X								X	X						X	X	X				
Hepatocellular Carcinoma, Multiple																									
Hepatocholangiocarcinoma																									
Lymphoma Malignant																						X			
Mesentery										+						+						+			+
Fat, Lymphoma Malignant																						X			
Pancreas	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Carcinoma																									
Lymphoma Malignant																							X		
Salivary Glands	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Stomach, Forestomach	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Hemangioma								X																	
Squamous Cell Papilloma																									

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

DAY ON TEST	ANIMAL ID																									males (cont...)
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
7	7	5	5	7	7	6	7	7	5	7	7	7	7	7	7	7	7	4	6	6	7	7	7	7	0	
2	2	3	2	3	3	3	3	2	8	2	2	2	2	2	3	2	2	9	1	5	0	3	2	3	0	
9	9	3	1	0	0	1	0	9	9	8	9	9	8	8	0	9	9	5	1	6	1	0	9	0	0	

Stomach, Glandular	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Tooth																								

CARDIOVASCULAR SYSTEM

Blood Vessel	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Heart	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+

ENDOCRINE SYSTEM

Adrenal Cortex	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Lymphoma Malignant																								
Adrenal Medulla	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Islets, Pancreatic	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Parathyroid Gland	+	+	+	M	+	+	+	+	+	+	+	+	+	+	M	M	M	M	+	+	+	M	+	+
Pituitary Gland	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Pars Intermedia, Adenoma																								

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

DAY ON TEST	0 0																								
	7 7 5 5 7 7 6 7 7 5 7 7 7 7 7 7 7 4 6 6 7 7 7 7																								
ANIMAL ID	2 2 3 2 3 3 3 3 2 8 2 2 2 2 2 3 2 2 9 1 5 0 3 2 3																								
	9 9 3 1 0 0 1 0 9 9 8 9 9 8 8 0 9 9 5 1 6 1 0 9 0																								
B6C3F1 MICE MALE 150 MG/KG	0 0																								
	0 0																								
	0 0																								
	5 5 5 5 5 5 5 5 5 5 6 6 6 6 6 6 6 6 6 6 7 7 7 7 7																								
	1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5																								

males
(cont...)

Thyroid Gland +
 Follicular Cell, Adenoma

GENERAL BODY SYSTEM
 NONE

GENITAL SYSTEM

Coagulating Gland

Epididymis +
 Lymphoma Malignant X

Preputial Gland +

Prostate +

Seminal Vesicle +
 Lymphoma Malignant X

Testes +
 Interstitial Cell, Adenoma

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

DAY ON TEST	0 0																								
	7 7 5 5 7 7 6 7 7 5 7 7 7 7 7 7 7 4 6 6 7 7 7 7																								
ANIMAL ID	2 2 3 2 3 3 3 3 2 8 2 2 2 2 2 3 2 2 9 1 5 0 3 2 3																								
	9 9 3 1 0 0 1 0 9 9 8 9 9 8 8 0 9 9 5 1 6 1 0 9 0																								
B6C3F1 MICE MALE 150 MG/KG	0 0																								
	0 0																								
	0 0																								
	5 5 5 5 5 5 5 5 5 5 6 6 6 6 6 6 6 6 6 6 6 6 7 7 7																								
	1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5																								

males
(cont...)

HEMATOPOIETIC SYSTEM

Bone Marrow	+ +																								
Hemangiosarcoma	X																								
Lymph Node																									
Lumbar, Lymphoma Malignant																									
Mediastinal, Lymphoma Malignant																									
Pancreatic, Lymphoma Malignant																									
Renal, Lymphoma Malignant																									
Lymph Node, Mandibular	+ +																								
Lymph Node, Mesenteric	+ +																								
Lymphoma Malignant	X																								
Spleen	+ +																								
Hemangiosarcoma	X																								
Lymphoma Malignant	X																								
Thymus	+ + M +																								
Lymphoma Malignant	X																								

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

DAY ON TEST	0 0																								
	7 7 5 5 7 7 6 7 7 5 7 7 7 7 7 7 7 4 6 6 7 7 7 7 7																								
ANIMAL ID	2 2 3 2 3 3 3 3 2 8 2 2 2 2 2 3 2 2 9 1 5 0 3 2 3																								
	9 9 3 1 0 0 1 0 9 9 8 9 9 8 8 0 9 9 5 1 6 1 0 9 0																								
B6C3F1 MICE MALE 150 MG/KG	0 0																								
	0 0																								
	0 0																								
	5 5 5 5 5 5 5 5 5 6 6 6 6 6 6 6 6 6 6 6 7 7 7 7 7																								
	1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5																								

males
(cont...)

INTEGUMENTARY SYSTEM

Mammary Gland	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M
Skin	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Keratoacanthoma																									
Site Of Application - Dermis, Hemangiosarcoma																									
Subcutaneous Tissue, Lymphoma Malignant																									X

MUSCULOSKELETAL SYSTEM

Bone	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
------	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

NERVOUS SYSTEM

Brain	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
-------	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

RESPIRATORY SYSTEM

Lung	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Alveolar/Bronchiolar Adenoma		X			X																				X

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

DAY ON TEST		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B6C3F1 MICE MALE 150 MG/KG	7	7	5	5	7	7	6	7	7	5	7	7	7	7	7	7	7	4	6	6	7	7	7	7	7	
	2	2	3	2	3	3	3	3	2	8	2	2	2	2	2	3	2	2	9	1	5	0	3	2	3	
	9	9	3	1	0	0	1	0	9	9	8	9	9	8	8	0	9	9	5	1	6	1	0	9	0	
ANIMAL ID		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		5	5	5	5	5	5	5	5	6	6	6	6	6	6	6	6	6	6	7	7	7	7	7		
		1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5

males (cont...)

Alveolar/Bronchiolar Adenoma, Multiple
 Alveolar/Bronchiolar Carcinoma
 Hepatocellular Carcinoma, Metastatic, Liver
 Mediastinum, Hemangioma

Nose
 Carcinoma, Metastatic, Harderian Gland

Trachea

SPECIAL SENSES SYSTEM

Eye
 Harderian Gland
 Adenoma
 Carcinoma

URINARY SYSTEM

Kidney
 Alveolar/Bronchiolar Carcinoma, Metastatic, Lung

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
Test Type: CHRONIC
Route: SKIN APPLICATION
Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

bis(2-Chloroethoxy)methane

CAS Number: 111-91-1

Date Report Requested: 04/07/2008

Time Report Requested: 11:52:50

First Dose M/F: 10/03/02 / 10/02/02

Lab: BAT

DAY ON TEST	0 0																								
	7 7 5 5 7 7 6 7 7 5 7 7 7 7 7 7 7 7 4 6 6 7 7 7 7																								
2 2 3 2 3 3 3 3 2 8 2 2 2 2 2 3 2 2 9 1 5 0 3 2 3																									
9 9 3 1 0 0 1 0 9 9 8 9 9 8 8 0 9 9 5 1 6 1 0 9 0																									
B6C3F1 MICE MALE																									
ANIMAL ID	0 0																								
	0 0																								
150 MG/KG																									
5 5 5 5 5 5 5 5 5 5 6 6 6 6 6 6 6 6 6 6 6 7 7 7 7																									
1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 males (cont...)																									

Urinary Bladder +

SYSTEMIC LESIONS

Multiple Organ +
Lymphoma Malignant X

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
x .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

bis(2-Chloroethoxy)methane

CAS Number: 111-91-1

Date Report Requested: 04/07/2008

Time Report Requested: 11:52:50

First Dose M/F: 10/03/02 / 10/02/02

Lab: BAT

DAY ON TEST	ANIMAL ID																								* TOTALS
	00730	00731	00732	00733	00734	00735	00736	00737	00738	00739	00740	00741	00742	00743	00744	00745	00746	00747	00748	00749	00750	00751	00752		
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	1	
	3	3	2	1	2	3	3	2	3	2	3	2	2	3	2	2	3	2	3	2	3	3	3	6	
	0	0	7	2	9	0	0	9	0	9	0	8	9	0	8	9	0	8	0	8	0	0	0	8	
B6C3F1 MICE MALE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
150 MG/KG	7	7	7	7	8	8	8	8	8	8	8	8	8	8	9	9	9	9	9	9	9	9	9	0	
	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	* TOTALS

ALIMENTARY SYSTEM

Esophagus	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Gallbladder	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	49
Intestine Large, Cecum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Carcinoma																									1
Lymphoma Malignant																									1
Intestine Large, Colon	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Lymphoma Malignant																									1
Intestine Large, Rectum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Intestine Small, Duodenum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Intestine Small, Ileum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Lymphoma Malignant																									1
Intestine Small, Jejunum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Carcinoma																									2
Lymphoma Malignant																									1
Peyer's Patch, Lymphoma Malignant																									1

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

	DAY ON TEST	0																								* TOTALS
		7 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0																								
B6C3F1 MICE MALE 150 MG/KG	ANIMAL ID	0 0																								
		7 7																								
		3 3 2 1 2 3 3 2 3 2 3 2 2 3 2 2 3 2 3 2 3 3 3 3																								
		0 0 7 2 9 0 0 9 0 9 0 8 9 0 8 9 0 8 0 8 0 0 0 0																								

Liver	+ +																								50	
Hemangiosarcoma																									X	2
Hepatoblastoma																									X	2
Hepatoblastoma, Multiple																										1
Hepatocellular Adenoma																									X X X X X X X X X X X X	14
Hepatocellular Adenoma, Multiple	X X																							X X X X X X X X X X X X	26	
Hepatocellular Carcinoma																									X X X X X X X X	14
Hepatocellular Carcinoma, Multiple																									X	1
Hepatocholangiocarcinoma																									X	1
Lymphoma Malignant																										1
Mesentery																									+ +	8
Fat, Lymphoma Malignant																										1
Pancreas	+ +																								50	
Carcinoma																									X	1
Lymphoma Malignant																										1
Salivary Glands	+ +																								50	
Stomach, Forestomach	+ +																								50	
Hemangioma																										1
Squamous Cell Papilloma																									X	1

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

DAY ON TEST	0 0																								* TOTALS	
	7 7																									
ANIMAL ID	3 3 2 1 2 3 3 2 3 2 3 2 2 3 2 2 3 2 3 2 3 3 3 3																								* TOTALS	
	0 0 7 2 9 0 0 9 0 9 0 8 9 0 8 9 0 8 0 8 0 0 0 8																									
B6C3F1 MICE MALE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	* TOTALS
150 MG/KG	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7	7	7	7	8	8	8	8	8	8	8	8	8	8	9	9	9	9	9	9	9	9	9	9	9	
	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	

Stomach, Glandular	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Tooth																										5

CARDIOVASCULAR SYSTEM

Blood Vessel	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Heart	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50

ENDOCRINE SYSTEM

Adrenal Cortex	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Lymphoma Malignant																										1
Adrenal Medulla	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Islets, Pancreatic	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Parathyroid Gland	M	+	M	+	M	+	M	+	+	+	M	+	+	+	+	M	M	+	+	M	M	+	M	+	M	33
Pituitary Gland	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	49
Pars Intermedia, Adenoma																										1

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

	DAY ON TEST																									
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
B6C3F1 MICE MALE	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	1
150 MG/KG	3	3	2	1	2	3	3	2	3	2	3	2	2	3	2	2	3	2	3	2	3	3	3	3	6	
	0	0	7	2	9	0	0	9	0	9	0	8	9	0	8	9	0	8	0	8	0	0	0	8	8	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
ANIMAL ID	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7	7	7	7	8	8	8	8	8	8	8	8	8	8	8	9	9	9	9	9	9	9	9	9	0	
	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	
	* TOTALS																									

Thyroid Gland	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Follicular Cell, Adenoma											X															1

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

Coagulating Gland																										+	1	
Epididymis	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Lymphoma Malignant																												1
Preputial Gland	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Prostate	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Seminal Vesicle	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Lymphoma Malignant																												1
Testes	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Interstitial Cell, Adenoma																											X	1

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
Test Type: CHRONIC
Route: SKIN APPLICATION
Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
bis(2-Chloroethoxy)methane
CAS Number: 111-91-1

Date Report Requested: 04/07/2008
Time Report Requested: 11:52:50
First Dose M/F: 10/03/02 / 10/02/02
Lab: BAT

DAY ON TEST	0																							
	ANIMAL ID	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7
	3	3	2	1	2	3	3	2	3	2	3	2	2	3	2	2	3	2	3	2	3	3	3	3
	0	0	7	2	9	0	0	9	0	9	0	8	9	0	8	9	0	8	0	8	0	0	0	8
* TOTALS																								

HEMATOPOIETIC SYSTEM

Bone Marrow	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Hemangiosarcoma		X						X										X						4
Lymph Node												+												1
Lumbar, Lymphoma Malignant												X												1
Mediastinal, Lymphoma Malignant												X												1
Pancreatic, Lymphoma Malignant												X												1
Renal, Lymphoma Malignant												X												1
Lymph Node, Mandibular	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Lymph Node, Mesenteric	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Lymphoma Malignant																								1
Spleen	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Hemangiosarcoma																								1
Lymphoma Malignant												X												2
Thymus	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	49
Lymphoma Malignant																								1

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
x .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

TDMS No. 99028 - 06
Test Type: CHRONIC
Route: SKIN APPLICATION
Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
bis(2-Chloroethoxy)methane
CAS Number: 111-91-1

Date Report Requested: 04/07/2008
Time Report Requested: 11:52:50
First Dose M/F: 10/03/02 / 10/02/02
Lab: BAT

	DAY ON TEST	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	1	
		3	3	2	1	2	3	3	2	3	2	3	2	2	3	2	2	3	2	3	2	3	3	3	3	6	
		0	0	7	2	9	0	0	9	0	9	0	8	9	0	8	9	0	8	0	8	0	0	0	8		
B6C3F1 MICE MALE 150 MG/KG	ANIMAL ID	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1		
		7	7	7	7	8	8	8	8	8	8	8	8	8	9	9	9	9	9	9	9	9	9	9	0		
		6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	* TOTALS

INTEGUMENTARY SYSTEM

Mammary Gland	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	0	
Skin	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50	
Keratoacanthoma																																									1
Site Of Application - Dermis, Hemangiosarcoma			X																																					1	
Subcutaneous Tissue, Lymphoma Malignant																																								1	

MUSCULOSKELETAL SYSTEM

Bone	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
------	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	----

NERVOUS SYSTEM

Brain	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
-------	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	----

RESPIRATORY SYSTEM

Lung	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50	
Alveolar/Bronchiolar Adenoma										X	X	X	X	X					X	X																				10

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
x .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

DAY ON TEST	0 0																								* TOTALS
	7 1																								
B6C3F1 MICE MALE 150 MG/KG	3 3 2 1 2 3 3 2 3 2 3 2 2 3 2 2 3 2 3 2 3 3 3 3 6																								
	0 0 7 2 9 0 0 9 0 9 0 8 9 0 8 9 0 8 0 8 0 0 0 0 8																								
ANIMAL ID	0 0																								
	0 0																								
150 MG/KG	7 7 7 7 8 8 8 8 8 8 8 8 8 8 9 9 9 9 9 9 9 9 9 9 0																								
	6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0																								

Alveolar/Bronchiolar Adenoma, Multiple	X								X																4
Alveolar/Bronchiolar Carcinoma			X															X					X		4
Hepatocellular Carcinoma, Metastatic, Liver										X	X	X			X										6
Mediastinum, Hemangioma														X											1
Nose	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Carcinoma, Metastatic, Harderian Gland																									1
Trachea	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50

SPECIAL SENSES SYSTEM

Eye	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Harderian Gland	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Adenoma	X		X		X		X	X							X			X							10
Carcinoma																									1

URINARY SYSTEM

Kidney	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Alveolar/Bronchiolar Carcinoma, Metastatic, Lung				X																					1

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
B6C3F1 MICE MALE 150 MG/KG	DAY ON TEST	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	1	
		3	3	2	1	2	3	3	2	3	2	3	2	2	3	2	2	3	2	3	2	3	3	3	6
		0	0	7	2	9	0	0	9	0	9	0	8	9	0	8	9	0	8	0	8	0	0	0	8
	ANIMAL ID	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
	7	7	7	7	8	8	8	8	8	8	8	8	8	8	9	9	9	9	9	9	9	9	9	0	
	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0
* TOTALS																									

Urinary Bladder

+ +

50

SYSTEMIC LESIONS

Multiple Organ

+ +

50

Lymphoma Malignant

X X

3

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | | males
(cont...) | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------------|---|--------------------|
| | 7 | 7 | 7 | 7 | 7 | 4 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | | | |
| ANIMAL ID | 3 2 3 2 2 5 3 3 2 2 2 2 2 3 2 3 3 2 2 4 2 3 2 2 3 | | | | | | | | | | | | | | | | | | | | | | | | | males
(cont...) | | |
| | 0 | 8 | 0 | 8 | 9 | 1 | 0 | 0 | 9 | 8 | 9 | 9 | 9 | 9 | 0 | 9 | 0 | 0 | 0 | 9 | 9 | 8 | 9 | 0 | 2 | | 8 | 0 |
| B6C3F1 MICE MALE
300 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | males
(cont...) |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | | | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hemangiosarcoma | | X | | | | | | | | | | | | | | | | | | | | | | | X | X | |
| Hepatoblastoma | | | | | | | | | | | | | | | | | | | | | | | | X | | | |
| Hepatocellular Adenoma | | | X | | | | | | | | | X | | | | | | | | | | | X | | | | |
| Hepatocellular Adenoma, Multiple | X | | X | | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | | | | | | X | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
|-------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 7 | 7 | 7 | 7 | 7 | 4 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | |
| B6C3F1 MICE MALE
300 MG/KG | ANIMAL ID | 3 | 2 | 3 | 2 | 2 | 5 | 3 | 3 | 2 | 2 | 2 | 2 | 2 | 3 | 2 | 3 | 3 | 2 | 2 | 4 | 2 | 3 | 2 | 3 | |
| | | 0 | 8 | 0 | 8 | 9 | 1 | 0 | 0 | 9 | 8 | 9 | 9 | 9 | 0 | 9 | 0 | 0 | 0 | 9 | 9 | 8 | 9 | 0 | 2 | 8 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |

males
(cont...)

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|--|--|--|---|---|--|---|--|--|--|--|--|--|---|--|--|---|--|--|--|--|---|
| Hepatocellular Carcinoma | X | X | X | | | | X | | | | | | | | | | | | | | | | | | |
| Hepatocellular Carcinoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Osteosarcoma, Metastatic, Uncertain Primary Site | | | | | | | X | | | | | | | | | | | | | | | | | | |
| Mesentery | | | | | | | + | + | | + | | | | | | | + | | | + | | | | | |
| Osteosarcoma, Metastatic, Uncertain Primary Site | | | | | | | X | | | | | | | | | | | | | | | | | | |
| Pancreas | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Salivary Glands | | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Forestomach | | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Glandular | | | | | | | | | | | | | | | | | | | | | | | | | |
| Tooth | | | | | | | | | | | | | | | | | | | | | | | | | |
| Odontoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | |

CARDIOVASCULAR SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 7 7 7 4 7 7 7 7 7 7 7 7 7 7 7 7 6 7 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 3 2 3 2 2 5 3 3 2 2 2 2 2 3 2 3 3 2 2 4 2 3 2 2 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 8 0 8 9 1 0 0 9 8 9 9 9 0 9 0 0 0 9 9 8 9 0 2 8 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
300 MG/KG | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 0 0 0 0 0 0 0 0 0 1 1 1 1 1 1 1 1 1 1 2 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 males (cont...) | | | | | | | | | | | | | | | | | | | | | | | | |

Blood Vessel

+ +

Heart

+ +

Hemangiosarcoma

X

Hepatocellular Carcinoma, Metastatic, Liver

Lymphoma Malignant

Artery, Lymphoma Malignant

ENDOCRINE SYSTEM

Adrenal Cortex

+ +

Lymphoma Malignant

Subcapsular, Adenoma

X

X

X

Adrenal Medulla

+ +

Islets, Pancreatic

+ +

Parathyroid Gland

M + + + + M M + + + + + + + + + + + + + + + M +

Pituitary Gland

+ + + + + + + + + + + + M + + + + + + + + + + + + +

Lymphoma Malignant

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 7 7 7 4 7 7 7 7 7 7 7 7 7 7 7 7 6 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 3 2 3 2 2 5 3 3 2 2 2 2 2 3 2 3 3 2 2 4 2 3 2 2 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 8 0 8 9 1 0 0 9 8 9 9 9 0 9 0 0 9 9 8 9 0 2 8 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
300 MG/KG | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 males (cont...) | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Follicular Cell, Adenoma | | | | X | | | | | | | | | | | | | | | | | | | | | X |

GENERAL BODY SYSTEM
 NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Epididymis | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Osteosarcoma, Metastatic, Uncertain Primary Site | | | | | | | X | | | | | | | | | | | | | | | | | | |
| Preputial Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Prostate | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Seminal Vesicle | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Testes | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Interstitial Cell, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 7 7 7 4 7 7 7 7 7 7 7 7 7 7 7 7 6 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 3 2 3 2 2 5 3 3 2 2 2 2 2 3 2 3 3 2 2 4 2 3 2 2 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 8 0 8 9 1 0 0 9 8 9 9 9 0 9 0 0 0 9 9 8 9 0 2 8 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
300 MG/KG | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 0 0 0 0 0 0 0 0 0 1 1 1 1 1 1 1 1 1 1 2 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 males (cont...) | | | | | | | | | | | | | | | | | | | | | | | | |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Bone Marrow | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lumbar, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mediastinal, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mediastinal, Osteosarcoma, Metastatic, Uncertain Primary Site | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Renal, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mandibular | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mesenteric | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemangiosarcoma | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Spleen | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemangiosarcoma | X X | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Thymus | + M + | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | 7 | 7 | 7 | 7 | 7 | 4 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | | |
| | | 3 | 2 | 3 | 2 | 2 | 5 | 3 | 3 | 2 | 2 | 2 | 2 | 2 | 3 | 2 | 3 | 3 | 2 | 2 | 4 | 2 | 3 | 2 | 2 | 3 | |
| | | 0 | 8 | 0 | 8 | 9 | 1 | 0 | 0 | 9 | 8 | 9 | 9 | 9 | 0 | 9 | 0 | 0 | 9 | 9 | 8 | 9 | 0 | 2 | 8 | 0 | |
| B6C3F1 MICE MALE
300 MG/KG | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 |

males
(cont...)

Lymphoma Malignant

INTEGUMENTARY SYSTEM

Mammary Gland

M M

Skin

+ +

Site Of Application - Dermis,
Hemangiosarcoma

MUSCULOSKELETAL SYSTEM

Bone

+ +

NERVOUS SYSTEM

Brain

+ +

RESPIRATORY SYSTEM

Lung

+ +

Alveolar/Bronchiolar Adenoma

X X

X

Alveolar/Bronchiolar Adenoma, Multiple

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 7 7 7 4 7 7 7 7 7 7 7 7 7 7 7 7 6 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 3 2 3 2 2 5 3 3 2 2 2 2 2 3 2 3 3 2 2 4 2 3 2 2 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 8 0 8 9 1 0 0 9 8 9 9 9 0 9 0 0 0 9 9 8 9 0 2 8 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
300 MG/KG | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | | |

males
(cont...)

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|--|--|--|--|--|--|--|--|--|---|--|--|--|--|--|--|--|--|--|--|---|--|--|--|--|
| Alveolar/Bronchiolar Carcinoma | | | | | | | | | | | X | | | | | | | | | | | X | | | | |
| Hemangiosarcoma, Metastatic, Skin | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | | | | | X | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Osteosarcoma, Metastatic, Uncertain Primary Site | | | | | | | | | | | X | | | | | | | | | | | | | | | |
| Nose | + | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Trachea | + | | | | | | | | | | | | | | | | | | | | | | | | | |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|--|--|--|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|
| Eye | + | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Harderian Gland | + | | | | | | | | | | | | | | | | | | | | | | | | | |
| Adenoma | X | | | | | X | | | | | | | | | | | | | | | | | | | | X |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | |

URINARY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| | DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | males
(cont...) |
|---|-------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------------|
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| B6C3F1 MICE MALE
300 MG/KG | 7 | 7 | 7 | 7 | 7 | 4 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 0 | |
| | 3 | 2 | 3 | 2 | 2 | 5 | 3 | 3 | 2 | 2 | 2 | 2 | 2 | 3 | 2 | 3 | 3 | 2 | 2 | 4 | 2 | 3 | 2 | 2 | 3 | 0 | |
| | 0 | 8 | 0 | 8 | 9 | 1 | 0 | 0 | 9 | 8 | 9 | 9 | 9 | 9 | 0 | 9 | 0 | 0 | 9 | 9 | 8 | 9 | 0 | 2 | 8 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | |

SYSTEMIC LESIONS

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|-------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----------|
| | 7 7 6 7 7 7 7 6 7 7 7 7 7 1 7 7 5 7 5 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
300 MG/KG | 2 2 6 2 2 3 2 3 3 2 2 2 2 2 2 2 3 2 0 3 2 2 3 3 2 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| | 9 9 1 8 9 0 9 8 0 8 9 9 9 7 8 9 3 9 1 0 9 9 0 0 8 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 4 4 4 4 4 4 4 5 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| | 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | | | | | | | | | | | | | | | | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|
| Esophagus | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Gallbladder | + | | | | | | | | | | | | | | | | | | | | | | | | 49 |
| Intestine Large, Cecum | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Intestine Large, Colon | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Intestine Large, Rectum | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Intestine Small, Duodenum | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Intestine Small, Ileum | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Intestine Small, Jejunum | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Liver | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 4 |
| Hepatoblastoma | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Hepatocellular Adenoma | X X X X | | | | | | | | | | | | | | | | | | | | | | | | 12 |
| Hepatocellular Adenoma, Multiple | X X X X X X X X | | | | | | | | | | | | | | | | | | | | | | | | 25 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

bis(2-Chloroethoxy)methane

CAS Number: 111-91-1

Date Report Requested: 04/07/2008

Time Report Requested: 11:52:50

First Dose M/F: 10/03/02 / 10/02/02

Lab: BAT

| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|
| DAY ON TEST | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 1 | 7 | 7 | 5 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | 2 | 2 | 6 | 2 | 2 | 3 | 2 | 3 | 3 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 2 | 0 | 3 | 2 | 2 | 3 | 3 | 2 | |
| | 9 | 9 | 1 | 8 | 9 | 0 | 9 | 8 | 0 | 8 | 9 | 9 | 9 | 7 | 8 | 9 | 3 | 9 | 1 | 0 | 9 | 9 | 0 | 0 | 8 | |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 300 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| ANIMAL ID | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | * TOTALS |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Hepatocellular Carcinoma | | | | | X | | | | | | | | | | | | X | | | X | | | | X | | | 8 |
| Hepatocellular Carcinoma, Multiple | | | | | | | | | X | | | | | | | | | | X | | | | | | | | 2 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | | | | | | | X | | | | | X | | | | | | | | 2 |
| Osteosarcoma, Metastatic, Uncertain
Primary Site | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Mesentery | + | + | | | | + | | | | | | | + | | | | | | | | | | | | + | | 11 |
| Osteosarcoma, Metastatic, Uncertain
Primary Site | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | X | | | | | | | | | | | | | 1 |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Tooth | | | | | | | | | | | | | | | | | | | | | | | | | | | 4 |
| Odontoma | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |

CARDIOVASCULAR SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|----------|
| | 7 7 6 7 7 7 7 6 7 7 7 7 7 1 7 7 5 7 5 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 2 6 2 2 3 2 3 3 2 2 2 2 2 2 2 3 2 0 3 2 2 3 3 2 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
| | 9 9 1 8 9 0 9 8 0 8 9 9 9 7 8 9 3 9 1 0 9 9 0 0 8 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | * TOTALS |
| 300 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | | | X | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Artery, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Subcapsular, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | | 3 |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Parathyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | 45 |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|-------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----------|
| | 7 7 6 7 7 7 7 6 7 7 7 7 7 1 7 7 5 7 5 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
300 MG/KG | 2 2 6 2 2 3 2 3 3 2 2 2 2 2 2 2 3 2 0 3 2 2 3 3 2 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| | 9 9 1 8 9 0 9 8 0 8 9 9 9 7 8 9 3 9 1 0 9 9 0 0 8 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| 300 MG/KG | 2 2 2 2 3 3 3 3 3 3 3 3 3 3 4 4 4 4 4 4 4 4 4 4 5 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| | 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Follicular Cell, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | 3 |

GENERAL BODY SYSTEM
 NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Epididymis | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Osteosarcoma, Metastatic, Uncertain Primary Site | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Preputial Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Prostate | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Seminal Vesicle | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Testes | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Interstitial Cell, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| | | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | | | | | | | | |
|-------------------------|------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------|------|------|------|------|------|---|---|---|
| | | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | | 0729 | 0729 | 0729 | 0729 | 0729 | | | |
| B6C3F1 MICE MALE | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 300 MG/KG | ANIMAL ID | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | 5 |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | | | | | | | | |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|----|----|---|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | | |
| Hemangiosarcoma | | | | | | | | | | | | | | X | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Lymph Node | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 | | |
| Lumbar, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Mediastinal, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Mediastinal, Osteosarcoma, Metastatic,
Uncertain Primary Site | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Renal, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 3 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Thymus | + | + | + | M | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 47 | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|---|
| | 7 7 6 7 7 7 7 6 7 7 7 7 7 1 7 7 5 7 5 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 2 6 2 2 3 2 3 3 2 2 2 2 2 2 2 3 2 0 3 2 2 3 3 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 9 1 8 9 0 9 8 0 8 9 9 9 7 8 9 3 9 1 0 9 9 0 0 8 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 300 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |

Lymphoma Malignant

X

1

INTEGUMENTARY SYSTEM

Mammary Gland

M M

0

Skin

+ +

50

Site Of Application - Dermis,
Hemangiosarcoma

X

1

MUSCULOSKELETAL SYSTEM

Bone

+ +

50

NERVOUS SYSTEM

Brain

+ +

50

RESPIRATORY SYSTEM

Lung

+ +

50

Alveolar/Bronchiolar Adenoma

X

X

X

X

7

Alveolar/Bronchiolar Adenoma, Multiple

X

1

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|---|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 7 | 7 | 6 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 1 | 7 | 7 | 5 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | 0 |
| 2 | 2 | 6 | 2 | 2 | 3 | 2 | 3 | 3 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 2 | 0 | 3 | 2 | 2 | 3 | 3 | 2 | 0 |
| 9 | 9 | 1 | 8 | 9 | 0 | 9 | 8 | 0 | 8 | 9 | 9 | 9 | 7 | 8 | 9 | 3 | 9 | 1 | 0 | 9 | 9 | 0 | 0 | 8 | 0 |
| <hr/> | | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
300 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|----|
| Alveolar/Bronchiolar Carcinoma | X | | | | | | | | | | | | | | | | | | | | | | | X | 4 |
| Hemangiosarcoma, Metastatic, Skin | | | | | | | | | | | | | | | | | | | | | | | | X | 1 |
| Hepatocellular Carcinoma, Metastatic, Liver | X | | | | | | | | | | | | | | | | | | | | | | | X | 3 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | X | 1 |
| Osteosarcoma, Metastatic, Uncertain Primary Site | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| <hr/> | | | | | | | | | | | | | | | | | | | | | | | | | |
| Nose | + | | | | | | | | | | | | | | | | | | | | | | | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | X | 1 |
| <hr/> | | | | | | | | | | | | | | | | | | | | | | | | | |
| Trachea | + | | | | | | | | | | | | | | | | | | | | | | | + | 50 |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|----|
| Eye | + | | | | | | | | | | | | | | | | | | | | | | | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | X | 1 |
| <hr/> | | | | | | | | | | | | | | | | | | | | | | | | | |
| Harderian Gland | + | | | | | | | | | | | | | | | | | | | | | | | + | 50 |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | | | X | 8 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | X | 1 |

URINARY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|-------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 7 | 7 | 6 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 1 | 7 | 7 | 5 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | 0 |
| 2 | 2 | 6 | 2 | 2 | 3 | 2 | 3 | 3 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 2 | 0 | 3 | 2 | 2 | 3 | 3 | 2 | 0 |
| 9 | 9 | 1 | 8 | 9 | 0 | 9 | 8 | 0 | 8 | 9 | 9 | 9 | 7 | 8 | 9 | 3 | 9 | 1 | 0 | 9 | 9 | 0 | 0 | 8 | 0 |

B6C3F1 MICE MALE
300 MG/KG

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | X | | | | X | | | | | | | 2 |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | X | | | | | | | | | | | 1 |

SYSTEMIC LESIONS

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | | | | | | | X | | | | X | | | | | | | 2 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 2 4 7 7 7 7 7 7 6 7 4 0 2 6 0 6 5 4 1 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
600 MG/KG | 2 2 2 8 2 2 2 2 2 3 2 7 3 8 0 4 7 4 3 6 2 2 3 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 8 6 9 6 8 9 8 8 0 9 4 0 6 4 5 8 4 0 8 0 3 0 9 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| 600 MG/KG | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 5 5 5 5 5 5 5 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | | | |

males
(cont...)

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Esophagus | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Gallbladder | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Cecum | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Colon | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Rectum | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Duodenum | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Ileum | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Jejunum | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Liver | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemangiosarcoma | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemangiosarcoma, Metastatic, Skin | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemangiosarcoma, Metastatic, Spleen | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatoblastoma | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatoblastoma, Multiple | + | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | males
(cont...) |
|-------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 7 | 7 | 2 | 4 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 4 | 0 | 2 | 6 | 0 | 6 | 5 | 4 | 1 | 7 | 7 | 7 | 7 | |
| | 2 | 2 | 2 | 8 | 2 | 2 | 2 | 2 | 2 | 3 | 2 | 7 | 3 | 8 | 0 | 4 | 7 | 4 | 3 | 6 | 2 | 2 | 3 | 2 | 2 | |
| | 9 | 8 | 6 | 9 | 6 | 8 | 9 | 8 | 8 | 0 | 9 | 4 | 0 | 6 | 4 | 5 | 8 | 4 | 0 | 8 | 0 | 3 | 0 | 9 | 9 | |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 600 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Hepatocellular Adenoma | | | | | | | X | | | | X | | X | X | | | X | | X | | | | | X | |
| Hepatocellular Adenoma, Multiple | | X | | | | | | | X | X | | | | | | | | | | | | X | X | | |
| Hepatocellular Carcinoma | | | | | X | | | | X | | X | | X | | | | X | | | | | | | | |
| Hepatocellular Carcinoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mesentery | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Squamous Cell Papilloma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Tooth | | | | | | | | | | | | | | | | | | | | | | | | | |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 2 4 7 7 7 7 7 7 6 7 4 0 2 6 0 6 5 4 1 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 2 2 8 2 2 2 2 2 3 2 7 3 8 0 4 7 4 3 6 2 2 3 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 8 6 9 6 8 9 8 8 0 9 4 0 6 4 5 8 4 0 8 0 3 0 9 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
600 MG/KG | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 5 5 5 5 5 5 5 5 5 6 6 6 6 6 6 6 6 6 6 7 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | | |

males
(cont...)

Lymphoma Malignant

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Adrenal Cortex | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Subcapsular, Adenoma | X X | | | | | | | | | | | | | | | | | | | | | | | | |
| Subcapsular, Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Adrenal Medulla | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Islets, Pancreatic | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Parathyroid Gland | M + + + + + + M + + + + + + + + M + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Pituitary Gland | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Thyroid Gland | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Bilateral, Follicular Cell, Adenoma | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Follicular Cell, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | |

GENERAL BODY SYSTEM

NONE

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 2 4 7 7 7 7 7 7 6 7 4 0 2 6 0 6 5 4 1 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 2 2 8 2 2 2 2 2 3 2 7 3 8 0 4 7 4 3 6 2 2 3 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 8 6 9 6 8 9 8 8 0 9 4 0 6 4 5 8 4 0 8 0 3 0 9 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
600 MG/KG | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 5 5 5 5 5 5 5 5 5 6 6 6 6 6 6 6 6 6 6 7 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | | |

males
(cont...)

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Coagulating Gland | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | |
| Epididymis | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Preputial Gland | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Prostate | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Seminal Vesicle | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Testes | + | | | | | | | | | | | | | | | | | | | | | | | | |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Bone Marrow | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pancreatic, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Renal, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 2 4 7 7 7 7 7 7 6 7 4 0 2 6 0 6 5 4 1 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 2 2 8 2 2 2 2 2 3 2 7 3 8 0 4 7 4 3 6 2 2 3 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 8 6 9 6 8 9 8 8 0 9 4 0 6 4 5 8 4 0 8 0 3 0 9 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
600 MG/KG | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 5 5 5 5 5 5 5 5 5 6 6 6 6 6 6 6 6 6 6 7 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | | |

males
(cont...)

Lymph Node, Mandibular
Lymphoma Malignant

+ +

Lymph Node, Mesenteric
Lymphoma Malignant

+ +

Spleen
Hemangiosarcoma
Lymphoma Malignant

+
X

Thymus
Lymphoma Malignant

+ + + + + + + + + + + + + + + + + M + + + + + + +

INTEGUMENTARY SYSTEM

Mammary Gland

M M

Skin

+ +

Basal Cell Carcinoma

Subcutaneous Tissue,
Hemangiosarcoma

X

Subcutaneous Tissue, Schwannoma
Malignant

X

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 2 4 7 7 7 7 7 7 6 7 4 0 2 6 0 6 5 4 1 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 2 2 8 2 2 2 2 2 3 2 7 3 8 0 4 7 4 3 6 2 2 3 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 8 6 9 6 8 9 8 8 0 9 4 0 6 4 5 8 4 0 8 0 3 0 9 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
600 MG/KG | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 5 5 5 5 5 5 5 5 5 5 6 6 6 6 6 6 6 6 6 6 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | | |

males
(cont...)

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Bone | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatoblastoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Brain | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Lung | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Alveolar/Bronchiolar Adenoma | X X | | | | | | | | | | | | | | | | | | | | | | | | |
| Alveolar/Bronchiolar Adenoma, Multiple | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Alveolar/Bronchiolar Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Carcinoma, Metastatic, Liver | X X | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mediastinum, Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | males
(cont...) |
|-------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 7 | 7 | 2 | 4 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 4 | 0 | 2 | 6 | 0 | 6 | 5 | 4 | 1 | 7 | 7 | 7 | 7 | | |
| 2 | 2 | 2 | 8 | 2 | 2 | 2 | 2 | 2 | 3 | 2 | 7 | 3 | 8 | 0 | 4 | 7 | 4 | 3 | 6 | 2 | 2 | 3 | 2 | 2 | | |
| 9 | 8 | 6 | 9 | 6 | 8 | 9 | 8 | 8 | 0 | 9 | 4 | 0 | 6 | 4 | 5 | 8 | 4 | 0 | 8 | 0 | 3 | 0 | 9 | 9 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | |

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Adenoma | | | | | | | | | X | | | | X | X | | | | | | | | | X | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | |
| Bilateral, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Zymbal's Gland | | | | | | | | | | | | | | | | | | | | | | | | |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | |
| Renal Tubule, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------------|---|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|---|---|
| | | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 0
7
2
9 | 0
7
2
8 | 0
2
2
6 | 0
4
8
9 | 0
7
2
6 | 0
7
2
8 | 0
7
2
9 | 0
7
2
8 | 0
7
2
8 | 0
7
2
0 | 0
7
3
9 | 0
7
2
4 | 0
6
7
0 | 0
7
3
4 | 0
4
8
6 | 0
0
4
5 | 0
2
7
8 | 0
6
4
4 | 0
6
3
0 | 0
5
6
8 | 0
4
2
0 | 0
1
2
3 | 0
7
3
0 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | | |
| B6C3F1 MICE MALE
600 MG/KG | | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | males (cont...) | | | | |

Lymphoma Malignant

SYSTEMIC LESIONS

Multiple Organ
 Lymphoma Malignant

.....
 +

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
Test Type: CHRONIC
Route: SKIN APPLICATION
Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
bis(2-Chloroethoxy)methane
CAS Number: 111-91-1

Date Report Requested: 04/07/2008
Time Report Requested: 11:52:50
First Dose M/F: 10/03/02 / 10/02/02
Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------------|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 7 | 5 | 7 | 7 | 0 | 6 | 7 | 7 | 7 | 7 | 5 | 7 | 5 | 7 | 7 | 2 | 7 | 7 | 4 | 0 | 7 | 7 | 7 |
| | 7 | 2 | 0 | 2 | 3 | 3 | 4 | 3 | 2 | 3 | 2 | 2 | 3 | 7 | 2 | 2 | 5 | 2 | 3 | 5 | 2 | 2 | 2 | 2 |
| | 2 | 8 | 6 | 9 | 0 | 7 | 8 | 0 | 8 | 0 | 9 | 2 | 0 | 3 | 9 | 8 | 1 | 8 | 0 | 1 | 0 | 9 | 0 | 9 |
| B6C3F1 MICE MALE
600 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 |
| | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| | * TOTALS | | | | | | | | | | | | | | | | | | | | | | | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hemangiosarcoma, Metastatic, Skin | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hemangiosarcoma, Metastatic, Spleen | | | | | | | | | | X | | | | | | | | | | | | | | 1 |
| Hepatoblastoma | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Hepatoblastoma, Multiple | | | | | | | | | | | | | | | | | | | | X | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
x .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
|------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|----|--|
| | 0 7 5 7 7 0 6 7 7 7 7 5 7 5 7 7 2 7 7 4 0 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 7 2 0 2 3 3 4 3 2 3 2 2 3 7 2 2 5 2 3 5 2 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 8 6 9 0 7 8 0 8 0 9 2 0 3 9 8 1 8 0 1 0 9 0 9 8 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 600 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | | |
| Hepatocellular Adenoma | | | X | X | X | | X | X | | X | | | | | | | | | | | | | X | X | | 15 | |
| Hepatocellular Adenoma, Multiple | | X | | | | | | | | | | | | X | X | | X | X | | | | | | X | | 11 | |
| Hepatocellular Carcinoma | | | | | | | | | | | | | X | | | | | | | | | X | | | | 7 | |
| Hepatocellular Carcinoma, Multiple | | | | | | | X | | | | | | | | | | | | | | | | | | | 1 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | X | | | | | 1 | |
| Mesentery | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Squamous Cell Papilloma | | | | | | | | | | X | | | | | | | | | | | | | | | | 1 | |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Tooth | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----------|--|
| | 0 7 5 7 7 0 6 7 7 7 7 5 7 5 7 7 2 7 7 4 0 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
600 MG/KG | 7 2 0 2 3 3 4 3 2 3 2 2 3 7 2 2 5 2 3 5 2 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 8 6 9 0 7 8 0 8 0 9 2 0 3 9 8 1 8 0 1 0 9 0 9 8 | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| 600 MG/KG | 1 | | | | | | | | | | | | | | | | | | | | | | | |
| | 7 7 7 7 8 8 8 8 8 8 8 8 8 8 8 8 9 9 9 9 9 9 9 9 | | | | | | | | | | | | | | | | | | | | | | | |
| 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |

Lymphoma Malignant

X

1

ENDOCRINE SYSTEM

Adrenal Cortex

+ 50

Subcapsular, Adenoma

X X X X

6

Subcapsular, Carcinoma

X

1

Adrenal Medulla

+ 50

Islets, Pancreatic

+ 50

Parathyroid Gland

+ M + + + 46

Pituitary Gland

+ + + M + 49

Lymphoma Malignant

X

1

Thyroid Gland

+ 50

Bilateral, Follicular Cell, Adenoma

1

Follicular Cell, Adenoma

X

1

GENERAL BODY SYSTEM

NONE

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 0 7 5 7 7 0 6 7 7 7 7 5 7 5 7 7 2 7 7 4 0 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
600 MG/KG | 7 2 0 2 3 3 4 3 2 3 2 2 3 7 2 2 5 2 3 5 2 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 8 6 9 0 7 8 0 8 0 9 2 0 3 9 8 1 8 0 1 0 9 0 9 8 | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| * TOTALS | 1 2 | | | | | | | | | | | | | | | | | | | | | | | |
| | 7 7 7 7 8 8 8 8 8 8 8 8 9 9 9 9 9 9 9 9 9 9 9 0 | | | | | | | | | | | | | | | | | | | | | | | |
| 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | | | | | | | | | | | | | | | | |

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|---|
| Coagulating Gland | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Epididymis | + | | | | | | | | | | | | | | | | | | | | | | | | 50 | |
| Preputial Gland | + | | | | | | | | | | | | | | | | | | | | | | | | 50 | |
| Prostate | + | | | | | | | | | | | | | | | | | | | | | | | | 50 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | X | 1 |
| Seminal Vesicle | + | | | | | | | | | | | | | | | | | | | | | | | | 50 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | X | 1 |
| Testes | + | | | | | | | | | | | | | | | | | | | | | | | | 50 | |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|---|
| Bone Marrow | + | | | | | | | | | | | | | | | | | | | | | | | | 50 | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Lymph Node | | | | | | | | | | | | | | | | | | | | | | | | | + | 1 |
| Pancreatic, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | X | 1 |
| Renal, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | X | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|----------|
| | 0 7 5 7 7 0 6 7 7 7 7 5 7 5 7 7 2 7 7 4 0 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 7 2 0 2 3 3 4 3 2 3 2 2 3 7 2 2 5 2 3 5 2 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
| | 2 8 6 9 0 7 8 0 8 0 9 2 0 3 9 8 1 8 0 1 0 9 0 9 8 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | * TOTALS |
| 600 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Lymph Node, Mandibular
Lymphoma Malignant | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymph Node, Mesenteric
Lymphoma Malignant | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Spleen
Hemangiosarcoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| | | | | | | | | | | X | | | | | | | | | | | | | | | | | 2 |
| Lymphoma Malignant | | | X | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Thymus
Lymphoma Malignant | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Mammary Gland | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | 0 |
| Skin
Basal Cell Carcinoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Subcutaneous Tissue,
Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Subcutaneous Tissue, Schwannoma
Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----------|
| | 0 7 5 7 7 0 6 7 7 7 7 5 7 5 7 7 2 7 7 4 0 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 7 2 0 2 3 3 4 3 2 3 2 2 3 7 2 2 5 2 3 5 2 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| | 2 8 6 9 0 7 8 0 8 0 9 2 0 3 9 8 1 8 0 1 0 9 0 9 8 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
600 MG/KG | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 7 7 7 7 8 8 8 8 8 8 8 8 8 8 9 9 9 9 9 9 9 9 9 9 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | | | | | | | | | | | | | | | | |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|
| Bone | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Skeletal Muscle | + | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hepatoblastoma, Metastatic, Liver | X | | | | | | | | | | | | | | | | | | | | | | | | 1 |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|
| Brain | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | 1 |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|
| Lung | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Alveolar/Bronchiolar Adenoma | X | | | | | | | | | | | | | | | | | | | | | | | | 5 |
| Alveolar/Bronchiolar Adenoma, Multiple | X | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Alveolar/Bronchiolar Carcinoma | X | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hepatocellular Carcinoma, Metastatic, Liver | X X | | | | | | | | | | | | | | | | | | | | | | | | 4 |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Mediastinum, Hemangiosarcoma | X | | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | | | | | | | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|--|--|--|--|--|--|
| | 0 7 5 7 7 0 6 7 7 7 7 5 7 5 7 7 2 7 7 4 0 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 7 2 0 2 3 3 4 3 2 3 2 2 3 7 2 2 5 2 3 5 2 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | | | | | | | |
| | 2 8 6 9 0 7 8 0 8 0 9 2 0 3 9 8 1 8 0 1 0 9 0 9 8 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | | |
| 600 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | | | | |
| | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | | | | | | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|----|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | |
| Adenoma | | X | | | | | | X | | | | | | | X | | | | | | | | X | X | | 9 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | X | | 1 | |
| Bilateral, Adenoma | | | | | X | | | | | | | | | | | | | | | | | | | | | 1 | |
| Zymbal's Gland | | | | | + | | | | | | | | | | | | | | | | | | | | | 1 | |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | X | | | | | | | | | | | | | | | | | | | | | | | X | | 2 |
| Renal Tubule, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | X | | 1 |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
Test Type: CHRONIC
Route: SKIN APPLICATION
Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
bis(2-Chloroethoxy)methane
CAS Number: 111-91-1

Date Report Requested: 04/07/2008
Time Report Requested: 11:52:50
First Dose M/F: 10/03/02 / 10/02/02
Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 7 | 5 | 7 | 7 | 0 | 6 | 7 | 7 | 7 | 7 | 5 | 7 | 5 | 7 | 7 | 2 | 7 | 7 | 4 | 0 | 7 | 7 | 7 | 7 | 7 | |
| | 7 | 2 | 0 | 2 | 3 | 3 | 4 | 3 | 2 | 3 | 2 | 2 | 3 | 7 | 2 | 2 | 5 | 2 | 3 | 5 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 2 | 8 | 6 | 9 | 0 | 7 | 8 | 0 | 8 | 0 | 9 | 2 | 0 | 3 | 9 | 8 | 1 | 8 | 0 | 1 | 0 | 9 | 0 | 9 | 8 | 8 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
600 MG/KG
ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 |
| | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 |

* TOTALS

Lymphoma Malignant X 1

SYSTEMIC LESIONS

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | X | | | | | | | | | | | | | | | | | | | | | | | | 2 |

*** END OF MALE DATA ***

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
x .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
|---|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY ON TEST | | 5 | 7 | 7 | 7 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 6 | 7 | 7 | 7 | 4 | 7 | 5 | 7 | 5 | 7 | 7 | 7 | |
| DAY ON TEST | | 3 | 2 | 1 | 1 | 7 | 3 | 2 | 2 | 1 | 2 | 2 | 1 | 2 | 5 | 2 | 1 | 2 | 7 | 2 | 3 | 2 | 8 | 2 | 2 | 2 | |
| DAY ON TEST | | 4 | 7 | 4 | 4 | 1 | 9 | 8 | 9 | 4 | 7 | 7 | 4 | 8 | 2 | 8 | 7 | 9 | 2 | 7 | 4 | 8 | 8 | 7 | 7 | 7 | |
| B6C3F1 MICE FEMALE
0 MG/KG | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ANIMAL ID | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 |
| | ANIMAL ID | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 5 |

females
(cont...)

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | X | | | | | | | | | | | | | | | X | | | | | | | | | |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | X | | | | | | | | | X |
| Hepatocellular Adenoma | | | | X | X | | | | | | | | | | | | | | | X | | | | | | | X |
| Hepatocellular Adenoma, Multiple | | X | | | | | | X | X | X | | X | | | | | | | X | | | | | | | | |
| Hepatocellular Carcinoma | | | | | | | | | | | | | | | | | | | | X | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 5 | 7 | 7 | 7 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 6 | 7 | 7 | 7 | 4 | 7 | 5 | 7 | 5 | 7 | 7 | 7 |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| B6C3F1 MICE FEMALE | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| 0 MG/KG | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | |

females
(cont...)

| | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|--|--|---|--|---|--|--|---|--|--|--|---|--|--|--|--|--|---|--|---|--|--|--|--|
| Hepatocellular Carcinoma, Multiple | | | | | X | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | | | | | | | | X | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | X | | | | | | | | | X | | | | | | X | | X | | | | |
| Mesentery | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | |
| Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Pancreas | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | |
| Salivary Glands | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Forestomach | | | | | | | | | | | | | | | | | | | | | | | | |
| Squamous Cell Papilloma | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Glandular | | | | | | | | | | | | | | | | | | | | | | | | |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Blood Vessel | | | | | | | | | | | | | | | | | | | | | | | | |
| Heart | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|---|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 5 | 7 | 7 | 7 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 6 | 7 | 7 | 7 | 4 | 7 | 5 | 7 | 5 | 7 | 7 | 7 | 7 |
| | 3 | 2 | 1 | 1 | 7 | 3 | 2 | 2 | 1 | 2 | 2 | 1 | 2 | 5 | 2 | 1 | 2 | 7 | 2 | 3 | 2 | 8 | 2 | 2 | 2 | 2 |
| | 4 | 7 | 4 | 4 | 1 | 9 | 8 | 9 | 4 | 7 | 7 | 4 | 8 | 2 | 8 | 7 | 9 | 2 | 7 | 4 | 8 | 8 | 7 | 7 | 7 | 7 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| B6C3F1 MICE FEMALE
0 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 5 |

females (cont...)

X

Hemangiosarcoma
 Lymphoma Malignant

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | X | | | | | | | | X | | | | | | X | | | | | | | | |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Parathyroid Gland | M | + | + | + | + | + | + | + | + | + | M | M | M | + | + | M | + | + | + | + | + | M | M | + | |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Pars Distalis, Adenoma | | X | | | | | X | | | | | | | | | | | X | | | | | | | |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | X | | | |

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|---------------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|---|--|----------------------|
| | 0
5
3
4 | 0
7
2
7 | 0
7
1
4 | 0
7
1
4 | 0
6
7
1 | 0
6
3
9 | 0
7
2
8 | 0
7
2
9 | 0
7
1
4 | 0
7
2
7 | 0
5
2
4 | 0
7
6
8 | 0
7
7
7 | 0
4
2
8 | 0
7
1
7 | 0
7
2
9 | 0
4
7
2 | 0
5
2
4 | 0
7
3
8 | 0
5
2
8 | 0
7
8
7 | 0
7
2
7 | 0
7
2
7 | | | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| 0 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| ANIMAL ID | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | | 5 |

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Clitoral Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hemangioma | | | | | | | | | | X | | | | | | | | | | | | | | |
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Cystadenoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | X | | | | | | | | X | | | | | | X | | | | | X | |
| Uterus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | X | | | | | | |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | X | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node | | | | + | | | | | | | | | | | | | | | | | | | | + |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | X |
| Bronchial, Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Iliac, Lymphoma Malignant | | | | X | | | | | | | | | | | | | | | | | | | | |
| Inguinal, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | X |
| Lumbar, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | X |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|---|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 5 | 7 | 7 | 7 | 6 | 6 | 7 | 7 | 7 | 7 | 5 | 7 | 6 | 7 | 7 | 4 | 7 | 5 | 7 | 5 | 7 | 7 | 7 | 7 |
| | | 3 | 2 | 1 | 1 | 7 | 3 | 2 | 2 | 1 | 2 | 2 | 1 | 2 | 5 | 2 | 1 | 2 | 7 | 2 | 3 | 2 | 8 | 2 | 2 |
| | | 4 | 7 | 4 | 4 | 1 | 9 | 8 | 9 | 4 | 7 | 7 | 4 | 8 | 2 | 8 | 7 | 9 | 2 | 7 | 4 | 8 | 8 | 7 | 7 |
| B6C3F1 MICE FEMALE
0 MG/KG | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 |

females
(cont...)

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mediastinal, Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mediastinal, Lymphoma Malignant | | | | X | | | | | | | | | | | | | | | | | | | | X | |
| Pancreatic, Lymphoma Malignant | | | | X | | | | | | | | | | | | | | | | | | | | | |
| Renal, Lymphoma Malignant | | | | X | | | | | | | | X | | | | | | | | | | | | | |
| Lymph Node, Mandibular | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | X | | | | | | | | X | | | | | | | | | | | | X | |
| Lymph Node, Mesenteric | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | X | | | | | | | | X | | | | | | X | | | | | | X | |
| Spleen | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hemangiosarcoma | | | | | X | | | | | X | | | | | | | | | | | | | X | X | X |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | X | | | | | | | | | | | | | | X | | | X | | | | |
| Thymus | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | X | | | | | | | | X | | | | | | X | | | X | | | X | |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mammary Gland | | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
Test Type: CHRONIC
Route: SKIN APPLICATION
Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

bis(2-Chloroethoxy)methane

CAS Number: 111-91-1

Date Report Requested: 04/07/2008

Time Report Requested: 11:52:50

First Dose M/F: 10/03/02 / 10/02/02

Lab: BAT

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | females
(cont...) | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|---|---|---|---|---|
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | | | |
| | 5 | 7 | 7 | 7 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 6 | 7 | 7 | 7 | 4 | 7 | 5 | 7 | 5 | 7 | 7 | 7 | 7 |
| | 3 | 2 | 1 | 1 | 7 | 3 | 2 | 2 | 1 | 2 | 2 | 1 | 2 | 5 | 2 | 1 | 2 | 7 | 2 | 3 | 2 | 8 | 2 | 2 | 2 | 2 | 2 |
| | 4 | 7 | 4 | 4 | 1 | 9 | 8 | 9 | 4 | 7 | 7 | 4 | 8 | 2 | 8 | 7 | 9 | 2 | 7 | 4 | 8 | 8 | 7 | 7 | 7 | 7 | 7 |
| B6C3F1 MICE FEMALE | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 MG/KG | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Site Of Application - Dermis, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Site Of Application - Dermis, Schwannoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Subcutaneous Tissue, Hemangiosarcoma | | | | | X | | | | | | | | | | | | | | | | | | | | | | |
| Subcutaneous Tissue, Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Subcutaneous Tissue, Schwannoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Cranium, Osteosarcoma | | | | | | | | | | | | | | | | | | X | | | | | | | | | |
| Vertebra, Osteosarcoma | | | | | X | | | | | | | | | | | | | | | | | | | | | | |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Meninges, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|-------------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 5 | 7 | 7 | 7 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 6 | 7 | 7 | 7 | 4 | 7 | 5 | 7 | 5 | 7 | 7 | 7 | 7 | |
| 3 | 2 | 1 | 1 | 7 | 3 | 2 | 2 | 1 | 2 | 2 | 1 | 2 | 5 | 2 | 1 | 2 | 7 | 2 | 3 | 2 | 8 | 2 | 2 | 2 | 2 | |
| 4 | 7 | 4 | 4 | 1 | 9 | 8 | 9 | 4 | 7 | 7 | 4 | 8 | 2 | 8 | 7 | 9 | 2 | 7 | 4 | 8 | 8 | 7 | 7 | 7 | 7 | |
| B6C3F1 MICE FEMALE
0 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | |

Peripheral Nerve +
 Spinal Cord +
 Meninges, Lymphoma Malignant

RESPIRATORY SYSTEM

Lung +
 Alveolar/Bronchiolar Adenoma X
 Alveolar/Bronchiolar Carcinoma X X
 Lymphoma Malignant X X X X
 Osteosarcoma, Metastatic, Bone X

Nose +
 Trachea +

SPECIAL SENSES SYSTEM

Eye +
 Harderian Gland +
 Adenoma X X
 Lymphoma Malignant X

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | |
|---|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 5 | 7 | 7 | 7 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 6 | 7 | 7 | 7 | 4 | 7 | 5 | 7 | 5 | 7 | 7 | 7 |
| | 3 | 2 | 1 | 1 | 7 | 3 | 2 | 2 | 1 | 2 | 2 | 1 | 2 | 5 | 2 | 1 | 2 | 7 | 2 | 3 | 2 | 8 | 2 | 2 | 2 |
| | 4 | 7 | 4 | 4 | 1 | 9 | 8 | 9 | 4 | 7 | 7 | 4 | 8 | 2 | 8 | 7 | 9 | 2 | 7 | 4 | 8 | 8 | 7 | 7 | 7 |
| B6C3F1 MICE FEMALE
0 MG/KG | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |

females
(cont...)

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | X | | | | | | | | | | | | | | X | | X | | | | | |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | X | | X | | | | | X |
| Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | |

SYSTEMIC LESIONS

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Histiocytic Sarcoma | | | | | | | | X | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | X | | | | | | | | X | | | | | X | | X | | | | | X | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|--|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| B6C3F1 MICE FEMALE
0 MG/KG | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 5 | 6 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 0 | | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 5 | 9 | 7 | 2 | 2 | 2 | 2 | 9 | 2 | 2 | 2 | 0 | 2 | 2 | 8 | 0 | 0 | | |
| | 7 | 7 | 9 | 8 | 8 | 8 | 7 | 8 | 9 | 5 | 6 | 8 | 8 | 7 | 7 | 8 | 9 | 8 | 8 | 8 | 1 | 8 | 7 | 7 | 1 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | * TOTALS | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|-----------|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | X | | 3 |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Hepatocellular Adenoma | | | | X | | | | X | X | | | | | | X | | | | | X | X | X | | | 11 | |
| Hepatocellular Adenoma, Multiple | | X | X | | | | | | | | | | | | X | X | X | | | | | | | | 11 | |
| Hepatocellular Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06

Test Type: CHRONIC

Route: SKIN APPLICATION

Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

bis(2-Chloroethoxy)methane

CAS Number: 111-91-1

Date Report Requested: 04/07/2008

Time Report Requested: 11:52:50

First Dose M/F: 10/03/02 / 10/02/02

Lab: BAT

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|-------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 5 | 6 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 0 | |
| 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 5 | 9 | 7 | 2 | 2 | 2 | 2 | 2 | 9 | 2 | 2 | 2 | 0 | 2 | 2 | 8 | 0 | |
| 7 | 7 | 9 | 8 | 8 | 8 | 7 | 8 | 9 | 5 | 6 | 8 | 8 | 7 | 7 | 8 | 9 | 8 | 8 | 8 | 1 | 8 | 7 | 7 | 1 | |

B6C3F1 MICE FEMALE

0 MG/KG

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|---|--|--|--|--|--|--|--|---|---|---|---|----|
| Hepatocellular Carcinoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | X | 2 | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | X | 2 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | X | X | | | | | | | | | | X | 7 | |
| Mesentery | | | | | | | | | | | | | | | | | | | | | | | | | | | | 16 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Pancreas | | | | | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | 3 |
| Salivary Glands | | | | | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Stomach, Forestomach | | | | | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Squamous Cell Papilloma | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Stomach, Glandular | | | | | | | | | | | | | | | | | | | | | | | | | | | | 50 |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|
| Blood Vessel | | | | | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Heart | | | | | | | | | | | | | | | | | | | | | | | | | | | | 50 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
x .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

TDMS No. 99028 - 06

Test Type: CHRONIC

Route: SKIN APPLICATION

Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

bis(2-Chloroethoxy)methane

CAS Number: 111-91-1

Date Report Requested: 04/07/2008

Time Report Requested: 11:52:50

First Dose M/F: 10/03/02 / 10/02/02

Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|---|
| | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 5 | 6 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 6 | 7 |
| | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 5 | 9 | 7 | 2 | 2 | 2 | 2 | 9 | 2 | 2 | 2 | 0 | 2 | 2 | 8 |
| | | 7 | 7 | 9 | 8 | 8 | 8 | 7 | 8 | 9 | 5 | 6 | 8 | 8 | 7 | 7 | 8 | 9 | 8 | 8 | 1 | 8 | 7 | 7 |
| B6C3F1 MICE FEMALE | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 MG/KG | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |

Hemangiosarcoma
Lymphoma Malignant

1
1

X

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | X | | | | | | | | | | | | | | | | | 4 |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Parathyroid Gland | + | M | + | M | + | M | + | + | M | + | M | + | M | + | M | + | + | + | + | + | + | + | M | 35 |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Pars Distalis, Adenoma | | X | | | | | | | | | | | | | | | | | | | | | | 4 |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | 1 |

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

- * .. Total animals with tissue examined microscopically; Total animals with tumor
- + .. Tissue examined microscopically
- x .. Lesion present
- I .. Insufficient tissue

- M .. Missing tissue
- A .. Autolysis precludes evaluation
- BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|--|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 5 | 6 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 5 | 9 | 7 | 2 | 2 | 2 | 2 | 2 | 9 | 2 | 2 | 2 | 0 | 2 | 2 | 8 | 0 | |
| | 7 | 7 | 9 | 8 | 8 | 8 | 7 | 8 | 9 | 5 | 6 | 8 | 8 | 7 | 7 | 8 | 9 | 8 | 8 | 8 | 1 | 8 | 7 | 7 | 1 | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| 0 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | | |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | * TOTALS | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Clitoral Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangioma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Cystadenoma | | | | | | X | | | | | | X | | | | | | | | | | | | | 2 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | X | | 5 |
| Uterus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | X | | | 1 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | | | | X | | | | | | | | | | | | | | 1 |
| Lymph Node | | | | | | | + | | | | | | | | + | | | | | + | + | | | + | 8 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Bronchial, Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | X | | | | 1 |
| Iliac, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Inguinal, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lumbar, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | X | | 3 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|---|---|---|----|---|---|---|--|--|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 5 | 6 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 6 | 7 | 0 | | 2 | 2 | 8 | 0 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
0 MG/KG | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 | 0 | 0 | 0 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 0 | 0 | 0 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mediastinal, Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | X | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mediastinal, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | X | 3 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pancreatic, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Renal, Lymphoma Malignant | | | | | | | | | | | | | | | | X | | X | 4 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | X | | | | | | | | | | | | | | | X | 5 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | X | | X | X | | | | | | | | | | | X | 8 | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 5 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | X | | | | | | | | | | | | | | | | | 1 | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | X | | | | | X | X | | | | | | | | | | | | X | | | 7 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Thymus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | X | | X | X | | | | | | | | | | | X | | 9 | | | | | | | | | | | | | | | | | | | | | | |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Carcinoma | | | | | | | | | | X | | | | | | | | | | | | X | 2 | | | | | | |

- * .. Total animals with tissue examined microscopically; Total animals with tumor
- + .. Tissue examined microscopically
- x .. Lesion present
- I .. Insufficient tissue

- M .. Missing tissue
- A .. Autolysis precludes evaluation
- BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|---|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 5 | 6 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 0 |
| 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 5 | 9 | 7 | 2 | 2 | 2 | 2 | 9 | 2 | 2 | 2 | 0 | 2 | 2 | 8 | 0 | 0 |
| 7 | 7 | 9 | 8 | 8 | 8 | 7 | 8 | 9 | 5 | 6 | 8 | 8 | 7 | 7 | 8 | 9 | 8 | 8 | 8 | 1 | 8 | 7 | 7 | 1 | 0 |
| | | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
0 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Site Of Application - Dermis, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | X | 1 |
| Site Of Application - Dermis, Schwannoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | X | 1 |
| Subcutaneous Tissue, Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Subcutaneous Tissue, Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | X | | 1 |
| Subcutaneous Tissue, Schwannoma Malignant | | | | | | | | | | X | | | | | | | | | | | | | | | 1 |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Cranium, Osteosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Vertebra, Osteosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Meninges, Lymphoma Malignant | | | | | | | | | | | | X | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|-------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 5 | 6 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 2 | |
| 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 5 | 9 | 7 | 2 | 2 | 2 | 2 | 2 | 9 | 2 | 2 | 2 | 0 | 2 | 2 | 8 | 0 | 7 |
| 7 | 7 | 9 | 8 | 8 | 8 | 7 | 8 | 9 | 5 | 6 | 8 | 8 | 7 | 7 | 8 | 9 | 8 | 8 | 8 | 1 | 8 | 7 | 7 | 1 | 0 | |

B6C3F1 MICE FEMALE
0 MG/KG

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|---|
| Peripheral Nerve | | | | | | | | | | | | | | | | | | | | | | | | | + | 2 |
| Spinal Cord | | | | | | | | | | | | | | | | | | | | | | | | | + | 2 |
| Meninges, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | X | 1 |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|---|
| Lung | + | | | | | | | | | | | | | | | | | | | | | | | | 50 | |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Alveolar/Bronchiolar Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | X | 4 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | X | 6 |
| Osteosarcoma, Metastatic, Bone | | | | | | | | | | | | | | | | | | | | | | | | | X | 1 |
| Nose | + | | | | | | | | | | | | | | | | | | | | | | | | 50 | |
| Trachea | + | | | | | | | | | | | | | | | | | | | | | | | | 50 | |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|---|
| Eye | + | | | | | | | | | | | | | | | | | | | | | | | | 50 | |
| Harderian Gland | + | | | | | | | | | | | | | | | | | | | | | | | | 50 | |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | X | 3 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|---|---|
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 5 | 6 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 5 | 9 | 7 | 2 | 2 | 2 | 2 | 9 | 2 | 2 | 2 | 0 | 2 | 2 | 8 | 0 | | |
| | 7 | 7 | 9 | 8 | 8 | 8 | 7 | 8 | 9 | 5 | 6 | 8 | 8 | 7 | 7 | 8 | 9 | 8 | 8 | 8 | 1 | 8 | 7 | 7 | 1 | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 0 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | |
| | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | | |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | X | | | | | | | | | | | | X | | | 5 |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | 3 |
| Sarcoma | | | | | | | | | | | | | | | | X | | | | | | | | | | 1 |

SYSTEMIC LESIONS

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | X | | | | | | X | | | | | 3 |
| Lymphoma Malignant | | | | | | X | | | | | X | X | | | | | | | | | | | X | | | 9 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 7 4 7 7 7 7 7 7 6 7 7 7 7 5 7 4 7 7 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 2 2 7 2 0 2 2 2 2 7 2 2 2 2 8 2 5 2 2 1 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 7 8 5 8 0 7 9 8 8 1 7 2 7 8 9 8 4 8 7 1 8 8 9 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
100 MG/KG | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 5 5 5 5 5 5 5 5 5 5 6 6 6 6 6 6 6 6 6 6 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | | |

females
(cont...)

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Esophagus | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Gallbladder | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Cecum | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Colon | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Rectum | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Duodenum | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Ileum | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Jejunum | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | X X | | | | | | | | | | | | | | | | | | | | | | | | |
| Liver | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Adenoma | X X X X X X X X | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|---|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 7 | 7 | 7 | 4 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 5 | 7 | 4 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 0 |
| 2 | 2 | 2 | 7 | 2 | 0 | 2 | 2 | 2 | 2 | 7 | 2 | 2 | 2 | 8 | 2 | 5 | 2 | 2 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 0 |
| 9 | 7 | 8 | 5 | 8 | 0 | 7 | 9 | 8 | 8 | 1 | 7 | 2 | 7 | 8 | 9 | 8 | 4 | 8 | 7 | 1 | 8 | 8 | 9 | 7 | 0 | |
| <hr/> | | | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
100 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 5 |
| <hr/> | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Adenoma, Multiple | | | X | | | | X | | | | | | X | | X | | | | | | | | X | X | | |
| Hepatocellular Carcinoma | | | | X | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Carcinoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | | X | |
| Lymphoma Malignant | | | | | | | | X | | | X | X | | X | X | X | | | | X | | | | | | |
| <hr/> | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mesentery | | | | | | | | | | | + | + | | | | | | | | | | + | | + | | |
| <hr/> | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <hr/> | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Lymphoma Malignant | | | | | | | | | | | | | X | X | | | | | | | | | | | | |
| <hr/> | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Lymphoma Malignant | | | | | | | | | | | | | | X | X | | | | | | | | | | | |
| Squamous Cell Papilloma | | | | | | | | | | X | | | | | | | | | | | | | | | | |
| <hr/> | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | X | |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 7 4 7 7 7 7 7 7 6 7 7 7 7 5 7 4 7 7 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
100 MG/KG | 2 2 2 7 2 0 2 2 2 2 7 2 2 2 2 8 2 5 2 2 1 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 7 8 5 8 0 7 9 8 8 1 7 2 7 8 9 8 4 8 7 1 8 8 9 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| 100 MG/KG | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 5 5 5 5 5 5 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | | | |

females
(cont...)

Heart +
 Lymphoma Malignant X X X X

ENDOCRINE SYSTEM

Adrenal Cortex +
 Lymphoma Malignant X X X

Adrenal Medulla +

Islets, Pancreatic +
 Adenoma

Parathyroid Gland + M M + + M + + + + M + + + + + + + + M + + + M +

Pituitary Gland +
 Pars Distalis, Adenoma X X X X X X X X

Thyroid Gland +
 Lymphoma Malignant X X
 Follicular Cell, Adenoma X X

GENERAL BODY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 7 | 7 | 7 | 4 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 5 | 7 | 4 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | 2 | 2 | 2 | 7 | 2 | 0 | 2 | 2 | 2 | 2 | 7 | 2 | 2 | 2 | 2 | 8 | 2 | 5 | 2 | 2 | 1 | 2 | 2 | 2 | 2 | |
| | 9 | 7 | 8 | 5 | 8 | 0 | 7 | 9 | 8 | 8 | 1 | 7 | 2 | 7 | 8 | 9 | 8 | 4 | 8 | 7 | 1 | 8 | 8 | 9 | 7 | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 100 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | females (cont...) |

NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Clitoral Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Cystadenoma | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemangioma | | | | X | | | | | | | | | | | | | | | | | | | | | | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | X | | | X | | X | | X | | X | X | | X | | | | |
| Uterus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Hemangioma | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemangiosarcoma | | | | | | | | | | | X | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | X | | X | | X | | X | | | | | | | |
| Polyp Stromal | | | X | | | | | | | | | X | | | | | | | | | | | | | | |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|---------------------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|---|---|----------------------|
| | 0
7
2
9 | 0
7
2
7 | 0
7
2
8 | 0
4
7
5 | 0
7
2
8 | 0
7
0
0 | 0
7
2
7 | 0
7
2
9 | 0
7
2
8 | 0
7
2
8 | 0
6
7
1 | 0
7
2
7 | 0
7
2
7 | 0
5
2
8 | 0
7
2
8 | 0
4
5
4 | 0
7
2
8 | 0
7
2
7 | 0
7
2
1 | 0
7
2
8 | 0
7
2
8 | 0
7
2
9 | 0
7
2
7 | | | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| 100 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | | |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | | | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | |
| Lymphoma Malignant | | | | | | | | | X | | | | | | | | | | | | | | | | | |
| Lymph Node | | | | | | | | | + | | | + | | + | | | | | | + | + | + | | | | |
| Bronchial, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | X | | | | | | |
| Iliac, Lymphoma Malignant | | | | | | | | | X | | | X | | | | | | | | | X | | | | | |
| Lumbar, Lymphoma Malignant | | | | | | | | | | | | | | X | | | | | | | | | | | | |
| Mediastinal, Lymphoma Malignant | | | | | | | | | X | | | | | | | | | | | | X | | | | | |
| Pancreatic, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Renal, Lymphoma Malignant | | | | | | | | | | | | | X | | | | | | | | | X | | | | |
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | |
| Lymphoma Malignant | | | | | | | | | X | | | X | | X | | | | | X | | | | | | | |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | X | | | | | |
| Lymphoma Malignant | | | | | | | | | X | | | X | | | | | | | X | X | X | | | | | |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | X | | | X | | X | | | | X | X | X | | X | | | | |
| Thymus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | |
| Lymphoma Malignant | | | | | | | | | X | | | X | | X | | | | X | X | | X | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------------------------------|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 7 | 7 | 7 | 4 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 5 | 7 | 4 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | 2 | 2 | 2 | 7 | 2 | 0 | 2 | 2 | 2 | 2 | 7 | 2 | 2 | 2 | 8 | 2 | 5 | 2 | 2 | 1 | 2 | 2 | 2 | 2 | 2 | |
| | 9 | 7 | 8 | 5 | 8 | 0 | 7 | 9 | 8 | 8 | 1 | 7 | 2 | 7 | 8 | 9 | 8 | 4 | 8 | 7 | 1 | 8 | 8 | 9 | 7 | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 100 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | females
(cont...) | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | | 5 |

INTEGUMENTARY SYSTEM

Mammary Gland

+ +

Skin

+ +

Site Of Application - Dermis,
Schwannoma Malignant

X

Subcutaneous Tissue, Fibrous
Histiocytoma

X

MUSCULOSKELETAL SYSTEM

Bone

+ +

NERVOUS SYSTEM

Brain

+ +

RESPIRATORY SYSTEM

Lung

+ +

Alveolar/Bronchiolar Adenoma

X

Carcinoma, Metastatic, Harderian Gland

X

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06

Test Type: CHRONIC

Route: SKIN APPLICATION

Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

bis(2-Chloroethoxy)methane

CAS Number: 111-91-1

Date Report Requested: 04/07/2008

Time Report Requested: 11:52:50

First Dose M/F: 10/03/02 / 10/02/02

Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | |
| | | 7 | 7 | 7 | 4 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 5 | 7 | 4 | 7 | 7 | 7 | 7 | 7 | 7 | | |
| | | 2 | 2 | 2 | 7 | 2 | 0 | 2 | 2 | 2 | 2 | 7 | 2 | 2 | 2 | 8 | 2 | 5 | 2 | 2 | 1 | 2 | 2 | 2 | | |
| | | 9 | 7 | 8 | 5 | 8 | 0 | 7 | 9 | 8 | 8 | 1 | 7 | 2 | 7 | 8 | 9 | 8 | 4 | 8 | 7 | 1 | 8 | 8 | 9 | 7 |
| B6C3F1 MICE FEMALE | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 100 MG/KG | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |

females
(cont...)

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lymphoma Malignant | | | | | | | | | X | | | | | | | X | | | | | | | | | | |
| Nose | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Trachea | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Eye | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | | X | | | | | | | | | | | |
| Harderian Gland | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Adenoma | | X | | | | | | X | | | | | | | | | | | | | | | | | | X |
| Carcinoma | | | | | | X | | | | | | | | | | | X | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | X | | | | | | | | | | | | |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Kidney | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | X | | | | X | | X | | | X | | X | | X | | | | |
| Urinary Bladder | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | X | | | | X | | X | | | | | | | | | X | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------------------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 7 | 7 | 7 | 4 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 5 | 7 | 4 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | 2 | 2 | 2 | 7 | 2 | 0 | 2 | 2 | 2 | 2 | 7 | 2 | 2 | 2 | 2 | 8 | 2 | 5 | 2 | 2 | 1 | 2 | 2 | 2 | 2 | |
| | 9 | 7 | 8 | 5 | 8 | 0 | 7 | 9 | 8 | 8 | 1 | 7 | 2 | 7 | 8 | 9 | 8 | 4 | 8 | 7 | 1 | 8 | 8 | 9 | 7 | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 100 MG/KG | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | females
(cont...) |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | |

SYSTEMIC LESIONS

Multiple Organ
 Lymphoma Malignant

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | X | | | | | X | | X | | X | | X | X | | X | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|---|--|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | |
| | 7 | 7 | 7 | 7 | 5 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 3 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 6 | | | |
| | 2 | 2 | 2 | 2 | 1 | 5 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 8 | 2 | 2 | 2 | 2 | 2 | 2 | 6 | 2 | 6 | | | |
| | 9 | 8 | 7 | 9 | 8 | 9 | 8 | 9 | 9 | 8 | 7 | 9 | 7 | 7 | 6 | 8 | 8 | 7 | 7 | 9 | 8 | 7 | 4 | 9 | 4 | | |
| B6C3F1 MICE FEMALE
100 MG/KG | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | | 3 | |
| | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | | 0 | |
| 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | * TOTALS | | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Carcinoma | | | | | | | | X | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | X | | | | | | | | | | | | | | | | | | | | | 3 |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hepatocellular Adenoma | | X | | | | | | | | | X | | | | X | X | | | | | | X | | | 11 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|-----------------|--|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 7 | 7 | 7 | 7 | 5 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 3 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 6 | | |
| | 2 | 2 | 2 | 2 | 1 | 5 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 8 | 2 | 2 | 2 | 2 | 2 | 2 | 6 | 2 | 6 | | |
| | 9 | 8 | 7 | 9 | 8 | 9 | 8 | 9 | 9 | 8 | 7 | 9 | 7 | 7 | 6 | 8 | 8 | 7 | 7 | 9 | 8 | 7 | 4 | 9 | 4 | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| 100 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | | |
| | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | * TOTALS | |
| Hepatocellular Adenoma, Multiple | | | | | | | X | X | X | | | | X | X | | X | X | | | | | | | 13 | | |
| Hepatocellular Carcinoma | | | | | | X | X | | | | | | | X | X | | | | X | | X | | | 7 | | |
| Hepatocellular Carcinoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Lymphoma Malignant | | | X | | | | | | X | | | | | | | | | | | | | | | 9 | | |
| Mesentery | + | + | + | | | + | + | | | | | | + | + | + | | | | | | | + | | 13 | | |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Lymphoma Malignant | | | X | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | 2 | | |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | 2 | | |
| Squamous Cell Papilloma | | | | | | | | | | | | | | X | | | | | | | | | | 2 | | |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------------|-------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|---------|---|----|
| | 0 7 2 9 | 0 7 2 8 | 0 7 2 9 | 0 5 1 8 | 0 6 5 9 | 0 7 2 8 | 0 7 2 9 | 0 7 2 8 | 0 7 2 9 | 0 7 2 8 | 0 7 2 9 | 0 7 2 8 | 0 3 2 6 | 0 7 2 8 | 0 7 2 8 | 0 7 2 7 | 0 7 2 9 | 0 7 2 8 | 0 7 2 7 | 0 7 2 9 | 0 7 2 8 | 0 6 2 4 | 0 7 2 9 | 0 6 2 4 | | | | |
| B6C3F1 MICE FEMALE
100 MG/KG | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | | | |
| | 0 0 2 6 | 0 0 2 7 | 0 0 2 8 | 0 0 2 9 | 0 0 2 0 | 0 0 2 1 | 0 0 2 2 | 0 0 2 3 | 0 0 2 4 | 0 0 2 5 | 0 0 2 6 | 0 0 2 7 | 0 0 2 8 | 0 0 2 9 | 0 0 2 0 | 0 0 2 1 | 0 0 2 2 | 0 0 2 3 | 0 0 2 4 | 0 0 2 5 | 0 0 2 6 | 0 0 2 7 | 0 0 2 8 | 0 0 2 9 | | 0 0 2 0 | | |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | 4 |
| ENDOCRINE SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | 4 |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Pheochromocytoma Benign | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Parathyroid Gland | + | + | M | + | M | + | + | + | + | M | + | + | + | + | M | + | M | + | + | + | + | M | M | + | M | M | + | 35 |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Pars Distalis, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | 11 |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Follicular Cell, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |

GENERAL BODY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | |
|---|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 7 | 7 | 7 | 7 | 5 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 3 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 6 | 6 | | | |
| | 2 | 2 | 2 | 2 | 1 | 5 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 8 | 2 | 2 | 2 | 2 | 2 | 2 | 6 | 2 | 6 | 6 | | | |
| | 9 | 8 | 7 | 9 | 8 | 9 | 8 | 9 | 9 | 8 | 7 | 9 | 7 | 7 | 6 | 8 | 8 | 7 | 7 | 9 | 8 | 7 | 4 | 9 | 4 | | |
| B6C3F1 MICE FEMALE
100 MG/KG | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | |
| | | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | 0 |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 0 |
| * TOTALS | | | | | | | | | | | | | | | | | | | | | | | | | | | |

NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Clitoral Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Cystadenoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hemangioma | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hemangiosarcoma | | | | | X | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | X | | 8 |
| Uterus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangioma | | | | | | | | | | | X | | | | | | | | | | | | | | | | | 1 |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | 4 |
| Polyp Stromal | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | X | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|-----------------|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 7 | 7 | 7 | 7 | 5 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 3 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 6 | | |
| | 2 | 2 | 2 | 2 | 1 | 5 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 8 | 2 | 2 | 2 | 2 | 2 | 2 | 6 | 2 | 6 | | |
| | 9 | 8 | 7 | 9 | 8 | 9 | 8 | 9 | 9 | 8 | 7 | 9 | 7 | 7 | 6 | 8 | 8 | 7 | 7 | 9 | 8 | 7 | 4 | 9 | 4 | |
| B6C3F1 MICE FEMALE
100 MG/KG | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | | 3 |
| | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | | 0 |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | * TOTALS | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Lymph Node | | | | | | | | | | | | | | | | | | | | | | | | | 9 | |
| Bronchial, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 3 | |
| Iliac, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 3 | |
| Lumbar, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Mediastinal, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 4 | |
| Pancreatic, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Renal, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 2 | |
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Lymphoma Malignant | | | X | X | | X | | X | | | | | | | | | | | | | X | | | 9 | | |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 8 | |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 2 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 13 | |
| Thymus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 10 | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
|---|-----------|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 7 | 7 | 7 | 7 | 5 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 3 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 6 | | |
| | | 2 | 2 | 2 | 2 | 1 | 5 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 8 | 2 | 2 | 2 | 2 | 2 | 2 | 6 | 2 | 6 | | |
| | | 9 | 8 | 7 | 9 | 8 | 9 | 8 | 9 | 9 | 8 | 7 | 9 | 7 | 6 | 8 | 8 | 7 | 7 | 9 | 8 | 7 | 4 | 9 | 4 | |
| B6C3F1 MICE FEMALE
100 MG/KG | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | |
| | | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| | | * TOTALS | | | | | | | | | | | | | | | | | | | | | | | | |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|----|
| Mammary Gland | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Skin | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Site Of Application - Dermis,
Schwannoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Subcutaneous Tissue, Fibrous
Histiocytoma | | | | | | | | | | | | | | | | | | | | | | | | 1 | |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|
| Bone | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
|------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|
| Brain | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
|-------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|----|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|---|
| Lung | + | | | | | | | | | | | | | | | | | | | | | | | | 50 | | | | | | | | | | | | | | | | | | | | | | | | |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | | | | | | | | | | | | | | | | X | | | | | | | | | | | | | | | | | | | | | | | | X | 3 |
| Carcinoma, Metastatic, Harderian Gland | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| DAY ON TEST | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
|---------------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|
| | | 7 | 7 | 7 | 7 | 5 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 3 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 6 | |
| | | 2 | 2 | 2 | 2 | 1 | 5 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 8 | 2 | 2 | 2 | 2 | 2 | 2 | 6 | 2 | 6 | | |
| | | 9 | 8 | 7 | 9 | 8 | 9 | 8 | 9 | 9 | 8 | 7 | 9 | 7 | 7 | 6 | 8 | 8 | 7 | 7 | 9 | 8 | 7 | 4 | 9 | 4 |
| B6C3F1 MICE FEMALE
100 MG/KG | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 |
| | | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| | | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Adenoma | | | | | | | | | | | | | X | | | | | | | | | | | X | | X | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Carcinoma | | | | | | | | | | | | | | | | | X | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | X | X | | | | | | X | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | X | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|---------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 7 | 7 | 7 | 7 | 5 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 3 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 6 | | |
| 2 | 2 | 2 | 2 | 1 | 5 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 8 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 6 | 2 | 6 | | |
| 9 | 8 | 7 | 9 | 8 | 9 | 8 | 9 | 9 | 8 | 7 | 9 | 7 | 7 | 6 | 8 | 8 | 7 | 7 | 9 | 8 | 7 | 4 | 9 | 4 | | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 100 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | |
| | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | |

SYSTEMIC LESIONS

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | X | X | | | X | | X | X | | | | | | | | | | | X | | | | 13 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|--|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY ON TEST | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| DAY ON TEST | | 7 | 7 | 7 | 7 | 7 | 4 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 4 | 5 | 7 | 7 | 4 | 7 | 7 | 7 | 4 | 7 | 7 |
| DAY ON TEST | | 2 | 2 | 2 | 2 | 2 | 5 | 2 | 2 | 0 | 2 | 2 | 2 | 2 | 2 | 1 | 7 | 2 | 2 | 7 | 2 | 2 | 2 | 8 | 2 | 2 |
| DAY ON TEST | | 8 | 9 | 9 | 8 | 8 | 8 | 7 | 7 | 6 | 8 | 7 | 7 | 8 | 8 | 1 | 3 | 7 | 8 | 2 | 7 | 9 | 9 | 5 | 8 | 8 |
| B6C3F1 MICE FEMALE
200 MG/KG | | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | ANIMAL ID | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| | | ANIMAL ID | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 |

females (cont...)

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | X | | | |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hepatocellular Adenoma | | | | X | | | | | | | | | | | | | X | | | | | | | | |
| Hepatocellular Adenoma, Multiple | | | | | | | | | | | X | X | | | | | | | | | | | | | |
| Hepatocellular Carcinoma | | | X | | X | | | | | | | | | | | X | | | | | | | | | |
| Hepatocholangiocarcinoma | | | | | | X | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 l .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 7 7 7 4 7 7 7 7 7 7 7 7 4 5 7 7 4 7 7 7 4 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 2 2 2 2 5 2 2 0 2 2 2 2 2 1 7 2 2 7 2 2 2 8 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 9 9 8 8 8 7 7 6 8 7 7 8 8 1 3 7 8 2 7 9 9 5 8 8 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
200 MG/KG | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 0 0 0 0 0 0 0 0 0 1 1 1 1 1 1 1 1 1 1 2 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 females (cont...) | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Histiocytic Sarcoma | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Mesentery | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocholangiocarcinoma, Metastatic, Liver | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Pancreas | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocholangiocarcinoma, Metastatic, Liver | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Salivary Glands | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Forestomach | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Squamous Cell Papilloma | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Glandular | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Tooth | + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Peridontal Tissue, Histiocytic Sarcoma, Metastatic, Liver | X | | | | | | | | | | | | | | | | | | | | | | | | |

CARDIOVASCULAR SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|-------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 7 | 7 | 7 | 7 | 7 | 4 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 4 | 5 | 7 | 7 | 4 | 7 | 7 | 7 | 4 | 7 | 7 | 0 |
| 2 | 2 | 2 | 2 | 2 | 5 | 2 | 2 | 0 | 2 | 2 | 2 | 2 | 2 | 1 | 7 | 2 | 2 | 7 | 2 | 2 | 2 | 8 | 2 | 2 | 0 |
| 8 | 9 | 9 | 8 | 8 | 8 | 7 | 7 | 6 | 8 | 7 | 7 | 8 | 8 | 1 | 3 | 7 | 8 | 2 | 7 | 9 | 9 | 5 | 8 | 8 | 0 |

B6C3F1 MICE FEMALE
200 MG/KG

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Aorta, Hepatocholangiocarcinoma, Metastatic, Liver | | | | | | X | | | | | | | | | | | | | | | | | | |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hepatocholangiocarcinoma, Metastatic, Liver | | | | | | X | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | | | | | | | | | X | | | | | | | | | | | | | | | |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hepatocholangiocarcinoma, Metastatic, Liver | | | | | | X | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | X | | | | | | |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Pheochromocytoma Benign | | | | | | | | | | | | | | | | | | | | | | | | |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Parathyroid Gland | M | + | + | + | M | + | + | + | M | + | + | + | + | M | M | + | M | + | M | M | M | + | M | + |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 7 7 7 4 7 7 7 7 7 7 7 7 4 5 7 7 4 7 7 7 4 7 7 | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 2 2 2 2 5 2 2 0 2 2 2 2 2 1 7 2 2 7 2 2 2 8 2 2 | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 9 9 8 8 8 7 7 6 8 7 7 8 8 1 3 7 8 2 7 9 9 5 8 8 | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
200 MG/KG | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 3 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 0 0 0 0 0 0 0 0 0 1 1 1 1 1 1 1 1 1 1 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | |

females
(cont...)

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|--|--|---|
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | X |
| Pars Distalis, Adenoma | X | | | | | | | | | | | | | | | | | | | | X | | | |
| Thyroid Gland | + | | | | | | | | | | | | | | | | | | | | | | | |
| Follicular Cell, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | |

GENERAL BODY SYSTEM
 NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Clitoral Gland | + | | | | | | | | | | | | | | | | | | | | | | | |
| Ovary | + | | | | | | | | | | | | | | | | | | | | | | | |
| Cystadenoma | X | | | | | | | | | | | | | | | | | | | | | | | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Bilateral, Histiocytic Sarcoma | X | | | | | | | | | | | | | | | | | | | | | | | |
| Uterus | + | | | | | | | | | | | | | | | | | | | | | | | |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | X | | | | | | | | | | | | | | | | | | | | | | | |
| Vagina | + | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 7 7 7 4 7 7 7 7 7 7 7 4 5 7 7 4 7 7 7 4 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 2 2 2 2 5 2 2 0 2 2 2 2 2 1 7 2 2 7 2 2 2 8 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 9 9 8 8 8 7 7 6 8 7 7 8 8 1 3 7 8 2 7 9 9 5 8 8 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
200 MG/KG | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 0 0 0 0 0 0 0 0 0 1 1 1 1 1 1 1 1 1 1 2 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | | |

females
(cont...)

Histiocytic Sarcoma X

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Bone Marrow | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lumbar, Lymphoma Malignant | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Mediastinal, Histiocytic Sarcoma | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Mediastinal, Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Pancreatic, Hepatocholangiocarcinoma, Metastatic, Liver | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Pancreatic, Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Renal, Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mandibular | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mesenteric | + + + + + + + + + M + + + + + + + + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 7 7 7 4 7 7 7 7 7 7 7 7 4 5 7 7 4 7 7 7 4 7 7 | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
200 MG/KG | 2 2 2 2 2 5 2 2 0 2 2 2 2 2 1 7 2 2 7 2 2 2 8 2 2 | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 9 9 8 8 8 7 7 6 8 7 7 8 8 1 3 7 8 2 7 9 9 5 8 8 | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 3 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 0 0 0 0 0 0 0 0 0 1 1 1 1 1 1 1 1 1 1 2 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 1 1 1 1 1 1 1 1 1 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | |

females
(cont...)

| | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Spleen | + | | | | | | | | | | | | | | | | | | | | | | | |
| Hemangiosarcoma | X | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocarcinoma, Metastatic, Liver | X | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | X X | | | | | | | | | | | | | | | | | | | | | | | |
| Thymus | + | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | X X | | | | | | | | | | | | | | | | | | | | | | | |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Mammary Gland | + | | | | | | | | | | | | | | | | | | | | | | | |
| Skin | + | | | | | | | | | | | | | | | | | | | | | | | |
| Site Of Application - Dermis, Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Subcutaneous Tissue, Fibrous Histiocytoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Subcutaneous Tissue, Hemangioma | X | | | | | | | | | | | | | | | | | | | | | | | |
| Subcutaneous Tissue, Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Subcutaneous Tissue, Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | |
| Subcutaneous Tissue, Myxosarcoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Subcutaneous Tissue, Schwannoma | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|-------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 7 | 7 | 7 | 7 | 7 | 4 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 4 | 5 | 7 | 7 | 4 | 7 | 7 | 7 | 4 | 7 | 7 | 0 |
| 2 | 2 | 2 | 2 | 2 | 5 | 2 | 2 | 0 | 2 | 2 | 2 | 2 | 2 | 1 | 7 | 2 | 2 | 7 | 2 | 2 | 2 | 8 | 2 | 2 | 0 |
| 8 | 9 | 9 | 8 | 8 | 8 | 7 | 7 | 6 | 8 | 7 | 7 | 8 | 8 | 1 | 3 | 7 | 8 | 2 | 7 | 9 | 9 | 5 | 8 | 8 | 0 |

B6C3F1 MICE FEMALE
200 MG/KG

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|
| Osteosarcoma, Metastatic, Bone | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Mediastinum,
Hepatocholangiocarcinoma,
Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Nose | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Pleura | | | | | | | | | | | | | | | | | | | | | | | | | + |
| Hepatocholangiocarcinoma, Metastatic,
Liver | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Trachea | + | | | | | | | | | | | | | | | | | | | | | | | | |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|
| Eye | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Harderian Gland
Adenoma | + | | | | | | | | | | | | | | | | | | | | | | | | X |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|
| Kidney | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | X |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 7 | 7 | 7 | 7 | 7 | 4 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 4 | 5 | 7 | 7 | 4 | 7 | 7 | 7 | 4 | 7 | 7 | 4 | 7 | 7 | 8 | 2 | 2 | 8 | 2 | 2 | | |
| | | 2 | 2 | 2 | 2 | 2 | 5 | 2 | 2 | 0 | 2 | 2 | 2 | 2 | 2 | 1 | 7 | 2 | 2 | 7 | 2 | 2 | 2 | 8 | 2 | 2 | 2 | 2 | 8 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | | 8 | 9 | 9 | 8 | 8 | 8 | 7 | 7 | 6 | 8 | 7 | 7 | 8 | 8 | 1 | 3 | 7 | 8 | 2 | 7 | 9 | 9 | 5 | 8 | 8 | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
200 MG/KG | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | | | | | | | | | | | |

females
(cont...)

Urinary Bladder

+ +

SYSTEMIC LESIONS

Multiple Organ
 Histiocytic Sarcoma
 Lymphoma Malignant

+
 X X X
 X X

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|---------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 7 | 7 | 6 | 7 | 7 | 6 | 7 | 7 | 7 | 5 | 6 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 0 | 0 |
| 2 | 2 | 3 | 2 | 2 | 5 | 2 | 2 | 2 | 8 | 4 | 2 | 2 | 2 | 2 | 5 | 2 | 2 | 2 | 2 | 0 | 2 | 0 | 2 | 2 | 0 |
| 8 | 7 | 8 | 8 | 8 | 7 | 7 | 8 | 7 | 4 | 5 | 8 | 7 | 8 | 7 | 7 | 7 | 7 | 9 | 7 | 1 | 7 | 6 | 7 | 8 | 0 |
| B6C3F1 MICE FEMALE | | | | | | | | | | | | | | | | | | | | | | | | | |
| 200 MG/KG | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | 3 |
| 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 0 |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|----------|-----------|
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | X | 2 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | X | 4 |
| Mesentery | | | | | | | | | | | | | | | | | | | | | | | | | | | + | 11 |
| Hepatocholangiocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Pancreas | | | | | | | | | | | | | | | | | | | | | | | | | | | + | 50 |
| Hepatocholangiocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Salivary Glands | | | | | | | | | | | | | | | | | | | | | | | | | | | + | 50 |
| Stomach, Forestomach | | | | | | | | | | | | | | | | | | | | | | | | | | | + | 50 |
| Squamous Cell Papilloma | | | | | | | | | | | | | | | | | | | | | | | | | | | X | 4 |
| Stomach, Glandular | | | | | | | | | | | | | | | | | | | | | | | | | | | + | 50 |
| Tooth | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Peridental Tissue, Histiocytic Sarcoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

CARDIOVASCULAR SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|
| | 7 7 6 7 7 6 7 7 7 5 6 7 7 7 7 6 7 7 7 7 7 6 7 7 | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 2 3 2 2 5 2 2 2 8 4 2 2 2 2 5 2 2 2 2 0 2 0 2 2 | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 7 8 8 8 7 7 8 7 4 5 8 7 8 7 7 7 7 9 7 1 7 6 7 8 | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 200 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Aorta, Hepatocholangiocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hepatocholangiocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|-----------|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hepatocholangiocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Pheochromocytoma Benign | | | | | | | | | | | | | | | X | | | | | | | | | | 1 |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Parathyroid Gland | M | + | M | M | + | M | M | M | M | + | M | + | M | + | + | + | + | M | + | + | M | + | + | 28 | |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|---|
| | 7 7 6 7 7 6 7 7 7 5 6 7 7 7 7 6 7 7 7 7 7 7 6 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 2 3 2 2 5 2 2 2 8 4 2 2 2 2 5 2 2 2 2 0 2 0 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 7 8 8 8 7 7 8 7 4 5 8 7 8 7 7 7 7 9 7 1 7 6 7 8 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 200 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | 5 |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |

Lymphoma Malignant 1
 Pars Distalis, Adenoma 6

Thyroid Gland 50
 Follicular Cell, Adenoma 1

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

Clitoral Gland 49

Ovary 50
 Cystadenoma 2
 Hemangiosarcoma 1
 Bilateral, Histiocytic Sarcoma 1

Uterus 50
 Carcinoma 1
 Hemangiosarcoma 2
 Histiocytic Sarcoma 1

Vagina 1

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|
| | 7 7 6 7 7 6 7 7 7 5 6 7 7 7 7 6 7 7 7 7 7 6 7 7 | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 2 3 2 2 5 2 2 2 8 4 2 2 2 2 5 2 2 2 2 0 2 0 2 2 | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 7 8 8 8 7 7 8 7 4 5 8 7 8 7 7 7 7 9 7 1 7 6 7 8 | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 200 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |

Histiocytic Sarcoma

1

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangiosarcoma | | | | | | | | | | | | | | | X | | | | | | | | | X | 2 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymph Node | | | | | | | | | | | | | | | | | | | | | | | | | 3 |
| Lumbar, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Mediastinal, Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Mediastinal, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Pancreatic, Hepatocholangiocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Pancreatic, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Renal, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 3 |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 2 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|-----------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 7 | 7 | 6 | 7 | 7 | 6 | 7 | 7 | 7 | 5 | 6 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | | |
| | 2 | 2 | 3 | 2 | 2 | 5 | 2 | 2 | 2 | 8 | 4 | 2 | 2 | 2 | 2 | 5 | 2 | 2 | 2 | 2 | 0 | 2 | 0 | 2 | 2 | |
| | 8 | 7 | 8 | 8 | 8 | 7 | 7 | 8 | 7 | 4 | 5 | 8 | 7 | 8 | 7 | 7 | 7 | 7 | 9 | 7 | 1 | 7 | 6 | 7 | 8 | |
| B6C3F1 MICE FEMALE | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | * TOTALS |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 2 | |
| Hepatocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Lymphoma Malignant | | | | | | | | | | X | | | | | | | | | | | | | X | | 4 | |
| Thymus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Lymphoma Malignant | | | | | X | | | | | | | | | | | | | | | | | | X | | 4 | |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Site Of Application - Dermis, Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | X | | 1 |
| Subcutaneous Tissue, Fibrous Histiocytoma | | | | | | | | | | | | | | | | | | | | | | | X | | 1 |
| Subcutaneous Tissue, Hemangioma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Subcutaneous Tissue, Histiocytic Sarcoma | | | | | | | | | | | | | | X | | | | | | | | | | | 1 |
| Subcutaneous Tissue, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Subcutaneous Tissue, Myxosarcoma | | | | | | | | | | | | X | | | | | | | | | | | | | 1 |
| Subcutaneous Tissue, Schwannoma | | | | | | | | | | | | | | | | | | | | | | | X | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 6 7 7 6 7 7 7 5 6 7 7 7 7 6 7 7 7 7 7 6 7 7 | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
200 MG/KG | 2 2 3 2 2 5 2 2 2 8 4 2 2 2 2 5 2 2 2 2 0 2 0 2 2 | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 7 8 8 8 7 7 8 7 4 5 8 7 8 7 7 7 7 9 7 1 7 6 7 8 | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| 200 MG/KG | 3 | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 2 2 2 3 | | | | | | | | | | | | | | | | | | | | | | | |
| 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| * TOTALS | | | | | | | | | | | | | | | | | | | | | | | | |

| | |
|--|-----------|
| Osteosarcoma, Metastatic, Bone | 1 |
| Mediastinum,
Hepatocholangiocarcinoma,
Metastatic, Liver | 1 |
| Nose | 50 |
| Pleura | 1 |
| Hepatocholangiocarcinoma, Metastatic,
Liver | 1 |
| Trachea | 50 |

SPECIAL SENSES SYSTEM

| | |
|-----------------|-----------|
| Eye | 50 |
| Harderian Gland | 50 |
| Adenoma | 5 |

URINARY SYSTEM

| | |
|--------------------|-----------|
| Kidney | 50 |
| Lymphoma Malignant | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|
| | 0728 | 0728 | 0728 | 0729 | 0729 | 0729 | 0730 | 0730 | 0730 | 0731 | 0731 | 0731 | 0732 | 0732 | 0732 | 0733 | 0733 | 0733 | 0734 | 0734 | 0734 | 0735 | 0735 | 0735 | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 400 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| ANIMAL ID | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | | |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | | |
| | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | | |

females (cont...)

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Hepatocellular Carcinoma | | | | X | | | | | | | | | | | | | | | | | | | | X |
| Histiocytic Sarcoma | | | | | | | | | X | X | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | X | | | | | | | | | | | |
| Mesentery | + | + | + | + | + | + | + | + | + | | | | | | | | | | | | | | | + |
| Fibrous Histiocytoma | X | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Lymphoma Malignant | | | | | | | | | | | | | X | | | | | | | | | | | |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Hemangioma | | | | | | | | | | | | X | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | X | | | | | | | | | | | | | | | | | | |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Squamous Cell Papilloma | | | | | | | | | | | | | | | X | X | | | | | | | | X |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Tooth | | | | | | | | | | | | | | | | | | | | | | | | + |

CARDIOVASCULAR SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|-------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 7 | 7 | 7 | 6 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 6 | 6 | 7 | 7 | 7 | 7 | 0 | |
| 2 | 2 | 2 | 5 | 2 | 2 | 1 | 2 | 2 | 2 | 1 | 5 | 2 | 2 | 9 | 0 | 2 | 2 | 2 | 2 | 7 | 5 | 2 | 2 | 2 | 8 | |
| 8 | 8 | 8 | 9 | 7 | 9 | 5 | 7 | 7 | 7 | 3 | 7 | 7 | 8 | 6 | 9 | 8 | 9 | 1 | 7 | 1 | 0 | 7 | 7 | 9 | 9 | |

B6C3F1 MICE FEMALE
400 MG/KG

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Parathyroid Gland | + | + | + | + | + | + | + | + | M | M | + | + | + | M | + | M | M | + | + | M | + | M | + | + | + |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Pars Distalis, Adenoma | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 7 | 7 | 7 | 6 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 6 | 6 | 7 | 7 | 7 | 7 |
| 2 | 2 | 2 | 5 | 2 | 2 | 1 | 2 | 2 | 2 | 1 | 5 | 2 | 2 | 9 | 0 | 2 | 2 | 2 | 2 | 7 | 5 | 2 | 2 | 2 | |
| 8 | 8 | 8 | 9 | 7 | 9 | 5 | 7 | 7 | 7 | 3 | 7 | 7 | 8 | 6 | 9 | 8 | 9 | 1 | 7 | 1 | 0 | 7 | 7 | 9 | |
| B6C3F1 MICE FEMALE
400 MG/KG
ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |

females
(cont...)

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

Clitoral Gland

+ +

Ovary

+ +

Cystadenoma

X

Hemangioma

X

X

Histiocytic Sarcoma

X

Lymphoma Malignant

X

Uterus

+ +

Adenoma

Hemangioma

Histiocytic Sarcoma

X

X

X

Lymphoma Malignant

X

Polyp Stromal

HEMATOPOIETIC SYSTEM

Bone Marrow

+ +

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|---------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 7 | 7 | 7 | 6 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 6 | 6 | 7 | 7 | 7 | 7 | 0 | |
| 2 | 2 | 2 | 5 | 2 | 2 | 1 | 2 | 2 | 2 | 1 | 5 | 2 | 2 | 9 | 0 | 2 | 2 | 2 | 2 | 7 | 5 | 2 | 2 | 2 | 8 | |
| 8 | 8 | 8 | 9 | 7 | 9 | 5 | 7 | 7 | 7 | 3 | 7 | 7 | 8 | 6 | 9 | 8 | 9 | 1 | 7 | 1 | 0 | 7 | 7 | 9 | 0 | |
| B6C3F1 MICE FEMALE | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 400 MG/KG | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 0 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Histiocytic Sarcoma | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Fibrosarcoma, Metastatic, Skin | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Bronchial, Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Lumbar, Lymphoma Malignant | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Renal, Lymphoma Malignant | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mandibular | + + + M + | | | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mesenteric | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Fibrous Histiocytoma, Metastatic, Mesentery | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Spleen | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemangiosarcoma | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Thymus | + | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
|--------------------|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 7 | 7 | 7 | 6 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 6 | 6 | 7 | 7 | 7 | |
| | | 2 | 2 | 2 | 5 | 2 | 2 | 1 | 2 | 2 | 2 | 1 | 5 | 2 | 2 | 9 | 0 | 2 | 2 | 2 | 2 | 7 | 5 | 2 | 2 | |
| | | 8 | 8 | 8 | 9 | 7 | 9 | 5 | 7 | 7 | 7 | 3 | 7 | 7 | 8 | 6 | 9 | 8 | 9 | 1 | 7 | 1 | 0 | 7 | 7 | |
| B6C3F1 MICE FEMALE | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| ANIMAL ID | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 400 MG/KG | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |

females (cont...)

NERVOUS SYSTEM

Brain +

RESPIRATORY SYSTEM

Lung +

Alveolar/Bronchiolar Adenoma X X X

Alveolar/Bronchiolar Carcinoma X

Fibrous Histiocytoma, Metastatic, Mesentery

Hepatocellular Carcinoma, Metastatic, Liver X X

Histiocytic Sarcoma X

Lymphoma Malignant X X

Osteosarcoma, Metastatic, Bone X

Nose +

Trachea +

SPECIAL SENSES SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------------------------|
| | 0728 | 0778 | 0778 | 0679 | 0779 | 0779 | 0675 | 0777 | 0777 | 0777 | 0777 | 0676 | 0777 | 0676 | 0777 | 0777 | 0929 | 0022 | 0222 | 0222 | 0727 | 0525 | 0222 | 0222 | 0020 | |
| B6C3F1 MICE FEMALE | 00351 | 00352 | 00353 | 00354 | 00355 | 00356 | 00357 | 00358 | 00359 | 00360 | 00361 | 00362 | 00363 | 00364 | 00365 | 00366 | 00367 | 00368 | 00369 | 00370 | 00371 | 00372 | 00373 | 00374 | 00375 | females (cont...) |
| 400 MG/KG | | | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Adenoma | | | X | | | | | | | | | | | | | X | | | | | | | X | | |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | X | | | | | | | | | | | X |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Histiocytic Sarcoma | | | | | | | | | | X | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | X |

SYSTEMIC LESIONS

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Histiocytic Sarcoma | | | | | X | | | X | | X | | | | | X | | | | | | | | | | |
| Lymphoma Malignant | | | | | X | X | | | | | | | | X | | | | | | | | | | | X |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| B6C3F1 MICE FEMALE | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 6 | 7 | |
| | 2 | 2 | 8 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 0 | 2 | 2 | 5 | 2 | 8 | 2 |
| 400 MG/KG | 8 | 7 | 9 | 9 | 9 | 8 | 7 | 9 | 9 | 8 | 8 | 8 | 7 | 8 | 7 | 7 | 9 | 7 | 1 | 7 | 9 | 4 | 7 | 9 | 9 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 |
| | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | X | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Adenoma | | | | | | | | | | X | | | | | | | | | | | | | | | | 1 |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hepatocellular Adenoma | | | | | X | X | X | X | | | | | | X | X | X | | | | X | | | | | X | 18 |
| Hepatocellular Adenoma, Multiple | | X | | X | | | | | | X | | | | | | | X | | | | | | | | | 9 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | | | | |
|---------------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|------------------|---|----|
| | 0
7
2
8 | 0
7
2
7 | 0
6
8
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
8 | 0
7
2
7 | 0
7
2
9 | 0
7
2
9 | 0
7
2
8 | 0
7
2
9 | 0
7
2
8 | 0
7
2
8 | 0
7
2
8 | 0
7
2
8 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
5
2
4 | 0
7
5
7 | | 0
6
8
9 | 0
7
2
9 | | |
| B6C3F1 MICE FEMALE | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 400 MG/KG | 0
0
3
7
6 | 0
0
3
7
7 | 0
0
3
7
8 | 0
0
3
7
9 | 0
0
3
8
0 | 0
0
3
8
1 | 0
0
3
8
2 | 0
0
3
8
3 | 0
0
3
8
4 | 0
0
3
8
5 | 0
0
3
8
6 | 0
0
3
8
7 | 0
0
3
8
8 | 0
0
3
8
9 | 0
0
3
8
0 | 0
0
3
9
1 | 0
0
3
9
2 | 0
0
3
9
3 | 0
0
3
9
4 | 0
0
3
9
5 | 0
0
3
9
6 | 0
0
3
9
7 | 0
0
3
9
8 | 0
0
3
9
9 | 0
0
3
9
0 | 0
0
3
9
0 | | | |
| Hepatocellular Carcinoma | X | | | | | | | | | | | | | | | | | | | | | | | | | | X | X | 5 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Lymphoma Malignant | | | X | | | | | X | X | | | | | | | | | | | | | | | | | | | | 4 |
| Mesentery | | | | + | | + | | + | | | | | | | | | | | | | | | | | | + | | | 10 |
| Fibrous Histiocytoma | | | | | | | | | | | | | | | | | | | | | | | | | | X | | | 2 |
| Lymphoma Malignant | | | | | | | | X | | | | | | | | | | | | | | | | | | | | | 1 |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | X | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangioma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | X | | | | | X | X | | | | | | | | | | | | | | | | | | | | 4 |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Squamous Cell Papilloma | X | | | | | | | | | | | | | | | | | | | | | | | | | | | | 4 |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Tooth | | | | | | | | | | | | | | | | | | | | | | | | | | + | | | 3 |

CARDIOVASCULAR SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
|---------------------------|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------|----|--|
| | 0728 | 0779 | 0769 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | | | |
| B6C3F1 MICE FEMALE | 00376 | 00377 | 00378 | 00379 | 00380 | 00381 | 00382 | 00383 | 00384 | 00385 | 00386 | 00387 | 00388 | 00389 | 00390 | 00391 | 00392 | 00393 | 00394 | 00395 | 00396 | 00397 | 00398 | 00399 | | | |
| 400 MG/KG | 0036 | 0037 | 0038 | 0039 | 0040 | 0041 | 0042 | 0043 | 0044 | 0045 | 0046 | 0047 | 0048 | 0049 | 0050 | 0051 | 0052 | 0053 | 0054 | 0055 | 0056 | 0057 | 0058 | 0059 | | | |
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | X | | | | 1 | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Lymphoma Malignant | | | X | | | | | X | | | | | | | | | | | | | | | | | 3 | | |
| ENDOCRINE SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Lymphoma Malignant | | | X | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Parathyroid Gland | + | M | + | + | + | M | + | + | + | + | + | + | + | + | M | + | M | + | + | + | M | + | + | M | + | 37 | |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Pars Distalis, Adenoma | | | | | | | | | X | | | | | | | | | | | | | | | | 4 | | |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Lymphoma Malignant | | | | | | | | X | | | | | | | | | | | | | | | | | 1 | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------|
| DAY ON TEST | 0
7
2
8 | 0
7
2
7 | 0
6
8
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
8 | 0
7
2
7 | 0
7
2
9 | 0
7
2
9 | 0
7
2
8 | 0
7
2
8 | 0
7
2
8 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
5
2
4 | 0
7
2
7 | 0
6
8
9 | 0
7
2
9 | 0
7
2
9 | | |
| B6C3F1 MICE FEMALE | 0
0
3
7
6 | 0
0
3
7
7 | 0
0
3
7
8 | 0
0
3
7
9 | 0
0
3
8
0 | 0
0
3
8
1 | 0
0
3
8
2 | 0
0
3
8
3 | 0
0
3
8
4 | 0
0
3
8
5 | 0
0
3
8
6 | 0
0
3
8
7 | 0
0
3
8
8 | 0
0
3
8
9 | 0
0
3
9
0 | 0
0
3
9
1 | 0
0
3
9
2 | 0
0
3
9
3 | 0
0
3
9
4 | 0
0
3
9
5 | 0
0
3
9
6 | 0
0
3
9
7 | 0
0
3
9
8 | 0
0
3
9
9 | 0
0
3
9
0 | 0
0
3
9
0 | |
| 400 MG/KG | | | | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |

GENERAL BODY SYSTEM
 NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Clitoral Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Cystadenoma | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hemangioma | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | | | X | | | | | | | | | | | | | | | | | 2 |
| Uterus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Adenoma | | | | | | | | | X | | | | | | | | | | X | | | | | | | | 2 |
| Hemangioma | | | | | | | | | | | | | | | | | | | | | | | | X | | | 1 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | 3 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Polyp Stromal | | | | | | | | | | | | | X | | | | | | | | | | | | | | 1 |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|---|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|----------|
| | 7 7 6 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 5 7 6 7
2 2 8 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 0 2 2 5 2 8 2
8 7 9 9 9 8 7 9 9 8 8 8 7 8 7 7 9 7 1 7 9 4 7 9 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
400 MG/KG | ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | | 3 4 | | | | | | | | | | | | | | | | | | | | | | | |
| | | 7 7 7 7 8 8 8 8 8 8 8 8 8 8 8 8 9 9 9 9 9 9 9 9 0 | | | | | | | | | | | | | | | | | | | | | | | |
| 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Lymph Node | | | | | | | | | | | | | | | | | | | | | | | | 5 | |
| Fibrosarcoma, Metastatic, Skin | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Bronchial, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | 2 | |
| Lumbar, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | 2 | |
| Renal, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Lymph Node, Mandibular | + | | | | | | | | | | | | | | | | | | | | | | | 49 | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | 7 | |
| Lymph Node, Mesenteric | + | | | | | | | | | | | | | | | | | | | | | | | 50 | |
| Fibrous Histiocytoma, Metastatic, Mesentery | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | 2 | |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | 3 | |
| Spleen | + | | | | | | | | | | | | | | | | | | | | | | | 50 | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | 2 | |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | 7 | |
| Thymus | + | | | | | | | | | | | | | | | | | | | | | | | 50 | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
|--------------------|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DAY ON TEST | | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 6 | 7 | |
| DAY ON TEST | | 2 | 2 | 8 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 0 | 2 | 2 | 5 | 2 | 8 | 2 | |
| DAY ON TEST | | 8 | 7 | 9 | 9 | 9 | 8 | 7 | 9 | 9 | 8 | 8 | 8 | 7 | 8 | 7 | 7 | 9 | 7 | 1 | 7 | 9 | 4 | 7 | 9 | 9 |
| B6C3F1 MICE FEMALE | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| ANIMAL ID | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 400 MG/KG | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | |
| | | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| * TOTALS | | | | | | | | | | | | | | | | | | | | | | | | | | |

| | |
|---|----------|
| Fibrosarcoma, Metastatic, Skin | 1 |
| Fibrous Histiocytoma, Metastatic,
Uncertain Primary Site | 1 |
| Lymphoma Malignant | 5 |
| Thymoma Malignant | 1 |

INTEGUMENTARY SYSTEM

| | |
|--|-----------|
| Mammary Gland | 50 |
| Skin | 50 |
| Subcutaneous Tissue, Fibrosarcoma | 2 |
| Subcutaneous Tissue, Fibrous
Histiocytoma | 2 |
| Subcutaneous Tissue, Lymphoma
Malignant | 1 |
| Subcutaneous Tissue, Schwannoma
Malignant | 3 |

MUSCULOSKELETAL SYSTEM

| | |
|------------------------|-----------|
| Bone | 50 |
| Vertebra, Osteosarcoma | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 6 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 5 7 6 7 | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 2 8 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 0 2 2 5 2 8 2 | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 7 9 9 9 8 7 9 9 8 8 8 7 8 7 7 9 7 1 7 9 4 7 9 9 | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
400 MG/KG | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 3 4 | | | | | | | | | | | | | | | | | | | | | | | |
| | 7 7 7 7 8 8 8 8 8 8 8 8 8 8 8 8 9 9 9 9 9 9 9 9 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | * TOTALS | | | | | | | | | | | | | | | | | | | | | | | |

NERVOUS SYSTEM

| | | |
|-------|---|-----------|
| Brain | + | 50 |
|-------|---|-----------|

RESPIRATORY SYSTEM

| | | |
|---|---|-----------|
| Lung | + | 50 |
| Alveolar/Bronchiolar Adenoma | X X X | 6 |
| Alveolar/Bronchiolar Carcinoma | X | 2 |
| Fibrous Histiocytoma, Metastatic, Mesentery | X | 1 |
| Hepatocellular Carcinoma, Metastatic, Liver | | 2 |
| Histiocytic Sarcoma | | 1 |
| Lymphoma Malignant | X X X | 5 |
| Osteosarcoma, Metastatic, Bone | | 1 |
| Nose | + | 50 |
| Trachea | + | 50 |

SPECIAL SENSES SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|---|-----------------|
| | 0728 | 0728 | 0728 | 0728 | 0728 | 0728 | 0728 | 0728 | 0728 | 0728 | 0728 | 0728 | 0728 | 0728 | 0728 | 0728 | 0728 | 0728 | 0728 | 0728 | 0728 | 0728 | 0728 | 0728 | | 0728 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 400 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| ANIMAL ID | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | * TOTALS |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | X | | | | | | | | | | | | | | | | | 1 |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Adenoma | | | | | | | | | | | | | | | | X | | | X | | | | | | | 5 |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | X | | | | | | | | | | | | | | X | | | 4 |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | X | | | | | X | X | | | | | | | | | | | | | X | | | 5 |

SYSTEMIC LESIONS

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | 4 |
| Lymphoma Malignant | | | | X | | | | | X | X | X | | | | | | | | | | | X | X | | | 10 |

*** END OF REPORT ***

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically