

TDMS No. 99028 - 06
Test Type: CHRONIC
Route: SKIN APPLICATION
Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

bis(2-Chloroethoxy)methane

CAS Number: 111-91-1

Date Report Requested: 04/07/2008

Time Report Requested: 11:52:50

First Dose M/F: 10/03/02 / 10/02/02

Lab: BAT

F1_M3

C Number: C99028
Lock Date: 09/20/2005
Cage Range: ALL
Date Range: ALL
Reasons For Removal: ALL
Removal Date Range: ALL
Treatment Groups: Include ALL
TDMSE Version: 2.0.0

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

	DAY ON TEST																									males (cont...)
	0 7 3 0	0 7 3 0	0 7 3 0	0 7 3 0	0 7 2 9	0 7 2 9	0 5 3 9	0 7 3 0	0 7 2 9	0 6 3 3	0 7 2 8	0 7 2 9	0 5 5 8	0 6 9 4	0 7 2 0	0 7 2 9	0 7 2 9	0 5 7 8	0 7 2 9	0 3 9 7	0 7 3 0	0 7 3 0	0 7 3 0			
B6C3F1 MICE MALE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
0 MG/KG	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4		5

ALIMENTARY SYSTEM

Esophagus	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Gallbladder	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Intestine Large, Cecum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Intestine Large, Colon	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Intestine Large, Rectum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Intestine Small, Duodenum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Intestine Small, Ileum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Intestine Small, Jejunum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Histiocytic Sarcoma								X																
Liver	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Carcinoma, Metastatic, Thyroid Gland																								X
Hemangiosarcoma																							X	
Hepatoblastoma																								
Hepatocellular Adenoma			X				X	X						X		X	X							

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

DAY ON TEST	ANIMAL ID																									males (cont...)
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
7	7	7	7	7	7	5	7	7	6	7	7	7	5	6	7	7	7	7	7	5	7	3	7	7	0	
3	3	3	3	2	2	3	3	2	3	2	2	2	5	9	3	2	2	2	2	7	2	9	3	3	0	
0	0	0	0	9	9	9	0	9	3	8	9	9	8	4	0	9	9	9	9	8	9	7	0	0	0	
B6C3F1 MICE MALE																										
0 MG/KG																										
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	
	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	
Hepatocellular Adenoma, Multiple	X				X	X			X	X			X	X		X					X		X			
Hepatocellular Carcinoma						X							X	X						X						
Hepatocellular Carcinoma, Multiple			X					X																		
Histiocytic Sarcoma								X																		
Ito Cell Tumor Benign																										
Mesentery																										
Hemangioma																										
Pancreas	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		
Histiocytic Sarcoma								X																		
Salivary Glands	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		
Histiocytic Sarcoma								X																		
Stomach, Forestomach	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		
Stomach, Glandular	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+		
Tongue																										
Tooth																										
Odontoma																										

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

DAY ON TEST	0 0																								
	7 7 7 7 7 7 5 7 7 6 7 7 7 5 6 7 7 7 7 7 5 7 3 7 7																								
ANIMAL ID	3 3 3 3 2 2 3 3 2 3 2 2 2 5 9 3 2 2 2 2 7 2 9 3 3																								
	0 0 0 0 9 9 9 0 9 3 8 9 9 8 4 0 9 9 9 9 8 9 7 0 0																								
B6C3F1 MICE MALE 0 MG/KG	0 0																								
	0 0																								
	0 0																								
	0 0																								
	1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 2 2 2																								

males
(cont...)

CARDIOVASCULAR SYSTEM

Blood Vessel	+ +																								
Heart	+ +																								
Histiocytic Sarcoma	X																								

ENDOCRINE SYSTEM

Adrenal Cortex	+ +																								
Carcinoma, Metastatic, Thyroid Gland	X																								
Bilateral, Adenoma																									
Capsule, Histiocytic Sarcoma	X																								
Subcapsular, Adenoma	X X X																								
Adrenal Medulla	+ +																								
Islets, Pancreatic	+ +																								
Parathyroid Gland	+ + + + + + + + + + + + + + + + + M + + + + + + +																								
Pituitary Gland	+ +																								
Pars Distalis, Adenoma																									
Pars Intermedia, Adenoma	X																								

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

DAY ON TEST	0 0																									0
	7 7 7 7 7 5 7 7 6 7 7 7 5 6 7 7 7 7 5 7 3 7 7																									
B6C3F1 MICE MALE 0 MG/KG	3 3 3 3 2 2 3 3 2 3 2 2 2 5 9 3 2 2 2 7 2 9 3 3																									0
	0 0 0 0 9 9 9 0 9 3 8 9 9 8 4 0 9 9 9 8 9 7 0 0																									
ANIMAL ID	0 0																									0
	0 0																									
0 MG/KG	0 0																									0
	0 0																									
																									males (cont...)	
																									1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5	

Thyroid Gland +
 Follicular Cell, Carcinoma X

GENERAL BODY SYSTEM
 NONE

GENITAL SYSTEM

Coagulating Gland +

Epididymis +
 Histiocytic Sarcoma X

Preputial Gland +

Prostate +
 Hemangioma X
 Histiocytic Sarcoma X

Seminal Vesicle +
 Histiocytic Sarcoma X

Testes +

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

DAY ON TEST	0 0																								
	7 7 7 7 7 7 5 7 7 6 7 7 7 5 6 7 7 7 7 7 5 7 3 7 7																								
ANIMAL ID	3 3 3 3 2 2 3 3 2 3 2 2 2 5 9 3 2 2 2 2 7 2 9 3 3																								
	0 0 0 0 9 9 9 0 9 3 8 9 9 8 4 0 9 9 9 9 8 9 7 0 0																								
B6C3F1 MICE MALE 0 MG/KG	0 0																								
	0 0																								
	0 0																								
	0 0																								
	1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5																								

males
(cont...)

Histiocytic Sarcoma X
 Interstitial Cell, Adenoma

HEMATOPOIETIC SYSTEM

Bone Marrow	+ +																								
Carcinoma, Metastatic, Thyroid Gland																									
Hemangiosarcoma																									
Lymph Node	+ +																								
Histiocytic Sarcoma	X																								
Lumbar, Histiocytic Sarcoma	X																								
Mediastinal, Carcinoma, Metastatic, Thyroid Gland																									
Renal, Histiocytic Sarcoma	X																								
Lymph Node, Mandibular	+ +																								
Histiocytic Sarcoma	X																								
Lymph Node, Mesenteric	+ +																								
Histiocytic Sarcoma	X																								
Spleen	+ +																								
Hemangiosarcoma	X																								

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

DAY ON TEST	ANIMAL ID																									males (cont...)
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
7	7	7	7	7	7	5	7	7	6	7	7	7	5	6	7	7	7	7	7	5	7	3	7	7	0	
3	3	3	3	2	2	3	3	2	3	2	2	2	5	9	3	2	2	2	2	7	2	9	3	3	0	
0	0	0	0	9	9	9	0	9	3	8	9	9	8	4	0	9	9	9	9	8	9	7	0	0	0	
.....																										
B6C3F1 MICE MALE 0 MG/KG	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	2	2	2	2	2	0	
	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	0

Histiocytic Sarcoma																										X
.....																										
Thymus	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
Histiocytic Sarcoma																										X

INTEGUMENTARY SYSTEM

Mammary Gland																										
Carcinoma	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	
.....																										
Skin	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	
Site Of Application - Dermis, Hemangiosarcoma																										

MUSCULOSKELETAL SYSTEM

Bone	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
------	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

NERVOUS SYSTEM

Brain	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
-------	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

RESPIRATORY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

	DAY ON TEST																									males (cont...)
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7	7	7	7	7	7	5	7	7	6	7	7	7	5	6	7	7	7	7	7	5	7	3	7	7	
	3	3	3	3	2	2	3	3	2	3	2	2	2	5	9	3	2	2	2	2	7	2	9	3	3	
	0	0	0	0	9	9	9	0	9	3	8	9	9	8	4	0	9	9	9	9	8	9	7	0	0	
B6C3F1 MICE MALE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
0 MG/KG	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	

Lung	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Alveolar/Bronchiolar Adenoma			X								X														
Alveolar/Bronchiolar Adenoma, Multiple											X														
Alveolar/Bronchiolar Carcinoma	X							X																	
Alveolar/Bronchiolar Carcinoma, Multiple						X																			
Carcinoma, Metastatic, Harderian Gland																									
Carcinoma, Metastatic, Thyroid Gland																									X
Hepatocellular Carcinoma, Metastatic, Liver			X							X															
Histiocytic Sarcoma									X																
Nose	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Histiocytic Sarcoma									X																
Trachea	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+

SPECIAL SENSES SYSTEM

Eye	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Carcinoma, Metastatic, Harderian Gland																									
Sarcoma															X										
Harderian Gland	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

DAY ON TEST	0 0																								
	7 7 7 7 7 7 5 7 7 6 7 7 7 5 6 7 7 7 7 7 5 7 3 7 7																								
ANIMAL ID	3 3 3 3 2 2 3 3 2 3 2 2 2 5 9 3 2 2 2 2 7 2 9 3 3																								
	0 0 0 0 9 9 9 0 9 3 8 9 9 8 4 0 9 9 9 9 8 9 7 0 0																								
B6C3F1 MICE MALE 0 MG/KG	0 0																								
	0 0																								
	0 0																								
	0 0																								
	1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 2 3 4 5 males (cont...)																								

Adenoma X X X X
 Carcinoma X
 Histiocytic Sarcoma X
 Sarcoma X

Zymbal's Gland +

URINARY SYSTEM

Kidney +
 Carcinoma, Metastatic, Thyroid Gland X
 Histiocytic Sarcoma X
 Urinary Bladder +
 Histiocytic Sarcoma X

SYSTEMIC LESIONS

Multiple Organ +
 Histiocytic Sarcoma X

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

DAY ON TEST	0 0																								* TOTALS
	7 7 5 7 7 7 7 7 7 4 7 7 7 7 7 7 4 5 7 7 4 5 7																								
B6C3F1 MICE MALE 0 MG/KG	3 3 4 3 2 2 2 2 2 9 2 2 3 3 2 0 3 3 6 3 3 3 9 3 2																								* TOTALS
	0 0 4 0 8 9 8 8 9 9 9 9 0 0 8 7 0 0 1 3 0 0 5 3 8																								
ANIMAL ID	0 0																								* TOTALS
	0 0																								
ANIMAL ID	2 2 2 2 3 3 3 3 3 3 3 3 3 3 4 4 4 4 4 4 4 4 4 5																								* TOTALS
	6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0																								

ALIMENTARY SYSTEM

Esophagus	+ +																								50
Gallbladder	+ +																								50
Intestine Large, Cecum	+ +																								50
Intestine Large, Colon	+ +																								50
Intestine Large, Rectum	+ +																								50
Intestine Small, Duodenum	+ +																								50
Intestine Small, Ileum	+ +																								50
Intestine Small, Jejunum	+ +																								50
Histiocytic Sarcoma																									1
Liver	+ +																								50
Carcinoma, Metastatic, Thyroid Gland																									1
Hemangiosarcoma																									1
Hepatoblastoma	X																								2
Hepatocellular Adenoma	X X X X X X X X																								13

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

	DAY ON TEST																								* TOTALS
	0730	0733	0734	0737	0737	0737	0737	0737	0737	0737	0737	0737	0737	0737	0737	0737	0737	0737	0737	0737	0737	0737	0737	0737	
B6C3F1 MICE MALE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
0 MG/KG	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
ANIMAL ID	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	0000	
	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50
Hepatocellular Adenoma, Multiple		X			X					X	X		X	X	X			X						X	20
Hepatocellular Carcinoma			X											X		X							X	8	
Hepatocellular Carcinoma, Multiple						X	X				X											X		6	
Histiocytic Sarcoma																									1
Ito Cell Tumor Benign												X												1	
Mesentery																									5
Hemangioma		X																							1
Pancreas																									50
Histiocytic Sarcoma																									1
Salivary Glands																									50
Histiocytic Sarcoma																									1
Stomach, Forestomach																									50
Stomach, Glandular																									50
Tongue																									1
Tooth																									5
Odontoma																									1

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

DAY ON TEST	0 0																								* TOTALS
	7 7 5 7 7 7 7 7 7 4 7 7 7 7 7 7 4 5 7 7 4 5 7																								
ANIMAL ID	3 3 4 3 2 2 2 2 2 9 2 2 3 3 2 0 3 3 6 3 3 3 9 3 2																								* TOTALS
	0 0 4 0 8 9 8 8 9 9 9 9 0 0 8 7 0 0 1 3 0 0 5 3 8																								
B6C3F1 MICE MALE 0 MG/KG	0 0																								* TOTALS
	0 0																								
	0 0																								
	2 2 2 2 3 3 3 3 3 3 3 3 3 3 4 4 4 4 4 4 4 4 4 5																								
	6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0																								

CARDIOVASCULAR SYSTEM

Blood Vessel	+ +																								50
Heart	+ +																								50
Histiocytic Sarcoma																									1

ENDOCRINE SYSTEM

Adrenal Cortex	+ + + + + + + M + + + + + + + + + + + + + + + + + +																								49
Carcinoma, Metastatic, Thyroid Gland																									1
Bilateral, Adenoma	X																								1
Capsule, Histiocytic Sarcoma																									1
Subcapsular, Adenoma																									5
Adrenal Medulla	+ + + + + + + M + + + + + + + + + + + + + + + + + +																								49
Islets, Pancreatic	+ +																								50
Parathyroid Gland	+ + + + + + + + + + + + + M + + + + + + + M + + + +																								47
Pituitary Gland	+ +																								50
Pars Distalis, Adenoma	X																								1
Pars Intermedia, Adenoma																									1

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

DAY ON TEST	0 0																								* TOTALS		
	7 7 5 7 7 7 7 7 7 4 7 7 7 7 7 7 4 5 7 7 4 5 7																										
ANIMAL ID	3 3 4 3 2 2 2 2 2 9 2 2 3 3 2 0 3 3 6 3 3 3 9 3 2																								* TOTALS		
	0 0 4 0 8 9 8 8 9 9 9 9 0 0 8 7 0 0 1 3 0 0 5 3 8																										
B6C3F1 MICE MALE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	* TOTALS
0 MG/KG	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	2	2	2	2	3	3	3	3	3	3	3	3	3	3	3	4	4	4	4	4	4	4	4	4	4	5	
	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0		

Thyroid Gland	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Follicular Cell, Carcinoma																										1

GENERAL BODY SYSTEM
 NONE

GENITAL SYSTEM

Coagulating Gland																										1
Epididymis	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Histiocytic Sarcoma																										1
Preputial Gland	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Prostate	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Hemangioma																										1
Histiocytic Sarcoma																										1
Seminal Vesicle	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Histiocytic Sarcoma																										1
Testes	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
Test Type: CHRONIC
Route: SKIN APPLICATION
Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
bis(2-Chloroethoxy)methane
CAS Number: 111-91-1

Date Report Requested: 04/07/2008
Time Report Requested: 11:52:50
First Dose M/F: 10/03/02 / 10/02/02
Lab: BAT

DAY ON TEST		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
B6C3F1 MICE MALE 0 MG/KG		7	7	5	7	7	7	7	7	4	7	7	7	7	7	7	4	5	7	7	4	5	7				
		3	3	4	3	2	2	2	2	9	2	2	3	3	2	0	3	3	6	3	3	3	9	3	2		
		0	0	4	0	8	9	8	8	9	9	9	9	0	0	8	7	0	0	1	3	0	0	5	3	8	
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	ANIMAL ID	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
		2	2	2	2	3	3	3	3	3	3	3	3	3	3	4	4	4	4	4	4	4	4	4	5		
		6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	* TOTALS

Histiocytic Sarcoma																											1	
Interstitial Cell, Adenoma																												2

HEMATOPOIETIC SYSTEM

Bone Marrow	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50	
Carcinoma, Metastatic, Thyroid Gland																											1
Hemangiosarcoma																											1
Lymph Node																											2
Histiocytic Sarcoma																											1
Lumbar, Histiocytic Sarcoma																											1
Mediastinal, Carcinoma, Metastatic, Thyroid Gland																											1
Renal, Histiocytic Sarcoma																											1
Lymph Node, Mandibular	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Histiocytic Sarcoma																											1
Lymph Node, Mesenteric	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Histiocytic Sarcoma																											1
Spleen	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Hemangiosarcoma																											3

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
x .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

DAY ON TEST	ANIMAL ID																								* TOTALS	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
7	7	5	7	7	7	7	7	7	4	7	7	7	7	7	7	7	4	5	7	7	4	5	7			
3	3	4	3	2	2	2	2	2	9	2	2	3	3	2	0	3	3	6	3	3	3	9	3	2		
0	0	4	0	8	9	8	8	9	9	9	9	0	0	8	7	0	0	1	3	0	0	5	3	8		
B6C3F1 MICE MALE																										
0 MG/KG																										
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
2	2	2	2	3	3	3	3	3	3	3	3	3	3	3	4	4	4	4	4	4	4	4	4	4	5	
6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0		

Histiocytic Sarcoma																									1	
Thymus	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	49
Histiocytic Sarcoma																									1	

INTEGUMENTARY SYSTEM

Mammary Gland	M	M	M	M	M	M	M	M	M	M	M	M	+	M	M	M	M	M	M	M	M	M	M	M	M	1
Carcinoma																									1	
Skin	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Site Of Application - Dermis, Hemangiosarcoma																									1	

MUSCULOSKELETAL SYSTEM

Bone	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
------	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	-----------

NERVOUS SYSTEM

Brain	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
-------	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	-----------

RESPIRATORY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

DAY ON TEST	0 0																								
	7 7 5 7 7 7 7 7 7 4 7 7 7 7 7 7 4 5 7 7 4 5 7																								
ANIMAL ID	3 3 4 3 2 2 2 2 2 9 2 2 3 3 2 0 3 3 6 3 3 3 9 3 2																								
	0 0 4 0 8 9 8 8 9 9 9 9 0 0 8 7 0 0 1 3 0 0 5 3 8																								
B6C3F1 MICE MALE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
0 MG/KG	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	2	2	2	2	3	3	3	3	3	3	3	3	3	3	4	4	4	4	4	4	4	4	4	5	
	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0
																								* TOTALS	

Adenoma	X					X					X										X	X	X	10
Carcinoma																					X			2
Histiocytic Sarcoma																								1
Sarcoma																								1
Zymbal's Gland																								1

URINARY SYSTEM

Kidney	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Carcinoma, Metastatic, Thyroid Gland																								1
Histiocytic Sarcoma																								1
Urinary Bladder	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Histiocytic Sarcoma																								1

SYSTEMIC LESIONS

Multiple Organ	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Histiocytic Sarcoma																								1

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

DAY ON TEST	0 0																									males (cont...)
	7 7 5 5 7 7 6 7 7 5 7 7 7 7 7 7 7 4 6 6 7 7 7 7																									
B6C3F1 MICE MALE 150 MG/KG	2 2 3 2 3 3 3 3 2 8 2 2 2 2 2 3 2 2 9 1 5 0 3 2 3																									
	9 9 3 1 0 0 1 0 9 9 8 9 9 8 8 0 9 9 5 1 6 1 0 9 0																									
ANIMAL ID	0 0																									
	0 0																									
	5 5 5 5 5 5 5 5 6 6 6 6 6 6 6 6 6 6 6 6 7 7 7 7 7																									
	1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5																									

ALIMENTARY SYSTEM

Esophagus	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Gallbladder	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	M	+	+	+	+	+	+	+	+	+
Intestine Large, Cecum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Carcinoma																									
Lymphoma Malignant																							X		
Intestine Large, Colon	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Lymphoma Malignant																							X		
Intestine Large, Rectum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Intestine Small, Duodenum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Intestine Small, Ileum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Lymphoma Malignant																							X		
Intestine Small, Jejunum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Carcinoma																X								X	
Lymphoma Malignant																								X	
Peyer's Patch, Lymphoma Malignant																									

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

	DAY ON TEST																									
	0729	0729	0729	0729	0729	0729	0729	0729	0729	0729	0729	0729	0729	0729	0729	0729	0729	0729	0729	0729	0729	0729	0729	0729	0729	
B6C3F1 MICE MALE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
150 MG/KG	5	5	5	5	5	5	5	5	5	6	6	6	6	6	6	6	6	6	6	6	7	7	7	7	7	
	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	

males (cont...)

Liver	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Hemangiosarcoma	X																							
Hepatoblastoma															X									
Hepatoblastoma, Multiple	X																							
Hepatocellular Adenoma						X											X				X			X
Hepatocellular Adenoma, Multiple	X	X			X			X	X	X		X	X	X	X	X			X			X		
Hepatocellular Carcinoma				X								X	X						X	X	X			
Hepatocellular Carcinoma, Multiple																								
Hepatocholangiocarcinoma																								
Lymphoma Malignant																				X				
Mesentery										+					+				+		+			+
Fat, Lymphoma Malignant																				X				
Pancreas	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Carcinoma																								
Lymphoma Malignant																					X			
Salivary Glands	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Stomach, Forestomach	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Hemangioma								X																
Squamous Cell Papilloma																								

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

DAY ON TEST	0 0																									males (cont...)	
	7 7 5 5 7 7 6 7 7 5 7 7 7 7 7 7 7 4 6 6 7 7 7 7																										
ANIMAL ID	2 2 3 2 3 3 3 3 2 8 2 2 2 2 2 3 2 2 9 1 5 0 3 2 3																									males (cont...)	
	9 9 3 1 0 0 1 0 9 9 8 9 9 8 8 0 9 9 5 1 6 1 0 9 0																										
B6C3F1 MICE MALE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	males (cont...)
150 MG/KG	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	5	5	5	5	5	5	5	5	5	6	6	6	6	6	6	6	6	6	6	6	7	7	7	7	7	7	
	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5		

Stomach, Glandular

+ +

Tooth

+ +

CARDIOVASCULAR SYSTEM

Blood Vessel

+ +

Heart

+ +

ENDOCRINE SYSTEM

Adrenal Cortex

+ +

Lymphoma Malignant

Adrenal Medulla

+ +

Islets, Pancreatic

+ +

Parathyroid Gland

+ + + M + + + + + + + + + + + + M M M M + + + M + +

Pituitary Gland

+ +

Pars Intermedia, Adenoma

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 5 5 7 7 6 7 7 5 7 7 7 7 7 7 7 4 6 6 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 2 3 2 3 3 3 3 2 8 2 2 2 2 2 3 2 2 9 1 5 0 3 2 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 9 3 1 0 0 1 0 9 9 8 9 9 8 8 0 9 9 5 1 6 1 0 9 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
150 MG/KG | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 5 5 5 5 5 5 5 5 5 5 6 6 6 6 6 6 6 6 6 6 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | | |

males
(cont...)

Thyroid Gland +
 Follicular Cell, Adenoma

GENERAL BODY SYSTEM
 NONE

GENITAL SYSTEM

Coagulating Gland

Epididymis +
 Lymphoma Malignant X

Preputial Gland +

Prostate +

Seminal Vesicle +
 Lymphoma Malignant X

Testes +
 Interstitial Cell, Adenoma

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 5 5 7 7 6 7 7 5 7 7 7 7 7 7 7 4 6 6 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 2 3 2 3 3 3 3 2 8 2 2 2 2 2 3 2 2 9 1 5 0 3 2 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 9 3 1 0 0 1 0 9 9 8 9 9 8 8 0 9 9 5 1 6 1 0 9 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
150 MG/KG | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 5 5 5 5 5 5 5 5 5 5 6 6 6 6 6 6 6 6 6 6 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | | |

males
(cont...)

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Bone Marrow | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemangiosarcoma | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lumbar, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mediastinal, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pancreatic, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Renal, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mandibular | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mesenteric | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Spleen | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemangiosarcoma | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Thymus | + + M + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 5 5 7 7 6 7 7 5 7 7 7 7 7 7 7 4 6 6 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 2 3 2 3 3 3 3 2 8 2 2 2 2 2 3 2 2 9 1 5 0 3 2 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 9 3 1 0 0 1 0 9 9 8 9 9 8 8 0 9 9 5 1 6 1 0 9 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
150 MG/KG | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 5 5 5 5 5 5 5 5 5 6 6 6 6 6 6 6 6 6 6 6 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | | |

males
(cont...)

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mammary Gland | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Keratoacanthoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Site Of Application - Dermis,
Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Subcutaneous Tissue, Lymphoma
Malignant | | | | | | | | | | | | | | | | | | | | | | | | | X |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Alveolar/Bronchiolar Adenoma | | X | | | X | | | | | | | | | | | | | | | | X | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------------|
| | 7 7 5 5 7 7 6 7 7 5 7 7 7 7 7 7 7 4 6 6 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 2 3 2 3 3 3 3 2 8 2 2 2 2 2 3 2 2 9 1 5 0 3 2 3 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 9 3 1 0 0 1 0 9 9 8 9 9 8 8 0 9 9 5 1 6 1 0 9 0 | | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | males
(cont...) |
| 150 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | |

Alveolar/Bronchiolar Adenoma, Multiple
 Alveolar/Bronchiolar Carcinoma
 Hepatocellular Carcinoma, Metastatic,
 Liver
 Mediastinum, Hemangioma

X
 X
 X
 X

Nose
 Carcinoma, Metastatic, Harderian Gland

+
 X

Trachea

+ +

SPECIAL SENSES SYSTEM

Eye

+ +

Harderian Gland

Adenoma
 Carcinoma

+
 X
 X
 X

URINARY SYSTEM

Kidney

Alveolar/Bronchiolar Carcinoma,
 Metastatic, Lung

+ +

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 7 | 7 | 5 | 5 | 7 | 7 | 6 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 4 | 6 | 6 | 7 | 7 | 7 | 7 | |
| | 2 | 2 | 3 | 2 | 3 | 3 | 3 | 3 | 2 | 8 | 2 | 2 | 2 | 2 | 2 | 3 | 2 | 2 | 9 | 1 | 5 | 0 | 3 | 2 | 3 |
| | 9 | 9 | 3 | 1 | 0 | 0 | 1 | 0 | 9 | 9 | 8 | 9 | 9 | 8 | 8 | 0 | 9 | 9 | 5 | 1 | 6 | 1 | 0 | 9 | 0 |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 150 MG/KG | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |

males
(cont...)

Urinary Bladder

+ +

SYSTEMIC LESIONS

Multiple Organ
 Lymphoma Malignant

+
 X

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 3 3 2 1 2 3 3 2 3 2 3 2 2 3 2 2 3 2 3 2 3 3 3 3 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 0 7 2 9 0 0 9 0 9 0 8 9 0 8 9 0 8 0 8 0 0 0 8 | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
150 MG/KG | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 1 | | | | | | | | | | | | | | | | | | | | | | | |
| | 7 7 7 7 8 8 8 8 8 8 8 8 8 8 8 9 9 9 9 9 9 9 9 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | | | | | | | | | | | | | | | |
| * TOTALS | | | | | | | | | | | | | | | | | | | | | | | | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|-----------|
| Esophagus | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Gallbladder | + | | | | | | | | | | | | | | | | | | | | | | | | 49 |
| Intestine Large, Cecum | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Intestine Large, Colon | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Intestine Large, Rectum | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Intestine Small, Duodenum | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Intestine Small, Ileum | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Intestine Small, Jejunum | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Peyer's Patch, Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|------------------|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|---|---|
| | | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 1 |
| | | 3 | 3 | 2 | 1 | 2 | 3 | 3 | 2 | 3 | 2 | 3 | 2 | 2 | 3 | 2 | 2 | 3 | 2 | 3 | 2 | 3 | 3 | 3 | 6 |
| | | 0 | 0 | 7 | 2 | 9 | 0 | 0 | 9 | 0 | 9 | 0 | 8 | 9 | 0 | 8 | 9 | 0 | 8 | 0 | 8 | 0 | 0 | 0 | 8 |
| B6C3F1 MICE MALE | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 150 MG/KG | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| ANIMAL ID | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | |
| | | | | | | | | | | | | | | | | | | | | | | * TOTALS | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | X | 2 |
| Hepatoblastoma | | | | | | | | | | | | | | | X | | | | | | | | | 2 |
| Hepatoblastoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hepatocellular Adenoma | | | | X | X | | | | | X | X | | | | X | X | X | X | X | | | X | | 14 |
| Hepatocellular Adenoma, Multiple | X | X | | | X | X | X | X | | X | | | X | X | X | | | | | X | X | | | 26 |
| Hepatocellular Carcinoma | | | | X | | | | | X | | X | X | | X | | | | | X | | | X | | 14 |
| Hepatocellular Carcinoma, Multiple | | | | | | | | | | | | X | | | | | | | | | | | | 1 |
| Hepatocholangiocarcinoma | | | | | | | | | | | | | | | | | | X | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Mesentery | | | | | | | | | | | | + | | | | | | + | + | | | | | 8 |
| Fat, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Carcinoma | | | | | | | | | | | | X | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangioma | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Squamous Cell Papilloma | | | | | | | | | | | | | | | | | | | | | | X | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----------|
| | 7 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 3 3 2 1 2 3 3 2 3 2 3 2 2 3 2 2 3 2 3 2 3 3 3 3 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 0 7 2 9 0 0 9 0 9 0 8 9 0 8 9 0 8 0 8 0 0 0 0 8 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
150 MG/KG | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 7 7 7 7 8 8 8 8 8 8 8 8 8 8 9 9 9 9 9 9 9 9 9 9 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|
| Stomach, Glandular | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Tooth | + | | | | | | | | | | | | | | | | | | | | | | | | 5 |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|
| Blood Vessel | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Heart | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|
| Adrenal Cortex | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Lymphoma Malignant | + X | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Adrenal Medulla | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Islets, Pancreatic | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Parathyroid Gland | M + M + M + M + + + M + + + + M M + + M M + M + M | | | | | | | | | | | | | | | | | | | | | | | | 33 |
| Pituitary Gland | + | | | | | | | | | | | | | | | | | | | | | | | | 49 |
| Pars Intermedia, Adenoma | + X | | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
Test Type: CHRONIC
Route: SKIN APPLICATION
Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

bis(2-Chloroethoxy)methane

CAS Number: 111-91-1

Date Report Requested: 04/07/2008

Time Report Requested: 11:52:50

First Dose M/F: 10/03/02 / 10/02/02

Lab: BAT

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|--|
| | 0
7
3
0 | 0
7
3
0 | 0
7
2
7 | 0
7
1
2 | 0
7
2
9 | 0
7
3
0 | 0
7
3
0 | 0
7
2
9 | 0
7
3
0 | 0
7
2
9 | 0
7
3
0 | 0
7
2
9 | 0
7
3
0 | 0
7
2
9 | 0
7
3
0 | 0
7
2
9 | 0
7
3
0 | 0
7
2
9 | 0
7
3
0 | 0
7
2
9 | 0
7
3
0 | 0
7
2
9 | 0
7
3
0 | 0
7
2
9 | |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| 150 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| ANIMAL ID | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | | |
| | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Follicular Cell, Adenoma | | | | | | | | | | | | X | | | | | | | | | | | | | 1 |

GENERAL BODY SYSTEM
NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Coagulating Gland | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Epididymis | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Preputial Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Prostate | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Seminal Vesicle | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Testes | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Interstitial Cell, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | X | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|---|
| | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 1 |
| | | 3 | 3 | 2 | 1 | 2 | 3 | 3 | 2 | 3 | 2 | 3 | 2 | 2 | 3 | 2 | 2 | 3 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 6 | |
| | | 0 | 0 | 7 | 2 | 9 | 0 | 0 | 9 | 0 | 9 | 0 | 8 | 9 | 0 | 8 | 9 | 0 | 8 | 0 | 8 | 0 | 0 | 0 | 0 | 8 | |
| B6C3F1 MICE MALE
150 MG/KG | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | |
| | | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangiosarcoma | | | X | | | | | X | | | | | | | | | X | | | | | | | | | 4 |
| Lymph Node | | | | | | | | | | | | | + | | | | | | | | | | | | | 1 |
| Lumbar, Lymphoma Malignant | | | | | | | | | | | | | X | | | | | | | | | | | | | 1 |
| Mediastinal, Lymphoma Malignant | | | | | | | | | | | | | X | | | | | | | | | | | | | 1 |
| Pancreatic, Lymphoma Malignant | | | | | | | | | | | | | X | | | | | | | | | | | | | 1 |
| Renal, Lymphoma Malignant | | | | | | | | | | | | | X | | | | | | | | | | | | | 1 |
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | | | | | | X | | | | | | | | | | | | | 2 |
| Thymus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|-------------|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 1 |
| | | 3 | 3 | 2 | 1 | 2 | 3 | 3 | 2 | 3 | 2 | 3 | 2 | 2 | 3 | 2 | 2 | 3 | 2 | 3 | 3 | 3 | 3 | 6 |
| | | 0 | 0 | 7 | 2 | 9 | 0 | 0 | 9 | 0 | 9 | 0 | 8 | 9 | 0 | 8 | 9 | 0 | 8 | 0 | 8 | 0 | 0 | 8 |
| B6C3F1 MICE MALE
150 MG/KG | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | | * TOTALS | | | | | | | | | | | | | | | | | | | | | | |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Mammary Gland | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | 0 |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Keratoacanthoma | | | | | | | | | | | | | | | | | | | | | X | | | 1 |
| Site Of Application - Dermis, Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | X | | 1 |
| Subcutaneous Tissue, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | 1 |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | | | X | X | X | X | X | | | | | | X | X | | 10 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|---|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 1 |
| | 3 | 3 | 2 | 1 | 2 | 3 | 3 | 2 | 3 | 2 | 3 | 2 | 2 | 3 | 2 | 2 | 3 | 2 | 3 | 2 | 3 | 3 | 3 | 3 | 6 |
| | 0 | 0 | 7 | 2 | 9 | 0 | 0 | 9 | 0 | 9 | 0 | 8 | 9 | 0 | 8 | 9 | 0 | 8 | 0 | 8 | 0 | 0 | 0 | 8 | |
| B6C3F1 MICE MALE
150 MG/KG | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| | | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Alveolar/Bronchiolar Adenoma, Multiple | X | | | | | | | | X | | | | | | | | | | | | | | | | 4 |
| Alveolar/Bronchiolar Carcinoma | | | | X | | | | | | | | | | | | | X | | | | | | X | | 4 |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | | | | | X | X | X | | | X | | | | | | | | | 6 |
| Mediastinum, Hemangioma | | | | | | | | | | | | | | | X | | | | | | | | | | 1 |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Carcinoma, Metastatic, Harderian Gland | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Adenoma | X | | X | | X | | X | X | | | | | | | X | | | X | | | | | | | 10 |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Alveolar/Bronchiolar Carcinoma, Metastatic, Lung | | | | X | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 7 7 7 4 7 7 7 7 7 7 7 7 7 7 7 7 6 7 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 3 2 3 2 2 5 3 3 2 2 2 2 2 3 2 3 3 2 2 4 2 3 2 2 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 8 0 8 9 1 0 0 9 8 9 9 9 0 9 0 0 0 9 9 8 9 0 2 8 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
300 MG/KG | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 0 0 0 0 0 0 0 0 0 1 1 1 1 1 1 1 1 1 1 1 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 males (cont...) | | | | | | | | | | | | | | | | | | | | | | | | |

Hepatocellular Carcinoma

X X X X

Hepatocellular Carcinoma, Multiple

X

Histiocytic Sarcoma

Lymphoma Malignant

Osteosarcoma, Metastatic, Uncertain
 Primary Site

X

Mesentery

+ + + + + + + +

Osteosarcoma, Metastatic, Uncertain
 Primary Site

X

Pancreas

+ +

Lymphoma Malignant

Salivary Glands

+ +

Stomach, Forestomach

+ +

Stomach, Glandular

+ +

Tooth

+ +

Odontoma

X X

CARDIOVASCULAR SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 7 7 7 4 7 7 7 7 7 7 7 7 7 7 7 7 6 7 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 3 2 3 2 2 5 3 3 2 2 2 2 2 3 2 3 3 2 2 4 2 3 2 2 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 8 0 8 9 1 0 0 9 8 9 9 9 0 9 0 0 0 9 9 8 9 0 2 8 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
300 MG/KG | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 0 0 0 0 0 0 0 0 0 1 1 1 1 1 1 1 1 1 1 2 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 males (cont...) | | | | | | | | | | | | | | | | | | | | | | | | |

Blood Vessel

+ +

Heart

+ +

Hemangiosarcoma

X

Hepatocellular Carcinoma, Metastatic,
Liver

Lymphoma Malignant

Artery, Lymphoma Malignant

ENDOCRINE SYSTEM

Adrenal Cortex

+ +

Lymphoma Malignant

Subcapsular, Adenoma

X

X

X

Adrenal Medulla

+ +

Islets, Pancreatic

+ +

Parathyroid Gland

M + + + + M M + + + + + + + + + + + + + + + M +

Pituitary Gland

+ + + + + + + + + + + + M + + + + + + + + + + + + +

Lymphoma Malignant

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 7 7 7 4 7 7 7 7 7 7 7 7 7 7 7 7 6 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 3 2 3 2 2 5 3 3 2 2 2 2 2 3 2 3 3 2 2 4 2 3 2 2 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 8 0 8 9 1 0 0 9 8 9 9 9 0 9 0 0 9 9 8 9 0 2 8 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
300 MG/KG | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 males (cont...) | | | | | | | | | | | | | | | | | | | | | | | | |

Thyroid Gland +
 Follicular Cell, Adenoma X X

GENERAL BODY SYSTEM
 NONE

GENITAL SYSTEM

Epididymis +
 Lymphoma Malignant
 Osteosarcoma, Metastatic, Uncertain Primary Site X
 Preputial Gland +
 Prostate +
 Lymphoma Malignant
 Seminal Vesicle +
 Testes +
 Interstitial Cell, Adenoma

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 7 7 7 4 7 7 7 7 7 7 7 7 7 7 7 7 6 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 3 2 3 2 2 5 3 3 2 2 2 2 2 3 2 3 3 2 2 4 2 3 2 2 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 8 0 8 9 1 0 0 9 8 9 9 9 0 9 0 0 0 9 9 8 9 0 2 8 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
300 MG/KG | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 0 0 0 0 0 0 0 0 0 1 1 1 1 1 1 1 1 1 1 2 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | | |

males
(cont...)

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Bone Marrow | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lumbar, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mediastinal, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mediastinal, Osteosarcoma, Metastatic, Uncertain Primary Site | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Renal, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mandibular | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mesenteric | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Spleen | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | X X | | | | | | | | | | | | | | | | | | | | | | | | |
| Thymus | + M + | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 7 7 7 4 7 7 7 7 7 7 7 7 7 7 7 7 6 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
300 MG/KG | 3 2 3 2 2 5 3 3 2 2 2 2 2 3 2 3 3 2 2 4 2 3 2 2 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 8 0 8 9 1 0 0 9 8 9 9 9 0 9 0 0 0 9 9 8 9 0 2 8 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| 300 MG/KG | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | | | |

males
(cont...)

Lymphoma Malignant

INTEGUMENTARY SYSTEM

Mammary Gland

M M

Skin

+ +

Site Of Application - Dermis,
Hemangiosarcoma

MUSCULOSKELETAL SYSTEM

Bone

+ +

NERVOUS SYSTEM

Brain

+ +

RESPIRATORY SYSTEM

Lung

+ +

Alveolar/Bronchiolar Adenoma

X X

X

Alveolar/Bronchiolar Adenoma, Multiple

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 7 | 7 | 7 | 7 | 7 | 4 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | | |
| | 3 | 2 | 3 | 2 | 2 | 5 | 3 | 3 | 2 | 2 | 2 | 2 | 2 | 3 | 2 | 3 | 3 | 2 | 2 | 4 | 2 | 3 | 2 | 2 | 3 | |
| | 0 | 8 | 0 | 8 | 9 | 1 | 0 | 0 | 9 | 8 | 9 | 9 | 9 | 0 | 9 | 0 | 0 | 9 | 9 | 8 | 9 | 0 | 2 | 8 | 0 | |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 300 MG/KG | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | males
(cont...) |

Alveolar/Bronchiolar Carcinoma
 Hemangiosarcoma, Metastatic, Skin
 Hepatocellular Carcinoma, Metastatic, Liver
 Lymphoma Malignant
 Osteosarcoma, Metastatic, Uncertain Primary Site

X X

X

X

Nose
 Lymphoma Malignant

+ +

Trachea

+ +

SPECIAL SENSES SYSTEM

Eye
 Lymphoma Malignant

+ +

Harderian Gland
 Adenoma
 Lymphoma Malignant

+
 X X X

URINARY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| | DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | males
(cont...) |
|---|-------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------------|
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| B6C3F1 MICE MALE
300 MG/KG | 7 | 7 | 7 | 7 | 7 | 4 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 0 | |
| | 3 | 2 | 3 | 2 | 2 | 5 | 3 | 3 | 2 | 2 | 2 | 2 | 2 | 3 | 2 | 3 | 3 | 2 | 2 | 4 | 2 | 3 | 2 | 2 | 3 | 0 | |
| | 0 | 8 | 0 | 8 | 9 | 1 | 0 | 0 | 9 | 8 | 9 | 9 | 9 | 9 | 0 | 9 | 0 | 0 | 9 | 9 | 8 | 9 | 0 | 2 | 8 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | |

SYSTEMIC LESIONS

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | X |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|-------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----------|
| | 7 7 6 7 7 7 7 6 7 7 7 7 7 1 7 7 5 7 5 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
300 MG/KG | 2 2 6 2 2 3 2 3 3 2 2 2 2 2 2 2 3 2 0 3 2 2 3 3 2 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| | 9 9 1 8 9 0 9 8 0 8 9 9 9 7 8 9 3 9 1 0 9 9 0 0 8 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 4 4 4 4 4 4 4 5 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| | 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | | | | | | | | | | | | | | | | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|
| Esophagus | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Gallbladder | + | | | | | | | | | | | | | | | | | | | | | | | | 49 |
| Intestine Large, Cecum | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Intestine Large, Colon | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Intestine Large, Rectum | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Intestine Small, Duodenum | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Intestine Small, Ileum | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Intestine Small, Jejunum | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Liver | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 4 |
| Hepatoblastoma | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Hepatocellular Adenoma | X X X X | | | | | | | | | | | | | | | | | | | | | | | | 12 |
| Hepatocellular Adenoma, Multiple | X X X X X X X X | | | | | | | | | | | | | | | | | | | | | | | | 25 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|---|
| | 7 7 6 7 7 7 7 6 7 7 7 7 7 1 7 7 5 7 5 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 2 6 2 2 3 2 3 3 2 2 2 2 2 2 2 3 2 0 3 2 2 3 3 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 9 1 8 9 0 9 8 0 8 9 9 9 7 8 9 3 9 1 0 9 9 0 0 8 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 300 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--|--|--|--|--|--|--|---|--|--|--|---|--|--|---|--|--|---|--|---|--|--|---|---|-----------|
| Hepatocellular Carcinoma | | | | | | | X | | | | | | | | | | X | | X | | | | X | 8 |
| Hepatocellular Carcinoma, Multiple | | | | | | | | | | | X | | | | | | | | | | | X | | 2 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | | | | | | | X | | | | | X | | | | | 2 |
| Osteosarcoma, Metastatic, Uncertain Primary Site | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Mesentery | | | | | | | | | | | | | | | | | | | | | | | | 11 |
| Osteosarcoma, Metastatic, Uncertain Primary Site | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Pancreas | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Salivary Glands | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Stomach, Forestomach | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Stomach, Glandular | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Tooth | | | | | | | | | | | | | | | | | | | | | | | | 4 |
| Odontoma | | | | | | | | | | | | | | | | | | | | | | | | 2 |

CARDIOVASCULAR SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|-------------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------|
| | 0729 | 0729 | 0671 | 0678 | 0679 | 0670 | 0679 | 0688 | 0670 | 0678 | 0679 | 0679 | 0679 | 0679 | 0679 | 0679 | 0679 | 0679 | 0679 | 0679 | 0679 | 0679 | 0679 | 0679 | |
| B6C3F1 MICE MALE | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 |
| 300 MG/KG | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 |
| ANIMAL ID | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| | 22 | 22 | 22 | 22 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 | 23 |
| | 67 | 67 | 68 | 69 | 00 | 01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 00 | 01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 00 |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | | | X | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | X | | | | | | | | 1 |
| Artery, Lymphoma Malignant | | | | | | | | | | | | | | | | | | X | | | | | | | | 1 |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | X | | | | | | | | 1 |
| Subcapsular, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | 3 |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Parathyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | 45 |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | X | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----------|
| | 7 7 6 7 7 7 7 6 7 7 7 7 7 1 7 7 5 7 5 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 2 6 2 2 3 2 3 3 2 2 2 2 2 2 2 3 2 0 3 2 2 3 3 2 | | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| | 9 9 1 8 9 0 9 8 0 8 9 9 9 7 8 9 3 9 1 0 9 9 0 0 8 | | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
300 MG/KG | 0 | | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 2 2 2 3 3 3 3 3 3 3 3 3 3 4 4 4 4 4 4 4 4 4 4 5 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Follicular Cell, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | 3 |

GENERAL BODY SYSTEM
 NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|
| Epididymis | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Osteosarcoma, Metastatic, Uncertain Primary Site | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Preputial Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Prostate | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Seminal Vesicle | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Testes | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Interstitial Cell, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----------|
| | 7 7 6 7 7 7 7 6 7 7 7 7 7 1 7 7 5 7 5 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 2 6 2 2 3 2 3 3 2 2 2 2 2 2 2 3 2 0 3 2 2 3 3 2 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| | 9 9 1 8 9 0 9 8 0 8 9 9 9 9 7 8 9 3 9 1 0 9 9 0 0 8 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
300 MG/KG | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 2 2 2 3 3 3 3 3 3 3 3 3 3 3 3 4 4 4 4 4 4 4 4 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|
| Bone Marrow | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Hemangiosarcoma | X | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymph Node | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Lumbar, Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Mediastinal, Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Mediastinal, Osteosarcoma, Metastatic,
Uncertain Primary Site | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Renal, Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymph Node, Mandibular | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymph Node, Mesenteric | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | X X | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Spleen | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Hemangiosarcoma | X | | | | | | | | | | | | | | | | | | | | | | | | 3 |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Thymus | + + + M + + + + + + + + + M + + + + + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | 47 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|---|
| | 7 7 6 7 7 7 7 6 7 7 7 7 7 1 7 7 5 7 5 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 2 6 2 2 3 2 3 3 2 2 2 2 2 2 2 3 2 0 3 2 2 3 3 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 9 1 8 9 0 9 8 0 8 9 9 9 7 8 9 3 9 1 0 9 9 0 0 8 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 300 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |

Lymphoma Malignant

X

1

INTEGUMENTARY SYSTEM

Mammary Gland

M M

0

Skin

+ +

50

Site Of Application - Dermis,
Hemangiosarcoma

X

1

MUSCULOSKELETAL SYSTEM

Bone

+ +

50

NERVOUS SYSTEM

Brain

+ +

50

RESPIRATORY SYSTEM

Lung

+ +

50

Alveolar/Bronchiolar Adenoma

X

X

X

X

7

Alveolar/Bronchiolar Adenoma, Multiple

X

1

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|-------------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 7 | 7 | 6 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 1 | 7 | 7 | 5 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | 0 |
| 2 | 2 | 6 | 2 | 2 | 3 | 2 | 3 | 3 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 2 | 0 | 3 | 2 | 2 | 3 | 3 | 2 | 0 |
| 9 | 9 | 1 | 8 | 9 | 0 | 9 | 8 | 0 | 8 | 9 | 9 | 9 | 7 | 8 | 9 | 3 | 9 | 1 | 0 | 9 | 9 | 0 | 0 | 8 | 0 |
| <hr/> | | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
300 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Alveolar/Bronchiolar Carcinoma | | | | | | | | X | | | | | | | | | | | | | | | | X | 4 |
| Hemangiosarcoma, Metastatic, Skin | | | | | | | | | | | | | | X | | | | | | | | | | | 1 |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | | X | | | | | | | | | | | X | | | | | | 3 |
| Lymphoma Malignant | | | | | | | | | | | | | | X | | | | | | | | | | | 1 |
| Osteosarcoma, Metastatic, Uncertain Primary Site | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| <hr/> | | | | | | | | | | | | | | | | | | | | | | | | | |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | X | | | | | | | | | | | 1 |
| <hr/> | | | | | | | | | | | | | | | | | | | | | | | | | |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | X | | | | | | | | | | | 1 |
| <hr/> | | | | | | | | | | | | | | | | | | | | | | | | | |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Adenoma | | | | | | X | | | X | | X | | | | | X | | | | | | X | | 8 | |
| Lymphoma Malignant | | | | | | | | | | | | | | X | | | | | | | | | | | 1 |

URINARY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| | DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|---|-------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| B6C3F1 MICE MALE
300 MG/KG | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 1 | 7 | 7 | 5 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | 0 |
| | 2 | 2 | 6 | 2 | 2 | 3 | 2 | 3 | 3 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 2 | 0 | 3 | 2 | 2 | 3 | 3 | 2 | 0 |
| | 9 | 9 | 1 | 8 | 9 | 0 | 9 | 8 | 0 | 8 | 9 | 9 | 9 | 9 | 7 | 8 | 9 | 3 | 9 | 1 | 0 | 9 | 9 | 0 | 0 | 8 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | X | | | | X | | | | | | | 2 |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | X | | | | | | | | | | | 1 |

SYSTEMIC LESIONS

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | | | | | | | X | | | | X | | | | | | | 2 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 2 4 7 7 7 7 7 7 6 7 4 0 2 6 0 6 5 4 1 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
600 MG/KG | 2 2 2 8 2 2 2 2 2 3 2 7 3 8 0 4 7 4 3 6 2 2 3 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 8 6 9 6 8 9 8 8 0 9 4 0 6 4 5 8 4 0 8 0 3 0 9 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| 600 MG/KG | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 5 5 5 5 5 5 5 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | | | |

males
(cont...)

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Esophagus | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Gallbladder | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Cecum | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Colon | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Rectum | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Duodenum | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Ileum | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Jejunum | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Liver | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemangiosarcoma | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemangiosarcoma, Metastatic, Skin | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemangiosarcoma, Metastatic, Spleen | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatoblastoma | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatoblastoma, Multiple | X | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 2 4 7 7 7 7 7 7 6 7 4 0 2 6 0 6 5 4 1 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 2 2 8 2 2 2 2 2 3 2 7 3 8 0 4 7 4 3 6 2 2 3 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 8 6 9 6 8 9 8 8 0 9 4 0 6 4 5 8 4 0 8 0 3 0 9 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
600 MG/KG | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 5 5 5 5 5 5 5 5 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | | |

males
(cont...)

Hepatocellular Adenoma X X X X X X X X
 Hepatocellular Adenoma, Multiple X X X X X X
 Hepatocellular Carcinoma X X X X X X
 Hepatocellular Carcinoma, Multiple
 Lymphoma Malignant

Mesentery

Pancreas

Salivary Glands

Stomach, Forestomach

Squamous Cell Papilloma

Stomach, Glandular

Tooth

CARDIOVASCULAR SYSTEM

Blood Vessel

Heart

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 2 4 7 7 7 7 7 7 6 7 4 0 2 6 0 6 5 4 1 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 2 2 8 2 2 2 2 2 3 2 7 3 8 0 4 7 4 3 6 2 2 3 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 8 6 9 6 8 9 8 8 0 9 4 0 6 4 5 8 4 0 8 0 3 0 9 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
600 MG/KG | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 5 5 5 5 5 5 5 5 5 6 6 6 6 6 6 6 6 6 6 7 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | | |

males
(cont...)

Lymphoma Malignant

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Adrenal Cortex | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Subcapsular, Adenoma | X X | | | | | | | | | | | | | | | | | | | | | | | | |
| Subcapsular, Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Adrenal Medulla | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Islets, Pancreatic | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Parathyroid Gland | M + + + + + + M + + + + + + + + M + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Pituitary Gland | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Thyroid Gland | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Bilateral, Follicular Cell, Adenoma | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Follicular Cell, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | |

GENERAL BODY SYSTEM

NONE

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 2 4 7 7 7 7 7 7 6 7 4 0 2 6 0 6 5 4 1 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 2 2 8 2 2 2 2 2 3 2 7 3 8 0 4 7 4 3 6 2 2 3 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 8 6 9 6 8 9 8 8 0 9 4 0 6 4 5 8 4 0 8 0 3 0 9 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
600 MG/KG | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 5 5 5 5 5 5 5 5 5 6 6 6 6 6 6 6 6 6 6 7 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | | |

males
(cont...)

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Coagulating Gland | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | |
| Epididymis | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Preputial Gland | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Prostate | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Seminal Vesicle | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Testes | + | | | | | | | | | | | | | | | | | | | | | | | | |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Bone Marrow | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pancreatic, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Renal, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 2 4 7 7 7 7 7 7 6 7 4 0 2 6 0 6 5 4 1 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 2 2 8 2 2 2 2 2 3 2 7 3 8 0 4 7 4 3 6 2 2 3 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 8 6 9 6 8 9 8 8 0 9 4 0 6 4 5 8 4 0 8 0 3 0 9 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
600 MG/KG | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 5 5 5 5 5 5 5 5 5 6 6 6 6 6 6 6 6 6 6 7 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | | |

males
(cont...)

Lymph Node, Mandibular
Lymphoma Malignant

+ +

Lymph Node, Mesenteric
Lymphoma Malignant

+ +

Spleen
Hemangiosarcoma
Lymphoma Malignant

+
X

Thymus
Lymphoma Malignant

+ + + + + + + + + + + + + + + + + M + + + + + + +

INTEGUMENTARY SYSTEM

Mammary Gland

M M

Skin

+ +

Basal Cell Carcinoma

Subcutaneous Tissue,
Hemangiosarcoma

X

Subcutaneous Tissue, Schwannoma
Malignant

X

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 2 4 7 7 7 7 7 7 6 7 4 0 2 6 0 6 5 4 1 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 2 2 8 2 2 2 2 2 3 2 7 3 8 0 4 7 4 3 6 2 2 3 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 8 6 9 6 8 9 8 8 0 9 4 0 6 4 5 8 4 0 8 0 3 0 9 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
600 MG/KG | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 5 5 5 5 5 5 5 5 5 5 6 6 6 6 6 6 6 6 6 6 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | | |

males
(cont...)

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Bone | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatoblastoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Brain | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Lung | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Alveolar/Bronchiolar Adenoma | X X | | | | | | | | | | | | | | | | | | | | | | | | |
| Alveolar/Bronchiolar Adenoma, Multiple | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Alveolar/Bronchiolar Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Carcinoma, Metastatic, Liver | X X | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mediastinum, Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | males
(cont...) |
|-------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 7 | 7 | 2 | 4 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 4 | 0 | 2 | 6 | 0 | 6 | 5 | 4 | 1 | 7 | 7 | 7 | 7 | | |
| 2 | 2 | 2 | 8 | 2 | 2 | 2 | 2 | 2 | 3 | 2 | 7 | 3 | 8 | 0 | 4 | 7 | 4 | 3 | 6 | 2 | 2 | 3 | 2 | 2 | | |
| 9 | 8 | 6 | 9 | 6 | 8 | 9 | 8 | 8 | 0 | 9 | 4 | 0 | 6 | 4 | 5 | 8 | 4 | 0 | 8 | 0 | 3 | 0 | 9 | 9 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Adenoma | | | | | | | | | X | | | | X | X | | | | | | | | | X | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bilateral, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Zymbal's Gland | | | | | | | | | | | | | | | | | | | | | | | | | |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Renal Tubule, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 7 | 7 | 2 | 4 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 4 | 0 | 2 | 6 | 0 | 6 | 5 | 4 | 1 | 7 | 7 | 7 |
| 2 | 2 | 2 | 8 | 2 | 2 | 2 | 2 | 2 | 3 | 2 | 7 | 3 | 8 | 0 | 4 | 7 | 4 | 3 | 6 | 2 | 2 | 3 | 2 | 2 | |
| 9 | 8 | 6 | 9 | 6 | 8 | 9 | 8 | 8 | 0 | 9 | 4 | 0 | 6 | 4 | 5 | 8 | 4 | 0 | 8 | 0 | 3 | 0 | 9 | 9 | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |

males
(cont...)

Lymphoma Malignant

SYSTEMIC LESIONS

Multiple Organ
 Lymphoma Malignant

+ +

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 0 7 5 7 7 0 6 7 7 7 7 5 7 5 7 7 2 7 7 4 0 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
600 MG/KG | 7 2 0 2 3 3 4 3 2 3 2 2 3 7 2 2 5 2 3 5 2 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 8 6 9 0 7 8 0 8 0 9 2 0 3 9 8 1 8 0 1 0 9 0 9 8 | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| * TOTALS | 1 2 | | | | | | | | | | | | | | | | | | | | | | | |
| | 7 7 7 7 8 8 8 8 8 8 8 8 8 9 9 9 9 9 9 9 9 9 9 0 | | | | | | | | | | | | | | | | | | | | | | | |
| 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | | | | | | | | | | | | | | | | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|
| Esophagus | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Gallbladder | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Intestine Large, Cecum | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Intestine Large, Colon | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Intestine Large, Rectum | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Intestine Small, Duodenum | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Intestine Small, Ileum | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Intestine Small, Jejunum | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Liver | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hemangiosarcoma, Metastatic, Skin | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hemangiosarcoma, Metastatic, Spleen | X | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hepatoblastoma | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Hepatoblastoma, Multiple | X | | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|------------------------------------|---|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|----|
| | 0 7 5 7 7 0 6 7 7 7 7 5 7 5 7 7 2 7 7 4 0 7 7 7 7
7 2 0 2 3 3 4 3 2 3 2 2 3 7 2 2 5 2 3 5 2 2 2 2 2
2 8 6 9 0 7 8 0 8 0 9 2 0 3 9 8 1 8 0 1 0 9 0 9 8 | | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
600 MG/KG | ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 0
1 1
7 7 7 7 8 8 8 8 8 8 8 8 8 8 8 8 9 9 9 9 9 9 9 9
6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Adenoma | | | X | X | X | | X | X | | X | | | | | | | | | | | | | | X | X | 15 |
| Hepatocellular Adenoma, Multiple | | X | | | | | | | | | | | | X | X | | X | X | | | | | | | X | 11 |
| Hepatocellular Carcinoma | | | | | | | | | | | | | X | | | | | | | | | | X | | | 7 |
| Hepatocellular Carcinoma, Multiple | | | | | | | X | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | X | | | | 1 |
| Mesentery | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Pancreas | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Salivary Glands | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Stomach, Forestomach | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Squamous Cell Papilloma | | | | | | | | | | | X | | | | | | | | | | | | | | | 1 |
| Stomach, Glandular | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Tooth | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|-----------------|
| | 0 7 5 7 7 0 6 7 7 7 7 5 7 5 7 7 2 7 7 4 0 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 7 2 0 2 3 3 4 3 2 3 2 2 3 7 2 2 5 2 3 5 2 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 8 6 9 0 7 8 0 8 0 9 2 0 3 9 8 1 8 0 1 0 9 0 9 8 | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
600 MG/KG | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 | | | | | | | | | | | | | | | | | | | | | | | |
| | 7 7 7 7 8 8 8 8 8 8 8 8 8 8 9 9 9 9 9 9 9 9 9 9 | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |

Lymphoma Malignant

X

1

ENDOCRINE SYSTEM

Adrenal Cortex

+ 50

Subcapsular, Adenoma

X X X X

6

Subcapsular, Carcinoma

X

1

Adrenal Medulla

+ 50

Islets, Pancreatic

+ 50

Parathyroid Gland

+ M + + + 46

Pituitary Gland

+ + + M + 49

Lymphoma Malignant

X

1

Thyroid Gland

+ 50

Bilateral, Follicular Cell, Adenoma

1

Follicular Cell, Adenoma

X

1

GENERAL BODY SYSTEM

NONE

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 0 7 5 7 7 0 6 7 7 7 7 5 7 5 7 7 2 7 7 4 0 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE
600 MG/KG | 7 2 0 2 3 3 4 3 2 3 2 2 3 7 2 2 5 2 3 5 2 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 8 6 9 0 7 8 0 8 0 9 2 0 3 9 8 1 8 0 1 0 9 0 9 8 | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| * TOTALS | 1 2 | | | | | | | | | | | | | | | | | | | | | | | |
| | 7 7 7 7 8 8 8 8 8 8 8 8 9 9 9 9 9 9 9 9 9 9 9 0 | | | | | | | | | | | | | | | | | | | | | | | |
| 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | | | | | | | | | | | | | | | | |

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|
| Coagulating Gland | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Epididymis | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Preputial Gland | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Prostate | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Seminal Vesicle | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Testes | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|
| Bone Marrow | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymph Node | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Pancreatic, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Renal, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|----------|
| | 0 7 5 7 7 0 6 7 7 7 7 5 7 5 7 7 2 7 7 4 0 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 7 2 0 2 3 3 4 3 2 3 2 2 3 7 2 2 5 2 3 5 2 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
| | 2 8 6 9 0 7 8 0 8 0 9 2 0 3 9 8 1 8 0 1 0 9 0 9 8 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | * TOTALS |
| 600 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Lymph Node, Mandibular
Lymphoma Malignant | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymph Node, Mesenteric
Lymphoma Malignant | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Spleen
Hemangiosarcoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| | | | | | | | | | | | X | | | | | | | | | | | | | | | | 2 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| | | | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Thymus
Lymphoma Malignant | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Mammary Gland | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | 0 |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Basal Cell Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Subcutaneous Tissue,
Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Subcutaneous Tissue, Schwannoma
Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|-------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 0 | 7 | 5 | 7 | 7 | 0 | 6 | 7 | 7 | 7 | 7 | 5 | 7 | 5 | 7 | 7 | 2 | 7 | 7 | 4 | 0 | 7 | 7 | 7 | 7 | |
| | 7 | 2 | 0 | 2 | 3 | 3 | 4 | 3 | 2 | 3 | 2 | 2 | 3 | 7 | 2 | 2 | 5 | 2 | 3 | 5 | 2 | 2 | 2 | 2 | 2 | |
| | 2 | 8 | 6 | 9 | 0 | 7 | 8 | 0 | 8 | 0 | 9 | 2 | 0 | 3 | 9 | 8 | 1 | 8 | 0 | 1 | 0 | 9 | 0 | 9 | 8 | |
| B6C3F1 MICE MALE
600 MG/KG | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | |
| | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Skeletal Muscle | | | | | + | | | | | | | | | | | | | | | | | | | | | 1 |
| Hepatoblastoma, Metastatic, Liver | | | | | X | | | | | | | | | | | | | | | | | | | | | 1 |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | X | 1 |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | | X | | | | | | | | | | | | | X | | X | 5 |
| Alveolar/Bronchiolar Adenoma, Multiple | | | | | X | | | | | | | | | | | | | | | | | | | | | 2 |
| Alveolar/Bronchiolar Carcinoma | | | | | | | | | | X | | | | | | | | | | | | | | | | 1 |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | X | | | | | | X | | | | | | | | | | | | | 4 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | X | 1 |
| Mediastinum, Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | X | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | | | | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|--|--|--|
| | 0 7 5 7 7 0 6 7 7 7 7 5 7 5 7 7 2 7 7 4 0 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 7 2 0 2 3 3 4 3 2 3 2 2 3 7 2 2 5 2 3 5 2 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | | | | |
| | 2 8 6 9 0 7 8 0 8 0 9 2 0 3 9 8 1 8 0 1 0 9 0 9 8 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE MALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | |
| 600 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | |
| | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | | | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|----|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | |
| Adenoma | | X | | | | | | X | | | | | | | X | | | | | | | | X | X | | 9 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | X | | 1 | |
| Bilateral, Adenoma | | | | | X | | | | | | | | | | | | | | | | | | | | | 1 | |
| Zymbal's Gland | | | | | + | | | | | | | | | | | | | | | | | | | | | 1 | |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|----|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | X | | | | | | | | | | | | | | | | | | | | | | X | | 2 | |
| Renal Tubule, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | X | | 1 | |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|---|
| DAY ON TEST | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 7 | 5 | 7 | 7 | 0 | 6 | 7 | 7 | 7 | 7 | 5 | 7 | 5 | 7 | 7 | 2 | 7 | 7 | 4 | 0 | 7 | 7 | 7 | 7 | 7 | |
| ANIMAL ID | | 7 | 2 | 0 | 2 | 3 | 3 | 4 | 3 | 2 | 3 | 2 | 2 | 3 | 7 | 2 | 2 | 5 | 2 | 3 | 5 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | | 2 | 8 | 6 | 9 | 0 | 7 | 8 | 0 | 8 | 0 | 9 | 2 | 0 | 3 | 9 | 8 | 1 | 8 | 0 | 1 | 0 | 9 | 0 | 9 | 8 | 8 | |
| B6C3F1 MICE MALE
600 MG/KG | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 |
| | | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | * TOTALS | |

Lymphoma Malignant X 1

SYSTEMIC LESIONS

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | X | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |

*** END OF MALE DATA ***

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|-------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|------------------------------------|
| | DAY ON TEST | 0
5
3
4 | 0
7
2
7 | 0
7
1
4 | 0
7
1
4 | 0
6
7
1 | 0
6
3
9 | 0
7
2
8 | 0
7
2
9 | 0
7
1
4 | 0
7
2
7 | 0
5
2
4 | 0
7
6
8 | 0
7
7
7 | 0
4
2
2 | 0
7
7
8 | 0
4
3
4 | 0
5
2
8 | 0
7
8
8 | 0
5
2
8 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | 0
7
2
7 | | | |
| B6C3F1 MICE FEMALE
0 MG/KG | ANIMAL ID | 0
0
2
0
1 | 0
0
2
0
2 | 0
0
2
0
3 | 0
0
2
0
4 | 0
0
2
0
5 | 0
0
2
0
6 | 0
0
2
0
7 | 0
0
2
0
8 | 0
0
2
0
9 | 0
0
2
1
0 | 0
0
2
1
1 | 0
0
2
1
2 | 0
0
2
1
3 | 0
0
2
1
4 | 0
0
2
1
5 | 0
0
2
1
6 | 0
0
2
1
7 | 0
0
2
2
8 | 0
0
2
2
9 | 0
0
2
2
0 | 0
0
2
2
1 | 0
0
2
2
2 | 0
0
2
2
3 | 0
0
2
2
4 | 0
0
2
2
5 | females
(cont...) |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | X | | | | | | | | | | | | | | X | | | | | | | | |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | X | | | | | | | | X |
| Hepatocellular Adenoma | | | | X | X | | | | | | | | | | | | | | X | | | | | | X |
| Hepatocellular Adenoma, Multiple | | X | | | | | | X | X | X | | X | | | | | | X | | | | | | | |
| Hepatocellular Carcinoma | | | | | | | | | | | | | | | | | | X | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 5 | 7 | 7 | 7 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 6 | 7 | 7 | 7 | 4 | 7 | 5 | 7 | 5 | 7 | 7 | 7 | 7 |
| 3 | 2 | 1 | 1 | 7 | 3 | 2 | 2 | 1 | 2 | 2 | 1 | 2 | 5 | 2 | 1 | 2 | 7 | 2 | 3 | 2 | 8 | 2 | 2 | 2 | 2 | |
| 4 | 7 | 4 | 4 | 1 | 9 | 8 | 9 | 4 | 7 | 7 | 4 | 8 | 2 | 8 | 7 | 9 | 2 | 7 | 4 | 8 | 8 | 7 | 7 | 7 | 7 | |
| B6C3F1 MICE FEMALE
0 MG/KG | 0 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |

females
(cont...)

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|--|--|---|--|---|--|--|--|---|--|--|--|---|--|--|--|--|--|---|--|---|--|--|--|--|--|--|
| Hepatocellular Carcinoma, Multiple | | | | | X | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | | | | | | | | | X | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | X | | | | | | | | | | X | | | | | | X | | X | | | | | | |
| Mesentery | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pancreas | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Salivary Glands | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Forestomach | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Squamous Cell Papilloma | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Glandular | | | | | | | | | | | | | | | | | | | | | | | | | | | |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Blood Vessel | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Heart | | | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|-------------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| B6C3F1 MICE FEMALE
0 MG/KG | ANIMAL ID | 5 | 7 | 7 | 7 | 6 | 6 | 7 | 7 | 7 | 7 | 5 | 7 | 6 | 7 | 7 | 7 | 4 | 7 | 5 | 7 | 5 | 7 | 7 | 7 |
| | | 3 | 2 | 1 | 1 | 7 | 3 | 2 | 2 | 1 | 2 | 2 | 1 | 2 | 5 | 2 | 1 | 2 | 7 | 2 | 3 | 2 | 8 | 2 | 2 |
| | | 4 | 7 | 4 | 4 | 1 | 9 | 8 | 9 | 4 | 7 | 7 | 4 | 8 | 2 | 8 | 7 | 9 | 2 | 7 | 4 | 8 | 8 | 7 | 7 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | |

females
(cont...)

X

Hemangiosarcoma
 Lymphoma Malignant

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Lymphoma Malignant | | | X | | | | | | | | | X | | | | | | X | | | | | | | |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Parathyroid Gland | M | + | + | + | + | + | + | + | + | + | M | M | M | + | + | M | + | + | + | + | + | M | M | + | |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + |
| Pars Distalis, Adenoma | | X | | | | | X | | | | | | | | | | | X | | | | | | | |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | X | | | |

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|---------------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|---|----------------------|
| | 0
5
3
4 | 0
7
2
7 | 0
7
1
4 | 0
7
1
4 | 0
6
7
1 | 0
6
3
9 | 0
7
2
8 | 0
7
2
9 | 0
7
1
4 | 0
7
2
7 | 0
5
2
4 | 0
7
6
8 | 0
7
7
7 | 0
4
2
8 | 0
7
1
7 | 0
7
2
9 | 0
4
7
2 | 0
5
2
8 | 0
7
3
8 | 0
5
2
8 | 0
7
8
7 | 0
5
2
8 | 0
7
2
7 | 0
7
2
7 | | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 0 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| ANIMAL ID | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | |

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Clitoral Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hemangioma | | | | | | | | | | X | | | | | | | | | | | | | | |
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Cystadenoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | X | | | | | | | | X | | | | | | X | | | | | X | |
| Uterus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | X | | | | | | |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | X | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node | | | | + | | | | | | | | | | | | | | | | | | | | + |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | X |
| Bronchial, Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Iliac, Lymphoma Malignant | | | | X | | | | | | | | | | | | | | | | | | | | |
| Inguinal, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | X |
| Lumbar, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | X |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------------------------|---|
| | 5 | 7 | 7 | 7 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 6 | 7 | 7 | 7 | 4 | 7 | 5 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | 3 | 2 | 1 | 1 | 7 | 3 | 2 | 2 | 1 | 2 | 2 | 1 | 2 | 5 | 2 | 1 | 2 | 7 | 2 | 3 | 2 | 8 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 4 | 7 | 4 | 4 | 1 | 9 | 8 | 9 | 4 | 7 | 7 | 4 | 8 | 2 | 8 | 7 | 9 | 2 | 7 | 4 | 8 | 8 | 7 | 7 | 7 | 7 | 7 | 7 | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 0 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| ANIMAL ID | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | females (cont...) | |

Mediastinal, Histiocytic Sarcoma
 Mediastinal, Lymphoma Malignant X X
 Pancreatic, Lymphoma Malignant X
 Renal, Lymphoma Malignant X X

Lymph Node, Mandibular
 Lymphoma Malignant + X

Lymph Node, Mesenteric
 Lymphoma Malignant + X

Spleen
 Hemangiosarcoma + X X X
 Histiocytic Sarcoma
 Lymphoma Malignant X X X

Thymus
 Lymphoma Malignant + X X X

INTEGUMENTARY SYSTEM

Mammary Gland
 Carcinoma + + + + + M + + + + + M + + + + + + + + + + + + + + + +

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 5 | 7 | 7 | 7 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 6 | 7 | 7 | 7 | 4 | 7 | 5 | 7 | 5 | 7 | 7 | 7 |
| | 3 | 2 | 1 | 1 | 7 | 3 | 2 | 2 | 1 | 2 | 2 | 1 | 2 | 5 | 2 | 1 | 2 | 7 | 2 | 3 | 2 | 8 | 2 | 2 | 2 |
| | 4 | 7 | 4 | 4 | 1 | 9 | 8 | 9 | 4 | 7 | 7 | 4 | 8 | 2 | 8 | 7 | 9 | 2 | 7 | 4 | 8 | 8 | 7 | 7 | 7 |
| B6C3F1 MICE FEMALE
0 MG/KG | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |

females
(cont...)

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Site Of Application - Dermis, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Site Of Application - Dermis, Schwannoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Subcutaneous Tissue, Hemangiosarcoma | | | | X | | | | | | | | | | | | | | | | | | | | | |
| Subcutaneous Tissue, Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Subcutaneous Tissue, Schwannoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Cranium, Osteosarcoma | | | | | | | | | | | X | | | | | | | | | | | | | | |
| Vertebra, Osteosarcoma | | | | X | | | | | | | | | | | | | | | | | | | | | |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Meninges, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-----|
| | 0534 | 0577 | 0577 | 0577 | 0566 | 0566 | 0577 | 0577 | 0577 | 0577 | 0577 | 0557 | 0576 | 0577 | 0577 | 0577 | 0547 | 0575 | 0577 | 0557 | 0575 | 0577 | 0577 | 0577 | |
| | 034 | 032 | 031 | 031 | 037 | 033 | 032 | 032 | 031 | 032 | 032 | 031 | 032 | 035 | 032 | 031 | 032 | 037 | 032 | 033 | 032 | 038 | 032 | 032 | |
| | 047 | 047 | 044 | 044 | 041 | 049 | 048 | 049 | 044 | 047 | 047 | 044 | 048 | 042 | 048 | 047 | 049 | 042 | 047 | 044 | 048 | 048 | 047 | 047 | |
| B6C3F1 MICE FEMALE | 000 | 000 | 000 | 000 | 000 | 000 | 000 | 000 | 000 | 000 | 000 | 000 | 000 | 000 | 000 | 000 | 000 | 000 | 000 | 000 | 000 | 000 | 000 | 000 | |
| 0 MG/KG | 002 | 002 | 002 | 002 | 002 | 002 | 002 | 002 | 002 | 002 | 002 | 002 | 002 | 002 | 002 | 002 | 002 | 002 | 002 | 002 | 002 | 002 | 002 | 002 | |
| | 011 | 012 | 013 | 014 | 015 | 016 | 017 | 018 | 019 | 010 | 011 | 012 | 013 | 014 | 015 | 016 | 017 | 018 | 019 | 010 | 011 | 012 | 013 | 014 | 015 |

females (cont...)

Peripheral Nerve +
 Spinal Cord +
 Meninges, Lymphoma Malignant

RESPIRATORY SYSTEM

Lung +
 Alveolar/Bronchiolar Adenoma X
 Alveolar/Bronchiolar Carcinoma X X
 Lymphoma Malignant X X X X
 Osteosarcoma, Metastatic, Bone X

Nose +
 Trachea +

SPECIAL SENSES SYSTEM

Eye +
 Harderian Gland +
 Adenoma X X
 Lymphoma Malignant X

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) | |
|---------------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|---|----------------------|--|
| | 0
5
3
4 | 0
7
2
7 | 0
7
1
4 | 0
7
1
4 | 0
6
7
1 | 0
6
3
9 | 0
7
2
8 | 0
7
2
9 | 0
7
1
4 | 0
7
2
7 | 0
5
2
4 | 0
7
6
8 | 0
7
7
2 | 0
7
1
7 | 0
4
2
8 | 0
7
2
7 | 0
7
1
9 | 0
4
7
2 | 0
5
2
4 | 0
7
3
8 | 0
5
2
8 | 0
7
8
7 | 0
7
2
7 | 0
7
2
7 | | | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 0 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | | |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | X | | | | | | | | | | | | | | | X | | | X | | | | | |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | X | | | X | | | | | X |
| Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | |

SYSTEMIC LESIONS

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Histiocytic Sarcoma | | | | | | | | X | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | X | | | | | | | | | X | | | | | | X | | | X | | | | X | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|-------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----------|
| | 7 7 7 7 7 7 7 7 5 5 6 7 7 7 7 6 7 7 7 7 7 7 6 7 | | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
0 MG/KG | 0 | | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 2 2 2 3 3 3 3 3 3 3 3 3 3 3 3 4 4 4 4 4 4 4 4 5 | | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| | 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | | | | | | | | | | | | | | | | | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|-------|----|
| Esophagus | + | | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Gallbladder | + | | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | X | 3 |
| Intestine Large, Cecum | + | | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Intestine Large, Colon | + | | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Intestine Large, Rectum | + | | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Intestine Small, Duodenum | + | | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Intestine Small, Ileum | + | | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Intestine Small, Jejunum | + | | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Liver | + | | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Hepatocellular Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | X | 11 |
| Hepatocellular Adenoma, Multiple | X X | | | | | | | | | | | | | | | | | | | | | | | | X X X | 11 |
| Hepatocellular Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|----------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| B6C3F1 MICE FEMALE
0 MG/KG | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| Hepatocellular Carcinoma, Multiple | | | | | | | | | | | | | | | | | | | | | X | | | 2 | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | X | | 2 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | X | X | | | | | | | X | 7 | |
| Mesentery | + | | + | | | + | + | + | | | | + | + | | | + | + | | | | | + | | 16 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Sarcoma | | | | | | | | | | | | | | | | | | | | | | X | | 1 | |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Lymphoma Malignant | | | | | | | | X | | | | | X | | | | | | | | | | | 3 | |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | 2 | |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Squamous Cell Papilloma | | | | | | | | | | | | | | | | | | | | | | X | | 1 | |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|---|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 5 | 6 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 0 |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 5 | 9 | 7 | 2 | 2 | 2 | 2 | 2 | 9 | 2 | 2 | 2 | 0 | 2 | 2 | 8 | 0 |
| | 7 | 7 | 9 | 8 | 8 | 8 | 7 | 8 | 9 | 5 | 6 | 8 | 8 | 7 | 7 | 8 | 9 | 8 | 8 | 8 | 1 | 8 | 7 | 7 | 1 |
| B6C3F1 MICE FEMALE
0 MG/KG | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| * TOTALS | | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Clitoral Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangioma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Cystadenoma | | | | | | X | | | | | | X | | | | | | | | | | | | | | 2 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | X | | 5 |
| Uterus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | X | | | 1 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | | | | X | | | | | | | | | | | | | | | 1 |
| Lymph Node | | | | | | | + | | | | | | | | + | | | | | | + | + | | | + | 8 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Bronchial, Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | X | | | | 1 |
| Iliac, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Inguinal, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lumbar, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | X | | 3 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|----------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 0 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | |
| Mediastinal, Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | X | | | | | 1 |
| Mediastinal, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | X | 3 |
| Pancreatic, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Renal, Lymphoma Malignant | | | | | | | | | X | | | | | | | | | | | | | | X | | 4 |
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | X | | | | | | | | | | | | X | 5 |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | X | | | | X | X | | | | | | | | | | | X | 8 |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 5 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | X | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | X | | | | X | X | | | | | | | | | | X | | 7 |
| Thymus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | X | | | | X | X | | | | | | | | | | X | | 9 |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 |
| Carcinoma | | | | | | | | | X | | | | | | | | | | | | | | X | | 2 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

bis(2-Chloroethoxy)methane

CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|--------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|--|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| B6C3F1 MICE FEMALE | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 5 | 6 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | | |
| 0 MG/KG | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 5 | 9 | 7 | 2 | 2 | 2 | 2 | 9 | 2 | 2 | 2 | 0 | 2 | 2 | 8 | 0 | | |
| ANIMAL ID | 7 | 7 | 9 | 8 | 8 | 8 | 7 | 8 | 9 | 5 | 6 | 8 | 8 | 7 | 7 | 8 | 9 | 8 | 8 | 8 | 1 | 8 | 7 | 7 | 1 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | | |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Site Of Application - Dermis, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | X | 1 |
| Site Of Application - Dermis, Schwannoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | X | 1 |
| Subcutaneous Tissue, Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Subcutaneous Tissue, Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | X | | 1 |
| Subcutaneous Tissue, Schwannoma Malignant | | | | | | | | X | | | | | | | | | | | | | | | | | 1 |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Cranium, Osteosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Vertebra, Osteosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Meninges, Lymphoma Malignant | | | | | | | | | | | | | | X | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|-------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 |
| 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 5 | 6 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 0 | |
| 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 5 | 9 | 7 | 2 | 2 | 2 | 2 | 2 | 9 | 2 | 2 | 2 | 0 | 2 | 2 | 8 | 0 | 0 |
| 7 | 7 | 9 | 8 | 8 | 8 | 7 | 8 | 9 | 5 | 6 | 8 | 8 | 7 | 7 | 8 | 9 | 8 | 8 | 8 | 1 | 8 | 7 | 7 | 1 | 0 | |

B6C3F1 MICE FEMALE
0 MG/KG

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|---|
| Peripheral Nerve | | | | | | | | | | | | | | | | | | | | | | | | | + | 2 |
| Spinal Cord | | | | | | | | | | | | | | | | | | | | | | | | | + | 2 |
| Meninges, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | X | 1 |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|---|
| Lung | + | | | | | | | | | | | | | | | | | | | | | | | | 50 | |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Alveolar/Bronchiolar Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | X | 4 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | X | 6 |
| Osteosarcoma, Metastatic, Bone | | | | | | | | | | | | | | | | | | | | | | | | | X | 1 |
| Nose | + | | | | | | | | | | | | | | | | | | | | | | | | 50 | |
| Trachea | + | | | | | | | | | | | | | | | | | | | | | | | | 50 | |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|---|
| Eye | + | | | | | | | | | | | | | | | | | | | | | | | | 50 | |
| Harderian Gland | + | | | | | | | | | | | | | | | | | | | | | | | | 50 | |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | X | 3 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|--|--|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 5 | 6 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 6 | 7 | | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 5 | 9 | 7 | 2 | 2 | 2 | 2 | 9 | 2 | 2 | 2 | 0 | 2 | 2 | 8 | 0 | | | |
| | 7 | 7 | 9 | 8 | 8 | 8 | 7 | 8 | 9 | 5 | 6 | 8 | 8 | 7 | 7 | 8 | 9 | 8 | 8 | 8 | 1 | 8 | 7 | 7 | 1 | | |
| B6C3F1 MICE FEMALE
0 MG/KG | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | | |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | | |
| 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | * TOTALS | | |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | X | | | | | | | | | | | X | | 5 |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 3 |
| Sarcoma | | | | | | | | | | | | | | | | X | | | | | | | | | 1 |

SYSTEMIC LESIONS

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Histiocytic Sarcoma | | | | | | | | | | | | | X | | | | | | | X | | | | | 3 |
| Lymphoma Malignant | | | | | | | X | | | | X | X | | | | | | | | | | X | | | 9 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|-------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 7 | 7 | 7 | 4 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 5 | 7 | 4 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| 2 | 2 | 2 | 7 | 2 | 0 | 2 | 2 | 2 | 2 | 7 | 2 | 2 | 2 | 2 | 8 | 2 | 5 | 2 | 2 | 1 | 2 | 2 | 2 | 2 | 2 | |
| 9 | 7 | 8 | 5 | 8 | 0 | 7 | 9 | 8 | 8 | 1 | 7 | 2 | 7 | 8 | 9 | 8 | 4 | 8 | 7 | 1 | 8 | 8 | 9 | 7 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | X |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | X | | | | | | | | | | |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | X | | | | | | | | | X | | |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hepatocellular Adenoma | X | | | | X | | | X | | | | X | | | | | | | | | | X | X | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|------------------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 7 | 7 | 7 | 4 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 5 | 7 | 4 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| 2 | 2 | 2 | 7 | 2 | 0 | 2 | 2 | 2 | 2 | 7 | 2 | 2 | 2 | 2 | 8 | 2 | 5 | 2 | 2 | 1 | 2 | 2 | 2 | 2 | 2 | |
| 9 | 7 | 8 | 5 | 8 | 0 | 7 | 9 | 8 | 8 | 1 | 7 | 2 | 7 | 8 | 9 | 8 | 4 | 8 | 7 | 1 | 8 | 8 | 9 | 7 | | |
| B6C3F1 MICE FEMALE | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 100 MG/KG | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | |
| Hepatocellular Adenoma, Multiple | | | X | | | | X | | | | | | X | | X | | | | | | | | X | X | | |
| Hepatocellular Carcinoma | | | | X | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Carcinoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | X | | |
| Lymphoma Malignant | | | | | | | | | X | | | X | X | | X | X | X | | | X | | | | | | |
| Mesentery | | | | | | | | | | + | + | | | | | | + | | | | | + | | | | |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Lymphoma Malignant | | | | | | | | | | | | X | X | | | | | | | | | | | | | |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Lymphoma Malignant | | | | | | | | | | | | X | X | | | | | | | | | | | | | |
| Squamous Cell Papilloma | | | | | | | | | X | | | | | | | | | | | | | | | | | |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Lymphoma Malignant | | | | | | | | | | | | | | X | | | | | | | | | | | | |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 7 7 7 4 7 7 7 7 7 7 6 7 7 7 7 5 7 4 7 7 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 2 2 7 2 0 2 2 2 2 7 2 2 2 2 8 2 5 2 2 1 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 7 8 5 8 0 7 9 8 8 1 7 2 7 8 9 8 4 8 7 1 8 8 9 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 100 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |

females
(cont...)

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | X | X | | | X | | | X | | | | | | |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | X | | | | | X | | | X | | | | | |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Pheochromocytoma Benign | | | | | | | | | | | | | | | | | | | | | | | | | |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Parathyroid Gland | + | M | M | + | + | M | + | + | + | + | M | + | + | + | + | + | + | + | + | M | + | + | + | M | + |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Pars Distalis, Adenoma | | | | | | X | | X | X | | | | | | | | X | | | | | X | X | | |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | X | | | X | | | | | | | | |
| Follicular Cell, Adenoma | | | X | | | | | | | | | | | | | | X | | | | | | | | |

GENERAL BODY SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 7 4 7 7 7 7 7 7 6 7 7 7 7 5 7 4 7 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
100 MG/KG | 2 2 2 7 2 0 2 2 2 2 7 2 2 2 2 8 2 5 2 2 1 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 7 8 5 8 0 7 9 8 8 1 7 2 7 8 9 8 4 8 7 1 8 8 9 7 | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | |
| | 5 5 5 5 5 5 5 5 5 5 6 6 6 6 6 6 6 6 6 6 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | |

females
(cont...)

NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Clitoral Gland | + | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | +
X | | | | | | | | | | | | | | | | | | | | | | | |
| Ovary | + | | | | | | | | | | | | | | | | | | | | | | | |
| Cystadenoma | +
X | | | | | | | | | | | | | | | | | | | | | | | |
| Hemangioma | +
X | | | | | | | | | | | | | | | | | | | | | | | |
| Hemangiosarcoma | + | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | +
X X X X X X X | | | | | | | | | | | | | | | | | | | | | | | |
| Uterus | + | | | | | | | | | | | | | | | | | | | | | | | |
| Hemangioma | + | | | | | | | | | | | | | | | | | | | | | | | |
| Hemangiosarcoma | +
X | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | +
X X X X | | | | | | | | | | | | | | | | | | | | | | | |
| Polyp Stromal | +
X X | | | | | | | | | | | | | | | | | | | | | | | |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Bone Marrow | + | | | | | | | | | | | | | | | | | | | | | | | |
| Hemangiosarcoma | + | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|---|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 7 | 7 | 7 | 4 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 5 | 7 | 4 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| 2 | 2 | 2 | 7 | 2 | 0 | 2 | 2 | 2 | 2 | 7 | 2 | 2 | 2 | 2 | 8 | 2 | 5 | 2 | 2 | 1 | 2 | 2 | 2 | 2 | 2 | |
| 9 | 7 | 8 | 5 | 8 | 0 | 7 | 9 | 8 | 8 | 1 | 7 | 2 | 7 | 8 | 9 | 8 | 4 | 8 | 7 | 1 | 8 | 8 | 9 | 7 | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
100 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | X | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node | | | | | | | | | | + | | | | | | | | | | | | | + | + | + | |
| Bronchial, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | X | | | |
| Iliac, Lymphoma Malignant | | | | | | | | | | X | | | | | | | | | | | | | X | | | |
| Lumbar, Lymphoma Malignant | | | | | | | | | | | | | | | X | | | | | | | | | | | |
| Mediastinal, Lymphoma Malignant | | | | | | | | | | X | | | | | | | | | | | | | X | | | |
| Pancreatic, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Renal, Lymphoma Malignant | | | | | | | | | | | | | | | X | | | | | | | | X | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mandibular | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mesenteric | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Spleen | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Thymus | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 7 4 7 7 7 7 7 7 6 7 7 7 7 5 7 4 7 7 7 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 2 2 7 2 0 2 2 2 2 7 2 2 2 2 8 2 5 2 2 1 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 9 7 8 5 8 0 7 9 8 8 1 7 2 7 8 9 8 4 8 7 1 8 8 9 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
100 MG/KG | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 5 5 5 5 5 5 5 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | | |

females
(cont...)

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Mammary Gland | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Skin | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Site Of Application - Dermis,
Schwannoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Subcutaneous Tissue, Fibrous
Histiocytoma | | | | | | | | | | | | | | | | | | | | | | | | | |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Bone | + | | | | | | | | | | | | | | | | | | | | | | | | |
|------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Brain | + | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Lung | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Carcinoma, Metastatic, Harderian Gland | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---------------------|
| | 7 | 7 | 7 | 4 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 5 | 7 | 4 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| ANIMAL ID | 2 | 2 | 2 | 7 | 2 | 0 | 2 | 2 | 2 | 2 | 7 | 2 | 2 | 2 | 2 | 8 | 2 | 5 | 2 | 2 | 1 | 2 | 2 | 2 | 2 | 2 |
| | 9 | 7 | 8 | 5 | 8 | 0 | 7 | 9 | 8 | 8 | 1 | 7 | 2 | 7 | 8 | 9 | 8 | 4 | 8 | 7 | 1 | 8 | 8 | 9 | 7 | 7 |
| B6C3F1 MICE FEMALE
100 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 5 females (cont...) |

Lymphoma Malignant

X

X

X

Nose

+ +

Trachea

+ +

SPECIAL SENSES SYSTEM

Eye

+ +

Lymphoma Malignant

X

Harderian Gland

+ +

Adenoma

X

X

X

Carcinoma

X

X

Lymphoma Malignant

X

URINARY SYSTEM

Kidney

+ +

Lymphoma Malignant

X

X

X

X

X

X

Urinary Bladder

+ +

Lymphoma Malignant

X

X

X

X

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------------------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 7 | 7 | 7 | 4 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 5 | 7 | 4 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | 2 | 2 | 2 | 7 | 2 | 0 | 2 | 2 | 2 | 2 | 7 | 2 | 2 | 2 | 2 | 8 | 2 | 5 | 2 | 2 | 1 | 2 | 2 | 2 | 2 | |
| | 9 | 7 | 8 | 5 | 8 | 0 | 7 | 9 | 8 | 8 | 1 | 7 | 2 | 7 | 8 | 9 | 8 | 4 | 8 | 7 | 1 | 8 | 8 | 9 | 7 | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 100 MG/KG | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | females
(cont...) |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | |

SYSTEMIC LESIONS

Multiple Organ
 Lymphoma Malignant

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | X | | | | | X | | X | | | X | | X | X | | X | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|---------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----------|
| | 7 7 7 7 5 6 7 7 7 7 7 7 7 7 3 7 7 7 7 7 7 7 6 7 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
100 MG/KG | 2 2 2 2 1 5 2 2 2 2 2 2 2 2 8 2 2 2 2 2 2 2 6 2 6 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| | 9 8 7 9 8 9 8 9 9 8 7 9 7 7 6 8 8 7 7 9 8 7 4 9 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 3 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| | 7 7 7 7 8 8 8 8 8 8 8 8 8 8 9 9 9 9 9 9 9 9 9 9 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | 3 |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hepatocellular Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | 11 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|----|-----------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 7 | 7 | 7 | 7 | 5 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 3 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 6 | | |
| | 2 | 2 | 2 | 2 | 1 | 5 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 8 | 2 | 2 | 2 | 2 | 2 | 2 | 6 | 2 | 6 | | |
| | 9 | 8 | 7 | 9 | 8 | 9 | 8 | 9 | 9 | 8 | 7 | 9 | 7 | 7 | 6 | 8 | 8 | 7 | 7 | 9 | 8 | 7 | 4 | 9 | 4 | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| 100 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | | |
| | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | * TOTALS |
| Hepatocellular Adenoma, Multiple | | | | | | | X | X | X | | | | | X | X | | | X | X | | | | | | 13 | |
| Hepatocellular Carcinoma | | | | | | X | X | | | | | | | | X | X | | | | X | | X | | | 7 | |
| Hepatocellular Carcinoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Lymphoma Malignant | | | X | | | | | | | X | | | | | | | | | | | | | | | 9 | |
| Mesentery | + | | + | + | | | + | + | | | | | | + | + | + | | | | | | + | | 13 | | |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Lymphoma Malignant | | | X | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 2 | |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 2 | |
| Squamous Cell Papilloma | | | | | | | | | | | | | | | X | | | | | | | | | | 2 | |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
|--------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|--|
| DAY ON TEST | 7 | 7 | 7 | 7 | 5 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 3 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 6 | 6 | 6 | | |
| | 2 | 2 | 2 | 2 | 1 | 5 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 8 | 2 | 2 | 2 | 2 | 2 | 2 | 6 | 2 | 6 | 6 | 6 | | |
| | 9 | 8 | 7 | 9 | 8 | 9 | 8 | 9 | 9 | 8 | 7 | 9 | 7 | 7 | 6 | 8 | 8 | 7 | 7 | 9 | 8 | 7 | 4 | 9 | 4 | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| 100 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| ANIMAL ID | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | | |
| | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | | * TOTALS | |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | 4 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ENDOCRINE SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | 4 | |
| | | | | | | | | | | | | | | | | | | | | | | | X | | | | | |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Pheochromocytoma Benign | | | | | | | | | | | | | | X | | | | | | | | | | | | | 1 | |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Adenoma | | | | | | | X | | | | | | | | | | | | | | | | | | | | 1 | |
| Parathyroid Gland | + | + | M | + | M | + | + | + | + | M | + | + | + | + | M | + | M | + | + | + | + | M | M | + | M | M | 35 | |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Pars Distalis, Adenoma | | | | | | | | | | | X | | | X | | | X | X | | | | | | X | | | 11 | |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 | |
| Follicular Cell, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 | |

GENERAL BODY SYSTEM

- * .. Total animals with tissue examined microscopically; Total animals with tumor
- + .. Tissue examined microscopically
- x .. Lesion present
- I .. Insufficient tissue

- M .. Missing tissue
- A .. Autolysis precludes evaluation
- BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----------|----------|
| | 7 7 7 7 5 6 7 7 7 7 7 7 7 7 3 7 7 7 7 7 7 7 6 7 6 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
100 MG/KG | 2 2 2 2 1 5 2 2 2 2 2 2 2 2 8 2 2 2 2 2 2 2 6 2 6 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| | 9 8 7 9 8 9 8 9 9 8 7 9 7 7 6 8 8 7 7 9 8 7 4 9 4 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 7 7 7 7 8 8 8 8 8 8 8 8 8 8 9 9 9 9 9 9 9 9 9 9 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |

NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|
| Clitoral Gland | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Ovary | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Cystadenoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hemangioma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hemangiosarcoma | X | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 8 |
| Uterus | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Hemangioma | X | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 4 |
| Polyp Stromal | | | | | | | | | | | | | | | | | | | | | | | | | 2 |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|
| Bone Marrow | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|--|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 7 | 7 | 7 | 7 | 5 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 3 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 6 | | |
| | 2 | 2 | 2 | 2 | 1 | 5 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 8 | 2 | 2 | 2 | 2 | 2 | 2 | 6 | 2 | 6 | | |
| | 9 | 8 | 7 | 9 | 8 | 9 | 8 | 9 | 9 | 8 | 7 | 9 | 7 | 7 | 6 | 8 | 8 | 7 | 7 | 9 | 8 | 7 | 4 | 9 | 4 | |
| B6C3F1 MICE FEMALE | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | | |
| | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | * TOTALS | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Lymph Node | | | | | | | | | | | | | | | | | | | | | | | | | 9 | |
| Bronchial, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 3 | |
| Iliac, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 3 | |
| Lumbar, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Mediastinal, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 4 | |
| Pancreatic, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Renal, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 2 | |
| Lymph Node, Mandibular | | | | | | | | | | | | | | | | | | | | | | | | | 50 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 9 | |
| Lymph Node, Mesenteric | | | | | | | | | | | | | | | | | | | | | | | | | 50 | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 8 | |
| Spleen | | | | | | | | | | | | | | | | | | | | | | | | | 50 | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 2 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 13 | |
| Thymus | | | | | | | | | | | | | | | | | | | | | | | | | 50 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 10 | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

bis(2-Chloroethoxy)methane

CAS Number: 111-91-1

Date Report Requested: 04/07/2008

Time Report Requested: 11:52:50

First Dose M/F: 10/03/02 / 10/02/02

Lab: BAT

| DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
|------------------------------|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|---|
| | 7 | 7 | 7 | 7 | 5 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 3 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 6 | |
| | 2 | 2 | 2 | 2 | 1 | 5 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 8 | 2 | 2 | 2 | 2 | 2 | 2 | 6 | 2 | 6 | |
| | 9 | 8 | 7 | 9 | 8 | 9 | 8 | 9 | 9 | 8 | 7 | 9 | 7 | 7 | 6 | 8 | 8 | 7 | 7 | 9 | 8 | 7 | 4 | 9 | 4 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 100 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| ANIMAL ID | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | |
| | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| | * TOTALS | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | 4 | |
| Nose | + | | | | | | | | | | | | | | | | | | | | | | | 50 | |
| Trachea | + | | | | | | | | | | | | | | | | | | | | | | | 50 | |
| SPECIAL SENSES SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | |
| Eye | + | | | | | | | | | | | | | | | | | | | | | | | 50 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Harderian Gland | + | | | | | | | | | | | | | | | | | | | | | | | 50 | |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | | | 6 | |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | 3 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| URINARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | |
| Kidney | + | | | | | | | | | | | | | | | | | | | | | | | 50 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | 9 | |
| Urinary Bladder | + | | | | | | | | | | | | | | | | | | | | | | | 50 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | 5 | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|-------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 7 | 7 | 7 | 7 | 7 | 4 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 4 | 5 | 7 | 7 | 4 | 7 | 7 | 7 | 4 | 7 | 7 | 0 | |
| 2 | 2 | 2 | 2 | 2 | 5 | 2 | 2 | 0 | 2 | 2 | 2 | 2 | 2 | 1 | 7 | 2 | 2 | 7 | 2 | 2 | 2 | 8 | 2 | 2 | 0 | |
| 8 | 9 | 9 | 8 | 8 | 8 | 7 | 7 | 6 | 8 | 7 | 7 | 8 | 8 | 1 | 3 | 7 | 8 | 2 | 7 | 9 | 9 | 5 | 8 | 8 | 0 | |

B6C3F1 MICE FEMALE
 200 MG/KG

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|---|--|--|---|---|--|--|--|--|--|---|--|--|--|--|--|---|--|--|--|--|--|--|---|---|--|---|
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | X | | | |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | | X | | | |
| Mesentery | | | + | | | + | + | | | | | | + | | | | | | + | | | | | | | | | | |
| Hepatocholangiocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | | X | | | |
| Pancreas | + | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocholangiocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | | X | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | X | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | X | | |
| Salivary Glands | + | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Forestomach | + | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Squamous Cell Papilloma | | | | | | | | | | | | | | | | | | | | | | | | | | X | | | |
| Stomach, Glandular | + | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Tooth | | | | | | | | | | | | | | | | | | | | | | | | | | | + | | + |
| Peridontal Tissue, Histiocytic Sarcoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | | X | | | |

CARDIOVASCULAR SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|-------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 7 | 7 | 7 | 7 | 7 | 4 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 4 | 5 | 7 | 7 | 4 | 7 | 7 | 7 | 4 | 7 | 7 | 0 |
| 2 | 2 | 2 | 2 | 2 | 5 | 2 | 2 | 0 | 2 | 2 | 2 | 2 | 2 | 1 | 7 | 2 | 2 | 7 | 2 | 2 | 2 | 8 | 2 | 2 | 0 |
| 8 | 9 | 9 | 8 | 8 | 8 | 7 | 7 | 6 | 8 | 7 | 7 | 8 | 8 | 1 | 3 | 7 | 8 | 2 | 7 | 9 | 9 | 5 | 8 | 8 | 0 |

B6C3F1 MICE FEMALE
200 MG/KG

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Aorta, Hepatocholangiocarcinoma,
Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | X | |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Hepatocholangiocarcinoma, Metastatic,
Liver | | | | | | | | | | | | | | | | | | | | | | | | | X | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | X | |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Hepatocholangiocarcinoma, Metastatic,
Liver | | | | | | | | | | | | | | | | | | | | | | | | | X | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | X | |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Pheochromocytoma Benign | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Parathyroid Gland | M | + | + | + | M | + | + | + | M | + | + | + | + | M | M | + | M | + | M | M | M | + | M | + | + | |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 7 7 7 4 7 7 7 7 7 7 7 4 5 7 7 4 7 7 7 4 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 2 2 2 2 5 2 2 0 2 2 2 2 2 1 7 2 2 7 2 2 2 8 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 9 9 8 8 8 7 7 6 8 7 7 8 8 1 3 7 8 2 7 9 9 5 8 8 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
200 MG/KG | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 0 0 0 0 0 0 0 0 0 1 1 1 1 1 1 1 1 1 1 2 2 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | | |

females
(cont...)

Histiocytic Sarcoma X

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Bone Marrow | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lumbar, Lymphoma Malignant | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Mediastinal, Histiocytic Sarcoma | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Mediastinal, Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Pancreatic, Hepatocholangiocarcinoma, Metastatic, Liver | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Pancreatic, Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Renal, Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mandibular | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mesenteric | + + + + + + + + + M + + + + + + + + + + + + + + + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--------------------------|--|--|
| | 0728 | 0729 | 0730 | 0731 | 0704 | 0707 | 0707 | 0707 | 0707 | 0707 | 0707 | 0707 | 0707 | 0707 | 0707 | 0707 | 0707 | 0707 | 0707 | 0707 | 0707 | 0707 | 0707 | | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| 200 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| ANIMAL ID | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | 4 | | |
| | | | | | | | | | | | | | | | | | | | | | | | females (cont...) | | |

| | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | X |
| Hepatocarcinoma, Metastatic, Liver | | | | | | | X | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | X | |
| Thymus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | X | |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Site Of Application - Dermis, Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | |
| Subcutaneous Tissue, Fibrous Histiocytoma | | | | | | | | | | | | | | | | | | | | | | | |
| Subcutaneous Tissue, Hemangioma | | | | | | | X | | | | | | | | | | | | | | | | |
| Subcutaneous Tissue, Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | |
| Subcutaneous Tissue, Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | |
| Subcutaneous Tissue, Myxosarcoma | | | | | | | | | | | | | | | | | | | | | | | |
| Subcutaneous Tissue, Schwannoma | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|-------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 7 | 7 | 7 | 7 | 7 | 4 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 4 | 5 | 7 | 7 | 4 | 7 | 7 | 7 | 4 | 7 | 7 | 0 |
| 2 | 2 | 2 | 2 | 2 | 5 | 2 | 2 | 0 | 2 | 2 | 2 | 2 | 2 | 1 | 7 | 2 | 2 | 7 | 2 | 2 | 2 | 8 | 2 | 2 | 0 |
| 8 | 9 | 9 | 8 | 8 | 8 | 7 | 7 | 6 | 8 | 7 | 7 | 8 | 8 | 1 | 3 | 7 | 8 | 2 | 7 | 9 | 9 | 5 | 8 | 8 | 0 |

B6C3F1 MICE FEMALE
200 MG/KG

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|
| Osteosarcoma, Metastatic, Bone | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Mediastinum,
Hepatocholangiocarcinoma,
Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Nose | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Pleura | | | | | | | | | | | | | | | | | | | | | | | | | + |
| Hepatocholangiocarcinoma, Metastatic,
Liver | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Trachea | + | | | | | | | | | | | | | | | | | | | | | | | | |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|
| Eye | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Harderian Gland
Adenoma | + | | | | | | | | | | | | | | | | | | | | | | | | X |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|
| Kidney | + | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | X |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|---------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|---|
| DAY ON TEST | | 7 | 7 | 6 | 7 | 7 | 6 | 7 | 7 | 7 | 5 | 6 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 6 | 7 | 7 |
| DAY ON TEST | | 2 | 2 | 3 | 2 | 2 | 5 | 2 | 2 | 2 | 8 | 4 | 2 | 2 | 2 | 5 | 2 | 2 | 2 | 2 | 0 | 2 | 0 | 2 | 2 | 2 | 2 | 2 |
| DAY ON TEST | | 8 | 7 | 8 | 8 | 8 | 7 | 7 | 8 | 7 | 4 | 5 | 8 | 7 | 8 | 7 | 7 | 7 | 9 | 7 | 1 | 7 | 6 | 7 | 8 | 8 | 8 | |
| B6C3F1 MICE FEMALE | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| 200 MG/KG | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 0 | * TOTALS | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hepatocellular Adenoma | X | | | | | X | | X | X | | X | | | | | | X | | | | | | | | | X | 9 | |
| Hepatocellular Adenoma, Multiple | | | X | | | | | | | X | | | | X | | | | | | | | X | | | | | | 6 |
| Hepatocellular Carcinoma | | | | X | | | X | | | | | | | | X | X | | | X | | | | | | | | | 8 |
| Hepatocholangiocarcinoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|
| | 7 7 6 7 7 6 7 7 7 5 6 7 7 7 7 6 7 7 7 7 7 6 7 7 | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 2 3 2 2 5 2 2 2 8 4 2 2 2 2 5 2 2 2 2 0 2 0 2 2 | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 7 8 8 8 7 7 8 7 4 5 8 7 8 7 7 7 7 9 7 1 7 6 7 8 | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 200 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Aorta, Hepatocholangiocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hepatocholangiocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hepatocholangiocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Pheochromocytoma Benign | | | | | | | | | | | | | | | X | | | | | | | | | | 1 |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Parathyroid Gland | M | + | M | M | + | M | M | M | M | + | M | + | M | + | + | + | + | M | + | + | M | + | + | + | 28 |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|---|
| | 7 7 6 7 7 6 7 7 7 5 6 7 7 7 7 6 7 7 7 7 7 7 6 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 2 3 2 2 5 2 2 2 8 4 2 2 2 2 5 2 2 2 2 0 2 0 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 7 8 8 8 7 7 8 7 4 5 8 7 8 7 7 7 7 9 7 1 7 6 7 8 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 200 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | 5 |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |
| | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |

Lymphoma Malignant 1
 Pars Distalis, Adenoma 6

Thyroid Gland 50
 Follicular Cell, Adenoma 1

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

Clitoral Gland 49

Ovary 50
 Cystadenoma 2
 Hemangiosarcoma 1
 Bilateral, Histiocytic Sarcoma 1

Uterus 50
 Carcinoma 1
 Hemangiosarcoma 2
 Histiocytic Sarcoma 1

Vagina 1

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

bis(2-Chloroethoxy)methane

CAS Number: 111-91-1

Date Report Requested: 04/07/2008

Time Report Requested: 11:52:50

First Dose M/F: 10/03/02 / 10/02/02

Lab: BAT

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|---------------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 7 | 7 | 6 | 7 | 7 | 6 | 7 | 7 | 7 | 5 | 6 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 0 | 0 |
| 2 | 2 | 3 | 2 | 2 | 5 | 2 | 2 | 2 | 8 | 4 | 2 | 2 | 2 | 5 | 2 | 2 | 2 | 2 | 0 | 2 | 0 | 2 | 2 | 2 | 2 |
| 8 | 7 | 8 | 8 | 8 | 7 | 7 | 8 | 7 | 4 | 5 | 8 | 7 | 8 | 7 | 7 | 7 | 9 | 7 | 1 | 7 | 6 | 7 | 8 | 8 | |
| <hr/> | | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
200 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | 5 |
| 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | |

Histiocytic Sarcoma

1

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangiosarcoma | | | | | | | | | | | | | | | X | | | | | | | | X | | 2 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymph Node | | | | | | | | | | | | | | | | | | | | | | | | | 3 |
| Lumbar, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Mediastinal, Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Mediastinal, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Pancreatic, Hepatocholangiocarcinoma,
Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Pancreatic, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Renal, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | X | | | | | | | | | X | | | | | | | 3 | |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Lymphoma Malignant | | | | | | | | | X | | | | | | | | | | | | | | | | 2 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
Test Type: CHRONIC
Route: SKIN APPLICATION
Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
bis(2-Chloroethoxy)methane
CAS Number: 111-91-1

Date Report Requested: 04/07/2008
Time Report Requested: 11:52:50
First Dose M/F: 10/03/02 / 10/02/02
Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
200 MG/KG | 2 | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| * TOTALS | 3 | | | | | | | | | | | | | | | | | | | | | | | |
| | 3 | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Hepatocolangiocarcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | | | | X | | | | | | | | | | | | | | X | | 4 |
| Thymus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | X | | 4 |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Site Of Application - Dermis, Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Subcutaneous Tissue, Fibrous Histiocytoma | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Subcutaneous Tissue, Hemangioma | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Subcutaneous Tissue, Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Subcutaneous Tissue, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Subcutaneous Tissue, Myxosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Subcutaneous Tissue, Schwannoma | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
x .. Lesion present
I .. Insufficient tissue
M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|---------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----------|
| | 7 7 6 7 7 6 7 7 7 5 6 7 7 7 7 6 7 7 7 7 7 6 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
200 MG/KG | 0 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| | 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 2 2 2 3 | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
| | 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|
| Osteosarcoma, Metastatic, Bone | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Mediastinum,
Hepatocholangiocarcinoma,
Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Nose | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Pleura | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hepatocholangiocarcinoma, Metastatic,
Liver | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Trachea | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|
| Eye | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Harderian Gland | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Adenoma | X | | | | | | | | | | | | | | | | | | | | | | | | 5 |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|----|
| Kidney | + | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 7 6 7 7 6 7 7 7 7 6 7 7 6 7 7 7 7 6 6 7 7 7 7 | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
400 MG/KG | 2 2 2 5 2 2 1 2 2 2 1 5 2 2 9 0 2 2 2 2 7 5 2 2 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 8 8 9 7 9 5 7 7 7 3 7 7 8 6 9 8 9 1 7 1 0 7 7 9 | | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 3 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 5 | | | | | | | | | | | | | | | | | | | | | | | | |
| | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | | | | | | | | | | |

females
(cont...)

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Histiocytic Sarcoma | | | | | | | | | | | X | | | | | | | | | | | | | | | |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hepatocellular Adenoma | X | | X | | | | | X | X | | X | | X | | X | | | | | X | | | | | X | |
| Hepatocellular Adenoma, Multiple | | X | | | | X | | | | X | | | | | | | | | | | X | | | X | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| | 0728 | 0728 | 0728 | 0728 | 0728 | 0728 | 0728 | 0728 | 0728 | 0728 | 0728 | 0728 | 0728 | 0728 | 0728 | 0728 | 0728 | 0728 | 0728 | 0728 | 0728 | 0728 | 0728 | 0728 | 0728 |
| B6C3F1 MICE FEMALE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 400 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ANIMAL ID | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |

females (cont...)

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Hepatocellular Carcinoma | | | | X | | | | | | | | | | | | | | | | | | | | | X |
| Histiocytic Sarcoma | | | | | | | | | | X | X | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | X | | | | | | | | | | | |
| Mesentery | + | + | + | + | + | + | + | + | + | | | | | | | | | | | | | | | | + |
| Fibrous Histiocytoma | X | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | X | | | | | | | | | | | |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hemangioma | | | | | | | | | | | | | X | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | X | | | | | | | | | | | | | | | | | | |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Squamous Cell Papilloma | | | | | | | | | | | | | | | | | | X | X | | | | | | X |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Tooth | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | |

CARDIOVASCULAR SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|-------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 7 | 7 | 7 | 6 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 6 | 6 | 7 | 7 | 7 | 7 | 0 | |
| 2 | 2 | 2 | 5 | 2 | 2 | 1 | 2 | 2 | 2 | 1 | 5 | 2 | 2 | 9 | 0 | 2 | 2 | 2 | 2 | 7 | 5 | 2 | 2 | 2 | 8 | |
| 8 | 8 | 8 | 9 | 7 | 9 | 5 | 7 | 7 | 7 | 3 | 7 | 7 | 8 | 6 | 9 | 8 | 9 | 1 | 7 | 1 | 0 | 7 | 7 | 9 | 9 | |

B6C3F1 MICE FEMALE
400 MG/KG

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Parathyroid Gland | + | + | + | + | + | + | + | + | M | M | + | + | + | M | + | M | M | + | + | M | + | M | + | + | |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Pars Distalis, Adenoma | X | | | | | | | | | | | | | | | | | | | | | | X | X | |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------------------|--|--------------------------|
| | 0728 | 0778 | 0778 | 0679 | 0779 | 0779 | 0675 | 0777 | 0777 | 0777 | 0777 | 0676 | 0777 | 0676 | 0777 | 0777 | 0929 | 0022 | 0222 | 0222 | 0727 | 0525 | 0222 | 0222 | 0020 | | | |
| B6C3F1 MICE FEMALE | 00351 | 00352 | 00353 | 00354 | 00355 | 00356 | 00357 | 00358 | 00359 | 00360 | 00361 | 00362 | 00363 | 00364 | 00365 | 00366 | 00367 | 00368 | 00369 | 00370 | 00371 | 00372 | 00373 | 00374 | 00375 | 400 MG/KG | | females (cont...) |
| ANIMAL ID | 00351 | 00352 | 00353 | 00354 | 00355 | 00356 | 00357 | 00358 | 00359 | 00360 | 00361 | 00362 | 00363 | 00364 | 00365 | 00366 | 00367 | 00368 | 00369 | 00370 | 00371 | 00372 | 00373 | 00374 | 00375 | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Adenoma | | | X | | | | | | | | | | | | | | X | | | | | | | X | | | |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | X | | | | | | | | | | | | X |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Histiocytic Sarcoma | | | | | | | | | | X | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | X |

SYSTEMIC LESIONS

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Histiocytic Sarcoma | | | | | X | | | X | | X | | | | | X | | | | | | | | | | | |
| Lymphoma Malignant | | | | | X | X | | | | | | | | | X | | | | | | | | | | | X |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|---------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
| | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 6 | 7 | |
| B6C3F1 MICE FEMALE
400 MG/KG | 0 | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 |
| ANIMAL ID | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 |
| 6 | 7 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | X | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Adenoma | | | | | | | | | | | | X | | | | | | | | | | | | | | 1 |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hepatocellular Adenoma | | | | | X | X | X | X | | | | | | X | X | X | | | | | X | | | | X | 18 |
| Hepatocellular Adenoma, Multiple | | X | | X | | | | | | | X | | | | | | | X | | | | | | | | 9 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|---------------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------|
| | 0728 | 0779 | 0769 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | |
| B6C3F1 MICE FEMALE | 0037 | 0037 | 0037 | 0037 | 0037 | 0037 | 0037 | 0037 | 0037 | 0037 | 0037 | 0037 | 0037 | 0037 | 0037 | 0037 | 0037 | 0037 | 0037 | 0037 | 0037 | 0037 | 0037 | 0037 | |
| 400 MG/KG | 6789 | 7799 | 8799 | 3799 | 3799 | 3799 | 3799 | 3799 | 3799 | 3799 | 3799 | 3799 | 3799 | 3799 | 3799 | 3799 | 3799 | 3799 | 3799 | 3799 | 3799 | 3799 | 3799 | 3799 | |
| Hepatocellular Carcinoma | X | | | | | | | | | | | | | | | | | | | | | X | X | 5 | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Lymphoma Malignant | | | X | | | | | X | X | | | | | | | | | | | | | | | | 4 |
| Mesentery | | | + | | | + | | + | | | | | | | | | | | | | | + | | | 10 |
| Fibrous Histiocytoma | | | | | | | | | | | | | | | | | | | | | | X | | | 2 |
| Lymphoma Malignant | | | | | | | | X | | | | | | | | | | | | | | | | | 1 |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | X | | | | | | | | | | | | | | | | | | | | | | 2 |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangioma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | X | | | | | X | X | | | | | | | | | | | | | | | | 4 |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Squamous Cell Papilloma | X | | | | | | | | | | | | | | | | | | | | | | | | 4 |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Tooth | | | | | | | | | | | | | | | | | | | | | | + | | | 3 |

CARDIOVASCULAR SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-----------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----|----|
| | 0728 | 0779 | 0769 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | | |
| B6C3F1 MICE FEMALE | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | | |
| 400 MG/KG | 376 | 377 | 378 | 379 | 380 | 381 | 382 | 383 | 384 | 385 | 386 | 387 | 388 | 389 | 390 | 391 | 392 | 393 | 394 | 395 | 396 | 397 | 398 | 399 | 400 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | | |
| | 2 | 2 | 8 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 0 | 2 | 2 | 5 | 2 | 8 | | |
| | 8 | 7 | 9 | 9 | 9 | 8 | 7 | 9 | 9 | 8 | 8 | 8 | 7 | 8 | 7 | 7 | 9 | 7 | 1 | 7 | 9 | 4 | 7 | 9 | 9 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | | |
| | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | | |
| | * TOTALS | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | X | | | 1 | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Lymphoma Malignant | | | | X | | | | | X | | | | | | | | | | | | | | | | | 3 | |
| ENDOCRINE SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Lymphoma Malignant | | | | X | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Parathyroid Gland | + | M | + | + | + | M | + | + | + | + | + | + | + | + | + | M | + | M | + | + | + | M | + | + | M | + | 37 |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Pars Distalis, Adenoma | | | | | | | | | | | | X | | | | | | | | | | | | | | 4 | |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Lymphoma Malignant | | | | | | | | | | | X | | | | | | | | | | | | | | | 1 | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|---|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------|
| | 0728 | 0728 | 0728 | 0728 | 0728 | 0728 | 0728 | 0728 | 0728 | 0728 | 0728 | 0728 | 0728 | 0728 | 0728 | 0728 | 0728 | 0728 | 0728 | 0728 | 0728 | 0728 | 0728 | 0728 | |
| B6C3F1 MICE FEMALE | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | |
| 400 MG/KG | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | |
| | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | |
| | 77 | 77 | 77 | 77 | 77 | 77 | 77 | 77 | 77 | 77 | 77 | 77 | 77 | 77 | 77 | 77 | 77 | 77 | 77 | 77 | 77 | 77 | 77 | 77 | |
| | 67 | 67 | 68 | 69 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Lymph Node | | | | | | | | | | | | | | | | | | | | | | | | 5 | |
| Fibrosarcoma, Metastatic, Skin | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Bronchial, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | 2 | |
| Lumbar, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | 2 | |
| Renal, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Lymphoma Malignant | | | X | | | | | X | X | X | | | | | | | | X | X | | | | | 7 | |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Fibrous Histiocytoma, Metastatic, Mesentery | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | 2 | |
| Lymphoma Malignant | | | | | | | | | X | X | | | | | | | | | X | | | | | 3 | |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | 2 | |
| Lymphoma Malignant | | | | | | | | | X | X | | | | | | | | | | X | | | | 7 | |
| Thymus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|---------------------------------|-----------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|--|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 6 | 7 | |
| 2 | 2 | 8 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 0 | 2 | 2 | 5 | 2 | 8 | 2 | |
| 8 | 7 | 9 | 9 | 9 | 8 | 7 | 9 | 9 | 8 | 8 | 8 | 7 | 8 | 7 | 7 | 9 | 7 | 1 | 7 | 9 | 4 | 7 | 9 | 9 | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
400 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | |
| | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | |
| 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|--|--|---|--|--|--|--|---|--|--|--|--|--|--|--|--|--|--|--|--|---|--|--|--|--|----------|
| Fibrosarcoma, Metastatic, Skin | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Fibrous Histiocytoma, Metastatic, Uncertain Primary Site | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | X | | | | | X | | | | | | | | | | | | | X | | | | | 5 |
| Thymoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

INTEGUMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Subcutaneous Tissue, Fibrosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Subcutaneous Tissue, Fibrous Histiocytoma | | | | | | | | | | | | | | | | | | | | | | | | | X | 2 |
| Subcutaneous Tissue, Lymphoma Malignant | | | | | | | | | | | X | | | | | | | | | | | | | | | 1 |
| Subcutaneous Tissue, Schwannoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | 3 |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Vertebra, Osteosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | 7 7 6 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 5 7 6 7 | | | | | | | | | | | | | | | | | | | | | | | |
| ANIMAL ID | 2 2 8 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 0 2 2 5 2 8 2 | | | | | | | | | | | | | | | | | | | | | | | |
| | 8 7 9 9 9 8 7 9 9 8 8 8 7 8 7 7 9 7 1 7 9 4 7 9 9 | | | | | | | | | | | | | | | | | | | | | | | |
| B6C3F1 MICE FEMALE
400 MG/KG | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 3 4 | | | | | | | | | | | | | | | | | | | | | | | |
| | 7 7 7 7 8 8 8 8 8 8 8 8 8 8 8 9 9 9 9 9 9 9 9 9 0 | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 | | | | | | | | | | | | | | | | | | | | | | | |
| * TOTALS | | | | | | | | | | | | | | | | | | | | | | | | |

NERVOUS SYSTEM

Brain + **50**

RESPIRATORY SYSTEM

Lung + **50**
 Alveolar/Bronchiolar Adenoma X X X **6**
 Alveolar/Bronchiolar Carcinoma X **2**
 Fibrous Histiocytoma, Metastatic, Mesentery X **1**
 Hepatocellular Carcinoma, Metastatic, Liver **2**
 Histiocytic Sarcoma **1**
 Lymphoma Malignant X X X **5**
 Osteosarcoma, Metastatic, Bone **1**

Nose + **50**

Trachea + **50**

SPECIAL SENSES SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99028 - 06
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 bis(2-Chloroethoxy)methane
 CAS Number: 111-91-1

Date Report Requested: 04/07/2008
 Time Report Requested: 11:52:50
 First Dose M/F: 10/03/02 / 10/02/02
 Lab: BAT

| | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-----------------|
| | 0728 | 0728 | 0728 | 0728 | 0728 | 0728 | 0728 | 0728 | 0728 | 0728 | 0728 | 0728 | 0728 | 0728 | 0728 | 0728 | 0728 | 0728 | 0728 | 0728 | 0728 | 0728 | 0728 | 0728 | |
| B6C3F1 MICE FEMALE | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | |
| 400 MG/KG | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | |
| | 376 | 376 | 378 | 379 | 379 | 379 | 378 | 379 | 379 | 378 | 378 | 378 | 377 | 378 | 377 | 377 | 379 | 377 | 371 | 379 | 374 | 379 | 379 | 379 | |
| | ANIMAL ID | 0003 | 0003 | 0003 | 0003 | 0003 | 0003 | 0003 | 0003 | 0003 | 0003 | 0003 | 0003 | 0003 | 0003 | 0003 | 0003 | 0003 | 0003 | 0003 | 0003 | 0003 | 0003 | 0003 | * TOTALS |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | X | | | | | | | | | | | | | | 1 |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Adenoma | | | | | | | | | | | | | | | | | X | | X | | | | | | 5 |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | X | | | | | | | | | | | X | | | 4 |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | X | | | | | X | X | | | | | | | | | | | X | | | | 5 |

SYSTEMIC LESIONS

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 4 |
| Lymphoma Malignant | | | | X | | | | | X | X | X | | | | | | | | | X | X | | | | 10 |

*** END OF REPORT ***

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 x .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically