

TDMS No. 99032 - 04
Test Type: CHRONIC
Route: SKIN APPLICATION
Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
Pyrogallol
CAS Number: 87-66-1

Date Report Requested: 10/04/2011
Time Report Requested: 13:47:28
First Dose M/F: 09/21/04 / 09/20/04
Lab: BAT

F2_M3

C Number: C99032
Lock Date: 03/04/2008
Cage Range: ALL
Date Range: ALL
Reasons For Removal: ALL
Removal Date Range: ALL
Treatment Groups: Include ALL
Study Gender: Both
TDMSE Version: 2.4.2.1_003
PWG Approval Date: 08/24/2010

B6C3F1 MICE MALE 0 MG/KG	DAY ON TEST	0 7 3 1	0 7 3 0	0 7 3 0	0 7 3 1	0 7 3 0	0 7 3 0	0 5 2 1	0 7 0 4	0 7 3 1	0 6 0 3	0 6 2 2	0 7 3 0	0 6 8 6	0 6 3 2	0 7 5 4	0 7 3 1	0 7 3 3	0 6 3 2	0 7 3 1	0 6 3 3	0 7 3 3	0 6 3 5	0 7 3 1	* TOTALS
	ANIMAL ID	0 0 0 2 6	0 0 0 2 7	0 0 0 2 8	0 0 0 2 9	0 0 0 3 0	0 0 0 3 1	0 0 0 3 2	0 0 0 3 3	0 0 0 3 3	0 0 0 3 3	0 0 0 3 3	0 0 0 3 3	0 0 0 3 3	0 0 0 3 3	0 0 0 4 0	0 0 0 4 1	0 0 0 4 2	0 0 0 4 3	0 0 0 4 4	0 0 0 4 5	0 0 0 4 6	0 0 0 4 7	0 0 0 4 8	

ALIMENTARY SYSTEM

Esophagus	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Gallbladder	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	49
Intestine Large, Cecum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Intestine Large, Colon	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Intestine Large, Rectum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Intestine Small, Duodenum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Intestine Small, Ileum Lymphoma Malignant	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50 1
Intestine Small, Jejunum Carcinoma	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50 1
Liver	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Hemangiosarcoma																			X	X						3
Hepatoblastoma			X				X														X					4
Hepatocellular Adenoma						X	X		X	X	X						X									10
Hepatocellular Adenoma, Multiple	X	X		X	X	X			X				X	X		X		X	X	X	X			X		29
Hepatocellular Carcinoma			X		X							X	X		X											13
Hepatocellular Carcinoma, Multiple									X								X		X	X			X			7
Histiocytic Sarcoma																							X			1
Lymphoma Malignant																										2
Mesentery						+												+								8

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

B6C3F1 MICE MALE 0 MG/KG	DAY ON TEST	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	* TOTALS	
	ANIMAL ID	7	7	7	7	7	7	5	7	7	6	6	7	7	6	6	7	5	7	7	7	6	7	7		6
		3	3	3	3	3	2	0	3	0	6	2	3	8	3	2	3	3	3	3	3	3	3	3	3	
		1	0	0	1	0	1	4	1	3	2	9	0	6	0	9	4	1	0	1	2	1	1	5	1	
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		2	2	2	2	3	3	3	3	3	3	3	3	3	4	4	4	4	4	4	4	4	4	4	5	
		6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	
Sarcoma																										1
Pancreas		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Salivary Glands		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Mast Cell Tumor Malignant, Metastatic, Skin																										1
Stomach, Forestomach		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Squamous Cell Papilloma, Multiple				X																						1
Stomach, Glandular		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Tooth		+	+	+	+	+			+	+					+	+	+	+	+	+	+	+		+	36	
Odontoma																				X						1
CARDIOVASCULAR SYSTEM																										
Blood Vessel		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Heart		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
ENDOCRINE SYSTEM																										
Adrenal Cortex		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Histiocytic Sarcoma																							X			1
Lymphoma Malignant																										1
Subcapsular, Adenoma					X	X	X												X							8
Subcapsular, Adenoma, Multiple												X														1
Adrenal Medulla		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Lymphoma Malignant																										1

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:28
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

B6C3F1 MICE MALE 0 MG/KG	DAY ON TEST																								* TOTALS	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	7	7	7	7	7	7	5	7	7	6	6	7	7	6	6	7	5	7	7	7	6	7	7	6		7
ANIMAL ID	3	3	3	3	3	2	0	3	0	6	2	3	8	3	2	3	3	3	3	3	3	3	3	3		
ANIMAL ID	1	0	0	1	0	0	1	4	1	3	2	9	0	6	0	9	4	1	0	1	2	1	5	1		
ANIMAL ID	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
ANIMAL ID	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
ANIMAL ID	2	2	2	2	3	3	3	3	3	3	3	3	3	3	4	4	4	4	4	4	4	4	4	5		
ANIMAL ID	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9		
Islets, Pancreatic Adenoma Carcinoma	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50 1 1	
Parathyroid Gland	+	M	+	M	+	+	+	+	M	+	+	+	+	+	+	+	+	+	M	M	+	M	+	M	+	41
Pituitary Gland Histiocytic Sarcoma	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50 1
Thyroid Gland	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
GENERAL BODY SYSTEM																										
NONE																										
GENITAL SYSTEM																										
Epididymis Histiocytic Sarcoma Lymphoma Malignant	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50 1 1
Penis																									1	
Preputial Gland Hemangioma Hemangiosarcoma	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50 1 1
Prostate Histiocytic Sarcoma Lymphoma Malignant	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50 1 1

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:28
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

B6C3F1 MICE MALE 0 MG/KG	DAY ON TEST	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	* TOTALS		
		7	7	7	7	7	5	7	7	6	6	7	7	6	6	7	5	7	7	7	6	7	7	6	7	6	7	7			7
	ANIMAL ID	3	3	3	3	3	2	0	3	0	6	2	3	8	3	2	3	3	3	3	3	3	3	3	3	3	3	3			3
	1	0	0	1	0	1	4	1	3	2	9	0	6	0	9	4	1	0	1	2	1	2	1	2	1	5	1	3	0		
Seminal Vesicle		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50		
Testes		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50		
HEMATOPOIETIC SYSTEM																															
Bone Marrow		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50			
Histiocytic Sarcoma																											X	1			
Lymph Node		+		+	+											+										+		10			
Bronchial, Lymphoma Malignant																											+	1			
Mediastinal, Histiocytic Sarcoma																										X		1			
Mediastinal, Lymphoma Malignant																												1			
Renal, Histiocytic Sarcoma																										X		1			
Renal, Lymphoma Malignant																												1			
Lymph Node, Mandibular		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50			
Histiocytic Sarcoma																										X		1			
Lymphoma Malignant																												1			
Mast Cell Tumor Malignant, Metastatic, Skin																												1			
Lymph Node, Mesenteric		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50			
Histiocytic Sarcoma																										X		1			
Lymphoma Malignant																												2			
Spleen		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50			
Hemangiosarcoma																								X				1			
Histiocytic Sarcoma																											X	1			
Lymphoma Malignant																												2			

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:28
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

B6C3F1 MICE MALE 0 MG/KG	DAY ON TEST																				* TOTALS						
	0731	0730	0730	0731	0731	0731	0731	0731	0731	0731	0731	0731	0731	0731	0731	0731	0731	0731	0731	0731		0731	0731				
ANIMAL ID	0026	0027	0028	0029	0030	0031	0032	0033	0034	0035	0036	0037	0038	0039	0040	0041	0042	0043	0044	0045	0046	0047	0048	0049	0050		
Thymus	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	M	+	+	+	+	+	+	48
Histiocytic Sarcoma																											1
Mast Cell Tumor Malignant, Metastatic, Skin																							X				1
INTEGUMENTARY SYSTEM																											
Mammary Gland	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	0
Skin	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Control, Lymphoma Malignant																											1
Control, Mast Cell Tumor Malignant																											1
Site Of Application, Subcutaneous Tissue, Hemangiosarcoma																									X		1
Subcutaneous Tissue, Fibrous Histiocytoma																											1
Subcutaneous Tissue, Histiocytic Sarcoma																									X		1
MUSCULOSKELETAL SYSTEM																											
Bone	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
NERVOUS SYSTEM																											
Brain	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Histiocytic Sarcoma																										X	1
RESPIRATORY SYSTEM																											
Lung	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	50
Alveolar/Bronchiolar Adenoma		X	X						X			X							X			X					10
Alveolar/Bronchiolar Adenoma, Multiple																											2
Alveolar/Bronchiolar Carcinoma																								X	X		4

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:28
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

B6C3F1 MICE MALE 0 MG/KG	DAY ON TEST	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	ANIMAL ID		* TOTALS	
		7	7	7	7	7	7	5	7	7	6	6	7	7	6	6	7	5	7	7	7	6	7	7	6				7
		3	3	3	3	3	2	0	3	0	6	2	3	8	3	2	3	3	3	3	3	3	3	3	3				
		1	0	0	1	0	1	4	1	3	2	9	0	6	0	9	4	1	0	1	2	1	2	1	5	1			
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
		2	2	2	2	3	3	3	3	3	3	3	3	3	4	4	4	4	4	4	4	4	4	4	4	5			
		6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0			
Hepatocellular Carcinoma, Metastatic, Liver				X							X	X												X				8	
Histiocytic Sarcoma																							X					1	
Lymphoma Malignant																												1	
Nose		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+			50	
Histiocytic Sarcoma																							X					1	
Trachea		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+			50	
SPECIAL SENSES SYSTEM																													
Eye		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+			50	
Harderian Gland		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+			50	
Adenoma		X																					X					6	
Carcinoma							X						X															2	
Histiocytic Sarcoma																							X					1	
Lymphoma Malignant																												2	
URINARY SYSTEM																													
Kidney		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+			50	
Histiocytic Sarcoma																							X					1	
Lymphoma Malignant																												2	
Urinary Bladder		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+			50	
Lymphoma Malignant																												2	
SYSTEMIC LESIONS																													
Multiple Organ		+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+			50	

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:28
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

B6C3F1 MICE MALE 0 MG/KG	DAY ON TEST	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		7	7	7	7	7	7	5	7	7	6	6	7	7	6	6	7	5	7	7	7	6	7	7	6	7	7
		3	3	3	3	3	3	2	0	3	0	6	2	3	8	3	2	3	3	3	3	3	3	3	3	3	3
		1	0	0	1	0	0	1	4	1	3	2	9	0	6	0	9	4	1	0	1	2	1	1	5	1	3
	ANIMAL ID	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		2	2	2	2	3	3	3	3	3	3	3	3	3	4	4	4	4	4	4	4	4	4	4	4	5	
		6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	
		* TOTALS																									

Histiocytic Sarcoma
 Lymphoma Malignant

X

1
 2

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:28
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

B6C3F1 MICE MALE 5 MG/KG	DAY ON TEST		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	ANIMAL ID		7	7	4	7	7	7	7	4	7	7	6	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7
			3	3	3	3	3	3	9	3	3	6	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	
			1	1	7	0	1	0	4	0	0	4	0	1	1	1	1	0	0	0	0	0	0	0	0	1	0	1	0
			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			5	5	5	5	5	5	5	5	6	6	6	6	6	6	6	6	6	6	6	7	7	7	7	7	7	7	
			1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	

males
(cont...)

ALIMENTARY SYSTEM

Esophagus	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Gallbladder	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Intestine Large, Cecum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Intestine Large, Colon	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Intestine Large, Rectum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Intestine Small, Duodenum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Intestine Small, Ileum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Intestine Small, Jejunum	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Liver	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Hemangiosarcoma																										X	
Hepatoblastoma																											
Hepatocellular Adenoma					X		X		X		X		X		X		X		X		X		X		X		X
Hepatocellular Adenoma, Multiple	X	X		X							X		X		X		X		X		X		X		X		X
Hepatocellular Carcinoma							X				X		X		X		X		X		X		X		X		X
Hepatocellular Carcinoma, Multiple				X	X																						
Lymphoma Malignant																											
Mast Cell Tumor Malignant, Metastatic, Bone Marrow																											
Mesentery																											
Lymphoma Malignant								+																			+

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:28
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

B6C3F1 MICE MALE	DAY ON TEST																									ANIMAL ID			
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			0	
5 MG/KG	7	7	4	7	7	7	7	4	7	7	6	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	0		
	3	3	3	3	3	3	3	9	3	3	6	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	0	
	1	1	7	0	1	1	0	4	0	0	4	0	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	5	5	5	5	5	5	5	5	5	6	6	6	6	6	6	6	6	6	6	6	7	7	7	7	7	7	7	0	
	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	8	9	0	1	2	3	4	5	6	7	0	males (cont...)

Mast Cell Tumor Malignant, Metastatic, Bone Marrow

Sarcoma, Metastatic, Skin

X

Pancreas

Mast Cell Tumor Malignant, Metastatic, Bone Marrow

Plasma Cell Tumor Malignant, Metastatic, Lymph Node, Mesenteric

+ +

Salivary Glands

+ +

Stomach, Forestomach

Squamous Cell Papilloma

X

+ +

Stomach, Glandular

Mast Cell Tumor Malignant, Metastatic, Bone Marrow

+ +

Tooth

Odontoma

X

+ +

CARDIOVASCULAR SYSTEM

Blood Vessel

+ +

Heart

Hemangiosarcoma

Lymphoma Malignant

X

+ +

ENDOCRINE SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
Test Type: CHRONIC
Route: SKIN APPLICATION
Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Pyrogallol
CAS Number: 87-66-1

Date Report Requested: 10/04/2011
Time Report Requested: 13:47:28
First Dose M/F: 09/21/04 / 09/20/04
Lab: BAT

| B6C3F1 MICE MALE
5 MG/KG | DAY ON TEST | 00731 | 00731 | 00737 | 00737 | 00737 | 00737 | 00737 | 00737 | 00674 | 00763 | 00763 | 00763 | 00763 | 00763 | 00763 | 00763 | 00763 | 00763 | 00763 | 00763 | 00763 | 00763 | 00763 | males
(cont...) |
|-----------------------------|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------------------|
| | ANIMAL ID | 0051 | 0052 | 0053 | 0054 | 0055 | 0056 | 0057 | 0058 | 0059 | 0060 | 0061 | 0062 | 0063 | 0064 | 0065 | 0066 | 0067 | 0068 | 0069 | 0070 | 0071 | 0072 | 0073 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sarcoma, Metastatic, Skin | | | | | | | | | | | | | | | | | | | | | | | | X | | |
| Subcapsular, Adenoma | X | | | | | | X | | | | | X | | X | | | X | | | | | | | X | | |
| Subcapsular, Adenoma, Multiple | | | | | | | | | | | | | | | | | | | | | | X | | | | |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Islets, Pancreatic Carcinoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Parathyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | M | + | + | + | + | |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Thyroid Gland C-cell, Carcinoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

GENERAL BODY SYSTEM

Peritoneum

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Coagulating Gland Sarcoma, Metastatic, Skin | + | | | | | | | | | | | | | | | | | | | | | | | | | | + | | X |
| Epididymis Lymphoma Malignant Sarcoma, Metastatic, Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | X |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04

Test Type: CHRONIC

Route: SKIN APPLICATION

Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Pyrogallol

CAS Number: 87-66-1

Date Report Requested: 10/04/2011

Time Report Requested: 13:47:28

First Dose M/F: 09/21/04 / 09/20/04

Lab: BAT

| B6C3F1 MICE MALE
5 MG/KG | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | ANIMAL ID | males
(cont...) | | |
|-----------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|--------------------|---|--|
| | 7 | 7 | 4 | 7 | 7 | 7 | 7 | 4 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | | | 3 | |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 9 | 3 | 3 | 6 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 0 | | | |
| | | 1 | 1 | 7 | 0 | 1 | 1 | 0 | 4 | 0 | 0 | 4 | 0 | 1 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 1 | 3 | | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | |
| | | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | | | | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Preputial Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Squamous Cell Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Prostate | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sarcoma, Metastatic, Skin | | | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Seminal Vesicle | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sarcoma, Metastatic, Skin | | | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Testes | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Hemangioma | | | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|---|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Hemangiosarcoma, Metastatic, Spleen | | | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Mast Cell Tumor Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Axillary, Hemangiosarcoma | | | + | | | | | | | | | + | + | | | | | | | | | | | + | | | |
| Bronchial, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Inguinal, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lumbar, Sarcoma, Metastatic, Skin | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pancreatic, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | X |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:28
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| B6C3F1 MICE MALE | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | ANIMAL ID | males
(cont...) |
|------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|--------------------|
| | | 7 | 7 | 4 | 7 | 7 | 7 | 7 | 4 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | | |
| 5 MG/KG | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 9 | 3 | 3 | 6 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | | |
| | | 1 | 1 | 7 | 0 | 1 | 1 | 0 | 4 | 0 | 0 | 4 | 0 | 1 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | | |

Lymph Node, Mandibular
 Lymphoma Malignant

+ +

Lymph Node, Mesenteric
 Lymphoma Malignant
 Plasma Cell Tumor Malignant
 Sarcoma, Metastatic, Skin

+
 X

Spleen
 Hemangiosarcoma
 Lymphoma Malignant
 Mast Cell Tumor Malignant, Metastatic, Bone
 Marrow

+
 X

Thymus
 Lymphoma Malignant
 Mast Cell Tumor Malignant, Metastatic, Bone
 Marrow

+ +

INTEGUMENTARY SYSTEM

Mammary Gland

M M

Skin
 Basal Cell Carcinoma
 Fibrous Histiocytoma
 Trichoepithelioma
 Site Of Application, Hamartoma
 Subcutaneous Tissue, Sarcoma

+
 X
 X
 X

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------------|---|--|
| B6C3F1 MICE MALE | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | ANIMAL ID | 7 | 7 | 4 | 7 | 7 | 7 | 7 | 4 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| 5 MG/KG | | 3 | 3 | 3 | 3 | 3 | 3 | 9 | 3 | 3 | 6 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | | |
| | | 1 | 1 | 7 | 0 | 1 | 1 | 0 | 4 | 0 | 0 | 4 | 0 | 1 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | | | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | males
(cont...) | | |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | |
| Mast Cell Tumor Malignant, Metastatic, Bone Marrow | | | | | | | | | | | | | | | | | | | | | | | |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Alveolar/Bronchiolar Adenoma | X | | | | | | | | | | | | | X | | | | | | | | X | |
| Alveolar/Bronchiolar Adenoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | |
| Alveolar/Bronchiolar Carcinoma | | | X | | | | | | | | X | X | | | X | | | | | | | | |
| Alveolar/Bronchiolar Carcinoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | X | | | | | | | | | | X | | X | | | | | | |
| Sarcoma, Metastatic, Skin | | | | | | | | | | | | | | | | | | | | | | X | |

| | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Mast Cell Tumor Malignant, Metastatic, Bone Marrow | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | |
|---------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
|---------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:28
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| B6C3F1 MICE MALE
5 MG/KG | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | ANIMAL ID | males
(cont...) |
|--|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|--------------------|
| | | 7 | 7 | 4 | 7 | 7 | 7 | 7 | 4 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | | |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 9 | 3 | 3 | 6 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | | |
| | | 1 | 1 | 7 | 0 | 1 | 1 | 0 | 4 | 0 | 4 | 0 | 1 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | | |
| Harderian Gland | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| URINARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Kidney | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Mast Cell Tumor Malignant, Metastatic, Bone Marrow | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Urethra | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Urinary Bladder | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SYSTEMIC LESIONS | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Multiple Organ | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:28
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| B6C3F1 MICE MALE | DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | * TOTALS | | | | | |
|------------------|-------------|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------|-------|-------|-------|-------|-------|
| | | 7 3 0 | 7 3 1 | 3 3 2 | 5 9 3 | 6 8 6 | 7 3 1 | 6 1 0 | 7 2 9 | 6 6 5 | 7 3 0 | 7 3 0 | 7 3 3 | 7 2 4 | 7 3 1 | 7 3 1 | 5 4 3 | 6 7 0 | 7 3 0 | 7 2 9 | 6 1 5 | | 5 3 0 | 7 0 2 | 0 0 0 | | |
| 5 MG/KG | ANIMAL ID | 0 0 0 | 0 0 0 | 0 0 0 | 0 0 0 | 0 0 0 | 0 0 0 | 0 0 0 | 0 0 0 | 0 0 0 | 0 0 0 | 0 0 0 | 0 0 0 | 0 0 0 | 0 0 0 | 0 0 0 | 0 0 0 | 0 0 0 | 0 0 0 | 0 0 0 | 0 0 0 | 0 0 0 | 0 0 0 | 0 0 0 | 0 0 0 | 0 0 0 | |
| 0 0 0 | | 0 0 0 | 0 0 0 | 0 0 0 | 0 0 0 | 0 0 0 | 0 0 0 | 0 0 0 | 0 0 0 | 0 0 0 | 0 0 0 | 0 0 0 | 0 0 0 | 0 0 0 | 0 0 0 | 0 0 0 | 0 0 0 | 0 0 0 | 0 0 0 | 0 0 0 | 0 0 0 | 0 0 0 | 0 0 0 | 0 0 0 | 0 0 0 | 0 0 0 | |
| 7 7 7 | | 7 7 7 | 7 7 8 | 7 7 8 | 8 8 8 | 8 8 8 | 8 8 8 | 8 8 8 | 8 8 8 | 8 8 8 | 8 8 8 | 8 8 8 | 8 8 8 | 8 8 8 | 8 8 8 | 8 8 8 | 9 9 9 | 9 9 9 | 9 9 9 | 9 9 9 | 9 9 9 | 9 9 9 | 9 9 9 | 9 9 9 | 9 9 9 | 9 9 9 | 9 9 9 |
| 6 7 8 | | 9 0 1 | 2 3 6 | 3 6 1 | 0 0 2 | 0 0 3 | 0 0 4 | 0 0 5 | 0 0 6 | 0 0 7 | 0 0 8 | 0 0 9 | 0 0 0 | 0 0 1 | 0 0 2 | 0 0 3 | 0 0 4 | 0 0 5 | 0 0 6 | 0 0 7 | 0 0 8 | 0 0 9 | 0 0 0 | 0 0 1 | 0 0 2 | 0 0 3 | 0 0 4 |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Gallbladder | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangiosarcoma | | | | | | | | | | | | | | X | X | | | | X | | | | | | | X | 5 |
| Hepatoblastoma | | | | | | | | | | | | | | | | | | | | | | | | | | X | 1 |
| Hepatocellular Adenoma | | | | X | X | X | | | | | | X | | | | | | X | | | | X | X | | | | 17 |
| Hepatocellular Adenoma, Multiple | X | X | | | | | X | X | | | X | | X | X | | | | X | X | | | | | | X | | 19 |
| Hepatocellular Carcinoma | | | | | X | X | X | | | X | | | | X | X | | X | X | | X | | | | | | | 15 |
| Hepatocellular Carcinoma, Multiple | | | | | | | | X | | | | | | | | | | | | | | | | | | | 3 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | X | | | | | 1 |
| Mast Cell Tumor Malignant, Metastatic, Bone Marrow | | | | | | | | | | | | | | | | X | | | | | | | | | | | 1 |
| Mesentery | | | | | | | | | | | | | + | | | + | | | + | | | | | + | | | 6 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | X | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| B6C3F1 MICE MALE | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 7 | 7 | 3 | 5 | 6 | 7 | 6 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 6 | 7 | 7 | 7 | 7 | 6 | 5 | 7 | 3 | 9 | 2 | 1 | 3 | 7 | 0 | 3 | 0 | 0 |
| 5 MG/KG | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| | | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |

* TOTALS

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|---|---|---|-----------|-----------|
| Mast Cell Tumor Malignant, Metastatic, Bone Marrow | | | | | | | | | | | | | | | | | | | | | | | | | | | | | X | 1 | | | | | | |
| Sarcoma, Metastatic, Skin | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | | | | | |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Mast Cell Tumor Malignant, Metastatic, Bone Marrow | | | | | | | | | | | | | | | | | | | | | | | | | | | | | X | 1 | | | | | | |
| Plasma Cell Tumor Malignant, Metastatic, Lymph Node, Mesenteric | | | | | | | | | | | | | | | | | | | | | | | | | | | | | X | 1 | | | | | | |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Squamous Cell Papilloma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | | | | | |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Mast Cell Tumor Malignant, Metastatic, Bone Marrow | | | | | | | | | | | | | | | | | | | | | | | | | | | | | X | 1 | | | | | | |
| Tooth | + | | | | + | + | | | | | + | + | + | | | | + | | | | + | + | + | | | | | | | | | + | + | | 30 | |
| Odontoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 3 | | | | | | |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|---|---|---|---|-----------|-----------|
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | | X | 1 | | | | | | | |

ENDOCRINE SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:28
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| B6C3F1 MICE MALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------|
| | 0730 | 0731 | 0732 | 0733 | 0734 | 0735 | 0736 | 0737 | 0738 | 0739 | 0740 | 0741 | 0742 | 0743 | 0744 | 0745 | 0746 | 0747 | 0748 | 0749 | 0750 | 0751 | 0752 | 0753 | | |
| 5 MG/KG | 0076 | 0077 | 0078 | 0079 | 0080 | 0081 | 0082 | 0083 | 0084 | 0085 | 0086 | 0087 | 0088 | 0089 | 0090 | 0091 | 0092 | 0093 | 0094 | 0095 | 0096 | 0097 | 0098 | 0099 | 0100 | 50 |

MUSCULOSKELETAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangiosarcoma | | | | | | | | | | | | | | | | X | | | | | | | | | | 1 |
| Mast Cell Tumor Malignant, Metastatic, Bone Marrow | | | | | | | | | | | | | | | | | | X | | | | | | | | 1 |

NERVOUS SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | | | | | | | | X | X | | | | | X | | | | 6 |
| Alveolar/Bronchiolar Adenoma, Multiple | | | | | | | | | | | | | | | X | | | | | | | | | | | 1 |
| Alveolar/Bronchiolar Carcinoma | | | | | | | | | | | | | | | X | | | | | X | | | | X | | 7 |
| Alveolar/Bronchiolar Carcinoma, Multiple | | | | | | | | | | | | | | | | | X | | | | | | | | | 1 |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | | | X | | X | | | | | | | X | | | | X | | | | 7 |
| Sarcoma, Metastatic, Skin | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Mast Cell Tumor Malignant, Metastatic, Bone Marrow | | | | | | | | | | | | | | | | | | | | | | | | | X | 1 |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | X | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
Test Type: CHRONIC
Route: SKIN APPLICATION
Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
Pyrogallol
CAS Number: 87-66-1

Date Report Requested: 10/04/2011
Time Report Requested: 13:47:28
First Dose M/F: 09/21/04 / 09/20/04
Lab: BAT

| B6C3F1 MICE MALE | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
|------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 5 | 7 | 5 | 5 | 7 | 5 | 5 | 7 | 3 |
| 20 MG/KG | ANIMAL ID | 4 | 3 | 3 | 3 | 3 | 3 | 3 | 2 | 3 | 2 | 3 | 2 | 3 | 3 | 3 | 3 | 3 | 6 | 4 | 3 | 9 | 4 | 3 | 1 | |
| | | 8 | 1 | 0 | 1 | 1 | 1 | 0 | 2 | 1 | 9 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 0 | 7 | 8 | 1 | 5 | 9 | 1 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |

males
(cont...)

Histiocytic Sarcoma
Lymphoma Malignant

X
X

Seminal Vesicle
Histiocytic Sarcoma
Lymphoma Malignant

+
X
X

Testes
Histiocytic Sarcoma
Lymphoma Malignant
Interstitial Cell, Adenoma

+
X
X
X

HEMATOPOIETIC SYSTEM

Bone Marrow

+ +

Lymph Node
Bronchial, Alveolar/Bronchiolar Carcinoma,
Metastatic, Lung
Bronchial, Lymphoma Malignant
Iliac, Lymphoma Malignant
Pancreatic, Lymphoma Malignant

+
X
X
X

Lymph Node, Mandibular
Lymphoma Malignant

+
X

Lymph Node, Mesenteric
Histiocytic Sarcoma
Lymphoma Malignant

+
X
X

Spleen

+ +

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:28
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| B6C3F1 MICE MALE
20 MG/KG | DAY ON TEST | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | males
(cont...) | | | |
|------------------------------|-------------|-----------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--------------------|------|------|------|
| | | 0648 | 0731 | 0730 | 0733 | 0733 | 0733 | 0770 | 0772 | 0777 | 0779 | 0782 | 0783 | 0783 | 0783 | 0783 | 0783 | 0783 | 0783 | 0783 | 0783 | 0783 | 0783 | 0783 | 0783 | | 0783 | 0783 | 0783 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 5 | 7 | 5 | 5 | 7 | 5 | 5 | 7 |
| | | 4 | 3 | 3 | 3 | 3 | 3 | 3 | 2 | 2 | 3 | 3 | 3 | 3 | 8 | 3 | 3 | 3 | 3 | 3 | 3 | 6 | 4 | 3 | 9 | 4 | 4 | 3 | 1 |
| | | 8 | 1 | 0 | 1 | 1 | 1 | 0 | 2 | 1 | 9 | 0 | 1 | 1 | 8 | 1 | 1 | 1 | 1 | 1 | 0 | 7 | 8 | 1 | 5 | 9 | 4 | 3 | 1 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | |

Histiocytic Sarcoma X
 Lymphoma Malignant X

Thymus + + + + + + + + + + + + + + + + M + + + + + +
 Histiocytic Sarcoma
 Lymphoma Malignant X X

INTEGUMENTARY SYSTEM

Mammary Gland M
 Skin +
 Fibrous Histiocytoma X
 Control, Lymphoma Malignant X
 Subcutaneous Tissue, Schwannoma Malignant X

MUSCULOSKELETAL SYSTEM

Bone +
 Skeletal Muscle

NERVOUS SYSTEM

Brain +
 Lymphoma Malignant X
 Peripheral Nerve
 Spinal Cord

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:28
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| B6C3F1 MICE MALE
20 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | males
(cont...) |
|------------------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--------------------|
| | 0648 | 0731 | 0770 | 0771 | 0772 | 0773 | 0774 | 0775 | 0776 | 0777 | 0778 | 0779 | 0780 | 0781 | 0782 | 0783 | 0784 | 0785 | 0786 | 0787 | 0788 | 0789 | 0790 | 0791 | 0792 | |
| ANIMAL ID | 0010 | 0011 | 0012 | 0013 | 0014 | 0015 | 0016 | 0017 | 0018 | 0019 | 0020 | 0021 | 0022 | 0023 | 0024 | 0025 | 0026 | 0027 | 0028 | 0029 | 0030 | 0031 | 0032 | 0033 | 0034 | |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Alveolar/Bronchiolar Adenoma | | | X | | | X | | | | | X | | | | | | | | | | | | | |
| Alveolar/Bronchiolar Carcinoma | X | | | | | | X | | | | | | | | X | | | | | | | | | |
| Hepatocellular Carcinoma, Metastatic, Liver | X | | | | | X | | | | | | | X | X | | | | | | X | X | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | X | | |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Adenoma | | | X | | | X | X | | X | | | X | | | | X | | | | | | | | |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | X | | |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | X | | |
| Renal Tubule, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Urethra | | | | | | | | | | | | | | | | | | | | | | | | + |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
Test Type: CHRONIC
Route: SKIN APPLICATION
Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
Pyrogallol
CAS Number: 87-66-1

Date Report Requested: 10/04/2011
Time Report Requested: 13:47:28
First Dose M/F: 09/21/04 / 09/20/04
Lab: BAT

| B6C3F1 MICE MALE | DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | * TOTALS | | | |
|------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|---|---|
| | | 7 | 7 | 7 | 7 | 6 | 4 | 7 | 7 | 6 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | | 6 | 5 | |
| 20 MG/KG | ANIMAL ID | 3 | 2 | 3 | 3 | 8 | 7 | 3 | 3 | 3 | 3 | 3 | 3 | 8 | 3 | 3 | 3 | 3 | 3 | 3 | 9 | 3 | 9 | 6 | |
| | | 1 | 5 | 1 | 0 | 1 | 0 | 0 | 1 | 6 | 1 | 0 | 1 | 1 | 6 | 1 | 0 | 1 | 1 | 1 | 0 | 1 | 0 | 4 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangioma | | | | X | | | | | | | | | | | | | | | | | | | 1 |
| Hemangiosarcoma | | | | | | | | X | | | | | | | | | | | | | | | 2 |
| Hepatoblastoma | | | | | | | | | | | | | | | | | | | | | | | 3 |
| Hepatoblastoma, Multiple | | | | | | | | | | | X | | | | | | | | | | | | 1 |
| Hepatocellular Adenoma | | | | X | | | | | | X | X | | X | X | X | X | | | | X | X | X | 16 |
| Hepatocellular Adenoma, Multiple | X | | X | X | | | X | X | | | | | | | | | | | | | X | | 22 |
| Hepatocellular Carcinoma | | | | X | X | X | | | X | | X | | | | | | | | | X | X | | 17 |
| Hepatocellular Carcinoma, Multiple | | X | | | | | | | | | | X | | | | | | | | | | | 3 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | X | | 2 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | X | | 2 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:28
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| B6C3F1 MICE MALE
20 MG/KG | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | * TOTALS |
|------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|---|----------|
| | | 7 | 7 | 7 | 7 | 6 | 4 | 7 | 7 | 6 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 6 | 7 | 6 | 5 | | |
| ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | |
| | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Subcapsular, Adenoma | | | | | X | | | | | | | | X | | | | | | | X | | | | | 6 | | | |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | | |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | | |
| Parathyroid Gland | M | + | M | + | + | + | + | M | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | 42 | | | |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | | |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | | |
| GENERAL BODY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peritoneum | | | | | | | | | | | | | + | | | | | | | | | | | | | 1 | | |
| GENITAL SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Coagulating Gland | | | | | | | | | | | | | | | | | | | | | | | | | + | 1 | | |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | X | 1 | | |
| Epididymis | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | + | 1 | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | X | 2 | | |
| Preputial Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | + | 1 | | |
| Prostate | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:28
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| B6C3F1 MICE MALE | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
|---|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| | ANIMAL ID | 7 | 7 | 7 | 7 | 6 | 4 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 6 | 7 | 6 | 5 | 6 | 7 | 8 | 9 | 0 | | | |
| 20 MG/KG | | 3 | 2 | 3 | 3 | 8 | 7 | 3 | 3 | 3 | 3 | 3 | 3 | 8 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 9 | 3 | 9 | 9 | 6 | 4 | | | | | | | | | |
| | | 1 | 5 | 1 | 0 | 1 | 0 | 0 | 1 | 6 | 1 | 0 | 1 | 6 | 1 | 0 | 1 | 1 | 1 | 1 | 1 | 0 | 1 | 0 | 7 | 4 | | | | | | | | | | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | | | | | | | | | | |
| | * TOTALS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Seminal Vesicle | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | 50 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Testes | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | 50 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Interstitial Cell, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| HEMATOPOIETIC SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bone Marrow | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | 50 |
| Lymph Node | | + | | + | | + | + | | | + | | | | | | | | | | | | | + | | | | | | | | | | | | | 9 |
| Bronchial, Alveolar/Bronchiolar Carcinoma, Metastatic, Lung | | | | | | | | | | | | X | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Bronchial, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Iliac, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Pancreatic, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymph Node, Mandibular | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | X | 2 |
| Lymph Node, Mesenteric | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | 50 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | X | | 2 |
| Spleen | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
Test Type: CHRONIC
Route: SKIN APPLICATION
Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Pyrogallol
CAS Number: 87-66-1

Date Report Requested: 10/04/2011
Time Report Requested: 13:47:28
First Dose M/F: 09/21/04 / 09/20/04
Lab: BAT

| B6C3F1 MICE MALE
20 MG/KG | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | * TOTALS |
|------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
| | | 7 | 7 | 7 | 7 | 6 | 4 | 7 | 7 | 6 | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 6 | 5 | |
| | | 3 | 2 | 3 | 3 | 8 | 7 | 3 | 3 | 3 | 3 | 3 | 3 | 8 | 3 | 3 | 3 | 3 | 3 | 3 | 9 | 3 | 9 | 6 | | |
| | | 1 | 5 | 1 | 0 | 1 | 0 | 0 | 1 | 6 | 1 | 0 | 1 | 6 | 1 | 0 | 1 | 1 | 1 | 0 | 0 | 1 | 0 | 4 | | |
| | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | |
| | | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | | |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 0 | | |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | X | X | | X | | X | | | | | | | X | | | 8 |
| Alveolar/Bronchiolar Carcinoma | | | | | | | | X | X | | | | | | | | | | | | | | | 5 |
| Hepatocellular Carcinoma, Metastatic, Liver | | | X | | X | | | | | | X | | | | | | | | X | | | | | 10 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | X | | 1 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Adenoma | | | | | | | | | | | X | | | | | | | | | | | | | 7 |
| Carcinoma | | | | | X | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | X | | 2 |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | X | | 2 |
| Renal Tubule, Adenoma | | | | | | | | X | | | | | | | | | | | | | | | | 1 |
| Urethra | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
Test Type: CHRONIC
Route: SKIN APPLICATION
Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Pyrogallol
CAS Number: 87-66-1

Date Report Requested: 10/04/2011
Time Report Requested: 13:47:28
First Dose M/F: 09/21/04 / 09/20/04
Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-----------------|------|
| B6C3F1 MICE MALE | DAY ON TEST | 0731 | 0725 | 0731 | 0733 | 0738 | 0747 | 0770 | 0777 | 0777 | 0777 | 0777 | 0777 | 0766 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0766 | 0777 | 0766 | 0766 | 0755 | * TOTALS | |
| 20 MG/KG | ANIMAL ID | 0012 | 0017 | 0018 | 0019 | 0020 | 0021 | 0022 | 0023 | 0024 | 0025 | 0026 | 0027 | 0028 | 0029 | 0030 | 0031 | 0032 | 0033 | 0034 | 0035 | 0036 | 0037 | 0038 | 0039 | | 0040 |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | | 0 |

Lymphoma Malignant

1

SYSTEMIC LESIONS

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | X | 2 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | X | 3 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
Test Type: CHRONIC
Route: SKIN APPLICATION
Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
Time Report Requested: 13:47:28
First Dose M/F: 09/21/04 / 09/20/04
Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|----------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| B6C3F1 MICE MALE

75 MG/KG | DAY ON TEST | 0730 | 0731 | 0732 | 0733 | 0734 | 0735 | 0736 | 0737 | 0738 | 0739 | 0740 | 0741 | 0742 | 0743 | 0744 | 0745 | 0746 | 0747 | 0748 | 0749 | 0750 | 0751 | 0752 | 0753 | 0754 | 0755 |
| | ANIMAL ID | 00151 | 00152 | 00153 | 00154 | 00155 | 00156 | 00157 | 00158 | 00159 | 00160 | 00161 | 00162 | 00163 | 00164 | 00165 | 00166 | 00167 | 00168 | 00169 | 00170 | 00171 | 00172 | 00173 | 00174 | 00175 | 00176 |
| | males
(cont...) | | | | | | | | | | | | | | | | | | | | | | | | | | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Gallbladder Lymphoma Malignant | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Colon Lymphoma Malignant | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Duodenum Lymphoma Malignant | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Ileum Lymphoma Malignant | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Jejunum Carcinoma Lymphoma Malignant | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Liver Hemangiosarcoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Liver Hemangiosarcoma, Metastatic, Spleen | | | | | | | | | | | | X | | | | | | | | | | | | X | | | |
| Liver Hepatoblastoma | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Liver Hepatocellular Adenoma | | | X | | | X | | | | | | | | X | X | X | X | | X | | | | | X | | X | X |
| Liver Hepatocellular Adenoma, Multiple | | | | X | X | | | X | X | X | | X | | | | | X | | | | X | | X | | X | | |
| Liver Hepatocellular Carcinoma | X | | X | | | | | | | | | X | | | | | | X | | | | X | X | | X | | X |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:28
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| B6C3F1 MICE MALE
75 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | males
(cont...) | |
|-------------------------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-----------|--------------------|------|
| | 0730 | 0731 | 0730 | 0731 | 0732 | 0733 | 0734 | 0735 | 0736 | 0737 | 0738 | 0739 | 0740 | 0741 | 0742 | 0743 | 0744 | 0745 | 0746 | 0747 | 0748 | 0749 | 0750 | 0751 | 0752 | | | 0753 |
| Hepatocellular Carcinoma, Multiple | X | | | | | | | | | X | X | | | | | | | | | | X | | | | | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | X | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mesentery | | + | | + | | + | + | | | | | | | + | | | | | | | | | | | | | | |
| Hepatoblastoma, Metastatic, Liver | | | | | | | | X | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | X | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Oral Mucosa | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pharyngeal, Squamous Cell Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | X | | | | | | | | | | | | | |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | X | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Tooth | | | | + | + | | + | + | | + | | | | | + | + | + | + | | | | | | + | + | | | |
| Odontoma | | | | | | | | X | | | | | | | | | | | | | | | | | | | | |
| CARDIOVASCULAR SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:28
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| B6C3F1 MICE MALE
75 MG/KG | DAY ON TEST | 0 | | | | | | | | | | | | | | | | | | | | ANIMAL ID | males
(cont...) |
|------------------------------|-------------|---|---|---|---|---|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|-----------|--------------------|
| | | 7 7 7 7 4 7 7 5 6 7 7 7 7 7 7 6 7 5 7 7 7 7 | 3 3 3 3 9 3 3 0 6 2 3 3 3 3 3 3 3 8 3 3 3 3 | 0 1 0 1 2 1 0 5 7 2 1 0 0 1 0 3 0 9 1 0 1 1 | 0 | 1 | 5 5 5 5 5 5 5 5 5 6 6 6 6 6 6 6 6 7 7 7 7 7 | 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 | | | | | | | | | | | | | | | |

Heart +
 Lymphoma Malignant

ENDOCRINE SYSTEM

Adrenal Cortex +
 Lymphoma Malignant
 Subcapsular, Adenoma X
 Subcapsular, Adenoma, Multiple

 Adrenal Medulla +
 Lymphoma Malignant
 Pheochromocytoma Benign

 Islets, Pancreatic +
 Parathyroid Gland + + + + + + + + + + + + + + + M M + + + + + + +
 Pituitary Gland +
 Thyroid Gland +

GENERAL BODY SYSTEM

Peritoneum

GENITAL SYSTEM

Epididymis +
 Histiocytic Sarcoma X

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:28
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| B6C3F1 MICE MALE
75 MG/KG | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | ANIMAL ID | males
(cont...) |
|------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|--------------------|
| | | 7 | 7 | 7 | 7 | 4 | 7 | 7 | 5 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 5 | 7 | 7 | 7 | 7 | 4 | | |
| | | 3 | 3 | 3 | 3 | 9 | 3 | 3 | 0 | 6 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 8 | 3 | 3 | 3 | 3 | 9 | | | |
| | | 0 | 1 | 0 | 1 | 2 | 1 | 0 | 5 | 7 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 9 | 1 | 0 | 1 | 1 | 3 | | | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | |
| | | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | | | | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | | | |

Lymphoma Malignant

Preputial Gland
Lymphoma Malignant

Prostate
Lymphoma Malignant

Seminal Vesicle
Lymphoma Malignant

Testes
Interstitial Cell, Adenoma

HEMATOPOIETIC SYSTEM

Bone Marrow
Hemangiosarcoma, Metastatic, Spleen
Lymphoma Malignant

Lymph Node
Axillary, Lymphoma Malignant
Bronchial, Lymphoma Malignant
Inguinal, Lymphoma Malignant

Lymph Node, Mandibular
Histiocytic Sarcoma
Lymphoma Malignant

Lymph Node, Mesenteric
Histiocytic Sarcoma

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:28
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| B6C3F1 MICE MALE
75 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | males
(cont...) | | | |
|--|-------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|--------------------|----------|----------|----------|
| | 07
30 | 07
31 | 07
00 | 07
01 | 07
02 | 07
03 | 07
04 | 07
05 | 07
06 | 07
07 | 07
08 | 07
09 | 07
10 | 07
11 | 07
12 | 07
13 | 07
14 | 07
15 | 07
16 | 07
17 | 07
18 | 07
19 | 07
20 | 07
21 | 07
22 | | | 07
23 | 07
24 | 07
25 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | X | | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | X | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Thymus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| INTEGUMENTARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mammary Gland | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | M | + | M |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Site Of Application, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Site Of Application, Squamous Cell Papilloma | | | | | | | | | | | | | | | | | | | | | | | | | | X | | | | |
| Site Of Application, Subcutaneous Tissue, Lipoma | | | | | | | | | | | | | | | | | | | | | | | | | | | X | | | |
| MUSCULOSKELETAL SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| NERVOUS SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:28
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | males
(cont...) | | |
|-------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------------|---|---|
| B6C3F1 MICE MALE | DAY ON TEST | 7 | 7 | 7 | 7 | 4 | 7 | 7 | 5 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 5 | 7 | 7 | 7 | | 7 | 4 |
| | | 3 | 3 | 3 | 3 | 9 | 3 | 3 | 0 | 6 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 8 | 3 | 3 | 3 | 3 | | 3 | 9 |
| | | 0 | 1 | 0 | 1 | 2 | 1 | 0 | 5 | 7 | 2 | 1 | 0 | 0 | 0 | 1 | 0 | 1 | 3 | 0 | 9 | 1 | 0 | 1 | 1 | 1 | | 3 | 3 |
| 75 MG/KG | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 | 0 |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | | | | |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | | | | | | | | | | | | | X | | X | | | | |
| Alveolar/Bronchiolar Carcinoma | | | | | X | | X | | | | | | X | X | | | | | | | | | | | X | | |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | | | | X | | | | | | | | | | | X | | | | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | X | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Adenoma | | | X | | | | | X | | | | | | | | | | | | | X | | | | | | |
| Adenoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Carcinoma | | | | | X | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Histiocytic Sarcoma | | | | | | | | | | | | | | X | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:28
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|-------------|------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| B6C3F1 MICE MALE | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 7 | 7 | 7 | 7 | 4 | 7 | 7 | 5 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 4 |
| | | 3 | 3 | 3 | 3 | 9 | 3 | 3 | 0 | 6 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 8 | 3 | 3 | 3 | 3 | 3 | 9 | 4 |
| 75 MG/KG | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| | | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | |
| | | males (cont...) | | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Urethra | + | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

SYSTEMIC LESIONS

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:28
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|-----------------|-------------|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| B6C3F1 MICE MALE | 75 MG/KG | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 5 | 6 | 7 | 5 | 6 | 7 | 4 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 6 | 4 | 7 | 6 | 7 | 7 | 6 | 1 | 7 | 7 | 6 | 7 | 6 |
| | | 0 | 0 | 3 | 6 | 8 | 3 | 7 | 3 | 2 | 9 | 9 | 2 | 3 | 3 | 2 | 4 | 3 | 5 | 3 | 2 | 0 | 1 | 3 | 3 | 8 | 9 | 8 |
| | | ANIMAL ID | 5 | 5 | 1 | 9 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | |
| | | | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | |
| | | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | |
| | | | * TOTALS | | | | | | | | | | | | | | | | | | | | | | | | | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Gallbladder | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | 46 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Hemangiosarcoma, Metastatic, Spleen | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hepatoblastoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | 3 |
| Hepatocellular Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | 12 |
| Hepatocellular Adenoma, Multiple | | | | | | | | | | | | | | | | | | | | | | | | | | | | 22 |
| Hepatocellular Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | 15 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:28
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| B6C3F1 MICE MALE
75 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | | | | | | |
|-------------------------------------|-------------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----------|----|----|----|----|----|----|
| | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | | 29 | 30 | | | | |
| ANIMAL ID | 00 | 01 | 02 | 03 | 04 | 05 | 06 | 07 | 08 | 09 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 |
| Hepatocellular Carcinoma, Multiple | | | | | | | | | | X | | | | | | X | | | | | | | | | | | | | | | 6 |
| Histiocytic Sarcoma | | | | | | | | | | | | X | | | | | | | | | | | | | | | | | | | 2 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | X | | | | | | | | | | | | | | 1 |
| Mesentery | | | | | + | + | | | | | | | | | | | | | | | | | | | | | | | | | 10 |
| Hepatoblastoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Histiocytic Sarcoma | | | | | | | | | | | | | X | | | | | | | | | | | | | | | | | | 2 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | X | | | | | | | | | | X | | | | 2 |
| Oral Mucosa | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Pharyngeal, Squamous Cell Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | | X | | 1 |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | X | | | | | | | | | | | | | | 1 |
| Tooth | | | | | + | | | | + | | | + | | + | | | | | | | | | | | | | | | | | 22 |
| Odontoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| CARDIOVASCULAR SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:28
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|---|---|---|---|---|---|---|---|
| B6C3F1 MICE MALE | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 5 | 6 | 7 | 5 | 6 | 7 | 4 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 6 | 4 | 7 | 6 | 7 | 7 | 2 | 6 | 1 | 7 | 7 | 6 | 1 | 7 | 7 | 6 | 1 | 7 | 7 | 6 | 1 | 7 | 6 |
| 75 MG/KG | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| | | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | | | | | | | | |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Alveolar/Bronchiolar Adenoma | | | | X | | | | | | X | | | X | | | | | X | | | | | | | | | | | | | | | | | | | | 6 | |
| Alveolar/Bronchiolar Carcinoma | | | | X | | | | | | | | X | | | | | | | | | | | | | | | | | | | | | | | | | | 8 | |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | | | X | X | | | | | X | | | | | | | | | | | | | | | | | | | | | | | 5 | |
| Histiocytic Sarcoma | | | | | | | | | | | | X | | | | | | | | | | | | | | | | | | | | | | | | | | 2 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | X | | | | | | | | | | | | | | | | | | | | | | 2 | |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Adenoma | | | | | | | | | | X | | X | | | | | | | | | | | | | | | | | | | | | | | | | | | 6 |
| Adenoma, Multiple | | | | | | | | X | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Histiocytic Sarcoma | | | | | | | | | | | | X | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | X | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:28
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| B6C3F1 MICE MALE | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | * TOTALS |
|-------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|----------|
| | | 5 | 6 | 7 | 5 | 6 | 7 | 4 | 7 | 7 | 6 | 7 | 7 | 7 | 6 | 4 | 7 | 6 | 7 | 7 | 6 | 1 | 7 | 7 | 6 | |
| 75 MG/KG | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 |
| | | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | |
| Urethra | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Urinary Bladder | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| SYSTEMIC LESIONS | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Multiple Organ | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Histiocytic Sarcoma | | | | | | | | | | | | | X | | | | | | | | | | | | 2 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | X | | | | | | | X | X | | 3 | |

*** END OF MALE DATA ***

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|----------------|-----------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| B6C3F1 MICE FEMALE | DAY ON TEST | 0666 | 0730 | 0729 | 0729 | 0730 | 0731 | 0738 | 0735 | 0732 | 0733 | 0732 | 0732 | 0739 | 0730 | 0733 | 0733 | 0729 | 0758 | 0765 | 0772 | 0772 | 0773 | 0773 | 0774 | 0772 | 0773 | 0774 | 0778 | |
| | 0 MG/KG | ANIMAL ID | 0020 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 |
| | | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

females
(cont...)

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus
Lymphoma Malignant | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Gallbladder
Lymphoma Malignant | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Intestine Small, Jejunum
Carcinoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatoblastoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Hepatocellular Adenoma | | | | X | | | | | X | | | X | | | X | X | | | | | | | | | | | | | | |
| Hepatocellular Adenoma, Multiple | X | X | X | | X | | | | | | X | | X | | | | X | | | X | X | X | X | | | | | | X | |
| Hepatocellular Carcinoma | | | X | | | | X | | X | X | | | | | X | | X | X | | | | | | | | | | | | |
| Hepatocellular Carcinoma, Multiple | | | | | X | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | X | | | | | | | X | | | | | | | | | | | | | | | | | | | | | X | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

TDMS No. 99032 - 04
Test Type: CHRONIC
Route: SKIN APPLICATION
Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL

Pyrogallol
CAS Number: 87-66-1

Date Report Requested: 10/04/2011
Time Report Requested: 13:47:28
First Dose M/F: 09/21/04 / 09/20/04
Lab: BAT

| B6C3F1 MICE FEMALE | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|---|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ANIMAL ID | 6 | 7 | 7 | 7 | 7 | 7 | 3 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 6 | 7 | 7 | 7 | 7 | 1 | 7 |
| 0 MG/KG | | 6 | 3 | 2 | 2 | 3 | 3 | 1 | 6 | 5 | 3 | 2 | 3 | 2 | 2 | 3 | 3 | 2 | 5 | 9 | 2 | 2 | 3 | 2 | 3 | 2 | 2 |
| | | 6 | 0 | 9 | 9 | 0 | 0 | 8 | 5 | 7 | 0 | 9 | 0 | 9 | 9 | 0 | 0 | 9 | 8 | 5 | 9 | 9 | 9 | 0 | 9 | 4 | 8 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 |
| Mesentery
Lymphoma Malignant | | + | | + | + | | | + | | | | | + | + | + | | | + | | | + | | | + | | + | |
| | | X | | | | | | | | | | X | | | | | | X | | | | | | | | X | |
| Pancreas
Lymphoma Malignant | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| | | X | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Salivary Glands
Lymphoma Malignant | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| | | X | | | | X | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Forestomach
Squamous Cell Papilloma | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Stomach, Glandular
Lymphoma Malignant | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| | | X | | | | | | | | | | | | | | | | | | | | | | | | | |
| Tooth | | | | | + | | | | | | | | | | | | | | | | | | | | | | |

females
(cont...)

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Blood Vessel | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Heart
Lymphoma Malignant | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| | | X | | | | | | X | | | | | | | | | X | | | | | | | | | | |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Adrenal Cortex
Adenoma | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | X | | | | X | | | | | | | | | | | | | | | | | | | | | X |
| Adrenal Medulla | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:28
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| B6C3F1 MICE FEMALE
0 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | females
(cont...) |
|--|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-----------|----------------------|
| | 0666 | 0773 | 0772 | 0772 | 0773 | 0773 | 0771 | 0778 | 0775 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Pheochromocytoma Benign | | X | | | | | | | | | | | | | X | | | | | | | | | | | | |
| Islets, Pancreatic
Adenoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Parathyroid Gland | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | |
| Pituitary Gland
Lymphoma Malignant
Pars Distalis, Adenoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | X |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| GENERAL BODY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peritoneum | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Tissue NOS
Mediastinum, Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GENITAL SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Clitoral Gland
Lymphoma Malignant | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Ovary
Cystadenoma
Granulosa Cell Tumor Benign
Hemangioma
Hemangiosarcoma | + | + | + | + | + | + | + | + | + | + | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:28
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| B6C3F1 MICE FEMALE
0 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | females
(cont...) |
|---------------------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|---|-----------|----------------------|
| | 0666 | 0773 | 0779 | 0773 | 0773 | 0771 | 0778 | 0775 | 0773 | 0772 | 0779 | 0770 | 0777 | 0772 | 0773 | 0779 | 0778 | 0775 | 0779 | 0772 | 0773 | 0779 | 0774 | 0778 | | | |
| Lymphoma Malignant | X | | | | | | | X | | | | | | | | | X | | | | | | | X | | | |
| Oviduct | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Uterus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | X | | | | | |
| Lymphoma Malignant | X | | | | | | | | | X | | | | | | | X | | | | | | | X | | | |
| Polyp Stromal | | | | | | | | | | | | | | | | X | | | | | | | | | | | |
| Cervix, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| HEMATOPOIETIC SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | X | X | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | X | | |
| Lymph Node | + | + | | + | | | | | | | + | | | | | | | | | + | + | + | | + | | | |
| Axillary, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bronchial, Lymphoma Malignant | X | | | | | | | | | X | | | | | | | | | | | | | | | X | | |
| Inguinal, Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lumbar, Lymphoma Malignant | | | | X | | | | | | | | | | | | | | | | | | | | | | | |
| Mediastinal, Lymphoma Malignant | X | | | X | | | | | | | | | | | | | | | | | | | | | | | |
| Pancreatic, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Renal, Lymphoma Malignant | | | | X | | | | | | | | | | | | | | | | | | | | | X | | |
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | |
| Lymphoma Malignant | X | | | X | | | | | | | | | | | | | | | | | | | | | X | | |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | |
| Lymphoma Malignant | X | | | X | | | | | | | | | | | | | | | | | | | | | X | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:28
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| B6C3F1 MICE FEMALE
0 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) | |
|---|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------------------|--|
| | 0666 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | | |
| ANIMAL ID | 000 | 000 | 000 | 000 | 000 | 000 | 000 | 000 | 000 | 000 | 000 | 000 | 000 | 000 | 000 | 000 | 000 | 000 | 000 | 000 | 000 | 000 | 000 | 000 | 000 | | |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | X | | | | |
| Lymphoma Malignant | X | | X | X | | | | X | | | | | | | X | | | | | | | | | | X | | |
| Thymus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Lymphoma Malignant | X | | | X | | | | X | | | X | | | | X | | | | | | | | | | X | | |
| INTEGUMENTARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Control, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | X | | |
| Site Of Application, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | X | | |
| Subcutaneous Tissue, Fibrosarcoma | | | | | | | | | | | | | | | | | | | | | | | X | | | | |
| Subcutaneous Tissue, Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | X | | | | |
| Subcutaneous Tissue, Schwannoma Benign | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MUSCULOSKELETAL SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | X | X | | | |
| Skeletal Muscle | + | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | X | | + | | |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | X | | |
| NERVOUS SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| B6C3F1 MICE FEMALE
0 MG/KG | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | ANIMAL ID | females
(cont...) |
|-------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 3 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 6 | 7 | 7 | 7 | 7 | 1 | 7 | 0 | |
| | 6 | 3 | 2 | 2 | 3 | 3 | 1 | 6 | 5 | 3 | 2 | 3 | 2 | 2 | 3 | 3 | 2 | 5 | 9 | 2 | 3 | 2 | 3 | 2 | 2 | 0 | |
| | 6 | 0 | 9 | 9 | 0 | 0 | 8 | 5 | 7 | 0 | 9 | 0 | 9 | 0 | 0 | 0 | 9 | 8 | 5 | 9 | 9 | 9 | 0 | 4 | 8 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 0 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 0 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Peripheral Nerve | | | | | | | | | | | | | | | | | | | + | | | | | | + | |
| Spinal Cord | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | X | | | | | | | |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Alveolar/Bronchiolar Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | | | X | | | | | | X | | | | | | | | | | |
| Lymphoma Malignant | X | | | X | | | | X | | | | | | | X | | | | | | | | | | X |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | X |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | X |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | X | | | X | | | | | | | | | | | | | | | | | | | | | X |

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:28
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| B6C3F1 MICE FEMALE
0 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | females
(cont...) | | |
|-------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|----------------------|---|--|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | |
| | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 3 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 6 | 7 | 7 | 7 | 7 | 1 | 7 | 0 | | |
| | 6 | 3 | 2 | 2 | 3 | 3 | 1 | 6 | 5 | 3 | 2 | 3 | 2 | 2 | 3 | 3 | 2 | 5 | 9 | 2 | 2 | 3 | 2 | 3 | 3 | 2 | 2 | 0 | |
| | 6 | 0 | 9 | 9 | 0 | 0 | 8 | 5 | 7 | 0 | 9 | 0 | 9 | 9 | 0 | 0 | 9 | 8 | 5 | 9 | 9 | 9 | 9 | 0 | 9 | 4 | 8 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 0 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 5 | 0 | | |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | X | |
| Lymphoma Malignant | X | | X | | | | | X | | | | | | | | | | | | | | | | | | X | |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Lymphoma Malignant | X | | | X | | | | | | | X | | | | | | X | | | | | | | | | X | |

SYSTEMIC LESIONS

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Lymphoma Malignant | X | | X | X | | | | X | | | X | | | | | X | | | | | | | | | | X | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:28
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| B6C3F1 MICE FEMALE
0 MG/KG | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | * TOTALS | |
|-------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|
| | ANIMAL ID | 7 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 6 | 4 | 5 | 7 | 6 | 7 | 7 | 4 | | 7 |
| | | 3 | 2 | 2 | 4 | 3 | 2 | 1 | 2 | 3 | 5 | 2 | 3 | 3 | 2 | 2 | 3 | 1 | 1 | 0 | 3 | 0 | 1 | 3 | 8 | |
| | | 0 | 9 | 9 | 3 | 0 | 9 | 5 | 9 | 0 | 0 | 9 | 0 | 0 | 9 | 0 | 7 | 5 | 8 | 0 | 6 | 4 | 0 | 8 | 2 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 5 | |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | X | | | | | | | | 2 |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | X | | 1 |
| Lymphoma Malignant | | | | | | | | | | X | | | | | | | X | | | | | | | | 2 |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangiosarcoma | | | | | | | | | | X | | | | | | | | | | | | | | | 1 |
| Hepatoblastoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hepatocellular Adenoma | X | | | | X | | | | | | | | X | | | X | | | | | | | | | 9 |
| Hepatocellular Adenoma, Multiple | | X | | | X | X | X | | X | | | | X | X | | | | | X | | X | | | | 21 |
| Hepatocellular Carcinoma | | | | X | | X | | | X | | | | X | | | | | | | | X | | X | | 12 |
| Hepatocellular Carcinoma, Multiple | X | | | | X | X | | | X | | | | | | | | | | X | | | | | | 5 |
| Lymphoma Malignant | | | | | | | X | | | | | | | | X | | | | X | | | | | | 6 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:28
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| B6C3F1 MICE FEMALE | 0 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|--------------------|---------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------|
| | | 0730 | 0739 | 0779 | 0643 | 0773 | 0777 | 0777 | 0777 | 0777 | 0575 | 0777 | 0777 | 0777 | 0777 | 0777 | 0777 | 0676 | 0454 | 0577 | 0766 | 0777 | 0777 | 0474 | 0777 | |
| ANIMAL ID | | 0022 | 0022 | 0022 | 0022 | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | 0044 | 0044 | 0044 | 0044 | 0044 | 0044 | 0044 | 0044 | 0044 | 0045 | 0046 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---------|
| Mesentery
Lymphoma Malignant | | + | | | | + | | | + | | + | | | | | | | | | | | | | | | 20
7 |
| Pancreas
Lymphoma Malignant | | + | + | + | + | + | + | + | + | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50
5 |
| Salivary Glands
Lymphoma Malignant | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | | | | | | | | 50
4 |
| Stomach, Forestomach
Squamous Cell Papilloma | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | | 50
1 |
| Stomach, Glandular
Lymphoma Malignant | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | | | | | | | | 50
3 |
| Tooth | | | | | | | | | | | | | | | | | | | | | | | | | | 3 |

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---------|
| Blood Vessel | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Heart
Lymphoma Malignant | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | | | | 50
4 |

ENDOCRINE SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---------|
| Adrenal Cortex
Adenoma | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50
1 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | 4 |
| Adrenal Medulla | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:28
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| B6C3F1 MICE FEMALE
0 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|--|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------------------------|----------|
| | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | |
| ANIMAL ID | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | 0022 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | X | 2 | |
| Pheochromocytoma Benign | | | | | | | | | | | | | | | | | | | | | | | | 2 | |
| Islets, Pancreatic
Adenoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50
1 | |
| Parathyroid Gland | + | M | + | + | M | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 45 | |
| Pituitary Gland
Lymphoma Malignant
Pars Distalis, Adenoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | X | + | 50
2
4 | |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| GENERAL BODY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | |
| Peritoneum | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Tissue NOS
Mediastinum, Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | 1
1 | |
| GENITAL SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | |
| Clitoral Gland
Lymphoma Malignant | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | X | + | 49
1 | |
| Ovary
Cystadenoma
Granulosa Cell Tumor Benign
Hemangioma
Hemangiosarcoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50
2
1
1
1 | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:28
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| B6C3F1 MICE FEMALE
0 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|---------------------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----|----------|
| | 0730 | 0739 | 0779 | 0643 | 0732 | 0771 | 0772 | 0777 | 0777 | 0777 | 0575 | 0777 | 0777 | 0777 | 0777 | 0777 | 0676 | 0445 | 0577 | 0766 | 0777 | 0474 | 0777 | | |
| ANIMAL ID | 0022 | 0022 | 0022 | 0022 | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | 0044 | 0044 | 0044 | 0044 | 0044 | 0044 | 0044 | 0044 | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | X | | | | X | | | 6 | |
| Oviduct | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Uterus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | X | | | | | 5 | |
| Polyp Stromal | X | | | | | X | | | | | | | | | | | | | | | | | | 3 | |
| Cervix, Lymphoma Malignant | | | | | | | | | | | | | | | | | X | | | | | | | 1 | |
| HEMATOPOIETIC SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | X | 3 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Lymph Node | | + | | + | | + | | + | + | | + | + | | + | | + | | + | | | + | | | 19 | |
| Axillary, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | X | | | | | 1 | |
| Bronchial, Lymphoma Malignant | | | | | | | | | X | | | | | | | | | | X | | | | | 5 | |
| Inguinal, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | X | | | | | 3 | |
| Lumbar, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Mediastinal, Lymphoma Malignant | | | | | | | | | X | | | | | | | | | X | | | | X | | 5 | |
| Pancreatic, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | X | | 1 | |
| Renal, Lymphoma Malignant | | | | | | | | | | | | | | X | | | | | | | | | | 3 | |
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Lymphoma Malignant | | | | | | | | | X | | | | | | | | | X | | | | X | | 6 | |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | X | | | | | X | | 5 | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:28
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| B6C3F1 MICE FEMALE
0 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|---|-------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|----------|--|
| | 0730 | 0739 | 0779 | 0643 | 0730 | 0779 | 0779 | 0779 | 0779 | 0575 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0643 | 0457 | 0579 | 0779 | 0643 | 0779 | 0779 | 0478 | 0779 | | |
| ANIMAL ID | 002266 | 002267 | 002268 | 002269 | 002270 | 002271 | 002272 | 002273 | 002274 | 002275 | 002276 | 002277 | 002278 | 002279 | 002280 | 002281 | 002282 | 002283 | 002284 | 002285 | 002286 | 002287 | 002288 | 002289 | 002290 | | |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Lymphoma Malignant | | | | | | | | X | | | | | X | | | X | | | | | X | | | | 10 | | |
| Thymus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Lymphoma Malignant | | | | | | | | X | X | | | X | | | | X | | | | | X | | | | 11 | | |
| INTEGUMENTARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Lymphoma Malignant | | | | | | | | | | | | X | | | | | | | | | | | | | 1 | | |
| Control, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Site Of Application, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | X | | | | | | 2 | | |
| Subcutaneous Tissue, Fibrosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Subcutaneous Tissue, Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Subcutaneous Tissue, Schwannoma Benign | | | | | | | | | | | | | | | | X | | | | | | | | | 1 | | |
| MUSCULOSKELETAL SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | X | 3 | | |
| Skeletal Muscle | | | | | | | | | | | + | | | | | | | | | | | | | | 4 | | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Lymphoma Malignant | | | | | | | | | X | | | | | | | | | | | | | | | | 3 | | |
| NERVOUS SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:28
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| B6C3F1 MICE FEMALE
0 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|---|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|--|----------|
| | 0730 | 0732 | 0739 | 0643 | 0733 | 0772 | 0771 | 0775 | 0779 | 0770 | 0750 | 0775 | 0773 | 0773 | 0772 | 0773 | 0761 | 0644 | 0758 | 0776 | 0777 | 0744 | 0774 | 0779 | | |
| ANIMAL ID | 0022 | 0022 | 0022 | 0022 | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | 0033 | 0034 | 0035 | 0036 | 0037 | 0038 | 0039 | 0040 | 0041 | 0042 | 0043 | 0044 | | |
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Peripheral Nerve | | | | | | | | | | | | | | | | | | | | | | | | 2 | | |
| Spinal Cord | | | | | | | | | | | | | | | | | | | | | | | | 2 | | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| RESPIRATORY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Adenoma | | | | | | | | | | | | | | X | | | | | | | | | | 1 | | |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | | | | | | | | | | | | | | X | | 1 | | |
| Alveolar/Bronchiolar Carcinoma | | | | | | X | | | | | | | | | | | | | | | | | | 2 | | |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | X | X | | | | | | | | | | | | | | | | | | 4 | | |
| Lymphoma Malignant | | | | | | | X | | | | | | | | | X | | | | | X | | | 8 | | |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| SPECIAL SENSES SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | X | | 3 | | |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Adenoma | | | | | | | | | | | | | | | | | | | | | X | | | 1 | | |
| Carcinoma | | | | | | | | | | X | | | X | | | | | | | | | | | 2 | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | X | | | | | | X | | | 5 | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:28
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|-------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|----------|
| B6C3F1 MICE FEMALE

0 MG/KG | DAY ON TEST | 0
7
3
0 | 0
7
2
9 | 0
7
2
9 | 0
6
4
3 | 0
7
3
2 | 0
7
1
5 | 0
7
2
9 | 0
7
3
5 | 0
7
2
0 | 0
7
3
0 | 0
7
3
0 | 0
7
2
9 | 0
7
3
0 | 0
6
1
7 | 0
4
1
5 | 0
5
0
8 | 0
7
3
0 | 0
6
0
6 | 0
7
1
4 | 0
7
3
0 | 0
4
8
8 | 0
7
8
2 | 0
4
8
9 | * TOTALS |
| | ANIMAL ID | 0
0
2
2
6 | 0
0
2
2
7 | 0
0
2
2
8 | 0
0
2
2
9 | 0
0
2
2
0 | 0
0
2
2
1 | 0
0
2
2
2 | 0
0
2
2
3 | 0
0
2
2
3 | 0
0
2
2
3 | 0
0
2
2
3 | 0
0
2
2
3 | 0
0
2
2
3 | 0
0
2
2
3 | 0
0
2
2
4 | 0
0
2
2
4 | 0
0
2
2
4 | 0
0
2
2
4 | 0
0
2
2
4 | 0
0
2
2
4 | 0
0
2
2
4 | 0
0
2
2
4 | 0
0
2
2
4 | |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|----|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | X | X | | | | | | X | | | | | X | | | | | 8 |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | X | | | | | X | | | | | 7 |

SYSTEMIC LESIONS

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | X | X | | | X | X | | X | | | | X | | | | | 13 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
Test Type: CHRONIC
Route: SKIN APPLICATION
Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
Pyrogallol
CAS Number: 87-66-1

Date Report Requested: 10/04/2011
Time Report Requested: 13:47:28
First Dose M/F: 09/21/04 / 09/20/04
Lab: BAT

| B6C3F1 MICE FEMALE | 5 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | ANIMAL ID | females
(cont...) |
|--------------------|---------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|----------------------|
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | 5 | 7 | 5 | 7 | 6 | 7 | 5 | 5 | 7 | 4 | 6 | 7 | 7 | 6 | 6 | 7 | 6 | 7 | 6 | 7 | 7 | |
| | | 8 | 2 | 8 | 2 | 0 | 1 | 4 | 6 | 3 | 3 | 4 | 3 | 3 | 6 | 1 | 1 | 3 | 3 | 8 | 2 | 2 | |
| | | 2 | 9 | 9 | 9 | 2 | 8 | 4 | 1 | 0 | 8 | 4 | 0 | 0 | 0 | 1 | 8 | 4 | 0 | 7 | 9 | 9 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | X | | | | | | | | | | | |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | X | | | | | | | | | | | |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | X | | | | | | | | | | | |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | |
| Hepatoblastoma | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Adenoma | | | | X | X | | | | | X | | | | | | | X | | X | | | X |
| Hepatocellular Adenoma, Multiple | | | | X | X | X | | | | | | X | X | | | | X | | X | | | X |
| Hepatocellular Carcinoma | X | | | | | | | | | X | | X | | | | | X | X | | | | X |
| Hepatocellular Carcinoma, Multiple | | | X | | X | | | | | | | X | X | X | X | | X | | | | | |
| Histiocytic Sarcoma | | | | | X | | | | | | X | | | | | | X | | | | | |
| Lymphoma Malignant | | | X | | | X | | | | | X | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:28
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| B6C3F1 MICE FEMALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|--------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------------------|
| | 0582 | 0729 | 0589 | 0729 | 0622 | 0718 | 0544 | 0551 | 0731 | 0468 | 0774 | 0770 | 0666 | 0661 | 0733 | 0638 | 0778 | 0672 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | |
| 5 MG/KG | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 0051 | 0052 | 0053 | 0054 | 0055 | 0056 | 0057 | 0058 | 0059 | 0060 | 0061 | 0062 | 0063 | 0064 | 0065 | 0066 | 0067 | 0068 | 0069 | 0070 | 0071 | 0072 | 0073 | 0074 | 0075 | |

Serosa, Sarcoma, Metastatic, Mesentery

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Mesentery | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sarcoma Stromal, Metastatic, Uterus | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Pancreas | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Salivary Glands | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Stomach, Forestomach | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Squamous Cell Papilloma | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Stomach, Glandular | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|

CARDIOVASCULAR SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Blood Vessel | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Heart | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

ENDOCRINE SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:28
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| B6C3F1 MICE FEMALE

5 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|-----------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|----------------------|
| | 0
5
8
2 | 0
7
2
9 | 0
5
8
9 | 0
7
2
9 | 0
6
0
2 | 0
7
1
8 | 0
5
4
4 | 0
5
6
1 | 0
7
3
0 | 0
4
6
8 | 0
5
3
0 | 0
7
3
4 | 0
6
3
0 | 0
7
3
0 | 0
6
6
1 | 0
7
1
8 | 0
6
3
4 | 0
7
3
0 | 0
6
8
7 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | | |
| | 0
0
2
5
1 | 0
0
2
5
2 | 0
0
2
5
3 | 0
0
2
5
4 | 0
0
2
5
5 | 0
0
2
5
6 | 0
0
2
5
7 | 0
0
2
5
8 | 0
0
2
5
9 | 0
0
2
6
0 | 0
0
2
6
1 | 0
0
2
6
2 | 0
0
2
6
3 | 0
0
2
6
4 | 0
0
2
6
5 | 0
0
2
6
6 | 0
0
2
6
7 | 0
0
2
6
8 | 0
0
2
6
9 | 0
0
2
7
0 | 0
0
2
7
1 | 0
0
2
7
2 | 0
0
2
7
3 | 0
0
2
7
4 | 0
0
2
7
5 | |
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Histiocytic Sarcoma | | | | | | | X | | | | | X | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | X | | | | | | | | | | | | | |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Histiocytic Sarcoma | | | | | | | | | | | | | X | | | | | | | | | | | | | |
| Pheochromocytoma Benign | | | | | | | | | | | | | | | | | | X | | | | | | | | |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Adenoma | | | | | | | | | | | | | | X | | | | | X | | | | | | | |
| Parathyroid Gland | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | M | + | |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Histiocytic Sarcoma | | | | | | | X | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | X | | | | | | | | | | | | | |
| Pars Distalis, Adenoma | | | | | | X | | | | | | | | | X | | | | | | | | X | X | | |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Lymphoma Malignant | | | | | | | | | | | | | | X | | | | | | | | | | | | |
| Follicular Cell, Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | |

GENERAL BODY SYSTEM

NONE

GENITAL SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Clitoral Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Histiocytic Sarcoma | | | | | | | X | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:28
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| B6C3F1 MICE FEMALE
5 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | females
(cont...) | |
|-------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------------|---|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | 0 |
| | 5 | 7 | 5 | 7 | 6 | 7 | 5 | 5 | 7 | 4 | 6 | 7 | 7 | 6 | 6 | 7 | 6 | 7 | 6 | 7 | | 7 |
| ANIMAL ID | 8 | 2 | 8 | 2 | 0 | 1 | 4 | 6 | 3 | 3 | 4 | 3 | 3 | 6 | 1 | 1 | 3 | 3 | 8 | 2 | 2 | |
| | 2 | 9 | 9 | 9 | 2 | 8 | 4 | 1 | 0 | 8 | 4 | 0 | 0 | 0 | 1 | 8 | 4 | 0 | 7 | 9 | 9 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | |
| | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | |
| Lymphoma Malignant | | | | | | | | | | | X | | | X | | | | | | | | |
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | |
| Hemangiosarcoma | | | | | | | X | | | X | | X | | | | | | X | | | | |
| Histiocytic Sarcoma | | | | | | X | | | | | | | | | | X | | | | | X | |
| Luteoma | | | | | | | | | | | | X | | | | | | | | | | |
| Lymphoma Malignant | | | X | | | | | | | X | | | X | | | | | | | | X | |
| Uterus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Histiocytic Sarcoma | | | | | | X | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | X | | | | | | | | | | | | |
| Polyp Stromal | | | | | | | | | | | | | | | | | | | | | | |
| Sarcoma Stromal | | | | | | | | | | | | | | | | | | | | | X | |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | |
|----------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | X | | | | | |
| Lymph Node | | | + | | + | | | | | + | | + | | + | | | | | | | + |
| Axillary, Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | |
| Bronchial, Histiocytic Sarcoma | | | | | | | | | | | | | | | | X | | | | | X |
| Bronchial, Lymphoma Malignant | | | | | | | | | | X | | X | | | | | | | | | |
| Inguinal, Lymphoma Malignant | | | | | | | | | | X | | | | | | | | | | | |
| Lumbar, Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | X |
| Lumbar, Lymphoma Malignant | | | X | | | | | | | | | | | | | | | | | | |
| Mediastinal, Histiocytic Sarcoma | | | | | | X | | | | | | | | | | | | | | | |
| Mediastinal, Lymphoma Malignant | | | | | | | | | | X | | | | | | | | | | | |
| Pancreatic, Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | |
| Pancreatic, Lymphoma Malignant | | | X | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| B6C3F1 MICE FEMALE | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5 MG/KG | ANIMAL ID | 5 | 7 | 2 | 8 | 0 | 1 | 4 | 6 | 3 | 3 | 4 | 3 | 3 | 6 | 1 | 1 | 3 | 3 | 8 | 2 | 2 | 2 |
| | | 2 | 9 | 9 | 9 | 2 | 8 | 4 | 1 | 0 | 8 | 4 | 0 | 0 | 0 | 1 | 8 | 4 | 0 | 7 | 9 | 9 | 9 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| | | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | |

females
(cont...)

Subcutaneous Tissue, Sarcoma

X

MUSCULOSKELETAL SYSTEM

Bone +

Skeletal Muscle
Sarcoma Stromal, Metastatic, Uterus

NERVOUS SYSTEM

Brain +

RESPIRATORY SYSTEM

Lung +

Alveolar/Bronchiolar Adenoma X

Alveolar/Bronchiolar Carcinoma X X X X X

Alveolar/Bronchiolar Carcinoma, Multiple X X

Hepatocellular Carcinoma, Metastatic, Liver X

Histiocytic Sarcoma X X X

Lymphoma Malignant X X

Nose +

Trachea +

SPECIAL SENSES SYSTEM

Eye +

Histiocytic Sarcoma X

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:28
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| B6C3F1 MICE FEMALE
5 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | | | females
(cont...) |
|-------------------------------|-------------|--|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------------------|
| | ANIMAL ID | | 0001 | 0002 | 0003 | 0004 | 0005 | 0006 | 0007 | 0008 | 0009 | 0010 | 0011 | 0012 | 0013 | 0014 | 0015 | 0016 | 0017 | 0018 | 0019 | 0020 | 0021 | 0022 | 0023 | 0024 | 0025 | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------|---|--|--|---|--|---|--|---|--|---|--|---|--|---|--|---|--|---|--|---|--|---|--|---|--|---|--|---|---|
| Lymphoma Malignant | X | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Harderian Gland | + | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Adenoma | + | | | | | | | | | | | | | | | | | | | | | | | | | X | | | |
| Carcinoma | + | | | | | | | | | | | | | | | | | | | | | | | | | X | | | |
| Lymphoma Malignant | X | | | + | | + | | + | | + | | + | | + | | + | | + | | + | | + | | + | | + | | X | X |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------------------|---|--|--|---|--|---|--|---|--|---|--|---|--|---|--|---|--|---|--|---|--|---|--|---|--|---|--|---|--|---|---|
| Kidney | + | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | + | | | | | | | | | | | | | | | | | | | | | | | | | X | | | | | |
| Lymphoma Malignant | X | | | + | | + | | + | | + | | + | | + | | + | | + | | + | | + | | + | | + | | + | | X | X |
| Urinary Bladder | + | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | + | | | | | | | | | | | | | | | | | | | | | | | | | X | | | | | |
| Lymphoma Malignant | X | | | + | | + | | + | | + | | + | | + | | + | | + | | + | | + | | + | | + | | + | | X | X |
| Sarcoma Stromal, Metastatic, Uterus | + | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

SYSTEMIC LESIONS

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|--|--|---|--|---|--|---|--|---|--|---|--|---|--|---|--|---|--|---|--|---|--|---|--|---|--|---|--|---|---|
| Multiple Organ | + | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | + | | | | | | | | | | | | | | | | | | | | | | | | | X | | | | | |
| Lymphoma Malignant | X | | | + | | + | | + | | + | | + | | + | | + | | + | | + | | + | | + | | + | | + | | X | X |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:28
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| B6C3F1 MICE FEMALE
5 MG/KG | DAY ON TEST | | ANIMAL ID | | | | | | | | | | | | | | | | | | | | * TOTALS | | | | |
|-------------------------------|-------------|------|-----------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------|------|------|------|--|
| | 0729 | 0654 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0579 | 0729 | 0579 | 0729 | 0729 | 0679 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0579 | 0729 | | 0679 | 0729 | 0729 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 5 | 7 | 7 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 6 | 7 | 7 | | |
| | 2 | 5 | 2 | 2 | 2 | 2 | 3 | 4 | 2 | 9 | 1 | 3 | 9 | 3 | 2 | 3 | 2 | 2 | 2 | 2 | 3 | 4 | 3 | 6 | 2 | 3 | |
| | 9 | 4 | 9 | 9 | 9 | 9 | 0 | 9 | 0 | 9 | 0 | 6 | 0 | 1 | 0 | 9 | 0 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | | |
| | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | | |
| | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | | | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Hemangiosarcoma | | X | | | | | | | X | | | | | | | | | | | | | | | | 4 |
| Hepatoblastoma | | | | | X | | | | | | | | | | | | | | | | | | | | 1 |
| Hepatocellular Adenoma | | X | | | | | | | | | | | X | | X | | | | X | | | X | X | | 12 |
| Hepatocellular Adenoma, Multiple | X | | X | X | X | X | | X | X | X | X | | X | | | | X | X | X | X | | | | | 23 |
| Hepatocellular Carcinoma | X | | | | X | X | | | | | X | X | | | | | | | X | | | | | | 13 |
| Hepatocellular Carcinoma, Multiple | | X | X | X | | | | X | X | | | | | | | | | | | | | | X | | 13 |
| Histiocytic Sarcoma | | | X | | | | | | | | | | | X | X | | | | | | | | X | | 7 |
| Lymphoma Malignant | | | | | | | | | | | | | X | | | | | X | X | | | | | | 6 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:28
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| B6C3F1 MICE FEMALE
5 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
|-------------------------------------|--|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------|------|---|
| | 0729 | 0654 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0574 | 0729 | 0574 | 0729 | 0729 | 0673 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0574 | 0729 | 0673 | 0729 | | 0729 | |
| ANIMAL ID | 0076 | 0077 | 0078 | 0079 | 0080 | 0081 | 0082 | 0083 | 0084 | 0085 | 0086 | 0087 | 0088 | 0089 | 0090 | 0091 | 0092 | 0093 | 0094 | 0095 | 0096 | 0097 | 0098 | 0099 | 0100 | | |
| | Serosa, Sarcoma, Metastatic, Mesentery | | | | | | | | | | | | | | | | X | | | | | | | | | | 1 |
| Mesentery | | | | | | | | | | | | | | | | | | | | | | | | | | 22 | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | 5 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | 6 | |
| Sarcoma | | | | | | | | | | | | | | | | X | | | | | | | | | | 1 | |
| Sarcoma Stromal, Metastatic, Uterus | | | | | | | | | | | | | | | | X | | | | | | | | | | 1 | |
| Pancreas | | | | | | | | | | | | | | | | | | | | | | | | | | 50 | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | 7 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | 5 | |
| Salivary Glands | | | | | | | | | | | | | | | | | | | | | | | | | | 50 | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | 2 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | 4 | |
| Stomach, Forestomach | | | | | | | | | | | | | | | | | | | | | | | | | | 50 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Squamous Cell Papilloma | | | | | | | | | | | | | | | | X | | | | | | | | | | 3 | |
| Stomach, Glandular | | | | | | | | | | | | | | | | | | | | | | | | | | 50 | |
| CARDIOVASCULAR SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Blood Vessel | | | | | | | | | | | | | | | | | | | | | | | | | | 50 | |
| Heart | | | | | | | | | | | | | | | | | | | | | | | | | | 50 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| ENDOCRINE SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:28
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| B6C3F1 MICE FEMALE
5 MG/KG | DAY ON TEST | 0729 | 0654 | 0729 | 0779 | 0779 | 0779 | 0579 | 0759 | 0579 | 0779 | 0679 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0579 | 0779 | 0679 | 0779 | 0779 | * TOTALS |
|-------------------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------|
| | ANIMAL ID | 0076 | 0077 | 0078 | 0079 | 0080 | 0081 | 0082 | 0083 | 0084 | 0085 | 0086 | 0087 | 0088 | 0089 | 0090 | 0091 | 0092 | 0093 | 0094 | 0095 | 0096 | 0097 | |

Lymphoma Malignant

2

Ovary

+ +

50

Carcinoma

X

1

Hemangiosarcoma

4

Histiocytic Sarcoma

X X

5

Luteoma

1

Lymphoma Malignant

X

X

6

Uterus

+ +

50

Histiocytic Sarcoma

1

Lymphoma Malignant

1

Polyp Stromal

X

X

2

Sarcoma Stromal

X

2

HEMATOPOIETIC SYSTEM

Bone Marrow

+ +

50

Histiocytic Sarcoma

1

Lymph Node

+

+

+

+

+

+

+

13

Axillary, Histiocytic Sarcoma

X

1

Bronchial, Histiocytic Sarcoma

X

3

Bronchial, Lymphoma Malignant

2

Inguinal, Lymphoma Malignant

1

Lumbar, Histiocytic Sarcoma

X

2

Lumbar, Lymphoma Malignant

1

Mediastinal, Histiocytic Sarcoma

X

X

3

Mediastinal, Lymphoma Malignant

1

Pancreatic, Histiocytic Sarcoma

X

1

Pancreatic, Lymphoma Malignant

1

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:28
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| B6C3F1 MICE FEMALE
5 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|--|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------|
| | 0729 | 0654 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | 0729 | |
| ANIMAL ID | 0076 | 0077 | 0078 | 0079 | 0080 | 0081 | 0082 | 0083 | 0084 | 0085 | 0086 | 0087 | 0088 | 0089 | 0090 | 0091 | 0092 | 0093 | 0094 | 0095 | 0096 | 0097 | 0098 | 0099 | |
| Renal, Histiocytic Sarcoma | | | X | | | | | | | | | | | | | | X | | | | | | | | |
| Renal, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymph Node, Mandibular Histiocytic Sarcoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Lymphoma Malignant | | | X | | | | | | | | | | | | | | X | | | | | | | | |
| Lymph Node, Mesenteric Hemangiosarcoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | X | X | | | | | | X | |
| Lymphoma Malignant | | | X | | | | | | | | | | | | | | | | | | | | | | |
| Spleen Histiocytic Sarcoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Lymphoma Malignant | | | X | | | | X | | | | X | | X | | | | | | | | | | X | | |
| Thymus Histiocytic Sarcoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | X | X | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | X | | | | X | X | | X | | |
| INTEGUMENTARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mammary Gland Carcinoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Skin Histiocytic Sarcoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Control, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | |
| Site Of Application, Subcutaneous Tissue, Lipoma | | | | | | | X | | | | | | | | | | | | | | | | | | |
| Subcutaneous Tissue, Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:28
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| B6C3F1 MICE FEMALE
5 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|-------------------------------------|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------|
| | 0729 | 0654 | 0779 | 0779 | 0779 | 0779 | 0579 | 0779 | 0579 | 0779 | 0779 | 0679 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0779 | 0579 | 0779 | 0679 | 0779 | 0779 | |
| ANIMAL ID | 0076 | 0077 | 0078 | 0079 | 0080 | 0081 | 0082 | 0083 | 0084 | 0085 | 0086 | 0087 | 0088 | 0089 | 0090 | 0091 | 0092 | 0093 | 0094 | 0095 | 0096 | 0097 | 0098 | 0099 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Adenoma | | X | | | X | | | | | | | X | | | | | | | | | | | | 4 | |
| Carcinoma | | | | | X | | | | | | | | | | | | | | | | | | | 4 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | 2 | |
| URINARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | |
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Histiocytic Sarcoma | | | X | | | | | | | | | | | | | X | X | | | | | | X | 8 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | 3 | |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | X | X | | | | | | | 4 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | X | | | | | | | | | 5 | |
| Sarcoma Stromal, Metastatic, Uterus | | | | | | | | | | X | | | | | | | | | | | | | | 1 | |
| SYSTEMIC LESIONS | | | | | | | | | | | | | | | | | | | | | | | | | |
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Histiocytic Sarcoma | | | X | | | | | | | | | | | | | X | X | | | | | | X | 8 | |
| Lymphoma Malignant | | X | | | | X | | | | X | | | X | | | | | X | X | | X | | | 14 | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:28
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| B6C3F1 MICE FEMALE
20 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | females
(cont...) |
|--|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|-----------|----------------------|
| | 0
7
3
0 | 0
7
2
9 | 0
6
5
4 | 0
7
2
9 | 0
5
8
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
2
9 | 0
7
3
0 | 0
7
2
9 | 0
7
2
9 | 0
5
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | | |
| Lymphoma Malignant | | | | | | X | | | | | | | | X | | | | X | | | | | | | | |
| Osteosarcoma, Metastatic, Uncertain Primary Site | | | X | | | | | | | | | | | | | | | | | | | | | | | |
| Mesentery | | | | | | + | + | | | | | | + | + | | | | | | | + | | | | | |
| Histiocytic Sarcoma | | | | | X | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | X | | | | | | | | | X | | | | |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | X | | | | | | | | | | | | | |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Lymphoma Malignant | | | | | | | | | | | | | X | | | | | | | | X | | | | | |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Tooth | | | | | | | | | | | | | + | | | | | | | | + | | | | | |
| CARDIOVASCULAR SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Lymphoma Malignant | | | | | | | | | | | | | X | | | | | | | | X | | | | | |
| ENDOCRINE SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:28
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| B6C3F1 MICE FEMALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | females
(cont...) |
|--------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|----------------------|
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| 20 MG/KG | 7 | 7 | 6 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 5 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 0 | |
| | 3 | 2 | 5 | 2 | 8 | 0 | 3 | 3 | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 7 | 2 | 2 | 2 | 2 | 3 | 3 | 2 | 2 | 0 | |
| | 0 | 9 | 4 | 9 | 0 | 3 | 0 | 0 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | 3 | 9 | 9 | 9 | 9 | 9 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 0 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 0 | | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 0 | | |

Hemangiosarcoma
 Histiocytic Sarcoma
 Lymphoma Malignant

X
 X
 X X X

Uterus
 Hemangiosarcoma
 Lymphoma Malignant
 Polyp Stromal
 Cervix, Histiocytic Sarcoma

+
 X
 X
 X

HEMATOPOIETIC SYSTEM

Bone Marrow
 Hemangiosarcoma
 Histiocytic Sarcoma
 Lymphoma Malignant

+
 X
 X

Lymph Node
 Bronchial, Lymphoma Malignant
 Lumbar, Lymphoma Malignant
 Mediastinal, Histiocytic Sarcoma
 Mediastinal, Lymphoma Malignant
 Renal, Histiocytic Sarcoma
 Renal, Lymphoma Malignant

+
 X
 X
 X
 X
 X
 X

Lymph Node, Mandibular
 Histiocytic Sarcoma
 Lymphoma Malignant

+
 X
 X
 X

Lymph Node, Mesenteric
 Hemangiosarcoma

+ +

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
Test Type: CHRONIC
Route: SKIN APPLICATION
Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Pyrogallol
CAS Number: 87-66-1

Date Report Requested: 10/04/2011
Time Report Requested: 13:47:28
First Dose M/F: 09/21/04 / 09/20/04
Lab: BAT

| B6C3F1 MICE FEMALE

20 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | females
(cont...) | | | |
|--|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|----------------------|------------------|------------------|--------|
| | 0
7
3
0 | 0
7
2
9 | 0
6
5
4 | 0
7
2
9 | 0
5
8
0 | 0
7
7
3 | 0
7
7
0 | 0
7
7
3 | 0
7
7
3 | 0
7
7
2 | 0
7
7
2 | 0
7
7
2 | 0
7
7
2 | 0
7
7
2 | 0
7
7
2 | 0
7
7
2 | 0
7
7
2 | 0
7
7
2 | 0
7
7
2 | 0
7
7
2 | 0
7
7
2 | | | | | |
| | 0
0
0
0 | 0
0
0
0 | 0
0
0
0 | 0
0
0
0 | 0
0
0
0 | 0
0
0
0 | 0
0
0
0 | 0
0
0
0 | 0
0
0
0 | 0
0
0
0 | 0
0
0
0 | 0
0
0
0 | 0
0
0
0 | 0
0
0
0 | 0
0
0
0 | 0
0
0
0 | 0
0
0
0 | 0
0
0
0 | 0
0
0
0 | 0
0
0
0 | 0
0
0
0 | 0
0
0
0 | 0
0
0
0 | 0
0
0
0 | 0
0
0
0 | |
| | 3
0 | 3
0 | 3
0 | 3
0 | 3
0 | 3
0 | 3
0 | 3
0 | 3
0 | 3
0 | 3
0 | 3
0 | 3
0 | 3
0 | 3
0 | 3
0 | 3
0 | 3
0 | 3
0 | 3
0 | 3
0 | 3
0 | 3
0 | 3
0 | 3
0 | 3
0 |
| | 0
1 | 0
2 | 0
3 | 0
4 | 0
5 | 0
6 | 0
7 | 0
8 | 0
9 | 0
0 | 0
1 | 0
2 | 0
3 | 0
4 | 0
5 | 0
6 | 0
7 | 0
8 | 0
9 | 0
0 | 0
1 | 0
2 | 0
3 | 0
4 | 0
5 | 0
6 |

Histiocytic Sarcoma
 Lymphoma Malignant
 Spleen
 Hemangiosarcoma
 Histiocytic Sarcoma
 Lymphoma Malignant
 Thymus
 Histiocytic Sarcoma
 Lymphoma Malignant

X
 X
 +
 X
 X X X X
 +
 X X X X X X X

INTEGUMENTARY SYSTEM

Mammary Gland
 Skin
 Sarcoma
 Subcutaneous Tissue, Fibrosarcoma

+
 +

MUSCULOSKELETAL SYSTEM

Bone
 Hemangiosarcoma
 Osteosarcoma
 Skeletal Muscle
 Lymphoma Malignant

+
 X X X
 + X

NERVOUS SYSTEM

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:28
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| B6C3F1 MICE FEMALE
20 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | females
(cont...) | | |
|--|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|-----------|----------------------|------------------|------------------|
| | 0
7
3
0 | 0
7
2
9 | 0
6
5
4 | 0
7
2
9 | 0
5
8
0 | 0
7
3
0 | 0
7
3
0 | 0
7
3
0 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
5
2
9 | 0
7
2
9 | 0
7
3
0 | 0
5
7
3 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
3
0 | 0
7
3
0 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | | | 0
7
2
9 | 0
7
2
9 |
| Brain
Lymphoma Malignant | + | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| RESPIRATORY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lung | + | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Alveolar/Bronchiolar Carcinoma | X | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Osteosarcoma, Metastatic, Uncertain Primary Site | X | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Nose | + | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Trachea | + | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SPECIAL SENSES SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Eye | + | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Harderian Gland | + | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Carcinoma | X X | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lacrimal Gland | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| B6C3F1 MICE FEMALE | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | ANIMAL ID | |
|--------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|----------------------|
| | 3 | 2 | 5 | 2 | 8 | 0 | 3 | 3 | 2 | 2 | 2 | 2 | 2 | 3 | 7 | 2 | 2 | 2 | 3 | 3 | 2 | 2 | 2 | | |
| 20 MG/KG | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 1 | females
(cont...) |

Lymphoma Malignant

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Histiocytic Sarcoma | | | | | X | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | X | | | | | | | X | | | | X |
| Renal Tubule, Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Urinary Bladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Lymphoma Malignant | | | | | | | | | | | | | X | | | | | | | X | | | | |

SYSTEMIC LESIONS

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Multiple Organ | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Histiocytic Sarcoma | | | | | X | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | X | | | | | | | X | | X | | X | | X | X | | | | X |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:28
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------------|---|---|---|
| B6C3F1 MICE FEMALE | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 7 | 7 | 7 | 7 | 5 | 7 | 7 | 5 | 7 | 7 | 6 | 7 | 6 | 7 | 6 | 7 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| | | 3 | 2 | 2 | 3 | 4 | 3 | 3 | 9 | 3 | 2 | 6 | 2 | 1 | 1 | 3 | 7 | 8 | 3 | 2 | 3 | 3 | 1 | 2 | 2 | 2 |
| 20 MG/KG | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | | |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | | |
| | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | | | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|----|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Gallbladder | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | |
| Histiocytic Sarcoma | | | | | | | | | | | | | X | | | | | | | | | | 1 | |
| Intestine Large, Cecum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | X | | | | | | | 1 | |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | X | | | | | | | 1 | |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Intestine Small, Ileum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Carcinoma | | | | | | | | | | X | | | | | | | | | | | | | 1 | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | X | | | | | | | | 1 | |
| Liver | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | X | | | | | X | | 2 | |
| Hepatoblastoma | | X | | | | | | | | | | | | | | | | | | | | | 1 | |
| Hepatocellular Adenoma | | | | | | | | X | | | | | X | X | | | X | | | | | X | 9 | |
| Hepatocellular Adenoma, Multiple | | X | | X | | X | X | | X | | X | | | X | X | X | | X | X | | X | | 25 | |
| Hepatocellular Carcinoma | X | | | X | X | | | X | | | | | | | | | | | X | | | | 14 | |
| Hepatocellular Carcinoma, Multiple | | X | | | | X | X | | | | | | | X | | | | | | | | | 6 | |
| Histiocytic Sarcoma | | | | | | | | | | | | | X | | | | | | | | | | 2 | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:28
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| B6C3F1 MICE FEMALE
20 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | | | | | | | |
|--|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------|-------|-------|-------|-------|-------|-------|-------|------|
| | 0730 | 0739 | 0722 | 0729 | 0734 | 0733 | 0730 | 0737 | 0733 | 0739 | 0730 | 0737 | 0736 | 0732 | 0731 | 0733 | 0737 | 0738 | 0733 | 0730 | | 0737 | 0737 | 0737 | 0737 | 0732 | 0732 | 0739 | 0739 |
| ANIMAL ID | 00326 | 00337 | 00333 | 00333 | 00333 | 00333 | 00333 | 00333 | 00333 | 00333 | 00333 | 00333 | 00333 | 00333 | 00333 | 00333 | 00333 | 00333 | 00333 | 00333 | 00333 | 00333 | 00333 | 00333 | 00333 | 00333 | 00333 | 00333 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 5 |
| Osteosarcoma, Metastatic, Uncertain Primary Site | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Mesentery | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 14 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 3 |
| Pancreas | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Salivary Glands | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 3 |
| Stomach, Forestomach | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Stomach, Glandular | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Tooth | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 4 |
| CARDIOVASCULAR SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Blood Vessel | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Heart | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 3 |
| ENDOCRINE SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| B6C3F1 MICE FEMALE
20 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|--------------------------------|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------|
| | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | |
| ANIMAL ID | 00026 | 00007 | 00008 | 00009 | 00010 | 00011 | 00012 | 00013 | 00014 | 00015 | 00016 | 00017 | 00018 | 00019 | 00020 | 00021 | 00022 | 00023 | 00024 | 00025 | 00026 | 00027 | |
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | X | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Pheochromocytoma Benign | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Parathyroid Gland | + | + | + | M | + | + | + | M | + | + | + | + | + | M | + | + | + | + | + | + | + | + | 39 |
| Pituitary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Pars Distalis, Adenoma | | | X | | | | | X | | | | | | | | | | X | X | X | | | 10 |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | X | | | | | | | | 2 |
| GENERAL BODY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | |
| NONE | | | | | | | | | | | | | | | | | | | | | | | |
| GENITAL SYSTEM | | | | | | | | | | | | | | | | | | | | | | | |
| Clitoral Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Ovary | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Cystadenoma | | X | | | | | | | | | | | | | | | | | | | | | 1 |
| Hemangioma | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:28
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| B6C3F1 MICE FEMALE
20 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | | | | |
|----------------------------------|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------|----|----|----|---|
| | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | | | | | |
| ANIMAL ID | 00326 | 00327 | 00328 | 00329 | 00330 | 00331 | 00332 | 00333 | 00334 | 00335 | 00336 | 00337 | 00338 | 00339 | 00340 | 00341 | 00342 | 00343 | 00344 | 00345 | 00346 | 00347 | 00348 | 00349 | 00350 | | | | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | 6 | | |
| Uterus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| Polyp Stromal | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 | | |
| Cervix, Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | |
| HEMATOPOIETIC SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Lymph Node | | | | | | | | | | | | | | | | | | | | | | | | | | | | 18 | |
| Bronchial, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Lumbar, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Mediastinal, Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Mediastinal, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 | |
| Renal, Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Renal, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 | |
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 3 |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:28
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| B6C3F1 MICE FEMALE
20 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | * TOTALS | | | | | |
|-----------------------------------|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------|-------|-------|-------|-------|---|
| | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | 0730 | | 0730 | 0730 | | | |
| ANIMAL ID | 00326 | 00327 | 00328 | 00329 | 00330 | 00331 | 00332 | 00333 | 00334 | 00335 | 00336 | 00337 | 00338 | 00339 | 00340 | 00341 | 00342 | 00343 | 00344 | 00345 | 00346 | 00347 | 00348 | 00349 | 00350 | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | X | | | | | | | | | | | 2 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | X | | | | | | | | | | 2 |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Hemangiosarcoma | | | | | | | | | | | | | | | X | | | | | | | | | | 2 | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | X | | | | | | | | | | 2 | |
| Lymphoma Malignant | | | | | | | | | | X | | | | | | X | | | | | | X | | | 7 | |
| Thymus | + | I | + | + | + | I | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 48 | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | X | | | | | | | | | | 1 | |
| Lymphoma Malignant | | | | X | | | | | | X | | | | | | X | | | X | | | | | | 10 | |
| INTEGUMENTARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Sarcoma | | | | | | | | | | | | X | | | | | | | | | | | | | 1 | |
| Subcutaneous Tissue, Fibrosarcoma | | | | | | | | | | X | | | | | | | | | | X | | | | | 2 | |
| MUSCULOSKELETAL SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Hemangiosarcoma | | | | | | | | | | | | | | | X | | | | | | | | | | 3 | |
| Osteosarcoma | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Skeletal Muscle | | | | | | | | | | | | | | | | | | | | | | | | | 2 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| NERVOUS SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:28
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| B6C3F1 MICE FEMALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | * TOTALS | | | | | |
|--|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|----------|-----------------------|-----------------------|-----------------------|---------|--|
| | 0
7
3
0 | 0
7
2
9 | 0
7
2
9 | 0
7
2
9 | 0
5
3
0 | 0
7
3
0 | 0
7
3
0 | 0
5
9
7 | 0
7
3
0 | 0
7
6
9 | 0
7
6
9 | 0
6
2
9 | 0
7
6
9 | 0
7
1
0 | 0
7
1
0 | 0
3
7
8 | 0
6
8
9 | 0
7
3
0 | 0
2
3
9 | 0
7
3
0 | 0
7
1
8 | 0
7
2
9 | | 0
7
2
9 | 0
7
2
9 | | | |
| 20 MG/KG | ANIMAL ID | | | | | | | | | | | | | | | | | | | | | | * TOTALS | | | | | |
| 0
0
3
2
6 | 0
0
3
2
7 | 0
0
3
2
8 | 0
0
3
2
9 | 0
0
3
3
0 | 0
0
3
3
1 | 0
0
3
3
2 | 0
0
3
3
3 | 0
0
3
3
4 | 0
0
3
3
5 | 0
0
3
3
6 | 0
0
3
3
7 | 0
0
3
3
8 | 0
0
3
3
9 | 0
0
3
3
0 | 0
0
3
3
1 | 0
0
3
4
2 | 0
0
3
4
3 | 0
0
3
4
4 | 0
0
3
4
5 | 0
0
3
4
6 | 0
0
3
4
7 | 0
0
3
4
8 | | 0
0
3
4
9 | 0
0
3
4
0 | 0
0
3
4
1 | | |
| Brain
Lymphoma Malignant | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50
1 | |
| RESPIRATORY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | | | | | | | | | | | | | | X | | | | | 2 | |
| Alveolar/Bronchiolar Carcinoma | | | | | | | | | | | | | | | | X | | | | | | | | | | | 4 | |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | X | | | | | | | | | | | | | | | | | | | | | 2 | |
| Histiocytic Sarcoma | | | | | | | | | | | | | X | | | | | | | | | | | | | | 1 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | X | | | | | | | | X | | | | 3 | |
| Osteosarcoma, Metastatic, Uncertain Primary Site | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Trachea
Lymphoma Malignant | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50
1 | |
| SPECIAL SENSES SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Eye
Lymphoma Malignant | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50
1 | |
| Harderian Gland
Adenoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50
4 | |
| Carcinoma | | | | X | | | | | X | | | | | | | | | | | | | | | | | | 4 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Lacrimal Gland | | | | | | | | | | | | | | | | + | | | | | | | | | | | 1 | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:28
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-----------------|-----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------------------------------|
| B6C3F1 MICE FEMALE | DAY ON TEST | 0729 | 0730 | 0664 | 0661 | 0264 | 0662 | 0448 | 0448 | 0225 | 0664 | 0448 | 0447 | 0445 | 0666 | 0546 | 0666 | 0443 | 0776 | 0667 | 0762 | 0661 | 0767 | 0667 | females
(cont...) |
| | 75 MG/KG | ANIMAL ID | 00351 | 00352 | 00353 | 00354 | 00355 | 00356 | 00357 | 00358 | 00359 | 00360 | 00361 | 00362 | 00363 | 00364 | 00365 | 00366 | 00367 | 00368 | 00369 | 00370 | 00371 | 00372 | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Cecum
Leiomyoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Ileum
Hemangiosarcoma
Lymphoma Malignant | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Liver
Hemangiosarcoma
Hepatocellular Adenoma
Hepatocellular Adenoma, Multiple
Hepatocellular Carcinoma
Hepatocellular Carcinoma, Multiple
Histiocytic Sarcoma
Lymphoma Malignant | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Mesentery | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| B6C3F1 MICE FEMALE | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 7 | 7 | 6 | 6 | 2 | 6 | 6 | 4 | 4 | 2 | 6 | 5 | 4 | 4 | 5 | 6 | 6 | 5 | 4 | 3 | 7 | 6 | 7 | 6 | 7 | 6 | 7 | 6 | 7 | 6 | 7 | 6 | 7 |
| 75 MG/KG | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | |
| | | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | |

females
(cont...)

Histiocytic Sarcoma
Lymphoma Malignant

X X

Pancreas
Histiocytic Sarcoma
Lymphoma Malignant

+
X

Salivary Glands
Lymphoma Malignant

+ X

Stomach, Forestomach
Histiocytic Sarcoma
Squamous Cell Papilloma

+ X

Stomach, Glandular
Histiocytic Sarcoma

+ +

CARDIOVASCULAR SYSTEM

Blood Vessel

+ +

Heart
Lymphoma Malignant

+ X

ENDOCRINE SYSTEM

Adrenal Cortex
Lymphoma Malignant

+ X

Adrenal Medulla
Lymphoma Malignant

+ X

* .. Total animals with tissue examined microscopically; Total animals with tumor
+ .. Tissue examined microscopically
X .. Lesion present
I .. Insufficient tissue

M .. Missing tissue
A .. Autolysis precludes evaluation
BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:28
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| B6C3F1 MICE FEMALE
75 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | females
(cont...) |
|--|-------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-----------|----------------------|
| | 0729 | 0730 | 0731 | 0732 | 0733 | 0734 | 0735 | 0736 | 0737 | 0738 | 0739 | 0740 | 0741 | 0742 | 0743 | 0744 | 0745 | 0746 | 0747 | 0748 | 0749 | 0750 | | |
| Islets, Pancreatic | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Parathyroid Gland | + | + | + | + | + | + | + | M | M | + | + | + | M | M | + | + | M | + | M | + | M | + | | |
| Pituitary Gland
Lymphoma Malignant
Pars Distalis, Adenoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | X | | |
| Thyroid Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| GENERAL BODY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | |
| NONE | | | | | | | | | | | | | | | | | | | | | | | | |
| GENITAL SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | |
| Clitoral Gland
Histiocytic Sarcoma
Lymphoma Malignant | + | + | + | + | + | + | + | M | + | + | + | + | + | + | + | + | + | + | + | + | + | X | | |
| Ovary
Cystadenoma
Histiocytic Sarcoma
Lymphoma Malignant | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | X | | |
| Uterus
Histiocytic Sarcoma
Lymphoma Malignant
Polyp Stromal | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | X | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:28
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| B6C3F1 MICE FEMALE
75 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | ANIMAL ID | females
(cont...) |
|--------------------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|-----------------------|--|-----------|----------------------|
| | 0
7
2
9 | 0
7
3
0 | 0
6
6
9 | 0
6
0
4 | 0
2
9
1 | 0
6
4
6 | 0
6
8
2 | 0
4
8
7 | 0
4
9
3 | 0
2
5
6 | 0
6
0
4 | 0
5
0
6 | 0
4
8
7 | 0
4
7
5 | 0
5
0
0 | 0
6
6
3 | 0
5
6
1 | 0
4
0
7 | 0
3
7
0 | 0
6
4
4 | 0
7
3
9 | 0
6
2
7 | 0
7
1
9 | | | | |
| | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0
0
3
5
1 | | | |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | X |
| Lymph Node | | | + | | + | + | | | + | + | + | + | | | + | + | + | + | + | + | | | + | |
| Axillary, Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Axillary, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | X |
| Bronchial, Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Bronchial, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | X X |
| Iliac, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | X |
| Inguinal, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | X |
| Lumbar, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | X |
| Mediastinal, Hemangiosarcoma, Metastatic, Skin | | | | | | | | | | | | | | | | | | | | | | | | |
| Mediastinal, Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Mediastinal, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | X |
| Renal, Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Renal, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | X X |
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | X X |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | X X |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:28
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------|-------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|----------------------|-----------------------|
| B6C3F1 MICE FEMALE
75 MG/KG | DAY ON TEST | 0
7
2
9 | 0
7
3
0 | 0
6
6
9 | 0
6
0
4 | 0
2
9
1 | 0
6
4
6 | 0
6
8
2 | 0
4
8
7 | 0
4
8
3 | 0
2
5
6 | 0
6
0
4 | 0
5
0
6 | 0
4
8
5 | 0
4
7
0 | 0
6
6
3 | 0
5
6
1 | 0
4
0
7 | 0
3
3
0 | 0
7
7
4 | 0
6
2
9 | 0
7
1
7 | 0
6
2
7 | 0
7
1
9 | females
(cont...) | |
| | ANIMAL ID | 0
0
3
5
1 | 0
0
3
5
2 | 0
0
3
5
3 | 0
0
3
5
4 | 0
0
3
5
5 | 0
0
3
5
6 | 0
0
3
5
7 | 0
0
3
5
8 | 0
0
3
5
9 | 0
0
3
5
0 | 0
0
3
5
1 | 0
0
3
6
2 | 0
0
3
6
3 | 0
0
3
6
4 | 0
0
3
6
5 | 0
0
3
6
6 | 0
0
3
6
7 | 0
0
3
6
8 | 0
0
3
6
9 | 0
0
3
7
0 | 0
0
3
7
1 | 0
0
3
7
2 | 0
0
3
7
3 | | 0
0
3
7
4 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |

Hemangiosarcoma
 Histiocytic Sarcoma
 Lymphoma Malignant

X X

Thymus
 Histiocytic Sarcoma
 Lymphoma Malignant

+ + + + + + + + + + + + + + + M + + + + + + + +
 X X

INTEGUMENTARY SYSTEM

Mammary Gland
 Carcinoma

+
 X

Skin
 Lymphoma Malignant
 Squamous Cell Carcinoma
 Site Of Application, Carcinoma, Metastatic,
 Uncertain Primary Site
 Site Of Application, Hemangioma
 Site Of Application, Histiocytic Sarcoma
 Site Of Application, Lymphoma Malignant
 Site Of Application, Squamous Cell Carcinoma
 Subcutaneous Tissue, Hemangiosarcoma

+
 X X
 X X
 X X
 X X
 X X
 X X

MUSCULOSKELETAL SYSTEM

Bone

+ +

NERVOUS SYSTEM

Brain

+ +

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:28
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------------|-------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|------------------------------|
| B6C3F1 MICE FEMALE | DAY ON TEST | 0
7
2
9 | 0
7
3
0 | 0
6
6
9 | 0
6
0
4 | 0
2
9
1 | 0
6
6
6 | 0
4
8
2 | 0
4
8
7 | 0
2
9
3 | 0
6
5
6 | 0
4
8
7 | 0
4
7
4 | 0
5
6
5 | 0
6
6
3 | 0
5
6
1 | 0
4
0
7 | 0
3
7
0 | 0
6
7
4 | 0
7
2
9 | 0
6
1
7 | 0
7
2
9 | females
(cont...) |
| | ANIMAL ID | 0
0
3
5
1 | 0
0
3
5
2 | 0
0
3
5
3 | 0
0
3
5
4 | 0
0
3
5
5 | 0
0
3
5
6 | 0
0
3
5
7 | 0
0
3
5
8 | 0
0
3
5
9 | 0
0
3
5
0 | 0
0
3
6
1 | 0
0
3
6
2 | 0
0
3
6
3 | 0
0
3
6
4 | 0
0
3
6
5 | 0
0
3
6
6 | 0
0
3
6
7 | 0
0
3
6
8 | 0
0
3
6
9 | 0
0
3
7
0 | 0
0
3
7
1 | |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Alveolar/Bronchiolar Adenoma | X | | | | | | | | | X | | | | | | | | | | | | | | |
| Alveolar/Bronchiolar Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Carcinoma, Metastatic, Harderian Gland | | | | | | | | X | | | | | | | | | | | | | | | | |
| Hepatocellular Carcinoma, Metastatic, Liver | | X | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | X | X | | |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | X | | |
| Olfactory Epithelium, Neuroblastoma | | | | | | | | | | | | | | | | | | | | | | | X | |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | X | |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
| Adenoma | | | X | | | | X | | | X | | | | | | | | | | | | X | |
| Carcinoma | | | | X | | | X | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | X | |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | |
|--------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + |
|--------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:28
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| B6C3F1 MICE FEMALE
75 MG/KG | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | ANIMAL ID | 7 | 7 | 6 | 6 | 2 | 6 | 6 | 4 | 4 | 2 | 6 | 5 | 4 | 4 | 4 | 5 | 6 | 6 | 5 | 4 | 3 | 7 | 6 | 7 | 6 | 7 | 0 | 0 |
| | | 2 | 3 | 6 | 0 | 9 | 4 | 8 | 8 | 9 | 5 | 0 | 0 | 8 | 7 | 0 | 6 | 6 | 0 | 4 | 3 | 7 | 2 | 1 | 2 | 2 | | | |
| | | 9 | 0 | 9 | 4 | 1 | 6 | 2 | 7 | 3 | 6 | 4 | 6 | 7 | 4 | 5 | 0 | 3 | 1 | 0 | 7 | 0 | 4 | 9 | 7 | 2 | | | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | | | |

females
(cont...)

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|---|--|--|--|
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | X | X | | | |
| Urinary Bladder | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

SYSTEMIC LESIONS

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|--|--|--|--|--|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|---|--|--|
| Multiple Organ | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | X | | | | | | | | | | | | | | | | | | | X | X | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:28
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| B6C3F1 MICE FEMALE
75 MG/KG | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | * TOTALS |
|--------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|
| | ANIMAL ID | 7 | 6 | 5 | 4 | 3 | 2 | 1 | 9 | 8 | 7 | 6 | 5 | 4 | 3 | 2 | 1 | 0 | 9 | 8 | 7 | 6 | 5 | 4 | 3 | 2 | 1 | 0 | |
| | | 3 | 2 | 4 | 4 | 9 | 2 | 2 | 3 | 3 | 2 | 8 | 4 | 2 | 9 | 2 | 3 | 7 | 3 | 4 | 8 | 2 | 3 | 2 | 8 | 9 | | | |
| | | 0 | 4 | 4 | 3 | 1 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | | |
| | | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | | |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | | | |

ALIMENTARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---------------------------------------|
| Esophagus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Gallbladder | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Cecum
Leiomyoma | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50
1 |
| Intestine Large, Colon | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Large, Rectum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Duodenum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Intestine Small, Ileum
Hemangiosarcoma
Lymphoma Malignant | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50
1
1 |
| Intestine Small, Jejunum | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Liver
Hemangiosarcoma
Hepatocellular Adenoma
Hepatocellular Adenoma, Multiple
Hepatocellular Carcinoma
Hepatocellular Carcinoma, Multiple
Histiocytic Sarcoma
Lymphoma Malignant | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50
1
8
7
7
1
3
2 |
| Mesentery | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 19 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:28
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| B6C3F1 MICE FEMALE
75 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | |
|--------------------------------|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------|--|
| | 0730 | 0624 | 0544 | 0643 | 0291 | 0729 | 0779 | 0773 | 0663 | 0728 | 0744 | 0675 | 0779 | 0579 | 0779 | 0770 | 0472 | 0764 | 0648 | 0479 | 0773 | 0772 | 0588 | 0295 | 0291 | | |
| ANIMAL ID | 00376 | 00377 | 00378 | 00379 | 00000 | 00001 | 00002 | 00003 | 00004 | 00005 | 00006 | 00007 | 00008 | 00009 | 00010 | 00011 | 00012 | 00013 | 00014 | 00015 | 00016 | 00017 | 00018 | 00019 | 00020 | | |
| Histiocytic Sarcoma | | X | | | | | | | | | | | | | | X | | | | | | | | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pancreas | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Histiocytic Sarcoma | | X | | | | | | | | | | | | | | X | | | | | | | X | | | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Salivary Glands | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Lymphoma Malignant | | X | | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Forestomach | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Histiocytic Sarcoma | | X | | | | | | | | | | | | | | | | | | | | | | | | | |
| Squamous Cell Papilloma | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Stomach, Glandular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Histiocytic Sarcoma | | X | | | | | | | | | | | | | | | | | | | | | | | | | |
| CARDIOVASCULAR SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Blood Vessel | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Heart | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ENDOCRINE SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Adrenal Cortex | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Adrenal Medulla | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:28
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| B6C3F1 MICE FEMALE
75 MG/KG | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | * TOTALS | | | | | | |
|--------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------|---|---|---|---|----|----|
| | ANIMAL ID | 7 | 6 | 5 | 4 | 3 | 2 | 1 | 9 | 2 | 2 | 3 | 3 | 2 | 8 | 4 | 2 | 9 | 2 | 3 | 7 | 3 | 4 | 8 | | 7 | 7 | 7 | 5 | 2 | 9 |
| Islets, Pancreatic | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 50 |
| Parathyroid Gland | | 3 | 2 | 4 | 4 | 9 | 2 | 2 | 3 | 3 | 2 | 8 | 4 | 2 | 9 | 2 | 3 | 7 | 3 | 4 | 8 | 2 | 3 | 2 | 8 | 8 | 5 | 9 | 1 | 38 | |
| Pituitary Gland | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 50 |
| Lymphoma Malignant | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | 1 |
| Pars Distalis, Adenoma | | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | 2 |
| Thyroid Gland | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 0 | 0 | 0 | 0 | 50 |
| GENERAL BODY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| NONE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GENITAL SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Clitoral Gland | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 |
| Histiocytic Sarcoma | | | X | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Ovary | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Cystadenoma | | | | | | | | | | | | X | | | | | | | | | | | | | | | | | | | 1 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | X | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | | | | | | | X | | | | | | | | | | | | | | | | | 2 |
| Uterus | | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Histiocytic Sarcoma | | | | | | | | | | | | | | | | | | | | | | | | | | X | | | | | 1 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Polyp Stromal | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:28
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| B6C3F1 MICE FEMALE | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS |
|--------------------|-------------|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----------|
| | 07 | 06 | 05 | 06 | 02 | 07 | 07 | 07 | 06 | 07 | 04 | 06 | 07 | 05 | 07 | 07 | 04 | 07 | 06 | 04 | 07 | 07 | 05 | 02 | |
| 75 MG/KG | 03 | 02 | 04 | 04 | 09 | 02 | 02 | 03 | 03 | 02 | 08 | 04 | 02 | 09 | 02 | 03 | 07 | 03 | 04 | 08 | 02 | 03 | 02 | 08 | |
| ANIMAL ID | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | |
| | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | 33 | |
| | 77 | 77 | 77 | 77 | 88 | 88 | 88 | 88 | 88 | 88 | 88 | 88 | 88 | 88 | 88 | 88 | 88 | 88 | 88 | 88 | 88 | 88 | 88 | 88 | |
| | 66 | 67 | 68 | 69 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | |

HEMATOPOIETIC SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Bone Marrow | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Histiocytic Sarcoma | | X | | | | | | | | | | | | | | | | | | | X | | | 2 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymph Node | | + | + | | + | | + | + | | + | + | | | | | + | | + | + | + | | | + | 29 |
| Axillary, Histiocytic Sarcoma | | X | | | | | | | | | | | | | | | | | | | | | | 1 |
| Axillary, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Bronchial, Histiocytic Sarcoma | | | | | | | | | | | | X | | | | | | | | | | | | 1 |
| Bronchial, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Iliac, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Inguinal, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lumbar, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Mediastinal, Hemangiosarcoma, Metastatic, Skin | | | | | | | | | | | | | | | | | | | | | X | | | 1 |
| Mediastinal, Histiocytic Sarcoma | | | | | | | | | | | | X | | | | | | | | | | | | 1 |
| Mediastinal, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Renal, Histiocytic Sarcoma | | X | | | | | | | | | | | | | | | | | | | | | | 1 |
| Renal, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Lymph Node, Mandibular | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Histiocytic Sarcoma | | X | | | | | | | | | | | | | | | | | | | | X | | 2 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Lymph Node, Mesenteric | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Histiocytic Sarcoma | | X | | | | | | | | | | X | | | | | | | | | | X | | 3 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Spleen | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:28
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| B6C3F1 MICE FEMALE
75 MG/KG | DAY ON TEST | | | | | | | | | | | | | | | | | | | | | | | | * TOTALS | | |
|---|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|----------|----|--|
| | 0730 | 0624 | 0544 | 0643 | 0291 | 0722 | 0773 | 0773 | 0623 | 0732 | 0748 | 0674 | 0762 | 0773 | 0592 | 0773 | 0773 | 0473 | 0734 | 0648 | 0723 | 0772 | 0585 | 0291 | | | |
| ANIMAL ID | 00376 | 00377 | 00378 | 00379 | 00380 | 00381 | 00382 | 00383 | 00384 | 00385 | 00386 | 00387 | 00388 | 00389 | 00390 | 00391 | 00392 | 00393 | 00394 | 00395 | 00396 | 00397 | 00398 | 00399 | 00400 | | |
| Hemangiosarcoma | X | | | | | | | | | | | | | | | | | | | | X | | | | | 2 | |
| Histiocytic Sarcoma | | X | | | | | | | | | | | X | | | | | | | | | X | | | | 3 | |
| Lymphoma Malignant | | | | | | | | | X | | | | | | | | | | | | | | | | | 3 | |
| Thymus | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 49 | |
| Histiocytic Sarcoma | | X | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Lymphoma Malignant | | | | | | | | | X | | | | | | | | | | | | | | | | | 3 | |
| INTEGUMENTARY SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mammary Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Skin | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Squamous Cell Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Site Of Application, Carcinoma, Metastatic,
Uncertain Primary Site | | | | | | | | | | | | | | | | X | | | | | | | | | | 1 | |
| Site Of Application, Hemangioma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Site Of Application, Histiocytic Sarcoma | | X | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Site Of Application, Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | 1 | |
| Site Of Application, Squamous Cell Carcinoma | | | | | | | | | | | | | | | | | | X | | | | | | X | | 4 | |
| Subcutaneous Tissue, Hemangiosarcoma | | | | | | | | | | | | | | | | | | | | | | X | | | | 1 | |
| MUSCULOSKELETAL SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Bone | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| NERVOUS SYSTEM | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Brain | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue

M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

TDMS No. 99032 - 04
 Test Type: CHRONIC
 Route: SKIN APPLICATION
 Species/Strain: MICE/B6C3F1

P04: NEOPLASMS BY INDIVIDUAL ANIMAL
 Pyrogallol
 CAS Number: 87-66-1

Date Report Requested: 10/04/2011
 Time Report Requested: 13:47:28
 First Dose M/F: 09/21/04 / 09/20/04
 Lab: BAT

| B6C3F1 MICE FEMALE
75 MG/KG | DAY ON TEST | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | ANIMAL ID | * TOTALS | |
|--------------------------------|-------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|----------|---|
| | | 7 | 6 | 5 | 6 | 2 | 7 | 7 | 7 | 6 | 7 | 4 | 6 | 7 | 5 | 7 | 7 | 4 | 7 | 6 | 4 | 7 | 7 | 7 | 5 | | | 2 |
| | | 3 | 2 | 4 | 4 | 9 | 2 | 2 | 3 | 3 | 2 | 8 | 4 | 2 | 9 | 2 | 3 | 7 | 3 | 4 | 8 | 2 | 3 | 2 | 8 | 9 | | |
| | | 0 | 4 | 4 | 3 | 1 | 9 | 9 | 0 | 2 | 9 | 7 | 5 | 9 | 0 | 9 | 0 | 2 | 0 | 6 | 7 | 9 | 0 | 9 | 5 | 1 | | |
| | ANIMAL ID | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 4 | | |
| | | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 0 | | |
| | | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | | |

RESPIRATORY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|
| Lung | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Alveolar/Bronchiolar Adenoma | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Alveolar/Bronchiolar Carcinoma | | | | | | | | | | X | | | | | | | | | | X | X | | | | | 3 |
| Carcinoma, Metastatic, Harderian Gland | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Hepatocellular Carcinoma, Metastatic, Liver | | | | | | | | | | | | | | | | | | | X | | | | | | | 2 |
| Histiocytic Sarcoma | | X | | | | | | | | | | X | | | | | | | | | | | | | | 2 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Nose | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Olfactory Epithelium, Neuroblastoma | | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Trachea | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 | |

SPECIAL SENSES SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Eye | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Histiocytic Sarcoma | | X | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Harderian Gland | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
| Adenoma | | | | | | X | | | | | | | | | | | | | | | | | | | 5 |
| Carcinoma | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Histiocytic Sarcoma | | X | | | | | | | | | | | | | | | | | | | | | | | 1 |
| Lymphoma Malignant | | | | | | | | | | | | | | | | | | | | | | | | | 1 |

URINARY SYSTEM

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|
| Kidney | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | + | 50 |
|--------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|

* .. Total animals with tissue examined microscopically; Total animals with tumor
 + .. Tissue examined microscopically
 X .. Lesion present
 I .. Insufficient tissue
 M .. Missing tissue
 A .. Autolysis precludes evaluation
 BLANK .. Not examined microscopically

