



National Toxicology Program
Department of Health and Human Services

NTP Historical Controls Report

All Routes and Vehicles

F 344/N RATS

2006

REPORT DESCRIPTION

This report shows the tumor rates of control group animals from selected studies. The studies used are shown on the Study Summary page.

The report combines all the data from all of the historical control studies into one section. To see this data broken up by route and vehicle you must run the "By Route And Vehicle" report.

The individual tumor rates shown on the data pages of the report relate to the Study Summary page as follows: the tumor rates are shown in the same order as the Study Summary page, except that they are grouped horizontally in sets of three, with the males in the first set of three and the females in the second set. For example if the study summary showed the studies like this:

Male

M1

M2

M3

M4

M5

Female

F1

F2

F3

F4

F5

the data would be shown as:

Male			Female		
M1	M2	M3	F1	F2	F3
M4	M5		F4	F5	

Directly beneath the individual tumor rates on the data pages are the overall totals for that tumor/site combination. This includes the total tumors/animals, the overall mean (in parentheses), the mean of the study means, and the standard deviation of the study means.

Studies with no control animals of a particular gender are listed on the summary page with the Number of Animals shown as zero and the Start Date and Length of Study shown as "N/A". On the data pages there are blank spaces where tumor rates for these studies would normally be found, so that the male and female rates for the remaining studies can be easily compared.

Study Summary

Laboratory Name	Study Number	Study Start Date	Length of Study in Days	Number of Animals Total and (#/Cage)	Number Surviving and (Mean Life Span)	Maximum Mean Weekly Body Weight	Chemical
Male							
Battelle Columbus Laboratory	058813803	08/16/99	729	50(3)	22(681)	501.7	Benzophenone
Battelle Columbus Laboratory	055611103	09/08/97	731	100(3)	60(689)	487.9	trans-Cinnamaldehyde
Battelle Columbus Laboratory	055634803	06/06/96	726	100(3)	52(681)	491.2	Citral
Battelle Northwest	059601105	06/04/01	729	50(5)	26(676)	540.9	Cumene
Battelle Northwest	059302607	08/14/97	733	50(5)	28(684)	509.1	Decalin
Battelle Columbus Laboratory	058812003	12/18/95	729	50(3)	24(659)	496.8	p,p'-Dichlorodiphenyl sulfone
Southern Research Institute	059302007	04/24/00	729	50(1)	20(670)	484.2	Diisopropylcarbodiimide
Battelle Columbus Laboratory	058803105	03/31/97	729	50(3)	23(662)	519.6	Dipropylene glycol
Battelle Northwest	058800405	09/13/99	729	50(5)	31(686)	519.5	Divinylbenzene
Battelle Columbus Laboratory	058812206	06/25/97	727	50(3)	26(667)	483.6	Elmiron (sodium pentosanpolysulfate)
Battelle Columbus Laboratory	058812305	03/21/01	727	50(3)	26(673)	509.7	Formamide
Southern Research Institute	059302306	07/11/97	729	50(3)	37(693)	510.6	2,4-Hexadienal
Battelle Northwest	058812403	01/18/96	733	50(5)	27(667)	502.3	Indium phosphide
Battelle Columbus Laboratory	058805005	10/30/95	729	50(3)	25(665)	488.4	Methacrylonitrile
Battelle Northwest	059700601	05/25/00	726	50(5)	32(693)	529.7	Methyl isobutyl ketone
Southern Research Institute	059100507	06/26/00	730	50(3)	30(693)	520.6	Methylene blue trihydrate
Southern Research Institute	059201205	07/15/98	729	50(3)	35(704)	446.9	2-Methylimidazole
Southern Research Institute	059201305	01/20/00	730	50(3)	31(702)	448.0	4-Methylimidazole
Battelle Northwest	058800603	08/06/01	729	50(5)	27(680)	537.2	alpha-Methylstyrene
Battelle Northwest	050511002	03/28/96	733	49(5)	24(681)	507.1	Naphthalene
Southern Research Institute	050520308	02/08/96	729	60(3)	39(698)	447.3	o-Nitrotoluene
Southern Research Institute	050520507	11/28/95	729	50(3)	31(697)	443.8	p-Nitrotoluene
Battelle Northwest	059000407	10/06/97	729	50(5)	27(675)	540.5	Propylene glycol mono-t-butyl ether
Southern Research Institute	050516105	03/06/96	N/A	0(0)	0(0)	N/A	Riddelliine
Battelle Columbus Laboratory	058800705	08/14/95	729	50(3)	29(665)	502.2	Sodium nitrite
Battelle Northwest	059600105	01/18/99	729	50(5)	29(701)	534.2	Stoddard solvent (type IIC)
Battelle Northwest	056142707	01/06/97	729	50(5)	20(668)	521.5	Vanadium pentoxide
Southern Research Institute	059601803	12/15/98	729	50(3)	29(682)	511.6	Water disinfection byproducts (Bromodichloromethane)
Southern Research Institute	059601705	03/08/00	729	50(3)	34(683)	522.9	Water disinfection byproducts (Dibromoacetic acid)
Southern Research Institute	059601003	09/16/98	729	50(3)	36(687)	514.1	Water disinfection byproducts (Sodium chlorate)

Study Summary

Laboratory Name	Study Number	Study Start Date	Length of Study in Days	Number of Animals Total and (#/Cage)	Number Surviving and (Mean Life Span)	Maximum Mean Weekly Body Weight	Chemical
Female							
Battelle Columbus Laboratory	058813803	08/17/99	729	50(5)	32(688)	348.7	Benzophenone
Battelle Columbus Laboratory	055611103	09/09/97	735	100(5)	70(706)	337.8	trans-Cinnamaldehyde
Battelle Columbus Laboratory	055634803	06/07/96	732	100(5)	75(705)	335.0	Citral
Battelle Northwest	059601105	06/04/01	731	50(5)	21(674)	356.9	Cumene
Battelle Northwest	059302607	08/14/97	734	50(5)	32(700)	346.6	Decalin
Battelle Columbus Laboratory	058812003	12/19/95	730	50(5)	36(694)	330.5	p,p'-Dichlorodiphenyl sulfone
Southern Research Institute	059302007	04/24/00	731	50(1)	30(672)	319.5	Diisopropylcarbodiimide
Battelle Columbus Laboratory	058803105	04/01/97	729	50(5)	30(683)	350.8	Dipropylene glycol
Battelle Northwest	058800405	09/13/99	731	50(5)	33(679)	355.3	Divinylbenzene
Battelle Columbus Laboratory	058812206	06/26/97	728	50(5)	30(672)	327.2	Elmiron (sodium pentosanpolysulfate)
Battelle Columbus Laboratory	058812305	03/20/01	730	50(5)	38(703)	358.3	Formamide
Southern Research Institute	059302306	07/11/97	732	50(5)	37(699)	314.6	2,4-Hexadienal
Battelle Northwest	058812403	01/18/96	735	50(5)	34(682)	337.2	Indium phosphide
Battelle Columbus Laboratory	058805005	10/31/95	731	50(5)	38(710)	315.4	Methacrylonitrile
Battelle Northwest	059700601	05/25/00	727	50(5)	35(694)	365.6	Methyl isobutyl ketone
Southern Research Institute	059100507	06/26/00	733	50(5)	35(699)	335.9	Methylene blue trihydrate
Southern Research Institute	059201205	07/15/98	734	50(5)	40(707)	320.6	2-Methylimidazole
Southern Research Institute	059201305	01/20/00	735	50(5)	40(702)	311.3	4-Methylimidazole
Battelle Northwest	058800603	08/06/01	730	50(5)	27(647)	351.9	alpha-Methylstyrene
Battelle Northwest	050511002	03/28/96	734	49(5)	28(700)	325.2	Naphthalene
Southern Research Institute	050520308	02/08/96	730	60(5)	47(713)	299.3	o-Nitrotoluene
Southern Research Institute	050520507	11/28/95	729	50(5)	39(702)	295.2	p-Nitrotoluene
Battelle Northwest	059000407	10/06/97	730	50(5)	33(675)	366.9	Propylene glycol mono-t-butyl ether
Southern Research Institute	050516105	03/06/96	729	50(5)	33(683)	322.1	Riddelliine
Battelle Columbus Laboratory	058800705	08/15/95	730	50(5)	33(695)	350.1	Sodium nitrite
Battelle Northwest	059600105	01/18/99	730	50(5)	36(696)	363.6	Stoddard solvent (type IIC)
Battelle Northwest	056142707	01/06/97	731	50(5)	33(688)	351.1	Vanadium pentoxide
Southern Research Institute	059601803	N/A	N/A	0(0)	0(0)	N/A	Water disinfection byproducts (Bromodichloromethane)
Southern Research Institute	059601705	03/08/00	734	50(5)	35(693)	350.5	Water disinfection byproducts (Dibromoacetic acid)
Southern Research Institute	059601003	09/16/98	734	50(5)	37(699)	341.7	Water disinfection byproducts (Sodium chlorate)

		Male				Female			
#All Organs:									
Benign Tumors									
		49/50 (98%)	99/100 (99%)	97/100 (97%)		42/50 (84%)	78/100 (78%)	78/100 (78%)	
		48/50 (96%)	47/50 (94%)	42/50 (84%)		44/50 (88%)	46/50 (92%)	37/50 (74%)	
		47/50 (94%)	47/50 (94%)	49/50 (98%)		44/50 (88%)	44/50 (88%)	43/50 (86%)	
		49/50 (98%)	45/50 (90%)	48/50 (96%)		37/50 (74%)	43/50 (86%)	45/50 (90%)	
		47/50 (94%)	47/50 (94%)	50/50 (100%)		44/50 (88%)	35/50 (70%)	44/50 (88%)	
		47/50 (94%)	49/50 (98%)	50/50 (100%)		47/50 (94%)	43/50 (86%)	48/50 (96%)	
		48/50 (96%)	46/49 (94%)	60/60 (100%)		43/50 (86%)	38/49 (78%)	47/60 (78%)	
		49/50 (98%)	50/50 (100%)			33/50 (66%)	41/50 (82%)	45/50 (90%)	
		47/50 (94%)	50/50 (100%)	48/50 (96%)		42/50 (84%)	37/50 (74%)	41/50 (82%)	
		49/50 (98%)	47/50 (94%)	48/50 (96%)			42/50 (84%)	46/50 (92%)	
Overall Incidence	Total	1499/1559 (96.15%)	Mean 96%	SD 3.44%	Total	1297/1559 (83.19%)	Mean 83.58%	SD 7.34%	
.....									
#All Organs:									
Malignant Tumors									
		33/50 (66%)	57/100 (57%)	76/100 (76%)		20/50 (40%)	39/100 (39%)	30/100 (30%)	
		36/50 (72%)	27/50 (54%)	34/50 (68%)		24/50 (48%)	25/50 (50%)	16/50 (32%)	
		34/50 (68%)	35/50 (70%)	29/50 (58%)		22/50 (44%)	25/50 (50%)	17/50 (34%)	
		29/50 (58%)	25/50 (50%)	21/50 (42%)		12/50 (24%)	15/50 (30%)	18/50 (36%)	
		26/50 (52%)	29/50 (58%)	31/50 (62%)		25/50 (50%)	26/50 (52%)	22/50 (44%)	
		30/50 (60%)	22/50 (44%)	22/50 (44%)		19/50 (38%)	19/50 (38%)	19/50 (38%)	
		32/50 (64%)	34/49 (69%)	37/60 (62%)		25/50 (50%)	26/49 (53%)	24/60 (40%)	
		33/50 (66%)	35/50 (70%)			22/50 (44%)	33/50 (66%)	20/50 (40%)	
		30/50 (60%)	33/50 (66%)	28/50 (56%)		23/50 (46%)	30/50 (60%)	28/50 (56%)	
		28/50 (56%)	29/50 (58%)	27/50 (54%)			16/50 (32%)	21/50 (42%)	
Overall Incidence	Total	942/1559 (60.42%)	Mean 60%	SD 8.61%	Total	661/1559 (42.4%)	Mean 42.97%	SD 9.62%	
.....									
#All Organs:									
Malignant and Benign Tumors									
		50/50 (100%)	100/100 (100%)	99/100 (99%)		46/50 (92%)	92/100 (92%)	92/100 (92%)	
		50/50 (100%)	49/50 (98%)	49/50 (98%)		50/50 (100%)	49/50 (98%)	43/50 (86%)	
		50/50 (100%)	49/50 (98%)	50/50 (100%)		48/50 (96%)	50/50 (100%)	46/50 (92%)	
		49/50 (98%)	48/50 (96%)	50/50 (100%)		42/50 (84%)	49/50 (98%)	48/50 (96%)	
		49/50 (98%)	49/50 (98%)	50/50 (100%)		49/50 (98%)	45/50 (90%)	46/50 (92%)	
		49/50 (98%)	50/50 (100%)	50/50 (100%)		50/50 (100%)	45/50 (90%)	48/50 (96%)	
		50/50 (100%)	48/49 (98%)	60/60 (100%)		46/50 (92%)	44/49 (90%)	54/60 (90%)	
		50/50 (100%)	50/50 (100%)			43/50 (86%)	49/50 (98%)	47/50 (94%)	
		49/50 (98%)	50/50 (100%)	50/50 (100%)		45/50 (90%)	44/50 (88%)	47/50 (94%)	
		50/50 (100%)	50/50 (100%)	49/50 (98%)			45/50 (90%)	49/50 (98%)	
Overall Incidence	Total	1546/1559 (99.17%)	Mean 99.14%	SD 1.13%	Total	1451/1559 (93.07%)	Mean 93.17%	SD 4.49%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

		Male				Female					
#All Organs:											
Hemangioma											
		0/50 (0%)	0/100 (0%)	1/100 (1%)		0/50 (0%)	0/100 (0%)	2/100 (2%)			
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)			
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)			
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)			
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)			
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)			
		0/50 (0%)	0/49 (0%)	0/60 (0%)		1/50 (2%)	1/49 (2%)	0/60 (0%)			
		2/50 (4%)	0/50 (0%)			1/50 (2%)	0/50 (0%)	0/50 (0%)			
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)			
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)			
Overall Incidence	Total	6/1559 (0.38%)		Mean 0.38%	SD 0.94%	Total		5/1559 (0.32%)		Mean 0.28%	SD 0.71%
.....											
#All Organs:											
Hemangiosarcoma											
		0/50 (0%)	0/100 (0%)	0/100 (0%)		0/50 (0%)	0/100 (0%)	0/100 (0%)			
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)			
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)			
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)			
		1/50 (2%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	1/50 (2%)	0/50 (0%)			
		1/50 (2%)	1/50 (2%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)			
		0/50 (0%)	0/49 (0%)	1/60 (2%)		0/50 (0%)	1/49 (2%)	0/60 (0%)			
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)			
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)			
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)			
Overall Incidence	Total	6/1559 (0.38%)		Mean 0.4%	SD 0.8%	Total		4/1559 (0.26%)		Mean 0.28%	SD 0.71%
.....											
#All Organs:											
Hemangiosarcoma or Hemangioma											
		0/50 (0%)	0/100 (0%)	1/100 (1%)		0/50 (0%)	0/100 (0%)	2/100 (2%)			
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)			
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)			
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)			
		1/50 (2%)	0/50 (0%)	1/50 (2%)		1/50 (2%)	1/50 (2%)	0/50 (0%)			
		2/50 (4%)	1/50 (2%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)			
		0/50 (0%)	0/49 (0%)	1/60 (2%)		1/50 (2%)	2/49 (4%)	0/60 (0%)			
		2/50 (4%)	0/50 (0%)			1/50 (2%)	0/50 (0%)	0/50 (0%)			
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)			
		1/50 (2%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)			
Overall Incidence	Total	12/1559 (0.77%)		Mean 0.78%	SD 1.23%	Total		9/1559 (0.58%)		Mean 0.55%	SD 1.06%

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

		Male				Female			
#All Organs:									
Histiocytic Sarcoma									
		0/50 (0%)	0/100 (0%)	0/100 (0%)		0/50 (0%)	0/100 (0%)	0/100 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	2/50 (4%)	
		0/50 (0%)	1/50 (2%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	2/50 (4%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	2/50 (4%)	
		1/50 (2%)	0/49 (0%)	1/60 (2%)		0/50 (0%)	0/49 (0%)	0/60 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)	2/50 (4%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	8/1559 (0.51%)		Mean 0.54%	SD 1.04%	Total 8/1559 (0.51%)		Mean 0.55%	SD 1.3%
.....									
#All Organs:									
Leukemia: Lymphocytic, Monocytic, Mononuclear, or Undifferentiated									
		27/50 (54%)	40/100 (40%)	68/100 (68%)		19/50 (38%)	21/100 (21%)	24/100 (24%)	
		26/50 (52%)	19/50 (38%)	27/50 (54%)		12/50 (24%)	11/50 (22%)	8/50 (16%)	
		13/50 (26%)	16/50 (32%)	22/50 (44%)		9/50 (18%)	10/50 (20%)	10/50 (20%)	
		15/50 (30%)	15/50 (30%)	11/50 (22%)		7/50 (14%)	10/50 (20%)	10/50 (20%)	
		16/50 (32%)	20/50 (40%)	25/50 (50%)		14/50 (28%)	21/50 (42%)	14/50 (28%)	
		23/50 (46%)	15/50 (30%)	15/50 (30%)		12/50 (24%)	6/50 (12%)	9/50 (18%)	
		26/50 (52%)	26/49 (53%)	30/60 (50%)		18/50 (36%)	16/49 (33%)	21/60 (35%)	
		24/50 (48%)	33/50 (66%)			13/50 (26%)	24/50 (48%)	12/50 (24%)	
		17/50 (34%)	25/50 (50%)	22/50 (44%)		15/50 (30%)	26/50 (52%)	21/50 (42%)	
		16/50 (32%)	17/50 (34%)	13/50 (26%)			11/50 (22%)	11/50 (22%)	
Overall Incidence	Total	662/1559 (42.46%)		Mean 41.62%	SD 12.03%	Total 415/1559 (26.62%)		Mean 26.85%	SD 10.08%
.....									
#All Organs:									
Malignant Lymphoma: Histiocytic, Lymphocytic, Mixed, NOS, or Undifferentiated Cell Type									
		0/50 (0%)	0/100 (0%)	0/100 (0%)		0/50 (0%)	1/100 (1%)	1/100 (1%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		2/50 (4%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/49 (0%)	0/60 (0%)		0/50 (0%)	0/49 (0%)	0/60 (0%)	
		2/50 (4%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	1/50 (2%)			0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	6/1559 (0.38%)		Mean 0.41%	SD 1.12%	Total 2/1559 (0.13%)		Mean 0.07%	SD 0.26%

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

		Male				Female			
#All Organs:									
Mesothelioma: Benign									
		0/50 (0%)	0/100 (0%)	0/100 (0%)		0/50 (0%)	0/100 (0%)	0/100 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	2/49 (4%)	0/60 (0%)		0/50 (0%)	0/49 (0%)	0/60 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	3/1559 (0.19%)	Mean 0.21%	SD 0.83%	Total	0/1559 (0%)	Mean 0%	SD 0%	
.....									
#All Organs:									
Mesothelioma: Benign, Malignant, NOS									
		2/50 (4%)	5/100 (5%)	4/100 (4%)		0/50 (0%)	0/100 (0%)	0/100 (0%)	
		3/50 (6%)	1/50 (2%)	2/50 (4%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	6/50 (12%)	2/50 (4%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		2/50 (4%)	2/50 (4%)	4/50 (8%)		0/50 (0%)	2/50 (4%)	1/50 (2%)	
		2/50 (4%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		3/50 (6%)	2/50 (4%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	2/49 (4%)	2/60 (3%)		0/50 (0%)	0/49 (0%)	0/60 (0%)	
		5/50 (10%)	2/50 (4%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
		3/50 (6%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		3/50 (6%)	3/50 (6%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	63/1559 (4.04%)	Mean 4.01%	SD 2.89%	Total	3/1559 (0.19%)	Mean 0.21%	SD 0.82%	
.....									
#All Organs:									
Mesothelioma: Malignant									
		2/50 (4%)	5/100 (5%)	4/100 (4%)		0/50 (0%)	0/100 (0%)	0/100 (0%)	
		3/50 (6%)	1/50 (2%)	2/50 (4%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	6/50 (12%)	2/50 (4%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		2/50 (4%)	2/50 (4%)	4/50 (8%)		0/50 (0%)	2/50 (4%)	1/50 (2%)	
		2/50 (4%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		3/50 (6%)	2/50 (4%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/49 (0%)	2/60 (3%)		0/50 (0%)	0/49 (0%)	0/60 (0%)	
		5/50 (10%)	2/50 (4%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
		3/50 (6%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		3/50 (6%)	3/50 (6%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	61/1559 (3.91%)	Mean 3.87%	SD 2.98%	Total	3/1559 (0.19%)	Mean 0.21%	SD 0.82%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

		Male				Female									
#All Organs:															
Osteoma															
		0/50	(0%)	0/100	(0%)	0/100	(0%)	0/50	(0%)	0/100	(0%)	0/100	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	2/50	(4%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/49	(0%)	0/60	(0%)	0/50	(0%)	0/49	(0%)	0/60	(0%)		
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
Overall Incidence	Total	2/1559 (0.13%)		Mean 0.14%		SD 0.74%		Total		0/1559 (0%)		Mean 0%		SD 0%	
#All Organs:															
Osteosarcoma															
		1/50	(2%)	0/100	(0%)	0/100	(0%)	0/50	(0%)	1/100	(1%)	0/100	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		3/50	(6%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	1/50	(2%)		
		0/50	(0%)	1/49	(2%)	1/60	(2%)	0/50	(0%)	0/49	(0%)	0/60	(0%)		
		0/50	(0%)	1/50	(2%)			0/50	(0%)	0/50	(0%)	0/50	(0%)		
		1/50	(2%)	2/50	(4%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	3/50	(6%)			0/50	(0%)	0/50	(0%)		
Overall Incidence	Total	16/1559 (1.03%)		Mean 1.09%		SD 1.73%		Total		4/1559 (0.26%)		Mean 0.24%		SD 0.64%	
#All Organs:															
Osteosarcoma or Osteoma															
		1/50	(2%)	0/100	(0%)	0/100	(0%)	0/50	(0%)	1/100	(1%)	0/100	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		3/50	(6%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	2/50	(4%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	1/50	(2%)		
		0/50	(0%)	1/49	(2%)	1/60	(2%)	0/50	(0%)	0/49	(0%)	0/60	(0%)		
		0/50	(0%)	1/50	(2%)			0/50	(0%)	0/50	(0%)	0/50	(0%)		
		1/50	(2%)	2/50	(4%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	3/50	(6%)			0/50	(0%)	0/50	(0%)		
Overall Incidence	Total	18/1559 (1.15%)		Mean 1.23%		SD 1.8%		Total		4/1559 (0.26%)		Mean 0.24%		SD 0.64%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

		Male				Female			
*Adrenal Cortex:									
Adenoma									
		0/50 (0%)	0/100 (0%)	2/100 (2%)		0/50 (0%)	1/100 (1%)	2/100 (2%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	2/50 (4%)	
		0/50 (0%)	0/47 (0%)	0/50 (0%)		3/50 (6%)	1/49 (2%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	1/50 (2%)		1/50 (2%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)	1/50 (2%)	0/50 (0%)		1/49 (2%)	1/50 (2%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	1/50 (2%)		1/50 (2%)	5/50 (10%)	1/49 (2%)	
		0/50 (0%)	2/49 (4%)	0/60 (0%)		2/50 (4%)	1/49 (2%)	2/60 (3%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	2/49 (4%)	1/50 (2%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/49 (0%)	
		0/50 (0%)	0/49 (0%)	0/49 (0%)		1/49 (2%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	8/1554 (0.51%)	Mean 0.49%	SD 1.03%	Total	30/1553 (1.93%)	Mean 1.95%	SD 2.2%	
.....									
*Adrenal Cortex:									
Carcinoma									
		0/50 (0%)	0/100 (0%)	0/100 (0%)		0/50 (0%)	0/100 (0%)	0/100 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/47 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/49 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
		0/50 (0%)	0/49 (0%)	0/60 (0%)		0/50 (0%)	0/49 (0%)	0/60 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/49 (0%)	
		0/50 (0%)	0/49 (0%)	0/49 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/1554 (0.06%)	Mean 0.07%	SD 0.37%	Total	2/1553 (0.13%)	Mean 0.14%	SD 0.52%	
.....									
*Adrenal Medulla:									
Ganglioneuroma									
		0/50 (0%)	1/100 (1%)	0/100 (0%)		0/50 (0%)	0/100 (0%)	0/99 (0%)	
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	1/47 (2%)	0/50 (0%)		0/49 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/48 (0%)	
		0/50 (0%)	0/49 (0%)	0/60 (0%)		0/49 (0%)	0/48 (0%)	0/60 (0%)	
		0/50 (0%)	0/50 (0%)			0/49 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
		0/50 (0%)	0/49 (0%)	0/49 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	2/1553 (0.13%)	Mean 0.11%	SD 0.43%	Total	0/1547 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

		Male				Female			
*Adrenal Medulla:									
Pheochromocytoma Benign									
		8/50 (16%)	5/100 (5%)	10/100 (10%)	0/50 (0%)	1/100 (1%)	3/99 (3%)		
		7/50 (14%)	7/49 (14%)	4/50 (8%)	1/50 (2%)	1/50 (2%)	2/50 (4%)		
		3/50 (6%)	4/47 (9%)	12/50 (24%)	0/49 (0%)	0/49 (0%)	2/50 (4%)		
		7/50 (14%)	9/50 (18%)	7/50 (14%)	2/50 (4%)	0/50 (0%)	1/50 (2%)		
		10/50 (20%)	3/50 (6%)	8/50 (16%)	2/50 (4%)	1/50 (2%)	3/50 (6%)		
		9/50 (18%)	8/50 (16%)	8/50 (16%)	2/50 (4%)	0/49 (0%)	2/48 (4%)		
		8/50 (16%)	4/49 (8%)	2/60 (3%)	1/49 (2%)	3/48 (6%)	2/60 (3%)		
		3/50 (6%)	12/50 (24%)		2/49 (4%)	2/49 (4%)	1/50 (2%)		
		6/50 (12%)	5/50 (10%)	4/50 (8%)	4/50 (8%)	2/50 (4%)	2/49 (4%)		
		8/50 (16%)	7/49 (14%)	6/49 (12%)		1/49 (2%)	2/50 (4%)		
Overall Incidence	Total	194/1553 (12.49%)	Mean 12.89%	SD 5.41%	Total	45/1547 (2.91%)	Mean 2.97%	SD 2%	
.....									
*Adrenal Medulla:									
Pheochromocytoma Complex									
		0/50 (0%)	0/100 (0%)	1/100 (1%)	0/50 (0%)	1/100 (1%)	0/99 (0%)		
		0/50 (0%)	0/49 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/47 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		1/50 (2%)	0/50 (0%)	2/50 (4%)	0/50 (0%)	0/49 (0%)	0/48 (0%)		
		0/50 (0%)	0/49 (0%)	0/60 (0%)	0/49 (0%)	0/48 (0%)	0/60 (0%)		
		0/50 (0%)	0/50 (0%)		0/49 (0%)	0/49 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)		
		2/50 (4%)	0/49 (0%)	0/49 (0%)		0/49 (0%)	0/50 (0%)		
Overall Incidence	Total	6/1553 (0.39%)	Mean 0.38%	SD 1.08%	Total	2/1547 (0.13%)	Mean 0.1%	SD 0.41%	
.....									
*Adrenal Medulla:									
Pheochromocytoma Malignant									
		0/50 (0%)	0/100 (0%)	0/100 (0%)	0/50 (0%)	2/100 (2%)	0/99 (0%)		
		1/50 (2%)	2/49 (4%)	2/50 (4%)	1/50 (2%)	0/50 (0%)	0/50 (0%)		
		4/50 (8%)	5/47 (11%)	1/50 (2%)	0/49 (0%)	2/49 (4%)	0/50 (0%)		
		1/50 (2%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	1/50 (2%)		
		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	1/48 (2%)		
		2/50 (4%)	1/49 (2%)	2/60 (3%)	0/49 (0%)	0/48 (0%)	0/60 (0%)		
		0/50 (0%)	2/50 (4%)		0/49 (0%)	0/49 (0%)	1/50 (2%)		
		1/50 (2%)	1/50 (2%)	1/50 (2%)	0/50 (0%)	1/50 (2%)	0/49 (0%)		
		1/50 (2%)	0/49 (0%)	3/49 (6%)		0/49 (0%)	0/50 (0%)		
Overall Incidence	Total	32/1553 (2.06%)	Mean 2.21%	SD 2.59%	Total	10/1547 (0.65%)	Mean 0.63%	SD 1.1%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

		Male				Female			
*Adrenal Medulla:									
Pheochromocytoma: Benign, Complex, Malignant, NOS									
		8/50 (16%)	5/100 (5%)	11/100 (11%)	0/50 (0%)	4/100 (4%)	3/99 (3%)		
		7/50 (14%)	8/49 (16%)	6/50 (12%)	3/50 (6%)	1/50 (2%)	2/50 (4%)		
		6/50 (12%)	9/47 (19%)	13/50 (26%)	0/49 (0%)	2/49 (4%)	2/50 (4%)		
		7/50 (14%)	9/50 (18%)	7/50 (14%)	3/50 (6%)	0/50 (0%)	2/50 (4%)		
		10/50 (20%)	4/50 (8%)	8/50 (16%)	2/50 (4%)	1/50 (2%)	3/50 (6%)		
		11/50 (22%)	8/50 (16%)	10/50 (20%)	2/50 (4%)	0/49 (0%)	3/48 (6%)		
		10/50 (20%)	5/49 (10%)	4/60 (7%)	1/49 (2%)	3/48 (6%)	2/60 (3%)		
		3/50 (6%)	14/50 (28%)		2/49 (4%)	2/49 (4%)	2/50 (4%)		
		7/50 (14%)	6/50 (12%)	5/50 (10%)	4/50 (8%)	3/50 (6%)	2/49 (4%)		
		11/50 (22%)	7/49 (14%)	9/49 (18%)		1/49 (2%)	2/50 (4%)		
Overall Incidence	Total	228/1553 (14.68%)	Mean 15.21%	SD 5.67%	Total	57/1547 (3.68%)	Mean 3.7%	SD 2.08%	
.....									
#Blood Vessel:									
Osteosarcoma									
		0/50 (0%)	0/100 (0%)	0/100 (0%)	0/50 (0%)	0/100 (0%)	0/100 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/49 (0%)	0/60 (0%)	0/50 (0%)	0/49 (0%)	0/60 (0%)		
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	1/1559 (0.06%)	Mean 0.07%	SD 0.37%	Total	0/1559 (0%)	Mean 0%	SD 0%	
.....									
#Bone:									
Chordoma									
		1/50 (2%)	0/100 (0%)	0/100 (0%)	0/50 (0%)	0/100 (0%)	0/100 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		1/50 (2%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/49 (0%)	0/60 (0%)	0/50 (0%)	0/49 (0%)	0/60 (0%)		
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	3/1559 (0.19%)	Mean 0.21%	SD 0.62%	Total	0/1559 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

		Male				Female							
#Bone:													
Osteoma													
		0/50	(0%)	0/100	(0%)	0/100	(0%)	0/50	(0%)	0/100	(0%)	0/100	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	2/50	(4%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/49	(0%)	0/60	(0%)	0/50	(0%)	0/49	(0%)	0/60	(0%)
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	2/1559 (0.13%)		Mean 0.14%		SD 0.74%		Total 0/1559 (0%)		Mean 0%		SD 0%	
.....													
#Bone:													
Osteosarcoma													
		0/50	(0%)	0/100	(0%)	0/100	(0%)	0/50	(0%)	1/100	(1%)	0/100	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		3/50	(6%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	1/50	(2%)
		0/50	(0%)	1/49	(2%)	1/60	(2%)	0/50	(0%)	0/49	(0%)	0/60	(0%)
		0/50	(0%)	1/50	(2%)			0/50	(0%)	0/50	(0%)	0/50	(0%)
		1/50	(2%)	2/50	(4%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	13/1559 (0.83%)		Mean 0.89%		SD 1.47%		Total 4/1559 (0.26%)		Mean 0.24%		SD 0.64%	
.....													
#Bone:													
Osteosarcoma or Osteoma													
		0/50	(0%)	0/100	(0%)	0/100	(0%)	0/50	(0%)	1/100	(1%)	0/100	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		3/50	(6%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	2/50	(4%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	1/50	(2%)
		0/50	(0%)	1/49	(2%)	1/60	(2%)	0/50	(0%)	0/49	(0%)	0/60	(0%)
		0/50	(0%)	1/50	(2%)			0/50	(0%)	0/50	(0%)	0/50	(0%)
		1/50	(2%)	2/50	(4%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	15/1559 (0.96%)		Mean 1.02%		SD 1.56%		Total 4/1559 (0.26%)		Mean 0.24%		SD 0.64%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

		Male				Female			
*Brain:									
Astrocytoma Malignant									
		0/50 (0%)	0/100 (0%)	0/100 (0%)		0/50 (0%)	1/100 (1%)	0/100 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		1/50 (2%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	2/50 (4%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/49 (0%)	0/60 (0%)		1/50 (2%)	0/49 (0%)	0/60 (0%)	
		0/50 (0%)	0/50 (0%)			1/50 (2%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
Overall Incidence	Total	3/1558 (0.19%)	Mean 0.21%	SD 0.62%	Total	6/1556 (0.39%)	Mean 0.38%	SD 0.94%	
.....									
*Brain:									
Glioma Malignant									
		0/50 (0%)	0/100 (0%)	0/100 (0%)		0/50 (0%)	0/100 (0%)	0/100 (0%)	
		0/50 (0%)	0/50 (0%)	1/50 (2%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/49 (0%)	0/60 (0%)		1/50 (2%)	0/49 (0%)	0/60 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
Overall Incidence	Total	2/1558 (0.13%)	Mean 0.14%	SD 0.52%	Total	2/1556 (0.13%)	Mean 0.14%	SD 0.52%	
.....									
*Brain:									
Granular Cell Tumor Benign									
		0/50 (0%)	0/100 (0%)	0/100 (0%)		0/50 (0%)	0/100 (0%)	0/100 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/49 (0%)	0/60 (0%)		0/50 (0%)	0/49 (0%)	0/60 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
Overall Incidence	Total	0/1558 (0%)	Mean 0%	SD 0%	Total	1/1556 (0.06%)	Mean 0.07%	SD 0.37%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

		Male				Female								
*Brain:														
Granular Cell Tumor Malignant														
		0/50	(0%)	0/100	(0%)	0/100	(0%)	0/50	(0%)	0/100	(0%)	0/100	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/49	(0%)	0/60	(0%)	0/50	(0%)	0/49	(0%)	0/60	(0%)	
		1/50	(2%)	0/50	(0%)			0/50	(0%)	0/49	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	
Overall Incidence	Total	1/1558 (0.06%)		Mean 0.07%		SD 0.37%		Total	0/1556 (0%)		Mean 0%		SD 0%	
*Brain:														
Medulloblastoma Mal														
		0/50	(0%)	0/100	(0%)	0/100	(0%)	0/50	(0%)	0/100	(0%)	0/100	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		1/50	(2%)	0/49	(0%)	0/60	(0%)	0/50	(0%)	0/49	(0%)	0/60	(0%)	
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/49	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	
Overall Incidence	Total	1/1558 (0.06%)		Mean 0.07%		SD 0.37%		Total	0/1556 (0%)		Mean 0%		SD 0%	
*Brain:														
Meningioma Malignant														
		0/50	(0%)	0/100	(0%)	0/100	(0%)	0/50	(0%)	0/100	(0%)	1/100	(1%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/49	(0%)	0/60	(0%)	0/50	(0%)	0/49	(0%)	0/60	(0%)	
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/49	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/49	(0%)	
Overall Incidence	Total	0/1558 (0%)		Mean 0%		SD 0%		Total	2/1556 (0.13%)		Mean 0.1%		SD 0.41%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

		Male				Female								
*Brain:														
Meningioma: Benign, Malignant, NOS														
		0/50	(0%)	0/100	(0%)	0/100	(0%)	0/50	(0%)	0/100	(0%)	1/100	(1%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/49	(0%)	0/60	(0%)	0/50	(0%)	0/49	(0%)	0/60	(0%)	
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/49	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/49	(0%)	
Overall Incidence	Total	0/1558 (0%)		Mean	0%	SD	0%	Total	2/1556 (0.13%)		Mean	0.1%	SD	0.41%
*Brain:														
Oligodendroglioma Benign														
		0/50	(0%)	0/100	(0%)	0/100	(0%)	0/50	(0%)	0/100	(0%)	0/100	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/49	(0%)	0/60	(0%)	0/50	(0%)	0/49	(0%)	0/60	(0%)	
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/49	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	
Overall Incidence	Total	1/1558 (0.06%)		Mean	0.07%	SD	0.37%	Total	1/1556 (0.06%)		Mean	0.07%	SD	0.37%
*Brain:														
Oligodendroglioma Malignant														
		0/50	(0%)	0/100	(0%)	0/100	(0%)	0/50	(0%)	0/100	(0%)	0/100	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/49	(0%)	0/60	(0%)	0/50	(0%)	0/49	(0%)	0/60	(0%)	
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/49	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	
Overall Incidence	Total	0/1558 (0%)		Mean	0%	SD	0%	Total	2/1556 (0.13%)		Mean	0.14%	SD	0.52%

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

		Male				Female				
*Brain:										
Oligodendroglioma, Glioma, or Astrocytoma										
		0/50 (0%)	0/100 (0%)	0/100 (0%)	0/50 (0%)	1/100 (1%)	0/100 (0%)			
		0/50 (0%)	0/50 (0%)	1/50 (2%)	2/50 (4%)	0/50 (0%)	1/50 (2%)			
		1/50 (2%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)			
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	2/50 (4%)			
		0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	1/50 (2%)	0/50 (0%)			
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)			
		0/50 (0%)	0/49 (0%)	0/60 (0%)	2/50 (4%)	0/49 (0%)	0/60 (0%)			
		0/50 (0%)	0/50 (0%)		1/50 (2%)	0/49 (0%)	0/50 (0%)			
		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)			
		2/50 (4%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)			
Overall Incidence	Total	6/1558 (0.39%)		Mean 0.41%	SD 0.98%	Total	11/1556 (0.71%)		Mean 0.72%	SD 1.33%
.....										
*Brain:										
Sarcoma										
		0/50 (0%)	0/100 (0%)	0/100 (0%)	0/50 (0%)	0/100 (0%)	0/100 (0%)			
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)			
		0/50 (0%)	1/50 (2%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)			
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)			
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)			
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)			
		0/50 (0%)	0/49 (0%)	0/60 (0%)	0/50 (0%)	0/49 (0%)	0/60 (0%)			
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)			
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)			
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)			
Overall Incidence	Total	1/1558 (0.06%)		Mean 0.07%	SD 0.37%	Total	0/1556 (0%)		Mean 0%	SD 0%
.....										
*Clitoral/Preputial Gland:										
Adenoma										
		0/50 (0%)	7/100 (7%)	7/100 (7%)	3/50 (6%)	4/99 (4%)	15/98 (15%)			
		0/50 (0%)	0/50 (0%)	3/50 (6%)	1/50 (2%)	8/48 (17%)	1/47 (2%)			
		1/50 (2%)	3/50 (6%)	0/48 (0%)	2/50 (4%)	6/48 (13%)	0/50 (0%)			
		1/50 (2%)	1/50 (2%)	1/49 (2%)	3/50 (6%)	2/50 (4%)	5/50 (10%)			
		1/50 (2%)	2/50 (4%)	0/50 (0%)	5/49 (10%)	2/49 (4%)	0/50 (0%)			
		1/50 (2%)	0/50 (0%)	2/50 (4%)	7/50 (14%)	5/50 (10%)	8/50 (16%)			
		0/50 (0%)	3/48 (6%)	2/60 (3%)	0/50 (0%)	4/49 (8%)	12/59 (20%)			
		2/50 (4%)	1/50 (2%)		7/50 (14%)	1/50 (2%)	7/49 (14%)			
		0/50 (0%)	0/50 (0%)	0/50 (0%)	8/46 (17%)	0/49 (0%)	2/50 (4%)			
		2/50 (4%)	3/50 (6%)	1/48 (2%)		8/50 (16%)	11/49 (22%)			
Overall Incidence	Total	44/1553 (2.83%)		Mean 2.54%	SD 2.43%	Total	137/1539 (8.9%)		Mean 8.81%	SD 6.76%

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

		Male				Female			
*Clitoral/Preputial Gland:									
Carcinoma									
		1/50 (2%)	4/100 (4%)	1/100 (1%)		1/50 (2%)	9/99 (9%)	1/98 (1%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		2/50 (4%)	1/48 (2%)	0/47 (0%)	
		1/50 (2%)	3/50 (6%)	0/48 (0%)		2/50 (4%)	5/48 (10%)	0/50 (0%)	
		1/50 (2%)	1/50 (2%)	3/49 (6%)		0/50 (0%)	0/50 (0%)	2/50 (4%)	
		2/50 (4%)	1/50 (2%)	1/50 (2%)		0/49 (0%)	1/49 (2%)	1/50 (2%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	3/50 (6%)	2/50 (4%)	
		2/50 (4%)	3/48 (6%)	2/60 (3%)		1/50 (2%)	0/49 (0%)	2/59 (3%)	
		2/50 (4%)	1/50 (2%)			2/50 (4%)	2/50 (4%)	3/49 (6%)	
		5/50 (10%)	0/50 (0%)	0/50 (0%)		2/46 (4%)	1/49 (2%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	3/48 (6%)			1/50 (2%)	3/49 (6%)	
Overall Incidence	Total	38/1553 (2.45%)	Mean 2.45%	SD 2.58%	Total	48/1539 (3.12%)	Mean 2.99%	SD 2.69%	
.....									
*Clitoral/Preputial Gland:									
Carcinoma or Adenoma									
		1/50 (2%)	11/100 (11%)	8/100 (8%)		4/50 (8%)	13/99 (13%)	16/98 (16%)	
		0/50 (0%)	0/50 (0%)	3/50 (6%)		3/50 (6%)	9/48 (19%)	1/47 (2%)	
		2/50 (4%)	6/50 (12%)	0/48 (0%)		4/50 (8%)	10/48 (21%)	0/50 (0%)	
		2/50 (4%)	2/50 (4%)	4/49 (8%)		3/50 (6%)	2/50 (4%)	7/50 (14%)	
		3/50 (6%)	3/50 (6%)	1/50 (2%)		5/49 (10%)	3/49 (6%)	1/50 (2%)	
		1/50 (2%)	0/50 (0%)	2/50 (4%)		8/50 (16%)	8/50 (16%)	10/50 (20%)	
		2/50 (4%)	6/48 (13%)	4/60 (7%)		1/50 (2%)	4/49 (8%)	14/59 (24%)	
		4/50 (8%)	2/50 (4%)			8/50 (16%)	3/50 (6%)	10/49 (20%)	
		5/50 (10%)	0/50 (0%)	0/50 (0%)		10/46 (22%)	1/49 (2%)	2/50 (4%)	
		3/50 (6%)	3/50 (6%)	4/48 (8%)			9/50 (18%)	14/49 (29%)	
Overall Incidence	Total	82/1553 (5.28%)	Mean 4.99%	SD 3.76%	Total	183/1539 (11.89%)	Mean 11.66%	SD 7.86%	
.....									
*Clitoral/Preputial Gland:									
Fibrosarcoma									
		0/50 (0%)	0/100 (0%)	0/100 (0%)		0/50 (0%)	0/99 (0%)	0/98 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/48 (0%)	0/47 (0%)	
		0/50 (0%)	0/50 (0%)	0/48 (0%)		0/50 (0%)	0/48 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/48 (0%)	0/60 (0%)		1/50 (2%)	0/49 (0%)	0/59 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/49 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/46 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/48 (0%)			0/50 (0%)	0/49 (0%)	
Overall Incidence	Total	0/1553 (0%)	Mean 0%	SD 0%	Total	1/1539 (0.06%)	Mean 0.07%	SD 0.37%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

		Male				Female							
*Clitoral/Preputial Gland:													
Hemangiosarcoma													
		0/50	(0%)	0/100	(0%)	0/100	(0%)	0/50	(0%)	0/99	(0%)	0/98	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/48	(0%)	0/47	(0%)
		0/50	(0%)	0/50	(0%)	0/48	(0%)	0/50	(0%)	0/48	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	1/49	(2%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/48	(0%)	0/60	(0%)	0/50	(0%)	0/49	(0%)	0/59	(0%)
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/49	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/46	(0%)	0/49	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/48	(0%)			0/50	(0%)	0/49	(0%)
Overall Incidence	Total	0/1553 (0%)		Mean 0%	SD 0%			Total	1/1539 (0.06%)		Mean 0.07%	SD 0.38%	
*Clitoral/Preputial Gland:													
Sarcoma													
		0/50	(0%)	0/100	(0%)	0/100	(0%)	0/50	(0%)	0/99	(0%)	0/98	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/48	(0%)	0/47	(0%)
		0/50	(0%)	1/50	(2%)	0/48	(0%)	0/50	(0%)	0/48	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/49	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/48	(0%)	0/60	(0%)	0/50	(0%)	0/49	(0%)	0/59	(0%)
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/49	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/46	(0%)	0/49	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/48	(0%)			0/50	(0%)	0/49	(0%)
Overall Incidence	Total	1/1553 (0.06%)		Mean 0.07%	SD 0.37%			Total	0/1539 (0%)		Mean 0%	SD 0%	
*Clitoral/Preputial Gland:													
Schwannoma Malignant													
		0/50	(0%)	0/100	(0%)	0/100	(0%)	0/50	(0%)	0/99	(0%)	0/98	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/48	(0%)	0/47	(0%)
		0/50	(0%)	0/50	(0%)	0/48	(0%)	0/50	(0%)	0/48	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/49	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/48	(0%)	0/60	(0%)	0/50	(0%)	0/49	(0%)	0/59	(0%)
		1/50	(2%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/49	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/46	(0%)	0/49	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/48	(0%)			0/50	(0%)	0/49	(0%)
Overall Incidence	Total	1/1553 (0.06%)		Mean 0.07%	SD 0.37%			Total	0/1539 (0%)		Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

		Male				Female							
*Clitoral/Preputial Gland:													
Squamous Cell Papilloma													
		0/50	(0%)	0/100	(0%)	0/100	(0%)	1/50	(2%)	0/99	(0%)	0/98	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/48	(0%)	0/47	(0%)
		0/50	(0%)	0/50	(0%)	0/48	(0%)	0/50	(0%)	0/48	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/49	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)
		0/50	(0%)	0/48	(0%)	0/60	(0%)	0/50	(0%)	0/49	(0%)	0/59	(0%)
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/49	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/46	(0%)	0/49	(0%)	0/50	(0%)
		0/50	(0%)	1/50	(2%)	0/48	(0%)			0/50	(0%)	0/49	(0%)
Overall Incidence	Total	1/1553 (0.06%)		Mean 0.07%		SD 0.37%		Total	2/1539 (0.13%)		Mean 0.14%		SD 0.52%
.....													
#Ear:													
Neural Crest Tumor													
		0/50	(0%)	0/100	(0%)	0/100	(0%)	0/50	(0%)	0/100	(0%)	0/100	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/49	(0%)	0/60	(0%)	0/50	(0%)	0/49	(0%)	0/60	(0%)
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		1/50	(2%)	0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)
Overall Incidence	Total	1/1559 (0.06%)		Mean 0.07%		SD 0.37%		Total	0/1559 (0%)		Mean 0%		SD 0%
.....													
#Eye:													
Amelanotic Melanoma, Benign													
		0/50	(0%)	0/100	(0%)	0/100	(0%)	0/50	(0%)	0/100	(0%)	0/100	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/49	(0%)	0/60	(0%)	0/50	(0%)	0/49	(0%)	0/60	(0%)
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/1559 (0%)		Mean 0%		SD 0%		Total	1/1559 (0.06%)		Mean 0.07%		SD 0.37%

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

		Male				Female			
#Eye:									
Melanoma Benign									
		0/50 (0%)	0/100 (0%)	0/100 (0%)		1/50 (2%)	0/100 (0%)	0/100 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/49 (0%)	0/60 (0%)		0/50 (0%)	0/49 (0%)	0/60 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/1559 (0%)	Mean 0%	SD 0%	Total	1/1559 (0.06%)	Mean 0.07%	SD 0.37%	
.....									
#Eye:									
Melanoma Malignant									
		0/50 (0%)	0/100 (0%)	0/100 (0%)		0/50 (0%)	0/100 (0%)	0/100 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/49 (0%)	0/60 (0%)		0/50 (0%)	0/49 (0%)	0/60 (0%)	
		1/50 (2%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/1559 (0.06%)	Mean 0.07%	SD 0.37%	Total	0/1559 (0%)	Mean 0%	SD 0%	
.....									
#Harderian Gland:									
Adenoma									
		0/50 (0%)	0/100 (0%)	0/100 (0%)		0/50 (0%)	0/100 (0%)	0/100 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/49 (0%)	0/60 (0%)		0/50 (0%)	0/49 (0%)	0/60 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/1559 (0.06%)	Mean 0.07%	SD 0.37%	Total	0/1559 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

		Male				Female								
#Harderian Gland:														
Carcinoma														
		0/50	(0%)	0/100	(0%)	0/100	(0%)	0/50	(0%)	0/100	(0%)	0/100	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/49	(0%)	0/60	(0%)	0/50	(0%)	0/49	(0%)	0/60	(0%)	
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	1/1559 (0.06%)		Mean 0.07%		SD 0.37%		Total	0/1559 (0%)		Mean 0%		SD 0%	
#Harderian Gland:														
Carcinoma or Adenoma														
		0/50	(0%)	0/100	(0%)	0/100	(0%)	0/50	(0%)	0/100	(0%)	0/100	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/49	(0%)	0/60	(0%)	0/50	(0%)	0/49	(0%)	0/60	(0%)	
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		1/50	(2%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	2/1559 (0.13%)		Mean 0.14%		SD 0.52%		Total	0/1559 (0%)		Mean 0%		SD 0%	
*Heart:														
Schwannoma Benign														
		0/50	(0%)	0/100	(0%)	0/100	(0%)	0/50	(0%)	0/100	(0%)	0/100	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	2/50	(4%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	
		0/50	(0%)	0/49	(0%)	0/60	(0%)	0/50	(0%)	0/49	(0%)	0/60	(0%)	
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	4/1559 (0.26%)		Mean 0.28%		SD 0.88%		Total	1/1558 (0.06%)		Mean 0.07%		SD 0.37%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

		Male				Female			
*Heart:									
Schwannoma Malignant									
		1/50 (2%)	2/100 (2%)	0/100 (0%)		1/50 (2%)	0/100 (0%)	1/100 (1%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/49 (0%)	0/60 (0%)		0/50 (0%)	0/49 (0%)	0/60 (0%)	
		0/50 (0%)	0/50 (0%)			1/50 (2%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	6/1559 (0.38%)	Mean 0.34%	SD 0.77%	Total	4/1558 (0.26%)	Mean 0.24%	SD 0.64%	

#Intestine Large: Colon/Rectum:									
Adenoma									
		0/50 (0%)	0/100 (0%)	0/100 (0%)		0/50 (0%)	0/100 (0%)	0/100 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/49 (0%)	0/60 (0%)		0/50 (0%)	0/49 (0%)	0/60 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/1559 (0.06%)	Mean 0.07%	SD 0.37%	Total	0/1559 (0%)	Mean 0%	SD 0%	

#Intestine Large: Colon/Rectum:									
Carcinoma									
		0/50 (0%)	0/100 (0%)	1/100 (1%)		0/50 (0%)	0/100 (0%)	0/100 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/49 (0%)	0/60 (0%)		0/50 (0%)	0/49 (0%)	0/60 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/1559 (0.06%)	Mean 0.03%	SD 0.19%	Total	0/1559 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

		Male				Female								
#Intestine Large: Colon/Rectum:														
Carcinoma or Adenoma														
		0/50	(0%)	0/100	(0%)	1/100	(1%)	0/50	(0%)	0/100	(0%)	0/100	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/49	(0%)	0/60	(0%)	0/50	(0%)	0/49	(0%)	0/60	(0%)	
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	2/1559 (0.13%)		Mean	0.1%	SD	0.41%	Total	0/1559 (0%)		Mean	0%	SD	0%
#Intestine Large: Colon/Rectum:														
Leiomyosarcoma														
		0/50	(0%)	0/100	(0%)	0/100	(0%)	0/50	(0%)	0/100	(0%)	0/100	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/49	(0%)	0/60	(0%)	0/50	(0%)	0/49	(0%)	0/60	(0%)	
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	0/1559 (0%)		Mean	0%	SD	0%	Total	1/1559 (0.06%)		Mean	0.07%	SD	0.37%
#Intestine Large: Colon/Rectum:														
Polyp Adenomatous														
		0/50	(0%)	0/100	(0%)	0/100	(0%)	0/50	(0%)	0/100	(0%)	1/100	(1%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/49	(0%)	1/60	(2%)	0/50	(0%)	0/49	(0%)	0/60	(0%)	
		0/50	(0%)	1/50	(2%)			0/50	(0%)	0/50	(0%)	1/50	(2%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	4/1559 (0.26%)		Mean	0.26%	SD	0.67%	Total	2/1559 (0.13%)		Mean	0.1%	SD	0.41%

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

		Male				Female								
#Intestine Small: Jejunum:														
Carcinoma														
		0/50	(0%)	0/100	(0%)	0/100	(0%)	0/50	(0%)	0/100	(0%)	0/100	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/49	(0%)	0/60	(0%)	0/50	(0%)	0/49	(0%)	0/60	(0%)	
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	1/1559 (0.06%)		Mean 0.07%		SD 0.37%		Total	0/1559 (0%)		Mean 0%		SD 0%	
.....														
#Intestine Small: Jejunum:														
Leiomyoma														
		0/50	(0%)	0/100	(0%)	1/100	(1%)	0/50	(0%)	0/100	(0%)	0/100	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/49	(0%)	0/60	(0%)	0/50	(0%)	0/49	(0%)	0/60	(0%)	
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	1/1559 (0.06%)		Mean 0.03%		SD 0.19%		Total	0/1559 (0%)		Mean 0%		SD 0%	
.....														
#Intestine Small: Jejunum:														
Sarcoma														
		0/50	(0%)	0/100	(0%)	0/100	(0%)	0/50	(0%)	0/100	(0%)	1/100	(1%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/49	(0%)	0/60	(0%)	0/50	(0%)	0/49	(0%)	0/60	(0%)	
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	0/1559 (0%)		Mean 0%		SD 0%		Total	1/1559 (0.06%)		Mean 0.03%		SD 0.19%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

		Male				Female								
#Intestine Small: Site Unspecified:														
Carcinoma														
		0/50	(0%)	0/100	(0%)	0/100	(0%)	0/50	(0%)	0/100	(0%)	0/100	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/49	(0%)	0/60	(0%)	0/50	(0%)	0/49	(0%)	0/60	(0%)	
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	1/1559 (0.06%)		Mean 0.07%		SD 0.37%		Total	0/1559 (0%)		Mean 0%		SD 0%	
#Intestine Small: Site Unspecified:														
Carcinoma or Adenoma														
		0/50	(0%)	0/100	(0%)	0/100	(0%)	0/50	(0%)	0/100	(0%)	0/100	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/49	(0%)	0/60	(0%)	0/50	(0%)	0/49	(0%)	0/60	(0%)	
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	1/1559 (0.06%)		Mean 0.07%		SD 0.37%		Total	0/1559 (0%)		Mean 0%		SD 0%	
#Intestine Small: Site Unspecified:														
Leiomyoma														
		0/50	(0%)	0/100	(0%)	1/100	(1%)	0/50	(0%)	0/100	(0%)	0/100	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/49	(0%)	0/60	(0%)	0/50	(0%)	0/49	(0%)	0/60	(0%)	
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	1/1559 (0.06%)		Mean 0.03%		SD 0.19%		Total	0/1559 (0%)		Mean 0%		SD 0%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

		Male				Female			
#Intestine Small: Site Unspecified:									
Sarcoma									
		0/50 (0%)	0/100 (0%)	0/100 (0%)		0/50 (0%)	0/100 (0%)	1/100 (1%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/49 (0%)	0/60 (0%)		0/50 (0%)	0/49 (0%)	0/60 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/1559 (0%)	Mean 0%	SD 0%	Total	1/1559 (0.06%)	Mean 0.03%	SD 0.19%	

*Islets, Pancreatic:									
Adenoma									
		1/50 (2%)	2/100 (2%)	3/99 (3%)		0/50 (0%)	0/100 (0%)	0/100 (0%)	
		1/50 (2%)	3/50 (6%)	0/50 (0%)		1/50 (2%)	1/50 (2%)	0/50 (0%)	
		5/50 (10%)	2/44 (5%)	5/50 (10%)		0/50 (0%)	0/47 (0%)	1/50 (2%)	
		1/50 (2%)	2/50 (4%)	4/50 (8%)		0/50 (0%)	1/50 (2%)	1/50 (2%)	
		1/50 (2%)	0/50 (0%)	3/50 (6%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		4/50 (8%)	0/50 (0%)	3/50 (6%)		2/49 (4%)	0/50 (0%)	0/49 (0%)	
		3/50 (6%)	2/49 (4%)	2/60 (3%)		3/50 (6%)	1/49 (2%)	1/60 (2%)	
		3/50 (6%)	4/50 (8%)			0/50 (0%)	0/49 (0%)	2/50 (4%)	
		4/50 (8%)	3/50 (6%)	1/50 (2%)		0/50 (0%)	1/49 (2%)	1/49 (2%)	
		3/49 (6%)	5/48 (10%)	3/50 (6%)			0/47 (0%)	2/50 (4%)	
Overall Incidence	Total	73/1549 (4.71%)	Mean 4.88%	SD 3.05%	Total	19/1548 (1.23%)	Mean 1.31%	SD 1.63%	

*Islets, Pancreatic:									
Carcinoma									
		0/50 (0%)	0/100 (0%)	0/99 (0%)		0/50 (0%)	2/100 (2%)	0/100 (0%)	
		2/50 (4%)	4/50 (8%)	1/50 (2%)		1/50 (2%)	1/50 (2%)	0/50 (0%)	
		2/50 (4%)	0/44 (0%)	1/50 (2%)		0/50 (0%)	0/47 (0%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		2/50 (4%)	0/50 (0%)	4/50 (8%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	2/50 (4%)	0/49 (0%)	
		1/50 (2%)	4/49 (8%)	0/60 (0%)		0/50 (0%)	1/49 (2%)	0/60 (0%)	
		2/50 (4%)	0/50 (0%)			0/50 (0%)	1/49 (2%)	0/50 (0%)	
		1/50 (2%)	1/50 (2%)	1/50 (2%)		0/50 (0%)	0/49 (0%)	1/49 (2%)	
		0/49 (0%)	0/48 (0%)	2/50 (4%)			0/47 (0%)	1/50 (2%)	
Overall Incidence	Total	29/1549 (1.87%)	Mean 2.01%	SD 2.58%	Total	10/1548 (0.65%)	Mean 0.62%	SD 1.09%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

		Male				Female				
*Islets, Pancreatic:										
Carcinoma or Adenoma										
		1/50 (2%)	2/100 (2%)	3/99 (3%)	0/50 (0%)	2/100 (2%)	0/100 (0%)			
		3/50 (6%)	7/50 (14%)	1/50 (2%)	2/50 (4%)	2/50 (4%)	0/50 (0%)			
		7/50 (14%)	2/44 (5%)	6/50 (12%)	0/50 (0%)	0/47 (0%)	1/50 (2%)			
		1/50 (2%)	3/50 (6%)	4/50 (8%)	0/50 (0%)	1/50 (2%)	1/50 (2%)			
		3/50 (6%)	0/50 (0%)	7/50 (14%)	1/50 (2%)	0/50 (0%)	0/50 (0%)			
		4/50 (8%)	0/50 (0%)	3/50 (6%)	2/49 (4%)	2/50 (4%)	0/49 (0%)			
		4/50 (8%)	6/49 (12%)	2/60 (3%)	3/50 (6%)	2/49 (4%)	1/60 (2%)			
		5/50 (10%)	4/50 (8%)		0/50 (0%)	1/49 (2%)	2/50 (4%)			
		5/50 (10%)	4/50 (8%)	2/50 (4%)	0/50 (0%)	1/49 (2%)	2/49 (4%)			
		3/49 (6%)	5/48 (10%)	5/50 (10%)		0/47 (0%)	3/50 (6%)			
Overall Incidence	Total	102/1549 (6.58%)		Mean 6.89%	SD 4.18%	Total	29/1548 (1.87%)		Mean 1.93%	SD 1.97%
.....										
*Kidney: Pelvis and Transitional Epithelium:										
Carcinoma										
		0/50 (0%)	0/100 (0%)	0/100 (0%)	0/50 (0%)	0/100 (0%)	0/100 (0%)			
		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)			
		0/50 (0%)	0/47 (0%)	1/50 (2%)	0/50 (0%)	0/49 (0%)	0/50 (0%)			
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)			
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)			
		0/50 (0%)	0/49 (0%)	0/48 (0%)	0/50 (0%)	0/50 (0%)	0/48 (0%)			
		0/50 (0%)	1/49 (2%)	0/60 (0%)	0/49 (0%)	0/48 (0%)	0/60 (0%)			
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)			
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)			
		0/49 (0%)	0/49 (0%)	0/47 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)			
Overall Incidence	Total	3/1548 (0.19%)		Mean 0.21%	SD 0.62%	Total	0/1552 (0%)		Mean 0%	SD 0%
.....										
*Kidney: Pelvis and Transitional Epithelium:										
Carcinoma or Adenoma										
		0/50 (0%)	0/100 (0%)	0/100 (0%)	0/50 (0%)	0/100 (0%)	0/100 (0%)			
		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)			
		0/50 (0%)	0/47 (0%)	1/50 (2%)	0/50 (0%)	0/49 (0%)	0/50 (0%)			
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)			
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)			
		0/50 (0%)	0/49 (0%)	0/48 (0%)	0/50 (0%)	0/50 (0%)	0/48 (0%)			
		0/50 (0%)	1/49 (2%)	0/60 (0%)	0/49 (0%)	0/48 (0%)	0/60 (0%)			
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)			
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)			
		0/49 (0%)	0/49 (0%)	0/47 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)			
Overall Incidence	Total	3/1548 (0.19%)		Mean 0.21%	SD 0.62%	Total	0/1552 (0%)		Mean 0%	SD 0%

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

		Male				Female								
*Kidney: Pelvis and Transitional Epithelium:														
Papilloma														
		0/50	(0%)	0/100	(0%)	0/100	(0%)	0/50	(0%)	0/100	(0%)	0/100	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/47	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/49	(0%)	0/48	(0%)	0/50	(0%)	0/50	(0%)	1/48	(2%)	
		0/50	(0%)	0/49	(0%)	0/60	(0%)	0/49	(0%)	0/48	(0%)	0/60	(0%)	
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/49	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	
		0/49	(0%)	0/49	(0%)	0/47	(0%)			0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	0/1548 (0%)		Mean	0%	SD	0%	Total	1/1552 (0.06%)		Mean	0.07%	SD	0.39%
*Kidney: Renal Tubule:														
Adenoma														
		1/50	(2%)	0/100	(0%)	0/100	(0%)	0/50	(0%)	0/100	(0%)	1/100	(1%)	
		1/50	(2%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	1/47	(2%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/49	(0%)	0/48	(0%)	0/50	(0%)	0/50	(0%)	0/48	(0%)	
		0/50	(0%)	0/49	(0%)	0/60	(0%)	0/49	(0%)	0/48	(0%)	0/60	(0%)	
		0/50	(0%)	1/50	(2%)			0/50	(0%)	0/49	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	
		0/49	(0%)	1/49	(2%)	0/47	(0%)			0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	8/1548 (0.52%)		Mean	0.56%	SD	0.92%	Total	1/1552 (0.06%)		Mean	0.03%	SD	0.19%
*Kidney: Renal Tubule:														
Carcinoma														
		0/50	(0%)	0/100	(0%)	0/100	(0%)	0/50	(0%)	0/100	(0%)	1/100	(1%)	
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/47	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/49	(0%)	0/48	(0%)	0/50	(0%)	0/50	(0%)	0/48	(0%)	
		0/50	(0%)	0/49	(0%)	0/60	(0%)	0/49	(0%)	1/48	(2%)	0/60	(0%)	
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/49	(0%)	0/50	(0%)	
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	
		0/49	(0%)	0/49	(0%)	0/47	(0%)			0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	2/1548 (0.13%)		Mean	0.14%	SD	0.52%	Total	3/1552 (0.19%)		Mean	0.18%	SD	0.55%

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

		Male				Female			
*Kidney: Renal Tubule: Carcinoma or Adenoma									
		1/50 (2%)	0/100 (0%)	0/100 (0%)	0/50 (0%)	0/100 (0%)	2/100 (2%)		
		2/50 (4%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	1/47 (2%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)		
		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/49 (0%)	0/48 (0%)	0/50 (0%)	0/50 (0%)	0/48 (0%)		
		0/50 (0%)	0/49 (0%)	0/60 (0%)	0/49 (0%)	1/48 (2%)	0/60 (0%)		
		0/50 (0%)	1/50 (2%)		0/50 (0%)	0/49 (0%)	0/50 (0%)		
		0/50 (0%)	1/50 (2%)	1/50 (2%)	0/50 (0%)	0/49 (0%)	0/50 (0%)		
		0/49 (0%)	1/49 (2%)	0/47 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	10/1548 (0.65%)	Mean 0.7%	SD 1.11%	Total	4/1552 (0.26%)	Mean 0.21%	SD 0.63%	
*Kidney: Renal Tubule: Lipoma									
		0/50 (0%)	0/100 (0%)	0/100 (0%)	0/50 (0%)	0/100 (0%)	0/100 (0%)		
		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/47 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/49 (0%)	0/48 (0%)	0/50 (0%)	0/50 (0%)	0/48 (0%)		
		0/50 (0%)	0/49 (0%)	0/60 (0%)	0/49 (0%)	0/48 (0%)	0/60 (0%)		
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)		
		0/49 (0%)	0/49 (0%)	0/47 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	1/1548 (0.06%)	Mean 0.07%	SD 0.37%	Total	1/1552 (0.06%)	Mean 0.07%	SD 0.37%	
*Kidney: Renal Tubule: Liposarcoma									
		0/50 (0%)	0/100 (0%)	0/100 (0%)	0/50 (0%)	0/100 (0%)	0/100 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/47 (0%)	1/50 (2%)	0/50 (0%)	0/49 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/49 (0%)	0/48 (0%)	0/50 (0%)	0/50 (0%)	0/48 (0%)		
		0/50 (0%)	0/49 (0%)	0/60 (0%)	0/49 (0%)	0/48 (0%)	0/60 (0%)		
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)		
		0/49 (0%)	0/49 (0%)	0/47 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	1/1548 (0.06%)	Mean 0.07%	SD 0.37%	Total	0/1552 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

		Male				Female								
*Kidney: Renal Tubule:														
Sarcoma														
		0/50	(0%)	0/100	(0%)	0/100	(0%)	0/50	(0%)	0/100	(0%)	0/100	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/47	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/49	(0%)	1/48	(2%)	0/50	(0%)	0/50	(0%)	0/48	(0%)	
		0/50	(0%)	0/49	(0%)	0/60	(0%)	0/49	(0%)	0/48	(0%)	0/60	(0%)	
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/49	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	
		0/49	(0%)	0/49	(0%)	0/47	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	1/1548 (0.06%)		Mean 0.07%		SD 0.39%		Total	0/1552 (0%)		Mean 0%		SD 0%	
.....														
*Kidney: Renal Tubule:														
Stromal Nephroma														
		0/50	(0%)	0/100	(0%)	0/100	(0%)	0/50	(0%)	0/100	(0%)	0/100	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	1/47	(2%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/49	(0%)	0/48	(0%)	0/50	(0%)	0/50	(0%)	0/48	(0%)	
		0/50	(0%)	0/49	(0%)	0/60	(0%)	0/49	(0%)	0/48	(0%)	0/60	(0%)	
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/49	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	
		0/49	(0%)	0/49	(0%)	0/47	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	1/1548 (0.06%)		Mean 0.07%		SD 0.4%		Total	0/1552 (0%)		Mean 0%		SD 0%	
.....														
*Liver:														
Cholangiocarcinoma														
		0/50	(0%)	1/100	(1%)	0/100	(0%)	0/50	(0%)	0/100	(0%)	0/100	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	
		0/50	(0%)	0/49	(0%)	0/60	(0%)	0/50	(0%)	0/49	(0%)	0/60	(0%)	
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/49	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	2/1559 (0.13%)		Mean 0.1%		SD 0.41%		Total	1/1557 (0.06%)		Mean 0.07%		SD 0.37%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

		Male				Female			
*Liver:									
Hemangiosarcoma									
		0/50 (0%)	0/100 (0%)	0/100 (0%)		0/50 (0%)	0/100 (0%)	0/100 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/49 (0%)	0/60 (0%)		0/50 (0%)	0/49 (0%)	0/60 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/1559 (0.06%)	Mean 0.07%	SD 0.37%	Total	0/1557 (0%)	Mean 0%	SD 0%	
.....									
*Liver:									
Hepatocellular Adenoma									
		2/50 (4%)	2/100 (2%)	0/100 (0%)		0/50 (0%)	0/100 (0%)	0/100 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		6/50 (12%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	2/50 (4%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)	1/50 (2%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	1/49 (2%)	2/60 (3%)		0/50 (0%)	0/49 (0%)	1/60 (2%)	
		0/50 (0%)	3/50 (6%)			0/50 (0%)	1/49 (2%)	1/50 (2%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	1/50 (2%)	
		1/50 (2%)	1/50 (2%)	0/50 (0%)			2/50 (4%)	0/50 (0%)	
Overall Incidence	Total	15/1559 (0.96%)	Mean 0.94%	SD 1.53%	Total	16/1557 (1.03%)	Mean 1.09%	SD 2.42%	
.....									
*Liver:									
Hepatocellular Carcinoma									
		0/50 (0%)	0/100 (0%)	0/100 (0%)		0/50 (0%)	0/100 (0%)	0/100 (0%)	
		0/50 (0%)	0/50 (0%)	2/50 (4%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	1/49 (2%)	1/60 (2%)		0/50 (0%)	0/49 (0%)	0/60 (0%)	
		1/50 (2%)	0/50 (0%)			0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	5/1559 (0.32%)	Mean 0.33%	SD 0.92%	Total	1/1557 (0.06%)	Mean 0.07%	SD 0.37%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

		Male				Female								
*Liver:														
Hepatocellular Carcinoma or Hepatoblastoma														
	0/50	(0%)	0/100	(0%)	0/100	(0%)	0/50	(0%)	0/100	(0%)				
	0/50	(0%)	0/50	(0%)	2/50	(4%)	0/50	(0%)	0/50	(0%)				
	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)				
	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)				
	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)				
	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)				
	0/50	(0%)	1/49	(2%)	1/60	(2%)	0/50	(0%)	0/49	(0%)				
	1/50	(2%)	0/50	(0%)			0/50	(0%)	0/49	(0%)				
	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)				
	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)				
Overall Incidence	Total	5/1559	(0.32%)	Mean	0.33%	SD	0.92%	Total	1/1557	(0.06%)	Mean	0.07%	SD	0.37%
*Liver:														
Hepatocellular Carcinoma or Hepatocellular Adenoma														
	2/50	(4%)	2/100	(2%)	0/100	(0%)	0/50	(0%)	0/100	(0%)				
	0/50	(0%)	0/50	(0%)	2/50	(4%)	0/50	(0%)	0/50	(0%)				
	0/50	(0%)	0/50	(0%)	0/50	(0%)	6/50	(12%)	0/50	(0%)				
	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	2/50	(4%)				
	0/50	(0%)	1/50	(2%)	1/50	(2%)	0/50	(0%)	1/50	(2%)				
	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)				
	0/50	(0%)	2/49	(4%)	3/60	(5%)	0/50	(0%)	0/49	(0%)				
	1/50	(2%)	3/50	(6%)			0/50	(0%)	1/49	(2%)				
	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)				
	1/50	(2%)	1/50	(2%)	0/50	(0%)			2/50	(4%)				
Overall Incidence	Total	20/1559	(1.28%)	Mean	1.28%	SD	1.8%	Total	17/1557	(1.09%)	Mean	1.16%	SD	2.42%
*Liver:														
Hepatocellular Carcinoma, Hepatocellular Adenoma, or Hepatoblastoma														
	2/50	(4%)	2/100	(2%)	0/100	(0%)	0/50	(0%)	0/100	(0%)				
	0/50	(0%)	0/50	(0%)	2/50	(4%)	0/50	(0%)	0/50	(0%)				
	0/50	(0%)	0/50	(0%)	0/50	(0%)	6/50	(12%)	0/50	(0%)				
	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	2/50	(4%)				
	0/50	(0%)	1/50	(2%)	1/50	(2%)	0/50	(0%)	1/50	(2%)				
	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)				
	0/50	(0%)	2/49	(4%)	3/60	(5%)	0/50	(0%)	0/49	(0%)				
	1/50	(2%)	3/50	(6%)			0/50	(0%)	1/49	(2%)				
	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)				
	1/50	(2%)	1/50	(2%)	0/50	(0%)			2/50	(4%)				
Overall Incidence	Total	20/1559	(1.28%)	Mean	1.28%	SD	1.8%	Total	17/1557	(1.09%)	Mean	1.16%	SD	2.42%

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

		Male				Female				
*Lung:										
Alveolar/Bronchiolar Adenoma										
		4/50 (8%)	4/100 (4%)	3/100 (3%)		4/50 (8%)	6/100 (6%)	2/100 (2%)		
		1/50 (2%)	1/50 (2%)	2/50 (4%)		0/50 (0%)	1/50 (2%)	0/50 (0%)		
		1/50 (2%)	2/50 (4%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	1/50 (2%)	3/50 (6%)		
		6/50 (12%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)		
		1/50 (2%)	2/50 (4%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	2/49 (4%)	1/60 (2%)		0/50 (0%)	1/49 (2%)	1/60 (2%)		
		1/50 (2%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	2/50 (4%)		
		2/50 (4%)	1/50 (2%)	4/50 (8%)		3/50 (6%)	0/49 (0%)	0/49 (0%)		
		0/50 (0%)	2/50 (4%)	1/50 (2%)			1/50 (2%)	1/50 (2%)		
Overall Incidence	Total	42/1559 (2.69%)		Mean 2.65%	SD 2.84%	Total		27/1557 (1.73%)	Mean 1.58%	SD 2.29%
.....										
*Lung:										
Alveolar/Bronchiolar Carcinoma										
		0/50 (0%)	1/100 (1%)	0/100 (0%)		0/50 (0%)	1/100 (1%)	1/100 (1%)		
		1/50 (2%)	1/50 (2%)	0/50 (0%)		1/50 (2%)	1/50 (2%)	0/50 (0%)		
		0/50 (0%)	1/50 (2%)	1/50 (2%)		0/50 (0%)	1/50 (2%)	0/50 (0%)		
		2/50 (4%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)		
		1/50 (2%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	2/50 (4%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/49 (0%)	1/60 (2%)		0/50 (0%)	0/49 (0%)	0/60 (0%)		
		0/50 (0%)	1/50 (2%)			0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/49 (0%)		
		1/50 (2%)	0/50 (0%)	3/50 (6%)			1/50 (2%)	1/50 (2%)		
Overall Incidence	Total	18/1559 (1.15%)		Mean 1.2%	SD 1.54%	Total		9/1557 (0.58%)	Mean 0.55%	SD 0.87%
.....										
*Lung:										
Alveolar/Bronchiolar Carcinoma or Alveolar/Bronchiolar Adenoma										
		4/50 (8%)	5/100 (5%)	3/100 (3%)		4/50 (8%)	7/100 (7%)	3/100 (3%)		
		2/50 (4%)	2/50 (4%)	2/50 (4%)		1/50 (2%)	2/50 (4%)	0/50 (0%)		
		1/50 (2%)	3/50 (6%)	1/50 (2%)		0/50 (0%)	1/50 (2%)	0/50 (0%)		
		2/50 (4%)	1/50 (2%)	1/50 (2%)		0/50 (0%)	2/50 (4%)	3/50 (6%)		
		7/50 (14%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	1/50 (2%)		
		1/50 (2%)	4/50 (8%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	2/49 (4%)	2/60 (3%)		0/50 (0%)	1/49 (2%)	1/60 (2%)		
		1/50 (2%)	1/50 (2%)			0/50 (0%)	0/50 (0%)	2/50 (4%)		
		2/50 (4%)	2/50 (4%)	4/50 (8%)		3/50 (6%)	0/49 (0%)	0/49 (0%)		
		1/50 (2%)	2/50 (4%)	4/50 (8%)			2/50 (4%)	2/50 (4%)		
Overall Incidence	Total	60/1559 (3.85%)		Mean 3.84%	SD 3.08%	Total		36/1557 (2.31%)	Mean 2.13%	SD 2.43%

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

		Male				Female								
*Lung:														
Carcinoma														
		0/50	(0%)	0/100	(0%)	1/100	(1%)	0/50	(0%)	0/100	(0%)	0/100	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/49	(0%)	0/60	(0%)	0/50	(0%)	0/49	(0%)	0/60	(0%)	
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/49	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	1/1559 (0.06%)		Mean 0.03%		SD 0.19%		Total	0/1557 (0%)		Mean 0%		SD 0%	
.....														
*Lung:														
Sarcoma														
		0/50	(0%)	0/100	(0%)	0/100	(0%)	0/50	(0%)	0/100	(0%)	0/100	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/49	(0%)	0/60	(0%)	0/50	(0%)	0/49	(0%)	0/60	(0%)	
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/49	(0%)	
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	1/1559 (0.06%)		Mean 0.07%		SD 0.37%		Total	0/1557 (0%)		Mean 0%		SD 0%	
.....														
*Lung:														
Squamous Cell Carcinoma														
		0/50	(0%)	0/100	(0%)	0/100	(0%)	0/50	(0%)	1/100	(1%)	0/100	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		1/50	(2%)	0/49	(0%)	0/60	(0%)	0/50	(0%)	0/49	(0%)	0/60	(0%)	
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/49	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	1/1559 (0.06%)		Mean 0.07%		SD 0.37%		Total	1/1557 (0.06%)		Mean 0.03%		SD 0.19%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

		Male				Female								
#Lymph Node, Mesenteric:														
Carcinoma														
		0/50	(0%)	0/100	(0%)	0/100	(0%)	0/50	(0%)	0/100	(0%)	0/100	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/49	(0%)	0/60	(0%)	0/50	(0%)	0/49	(0%)	0/60	(0%)	
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	1/1559 (0.06%)		Mean 0.07%		SD 0.37%		Total	0/1559 (0%)		Mean 0%		SD 0%	
.....														
#Lymph Node, Mesenteric:														
Hemangioma														
		0/50	(0%)	0/100	(0%)	1/100	(1%)	0/50	(0%)	0/100	(0%)	0/100	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/49	(0%)	0/60	(0%)	0/50	(0%)	0/49	(0%)	0/60	(0%)	
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	1/1559 (0.06%)		Mean 0.03%		SD 0.19%		Total	0/1559 (0%)		Mean 0%		SD 0%	
.....														
#Lymph Node, Mesenteric:														
Hemangiosarcoma														
		0/50	(0%)	0/100	(0%)	0/100	(0%)	0/50	(0%)	0/100	(0%)	0/100	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/49	(0%)	0/60	(0%)	0/50	(0%)	0/49	(0%)	0/60	(0%)	
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	0/1559 (0%)		Mean 0%		SD 0%		Total	1/1559 (0.06%)		Mean 0.07%		SD 0.37%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

		Male				Female								
#Lymph Node, Mesenteric:														
Sarcoma														
		0/50	(0%)	0/100	(0%)	0/100	(0%)	0/50	(0%)	0/100	(0%)	0/100	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/49	(0%)	0/60	(0%)	0/50	(0%)	0/49	(0%)	0/60	(0%)	
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	1/1559 (0.06%)		Mean 0.07%		SD 0.37%		Total	0/1559 (0%)		Mean 0%		SD 0%	
.....														
#Mammary Gland:														
Adenoma														
		0/50	(0%)	0/100	(0%)	1/100	(1%)	2/50	(4%)	1/100	(1%)	0/100	(0%)	
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		1/50	(2%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	2/50	(4%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/49	(0%)	0/60	(0%)	0/50	(0%)	0/49	(0%)	0/60	(0%)	
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	1/50	(2%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	2/50	(4%)	0/50	(0%)	1/50	(2%)	
		1/50	(2%)	0/50	(0%)	0/50	(0%)			0/50	(0%)	3/50	(6%)	
Overall Incidence	Total	5/1559 (0.32%)		Mean 0.31%		SD 0.71%		Total	15/1559 (0.96%)		Mean 1%		SD 1.65%	
.....														
#Mammary Gland:														
Carcinoma														
		0/50	(0%)	0/100	(0%)	2/100	(2%)	0/50	(0%)	1/100	(1%)	0/100	(0%)	
		2/50	(4%)	1/50	(2%)	0/50	(0%)	10/50	(20%)	5/50	(10%)	1/50	(2%)	
		0/50	(0%)	0/50	(0%)	1/50	(2%)	4/50	(8%)	4/50	(8%)	3/50	(6%)	
		0/50	(0%)	0/50	(0%)	2/50	(4%)	1/50	(2%)	2/50	(4%)	2/50	(4%)	
		0/50	(0%)	0/50	(0%)	2/50	(4%)	0/50	(0%)	3/50	(6%)	5/50	(10%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	4/50	(8%)	2/50	(4%)	
		0/50	(0%)	1/49	(2%)	0/60	(0%)	3/50	(6%)	3/49	(6%)	0/60	(0%)	
		0/50	(0%)	0/50	(0%)			1/50	(2%)	5/50	(10%)	2/50	(4%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	4/50	(8%)	2/50	(4%)	
		0/50	(0%)	1/50	(2%)	0/50	(0%)			3/50	(6%)	3/50	(6%)	
Overall Incidence	Total	12/1559 (0.77%)		Mean 0.76%		SD 1.36%		Total	75/1559 (4.81%)		Mean 5.14%		SD 4.26%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

		Male				Female			
#Mammary Gland:									
Carcinoma or Adenoma									
		0/50 (0%)	0/100 (0%)	3/100 (3%)		2/50 (4%)	2/100 (2%)	0/100 (0%)	
		2/50 (4%)	2/50 (4%)	0/50 (0%)		10/50 (20%)	5/50 (10%)	2/50 (4%)	
		0/50 (0%)	0/50 (0%)	1/50 (2%)		4/50 (8%)	4/50 (8%)	3/50 (6%)	
		1/50 (2%)	1/50 (2%)	2/50 (4%)		1/50 (2%)	2/50 (4%)	3/50 (6%)	
		0/50 (0%)	0/50 (0%)	2/50 (4%)		0/50 (0%)	3/50 (6%)	5/50 (10%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		2/50 (4%)	4/50 (8%)	2/50 (4%)	
		0/50 (0%)	1/49 (2%)	0/60 (0%)		3/50 (6%)	3/49 (6%)	0/60 (0%)	
		0/50 (0%)	0/50 (0%)			1/50 (2%)	5/50 (10%)	3/50 (6%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		2/50 (4%)	4/50 (8%)	3/50 (6%)	
		1/50 (2%)	1/50 (2%)	0/50 (0%)			3/50 (6%)	6/50 (12%)	
Overall Incidence	Total	17/1559 (1.09%)	Mean 1.07%	SD 1.51%	Total	87/1559 (5.58%)	Mean 5.94%	SD 4.12%	
.....									
#Mammary Gland:									
Fibroadenoma									
		2/50 (4%)	3/100 (3%)	8/100 (8%)		27/50 (54%)	55/100 (55%)	53/100 (53%)	
		0/50 (0%)	2/50 (4%)	3/50 (6%)		24/50 (48%)	25/50 (50%)	15/50 (30%)	
		0/50 (0%)	1/50 (2%)	1/50 (2%)		12/50 (24%)	36/50 (72%)	20/50 (40%)	
		2/50 (4%)	2/50 (4%)	3/50 (6%)		15/50 (30%)	33/50 (66%)	22/50 (44%)	
		2/50 (4%)	2/50 (4%)	2/50 (4%)		20/50 (40%)	21/50 (42%)	22/50 (44%)	
		2/50 (4%)	0/50 (0%)	3/50 (6%)		28/50 (56%)	26/50 (52%)	24/50 (48%)	
		1/50 (2%)	0/49 (0%)	0/60 (0%)		22/50 (44%)	17/49 (35%)	23/60 (38%)	
		0/50 (0%)	2/50 (4%)			14/50 (28%)	25/50 (50%)	28/50 (56%)	
		3/50 (6%)	3/50 (6%)	2/50 (4%)		21/50 (42%)	19/50 (38%)	16/50 (32%)	
		1/50 (2%)	4/50 (8%)	2/50 (4%)			32/50 (64%)	33/50 (66%)	
Overall Incidence	Total	56/1559 (3.59%)	Mean 3.48%	SD 2.37%	Total	728/1559 (46.7%)	Mean 46.24%	SD 12.18%	
.....									
#Mammary Gland:									
Fibroma									
		0/50 (0%)	0/100 (0%)	0/100 (0%)		0/50 (0%)	0/100 (0%)	0/100 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/49 (0%)	0/60 (0%)		0/50 (0%)	0/49 (0%)	0/60 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	2/1559 (0.13%)	Mean 0.14%	SD 0.52%	Total	1/1559 (0.06%)	Mean 0.07%	SD 0.37%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

		Male				Female			
#Mammary Gland:									
Fibroma, Fibroadenoma or Adenoma									
		2/50 (4%)	3/100 (3%)	9/100 (9%)		28/50 (56%)	55/100 (55%)	53/100 (53%)	
		0/50 (0%)	3/50 (6%)	3/50 (6%)		24/50 (48%)	25/50 (50%)	16/50 (32%)	
		0/50 (0%)	1/50 (2%)	1/50 (2%)		12/50 (24%)	36/50 (72%)	20/50 (40%)	
		4/50 (8%)	4/50 (8%)	3/50 (6%)		15/50 (30%)	33/50 (66%)	23/50 (46%)	
		2/50 (4%)	2/50 (4%)	2/50 (4%)		20/50 (40%)	21/50 (42%)	22/50 (44%)	
		2/50 (4%)	0/50 (0%)	3/50 (6%)		29/50 (58%)	26/50 (52%)	24/50 (48%)	
		1/50 (2%)	0/49 (0%)	0/60 (0%)		22/50 (44%)	17/49 (35%)	23/60 (38%)	
		0/50 (0%)	2/50 (4%)			14/50 (28%)	25/50 (50%)	28/50 (56%)	
		3/50 (6%)	3/50 (6%)	2/50 (4%)		23/50 (46%)	19/50 (38%)	17/50 (34%)	
		2/50 (4%)	4/50 (8%)	2/50 (4%)			32/50 (64%)	35/50 (70%)	
Overall Incidence	Total	63/1559 (4.04%)	Mean 3.93%	SD 2.71%	Total	737/1559 (47.27%)	Mean 46.86%	SD 12.33%	
.....									
#Mammary Gland:									
Fibroma, Fibroadenoma, Carcinoma, or Adenoma									
		2/50 (4%)	3/100 (3%)	11/100 (11%)		28/50 (56%)	56/100 (56%)	53/100 (53%)	
		2/50 (4%)	4/50 (8%)	3/50 (6%)		31/50 (62%)	29/50 (58%)	16/50 (32%)	
		0/50 (0%)	1/50 (2%)	1/50 (2%)		14/50 (28%)	37/50 (74%)	22/50 (44%)	
		4/50 (8%)	4/50 (8%)	5/50 (10%)		16/50 (32%)	35/50 (70%)	24/50 (48%)	
		2/50 (4%)	2/50 (4%)	4/50 (8%)		20/50 (40%)	23/50 (46%)	26/50 (52%)	
		2/50 (4%)	0/50 (0%)	3/50 (6%)		30/50 (60%)	28/50 (56%)	25/50 (50%)	
		1/50 (2%)	1/49 (2%)	0/60 (0%)		24/50 (48%)	18/49 (37%)	23/60 (38%)	
		0/50 (0%)	2/50 (4%)			14/50 (28%)	27/50 (54%)	30/50 (60%)	
		3/50 (6%)	3/50 (6%)	2/50 (4%)		23/50 (46%)	23/50 (46%)	19/50 (38%)	
		2/50 (4%)	5/50 (10%)	2/50 (4%)			32/50 (64%)	37/50 (74%)	
Overall Incidence	Total	74/1559 (4.75%)	Mean 4.62%	SD 3.11%	Total	783/1559 (50.22%)	Mean 50%	SD 12.76%	
.....									
#Mammary Gland:									
Hemangioma									
		0/50 (0%)	0/100 (0%)	0/100 (0%)		0/50 (0%)	0/100 (0%)	1/100 (1%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/49 (0%)	0/60 (0%)		0/50 (0%)	0/49 (0%)	0/60 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/1559 (0%)	Mean 0%	SD 0%	Total	1/1559 (0.06%)	Mean 0.03%	SD 0.19%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

		Male				Female							
#Mammary Gland:													
Myoepithelioma													
		0/50	(0%)	0/100	(0%)	0/100	(0%)	0/50	(0%)	0/100	(0%)	0/100	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/49	(0%)	0/60	(0%)	0/50	(0%)	0/49	(0%)	0/60	(0%)
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/1559 (0%)		Mean 0%		SD 0%		Total 1/1559 (0.06%)		Mean 0.07%		SD 0.37%	
.....													
#Mesentery:													
Fibrosarcoma													
		0/50	(0%)	0/100	(0%)	0/100	(0%)	0/50	(0%)	0/100	(0%)	0/100	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
		0/50	(0%)	0/49	(0%)	0/60	(0%)	0/50	(0%)	0/49	(0%)	0/60	(0%)
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/1559 (0%)		Mean 0%		SD 0%		Total 1/1559 (0.06%)		Mean 0.07%		SD 0.37%	
.....													
#Mesentery:													
Hemangiosarcoma													
		0/50	(0%)	0/100	(0%)	0/100	(0%)	0/50	(0%)	0/100	(0%)	0/100	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		1/50	(2%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/49	(0%)	0/60	(0%)	0/50	(0%)	0/49	(0%)	0/60	(0%)
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	2/1559 (0.13%)		Mean 0.14%		SD 0.52%		Total 0/1559 (0%)		Mean 0%		SD 0%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

		Male				Female								
#Mesentery:														
Lipoma														
		0/50	(0%)	1/100	(1%)	0/100	(0%)	0/50	(0%)	0/100	(0%)	0/100	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/49	(0%)	0/60	(0%)	0/50	(0%)	0/49	(0%)	0/60	(0%)	
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	1/1559 (0.06%)		Mean 0.03%		SD 0.19%		Total	0/1559 (0%)		Mean 0%		SD 0%	
#Mesentery:														
Liposarcoma														
		0/50	(0%)	0/100	(0%)	0/100	(0%)	0/50	(0%)	0/100	(0%)	0/100	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/49	(0%)	0/60	(0%)	0/50	(0%)	0/49	(0%)	0/60	(0%)	
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	0/1559 (0%)		Mean 0%		SD 0%		Total	1/1559 (0.06%)		Mean 0.07%		SD 0.37%	
#Mesentery:														
Osteosarcoma														
		0/50	(0%)	0/100	(0%)	0/100	(0%)	0/50	(0%)	0/100	(0%)	0/100	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/49	(0%)	0/60	(0%)	0/50	(0%)	0/49	(0%)	0/60	(0%)	
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	1/1559 (0.06%)		Mean 0.07%		SD 0.37%		Total	0/1559 (0%)		Mean 0%		SD 0%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

		Male				Female									
#Mesentery:															
Rhabdomyosarcoma															
		0/50	(0%)	0/100	(0%)	0/100	(0%)	0/50	(0%)	0/100	(0%)	0/100	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/49	(0%)	0/60	(0%)	0/50	(0%)	0/49	(0%)	0/60	(0%)		
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
Overall Incidence	Total	1/1559 (0.06%)		Mean 0.07%		SD 0.37%		Total		0/1559 (0%)		Mean 0%		SD 0%	
#Mesentery:															
Sarcoma															
		0/50	(0%)	0/100	(0%)	0/100	(0%)	0/50	(0%)	0/100	(0%)	0/100	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	1/49	(2%)	0/60	(0%)	0/50	(0%)	0/49	(0%)	0/60	(0%)		
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
Overall Incidence	Total	2/1559 (0.13%)		Mean 0.14%		SD 0.52%		Total		0/1559 (0%)		Mean 0%		SD 0%	
*Nose:															
Adenoma															
		0/50	(0%)	0/100	(0%)	0/100	(0%)	0/50	(0%)	0/100	(0%)	1/100	(1%)		
		0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/46	(0%)	0/50	(0%)	0/50	(0%)	0/48	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	1/50	(2%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)		
		0/50	(0%)	0/49	(0%)	0/60	(0%)	0/49	(0%)	0/49	(0%)	0/60	(0%)		
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/49	(0%)	0/50	(0%)		
		0/50	(0%)	1/50	(2%)	0/49	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)		
		0/50	(0%)	0/49	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
Overall Incidence	Total	2/1550 (0.13%)		Mean 0.14%		SD 0.52%		Total		1/1553 (0.06%)		Mean 0.03%		SD 0.19%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

		Male				Female								
*Nose:														
Chondroma														
		0/50	(0%)	0/100	(0%)	0/100	(0%)	0/50	(0%)	0/100	(0%)	0/100	(0%)	
		0/50	(0%)	0/49	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/46	(0%)	0/50	(0%)	0/50	(0%)	0/48	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	
		0/50	(0%)	0/49	(0%)	0/60	(0%)	0/49	(0%)	0/49	(0%)	0/60	(0%)	
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/49	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/49	(0%)	1/50	(2%)	
		0/50	(0%)	0/49	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	1/1550 (0.06%)		Mean 0.07%		SD 0.37%		Total	2/1553 (0.13%)		Mean 0.14%		SD 0.52%	
*Nose:														
Sarcoma														
		0/50	(0%)	0/100	(0%)	0/100	(0%)	0/50	(0%)	0/100	(0%)	0/100	(0%)	
		0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/46	(0%)	0/50	(0%)	0/50	(0%)	0/48	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	
		0/50	(0%)	0/49	(0%)	0/60	(0%)	0/49	(0%)	0/49	(0%)	0/60	(0%)	
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/49	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	
		1/50	(2%)	0/49	(0%)	0/49	(0%)			0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	1/1550 (0.06%)		Mean 0.07%		SD 0.37%		Total	0/1553 (0%)		Mean 0%		SD 0%	
*Nose:														
Squamous Cell Carcinoma														
		0/50	(0%)	0/100	(0%)	0/100	(0%)	0/50	(0%)	0/100	(0%)	0/100	(0%)	
		0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		1/50	(2%)	0/46	(0%)	0/50	(0%)	0/50	(0%)	0/48	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	
		0/50	(0%)	0/49	(0%)	0/60	(0%)	0/49	(0%)	0/49	(0%)	0/60	(0%)	
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/49	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	
		0/50	(0%)	0/49	(0%)	0/49	(0%)			0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	1/1550 (0.06%)		Mean 0.07%		SD 0.37%		Total	0/1553 (0%)		Mean 0%		SD 0%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

		Male				Female			
#Oral Cavity (Oral Mucosa, Tongue, Pharynx, Tooth, Gingiva): Papilloma Squamous or Papilloma									
		1/50 (2%)	1/100 (1%)	1/100 (1%)		0/50 (0%)	0/100 (0%)	1/100 (1%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	1/50 (2%)		2/50 (4%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/49 (0%)	0/60 (0%)		0/50 (0%)	0/49 (0%)	0/60 (0%)	
		0/50 (0%)	0/50 (0%)			1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	7/1559 (0.45%)	Mean 0.41%	SD 0.78%	Total	6/1559 (0.38%)	Mean 0.38%	SD 0.94%	
#Oral Cavity (Oral Mucosa, Tongue, Pharynx, Tooth, Gingiva): Squamous Cell Carcinoma									
		0/50 (0%)	1/100 (1%)	1/100 (1%)		0/50 (0%)	0/100 (0%)	0/100 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	2/50 (4%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/49 (0%)	0/60 (0%)		0/50 (0%)	0/49 (0%)	0/60 (0%)	
		0/50 (0%)	0/50 (0%)			1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	4/1559 (0.26%)	Mean 0.21%	SD 0.56%	Total	8/1559 (0.51%)	Mean 0.55%	SD 1.06%	
#Oral Cavity (Oral Mucosa, Tongue, Pharynx, Tooth, Gingiva): Squamous Cell Carcinoma, Papilloma Squamous, or Papilloma									
		1/50 (2%)	2/100 (2%)	2/100 (2%)		0/50 (0%)	0/100 (0%)	1/100 (1%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	3/50 (6%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	1/50 (2%)		3/50 (6%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	1/50 (2%)	1/50 (2%)	
		1/50 (2%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/49 (0%)	0/60 (0%)		0/50 (0%)	0/49 (0%)	0/60 (0%)	
		0/50 (0%)	0/50 (0%)			2/50 (4%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	11/1559 (0.71%)	Mean 0.62%	SD 0.94%	Total	14/1559 (0.9%)	Mean 0.93%	SD 1.73%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

		Male				Female			
#Oral Mucosa:									
Squamous Cell Carcinoma									
		0/50 (0%)	1/100 (1%)	1/100 (1%)		0/50 (0%)	0/100 (0%)	0/100 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/49 (0%)	0/60 (0%)		0/50 (0%)	0/49 (0%)	0/60 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	4/1559 (0.26%)	Mean 0.21%	SD 0.56%	Total	5/1559 (0.32%)	Mean 0.34%	SD 0.77%	
.....									
#Oral Mucosa:									
Squamous Cell Papilloma									
		0/50 (0%)	0/100 (0%)	0/100 (0%)		0/50 (0%)	0/100 (0%)	0/100 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/49 (0%)	0/60 (0%)		0/50 (0%)	0/49 (0%)	0/60 (0%)	
		0/50 (0%)	0/50 (0%)			1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	2/1559 (0.13%)	Mean 0.14%	SD 0.52%	Total	2/1559 (0.13%)	Mean 0.14%	SD 0.52%	
.....									
*Ovary:									
Cystadenoma									
						0/50 (0%)	1/100 (1%)	0/100 (0%)	
						0/50 (0%)	0/50 (0%)	0/50 (0%)	
						0/50 (0%)	0/50 (0%)	0/50 (0%)	
						0/50 (0%)	0/50 (0%)	0/50 (0%)	
						0/50 (0%)	0/50 (0%)	0/50 (0%)	
						0/50 (0%)	0/50 (0%)	0/50 (0%)	
						0/50 (0%)	0/49 (0%)	0/60 (0%)	
						0/50 (0%)	0/50 (0%)	0/50 (0%)	
						0/50 (0%)	0/50 (0%)	0/50 (0%)	
						0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total				Total	1/1559 (0.06%)	Mean 0.03%	SD 0.19%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

	Male		Female			
*Ovary:						
Granulosa Cell Tumor Benign						
	0/50	(0%)	0/100	(0%)	0/100	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	1/50	(2%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/49	(0%)	0/60	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	1/50	(2%)
Overall Incidence	Total		2/1559	(0.13%)	Mean	0.14%
					SD	0.52%
*Ovary:						
Granulosa Cell Tumor Malignant						
	0/50	(0%)	0/100	(0%)	0/100	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	1/50	(2%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	1/50	(2%)	2/49	(4%)	0/60	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total		4/1559	(0.26%)	Mean	0.28%
					SD	0.89%
*Ovary:						
Granulosa Cell Tumor: Benign, Malignant, NOS						
	0/50	(0%)	0/100	(0%)	0/100	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	1/50	(2%)	1/50	(2%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	1/50	(2%)	2/49	(4%)	0/60	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total		6/1559	(0.38%)	Mean	0.42%
					SD	0.99%

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

	Male		Female			
*Ovary:						
Granulosa-Theca Tumor Malignant						
	0/50	(0%)	0/100	(0%)	0/100	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	1/50	(2%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	1/49	(2%)	0/60	(0%)
	0/50	(0%)	1/50	(2%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
			0/50	(0%)	0/50	(0%)
Overall Incidence	Total		Mean		SD	
	3/1559 (0.19%)		0.21%		0.62%	
.....						
*Ovary:						
Luteoma						
	0/50	(0%)	0/100	(0%)	0/100	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/49	(0%)	0/60	(0%)
	0/50	(0%)	0/50	(0%)	1/50	(2%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
			0/50	(0%)	0/50	(0%)
Overall Incidence	Total		Mean		SD	
	1/1559 (0.06%)		0.07%		0.37%	
.....						
*Ovary:						
Sarcoma						
	0/50	(0%)	0/100	(0%)	0/100	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	1/50	(2%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/49	(0%)	0/60	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
			0/50	(0%)	0/50	(0%)
Overall Incidence	Total		Mean		SD	
	1/1559 (0.06%)		0.07%		0.37%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

		Male				Female								
*Ovary:														
Thecoma Malignant														
					0/50	(0%)	0/100	(0%)	0/100	(0%)				
					0/50	(0%)	1/50	(2%)	0/50	(0%)				
					0/50	(0%)	0/50	(0%)	0/50	(0%)				
					0/50	(0%)	0/50	(0%)	0/50	(0%)				
					0/50	(0%)	0/50	(0%)	0/50	(0%)				
					0/50	(0%)	0/50	(0%)	0/50	(0%)				
					0/50	(0%)	0/49	(0%)	0/60	(0%)				
					0/50	(0%)	0/50	(0%)	0/50	(0%)				
					0/50	(0%)	0/50	(0%)	0/50	(0%)				
					0/50	(0%)	0/50	(0%)	0/50	(0%)				
							0/50	(0%)	0/50	(0%)				
Overall Incidence					Total	1/1559	(0.06%)	Mean	0.07%	SD	0.37%			
.....														
*Pancreas:														
Adenoma														
		0/50	(0%)	1/100	(1%)	2/100	(2%)	0/50	(0%)	0/100	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		3/50	(6%)	0/44	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	10/50	(20%)	1/50	(2%)	0/50	(0%)			
		1/50	(2%)	2/50	(4%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	1/49	(2%)	1/50	(2%)	1/49	(2%)	0/50	(0%)			
		0/50	(0%)	1/49	(2%)	1/60	(2%)	0/50	(0%)	0/49	(0%)			
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/49	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)			
		3/49	(6%)	0/48	(0%)	0/49	(0%)	0/47	(0%)	2/50	(4%)			
Overall Incidence	Total	26/1548 (1.68%)		Mean 1.69%		SD 3.92%		Total	7/1549 (0.45%)		Mean	0.49%	SD	1.03%
.....														
*Pancreas:														
Carcinoma														
		0/50	(0%)	0/100	(0%)	0/100	(0%)	0/50	(0%)	0/100	(0%)	0/100	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	1/44	(2%)	0/50	(0%)	0/50	(0%)	0/47	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/49	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/49	(0%)	
		0/50	(0%)	0/49	(0%)	0/60	(0%)	0/50	(0%)	0/49	(0%)	0/60	(0%)	
		1/50	(2%)	0/50	(0%)			0/50	(0%)	0/49	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	
		0/49	(0%)	0/48	(0%)	0/49	(0%)	0/47	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	2/1548 (0.13%)		Mean 0.15%		SD 0.55%		Total	0/1549 (0%)		Mean	0%	SD	0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

		Male				Female			
*Pancreas:									
Carcinoma or Adenoma									
		0/50 (0%)	1/100 (1%)	2/100 (2%)		0/50 (0%)	0/100 (0%)	0/100 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		3/50 (6%)	1/44 (2%)	0/50 (0%)		0/50 (0%)	1/47 (2%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	10/50 (20%)		1/50 (2%)	0/50 (0%)	1/50 (2%)	
		1/50 (2%)	2/50 (4%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	1/49 (2%)	1/50 (2%)		1/49 (2%)	0/50 (0%)	0/49 (0%)	
		0/50 (0%)	1/49 (2%)	1/60 (2%)		0/50 (0%)	0/49 (0%)	0/60 (0%)	
		1/50 (2%)	0/50 (0%)			0/50 (0%)	0/49 (0%)	1/50 (2%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	
		3/49 (6%)	0/48 (0%)	0/49 (0%)		0/49 (0%)	0/47 (0%)	2/50 (4%)	
Overall Incidence	Total	28/1548 (1.81%)	Mean 1.83%	SD 3.9%	Total	7/1549 (0.45%)	Mean 0.49%	SD 1.03%	
.....									
*Pancreas:									
Fibroma									
		0/50 (0%)	0/100 (0%)	1/100 (1%)		0/50 (0%)	0/100 (0%)	0/100 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/44 (0%)	0/50 (0%)		0/50 (0%)	0/47 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/49 (0%)	
		0/50 (0%)	0/49 (0%)	0/60 (0%)		0/50 (0%)	0/49 (0%)	0/60 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/49 (0%)	0/48 (0%)	0/49 (0%)		0/49 (0%)	0/47 (0%)	0/50 (0%)	
Overall Incidence	Total	1/1548 (0.06%)	Mean 0.03%	SD 0.19%	Total	0/1549 (0%)	Mean 0%	SD 0%	
.....									
*Pancreas:									
Mixed Tumor Benign									
		1/50 (2%)	1/100 (1%)	0/100 (0%)		0/50 (0%)	0/100 (0%)	0/100 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	2/44 (5%)	0/50 (0%)		0/50 (0%)	0/47 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/49 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/49 (0%)	
		0/50 (0%)	0/49 (0%)	0/60 (0%)		0/50 (0%)	0/49 (0%)	0/60 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/49 (0%)	0/48 (0%)	0/49 (0%)		0/49 (0%)	0/47 (0%)	0/50 (0%)	
Overall Incidence	Total	5/1548 (0.32%)	Mean 0.33%	SD 0.97%	Total	0/1549 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

		Male				Female			
*Parathyroid Gland:									
Adenoma									
		0/49 (0%)	0/92 (0%)	0/93 (0%)		0/47 (0%)	0/90 (0%)	2/86 (2%)	
		0/45 (0%)	0/49 (0%)	0/46 (0%)		0/49 (0%)	0/49 (0%)	0/45 (0%)	
		0/49 (0%)	1/45 (2%)	0/46 (0%)		0/45 (0%)	0/49 (0%)	0/49 (0%)	
		0/46 (0%)	0/48 (0%)	0/50 (0%)		1/46 (2%)	0/46 (0%)	0/49 (0%)	
		1/44 (2%)	0/46 (0%)	0/49 (0%)		0/40 (0%)	1/48 (2%)	0/46 (0%)	
		0/50 (0%)	0/47 (0%)	1/48 (2%)		0/47 (0%)	0/49 (0%)	0/50 (0%)	
		0/47 (0%)	0/45 (0%)	0/58 (0%)		0/43 (0%)	0/42 (0%)	0/57 (0%)	
		0/48 (0%)	0/49 (0%)			0/46 (0%)	0/49 (0%)	0/48 (0%)	
		0/45 (0%)	0/50 (0%)	0/49 (0%)		0/46 (0%)	0/49 (0%)	0/45 (0%)	
		0/48 (0%)	0/50 (0%)	0/49 (0%)			0/50 (0%)	0/47 (0%)	
Overall Incidence	Total	3/1480 (0.2%)	Mean 0.23%	SD 0.68%	Total	4/1452 (0.28%)	Mean 0.23%	SD 0.68%	
#Peripheral Nerve:									
Sarcoma									
		0/50 (0%)	0/100 (0%)	0/100 (0%)		0/50 (0%)	0/100 (0%)	0/100 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/49 (0%)	0/60 (0%)		0/50 (0%)	0/49 (0%)	0/60 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/1559 (0.06%)	Mean 0.07%	SD 0.37%	Total	0/1559 (0%)	Mean 0%	SD 0%	
#Peripheral Nerve:									
Schwannoma Malignant									
		0/50 (0%)	0/100 (0%)	0/100 (0%)		0/50 (0%)	0/100 (0%)	0/100 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/49 (0%)	0/60 (0%)		0/50 (0%)	0/49 (0%)	0/60 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/1559 (0.06%)	Mean 0.07%	SD 0.37%	Total	0/1559 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

		Male				Female			
#Peripheral Nerve:									
Schwannoma: Benign, Malignant, NOS									
		0/50 (0%)	0/100 (0%)	0/100 (0%)		0/50 (0%)	0/100 (0%)	0/100 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/49 (0%)	0/60 (0%)		0/50 (0%)	0/49 (0%)	0/60 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/1559 (0.06%)	Mean 0.07%	SD 0.37%	Total	0/1559 (0%)	Mean 0%	SD 0%	
*Pituitary Gland: Pars Distalis or Unspecified Site:									
Adenoma									
		10/50 (20%)	21/100 (21%)	17/100 (17%)		17/50 (34%)	35/100 (35%)	29/100 (29%)	
		36/50 (72%)	27/50 (54%)	11/50 (22%)		35/50 (70%)	34/50 (68%)	23/50 (46%)	
		29/50 (58%)	15/47 (32%)	36/50 (72%)		33/50 (66%)	20/48 (42%)	37/50 (74%)	
		19/50 (38%)	11/50 (22%)	12/50 (24%)		21/50 (42%)	22/50 (44%)	19/50 (38%)	
		36/49 (73%)	17/50 (34%)	35/50 (70%)		30/50 (60%)	12/50 (24%)	24/49 (49%)	
		25/50 (50%)	9/50 (18%)	16/49 (33%)		36/50 (72%)	23/50 (46%)	29/48 (60%)	
		34/49 (69%)	31/49 (63%)	11/59 (19%)		35/50 (70%)	23/49 (47%)	19/59 (32%)	
		15/48 (31%)	35/50 (70%)			15/50 (30%)	30/49 (61%)	27/50 (54%)	
		13/50 (26%)	38/50 (76%)	35/50 (70%)		24/50 (48%)	27/49 (55%)	31/49 (63%)	
		22/49 (45%)	23/50 (46%)	16/48 (33%)			26/50 (52%)	23/49 (47%)	
Overall Incidence	Total	655/1547 (42.34%)	Mean 44.1%	SD 21.02%	Total	759/1549 (49%)	Mean 50.3%	SD 14.24%	
*Pituitary Gland: Pars Distalis or Unspecified Site:									
Carcinoma									
		0/50 (0%)	0/100 (0%)	0/100 (0%)		0/50 (0%)	0/100 (0%)	0/100 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		5/50 (10%)	0/47 (0%)	0/50 (0%)		3/50 (6%)	1/48 (2%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	2/50 (4%)	0/50 (0%)	
		1/49 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/49 (0%)	
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	2/50 (4%)	0/48 (0%)	
		0/49 (0%)	0/49 (0%)	0/59 (0%)		0/50 (0%)	0/49 (0%)	0/59 (0%)	
		1/48 (2%)	0/50 (0%)			0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/49 (0%)	
		0/49 (0%)	0/50 (0%)	0/48 (0%)			0/50 (0%)	1/49 (2%)	
Overall Incidence	Total	9/1547 (0.58%)	Mean 0.62%	SD 1.94%	Total	11/1549 (0.71%)	Mean 0.76%	SD 1.55%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

		Male				Female			
*Pituitary Gland: Pars Distalis or Unspecified Site:									
Carcinoma or Adenoma									
		10/50 (20%)	21/100 (21%)	17/100 (17%)		17/50 (34%)	35/100 (35%)	29/100 (29%)	
		36/50 (72%)	27/50 (54%)	11/50 (22%)		36/50 (72%)	34/50 (68%)	23/50 (46%)	
		34/50 (68%)	15/47 (32%)	36/50 (72%)		36/50 (72%)	21/48 (44%)	37/50 (74%)	
		20/50 (40%)	11/50 (22%)	12/50 (24%)		21/50 (42%)	24/50 (48%)	19/50 (38%)	
		37/49 (76%)	17/50 (34%)	35/50 (70%)		30/50 (60%)	13/50 (26%)	24/49 (49%)	
		25/50 (50%)	9/50 (18%)	16/49 (33%)		36/50 (72%)	25/50 (50%)	29/48 (60%)	
		34/49 (69%)	31/49 (63%)	11/59 (19%)		35/50 (70%)	23/49 (47%)	19/59 (32%)	
		16/48 (33%)	35/50 (70%)			15/50 (30%)	30/49 (61%)	27/50 (54%)	
		13/50 (26%)	39/50 (78%)	35/50 (70%)		24/50 (48%)	27/49 (55%)	31/49 (63%)	
		22/49 (45%)	23/50 (46%)	16/48 (33%)			26/50 (52%)	24/49 (49%)	
Overall Incidence	Total	664/1547 (42.92%)	Mean 44.72%	SD 21.49%	Total	770/1549 (49.71%)	Mean 51.06%	SD 14.36%	
*Pituitary Gland: Pars Intermedia:									
Adenoma									
		0/50 (0%)	0/100 (0%)	1/100 (1%)		0/50 (0%)	0/100 (0%)	2/100 (2%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		2/50 (4%)	0/47 (0%)	0/50 (0%)		0/50 (0%)	0/48 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/49 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
		0/50 (0%)	1/50 (2%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/48 (0%)	
		0/49 (0%)	0/49 (0%)	0/59 (0%)		0/50 (0%)	0/49 (0%)	1/59 (2%)	
		0/48 (0%)	0/50 (0%)			0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/49 (0%)	
		0/49 (0%)	0/50 (0%)	0/48 (0%)			1/50 (2%)	1/49 (2%)	
Overall Incidence	Total	5/1547 (0.32%)	Mean 0.31%	SD 0.89%	Total	6/1549 (0.39%)	Mean 0.34%	SD 0.75%	
*Pituitary Gland: Pars Intermedia:									
Carcinoma									
		0/50 (0%)	0/100 (0%)	0/100 (0%)		0/50 (0%)	0/100 (0%)	0/100 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/47 (0%)	0/50 (0%)		0/50 (0%)	0/48 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/48 (0%)	
		0/49 (0%)	0/49 (0%)	0/59 (0%)		0/50 (0%)	0/49 (0%)	0/59 (0%)	
		0/48 (0%)	0/50 (0%)			0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/49 (0%)	
		0/49 (0%)	0/50 (0%)	0/48 (0%)			0/50 (0%)	0/49 (0%)	
Overall Incidence	Total	1/1547 (0.06%)	Mean 0.07%	SD 0.37%	Total	0/1549 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

		Male				Female			
*Pituitary Gland: Pars Intermedia:									
 Carcinoma or Adenoma									
		0/50 (0%)	0/100 (0%)	1/100 (1%)		0/50 (0%)	0/100 (0%)	2/100 (2%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		3/50 (6%)	0/47 (0%)	0/50 (0%)		0/50 (0%)	0/48 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/49 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
		0/50 (0%)	1/50 (2%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/48 (0%)	
		0/49 (0%)	0/49 (0%)	0/59 (0%)		0/50 (0%)	0/49 (0%)	1/59 (2%)	
		0/48 (0%)	0/50 (0%)			0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/49 (0%)	
		0/49 (0%)	0/50 (0%)	0/48 (0%)		0/50 (0%)	1/50 (2%)	1/49 (2%)	
Overall Incidence	Total	6/1547 (0.39%)	Mean 0.38%	SD 1.21%	Total	6/1549 (0.39%)	Mean 0.34%	SD 0.75%	
.....									
*Prostate:									
 Adenoma									
		0/49 (0%)	4/100 (4%)	0/100 (0%)					
		0/50 (0%)	0/50 (0%)	0/50 (0%)					
		1/50 (2%)	1/48 (2%)	0/50 (0%)					
		0/50 (0%)	0/50 (0%)	2/49 (4%)					
		1/50 (2%)	1/50 (2%)	0/50 (0%)					
		1/50 (2%)	0/50 (0%)	0/50 (0%)					
		0/50 (0%)	0/49 (0%)	2/60 (3%)					
		2/50 (4%)	0/50 (0%)						
		0/50 (0%)	0/50 (0%)	0/50 (0%)					
		0/50 (0%)	0/50 (0%)	0/50 (0%)					
Overall Incidence	Total	15/1555 (0.96%)	Mean 0.88%	SD 1.44%					
.....									
*Prostate:									
 Carcinoma or Adenoma									
		0/49 (0%)	4/100 (4%)	0/100 (0%)					
		0/50 (0%)	0/50 (0%)	0/50 (0%)					
		1/50 (2%)	1/48 (2%)	0/50 (0%)					
		0/50 (0%)	0/50 (0%)	2/49 (4%)					
		1/50 (2%)	1/50 (2%)	0/50 (0%)					
		1/50 (2%)	0/50 (0%)	0/50 (0%)					
		0/50 (0%)	0/49 (0%)	2/60 (3%)					
		2/50 (4%)	0/50 (0%)						
		0/50 (0%)	0/50 (0%)	0/50 (0%)					
		0/50 (0%)	0/50 (0%)	0/50 (0%)					
Overall Incidence	Total	15/1555 (0.96%)	Mean 0.88%	SD 1.44%					

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

		Male				Female			
*Salivary Glands:									
Carcinoma									
		0/49 (0%)	0/100 (0%)	0/100 (0%)	0/50 (0%)	0/100 (0%)	0/100 (0%)	0/100 (0%)	0/100 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)
		0/49 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/49 (0%)	0/60 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	0/60 (0%)	0/60 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	0/49 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/1554 (0%)	Mean 0%	SD 0%	Total	1/1556 (0.06%)	Mean 0.07%	SD 0.37%	
.....									
*Salivary Glands:									
Carcinoma or Adenoma									
		0/49 (0%)	0/100 (0%)	0/100 (0%)	0/50 (0%)	0/100 (0%)	0/100 (0%)	0/100 (0%)	0/100 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)
		0/49 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/49 (0%)	0/60 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	0/60 (0%)	0/60 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	0/49 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/1554 (0%)	Mean 0%	SD 0%	Total	1/1556 (0.06%)	Mean 0.07%	SD 0.37%	
.....									
*Salivary Glands:									
Sarcoma									
		0/49 (0%)	0/100 (0%)	0/100 (0%)	0/50 (0%)	0/100 (0%)	0/100 (0%)	0/100 (0%)	0/100 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/49 (2%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/49 (0%)	0/60 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	0/60 (0%)	0/60 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	0/49 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/1554 (0.06%)	Mean 0.07%	SD 0.38%	Total	0/1556 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

		Male				Female			
*Salivary Glands:									
Schwannoma Malignant									
		1/49 (2%)	0/100 (0%)	0/100 (0%)	0/50 (0%)	0/100 (0%)	0/100 (0%)	0/100 (0%)	0/100 (0%)
		0/50 (0%)	0/50 (0%)	2/50 (4%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/49 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	2/50 (4%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/49 (0%)	0/60 (0%)	0/50 (0%)	0/49 (0%)	0/60 (0%)	0/60 (0%)	0/60 (0%)
		1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	0/49 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	8/1554 (0.51%)	Mean 0.55%	SD 1.18%	Total	0/1556 (0%)	Mean 0%	SD 0%	
.....									
#Skeletal Muscle:									
Fibrosarcoma									
		0/50 (0%)	0/100 (0%)	0/100 (0%)	0/50 (0%)	0/100 (0%)	0/100 (0%)	0/100 (0%)	0/100 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/49 (0%)	0/60 (0%)	0/50 (0%)	0/49 (0%)	0/60 (0%)	0/60 (0%)	0/60 (0%)
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/1559 (0.06%)	Mean 0.07%	SD 0.37%	Total	0/1559 (0%)	Mean 0%	SD 0%	
.....									
#Skeletal Muscle:									
Hemangioma									
		0/50 (0%)	0/100 (0%)	0/100 (0%)	0/50 (0%)	0/100 (0%)	0/100 (0%)	0/100 (0%)	0/100 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/49 (0%)	0/60 (0%)	0/50 (0%)	0/49 (0%)	0/60 (0%)	0/60 (0%)	0/60 (0%)
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	2/1559 (0.13%)	Mean 0.14%	SD 0.52%	Total	0/1559 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

		Male				Female			
#Skeletal Muscle:									
Hemangiosarcoma									
		0/50 (0%)	0/100 (0%)	0/100 (0%)		0/50 (0%)	0/100 (0%)	0/100 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/49 (0%)	0/60 (0%)		0/50 (0%)	0/49 (0%)	0/60 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/1559 (0.06%)	Mean 0.07%	SD 0.37%	Total	0/1559 (0%)	Mean 0%	SD 0%	
.....									
#Skeletal Muscle:									
Lipoma									
		0/50 (0%)	0/100 (0%)	0/100 (0%)		0/50 (0%)	1/100 (1%)	0/100 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/49 (0%)	0/60 (0%)		0/50 (0%)	0/49 (0%)	1/60 (2%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/1559 (0.06%)	Mean 0.07%	SD 0.37%	Total	2/1559 (0.13%)	Mean 0.09%	SD 0.36%	
.....									
#Skeletal Muscle:									
Rhabdomyosarcoma									
		0/50 (0%)	0/100 (0%)	0/100 (0%)		0/50 (0%)	0/100 (0%)	0/100 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/49 (0%)	0/60 (0%)		1/50 (2%)	0/49 (0%)	0/60 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/1559 (0.06%)	Mean 0.07%	SD 0.37%	Total	2/1559 (0.13%)	Mean 0.14%	SD 0.52%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

		Male				Female									
#Skeletal Muscle:															
Rhabdomyosarcoma or Rhabdomyoma															
		0/50	(0%)	0/100	(0%)	0/100	(0%)	0/50	(0%)	0/100	(0%)	0/100	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/49	(0%)	0/60	(0%)	1/50	(2%)	0/49	(0%)	0/60	(0%)		
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
Overall Incidence	Total	1/1559 (0.06%)		Mean 0.07%		SD 0.37%		Total		2/1559 (0.13%)		Mean 0.14%		SD 0.52%	
#Skeletal Muscle:															
Sarcoma															
		0/50	(0%)	0/100	(0%)	0/100	(0%)	0/50	(0%)	0/100	(0%)	0/100	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/49	(0%)	0/60	(0%)	0/50	(0%)	0/49	(0%)	0/60	(0%)		
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		1/50	(2%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
Overall Incidence	Total	3/1559 (0.19%)		Mean 0.21%		SD 0.62%		Total		0/1559 (0%)		Mean 0%		SD 0%	
#Skin:															
Basal Cell Adenoma															
		0/50	(0%)	1/100	(1%)	1/100	(1%)	0/50	(0%)	0/100	(0%)	0/100	(0%)		
		1/50	(2%)	1/50	(2%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		1/50	(2%)	1/50	(2%)	0/50	(0%)	1/50	(2%)	1/50	(2%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	1/50	(2%)	0/50	(0%)		
		1/50	(2%)	0/49	(0%)	2/60	(3%)	0/50	(0%)	0/49	(0%)	0/60	(0%)		
		1/50	(2%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
Overall Incidence	Total	13/1559 (0.83%)		Mean 0.8%		SD 1.04%		Total		4/1559 (0.26%)		Mean 0.28%		SD 0.7%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

		Male				Female								
#Skin:														
Basal Cell Adenoma or Basosquamous Tumor Benign														
	0/50	(0%)	1/100	(1%)	1/100	(1%)	0/50	(0%)	0/100	(0%)				
	1/50	(2%)	1/50	(2%)	1/50	(2%)	0/50	(0%)	0/50	(0%)				
	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)				
	1/50	(2%)	1/50	(2%)	0/50	(0%)	1/50	(2%)	1/50	(2%)				
	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)				
	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	1/50	(2%)				
	1/50	(2%)	0/49	(0%)	2/60	(3%)	0/50	(0%)	0/49	(0%)				
	1/50	(2%)	0/50	(0%)			0/50	(0%)	0/50	(0%)				
	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)				
	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)				
Overall Incidence	Total	13/1559	(0.83%)	Mean	0.8%	SD	1.04%	Total	4/1559	(0.26%)	Mean	0.28%	SD	0.7%
#Skin:														
Basal Cell Adenoma, Basosquamous Tumor Benign, or Trichoepithelioma														
	0/50	(0%)	2/100	(2%)	2/100	(2%)	0/50	(0%)	0/100	(0%)				
	1/50	(2%)	1/50	(2%)	2/50	(4%)	0/50	(0%)	0/50	(0%)				
	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)				
	1/50	(2%)	1/50	(2%)	1/50	(2%)	1/50	(2%)	2/50	(4%)				
	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)				
	0/50	(0%)	1/50	(2%)	1/50	(2%)	1/50	(2%)	1/50	(2%)				
	1/50	(2%)	0/49	(0%)	2/60	(3%)	0/50	(0%)	0/49	(0%)				
	1/50	(2%)	0/50	(0%)			0/50	(0%)	0/50	(0%)				
	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)				
	1/50	(2%)	1/50	(2%)	1/50	(2%)			0/50	(0%)				
Overall Incidence	Total	21/1559	(1.35%)	Mean	1.29%	SD	1.18%	Total	10/1559	(0.64%)	Mean	0.69%	SD	1.23%
#Skin:														
Basal Cell Carcinoma														
	0/50	(0%)	1/100	(1%)	0/100	(0%)	0/50	(0%)	0/100	(0%)				
	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)				
	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)				
	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)				
	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)				
	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	1/50	(2%)				
	0/50	(0%)	0/49	(0%)	0/60	(0%)	0/50	(0%)	0/49	(0%)				
	0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)				
	1/50	(2%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)				
	1/50	(2%)	1/50	(2%)	0/50	(0%)			0/50	(0%)				
Overall Incidence	Total	4/1559	(0.26%)	Mean	0.24%	SD	0.64%	Total	6/1559	(0.38%)	Mean	0.41%	SD	0.82%

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

	Male				Female			
#Skin:								
Basal Cell Carcinoma or Basosquamous Tumor (malignant or NOS)								
	0/50 (0%)	1/100 (1%)	0/100 (0%)	0/50 (0%)	0/100 (0%)	0/50 (0%)	0/100 (0%)	0/100 (0%)
	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/49 (0%)	0/60 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	0/60 (0%)	0/60 (0%)
	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	1/50 (2%)
	1/50 (2%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
	1/50 (2%)	1/50 (2%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	1/50 (2%)
Overall Incidence	Total	4/1559 (0.26%)	Mean 0.24%	SD 0.64%	Total	6/1559 (0.38%)	Mean 0.41%	SD 0.82%
#Skin:								
Basal Cell Carcinoma, Basal Cell Adenoma, Basosquamous Tumor (benign, malignant or NOS), or Trichoepithelioma								
	0/50 (0%)	3/100 (3%)	2/100 (2%)	0/50 (0%)	0/100 (0%)	0/100 (0%)	0/100 (0%)	0/100 (0%)
	1/50 (2%)	1/50 (2%)	2/50 (4%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
	1/50 (2%)	1/50 (2%)	1/50 (2%)	1/50 (2%)	1/50 (2%)	2/50 (4%)	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
	0/50 (0%)	1/50 (2%)	1/50 (2%)	2/50 (4%)	2/50 (4%)	2/50 (4%)	1/50 (2%)	1/50 (2%)
	1/50 (2%)	0/49 (0%)	2/60 (3%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	0/60 (0%)	0/60 (0%)
	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	1/50 (2%)
	1/50 (2%)	0/50 (0%)	0/50 (0%)	2/50 (4%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
	2/50 (4%)	2/50 (4%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	3/50 (6%)	0/50 (0%)	3/50 (6%)
Overall Incidence	Total	25/1559 (1.6%)	Mean 1.53%	SD 1.37%	Total	16/1559 (1.03%)	Mean 1.1%	SD 1.74%
#Skin:								
Basal or Sq. Cell Carcinoma, Carcinoma, Basosq. Tumor (M or B), Basal Cell Adenoma, Adenoma, Papilloma, Sq Papilloma, Keratoacanthoma, Trichoepithelioma								
	11/50 (22%)	8/100 (8%)	11/100 (11%)	3/50 (6%)	0/100 (0%)	1/100 (1%)	1/100 (1%)	1/100 (1%)
	5/50 (10%)	3/50 (6%)	6/50 (12%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
	4/50 (8%)	1/50 (2%)	2/50 (4%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
	4/50 (8%)	10/50 (20%)	5/50 (10%)	1/50 (2%)	4/50 (8%)	1/50 (2%)	1/50 (2%)	1/50 (2%)
	2/50 (4%)	2/50 (4%)	0/50 (0%)	1/50 (2%)	2/50 (4%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
	7/50 (14%)	2/50 (4%)	3/50 (6%)	3/50 (6%)	2/50 (4%)	2/50 (4%)	2/50 (4%)	2/50 (4%)
	2/50 (4%)	4/49 (8%)	7/60 (12%)	0/50 (0%)	1/49 (2%)	0/60 (0%)	0/60 (0%)	0/60 (0%)
	4/50 (8%)	2/50 (4%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	1/50 (2%)	1/50 (2%)
	3/50 (6%)	1/50 (2%)	5/50 (10%)	3/50 (6%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
	4/50 (8%)	7/50 (14%)	5/50 (10%)	1/50 (2%)	1/50 (2%)	3/50 (6%)	3/50 (6%)	3/50 (6%)
Overall Incidence	Total	130/1559 (8.34%)	Mean 8.24%	SD 5.03%	Total	32/1559 (2.05%)	Mean 2.17%	SD 2.36%

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

		Male				Female				
#Skin:										
Fibroma										
		5/50 (10%)	7/100 (7%)	2/100 (2%)		3/50 (6%)	1/100 (1%)	1/100 (1%)		
		3/50 (6%)	2/50 (4%)	2/50 (4%)		0/50 (0%)	0/50 (0%)	0/50 (0%)		
		5/50 (10%)	6/50 (12%)	5/50 (10%)		0/50 (0%)	1/50 (2%)	0/50 (0%)		
		1/50 (2%)	6/50 (12%)	4/50 (8%)		1/50 (2%)	1/50 (2%)	2/50 (4%)		
		1/50 (2%)	3/50 (6%)	4/50 (8%)		3/50 (6%)	0/50 (0%)	0/50 (0%)		
		6/50 (12%)	2/50 (4%)	8/50 (16%)		1/50 (2%)	1/50 (2%)	1/50 (2%)		
		4/50 (8%)	5/49 (10%)	5/60 (8%)		1/50 (2%)	0/49 (0%)	3/60 (5%)		
		1/50 (2%)	2/50 (4%)			0/50 (0%)	1/50 (2%)	1/50 (2%)		
		0/50 (0%)	2/50 (4%)	2/50 (4%)		1/50 (2%)	0/50 (0%)	1/50 (2%)		
		6/50 (12%)	5/50 (10%)	9/50 (18%)			1/50 (2%)	4/50 (8%)		
Overall Incidence	Total	113/1559 (7.25%)		Mean 7.43%	SD 4.44%	Total	29/1559 (1.86%)		Mean 1.9%	SD 2.09%
.....										
#Skin:										
Fibroma, Fibrosarcoma, Sarcoma, Myxoma, Myxosarcoma, or Fibrous Histiocytoma										
		6/50 (12%)	12/100 (12%)	8/100 (8%)		4/50 (8%)	1/100 (1%)	1/100 (1%)		
		3/50 (6%)	4/50 (8%)	4/50 (8%)		1/50 (2%)	2/50 (4%)	1/50 (2%)		
		5/50 (10%)	9/50 (18%)	6/50 (12%)		0/50 (0%)	1/50 (2%)	0/50 (0%)		
		3/50 (6%)	7/50 (14%)	7/50 (14%)		1/50 (2%)	1/50 (2%)	2/50 (4%)		
		2/50 (4%)	3/50 (6%)	5/50 (10%)		3/50 (6%)	0/50 (0%)	0/50 (0%)		
		8/50 (16%)	2/50 (4%)	8/50 (16%)		2/50 (4%)	1/50 (2%)	1/50 (2%)		
		5/50 (10%)	7/49 (14%)	5/60 (8%)		1/50 (2%)	1/49 (2%)	3/60 (5%)		
		2/50 (4%)	3/50 (6%)			2/50 (4%)	3/50 (6%)	3/50 (6%)		
		1/50 (2%)	3/50 (6%)	6/50 (12%)		1/50 (2%)	0/50 (0%)	1/50 (2%)		
		7/50 (14%)	6/50 (12%)	10/50 (20%)			1/50 (2%)	4/50 (8%)		
Overall Incidence	Total	157/1559 (10.07%)		Mean 10.09%	SD 4.59%	Total	42/1559 (2.69%)		Mean 2.79%	SD 2.3%
.....										
#Skin:										
Fibrosarcoma										
		0/50 (0%)	6/100 (6%)	2/100 (2%)		1/50 (2%)	0/100 (0%)	0/100 (0%)		
		0/50 (0%)	2/50 (4%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	1/50 (2%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)		
		2/50 (4%)	0/50 (0%)	3/50 (6%)		0/50 (0%)	0/50 (0%)	0/50 (0%)		
		1/50 (2%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)		
		3/50 (6%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)		
		1/50 (2%)	2/49 (4%)	0/60 (0%)		0/50 (0%)	0/49 (0%)	0/60 (0%)		
		0/50 (0%)	1/50 (2%)			1/50 (2%)	1/50 (2%)	1/50 (2%)		
		1/50 (2%)	1/50 (2%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	1/50 (2%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	28/1559 (1.8%)		Mean 1.66%	SD 2.01%	Total	7/1559 (0.45%)		Mean 0.48%	SD 0.87%

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

		Male				Female			
#Skin:									
Fibrosarcoma, Sarcoma, Myxosarcoma, or Fibrous Histiocytoma									
		1/50 (2%)	6/100 (6%)	5/100 (5%)		1/50 (2%)	0/100 (0%)	0/100 (0%)	
		0/50 (0%)	2/50 (4%)	2/50 (4%)		1/50 (2%)	2/50 (4%)	1/50 (2%)	
		0/50 (0%)	3/50 (6%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		2/50 (4%)	1/50 (2%)	3/50 (6%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		3/50 (6%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	2/49 (4%)	0/60 (0%)		0/50 (0%)	1/49 (2%)	0/60 (0%)	
		1/50 (2%)	1/50 (2%)			2/50 (4%)	2/50 (4%)	2/50 (4%)	
		1/50 (2%)	1/50 (2%)	4/50 (8%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	1/50 (2%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	45/1559 (2.89%)	Mean 2.73%	SD 2.19%	Total	13/1559 (0.83%)	Mean 0.9%	SD 1.47%	
.....									
#Skin:									
Fibrous Histiocytoma									
		1/50 (2%)	0/100 (0%)	2/100 (2%)		0/50 (0%)	0/100 (0%)	0/100 (0%)	
		0/50 (0%)	0/50 (0%)	1/50 (2%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/49 (0%)	0/60 (0%)		0/50 (0%)	0/49 (0%)	0/60 (0%)	
		1/50 (2%)	0/50 (0%)			0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	2/50 (4%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	9/1559 (0.58%)	Mean 0.55%	SD 1.06%	Total	2/1559 (0.13%)	Mean 0.14%	SD 0.52%	
.....									
#Skin:									
Hemangioma									
		0/50 (0%)	0/100 (0%)	0/100 (0%)		0/50 (0%)	0/100 (0%)	0/100 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/49 (0%)	0/60 (0%)		0/50 (0%)	1/49 (2%)	0/60 (0%)	
		2/50 (4%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	3/1559 (0.19%)	Mean 0.21%	SD 0.82%	Total	1/1559 (0.06%)	Mean 0.07%	SD 0.38%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

		Male				Female			
#Skin:									
Hemangiopericytoma									
		0/50 (0%)	0/100 (0%)	0/100 (0%)		0/50 (0%)	0/100 (0%)	0/100 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/49 (0%)	0/60 (0%)		0/50 (0%)	0/49 (0%)	0/60 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/1559 (0%)	Mean 0%	SD 0%	Total	1/1559 (0.06%)	Mean 0.07%	SD 0.37%	
#Skin:									
Hemangiosarcoma									
		0/50 (0%)	0/100 (0%)	0/100 (0%)		0/50 (0%)	0/100 (0%)	0/100 (0%)	
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/49 (0%)	1/60 (2%)		0/50 (0%)	0/49 (0%)	0/60 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	3/1559 (0.19%)	Mean 0.2%	SD 0.59%	Total	1/1559 (0.06%)	Mean 0.07%	SD 0.37%	
#Skin:									
Keratoacanthoma									
		10/50 (20%)	5/100 (5%)	8/100 (8%)		3/50 (6%)	0/100 (0%)	0/100 (0%)	
		4/50 (8%)	1/50 (2%)	3/50 (6%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		3/50 (6%)	1/50 (2%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		2/50 (4%)	8/50 (16%)	3/50 (6%)		0/50 (0%)	2/50 (4%)	1/50 (2%)	
		2/50 (4%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		3/50 (6%)	1/50 (2%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	4/49 (8%)	5/60 (8%)		0/50 (0%)	0/49 (0%)	0/60 (0%)	
		2/50 (4%)	1/50 (2%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
		2/50 (4%)	0/50 (0%)	4/50 (8%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		3/50 (6%)	3/50 (6%)	4/50 (8%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	85/1559 (5.45%)	Mean 5.36%	SD 4.42%	Total	8/1559 (0.51%)	Mean 0.55%	SD 1.4%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

		Male				Female			
#Skin:									
Lipoma									
		0/50 (0%)	0/100 (0%)	0/100 (0%)		0/50 (0%)	0/100 (0%)	2/100 (2%)	
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)	1/50 (2%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	1/50 (2%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	1/49 (2%)	0/60 (0%)		0/50 (0%)	0/49 (0%)	0/60 (0%)	
		0/50 (0%)	1/50 (2%)			1/50 (2%)	0/50 (0%)	1/50 (2%)	
		1/50 (2%)	2/50 (4%)	2/50 (4%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)			0/50 (0%)	1/50 (2%)	
Overall Incidence	Total	15/1559 (0.96%)	Mean 1.04%	SD 1.27%	Total	7/1559 (0.45%)	Mean 0.41%	SD 0.82%	
.....									
#Skin:									
Liposarcoma									
		0/50 (0%)	0/100 (0%)	0/100 (0%)		0/50 (0%)	0/100 (0%)	0/100 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/49 (0%)	0/60 (0%)		0/50 (0%)	0/49 (0%)	0/60 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/1559 (0%)	Mean 0%	SD 0%	Total	1/1559 (0.06%)	Mean 0.07%	SD 0.37%	
.....									
#Skin:									
Melanoma Malignant									
		0/50 (0%)	0/100 (0%)	1/100 (1%)		0/50 (0%)	0/100 (0%)	0/100 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/49 (0%)	0/60 (0%)		0/50 (0%)	0/49 (0%)	0/60 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/1559 (0.06%)	Mean 0.03%	SD 0.19%	Total	0/1559 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

		Male				Female								
#Skin:														
Myxoma														
		0/50	(0%)	0/100	(0%)	1/100	(1%)	0/50	(0%)	0/100	(0%)	0/100	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/49	(0%)	0/60	(0%)	0/50	(0%)	0/49	(0%)	0/60	(0%)	
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	1/1559 (0.06%)		Mean 0.03%		SD 0.19%		Total	0/1559 (0%)		Mean 0%		SD 0%	
#Skin:														
Myxosarcoma														
		0/50	(0%)	0/100	(0%)	0/100	(0%)	0/50	(0%)	0/100	(0%)	0/100	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/49	(0%)	0/60	(0%)	0/50	(0%)	0/49	(0%)	0/60	(0%)	
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	1/50	(2%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	0/1559 (0%)		Mean 0%		SD 0%		Total	1/1559 (0.06%)		Mean 0.07%		SD 0.37%	
#Skin:														
Neural Crest Tumor														
		0/50	(0%)	0/100	(0%)	0/100	(0%)	0/50	(0%)	1/100	(1%)	0/100	(0%)	
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/49	(0%)	0/60	(0%)	0/50	(0%)	0/49	(0%)	0/60	(0%)	
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	1/50	(2%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	
Overall Incidence	Total	5/1559 (0.32%)		Mean 0.34%		SD 0.77%		Total	3/1559 (0.19%)		Mean 0.17%		SD 0.54%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

		Male				Female				
#Skin:										
Neurofibroma or Schwannoma benign										
	0/50	(0%)	0/100	(0%)	0/100	(0%)	0/50	(0%)	0/100	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/49	(0%)	0/60	(0%)	0/50	(0%)	0/49	(0%)
	0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/1559	(0%)	Mean 0%	SD 0%	Total	1/1559	(0.06%)	Mean 0.07%	SD 0.37%
#Skin:										
Neurofibrosarcoma or Schwannoma (malignant or NOS)										
	0/50	(0%)	0/100	(0%)	2/100	(2%)	0/50	(0%)	0/100	(0%)
	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
	2/50	(4%)	0/50	(0%)	0/50	(0%)	2/50	(4%)	0/50	(0%)
	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/49	(0%)	0/60	(0%)	0/50	(0%)	0/49	(0%)
	0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	7/1559	(0.45%)	Mean 0.41%	SD 0.98%	Total	3/1559	(0.19%)	Mean 0.21%	SD 0.82%
#Skin:										
Neurofibrosarcoma, Neurofibroma, or Schwannoma (benign, malignant or NOS)										
	0/50	(0%)	0/100	(0%)	2/100	(2%)	0/50	(0%)	0/100	(0%)
	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
	2/50	(4%)	0/50	(0%)	0/50	(0%)	2/50	(4%)	0/50	(0%)
	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/49	(0%)	0/60	(0%)	0/50	(0%)	0/49	(0%)
	0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	7/1559	(0.45%)	Mean 0.41%	SD 0.98%	Total	4/1559	(0.26%)	Mean 0.28%	SD 0.88%

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

		Male				Female			
#Skin:									
Osteosarcoma									
		1/50 (2%)	0/100 (0%)	0/100 (0%)	0/50 (0%)	0/100 (0%)	0/100 (0%)	0/100 (0%)	0/100 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/49 (0%)	0/60 (0%)	0/50 (0%)	0/49 (0%)	0/60 (0%)	0/50 (0%)	0/60 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/1559 (0.06%)	Mean 0.07%	SD 0.37%	Total	0/1559 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Sarcoma									
		0/50 (0%)	0/100 (0%)	1/100 (1%)	0/50 (0%)	0/100 (0%)	0/100 (0%)	0/100 (0%)	0/100 (0%)
		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	3/50 (6%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/49 (0%)	0/60 (0%)	0/50 (0%)	1/49 (2%)	0/60 (0%)	0/50 (0%)	0/60 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	8/1559 (0.51%)	Mean 0.52%	SD 1.27%	Total	3/1559 (0.19%)	Mean 0.21%	SD 0.62%	
.....									
#Skin:									
Schwannoma Benign									
		0/50 (0%)	0/100 (0%)	0/100 (0%)	0/50 (0%)	0/100 (0%)	0/100 (0%)	0/100 (0%)	0/100 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/49 (0%)	0/60 (0%)	0/50 (0%)	0/49 (0%)	0/60 (0%)	0/50 (0%)	0/60 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/1559 (0%)	Mean 0%	SD 0%	Total	1/1559 (0.06%)	Mean 0.07%	SD 0.37%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

		Male				Female			
#Skin:									
Schwannoma Malignant									
		0/50 (0%)	0/100 (0%)	2/100 (2%)		0/50 (0%)	0/100 (0%)	0/100 (0%)	
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		2/50 (4%)	0/50 (0%)	0/50 (0%)		2/50 (4%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/49 (0%)	0/60 (0%)		0/50 (0%)	0/49 (0%)	0/60 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	7/1559 (0.45%)	Mean 0.41%	SD 0.98%	Total	3/1559 (0.19%)	Mean 0.21%	SD 0.82%	
.....									
#Skin:									
Squamous Cell Carcinoma									
		0/50 (0%)	0/100 (0%)	0/100 (0%)		0/50 (0%)	0/100 (0%)	0/100 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/49 (0%)	0/60 (0%)		0/50 (0%)	0/49 (0%)	0/60 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	3/1559 (0.19%)	Mean 0.21%	SD 0.62%	Total	2/1559 (0.13%)	Mean 0.14%	SD 0.52%	
.....									
#Skin:									
Squamous Cell Carcinoma, Basal Cell Carcinoma, Basosquamous Tumor (malignant or NOS), or Carcinoma									
		0/50 (0%)	1/100 (1%)	0/100 (0%)		0/50 (0%)	0/100 (0%)	0/100 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	1/50 (2%)		1/50 (2%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	0/49 (0%)	0/60 (0%)		0/50 (0%)	0/49 (0%)	0/60 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	1/50 (2%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		2/50 (4%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	1/50 (2%)	0/50 (0%)			0/50 (0%)	1/50 (2%)	
Overall Incidence	Total	6/1559 (0.38%)	Mean 0.38%	SD 0.78%	Total	8/1559 (0.51%)	Mean 0.55%	SD 1.06%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

		Male				Female			
#Skin:									
Squamous Cell Papilloma									
		1/50 (2%)	0/100 (0%)	1/100 (1%)	0/50 (0%)	0/100 (0%)	1/100 (1%)		
		0/50 (0%)	1/50 (2%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		1/50 (2%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		1/50 (2%)	1/50 (2%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)		
		4/50 (8%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	1/50 (2%)		
		0/50 (0%)	0/49 (0%)	0/60 (0%)	0/50 (0%)	1/49 (2%)	0/60 (0%)		
		1/50 (2%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	1/50 (2%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	2/50 (4%)	0/50 (0%)		1/50 (2%)	0/50 (0%)		
Overall Incidence	Total	19/1559 (1.22%)	Mean 1.28%	SD 1.71%	Total	6/1559 (0.38%)	Mean 0.38%	SD 0.78%	
.....									
#Skin:									
Squamous Cell Papilloma or Papilloma									
		1/50 (2%)	0/100 (0%)	1/100 (1%)	0/50 (0%)	0/100 (0%)	1/100 (1%)		
		0/50 (0%)	1/50 (2%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		1/50 (2%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		1/50 (2%)	1/50 (2%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)		
		4/50 (8%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	1/50 (2%)		
		0/50 (0%)	0/49 (0%)	0/60 (0%)	0/50 (0%)	1/49 (2%)	0/60 (0%)		
		1/50 (2%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	1/50 (2%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	2/50 (4%)	0/50 (0%)		1/50 (2%)	0/50 (0%)		
Overall Incidence	Total	19/1559 (1.22%)	Mean 1.28%	SD 1.71%	Total	6/1559 (0.38%)	Mean 0.38%	SD 0.78%	
.....									
#Skin:									
Squamous Cell Papilloma, Papilloma, Squamous Cell Carcinoma or Keratoacanthoma									
		11/50 (22%)	5/100 (5%)	9/100 (9%)	3/50 (6%)	0/100 (0%)	1/100 (1%)		
		4/50 (8%)	2/50 (4%)	4/50 (8%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		4/50 (8%)	1/50 (2%)	1/50 (2%)	1/50 (2%)	0/50 (0%)	0/50 (0%)		
		3/50 (6%)	9/50 (18%)	4/50 (8%)	0/50 (0%)	2/50 (4%)	1/50 (2%)		
		2/50 (4%)	2/50 (4%)	0/50 (0%)	1/50 (2%)	1/50 (2%)	0/50 (0%)		
		7/50 (14%)	1/50 (2%)	2/50 (4%)	1/50 (2%)	0/50 (0%)	1/50 (2%)		
		1/50 (2%)	4/49 (8%)	5/60 (8%)	0/50 (0%)	1/49 (2%)	0/60 (0%)		
		3/50 (6%)	2/50 (4%)		0/50 (0%)	0/50 (0%)	0/50 (0%)		
		2/50 (4%)	1/50 (2%)	5/50 (10%)	1/50 (2%)	1/50 (2%)	0/50 (0%)		
		3/50 (6%)	6/50 (12%)	4/50 (8%)		1/50 (2%)	0/50 (0%)		
Overall Incidence	Total	107/1559 (6.86%)	Mean 6.84%	SD 4.91%	Total	16/1559 (1.03%)	Mean 1.07%	SD 1.46%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

		Male				Female			
#Skin:									
Squamous Cell Papilloma, Papilloma, or Keratoacanthoma									
		11/50 (22%)	5/100 (5%)	9/100 (9%)		3/50 (6%)	0/100 (0%)	1/100 (1%)	
		4/50 (8%)	2/50 (4%)	4/50 (8%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		4/50 (8%)	1/50 (2%)	1/50 (2%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		3/50 (6%)	9/50 (18%)	4/50 (8%)		0/50 (0%)	2/50 (4%)	1/50 (2%)	
		2/50 (4%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		7/50 (14%)	1/50 (2%)	1/50 (2%)		1/50 (2%)	0/50 (0%)	1/50 (2%)	
		1/50 (2%)	4/49 (8%)	5/60 (8%)		0/50 (0%)	1/49 (2%)	0/60 (0%)	
		3/50 (6%)	2/50 (4%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
		2/50 (4%)	1/50 (2%)	5/50 (10%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		3/50 (6%)	5/50 (10%)	4/50 (8%)			1/50 (2%)	0/50 (0%)	
Overall Incidence	Total	104/1559 (6.67%)	Mean 6.64%	SD 4.96%	Total	14/1559 (0.9%)	Mean 0.93%	SD 1.46%	
#Skin:									
Trichoepithelioma									
		0/50 (0%)	1/100 (1%)	1/100 (1%)		0/50 (0%)	0/100 (0%)	0/100 (0%)	
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)	0/49 (0%)	0/60 (0%)		0/50 (0%)	0/49 (0%)	0/60 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)	1/50 (2%)			0/50 (0%)	2/50 (4%)	
Overall Incidence	Total	8/1559 (0.51%)	Mean 0.48%	SD 0.83%	Total	6/1559 (0.38%)	Mean 0.41%	SD 0.98%	
#Skin: Sebaceous Gland:									
Adenoma									
		0/50 (0%)	0/100 (0%)	0/100 (0%)		0/50 (0%)	0/100 (0%)	0/100 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	1/49 (2%)	0/60 (0%)		0/50 (0%)	0/49 (0%)	0/60 (0%)	
		0/50 (0%)	1/50 (2%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	3/50 (6%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	10/1559 (0.64%)	Mean 0.69%	SD 1.34%	Total	0/1559 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

		Male				Female			
#Skin: Sebaceous Gland:									
Carcinoma									
		0/50 (0%)	0/100 (0%)	0/100 (0%)		0/50 (0%)	0/100 (0%)	0/100 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/49 (0%)	0/60 (0%)		0/50 (0%)	0/49 (0%)	0/60 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/1559 (0.06%)	Mean 0.07%	SD 0.37%	Total	1/1559 (0.06%)	Mean 0.07%	SD 0.37%	
#Skin: Sebaceous Gland:									
Carcinoma or Adenoma									
		0/50 (0%)	0/100 (0%)	0/100 (0%)		0/50 (0%)	0/100 (0%)	0/100 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	1/50 (2%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	1/49 (2%)	0/60 (0%)		0/50 (0%)	0/49 (0%)	0/60 (0%)	
		0/50 (0%)	1/50 (2%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	3/50 (6%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	11/1559 (0.71%)	Mean 0.76%	SD 1.36%	Total	1/1559 (0.06%)	Mean 0.07%	SD 0.37%	
*Spleen:									
Hemangioma									
		0/50 (0%)	0/100 (0%)	0/100 (0%)		0/49 (0%)	0/100 (0%)	0/100 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/43 (0%)	0/50 (0%)		0/50 (0%)	0/48 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/49 (0%)	0/60 (0%)		0/50 (0%)	0/49 (0%)	0/60 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/48 (0%)	0/50 (0%)	0/48 (0%)		0/47 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/1547 (0.06%)	Mean 0.07%	SD 0.37%	Total	0/1550 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

		Male				Female									
*Spleen:															
Hemangiosarcoma															
		0/50	(0%)	0/100	(0%)	0/100	(0%)	0/49	(0%)	0/100	(0%)	0/100	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/43	(0%)	0/50	(0%)	0/50	(0%)	0/48	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		1/50	(2%)	0/49	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/49	(0%)	0/60	(0%)	0/50	(0%)	1/49	(2%)	0/60	(0%)		
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/49	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)		
		1/48	(2%)	0/50	(0%)	0/48	(0%)	0/50	(0%)	0/47	(0%)	0/50	(0%)		
Overall Incidence	Total	2/1547 (0.13%)		Mean 0.14%		SD 0.53%		Total		1/1550 (0.06%)		Mean 0.07%		SD 0.38%	
*Spleen:															
Leiomyosarcoma															
		0/50	(0%)	0/100	(0%)	0/100	(0%)	0/49	(0%)	0/100	(0%)	0/100	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/43	(0%)	0/50	(0%)	0/50	(0%)	0/48	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/49	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)		
		1/50	(2%)	0/49	(0%)	0/60	(0%)	0/50	(0%)	0/49	(0%)	0/60	(0%)		
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/49	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)		
		0/48	(0%)	0/50	(0%)	0/48	(0%)	0/50	(0%)	0/47	(0%)	0/50	(0%)		
Overall Incidence	Total	1/1547 (0.06%)		Mean 0.07%		SD 0.37%		Total		0/1550 (0%)		Mean 0%		SD 0%	
#Stomach, Forestomach:															
Leiomyosarcoma															
		0/50	(0%)	0/100	(0%)	1/100	(1%)	0/50	(0%)	0/100	(0%)	0/100	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/49	(0%)	0/60	(0%)	0/50	(0%)	0/49	(0%)	0/60	(0%)		
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
Overall Incidence	Total	1/1559 (0.06%)		Mean 0.03%		SD 0.19%		Total		0/1559 (0%)		Mean 0%		SD 0%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

		Male				Female								
#Stomach, Forestomach:														
Lipoma														
		0/50	(0%)	0/100	(0%)	0/100	(0%)	0/50	(0%)	0/100	(0%)	0/100	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/49	(0%)	0/60	(0%)	0/50	(0%)	0/49	(0%)	0/60	(0%)	
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	1/1559 (0.06%)		Mean 0.07%		SD 0.37%		Total	0/1559 (0%)		Mean 0%		SD 0%	
#Stomach, Forestomach:														
Schwannoma Malignant														
		0/50	(0%)	0/100	(0%)	0/100	(0%)	0/50	(0%)	0/100	(0%)	0/100	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/49	(0%)	0/60	(0%)	0/50	(0%)	0/49	(0%)	0/60	(0%)	
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	1/1559 (0.06%)		Mean 0.07%		SD 0.37%		Total	0/1559 (0%)		Mean 0%		SD 0%	
#Stomach, Forestomach:														
Squamous Cell Carcinoma or Papilloma Squamous														
		0/50	(0%)	1/100	(1%)	0/100	(0%)	0/50	(0%)	0/100	(0%)	0/100	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	2/50	(4%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/49	(0%)	0/60	(0%)	0/50	(0%)	0/49	(0%)	0/60	(0%)	
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)	
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	
Overall Incidence	Total	4/1559 (0.26%)		Mean 0.24%		SD 0.64%		Total	4/1559 (0.26%)		Mean 0.28%		SD 0.88%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

		Male				Female								
#Stomach, Forestomach:														
Squamous Cell Papilloma														
		0/50	(0%)	1/100	(1%)	0/100	(0%)	0/50	(0%)	0/100	(0%)	0/100	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	2/50	(4%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/49	(0%)	0/60	(0%)	0/50	(0%)	0/49	(0%)	0/60	(0%)	
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)	
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	
Overall Incidence	Total	4/1559 (0.26%)		Mean 0.24%		SD 0.64%		Total	4/1559 (0.26%)		Mean 0.28%		SD 0.88%	
#Stomach, Glandular:														
Carcinoma														
		0/50	(0%)	0/100	(0%)	0/100	(0%)	0/50	(0%)	0/100	(0%)	0/100	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/49	(0%)	0/60	(0%)	0/50	(0%)	0/49	(0%)	0/60	(0%)	
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	1/1559 (0.06%)		Mean 0.07%		SD 0.37%		Total	0/1559 (0%)		Mean 0%		SD 0%	
#Stomach, Glandular:														
Carcinoma or Adenoma														
		0/50	(0%)	0/100	(0%)	0/100	(0%)	0/50	(0%)	0/100	(0%)	0/100	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/49	(0%)	0/60	(0%)	0/50	(0%)	0/49	(0%)	0/60	(0%)	
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	1/1559 (0.06%)		Mean 0.07%		SD 0.37%		Total	0/1559 (0%)		Mean 0%		SD 0%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

		Male				Female			
#Stomach, Glandular:									
Leiomyosarcoma									
		0/50 (0%)	0/100 (0%)	0/100 (0%)	0/50 (0%)	0/100 (0%)	0/50 (0%)	0/100 (0%)	0/100 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/49 (0%)	0/60 (0%)	0/50 (0%)	0/49 (0%)	0/60 (0%)	0/60 (0%)	0/60 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	3/1559 (0.19%)	Mean 0.21%	SD 0.62%	Total	0/1559 (0%)	Mean 0%	SD 0%	
.....									
#Stomach, Glandular:									
Lipoma									
		0/50 (0%)	0/100 (0%)	0/100 (0%)	0/50 (0%)	0/100 (0%)	0/100 (0%)	0/100 (0%)	0/100 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/49 (0%)	0/60 (0%)	0/50 (0%)	0/49 (0%)	0/60 (0%)	0/60 (0%)	0/60 (0%)
		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/1559 (0.06%)	Mean 0.07%	SD 0.37%	Total	0/1559 (0%)	Mean 0%	SD 0%	
.....									
*Testes:									
Adenoma									
		45/50 (90%)	91/100 (91%)	96/100 (96%)					
		36/50 (72%)	40/50 (80%)	41/50 (82%)					
		36/50 (72%)	45/50 (90%)	38/50 (76%)					
		44/50 (88%)	44/50 (88%)	41/50 (82%)					
		40/50 (80%)	40/50 (80%)	42/50 (84%)					
		41/50 (82%)	48/50 (96%)	46/50 (92%)					
		33/50 (66%)	38/49 (78%)	55/60 (92%)					
		49/50 (98%)	41/50 (82%)						
		47/50 (94%)	41/50 (82%)	36/50 (72%)					
		45/50 (90%)	41/50 (82%)	45/50 (90%)					
Overall Incidence	Total	1325/1559 (84.99%)	Mean 84.35%	SD 8.15%					

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

		Male				Female								
*Thymus:														
Sarcoma														
		0/48	(0%)	0/87	(0%)	0/97	(0%)	0/50	(0%)	0/92	(0%)	0/96	(0%)	
		0/49	(0%)	0/50	(0%)	0/46	(0%)	0/48	(0%)	0/48	(0%)	0/46	(0%)	
		0/49	(0%)	0/39	(0%)	0/48	(0%)	0/50	(0%)	0/48	(0%)	0/45	(0%)	
		0/45	(0%)	0/49	(0%)	0/50	(0%)	0/45	(0%)	0/48	(0%)	0/48	(0%)	
		0/47	(0%)	0/49	(0%)	0/49	(0%)	0/45	(0%)	0/48	(0%)	0/47	(0%)	
		0/49	(0%)	0/48	(0%)	0/48	(0%)	0/50	(0%)	0/48	(0%)	0/47	(0%)	
		0/42	(0%)	0/47	(0%)	0/56	(0%)	0/50	(0%)	0/46	(0%)	0/57	(0%)	
		0/49	(0%)	0/47	(0%)			0/48	(0%)	0/45	(0%)	0/48	(0%)	
		0/50	(0%)	0/49	(0%)	0/49	(0%)	0/49	(0%)	0/47	(0%)	0/49	(0%)	
		0/48	(0%)	1/49	(2%)	0/48	(0%)	0/49	(0%)	0/49	(0%)	0/49	(0%)	
Overall Incidence	Total	1/1481 (0.07%)		Mean 0.07%		SD 0.38%		Total	0/1486 (0%)		Mean 0%		SD 0%	
*Thymus:														
Thymoma Benign														
		0/48	(0%)	1/87	(1%)	0/97	(0%)	0/50	(0%)	0/92	(0%)	0/96	(0%)	
		0/49	(0%)	0/50	(0%)	0/46	(0%)	0/48	(0%)	0/48	(0%)	0/46	(0%)	
		0/49	(0%)	0/39	(0%)	0/48	(0%)	0/50	(0%)	1/48	(2%)	0/45	(0%)	
		0/45	(0%)	0/49	(0%)	0/50	(0%)	0/45	(0%)	0/48	(0%)	0/48	(0%)	
		0/47	(0%)	0/49	(0%)	0/49	(0%)	0/45	(0%)	0/48	(0%)	0/47	(0%)	
		0/49	(0%)	0/48	(0%)	0/48	(0%)	1/50	(2%)	0/48	(0%)	0/47	(0%)	
		0/42	(0%)	0/47	(0%)	0/56	(0%)	1/50	(2%)	0/46	(0%)	0/57	(0%)	
		0/49	(0%)	0/47	(0%)			0/48	(0%)	0/45	(0%)	0/48	(0%)	
		0/50	(0%)	0/49	(0%)	0/49	(0%)	0/49	(0%)	0/47	(0%)	0/49	(0%)	
		0/48	(0%)	1/49	(2%)	0/48	(0%)	0/49	(0%)	0/49	(0%)	0/49	(0%)	
Overall Incidence	Total	2/1481 (0.14%)		Mean 0.11%		SD 0.43%		Total	3/1486 (0.2%)		Mean 0.21%		SD 0.63%	
*Thymus:														
Thymoma Malignant														
		0/48	(0%)	0/87	(0%)	0/97	(0%)	0/50	(0%)	1/92	(1%)	0/96	(0%)	
		0/49	(0%)	0/50	(0%)	0/46	(0%)	0/48	(0%)	0/48	(0%)	0/46	(0%)	
		0/49	(0%)	0/39	(0%)	0/48	(0%)	0/50	(0%)	0/48	(0%)	0/45	(0%)	
		0/45	(0%)	0/49	(0%)	0/50	(0%)	0/45	(0%)	0/48	(0%)	0/48	(0%)	
		0/47	(0%)	0/49	(0%)	0/49	(0%)	0/45	(0%)	0/48	(0%)	0/47	(0%)	
		0/49	(0%)	0/48	(0%)	0/48	(0%)	0/50	(0%)	0/48	(0%)	0/47	(0%)	
		0/42	(0%)	0/47	(0%)	0/56	(0%)	0/50	(0%)	0/46	(0%)	0/57	(0%)	
		0/49	(0%)	0/47	(0%)			0/48	(0%)	0/45	(0%)	1/48	(2%)	
		0/50	(0%)	1/49	(2%)	0/49	(0%)	0/49	(0%)	0/47	(0%)	0/49	(0%)	
		0/48	(0%)	0/49	(0%)	0/48	(0%)	0/49	(0%)	0/49	(0%)	0/49	(0%)	
Overall Incidence	Total	1/1481 (0.07%)		Mean 0.07%		SD 0.38%		Total	2/1486 (0.13%)		Mean 0.11%		SD 0.43%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

		Male				Female			
*Thymus:									
Thymoma: Benign, Malignant, NOS									
		0/48 (0%)	1/87 (1%)	0/97 (0%)	0/50 (0%)	1/92 (1%)	0/96 (0%)		
		0/49 (0%)	0/50 (0%)	0/46 (0%)	0/48 (0%)	0/48 (0%)	0/46 (0%)		
		0/49 (0%)	0/39 (0%)	0/48 (0%)	0/50 (0%)	1/48 (2%)	0/45 (0%)		
		0/45 (0%)	0/49 (0%)	0/50 (0%)	0/45 (0%)	0/48 (0%)	0/48 (0%)		
		0/47 (0%)	0/49 (0%)	0/49 (0%)	0/45 (0%)	0/48 (0%)	0/47 (0%)		
		0/49 (0%)	0/48 (0%)	0/48 (0%)	1/50 (2%)	0/48 (0%)	0/47 (0%)		
		0/42 (0%)	0/47 (0%)	0/56 (0%)	1/50 (2%)	0/46 (0%)	0/57 (0%)		
		0/49 (0%)	0/47 (0%)		0/48 (0%)	0/45 (0%)	1/48 (2%)		
		0/50 (0%)	1/49 (2%)	0/49 (0%)	0/49 (0%)	0/47 (0%)	0/49 (0%)		
		0/48 (0%)	1/49 (2%)	0/48 (0%)	0/49 (0%)	0/49 (0%)	0/49 (0%)		
Overall Incidence	Total	3/1481 (0.2%)	Mean 0.18%	SD 0.56%	Total	5/1486 (0.34%)	Mean 0.32%	SD 0.73%	

*Thyroid Gland: C-Cell:									
Adenoma									
		10/50 (20%)	12/100 (12%)	12/100 (12%)	4/50 (8%)	11/100 (11%)	21/100 (21%)		
		3/50 (6%)	7/50 (14%)	8/50 (16%)	3/50 (6%)	5/50 (10%)	5/50 (10%)		
		5/50 (10%)	4/42 (10%)	2/50 (4%)	3/50 (6%)	6/45 (13%)	0/50 (0%)		
		8/50 (16%)	6/50 (12%)	4/50 (8%)	11/50 (22%)	5/50 (10%)	12/50 (24%)		
		5/49 (10%)	9/50 (18%)	1/50 (2%)	6/47 (13%)	3/50 (6%)	3/50 (6%)		
		6/50 (12%)	9/48 (19%)	11/47 (23%)	7/50 (14%)	9/49 (18%)	10/47 (21%)		
		3/49 (6%)	9/46 (20%)	10/59 (17%)	2/50 (4%)	4/47 (9%)	9/60 (15%)		
		11/50 (22%)	3/50 (6%)		6/50 (12%)	8/49 (16%)	2/49 (4%)		
		12/50 (24%)	7/50 (14%)	1/50 (2%)	7/50 (14%)	3/49 (6%)	2/50 (4%)		
		8/46 (17%)	6/50 (12%)	9/47 (19%)		6/50 (12%)	12/47 (26%)		
Overall Incidence	Total	201/1533 (13.11%)	Mean 13.21%	SD 6.21%	Total	185/1539 (12.02%)	Mean 11.77%	SD 6.62%	

*Thyroid Gland: C-Cell:									
Carcinoma									
		1/50 (2%)	3/100 (3%)	4/100 (4%)	0/50 (0%)	3/100 (3%)	0/100 (0%)		
		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	3/50 (6%)	2/50 (4%)		
		5/50 (10%)	2/42 (5%)	1/50 (2%)	2/50 (4%)	1/45 (2%)	1/50 (2%)		
		2/50 (4%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	1/50 (2%)		
		1/49 (2%)	1/50 (2%)	2/50 (4%)	3/47 (6%)	2/50 (4%)	1/50 (2%)		
		2/50 (4%)	1/48 (2%)	0/47 (0%)	0/50 (0%)	0/49 (0%)	1/47 (2%)		
		0/49 (0%)	1/46 (2%)	0/59 (0%)	1/50 (2%)	3/47 (6%)	1/60 (2%)		
		0/50 (0%)	1/50 (2%)		0/50 (0%)	2/49 (4%)	1/49 (2%)		
		2/50 (4%)	2/50 (4%)	0/50 (0%)	2/50 (4%)	1/49 (2%)	1/50 (2%)		
		1/46 (2%)	1/50 (2%)	2/47 (4%)		0/50 (0%)	1/47 (2%)		
Overall Incidence	Total	37/1533 (2.41%)	Mean 2.36%	SD 2.15%	Total	33/1539 (2.14%)	Mean 2.21%	SD 1.99%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

		Male				Female			
*Thyroid Gland: C-Cell: Carcinoma or Adenoma									
		11/50 (22%)	15/100 (15%)	16/100 (16%)		4/50 (8%)	14/100 (14%)	21/100 (21%)	
		3/50 (6%)	7/50 (14%)	8/50 (16%)		3/50 (6%)	8/50 (16%)	7/50 (14%)	
		10/50 (20%)	6/42 (14%)	3/50 (6%)		5/50 (10%)	7/45 (16%)	1/50 (2%)	
		10/50 (20%)	6/50 (12%)	5/50 (10%)		11/50 (22%)	5/50 (10%)	13/50 (26%)	
		6/49 (12%)	10/50 (20%)	3/50 (6%)		8/47 (17%)	5/50 (10%)	4/50 (8%)	
		8/50 (16%)	10/48 (21%)	11/47 (23%)		7/50 (14%)	9/49 (18%)	11/47 (23%)	
		3/49 (6%)	10/46 (22%)	10/59 (17%)		3/50 (6%)	7/47 (15%)	10/60 (17%)	
		11/50 (22%)	4/50 (8%)			6/50 (12%)	9/49 (18%)	3/49 (6%)	
		14/50 (28%)	9/50 (18%)	1/50 (2%)		9/50 (18%)	4/49 (8%)	3/50 (6%)	
		9/46 (20%)	7/50 (14%)	11/47 (23%)			6/50 (12%)	13/47 (28%)	
Overall Incidence	Total	237/1533 (15.46%)	Mean 15.5%	SD 6.48%	Total	216/1539 (14.04%)	Mean 13.84%	SD 6.46%	
*Thyroid Gland: Follicular Cell: Adenoma									
		2/50 (4%)	1/100 (1%)	3/100 (3%)		0/50 (0%)	1/100 (1%)	0/100 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		1/50 (2%)	1/42 (2%)	1/50 (2%)		0/50 (0%)	0/45 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)	1/50 (2%)	0/50 (0%)		0/47 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)	1/48 (2%)	0/47 (0%)		0/50 (0%)	0/49 (0%)	2/47 (4%)	
		0/49 (0%)	0/46 (0%)	0/59 (0%)		0/50 (0%)	0/47 (0%)	0/60 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/49 (0%)	0/49 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/49 (0%)	0/50 (0%)	
		0/46 (0%)	1/50 (2%)	1/47 (2%)			0/50 (0%)	0/47 (0%)	
Overall Incidence	Total	14/1533 (0.91%)	Mean 0.85%	SD 1.19%	Total	6/1539 (0.39%)	Mean 0.39%	SD 0.98%	
*Thyroid Gland: Follicular Cell: Carcinoma									
		0/50 (0%)	3/100 (3%)	1/100 (1%)		0/50 (0%)	0/100 (0%)	1/100 (1%)	
		2/50 (4%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/42 (0%)	0/50 (0%)		1/50 (2%)	1/45 (2%)	0/50 (0%)	
		2/50 (4%)	1/50 (2%)	1/50 (2%)		1/50 (2%)	0/50 (0%)	1/50 (2%)	
		0/49 (0%)	0/50 (0%)	1/50 (2%)		1/47 (2%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	0/48 (0%)	0/47 (0%)		0/50 (0%)	1/49 (2%)	0/47 (0%)	
		0/49 (0%)	0/46 (0%)	1/59 (2%)		0/50 (0%)	1/47 (2%)	0/60 (0%)	
		0/50 (0%)	1/50 (2%)			1/50 (2%)	0/49 (0%)	0/49 (0%)	
		1/50 (2%)	1/50 (2%)	0/50 (0%)		1/50 (2%)	0/49 (0%)	2/50 (4%)	
		0/46 (0%)	0/50 (0%)	0/47 (0%)			0/50 (0%)	1/47 (2%)	
Overall Incidence	Total	15/1533 (0.98%)	Mean 0.89%	SD 1.28%	Total	14/1539 (0.91%)	Mean 0.95%	SD 1.15%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

		Male				Female			
*Thyroid Gland: Follicular Cell: Carcinoma or Adenoma									
		2/50 (4%)	4/100 (4%)	4/100 (4%)		0/50 (0%)	1/100 (1%)	1/100 (1%)	
		2/50 (4%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		1/50 (2%)	1/42 (2%)	1/50 (2%)		1/50 (2%)	1/45 (2%)	0/50 (0%)	
		2/50 (4%)	1/50 (2%)	1/50 (2%)		1/50 (2%)	0/50 (0%)	1/50 (2%)	
		0/49 (0%)	1/50 (2%)	1/50 (2%)		1/47 (2%)	1/50 (2%)	1/50 (2%)	
		0/50 (0%)	1/48 (2%)	0/47 (0%)		0/50 (0%)	1/49 (2%)	2/47 (4%)	
		0/49 (0%)	0/46 (0%)	1/59 (2%)		0/50 (0%)	1/47 (2%)	0/60 (0%)	
		0/50 (0%)	1/50 (2%)			1/50 (2%)	0/49 (0%)	0/49 (0%)	
		2/50 (4%)	1/50 (2%)	0/50 (0%)		2/50 (4%)	0/49 (0%)	2/50 (4%)	
		0/46 (0%)	1/50 (2%)	1/47 (2%)			0/50 (0%)	1/47 (2%)	
Overall Incidence	Total	29/1533 (1.89%)		Mean 1.73%	SD 1.49%	Total 20/1539 (1.3%)		Mean 1.34%	SD 1.34%
.....									
#Tissue NOS: Fibrosarcoma									
		0/50 (0%)	0/100 (0%)	0/100 (0%)		0/50 (0%)	0/100 (0%)	0/100 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	0/49 (0%)	0/60 (0%)		0/50 (0%)	0/49 (0%)	0/60 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/1559 (0%)		Mean 0%	SD 0%	Total 1/1559 (0.06%)		Mean 0.07%	SD 0.37%
.....									
#Tissue NOS: Leiomyoma									
		0/50 (0%)	0/100 (0%)	0/100 (0%)		0/50 (0%)	0/100 (0%)	0/100 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/49 (0%)	0/60 (0%)		0/50 (0%)	0/49 (0%)	0/60 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	1/50 (2%)			0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/1559 (0.06%)		Mean 0.07%	SD 0.37%	Total 0/1559 (0%)		Mean 0%	SD 0%

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

		Male				Female								
#Tissue NOS:														
Paraganglioma														
		0/50	(0%)	0/100	(0%)	0/100	(0%)	0/50	(0%)	0/100	(0%)	0/100	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/49	(0%)	0/60	(0%)	0/50	(0%)	0/49	(0%)	0/60	(0%)	
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	1/1559 (0.06%)		Mean 0.07%		SD 0.37%		Total	0/1559 (0%)		Mean 0%		SD 0%	
#Tissue NOS:														
Sarcoma														
		0/50	(0%)	0/100	(0%)	0/100	(0%)	0/50	(0%)	0/100	(0%)	0/100	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/49	(0%)	0/60	(0%)	0/50	(0%)	0/49	(0%)	0/60	(0%)	
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	1/1559 (0.06%)		Mean 0.07%		SD 0.37%		Total	0/1559 (0%)		Mean 0%		SD 0%	
#Tissue NOS:														
Schwannoma Malignant														
		0/50	(0%)	0/100	(0%)	0/100	(0%)	0/50	(0%)	0/100	(0%)	0/100	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	
		0/50	(0%)	0/49	(0%)	0/60	(0%)	0/50	(0%)	0/49	(0%)	0/60	(0%)	
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	0/1559 (0%)		Mean 0%		SD 0%		Total	1/1559 (0.06%)		Mean 0.07%		SD 0.37%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

		Male				Female							
#Tongue:													
Liposarcoma													
		0/50	(0%)	0/100	(0%)	0/100	(0%)	0/50	(0%)	0/100	(0%)	0/100	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)
		0/50	(0%)	0/49	(0%)	0/60	(0%)	0/50	(0%)	0/49	(0%)	0/60	(0%)
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/1559 (0%)		Mean 0%		SD 0%		Total 1/1559 (0.06%)		Mean 0.07%		SD 0.37%	
.....													
#Tongue:													
Squamous Cell Carcinoma													
		0/50	(0%)	0/100	(0%)	0/100	(0%)	0/50	(0%)	0/100	(0%)	0/100	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/49	(0%)	0/60	(0%)	0/50	(0%)	0/49	(0%)	0/60	(0%)
		0/50	(0%)	0/50	(0%)			1/50	(2%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/1559 (0%)		Mean 0%		SD 0%		Total 3/1559 (0.19%)		Mean 0.21%		SD 0.62%	
.....													
#Tongue:													
Squamous Cell Carcinoma or Papilloma Squamous													
		1/50	(2%)	1/100	(1%)	1/100	(1%)	0/50	(0%)	0/100	(0%)	1/100	(1%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	2/50	(4%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	1/50	(2%)	2/50	(4%)	1/50	(2%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/49	(0%)	0/60	(0%)	0/50	(0%)	0/49	(0%)	0/60	(0%)
		0/50	(0%)	0/50	(0%)			1/50	(2%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	5/1559 (0.32%)		Mean 0.28%		SD 0.65%		Total 7/1559 (0.45%)		Mean 0.45%		SD 1.12%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

		Male				Female			
#Tongue:									
Squamous Cell Papilloma									
		1/50 (2%)	1/100 (1%)	1/100 (1%)		0/50 (0%)	0/100 (0%)	1/100 (1%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	1/50 (2%)		2/50 (4%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/49 (0%)	0/60 (0%)		0/50 (0%)	0/49 (0%)	0/60 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	5/1559 (0.32%)	Mean 0.28%	SD 0.65%	Total	4/1559 (0.26%)	Mean 0.24%	SD 0.83%	
#Tooth:									
Odontogenic Tumor									
		0/50 (0%)	0/100 (0%)	0/100 (0%)		0/50 (0%)	0/100 (0%)	0/100 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/49 (0%)	0/60 (0%)		0/50 (0%)	0/49 (0%)	0/60 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/1559 (0%)	Mean 0%	SD 0%	Total	1/1559 (0.06%)	Mean 0.07%	SD 0.37%	
*Urinary Bladder:									
Carcinoma									
		0/50 (0%)	0/100 (0%)	0/100 (0%)		0/50 (0%)	0/100 (0%)	0/100 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/46 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
		0/50 (0%)	0/48 (0%)	0/60 (0%)		0/50 (0%)	0/48 (0%)	0/60 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/49 (0%)	1/50 (2%)	
		0/49 (0%)	1/50 (2%)	0/48 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/1548 (0.06%)	Mean 0.07%	SD 0.37%	Total	1/1554 (0.06%)	Mean 0.07%	SD 0.37%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

		Male				Female								
*Urinary Bladder:														
 Carcinoma or Papilloma														
		0/50	(0%)	0/100	(0%)	0/100	(0%)	0/50	(0%)	0/100	(0%)	0/100	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	
		0/50	(0%)	0/46	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	1/50	(2%)	0/49	(0%)	
		0/50	(0%)	1/48	(2%)	1/60	(2%)	0/50	(0%)	1/48	(2%)	0/60	(0%)	
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/49	(0%)	1/50	(2%)	
		1/49	(2%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	1/49	(2%)	1/50	(2%)	
		0/49	(0%)	1/50	(2%)	0/48	(0%)			0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	5/1548 (0.32%)		Mean 0.34%		SD 0.76%		Total	6/1554 (0.39%)		Mean 0.42%		SD 0.83%	
.....														
*Urinary Bladder:														
 Leiomyosarcoma														
		0/50	(0%)	0/100	(0%)	0/100	(0%)	0/50	(0%)	0/100	(0%)	0/100	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/46	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	
		0/50	(0%)	0/48	(0%)	0/60	(0%)	0/50	(0%)	0/48	(0%)	0/60	(0%)	
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/49	(0%)	0/50	(0%)	
		0/49	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	1/49	(2%)	0/50	(0%)	
		0/49	(0%)	0/50	(0%)	0/48	(0%)			0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	0/1548 (0%)		Mean 0%		SD 0%		Total	2/1554 (0.13%)		Mean 0.14%		SD 0.52%	
.....														
*Urinary Bladder:														
 Papilloma														
		0/50	(0%)	0/100	(0%)	0/100	(0%)	0/50	(0%)	0/100	(0%)	0/100	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	
		0/50	(0%)	0/46	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	1/50	(2%)	0/49	(0%)	
		0/50	(0%)	1/48	(2%)	1/60	(2%)	0/50	(0%)	1/48	(2%)	0/60	(0%)	
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/49	(0%)	1/50	(2%)	
		1/49	(2%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	1/49	(2%)	0/50	(0%)	
		0/49	(0%)	0/50	(0%)	0/48	(0%)			0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	4/1548 (0.26%)		Mean 0.27%		SD 0.69%		Total	5/1554 (0.32%)		Mean 0.35%		SD 0.78%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

		Male				Female								
*Urinary Bladder:														
Sarcoma														
		0/50	(0%)	0/100	(0%)	0/100	(0%)	0/50	(0%)	0/100	(0%)	0/100	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	1/46	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	
		0/50	(0%)	0/48	(0%)	0/60	(0%)	0/50	(0%)	0/48	(0%)	0/60	(0%)	
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/49	(0%)	0/50	(0%)	
		0/49	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	
		0/49	(0%)	0/50	(0%)	0/48	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	1/1548 (0.06%)		Mean 0.07%		SD 0.4%		Total	0/1554 (0%)		Mean 0%		SD 0%	
#Uterus:														
Adenoma														
						0/50	(0%)	0/100	(0%)	1/100	(1%)			
						0/50	(0%)	0/50	(0%)	0/50	(0%)			
						0/50	(0%)	1/50	(2%)	1/50	(2%)			
						0/50	(0%)	0/50	(0%)	0/50	(0%)			
						0/50	(0%)	0/50	(0%)	0/50	(0%)			
						0/50	(0%)	0/50	(0%)	0/50	(0%)			
						0/50	(0%)	0/49	(0%)	0/60	(0%)			
						0/50	(0%)	0/50	(0%)	0/50	(0%)			
						0/50	(0%)	0/50	(0%)	0/50	(0%)			
Overall Incidence	Total					3/1559 (0.19%)		Mean 0.17%		SD 0.54%				
#Uterus:														
Carcinoma														
						0/50	(0%)	0/100	(0%)	0/100	(0%)			
						0/50	(0%)	0/50	(0%)	0/50	(0%)			
						0/50	(0%)	0/50	(0%)	0/50	(0%)			
						0/50	(0%)	0/50	(0%)	1/50	(2%)			
						0/50	(0%)	0/50	(0%)	0/50	(0%)			
						0/50	(0%)	0/50	(0%)	0/50	(0%)			
						0/50	(0%)	0/49	(0%)	0/60	(0%)			
						0/50	(0%)	0/50	(0%)	1/50	(2%)			
						2/50	(4%)	0/50	(0%)	0/50	(0%)			
Overall Incidence	Total					4/1559 (0.26%)		Mean 0.28%		SD 0.88%				

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

	Male		Female			
#Uterus:						
Hemangioma						
		0/50 (0%)	0/100 (0%)	1/100 (1%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)		
		1/50 (2%)	0/49 (0%)	0/60 (0%)		
		1/50 (2%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)		
			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	3/1559 (0.19%)	Mean	0.17%	SD	0.54%
#Uterus:						
Leiomyoma						
		0/50 (0%)	0/100 (0%)	0/100 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)		
		1/50 (2%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/49 (0%)	0/60 (0%)		
		0/50 (0%)	0/50 (0%)	1/50 (2%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)		
			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	2/1559 (0.13%)	Mean	0.14%	SD	0.52%
#Uterus:						
Leiomyosarcoma						
		0/50 (0%)	0/100 (0%)	0/100 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)		
		1/50 (2%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/49 (0%)	0/60 (0%)		
		0/50 (0%)	1/50 (2%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)		
			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	2/1559 (0.13%)	Mean	0.14%	SD	0.52%

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

	Male			Female		
#Uterus:						
Polyp Stromal						
	6/50	(12%)		14/100	(14%)	19/100 (19%)
	13/50	(26%)		7/50	(14%)	10/50 (20%)
	10/50	(20%)		8/50	(16%)	9/50 (18%)
	7/50	(14%)		7/50	(14%)	14/50 (28%)
	10/50	(20%)		7/50	(14%)	12/50 (24%)
	13/50	(26%)		8/50	(16%)	16/50 (32%)
	6/50	(12%)		15/49	(31%)	11/60 (18%)
	6/50	(12%)		5/50	(10%)	11/50 (22%)
	7/50	(14%)		10/50	(20%)	6/50 (12%)
				4/50	(8%)	9/50 (18%)
Overall Incidence			Total	280/1559	(17.96%)	Mean 18.07% SD 6.16%
#Uterus:						
Sarcoma						
	0/50	(0%)		0/100	(0%)	0/100 (0%)
	0/50	(0%)		0/50	(0%)	1/50 (2%)
	0/50	(0%)		0/50	(0%)	0/50 (0%)
	0/50	(0%)		0/50	(0%)	0/50 (0%)
	0/50	(0%)		0/50	(0%)	0/50 (0%)
	0/50	(0%)		0/50	(0%)	0/50 (0%)
	0/50	(0%)		0/49	(0%)	0/60 (0%)
	0/50	(0%)		0/50	(0%)	0/50 (0%)
	0/50	(0%)		0/50	(0%)	0/50 (0%)
Overall Incidence			Total	1/1559	(0.06%)	Mean 0.07% SD 0.37%
#Uterus:						
Sarcoma Stromal						
	0/50	(0%)		0/100	(0%)	0/100 (0%)
	1/50	(2%)		0/50	(0%)	1/50 (2%)
	0/50	(0%)		1/50	(2%)	0/50 (0%)
	0/50	(0%)		0/50	(0%)	0/50 (0%)
	0/50	(0%)		0/50	(0%)	1/50 (2%)
	2/50	(4%)		0/50	(0%)	1/50 (2%)
	0/50	(0%)		0/49	(0%)	0/60 (0%)
	0/50	(0%)		0/50	(0%)	0/50 (0%)
	0/50	(0%)		1/50	(2%)	0/50 (0%)
Overall Incidence			Total	9/1559	(0.58%)	Mean 0.62% SD 1.08%

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

	Male			Female		
#Uterus:						
Sarcoma Stromal or Polyp Stromal						
	6/50	(12%)		14/100	(14%)	19/100 (19%)
	14/50	(28%)		7/50	(14%)	11/50 (22%)
	10/50	(20%)		9/50	(18%)	9/50 (18%)
	7/50	(14%)		7/50	(14%)	14/50 (28%)
	10/50	(20%)		7/50	(14%)	13/50 (26%)
	15/50	(30%)		8/50	(16%)	17/50 (34%)
	6/50	(12%)		15/49	(31%)	11/60 (18%)
	6/50	(12%)		5/50	(10%)	11/50 (22%)
	7/50	(14%)		11/50	(22%)	6/50 (12%)
				4/50	(8%)	10/50 (20%)
Overall Incidence			Total	289/1559	(18.54%)	Mean 18.69% SD 6.76%
#Uterus:						
Schwannoma Malignant						
	0/50	(0%)		0/100	(0%)	0/100 (0%)
	0/50	(0%)		0/50	(0%)	0/50 (0%)
	0/50	(0%)		0/50	(0%)	0/50 (0%)
	0/50	(0%)		1/50	(2%)	0/50 (0%)
	0/50	(0%)		0/50	(0%)	0/50 (0%)
	0/50	(0%)		0/50	(0%)	0/50 (0%)
	0/50	(0%)		0/49	(0%)	0/60 (0%)
	1/50	(2%)		0/50	(0%)	0/50 (0%)
	0/50	(0%)		0/50	(0%)	0/50 (0%)
				0/50	(0%)	0/50 (0%)
Overall Incidence			Total	2/1559	(0.13%)	Mean 0.14% SD 0.52%
#Vagina:						
Leiomyoma						
	0/50	(0%)		0/100	(0%)	0/100 (0%)
	0/50	(0%)		0/50	(0%)	0/50 (0%)
	0/50	(0%)		0/50	(0%)	0/50 (0%)
	0/50	(0%)		0/50	(0%)	0/50 (0%)
	0/50	(0%)		0/50	(0%)	0/50 (0%)
	0/50	(0%)		0/50	(0%)	0/50 (0%)
	0/50	(0%)		0/49	(0%)	1/60 (2%)
	0/50	(0%)		0/50	(0%)	0/50 (0%)
	0/50	(0%)		0/50	(0%)	0/50 (0%)
				0/50	(0%)	0/50 (0%)
Overall Incidence			Total	1/1559	(0.06%)	Mean 0.06% SD 0.31%

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

	Male		Female			
#Vagina:						
Leiomyosarcoma						
	0/50	(0%)	0/100	(0%)	0/100	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	1/50	(2%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/49	(0%)	0/60	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence			Total	1/1559 (0.06%)	Mean	0.07%
					SD	0.37%
#Vagina:						
Polyp						
	0/50	(0%)	0/100	(0%)	0/100	(0%)
	2/50	(4%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/49	(0%)	0/60	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence			Total	2/1559 (0.13%)	Mean	0.14%
					SD	0.74%
#Vagina:						
Sarcoma						
	0/50	(0%)	0/100	(0%)	0/100	(0%)
	0/50	(0%)	1/50	(2%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	1/50	(2%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/49	(0%)	0/60	(0%)
	0/50	(0%)	1/50	(2%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence			Total	3/1559 (0.19%)	Mean	0.21%
					SD	0.62%

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

		Male				Female					
#Zymbal's Gland:											
Adenoma											
		0/50 (0%)	0/100 (0%)	0/100 (0%)		0/50 (0%)	1/100 (1%)	0/100 (0%)			
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)			
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)			
		0/50 (0%)	0/50 (0%)	1/50 (2%)		1/50 (2%)	0/50 (0%)	0/50 (0%)			
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)			
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)			
		0/50 (0%)	0/49 (0%)	0/60 (0%)		0/50 (0%)	0/49 (0%)	1/60 (2%)			
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)			
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)			
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)			
Overall Incidence	Total	2/1559 (0.13%)		Mean 0.14%	SD 0.52%	Total		3/1559 (0.19%)		Mean 0.16%	SD 0.5%
#Zymbal's Gland:											
Carcinoma											
		0/50 (0%)	0/100 (0%)	1/100 (1%)		0/50 (0%)	0/100 (0%)	0/100 (0%)			
		1/50 (2%)	0/50 (0%)	1/50 (2%)		1/50 (2%)	0/50 (0%)	0/50 (0%)			
		0/50 (0%)	3/50 (6%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)			
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)			
		0/50 (0%)	0/50 (0%)	1/50 (2%)		1/50 (2%)	0/50 (0%)	0/50 (0%)			
		0/50 (0%)	0/50 (0%)	3/50 (6%)		0/50 (0%)	0/50 (0%)	0/50 (0%)			
		0/50 (0%)	0/49 (0%)	0/60 (0%)		0/50 (0%)	2/49 (4%)	1/60 (2%)			
		2/50 (4%)	1/50 (2%)			0/50 (0%)	2/50 (4%)	0/50 (0%)			
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)			
		1/50 (2%)	0/50 (0%)	0/50 (0%)			1/50 (2%)	0/50 (0%)			
Overall Incidence	Total	16/1559 (1.03%)		Mean 1.07%	SD 1.73%	Total		10/1559 (0.64%)		Mean 0.68%	SD 1.22%
#Zymbal's Gland:											
Carcinoma or Adenoma											
		0/50 (0%)	0/100 (0%)	1/100 (1%)		0/50 (0%)	1/100 (1%)	0/100 (0%)			
		1/50 (2%)	0/50 (0%)	1/50 (2%)		1/50 (2%)	0/50 (0%)	0/50 (0%)			
		0/50 (0%)	3/50 (6%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)			
		0/50 (0%)	0/50 (0%)	2/50 (4%)		1/50 (2%)	0/50 (0%)	0/50 (0%)			
		0/50 (0%)	0/50 (0%)	1/50 (2%)		1/50 (2%)	0/50 (0%)	0/50 (0%)			
		0/50 (0%)	0/50 (0%)	3/50 (6%)		0/50 (0%)	0/50 (0%)	0/50 (0%)			
		0/50 (0%)	0/49 (0%)	0/60 (0%)		0/50 (0%)	2/49 (4%)	2/60 (3%)			
		2/50 (4%)	1/50 (2%)			0/50 (0%)	2/50 (4%)	0/50 (0%)			
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)			
		1/50 (2%)	1/50 (2%)	0/50 (0%)			1/50 (2%)	0/50 (0%)			
Overall Incidence	Total	18/1559 (1.15%)		Mean 1.21%	SD 1.8%	Total		13/1559 (0.83%)		Mean 0.84%	SD 1.31%

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied