

NTP Historical Controls Report

By Route And Vehicle

RATS

May 2009

REPORT DESCRIPTION

This report shows the tumor rates of control group animals from selected studies. The studies used are shown on the Study Summary page.

This report is broken up into sections based on the route and vehicle used to deliver the chemical. The Table of Contents on Page 3 shows the different Route/Vehicle combinations. To see the data from all routes and vehicles combined into one set, you must run the "All Routes" report.

The individual tumor rates shown on the data pages of the report relate to the Study Summary page as follows: the tumor rates are shown in the same order as the Study Summary page, except that they are grouped horizontally in sets of three, with the males in the first set of three and the females in the second set. For example if the study summary showed the studies like this:

Male

M1
M2
M3
M4
M5

Female

F1
F2
F3
F4
F5

the data would be shown as:

Male			Female		
M1	M2	M3	F1	F2	F3
M4	M5		F4	F5	

Directly beneath the individual tumor rates on the data pages are the overall totals for that tumor/site combination. This includes the total tumors/animals, the overall mean (in parentheses), the mean of the study means, and the standard deviation of the study means.

Studies with no control animals of a particular gender are listed on the summary page with the Number of Animals shown as zero and the Start Date and Length of Study shown as "N/A". On the data pages there are blank spaces where tumor rates for these studies would normally be found, so that the male and female rates for the remaining studies can be easily compared.

Table of Contents

Route	Vehicle	Page Number
GAVAGE	CORN OIL	4
GAVAGE	METHYLCELLULOSE	55
GAVAGE	WATER	98
INHALATION	AIR	141
ORAL	FEED	204
ORAL	WATER	255
SKIN	ETHANOL	306

Version: May2009
Contract/Lab: All Laboratories
Species: RATS
Strain: F344
Length of Study: CHRONIC

Toxicology Data Management System
Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 4
Report Date:04/29/2009

Study Summary

Laboratory Name	Study Number	Study Start Date	Length of Study in Days	Number of Animals Total and (#/Cage)	Number Surviving and (Mean Life Span)	Maximum Mean Weekly Body Weight	Chemical
Male							
Battelle Columbus Laboratory	058810503	04/22/02	729	50 (3)	35(702)	521.9	Isoeugenol
Battelle Columbus Laboratory	052000705	08/18/04	727	49 (3)	34(692)	515.2	Kava kava extract
Battelle Columbus Laboratory	059902303	03/25/02	729	50 (3)	29(683)	501.9	beta-Myrcene
Battelle Columbus Laboratory	059902005	04/09/03	727	50 (3)	39(685)	514.9	Pulegone
Female							
Battelle Columbus Laboratory	058810503	04/23/02	730	50 (5)	33(699)	339.3	Isoeugenol
Battelle Columbus Laboratory	052000705	08/19/04	728	50 (5)	34(683)	354.3	Kava kava extract
Battelle Columbus Laboratory	059902303	03/26/02	730	50 (5)	31(668)	323.8	beta-Myrcene
Battelle Columbus Laboratory	059902005	04/10/03	728	50 (5)	31(682)	341.2	Pulegone

NOTE: The text on page 2 ("Report Description") describes how the studies listed here are displayed on the data pages that follow.

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 5
 Report Date:04/29/2009

		Male				Female			
#All Organs:									
Benign Tumors									
		49/50 (98%)	49/49 (100%)	49/50 (98%)		41/50 (82%)	43/50 (86%)	40/50 (80%)	
		47/50 (94%)				42/50 (84%)			
Overall Incidence	Total	194/199 (97.49%)	Mean 97.5%	SD 2.52%	Total	166/200 (83%)	Mean 83%	SD 2.58%	
.....									
#All Organs:									
Malignant Tumors									
		29/50 (58%)	17/49 (35%)	23/50 (46%)		18/50 (36%)	11/50 (22%)	11/50 (22%)	
		10/50 (20%)				8/50 (16%)			
Overall Incidence	Total	79/199 (39.7%)	Mean 39.67%	SD 16.2%	Total	48/200 (24%)	Mean 24%	SD 8.49%	
.....									
#All Organs:									
Malignant and Benign Tumors									
		50/50 (100%)	49/49 (100%)	50/50 (100%)		46/50 (92%)	46/50 (92%)	45/50 (90%)	
		47/50 (94%)				44/50 (88%)			
Overall Incidence	Total	196/199 (98.49%)	Mean 98.5%	SD 3%	Total	181/200 (90.5%)	Mean 90.5%	SD 1.91%	
.....									
#All Organs:									
Hemangioma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#All Organs:									
Hemangiosarcoma									
		1/50 (2%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				2/50 (4%)			
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	2/200 (1%)	Mean 1%	SD 2%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 6
 Report Date: 04/29/2009

		Male				Female			
#All Organs:									
Hemangiosarcoma or Hemangioma									
		1/50 (2%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)				2/50 (4%)			
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	3/200 (1.5%)	Mean 1.5%	SD 1.91%	
.....									
#All Organs:									
Histiocytic Sarcoma									
		0/50 (0%)	0/49 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#All Organs:									
Leukemia: Erythrocytic									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#All Organs:									
Leukemia: Lymphocytic, Monocytic, Mononuclear, or Undifferentiated									
		10/50 (20%)	7/49 (14%)	9/50 (18%)		8/50 (16%)	5/50 (10%)	5/50 (10%)	
		4/50 (8%)				4/50 (8%)			
Overall Incidence	Total	30/199 (15.08%)	Mean 15.07%	SD 5.28%	Total	22/200 (11%)	Mean 11%	SD 3.46%	
.....									
#All Organs:									
Malignant Lymphoma: Histiocytic, Lymphocytic, Mixed, NOS, or Undifferentiated Cell Type									
		0/50 (0%)	1/49 (2%)	1/50 (2%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	2/199 (1.01%)	Mean 1.01%	SD 1.17%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 7
 Report Date:04/29/2009

		Male				Female			
#All Organs:									
Mesothelioma: Benign									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#All Organs:									
Mesothelioma: Benign, Malignant, NOS									
		3/50 (6%)	3/49 (6%)	2/50 (4%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		2/50 (4%)				1/50 (2%)			
Overall Incidence	Total	10/199 (5.03%)	Mean 5.03%	SD 1.19%	Total	2/200 (1%)	Mean 1%	SD 1.15%	
.....									
#All Organs:									
Mesothelioma: Malignant									
		3/50 (6%)	3/49 (6%)	2/50 (4%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		2/50 (4%)				1/50 (2%)			
Overall Incidence	Total	10/199 (5.03%)	Mean 5.03%	SD 1.19%	Total	2/200 (1%)	Mean 1%	SD 1.15%	
.....									
#All Organs:									
Osteoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#All Organs:									
Osteosarcoma									
		2/50 (4%)	1/49 (2%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	4/199 (2.01%)	Mean 2.01%	SD 1.63%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 8
Report Date:04/29/2009

		Male				Female			
#All Organs:									
Osteosarcoma or Osteoma									
		2/50 (4%)	1/49 (2%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	4/199 (2.01%)	Mean 2.01%	SD 1.63%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Adrenal Cortex:									
Adenoma									
		0/50 (0%)	0/49 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		2/50 (4%)				0/50 (0%)			
Overall Incidence	Total	3/199 (1.51%)	Mean 1.5%	SD 1.91%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Adrenal Cortex:									
Carcinoma									
		0/50 (0%)	1/49 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	1/199 (0.5%)	Mean 0.51%	SD 1.02%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Adrenal Medulla:									
Ganglioneuroma									
		0/50 (0%)	0/49 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Adrenal Medulla:									
Hemangioma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 9
Report Date:04/29/2009

		Male				Female			
*Adrenal Medulla:									
Pheochromocytoma Benign									
		5/50 (10%)	5/49 (10%)	11/50 (22%)		2/50 (4%)	3/50 (6%)	1/50 (2%)	
		8/50 (16%)				3/50 (6%)			
Overall Incidence	Total	29/199 (14.57%)	Mean 14.55%	SD 5.69%	Total	9/200 (4.5%)	Mean 4.5%	SD 1.91%	
.....									
*Adrenal Medulla:									
Pheochromocytoma Complex									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Adrenal Medulla:									
Pheochromocytoma Malignant									
		3/50 (6%)	0/49 (0%)	2/50 (4%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	5/199 (2.51%)	Mean 2.5%	SD 3%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Adrenal Medulla:									
Pheochromocytoma: Benign, Complex, Malignant, NOS									
		7/50 (14%)	5/49 (10%)	13/50 (26%)		2/50 (4%)	3/50 (6%)	1/50 (2%)	
		8/50 (16%)				3/50 (6%)			
Overall Incidence	Total	33/199 (16.58%)	Mean 16.55%	SD 6.74%	Total	9/200 (4.5%)	Mean 4.5%	SD 1.91%	
.....									
#Bone:									
Chondrosarcoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 10
Report Date:04/29/2009

		Male				Female			
#Bone:									
Chondrosarcoma or Chondroma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Bone:									
Chordoma									
		0/50 (0%)	0/49 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Bone:									
Osteoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Bone:									
Osteosarcoma									
		2/50 (4%)	1/49 (2%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	4/199 (2.01%)	Mean 2.01%	SD 1.63%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Bone:									
Osteosarcoma or Osteoma									
		2/50 (4%)	1/49 (2%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	4/199 (2.01%)	Mean 2.01%	SD 1.63%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 11
 Report Date: 04/29/2009

		Male				Female			
*Brain:									
Astrocytoma Malignant									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)				0/50 (0%)			
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Brain:									
Ependymoma Benign									
		0/50 (0%)	0/49 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Brain:									
Ependymoma Malignant									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Brain:									
Glioma Malignant									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Brain:									
Granular Cell Tumor Benign									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 12
 Report Date:04/29/2009

		Male				Female			
*Brain:									
Medulloblastoma Mal									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Brain:									
Meningioma Malignant									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Brain:									
Meningioma: Benign, Malignant, NOS									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Brain:									
Oligodendroglioma Benign									
		0/50 (0%)	0/49 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Brain:									
Oligodendroglioma Malignant									
		1/50 (2%)	0/49 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 13
Report Date:04/29/2009

		Male				Female								
*Brain:														
Oligodendroglioma, Glioma, or Astrocytoma														
		1/50	(2%)	0/49	(0%)	1/50	(2%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	
		1/50	(2%)					0/50	(0%)					
Overall Incidence	Total	3/199	(1.51%)	Mean	1.5%	SD	1%	Total	1/200	(0.5%)	Mean	0.5%	SD	1%
.....														
*Brain:														
Osteosarcoma														
		0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)					0/50	(0%)					
Overall Incidence	Total	0/199	(0%)	Mean	0%	SD	0%	Total	0/200	(0%)	Mean	0%	SD	0%
.....														
*Brain:														
Schwannoma Malignant														
		0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)					0/50	(0%)					
Overall Incidence	Total	0/199	(0%)	Mean	0%	SD	0%	Total	0/200	(0%)	Mean	0%	SD	0%
.....														
*Clitoral/Preputial Gland:														
Adenoma														
		2/50	(4%)	0/49	(0%)	5/50	(10%)	3/48	(6%)	2/50	(4%)	7/50	(14%)	
		3/50	(6%)					3/50	(6%)					
Overall Incidence	Total	10/199	(5.03%)	Mean	5%	SD	4.16%	Total	15/198	(7.58%)	Mean	7.56%	SD	4.41%
.....														
*Clitoral/Preputial Gland:														
Carcinoma														
		2/50	(4%)	1/49	(2%)	0/50	(0%)	2/48	(4%)	2/50	(4%)	0/50	(0%)	
		1/50	(2%)					0/50	(0%)					
Overall Incidence	Total	4/199	(2.01%)	Mean	2.01%	SD	1.63%	Total	4/198	(2.02%)	Mean	2.04%	SD	2.36%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 14
 Report Date:04/29/2009

		Male				Female			
*Clitoral/Preputial Gland: Carcinoma or Adenoma									
		4/50 (8%)	1/49 (2%)	5/50 (10%)		5/48 (10%)	4/50 (8%)	7/50 (14%)	
		4/50 (8%)				3/50 (6%)			
Overall Incidence	Total	14/199 (7.04%)	Mean 7.01%	SD 3.44%	Total	19/198 (9.6%)	Mean 9.6%	SD 3.44%	
.....									
*Clitoral/Preputial Gland: Fibrosarcoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/48 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/198 (0%)	Mean 0%	SD 0%	
.....									
*Clitoral/Preputial Gland: Sarcoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/48 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/198 (0%)	Mean 0%	SD 0%	
.....									
*Clitoral/Preputial Gland: Squamous Cell Papilloma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/48 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/198 (0%)	Mean 0%	SD 0%	
.....									
#Ear: Neural Crest Tumor									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 15
Report Date:04/29/2009

		Male				Female			
#Esophagus:									
Fibrosarcoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Esophagus:									
Lipoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Eye:									
Amelanotic Melanoma, Benign									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Eye:									
Melanoma Malignant									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Eye:									
Schwannoma Malignant									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 16
 Report Date: 04/29/2009

		Male				Female			
#Harderian Gland: Carcinoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Harderian Gland: Carcinoma or Adenoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Heart: Schwannoma Benign									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				1/50 (2%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
*Heart: Schwannoma Malignant									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Large: Colon/Rectum: Adenoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 17
 Report Date: 04/29/2009

		Male				Female			
#Intestine Large: Colon/Rectum: Carcinoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Large: Colon/Rectum: Carcinoma or Adenoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Large: Colon/Rectum: Hemangioma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Small: Duodenum: Carcinoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Small: Duodenum: Leiomyoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 18
 Report Date: 04/29/2009

		Male				Female			
#Intestine Small: Jejunum: Carcinoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Small: Jejunum: Granular Cell Tumor Malignant									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Small: Jejunum: Leiomyoma									
		1/50 (2%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Small: Jejunum: Leiomyosarcoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Small: Site Unspecified: Carcinoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 19
 Report Date:04/29/2009

		Male				Female			
#Intestine Small: Site Unspecified: Carcinoma or Adenoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Small: Site Unspecified: Granular Cell Tumor Malignant									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Small: Site Unspecified: Leiomyoma									
		1/50 (2%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Small: Site Unspecified: Leiomyosarcoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Islets, Pancreatic: Adenoma									
		4/50 (8%)	4/49 (8%)	2/50 (4%)		0/50 (0%)	1/50 (2%)	1/50 (2%)	1/50 (2%)
		2/50 (4%)				1/50 (2%)			
Overall Incidence	Total	12/199 (6.03%)	Mean 6.04%	SD 2.36%	Total	3/200 (1.5%)	Mean 1.5%	SD 1%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 20
Report Date:04/29/2009

		Male				Female			
*Islets, Pancreatic: Carcinoma									
		0/50 (0%)	0/49 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Islets, Pancreatic: Carcinoma or Adenoma									
		4/50 (8%)	4/49 (8%)	3/50 (6%)		0/50 (0%)	1/50 (2%)	1/50 (2%)	
		2/50 (4%)				1/50 (2%)			
Overall Incidence	Total	13/199 (6.53%)	Mean 6.54%	SD 1.96%	Total	3/200 (1.5%)	Mean 1.5%	SD 1%	
.....									
*Kidney: Pelvis and Transitional Epithelium: Carcinoma									
		0/50 (0%)	0/49 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Kidney: Pelvis and Transitional Epithelium: Carcinoma or Adenoma									
		0/50 (0%)	0/49 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Kidney: Pelvis and Transitional Epithelium: Papilloma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 21
 Report Date: 04/29/2009

		Male				Female			
*Kidney: Renal Tubule: Adenoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)				0/50 (0%)			
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Kidney: Renal Tubule: Carcinoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Kidney: Renal Tubule: Carcinoma or Adenoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)				0/50 (0%)			
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Kidney: Renal Tubule: Hemangiosarcoma									
		1/50 (2%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Kidney: Renal Tubule: Lipoma									
		0/50 (0%)	0/49 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 22
 Report Date:04/29/2009

		Male				Female			
*Kidney: Renal Tubule: Mesenchymal Tumor Benign									
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Kidney: Renal Tubule: Nephroblastoma									
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	1/50 (2%)	
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
*Kidney: Renal Tubule: Sarcoma									
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Liver: Cholangioma									
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Liver: Hemangiosarcoma									
		1/50 (2%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 23
 Report Date:04/29/2009

		Male				Female			
*Liver:									
Hepatocellular Adenoma									
		1/50 (2%)	1/49 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)				1/50 (2%)			
Overall Incidence	Total	3/199 (1.51%)	Mean 1.51%	SD 1.01%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
*Liver:									
Hepatocellular Carcinoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Liver:									
Hepatocellular Carcinoma or Hepatoblastoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Liver:									
Hepatocellular Carcinoma or Hepatocellular Adenoma									
		1/50 (2%)	1/49 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)				1/50 (2%)			
Overall Incidence	Total	3/199 (1.51%)	Mean 1.51%	SD 1.01%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
*Liver:									
Hepatocellular Carcinoma, Hepatocellular Adenoma, or Hepatoblastoma									
		1/50 (2%)	1/49 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)				1/50 (2%)			
Overall Incidence	Total	3/199 (1.51%)	Mean 1.51%	SD 1.01%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	

#: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 24
Report Date:04/29/2009

		Male				Female			
*Lung:									
Alveolar/Bronchiolar Adenoma									
		3/50 (6%)	2/49 (4%)	3/50 (6%)	1/50 (2%)	0/50 (0%)	4/50 (8%)		
		0/50 (0%)			2/50 (4%)				
Overall Incidence	Total	8/199 (4.02%)	Mean 4.02%	SD 2.83%	Total	7/200 (3.5%)	Mean 3.5%	SD 3.42%	
.....									
*Lung:									
Alveolar/Bronchiolar Carcinoma									
		1/50 (2%)	1/49 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		1/50 (2%)			0/50 (0%)				
Overall Incidence	Total	3/199 (1.51%)	Mean 1.51%	SD 1.01%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Lung:									
Alveolar/Bronchiolar Carcinoma or Alveolar/Bronchiolar Adenoma									
		4/50 (8%)	2/49 (4%)	3/50 (6%)	1/50 (2%)	0/50 (0%)	4/50 (8%)		
		1/50 (2%)			2/50 (4%)				
Overall Incidence	Total	10/199 (5.03%)	Mean 5.02%	SD 2.57%	Total	7/200 (3.5%)	Mean 3.5%	SD 3.42%	
.....									
*Lung:									
Fibrosarcoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)		
		0/50 (0%)			0/50 (0%)				
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
*Lung:									
Hemangiosarcoma									
		1/50 (2%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)			0/50 (0%)				
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 25
 Report Date:04/29/2009

		Male				Female			
*Lung: Sarcoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Lung: Squamous Cell Carcinoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#Lymph Node: Hemangiosarcoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Mammary Gland: Adenolipoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#Mammary Gland: Adenoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	2/50 (4%)	0/50 (0%)	
		0/50 (0%)				2/50 (4%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	4/200 (2%)	Mean 2%	SD 2.31%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 26
Report Date:04/29/2009

		Male				Female			
#Mammary Gland: Carcinoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		4/50 (8%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	5/200 (2.5%)	Mean 2.5%	SD 3.79%	
.....									
#Mammary Gland: Carcinoma or Adenoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		4/50 (8%)	3/50 (6%)	0/50 (0%)	
		0/50 (0%)				2/50 (4%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	9/200 (4.5%)	Mean 4.5%	SD 3.42%	
.....									
#Mammary Gland: Fibroadenoma									
		4/50 (8%)	0/49 (0%)	0/50 (0%)		26/50 (52%)	24/50 (48%)	17/50 (34%)	
		1/50 (2%)				21/50 (42%)			
Overall Incidence	Total	5/199 (2.51%)	Mean 2.5%	SD 3.79%	Total	88/200 (44%)	Mean 44%	SD 7.83%	
.....									
#Mammary Gland: Fibroma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Mammary Gland: Fibroma, Fibroadenoma or Adenoma									
		4/50 (8%)	0/49 (0%)	0/50 (0%)		26/50 (52%)	25/50 (50%)	17/50 (34%)	
		1/50 (2%)				22/50 (44%)			
Overall Incidence	Total	5/199 (2.51%)	Mean 2.5%	SD 3.79%	Total	90/200 (45%)	Mean 45%	SD 8.08%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 27
 Report Date: 04/29/2009

		Male				Female			
#Mammary Gland:									
Fibroma, Fibroadenoma, Carcinoma, or Adenoma									
		4/50 (8%)	0/49 (0%)	0/50 (0%)		28/50 (56%)	26/50 (52%)	17/50 (34%)	
		1/50 (2%)				22/50 (44%)			
Overall Incidence	Total	5/199 (2.51%)	Mean 2.5%	SD 3.79%	Total	93/200 (46.5%)	Mean 46.5%	SD 9.71%	
.....									
#Mesentery:									
Fibrosarcoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Mesentery:									
Hemangiosarcoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Mesentery:									
Lipoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Mesentery:									
Rhabdomyosarcoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 28
 Report Date:04/29/2009

		Male				Female			
*Nose:									
Adenoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Nose:									
Chondroma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Nose:									
Squamous Cell Carcinoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)				0/50 (0%)			
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Oral Cavity (Oral Mucosa, Tongue, Pharynx, Tooth, Gingiva):									
Papilloma Squamous or Papilloma									
		0/50 (0%)	1/49 (2%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	1/50 (2%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	2/199 (1.01%)	Mean 1.01%	SD 1.17%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#Oral Cavity (Oral Mucosa, Tongue, Pharynx, Tooth, Gingiva):									
Squamous Cell Carcinoma									
		1/50 (2%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	1/50 (2%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 29
 Report Date:04/29/2009

		Male				Female			
#Oral Cavity (Oral Mucosa, Tongue, Pharynx, Tooth, Gingiva): Squamous Cell Carcinoma, Papilloma Squamous, or Papilloma									
		1/50 (2%)	1/49 (2%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	2/50 (4%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	3/199 (1.51%)	Mean 1.51%	SD 1.01%	Total	2/200 (1%)	Mean 1%	SD 2%	
.....									
#Oral Mucosa: Squamous Cell Carcinoma									
		1/50 (2%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#Oral Mucosa: Squamous Cell Papilloma									
		0/50 (0%)	1/49 (2%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	2/199 (1.01%)	Mean 1.01%	SD 1.17%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Ovary: Cystadenoma									
						0/50 (0%)	1/50 (2%)	0/50 (0%)	
						0/50 (0%)			
Overall Incidence	Total				Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
*Ovary: Granulosa Cell Tumor Benign									
						0/50 (0%)	0/50 (0%)	1/50 (2%)	
						0/50 (0%)			
Overall Incidence	Total				Total	1/200 (0.5%)	Mean 0.5%	SD 1%	

#: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 30
Report Date:04/29/2009

	Male	Female
*Ovary:		
Granulosa Cell Tumor Malignant	0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)
Overall Incidence	Total 0/200 (0%)	Mean 0% SD 0%
.....		
*Ovary:		
Granulosa Cell Tumor: Benign, Malignant, NOS	0/50 (0%) 0/50 (0%)	0/50 (0%) 1/50 (2%)
Overall Incidence	Total 1/200 (0.5%)	Mean 0.5% SD 1%
.....		
*Ovary:		
Granulosa-Theca Tumor Benign	0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)
Overall Incidence	Total 0/200 (0%)	Mean 0% SD 0%
.....		
*Ovary:		
Granulosa-Theca Tumor Malignant	0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)
Overall Incidence	Total 0/200 (0%)	Mean 0% SD 0%
.....		
*Ovary:		
Tubulostromal Adenoma	0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)
Overall Incidence	Total 0/200 (0%)	Mean 0% SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 31
Report Date:04/29/2009

		Male				Female			
*Pancreas:									
Adenoma									
		7/50 (14%)	1/49 (2%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		2/50 (4%)				0/50 (0%)			
Overall Incidence	Total	11/199 (5.53%)	Mean 5.51%	SD 5.74%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Pancreas:									
Carcinoma									
		1/50 (2%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Pancreas:									
Carcinoma or Adenoma									
		8/50 (16%)	1/49 (2%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		2/50 (4%)				0/50 (0%)			
Overall Incidence	Total	12/199 (6.03%)	Mean 6.01%	SD 6.72%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Pancreas:									
Mixed Tumor Benign									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Pancreas:									
Mixed Tumor Malignant									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 32
Report Date:04/29/2009

		Male				Female				
*Parathyroid Gland:										
Adenoma										
		0/47 (0%)	1/49 (2%)	1/45 (2%)		0/47 (0%)	0/44 (0%)	0/47 (0%)		
		1/49 (2%)				2/46 (4%)				
Overall Incidence	Total	3/190 (1.58%)	Mean 1.58%	SD 1.05%	Total	2/184 (1.09%)	Mean 1.09%	SD 2.17%		
.....										
#Peripheral Nerve:										
Schwannoma Malignant										
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)				0/50 (0%)				
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%		
.....										
#Peripheral Nerve:										
Schwannoma: Benign, Malignant, NOS										
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)				0/50 (0%)				
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%		
.....										
*Pituitary Gland: Pars Distalis or Unspecified Site:										
Adenoma										
		19/50 (38%)	21/49 (43%)	6/50 (12%)		25/50 (50%)	29/50 (58%)	25/50 (50%)		
		11/50 (22%)				27/50 (54%)				
Overall Incidence	Total	57/199 (28.64%)	Mean 28.71%	SD 14.27%	Total	106/200 (53%)	Mean 53%	SD 3.83%		
.....										
*Pituitary Gland: Pars Distalis or Unspecified Site:										
Carcinoma										
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)		
		0/50 (0%)				0/50 (0%)				
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%		

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 33
 Report Date: 04/29/2009

		Male				Female			
*Pituitary Gland: Pars Distalis or Unspecified Site: Carcinoma or Adenoma									
		19/50 (38%)	21/49 (43%)	6/50 (12%)		25/50 (50%)	30/50 (60%)	25/50 (50%)	
		11/50 (22%)				27/50 (54%)			
Overall Incidence	Total	57/199 (28.64%)	Mean 28.71%	SD 14.27%	Total	107/200 (53.5%)	Mean 53.5%	SD 4.73%	
.....									
*Pituitary Gland: Pars Distalis or Unspecified Site: Ganglioneuroma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Pituitary Gland: Pars Intermedia: Adenoma									
		1/50 (2%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Pituitary Gland: Pars Intermedia: Carcinoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Pituitary Gland: Pars Intermedia: Carcinoma or Adenoma									
		1/50 (2%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 34
 Report Date:04/29/2009

		Male				Female			
*Prostate:									
Adenoma									
		0/50	(0%)	0/49	(0%)	0/50	(0%)		
		0/50	(0%)						
Overall Incidence	Total	0/199	(0%)	Mean	0%	SD	0%		
.....									
*Prostate:									
Carcinoma or Adenoma									
		0/50	(0%)	0/49	(0%)	0/50	(0%)		
		0/50	(0%)						
Overall Incidence	Total	0/199	(0%)	Mean	0%	SD	0%		
.....									
*Salivary Glands:									
Sarcoma									
		0/50	(0%)	0/49	(0%)	0/50	(0%)	0/49	(0%)
		0/50	(0%)					0/50	(0%)
Overall Incidence	Total	0/199	(0%)	Mean	0%	SD	0%	Total	0/199 (0%)
								Mean	0%
								SD	0%
.....									
#Seminal Vesicle:									
Adenoma									
		0/50	(0%)	0/49	(0%)	0/50	(0%)		
		0/50	(0%)						
Overall Incidence	Total	0/199	(0%)	Mean	0%	SD	0%		
.....									
#Skeletal Muscle:									
Fibrous Histiocytoma									
		0/50	(0%)	1/49	(2%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)					0/50	(0%)
Overall Incidence	Total	1/199	(0.5%)	Mean	0.51%	SD	1.02%	Total	0/200 (0%)
								Mean	0%
								SD	0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 35
Report Date:04/29/2009

		Male				Female			
#Skeletal Muscle: Hemangioma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skeletal Muscle: Hemangiosarcoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skeletal Muscle: Lipoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skeletal Muscle: Rhabdomyosarcoma									
		0/50 (0%)	0/49 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skeletal Muscle: Rhabdomyosarcoma or Rhabdomyoma									
		0/50 (0%)	0/49 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 36
 Report Date:04/29/2009

		Male				Female			
#Skeletal Muscle:									
Sarcoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Basal Cell Adenoma									
		0/50 (0%)	2/49 (4%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	2/199 (1.01%)	Mean 1.02%	SD 2.04%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#Skin:									
Basal Cell Adenoma or Basosquamous Tumor Benign									
		0/50 (0%)	2/49 (4%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	2/199 (1.01%)	Mean 1.02%	SD 2.04%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#Skin:									
Basal Cell Adenoma, Basosquamous Tumor Benign, or Trichoepithelioma									
		0/50 (0%)	2/49 (4%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	2/199 (1.01%)	Mean 1.02%	SD 2.04%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#Skin:									
Basal Cell Carcinoma									
		1/50 (2%)	0/49 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	2/199 (1.01%)	Mean 1%	SD 1.15%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 37
 Report Date:04/29/2009

		Male				Female			
#Skin:									
Basal Cell Carcinoma or Basosquamous Tumor (malignant or NOS)									
		1/50 (2%)	0/49 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)			0/50 (0%)				
Overall Incidence	Total	2/199 (1.01%)	Mean 1%	SD 1.15%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Basal Cell Carcinoma, Basal Cell Adenoma, Basosquamous Tumor (benign, malignant or NOS), or Trichoepithelioma									
		1/50 (2%)	2/49 (4%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	1/50 (2%)		
		0/50 (0%)			0/50 (0%)				
Overall Incidence	Total	4/199 (2.01%)	Mean 2.02%	SD 1.67%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#Skin:									
Basal or Sq. Cell Carcinoma, Carcinoma, Basosq. Tumor (M or B), Basal Cell Adenoma, Adenoma, Papilloma, Sq Papilloma, Keratoacanthoma, Trichoepithelioma									
		8/50 (16%)	2/49 (4%)	3/50 (6%)	0/50 (0%)	0/50 (0%)	1/50 (2%)		
		3/50 (6%)			1/50 (2%)				
Overall Incidence	Total	16/199 (8.04%)	Mean 8.02%	SD 5.4%	Total	2/200 (1%)	Mean 1%	SD 1.15%	
.....									
#Skin:									
Fibroma									
		5/50 (10%)	7/49 (14%)	3/50 (6%)	0/50 (0%)	1/50 (2%)	2/50 (4%)		
		3/50 (6%)			3/50 (6%)				
Overall Incidence	Total	18/199 (9.05%)	Mean 9.07%	SD 3.95%	Total	6/200 (3%)	Mean 3%	SD 2.58%	
.....									
#Skin:									
Fibroma, Fibrosarcoma, Sarcoma, Myxoma, Myxosarcoma, or Fibrous Histiocytoma									
		7/50 (14%)	7/49 (14%)	4/50 (8%)	0/50 (0%)	1/50 (2%)	3/50 (6%)		
		3/50 (6%)			3/50 (6%)				
Overall Incidence	Total	21/199 (10.55%)	Mean 10.57%	SD 4.21%	Total	7/200 (3.5%)	Mean 3.5%	SD 3%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 38
 Report Date: 04/29/2009

		Male				Female			
#Skin:									
Fibrosarcoma									
		1/50 (2%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#Skin:									
Fibrosarcoma, Sarcoma, Myxosarcoma, or Fibrous Histiocytoma									
		2/50 (4%)	0/49 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	3/199 (1.51%)	Mean 1.5%	SD 1.91%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#Skin:									
Fibrous Histiocytoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Hemangioma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Hemangiosarcoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 39
 Report Date:04/29/2009

		Male				Female			
#Skin:									
Keratoacanthoma									
		7/50 (14%)	0/49 (0%)	2/50 (4%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		3/50 (6%)				0/50 (0%)			
Overall Incidence	Total	12/199 (6.03%)	Mean 6%	SD 5.89%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Lipoma									
		2/50 (4%)	1/49 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	3/199 (1.51%)	Mean 1.51%	SD 1.92%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Liposarcoma									
		0/50 (0%)	1/49 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	1/199 (0.5%)	Mean 0.51%	SD 1.02%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Neural Crest Tumor									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Neural Crest Tumor, Malignant									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 40
Report Date:04/29/2009

		Male				Female			
#Skin:									
Neurofibroma or Schwannoma benign									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Neurofibrosarcoma or Schwannoma (malignant or NOS)									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		3/50 (6%)				0/50 (0%)			
Overall Incidence	Total	3/199 (1.51%)	Mean 1.5%	SD 3%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Neurofibrosarcoma, Neurofibroma, or Schwannoma (benign, malignant or NOS)									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		3/50 (6%)				0/50 (0%)			
Overall Incidence	Total	3/199 (1.51%)	Mean 1.5%	SD 3%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Sarcoma									
		1/50 (2%)	0/49 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	2/199 (1.01%)	Mean 1%	SD 1.15%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Schwannoma Benign									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 41
 Report Date:04/29/2009

		Male				Female			
#Skin:									
Schwannoma Malignant									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		3/50 (6%)				0/50 (0%)			
Overall Incidence	Total	3/199 (1.51%)	Mean 1.5%	SD 3%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Squamous Cell Carcinoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Squamous Cell Carcinoma, Basal Cell Carcinoma, Basosquamous Tumor (malignant or NOS), or Carcinoma									
		1/50 (2%)	0/49 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	2/199 (1.01%)	Mean 1%	SD 1.15%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Squamous Cell Papilloma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				1/50 (2%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#Skin:									
Squamous Cell Papilloma or Papilloma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				1/50 (2%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 42
 Report Date:04/29/2009

		Male				Female			
#Skin:									
Squamous Cell Papilloma, Papilloma, Squamous Cell Carcinoma or Keratoacanthoma									
		7/50 (14%)	0/49 (0%)	2/50 (4%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		3/50 (6%)				1/50 (2%)			
Overall Incidence	Total	12/199 (6.03%)	Mean 6%	SD 5.89%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#Skin:									
Squamous Cell Papilloma, Papilloma, or Keratoacanthoma									
		7/50 (14%)	0/49 (0%)	2/50 (4%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		3/50 (6%)				1/50 (2%)			
Overall Incidence	Total	12/199 (6.03%)	Mean 6%	SD 5.89%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#Skin:									
Trichoepithelioma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skin: Sebaceous Gland:									
Adenoma									
		1/50 (2%)	0/49 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	2/199 (1.01%)	Mean 1%	SD 1.15%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skin: Sebaceous Gland:									
Carcinoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 43
 Report Date: 04/29/2009

		Male				Female			
#Skin: Sebaceous Gland:									
 Carcinoma or Adenoma									
		1/50 (2%)	0/49 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	2/199 (1.01%)	Mean 1%	SD 1.15%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Spinal Cord:									
 Astrocytoma Benign									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#Spinal Cord:									
 Astrocytoma Malignant									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Spinal Cord:									
 Glioma Malignant									
		0/50 (0%)	1/49 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	1/199 (0.5%)	Mean 0.51%	SD 1.02%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Spleen:									
 Fibrosarcoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 44
 Report Date: 04/29/2009

		Male				Female			
*Spleen:									
Fibrous Histiocytoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Spleen:									
Hemangioma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Spleen:									
Hemangiosarcoma									
		1/50 (2%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				2/50 (4%)			
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	2/200 (1%)	Mean 1%	SD 2%	
.....									
*Spleen:									
Leiomyosarcoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Spleen:									
Sarcoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 45
 Report Date:04/29/2009

		Male				Female			
#Stomach, Forestomach: Leiomyosarcoma									
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Stomach, Forestomach: Squamous Cell Carcinoma									
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Stomach, Forestomach: Squamous Cell Carcinoma or Papilloma Squamous									
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#Stomach, Forestomach: Squamous Cell Papilloma									
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#Stomach, Glandular: Lipoma									
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 46
 Report Date:04/29/2009

		Male				Female			
#Stomach, Glandular:									
Sarcoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
*Testes:									
Adenoma									
		46/50 (92%)	37/49 (76%)	47/50 (94%)					
		46/50 (92%)							
Overall Incidence	Total	176/199 (88.44%)	Mean 88.38%	SD 8.63%					
.....									
*Thymus:									
Sarcoma									
		0/47 (0%)	0/48 (0%)	0/47 (0%)		0/47 (0%)	0/50 (0%)	0/49 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/192 (0%)	Mean 0%	SD 0%	Total	0/196 (0%)	Mean 0%	SD 0%	
.....									
*Thymus:									
Thymoma Benign									
		0/47 (0%)	0/48 (0%)	0/47 (0%)		0/47 (0%)	0/50 (0%)	0/49 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/192 (0%)	Mean 0%	SD 0%	Total	0/196 (0%)	Mean 0%	SD 0%	
.....									
*Thymus:									
Thymoma Malignant									
		0/47 (0%)	0/48 (0%)	0/47 (0%)		0/47 (0%)	0/50 (0%)	0/49 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/192 (0%)	Mean 0%	SD 0%	Total	0/196 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 47
 Report Date:04/29/2009

		Male				Female			
*Thymus:									
Thymoma NOS									
		0/47 (0%)	0/48 (0%)	0/47 (0%)		0/47 (0%)	0/50 (0%)	0/49 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/192 (0%)	Mean 0%	SD 0%	Total	0/196 (0%)	Mean 0%	SD 0%	
.....									
*Thymus:									
Thymoma: Benign, Malignant, NOS									
		0/47 (0%)	0/48 (0%)	0/47 (0%)		0/47 (0%)	0/50 (0%)	0/49 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/192 (0%)	Mean 0%	SD 0%	Total	0/196 (0%)	Mean 0%	SD 0%	
.....									
*Thyroid Gland: C-Cell:									
Adenoma									
		9/50 (18%)	8/49 (16%)	12/50 (24%)		7/50 (14%)	5/50 (10%)	5/50 (10%)	
		8/50 (16%)				8/50 (16%)			
Overall Incidence	Total	37/199 (18.59%)	Mean 18.58%	SD 3.72%	Total	25/200 (12.5%)	Mean 12.5%	SD 3%	
.....									
*Thyroid Gland: C-Cell:									
Carcinoma									
		6/50 (12%)	0/49 (0%)	0/50 (0%)		3/50 (6%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	6/199 (3.02%)	Mean 3%	SD 6%	Total	3/200 (1.5%)	Mean 1.5%	SD 3%	
.....									
*Thyroid Gland: C-Cell:									
Carcinoma or Adenoma									
		15/50 (30%)	8/49 (16%)	12/50 (24%)		9/50 (18%)	5/50 (10%)	5/50 (10%)	
		8/50 (16%)				8/50 (16%)			
Overall Incidence	Total	43/199 (21.61%)	Mean 21.58%	SD 6.72%	Total	27/200 (13.5%)	Mean 13.5%	SD 4.12%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 48
Report Date:04/29/2009

		Male				Female			
*Thyroid Gland: Follicular Cell: Adenoma									
		1/50 (2%)	1/49 (2%)	1/50 (2%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	3/199 (1.51%)	Mean 1.51%	SD 1.01%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
*Thyroid Gland: Follicular Cell: Carcinoma									
		1/50 (2%)	0/49 (0%)	2/50 (4%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	3/199 (1.51%)	Mean 1.5%	SD 1.91%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
*Thyroid Gland: Follicular Cell: Carcinoma or Adenoma									
		2/50 (4%)	1/49 (2%)	3/50 (6%)		1/50 (2%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	6/199 (3.02%)	Mean 3.01%	SD 2.58%	Total	2/200 (1%)	Mean 1%	SD 1.15%	
.....									
#Tissue NOS: Lipoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Tissue NOS: Paraganglioma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 49
 Report Date:04/29/2009

		Male				Female			
#Tissue NOS:									
Schwannoma Malignant									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Tongue:									
Squamous Cell Carcinoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Tongue:									
Squamous Cell Carcinoma or Papilloma Squamous									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#Tongue:									
Squamous Cell Papilloma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#Tooth:									
Adamantinoma Malignant									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 50
Report Date:04/29/2009

		Male				Female			
#Tooth:									
Odontoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				1/50 (2%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
*Urinary Bladder:									
Carcinoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Urinary Bladder:									
Carcinoma or Papilloma									
		0/50 (0%)	0/49 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Urinary Bladder:									
Hemangiosarcoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Urinary Bladder:									
Leiomyosarcoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 51
 Report Date:04/29/2009

		Male				Female			
*Urinary Bladder: Papilloma									
		0/50 (0%)	0/49 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Uterus: Adenoma									
						0/50 (0%)	0/50 (0%)	0/50 (0%)	
						0/50 (0%)			
Overall Incidence	Total				Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Uterus: Carcinoma									
						0/50 (0%)	0/50 (0%)	1/50 (2%)	
						0/50 (0%)			
Overall Incidence	Total				Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#Uterus: Deciduoma Benign									
						1/50 (2%)	0/50 (0%)	0/50 (0%)	
						0/50 (0%)			
Overall Incidence	Total				Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#Uterus: Hemangioma									
						0/50 (0%)	0/50 (0%)	0/50 (0%)	
						0/50 (0%)			
Overall Incidence	Total				Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 52
 Report Date:04/29/2009

	Male	Female
#Uterus:		
Hemangiosarcoma		
	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)
Overall Incidence	Total 0/200 (0%)	Mean 0% SD 0%
.....		
#Uterus:		
Leiomyoma		
	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)
Overall Incidence	Total 0/200 (0%)	Mean 0% SD 0%
.....		
#Uterus:		
Leiomyosarcoma		
	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)
Overall Incidence	Total 0/200 (0%)	Mean 0% SD 0%
.....		
#Uterus:		
Polyp Stromal		
	8/50 (16%)	7/50 (14%)
	5/50 (10%)	8/50 (16%)
Overall Incidence	Total 28/200 (14%)	Mean 14% SD 2.83%
.....		
#Uterus:		
Sarcoma Stromal		
	0/50 (0%)	1/50 (2%)
	0/50 (0%)	0/50 (0%)
Overall Incidence	Total 1/200 (0.5%)	Mean 0.5% SD 1%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 53
Report Date:04/29/2009

		Male			Female			
#Uterus:								
Sarcoma Stromal or Polyp Stromal								
			8/50 (16%)		7/50 (14%)		8/50 (16%)	
			5/50 (10%)					
Overall Incidence		Total	28/200 (14%)		Mean 14%		SD 2.83%	
.....								
#Uterus:								
Schwannoma Malignant								
			0/50 (0%)		0/50 (0%)		0/50 (0%)	
			0/50 (0%)					
Overall Incidence		Total	0/200 (0%)		Mean 0%		SD 0%	
.....								
#Vagina:								
Polyp								
			1/50 (2%)		0/50 (0%)		0/50 (0%)	
			0/50 (0%)					
Overall Incidence		Total	1/200 (0.5%)		Mean 0.5%		SD 1%	
.....								
#Vagina:								
Sarcoma								
			0/50 (0%)		0/50 (0%)		0/50 (0%)	
			0/50 (0%)					
Overall Incidence		Total	0/200 (0%)		Mean 0%		SD 0%	
.....								
#Zymbal's Gland:								
Adenoma								
		0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)			0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 54
 Report Date:04/29/2009

		Male				Female				
#Zymbal's Gland: Carcinoma										
		2/50 (4%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)				1/50 (2%)				
Overall Incidence	Total	2/199 (1.01%)	Mean 1%	SD 2%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%		
.....										
#Zymbal's Gland: Carcinoma or Adenoma										
		2/50 (4%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)				1/50 (2%)				
Overall Incidence	Total	2/199 (1.01%)	Mean 1%	SD 2%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%		

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
Contract/Lab: All Laboratories
Species: RATS
Strain: F344
Length of Study: CHRONIC

Toxicology Data Management System
Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: METHYLCELLULOSE

Page: 55
Report Date:04/29/2009

Study Summary

Laboratory Name	Study Number	Study Start Date	Length of Study in Days	Number of Animals Total and (#/Cage)	Number Surviving and (Mean Life Span)	Maximum Mean Weekly Body Weight	Chemical
Male							
Southern Research Institute	059902407	02/03/03	729	50 (3)	21(661)	518.7	Androstenedione
Southern Research Institute	059100507	06/26/00	730	50 (3)	30(693)	520.6	Methylene blue trihydrate
Female							
Southern Research Institute	059902407	02/03/03	729	50 (5)	38(710)	356.5	Androstenedione
Southern Research Institute	059100507	06/26/00	733	50 (5)	35(699)	335.9	Methylene blue trihydrate

NOTE: The text on page 2 ("Report Description") describes how the studies listed here are displayed on the data pages that follow.

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: METHYLCELLULOSE

Page: 56
 Report Date:04/29/2009

		Male				Female			
#All Organs: Benign Tumors									
		47/50 (94%)	47/50 (94%)			44/50 (88%)	47/50 (94%)		
Overall Incidence	Total	94/100 (94%)	Mean 94%	SD 0%	Total	91/100 (91%)	Mean 91%	SD 4.24%	
.....									
#All Organs: Malignant Tumors									
		34/50 (68%)	30/50 (60%)			10/50 (20%)	19/50 (38%)		
Overall Incidence	Total	64/100 (64%)	Mean 64%	SD 5.66%	Total	29/100 (29%)	Mean 29%	SD 12.73%	
.....									
#All Organs: Malignant and Benign Tumors									
		49/50 (98%)	49/50 (98%)			46/50 (92%)	50/50 (100%)		
Overall Incidence	Total	98/100 (98%)	Mean 98%	SD 0%	Total	96/100 (96%)	Mean 96%	SD 5.66%	
.....									
#All Organs: Hemangioma									
		0/50 (0%)	1/50 (2%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	1/100 (1%)	Mean 1%	SD 1.41%	Total	0/100 (0%)	Mean 0%	SD 0%	
.....									
#All Organs: Hemangiosarcoma									
		1/50 (2%)	1/50 (2%)			0/50 (0%)	1/50 (2%)		
Overall Incidence	Total	2/100 (2%)	Mean 2%	SD 0%	Total	1/100 (1%)	Mean 1%	SD 1.41%	
.....									
#All Organs: Hemangiosarcoma or Hemangioma									
		1/50 (2%)	2/50 (4%)			0/50 (0%)	1/50 (2%)		
Overall Incidence	Total	3/100 (3%)	Mean 3%	SD 1.41%	Total	1/100 (1%)	Mean 1%	SD 1.41%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: METHYLCELLULOSE

Page: 57
 Report Date:04/29/2009

	Male					Female				
#All Organs:										
Histiocytic Sarcoma										
		1/50	(2%)	0/50	(0%)		0/50	(0%)	1/50	(2%)
Overall Incidence	Total	1/100	(1%)	Mean 1%	SD 1.41%	Total	1/100	(1%)	Mean 1%	SD 1.41%
.....										
#All Organs:										
Leukemia: Erythrocytic										
		0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%	SD 0%
.....										
#All Organs:										
Leukemia: Lymphocytic, Monocytic, Mononuclear, or Undifferentiated										
		26/50	(52%)	23/50	(46%)		5/50	(10%)	12/50	(24%)
Overall Incidence	Total	49/100	(49%)	Mean 49%	SD 4.24%	Total	17/100	(17%)	Mean 17%	SD 9.9%
.....										
#All Organs:										
Malignant Lymphoma: Histiocytic, Lymphocytic, Mixed, NOS, or Undifferentiated Cell Type										
		0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%	SD 0%
.....										
#All Organs:										
Mesothelioma: Benign										
		0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%	SD 0%
.....										
#All Organs:										
Mesothelioma: Benign, Malignant, NOS										
		1/50	(2%)	3/50	(6%)		0/50	(0%)	0/50	(0%)
Overall Incidence	Total	4/100	(4%)	Mean 4%	SD 2.83%	Total	0/100	(0%)	Mean 0%	SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: METHYLCELLULOSE

Page: 58
 Report Date:04/29/2009

		Male				Female								
#All Organs:														
Mesothelioma: Malignant														
		1/50	(2%)	3/50	(6%)			0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	4/100	(4%)	Mean	4%	SD	2.83%	Total	0/100	(0%)	Mean	0%	SD	0%
.....														
#All Organs:														
Osteoma														
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	0/100	(0%)	Mean	0%	SD	0%	Total	0/100	(0%)	Mean	0%	SD	0%
.....														
#All Organs:														
Osteosarcoma														
		1/50	(2%)	0/50	(0%)			0/50	(0%)	1/50	(2%)			
Overall Incidence	Total	1/100	(1%)	Mean	1%	SD	1.41%	Total	1/100	(1%)	Mean	1%	SD	1.41%
.....														
#All Organs:														
Osteosarcoma or Osteoma														
		1/50	(2%)	0/50	(0%)			0/50	(0%)	1/50	(2%)			
Overall Incidence	Total	1/100	(1%)	Mean	1%	SD	1.41%	Total	1/100	(1%)	Mean	1%	SD	1.41%
.....														
*Adrenal Cortex:														
Adenoma														
		3/50	(6%)	1/50	(2%)			0/50	(0%)	1/50	(2%)			
Overall Incidence	Total	4/100	(4%)	Mean	4%	SD	2.83%	Total	1/100	(1%)	Mean	1%	SD	1.41%
.....														
*Adrenal Cortex:														
Carcinoma														
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	0/100	(0%)	Mean	0%	SD	0%	Total	0/100	(0%)	Mean	0%	SD	0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: METHYLCELLULOSE

Page: 59
 Report Date:04/29/2009

		Male				Female				
*Adrenal Medulla: Ganglioneuroma										
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%
.....										
*Adrenal Medulla: Hemangioma										
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%
.....										
*Adrenal Medulla: Pheochromocytoma Benign										
Overall Incidence	Total	7/50 (14%)	9/50 (18%)	Mean 16%	SD 2.83%	Total	3/50 (6%)	2/50 (4%)	Mean 5%	SD 1.41%
.....										
*Adrenal Medulla: Pheochromocytoma Complex										
Overall Incidence	Total	1/50 (2%)	1/50 (2%)	Mean 2%	SD 0%	Total	1/50 (2%)	0/50 (0%)	Mean 1%	SD 1.41%
.....										
*Adrenal Medulla: Pheochromocytoma Malignant										
Overall Incidence	Total	0/50 (0%)	1/50 (2%)	Mean 1%	SD 1.41%	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%
.....										
*Adrenal Medulla: Pheochromocytoma: Benign, Complex, Malignant, NOS										
Overall Incidence	Total	8/50 (16%)	11/50 (22%)	Mean 19%	SD 4.24%	Total	4/50 (8%)	2/50 (4%)	Mean 6%	SD 2.83%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: METHYLCELLULOSE

Page: 60
 Report Date:04/29/2009

		Male				Female								
#Bone:														
Chondrosarcoma														
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	0/100	(0%)	Mean	0%	SD	0%	Total	0/100	(0%)	Mean	0%	SD	0%
.....														
#Bone:														
Chondrosarcoma or Chondroma														
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	0/100	(0%)	Mean	0%	SD	0%	Total	0/100	(0%)	Mean	0%	SD	0%
.....														
#Bone:														
Chordoma														
		1/50	(2%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	1/100	(1%)	Mean	1%	SD	1.41%	Total	0/100	(0%)	Mean	0%	SD	0%
.....														
#Bone:														
Osteoma														
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	0/100	(0%)	Mean	0%	SD	0%	Total	0/100	(0%)	Mean	0%	SD	0%
.....														
#Bone:														
Osteosarcoma														
		1/50	(2%)	0/50	(0%)			0/50	(0%)	1/50	(2%)			
Overall Incidence	Total	1/100	(1%)	Mean	1%	SD	1.41%	Total	1/100	(1%)	Mean	1%	SD	1.41%
.....														
#Bone:														
Osteosarcoma or Osteoma														
		1/50	(2%)	0/50	(0%)			0/50	(0%)	1/50	(2%)			
Overall Incidence	Total	1/100	(1%)	Mean	1%	SD	1.41%	Total	1/100	(1%)	Mean	1%	SD	1.41%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: METHYLCELLULOSE

Page: 61
 Report Date:04/29/2009

		Male				Female								
*Brain:														
Astrocytoma Malignant														
		1/50	(2%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	1/100	(1%)	Mean	1%	SD	1.41%	Total	0/100	(0%)	Mean	0%	SD	0%
.....														
*Brain:														
Ependymoma Benign														
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	0/100	(0%)	Mean	0%	SD	0%	Total	0/100	(0%)	Mean	0%	SD	0%
.....														
*Brain:														
Ependymoma Malignant														
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	0/100	(0%)	Mean	0%	SD	0%	Total	0/100	(0%)	Mean	0%	SD	0%
.....														
*Brain:														
Glioma Malignant														
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	0/100	(0%)	Mean	0%	SD	0%	Total	0/100	(0%)	Mean	0%	SD	0%
.....														
*Brain:														
Granular Cell Tumor Benign														
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	0/100	(0%)	Mean	0%	SD	0%	Total	0/100	(0%)	Mean	0%	SD	0%
.....														
*Brain:														
Medulloblastoma Mal														
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	0/100	(0%)	Mean	0%	SD	0%	Total	0/100	(0%)	Mean	0%	SD	0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: METHYLCELLULOSE

Page: 62
 Report Date:04/29/2009

		Male				Female				
*Brain:										
Meningioma Malignant										
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%
		0/100 (0%)				0/100 (0%)				
.....										
*Brain:										
Meningioma: Benign, Malignant, NOS										
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%
		0/100 (0%)				0/100 (0%)				
.....										
*Brain:										
Oligodendroglioma Benign										
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%
		0/100 (0%)				0/100 (0%)				
.....										
*Brain:										
Oligodendroglioma Malignant										
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%
		0/100 (0%)				0/100 (0%)				
.....										
*Brain:										
Oligodendroglioma, Glioma, or Astrocytoma										
Overall Incidence	Total	1/50 (2%)	0/50 (0%)	Mean 1%	SD 1.41%	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%
		1/100 (1%)				0/100 (0%)				
.....										
*Brain:										
Osteosarcoma										
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%
		0/100 (0%)				0/100 (0%)				

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: METHYLCELLULOSE

Page: 63
 Report Date:04/29/2009

		Male				Female				
*Brain:										
Schwannoma Malignant										
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%
		0/100 (0%)					0/100 (0%)			
.....										
*Clitoral/Preputial Gland:										
Adenoma										
Overall Incidence	Total	3/50 (6%)	1/50 (2%)	Mean 4%	SD 2.83%	Total	12/50 (24%)	7/50 (14%)	Mean 19%	SD 7.07%
		4/100 (4%)					19/100 (19%)			
.....										
*Clitoral/Preputial Gland:										
Carcinoma										
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	1/50 (2%)	1/50 (2%)	Mean 2%	SD 0%
		0/100 (0%)					2/100 (2%)			
.....										
*Clitoral/Preputial Gland:										
Carcinoma or Adenoma										
Overall Incidence	Total	3/50 (6%)	1/50 (2%)	Mean 4%	SD 2.83%	Total	13/50 (26%)	8/50 (16%)	Mean 21%	SD 7.07%
		4/100 (4%)					21/100 (21%)			
.....										
*Clitoral/Preputial Gland:										
Fibrosarcoma										
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%
		0/100 (0%)					0/100 (0%)			
.....										
*Clitoral/Preputial Gland:										
Sarcoma										
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	1/50 (2%)	0/50 (0%)	Mean 1%	SD 1.41%
		0/100 (0%)					1/100 (1%)			

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: METHYLCELLULOSE

Page: 64
 Report Date:04/29/2009

		Male				Female						
*Clitoral/Preputial Gland: Squamous Cell Papilloma												
Overall Incidence	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%
.....												
#Ear: Neural Crest Tumor												
Overall Incidence	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%
.....												
#Esophagus: Fibrosarcoma												
Overall Incidence	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%
.....												
#Esophagus: Lipoma												
Overall Incidence	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%
.....												
#Eye: Amelanotic Melanoma, Benign												
Overall Incidence	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%
.....												
#Eye: Melanoma Malignant												
Overall Incidence	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: METHYLCELLULOSE

Page: 65
 Report Date:04/29/2009

	Male					Female						
#Eye:												
Schwannoma Malignant												
Overall Incidence	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%
.....												
#Harderian Gland:												
Carcinoma												
Overall Incidence	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%
.....												
#Harderian Gland:												
Carcinoma or Adenoma												
Overall Incidence	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%
.....												
*Heart:												
Schwannoma Benign												
Overall Incidence	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%
.....												
*Heart:												
Schwannoma Malignant												
Overall Incidence	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%
.....												
#Intestine Large: Colon/Rectum:												
Adenoma												
Overall Incidence	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: METHYLCELLULOSE

Page: 66
 Report Date:04/29/2009

	Male					Female												
#Intestine Large: Colon/Rectum: Carcinoma																		
Overall Incidence	Total	0/50	(0%)	0/50	(0%)	Mean	0%	SD	0%	Total	0/50	(0%)	0/50	(0%)	Mean	0%	SD	0%
		0/100	(0%)								0/100	(0%)						
.....																		
#Intestine Large: Colon/Rectum: Carcinoma or Adenoma																		
Overall Incidence	Total	0/50	(0%)	0/50	(0%)	Mean	0%	SD	0%	Total	0/50	(0%)	0/50	(0%)	Mean	0%	SD	0%
		0/100	(0%)								0/100	(0%)						
.....																		
#Intestine Large: Colon/Rectum: Hemangioma																		
Overall Incidence	Total	0/50	(0%)	0/50	(0%)	Mean	0%	SD	0%	Total	0/50	(0%)	0/50	(0%)	Mean	0%	SD	0%
		0/100	(0%)								0/100	(0%)						
.....																		
#Intestine Small: Duodenum: Carcinoma																		
Overall Incidence	Total	0/50	(0%)	0/50	(0%)	Mean	0%	SD	0%	Total	0/50	(0%)	0/50	(0%)	Mean	0%	SD	0%
		0/100	(0%)								0/100	(0%)						
.....																		
#Intestine Small: Duodenum: Leiomyoma																		
Overall Incidence	Total	0/50	(0%)	0/50	(0%)	Mean	0%	SD	0%	Total	0/50	(0%)	0/50	(0%)	Mean	0%	SD	0%
		0/100	(0%)								0/100	(0%)						
.....																		
#Intestine Small: Jejunum: Carcinoma																		
Overall Incidence	Total	0/50	(0%)	0/50	(0%)	Mean	0%	SD	0%	Total	0/50	(0%)	0/50	(0%)	Mean	0%	SD	0%
		0/100	(0%)								0/100	(0%)						

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: METHYLCELLULOSE

Page: 67
 Report Date:04/29/2009

		Male				Female				
#Intestine Small: Jejunum: Granular Cell Tumor Malignant										
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%
		0/100 (0%)				0/100 (0%)				
.....										
#Intestine Small: Jejunum: Leiomyoma										
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%
		0/100 (0%)				0/100 (0%)				
.....										
#Intestine Small: Jejunum: Leiomyosarcoma										
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%
		0/100 (0%)				0/100 (0%)				
.....										
#Intestine Small: Site Unspecified: Carcinoma										
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%
		0/100 (0%)				0/100 (0%)				
.....										
#Intestine Small: Site Unspecified: Carcinoma or Adenoma										
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%
		0/100 (0%)				0/100 (0%)				
.....										
#Intestine Small: Site Unspecified: Granular Cell Tumor Malignant										
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%
		0/100 (0%)				0/100 (0%)				

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: METHYLCELLULOSE

Page: 68
 Report Date:04/29/2009

		Male				Female						
#Intestine Small: Site Unspecified: Leiomyoma												
Overall Incidence	Total	0/50 (0%)	0/100 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/100 (0%)	0/50 (0%)	Mean 0%	SD 0%
.....												
#Intestine Small: Site Unspecified: Leiomyosarcoma												
Overall Incidence	Total	0/50 (0%)	0/100 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/100 (0%)	0/50 (0%)	Mean 0%	SD 0%
.....												
*Islets, Pancreatic: Adenoma												
Overall Incidence	Total	4/50 (8%)	8/100 (8%)	4/50 (8%)	Mean 8%	SD 0%	Total	1/50 (2%)	3/99 (3.03%)	2/49 (4%)	Mean 3.04%	SD 1.47%
.....												
*Islets, Pancreatic: Carcinoma												
Overall Incidence	Total	0/50 (0%)	0/100 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	1/50 (2%)	1/99 (1.01%)	0/49 (0%)	Mean 1%	SD 1.41%
.....												
*Islets, Pancreatic: Carcinoma or Adenoma												
Overall Incidence	Total	4/50 (8%)	8/100 (8%)	4/50 (8%)	Mean 8%	SD 0%	Total	2/50 (4%)	4/99 (4.04%)	2/49 (4%)	Mean 4.04%	SD 0.06%
.....												
*Kidney: Pelvis and Transitional Epithelium: Carcinoma												
Overall Incidence	Total	0/49 (0%)	0/99 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/100 (0%)	0/50 (0%)	Mean 0%	SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: METHYLCELLULOSE

Page: 69
 Report Date:04/29/2009

		Male				Female				
*Kidney: Pelvis and Transitional Epithelium: Carcinoma or Adenoma										
Overall Incidence	Total	0/49 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%
		0/99 (0%)					0/100 (0%)			
.....										
*Kidney: Pelvis and Transitional Epithelium: Papilloma										
Overall Incidence	Total	0/49 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%
		0/99 (0%)					0/100 (0%)			
.....										
*Kidney: Renal Tubule: Adenoma										
Overall Incidence	Total	0/49 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%
		0/99 (0%)					0/100 (0%)			
.....										
*Kidney: Renal Tubule: Carcinoma										
Overall Incidence	Total	0/49 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%
		0/99 (0%)					0/100 (0%)			
.....										
*Kidney: Renal Tubule: Carcinoma or Adenoma										
Overall Incidence	Total	0/49 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%
		0/99 (0%)					0/100 (0%)			
.....										
*Kidney: Renal Tubule: Hemangiosarcoma										
Overall Incidence	Total	0/49 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%
		0/99 (0%)					0/100 (0%)			

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: METHYLCELLULOSE

Page: 70
 Report Date:04/29/2009

		Male				Female				
*Kidney: Renal Tubule: Lipoma										
Overall Incidence	Total	0/49 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%
		0/99 (0%)				0/100 (0%)				
*Kidney: Renal Tubule: Mesenchymal Tumor Benign										
Overall Incidence	Total	0/49 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%
		0/99 (0%)				0/100 (0%)				
*Kidney: Renal Tubule: Nephroblastoma										
Overall Incidence	Total	0/49 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%
		0/99 (0%)				0/100 (0%)				
*Kidney: Renal Tubule: Sarcoma										
Overall Incidence	Total	0/49 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%
		0/99 (0%)				0/100 (0%)				
*Liver: Cholangioma										
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%
		0/100 (0%)				0/100 (0%)				
*Liver: Hemangiosarcoma										
Overall Incidence	Total	0/50 (0%)	1/50 (2%)	Mean 1%	SD 1.41%	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%
		1/100 (1%)				0/100 (0%)				

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: METHYLCELLULOSE

Page: 71
 Report Date:04/29/2009

		Male				Female				
*Liver:										
Hepatocellular Adenoma										
		2/50	(4%)	1/50	(2%)		0/50	(0%)	0/50	(0%)
Overall Incidence	Total	3/100	(3%)	Mean 3%	SD 1.41%	Total	0/100	(0%)	Mean 0%	SD 0%
.....										
*Liver:										
Hepatocellular Carcinoma										
		0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%	SD 0%
.....										
*Liver:										
Hepatocellular Carcinoma or Hepatoblastoma										
		0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%	SD 0%
.....										
*Liver:										
Hepatocellular Carcinoma or Hepatocellular Adenoma										
		2/50	(4%)	1/50	(2%)		0/50	(0%)	0/50	(0%)
Overall Incidence	Total	3/100	(3%)	Mean 3%	SD 1.41%	Total	0/100	(0%)	Mean 0%	SD 0%
.....										
*Liver:										
Hepatocellular Carcinoma, Hepatocellular Adenoma, or Hepatoblastoma										
		2/50	(4%)	1/50	(2%)		0/50	(0%)	0/50	(0%)
Overall Incidence	Total	3/100	(3%)	Mean 3%	SD 1.41%	Total	0/100	(0%)	Mean 0%	SD 0%
.....										
*Lung:										
Alveolar/Bronchiolar Adenoma										
		0/50	(0%)	1/50	(2%)		0/50	(0%)	0/50	(0%)
Overall Incidence	Total	1/100	(1%)	Mean 1%	SD 1.41%	Total	0/100	(0%)	Mean 0%	SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: METHYLCELLULOSE

Page: 72
 Report Date:04/29/2009

	Male					Female				
*Lung:										
Alveolar/Bronchiolar Carcinoma										
		0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean	0%	SD	0%	Total	0/100	(0%)
				Mean	0%				Mean	0%
				SD	0%				SD	0%
.....										
*Lung:										
Alveolar/Bronchiolar Carcinoma or Alveolar/Bronchiolar Adenoma										
		0/50	(0%)	1/50	(2%)		0/50	(0%)	0/50	(0%)
Overall Incidence	Total	1/100	(1%)	Mean	1%	SD	1.41%	Total	0/100	(0%)
				Mean	1%				Mean	0%
				SD	1.41%				SD	0%
.....										
*Lung:										
Fibrosarcoma										
		0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean	0%	SD	0%	Total	0/100	(0%)
				Mean	0%				Mean	0%
				SD	0%				SD	0%
.....										
*Lung:										
Hemangiosarcoma										
		1/50	(2%)	0/50	(0%)		0/50	(0%)	0/50	(0%)
Overall Incidence	Total	1/100	(1%)	Mean	1%	SD	1.41%	Total	0/100	(0%)
				Mean	1%				Mean	0%
				SD	1.41%				SD	0%
.....										
*Lung:										
Sarcoma										
		0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean	0%	SD	0%	Total	0/100	(0%)
				Mean	0%				Mean	0%
				SD	0%				SD	0%
.....										
*Lung:										
Squamous Cell Carcinoma										
		0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean	0%	SD	0%	Total	0/100	(0%)
				Mean	0%				Mean	0%
				SD	0%				SD	0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: METHYLCELLULOSE

Page: 73
 Report Date:04/29/2009

	Male					Female				
#Lymph Node: Hemangiosarcoma										
Overall Incidence	Total	1/50 (2%)	0/50 (0%)	Mean 1%	SD 1.41%	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%
		1/100 (1%)					0/100 (0%)			
.....										
#Mammary Gland: Adenolipoma										
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%
		0/100 (0%)					0/100 (0%)			
.....										
#Mammary Gland: Adenoma										
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	1/50 (2%)	1/50 (2%)	Mean 2%	SD 0%
		0/100 (0%)					2/100 (2%)			
.....										
#Mammary Gland: Carcinoma										
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	2/50 (4%)	1/50 (2%)	Mean 3%	SD 1.41%
		0/100 (0%)					3/100 (3%)			
.....										
#Mammary Gland: Carcinoma or Adenoma										
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	3/50 (6%)	2/50 (4%)	Mean 5%	SD 1.41%
		0/100 (0%)					5/100 (5%)			
.....										
#Mammary Gland: Fibroadenoma										
Overall Incidence	Total	2/50 (4%)	2/50 (4%)	Mean 4%	SD 0%	Total	35/50 (70%)	28/50 (56%)	Mean 63%	SD 9.9%
		4/100 (4%)					63/100 (63%)			

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: METHYLCELLULOSE

Page: 74
 Report Date:04/29/2009

	Male					Female				
#Mammary Gland: Fibroma										
		1/50	(2%)	0/50	(0%)		0/50	(0%)	0/50	(0%)
Overall Incidence	Total	1/100	(1%)	Mean 1%	SD 1.41%	Total	0/100	(0%)	Mean 0%	SD 0%
.....										
#Mammary Gland: Fibroma, Fibroadenoma or Adenoma										
		3/50	(6%)	2/50	(4%)		36/50	(72%)	29/50	(58%)
Overall Incidence	Total	5/100	(5%)	Mean 5%	SD 1.41%	Total	65/100	(65%)	Mean 65%	SD 9.9%
.....										
#Mammary Gland: Fibroma, Fibroadenoma, Carcinoma, or Adenoma										
		3/50	(6%)	2/50	(4%)		37/50	(74%)	30/50	(60%)
Overall Incidence	Total	5/100	(5%)	Mean 5%	SD 1.41%	Total	67/100	(67%)	Mean 67%	SD 9.9%
.....										
#Mesentery: Fibrosarcoma										
		0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%	SD 0%
.....										
#Mesentery: Hemangiosarcoma										
		0/50	(0%)	1/50	(2%)		0/50	(0%)	0/50	(0%)
Overall Incidence	Total	1/100	(1%)	Mean 1%	SD 1.41%	Total	0/100	(0%)	Mean 0%	SD 0%
.....										
#Mesentery: Lipoma										
		0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%	SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: METHYLCELLULOSE

Page: 75
 Report Date:04/29/2009

		Male				Female								
#Mesentery:														
Rhabdomyosarcoma														
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	0/100	(0%)	Mean	0%	SD	0%	Total	0/100	(0%)	Mean	0%	SD	0%
.....														
*Nose:														
Adenoma														
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	0/100	(0%)	Mean	0%	SD	0%	Total	0/100	(0%)	Mean	0%	SD	0%
.....														
*Nose:														
Chondroma														
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	0/100	(0%)	Mean	0%	SD	0%	Total	0/100	(0%)	Mean	0%	SD	0%
.....														
*Nose:														
Squamous Cell Carcinoma														
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	0/100	(0%)	Mean	0%	SD	0%	Total	0/100	(0%)	Mean	0%	SD	0%
.....														
#Oral Cavity (Oral Mucosa, Tongue, Pharynx, Tooth, Gingiva):														
Papilloma Squamous or Papilloma														
		1/50	(2%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	1/100	(1%)	Mean	1%	SD	1.41%	Total	0/100	(0%)	Mean	0%	SD	0%
.....														
#Oral Cavity (Oral Mucosa, Tongue, Pharynx, Tooth, Gingiva):														
Squamous Cell Carcinoma														
		0/50	(0%)	1/50	(2%)			0/50	(0%)	1/50	(2%)			
Overall Incidence	Total	1/100	(1%)	Mean	1%	SD	1.41%	Total	1/100	(1%)	Mean	1%	SD	1.41%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: METHYLCELLULOSE

Page: 76
 Report Date:04/29/2009

	Male					Female						
#Oral Cavity (Oral Mucosa, Tongue, Pharynx, Tooth, Gingiva): Squamous Cell Carcinoma, Papilloma Squamous, or Papilloma												
Overall Incidence	Total	1/50 (2%)	2/100 (2%)	1/50 (2%)	Mean 2%	SD 0%	Total	0/50 (0%)	1/100 (1%)	1/50 (2%)	Mean 1%	SD 1.41%
.....												
#Oral Mucosa: Squamous Cell Carcinoma												
Overall Incidence	Total	0/50 (0%)	1/100 (1%)	1/50 (2%)	Mean 1%	SD 1.41%	Total	0/50 (0%)	1/100 (1%)	1/50 (2%)	Mean 1%	SD 1.41%
.....												
#Oral Mucosa: Squamous Cell Papilloma												
Overall Incidence	Total	0/50 (0%)	0/100 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/100 (0%)	0/50 (0%)	Mean 0%	SD 0%
.....												
*Ovary: Cystadenoma												
Overall Incidence							Total	0/50 (0%)	0/100 (0%)	0/50 (0%)	Mean 0%	SD 0%
.....												
*Ovary: Granulosa Cell Tumor Benign												
Overall Incidence							Total	0/50 (0%)	0/100 (0%)	0/50 (0%)	Mean 0%	SD 0%
.....												
*Ovary: Granulosa Cell Tumor Malignant												
Overall Incidence							Total	0/50 (0%)	0/100 (0%)	0/50 (0%)	Mean 0%	SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: METHYLCELLULOSE

Page: 77
 Report Date:04/29/2009

		Male			Female					
*Ovary:										
Granulosa Cell Tumor: Benign, Malignant, NOS										
Overall Incidence										
	Total	0/50 (0%)	0/100 (0%)		0/50 (0%)	Mean 0%	SD 0%			
.....										
*Ovary:										
Granulosa-Theca Tumor Benign										
Overall Incidence										
	Total	0/50 (0%)	0/100 (0%)		0/50 (0%)	Mean 0%	SD 0%			
.....										
*Ovary:										
Granulosa-Theca Tumor Malignant										
Overall Incidence										
	Total	0/50 (0%)	0/100 (0%)		0/50 (0%)	Mean 0%	SD 0%			
.....										
*Ovary:										
Tubulostromal Adenoma										
Overall Incidence										
	Total	1/50 (2%)	1/100 (1%)		0/50 (0%)	Mean 1%	SD 1.41%			
.....										
*Pancreas:										
Adenoma										
Overall Incidence	Total	3/50 (6%)	3/100 (3%)	0/50 (0%)	Mean 3%	SD 4.24%	Total 0/50 (0%)	1/49 (2%)	Mean 1.02%	SD 1.44%
.....										
*Pancreas:										
Carcinoma										
Overall Incidence	Total	0/50 (0%)	0/100 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total 0/50 (0%)	0/49 (0%)	Mean 0%	SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: METHYLCELLULOSE

Page: 78
 Report Date:04/29/2009

		Male				Female				
*Pancreas:										
 Carcinoma or Adenoma										
		3/50	(6%)	0/50	(0%)	0/50	(0%)	1/49	(2%)	
Overall Incidence	Total	3/100	(3%)	Mean 3%	SD 4.24%	Total	1/99	(1.01%)	Mean 1.02%	SD 1.44%
.....										
*Pancreas:										
 Mixed Tumor Benign										
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/49	(0%)	
Overall Incidence	Total	1/100	(1%)	Mean 1%	SD 1.41%	Total	0/99	(0%)	Mean 0%	SD 0%
.....										
*Pancreas:										
 Mixed Tumor Malignant										
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/99	(0%)	Mean 0%	SD 0%
.....										
*Parathyroid Gland:										
 Adenoma										
		0/48	(0%)	0/50	(0%)	0/49	(0%)	0/47	(0%)	
Overall Incidence	Total	0/98	(0%)	Mean 0%	SD 0%	Total	0/96	(0%)	Mean 0%	SD 0%
.....										
#Peripheral Nerve:										
 Schwannoma Malignant										
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	1/100	(1%)	Mean 1%	SD 1.41%	Total	0/100	(0%)	Mean 0%	SD 0%
.....										
#Peripheral Nerve:										
 Schwannoma: Benign, Malignant, NOS										
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	1/100	(1%)	Mean 1%	SD 1.41%	Total	0/100	(0%)	Mean 0%	SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: METHYLCELLULOSE

Page: 79
 Report Date:04/29/2009

		Male				Female			
*Pituitary Gland: Pars Distalis or Unspecified Site: Adenoma									
		19/50 (38%)	25/50 (50%)		19/50 (38%)	36/50 (72%)			
Overall Incidence	Total	44/100 (44%)	Mean 44%	SD 8.49%	Total	55/100 (55%)	Mean 55%	SD 24.04%	
.....									
*Pituitary Gland: Pars Distalis or Unspecified Site: Carcinoma									
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)			
Overall Incidence	Total	0/100 (0%)	Mean 0%	SD 0%	Total	0/100 (0%)	Mean 0%	SD 0%	
.....									
*Pituitary Gland: Pars Distalis or Unspecified Site: Carcinoma or Adenoma									
		19/50 (38%)	25/50 (50%)		19/50 (38%)	36/50 (72%)			
Overall Incidence	Total	44/100 (44%)	Mean 44%	SD 8.49%	Total	55/100 (55%)	Mean 55%	SD 24.04%	
.....									
*Pituitary Gland: Pars Distalis or Unspecified Site: Ganglioneuroma									
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)			
Overall Incidence	Total	0/100 (0%)	Mean 0%	SD 0%	Total	0/100 (0%)	Mean 0%	SD 0%	
.....									
*Pituitary Gland: Pars Intermedia: Adenoma									
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)			
Overall Incidence	Total	0/100 (0%)	Mean 0%	SD 0%	Total	0/100 (0%)	Mean 0%	SD 0%	
.....									
*Pituitary Gland: Pars Intermedia: Carcinoma									
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)			
Overall Incidence	Total	0/100 (0%)	Mean 0%	SD 0%	Total	0/100 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: METHYLCELLULOSE

Page: 80
 Report Date:04/29/2009

		Male				Female						
*Pituitary Gland: Pars Intermedia: Carcinoma or Adenoma												
Overall Incidence	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%
.....												
*Prostate: Adenoma												
Overall Incidence	Total	0/50 1/100	(0%) (1%)	1/50 Mean 1%	(2%) 1%	SD 1.41%						
.....												
*Prostate: Carcinoma or Adenoma												
Overall Incidence	Total	0/50 1/100	(0%) (1%)	1/50 Mean 1%	(2%) 1%	SD 1.41%						
.....												
*Salivary Glands: Sarcoma												
Overall Incidence	Total	1/50 1/100	(2%) (1%)	0/50 Mean 1%	(0%) 1%	SD 1.41%	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%
.....												
#Seminal Vesicle: Adenoma												
Overall Incidence	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%						
.....												
#Skeletal Muscle: Fibrous Histiocytoma												
Overall Incidence	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: METHYLCELLULOSE

Page: 81
 Report Date:04/29/2009

	Male					Female				
#Skeletal Muscle: Hemangioma										
Overall Incidence	Total	0/50 (0%)	1/50 (2%)	Mean 1%	SD 1.41%	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%
		1/100 (1%)					0/100 (0%)			
.....										
#Skeletal Muscle: Hemangiosarcoma										
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%
		0/100 (0%)					0/100 (0%)			
.....										
#Skeletal Muscle: Lipoma										
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%
		0/100 (0%)					0/100 (0%)			
.....										
#Skeletal Muscle: Rhabdomyosarcoma										
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%
		0/100 (0%)					0/100 (0%)			
.....										
#Skeletal Muscle: Rhabdomyosarcoma or Rhabdomyoma										
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%
		0/100 (0%)					0/100 (0%)			
.....										
#Skeletal Muscle: Sarcoma										
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%
		0/100 (0%)					0/100 (0%)			

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 82
 Report Date:04/29/2009

	Male					Female				
#Skin:										
Basal Cell Adenoma										
		0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%	SD 0%
.....										
#Skin:										
Basal Cell Adenoma or Basosquamous Tumor Benign										
		0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%	SD 0%
.....										
#Skin:										
Basal Cell Adenoma, Basosquamous Tumor Benign, or Trichoepithelioma										
		0/50	(0%)	0/50	(0%)		0/50	(0%)	1/50	(2%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	1/100	(1%)	Mean 1%	SD 1.41%
.....										
#Skin:										
Basal Cell Carcinoma										
		1/50	(2%)	0/50	(0%)		0/50	(0%)	1/50	(2%)
Overall Incidence	Total	1/100	(1%)	Mean 1%	SD 1.41%	Total	1/100	(1%)	Mean 1%	SD 1.41%
.....										
#Skin:										
Basal Cell Carcinoma or Basosquamous Tumor (malignant or NOS)										
		1/50	(2%)	0/50	(0%)		0/50	(0%)	1/50	(2%)
Overall Incidence	Total	1/100	(1%)	Mean 1%	SD 1.41%	Total	1/100	(1%)	Mean 1%	SD 1.41%
.....										
#Skin:										
Basal Cell Carcinoma, Basal Cell Adenoma, Basosquamous Tumor (benign, malignant or NOS), or Trichoepithelioma										
		1/50	(2%)	0/50	(0%)		0/50	(0%)	2/50	(4%)
Overall Incidence	Total	1/100	(1%)	Mean 1%	SD 1.41%	Total	2/100	(2%)	Mean 2%	SD 2.83%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: METHYLCELLULOSE

Page: 83
 Report Date: 04/29/2009

		Male				Female			
#Skin:									
Basal or Sq. Cell Carcinoma, Carcinoma, Basosq. Tumor (M or B), Basal Cell Adenoma, Adenoma, Papilloma, Sq Papilloma, Keratoacanthoma, Trichoepithelioma									
		5/50 (10%)	7/50 (14%)		0/50 (0%)	3/50 (6%)			
Overall Incidence	Total	12/100 (12%)	Mean 12%	SD 2.83%	Total	3/100 (3%)	Mean 3%	SD 4.24%	
.....									
#Skin:									
Fibroma									
		5/50 (10%)	6/50 (12%)		3/50 (6%)	1/50 (2%)			
Overall Incidence	Total	11/100 (11%)	Mean 11%	SD 1.41%	Total	4/100 (4%)	Mean 4%	SD 2.83%	
.....									
#Skin:									
Fibroma, Fibrosarcoma, Sarcoma, Myxoma, Myxosarcoma, or Fibrous Histiocytoma									
		6/50 (12%)	8/50 (16%)		3/50 (6%)	2/50 (4%)			
Overall Incidence	Total	14/100 (14%)	Mean 14%	SD 2.83%	Total	5/100 (5%)	Mean 5%	SD 1.41%	
.....									
#Skin:									
Fibrosarcoma									
		1/50 (2%)	3/50 (6%)		0/50 (0%)	1/50 (2%)			
Overall Incidence	Total	4/100 (4%)	Mean 4%	SD 2.83%	Total	1/100 (1%)	Mean 1%	SD 1.41%	
.....									
#Skin:									
Fibrosarcoma, Sarcoma, Myxosarcoma, or Fibrous Histiocytoma									
		1/50 (2%)	3/50 (6%)		0/50 (0%)	1/50 (2%)			
Overall Incidence	Total	4/100 (4%)	Mean 4%	SD 2.83%	Total	1/100 (1%)	Mean 1%	SD 1.41%	
.....									
#Skin:									
Fibrous Histiocytoma									
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)			
Overall Incidence	Total	0/100 (0%)	Mean 0%	SD 0%	Total	0/100 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: METHYLCELLULOSE

Page: 84
 Report Date:04/29/2009

		Male				Female								
#Skin:														
Hemangioma														
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	0/100	(0%)	Mean	0%	SD	0%	Total	0/100	(0%)	Mean	0%	SD	0%
.....														
#Skin:														
Hemangiosarcoma														
		0/50	(0%)	0/50	(0%)			0/50	(0%)	1/50	(2%)			
Overall Incidence	Total	0/100	(0%)	Mean	0%	SD	0%	Total	1/100	(1%)	Mean	1%	SD	1.41%
.....														
#Skin:														
Keratoacanthoma														
		3/50	(6%)	3/50	(6%)			0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	6/100	(6%)	Mean	6%	SD	0%	Total	0/100	(0%)	Mean	0%	SD	0%
.....														
#Skin:														
Lipoma														
		1/50	(2%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	1/100	(1%)	Mean	1%	SD	1.41%	Total	0/100	(0%)	Mean	0%	SD	0%
.....														
#Skin:														
Liposarcoma														
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	0/100	(0%)	Mean	0%	SD	0%	Total	0/100	(0%)	Mean	0%	SD	0%
.....														
#Skin:														
Neural Crest Tumor														
		0/50	(0%)	1/50	(2%)			0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	1/100	(1%)	Mean	1%	SD	1.41%	Total	0/100	(0%)	Mean	0%	SD	0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: METHYLCELLULOSE

Page: 85
 Report Date:04/29/2009

		Male				Female								
#Skin:														
Neural Crest Tumor, Malignant														
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	0/100	(0%)	Mean	0%	SD	0%	Total	0/100	(0%)	Mean	0%	SD	0%
.....														
#Skin:														
Neurofibroma or Schwannoma benign														
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	0/100	(0%)	Mean	0%	SD	0%	Total	0/100	(0%)	Mean	0%	SD	0%
.....														
#Skin:														
Neurofibrosarcoma or Schwannoma (malignant or NOS)														
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	0/100	(0%)	Mean	0%	SD	0%	Total	0/100	(0%)	Mean	0%	SD	0%
.....														
#Skin:														
Neurofibrosarcoma, Neurofibroma, or Schwannoma (benign, malignant or NOS)														
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	0/100	(0%)	Mean	0%	SD	0%	Total	0/100	(0%)	Mean	0%	SD	0%
.....														
#Skin:														
Sarcoma														
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	0/100	(0%)	Mean	0%	SD	0%	Total	0/100	(0%)	Mean	0%	SD	0%
.....														
#Skin:														
Schwannoma Benign														
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	0/100	(0%)	Mean	0%	SD	0%	Total	0/100	(0%)	Mean	0%	SD	0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: METHYLCELLULOSE

Page: 86
 Report Date:04/29/2009

	Male					Female					
#Skin:											
Schwannoma Malignant											
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%	SD 0%	
.....											
#Skin:											
Squamous Cell Carcinoma											
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%	SD 0%	
.....											
#Skin:											
Squamous Cell Carcinoma, Basal Cell Carcinoma, Basosquamous Tumor (malignant or NOS), or Carcinoma											
		1/50	(2%)	0/50	(0%)			0/50	(0%)	1/50	(2%)
Overall Incidence	Total	1/100	(1%)	Mean 1%	SD 1.41%	Total	1/100	(1%)	Mean 1%	SD 1.41%	
.....											
#Skin:											
Squamous Cell Papilloma											
		1/50	(2%)	4/50	(8%)			0/50	(0%)	1/50	(2%)
Overall Incidence	Total	5/100	(5%)	Mean 5%	SD 4.24%	Total	1/100	(1%)	Mean 1%	SD 1.41%	
.....											
#Skin:											
Squamous Cell Papilloma or Papilloma											
		1/50	(2%)	4/50	(8%)			0/50	(0%)	1/50	(2%)
Overall Incidence	Total	5/100	(5%)	Mean 5%	SD 4.24%	Total	1/100	(1%)	Mean 1%	SD 1.41%	
.....											
#Skin:											
Squamous Cell Papilloma, Papilloma, Squamous Cell Carcinoma or Keratoacanthoma											
		4/50	(8%)	7/50	(14%)			0/50	(0%)	1/50	(2%)
Overall Incidence	Total	11/100	(11%)	Mean 11%	SD 4.24%	Total	1/100	(1%)	Mean 1%	SD 1.41%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: METHYLCELLULOSE

Page: 87
 Report Date:04/29/2009

	Male				Female			
#Skin:								
Squamous Cell Papilloma, Papilloma, or Keratoacanthoma								
		4/50 (8%)	7/50 (14%)		0/50 (0%)	1/50 (2%)		
Overall Incidence	Total	11/100 (11%)	Mean 11%	SD 4.24%	Total	1/100 (1%)	Mean 1%	SD 1.41%
.....								
#Skin:								
Trichoepithelioma								
		0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)		
Overall Incidence	Total	0/100 (0%)	Mean 0%	SD 0%	Total	1/100 (1%)	Mean 1%	SD 1.41%
.....								
#Skin: Sebaceous Gland:								
Adenoma								
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/100 (0%)	Mean 0%	SD 0%	Total	0/100 (0%)	Mean 0%	SD 0%
.....								
#Skin: Sebaceous Gland:								
Carcinoma								
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/100 (0%)	Mean 0%	SD 0%	Total	0/100 (0%)	Mean 0%	SD 0%
.....								
#Skin: Sebaceous Gland:								
Carcinoma or Adenoma								
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/100 (0%)	Mean 0%	SD 0%	Total	0/100 (0%)	Mean 0%	SD 0%
.....								
#Spinal Cord:								
Astrocytoma Benign								
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/100 (0%)	Mean 0%	SD 0%	Total	0/100 (0%)	Mean 0%	SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: METHYLCELLULOSE

Page: 88
 Report Date:04/29/2009

		Male				Female				
#Spinal Cord:										
Astrocytoma Malignant										
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%
		0/100 (0%)				0/100 (0%)				
.....										
#Spinal Cord:										
Glioma Malignant										
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%
		0/100 (0%)				0/100 (0%)				
.....										
*Spleen:										
Fibrosarcoma										
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/49 (0%)	Mean 0%	SD 0%
		0/100 (0%)				0/99 (0%)				
.....										
*Spleen:										
Fibrous Histiocytoma										
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/49 (0%)	Mean 0%	SD 0%
		0/100 (0%)				0/99 (0%)				
.....										
*Spleen:										
Hemangioma										
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/49 (0%)	Mean 0%	SD 0%
		0/100 (0%)				0/99 (0%)				
.....										
*Spleen:										
Hemangiosarcoma										
Overall Incidence	Total	0/50 (0%)	1/50 (2%)	Mean 1%	SD 1.41%	Total	0/50 (0%)	0/49 (0%)	Mean 0%	SD 0%
		1/100 (1%)				0/99 (0%)				

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: METHYLCELLULOSE

Page: 89
 Report Date:04/29/2009

		Male				Female								
*Spleen:														
Leiomyosarcoma														
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/49	(0%)			
Overall Incidence	Total	0/100	(0%)	Mean	0%	SD	0%	Total	0/99	(0%)	Mean	0%	SD	0%
.....														
*Spleen:														
Sarcoma														
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/49	(0%)			
Overall Incidence	Total	0/100	(0%)	Mean	0%	SD	0%	Total	0/99	(0%)	Mean	0%	SD	0%
.....														
#Stomach, Forestomach:														
Leiomyosarcoma														
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	0/100	(0%)	Mean	0%	SD	0%	Total	0/100	(0%)	Mean	0%	SD	0%
.....														
#Stomach, Forestomach:														
Squamous Cell Carcinoma														
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	0/100	(0%)	Mean	0%	SD	0%	Total	0/100	(0%)	Mean	0%	SD	0%
.....														
#Stomach, Forestomach:														
Squamous Cell Carcinoma or Papilloma Squamous														
		0/50	(0%)	0/50	(0%)			0/50	(0%)	1/50	(2%)			
Overall Incidence	Total	0/100	(0%)	Mean	0%	SD	0%	Total	1/100	(1%)	Mean	1%	SD	1.41%
.....														
#Stomach, Forestomach:														
Squamous Cell Papilloma														
		0/50	(0%)	0/50	(0%)			0/50	(0%)	1/50	(2%)			
Overall Incidence	Total	0/100	(0%)	Mean	0%	SD	0%	Total	1/100	(1%)	Mean	1%	SD	1.41%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: METHYLCELLULOSE

Page: 90
 Report Date:04/29/2009

	Male					Female						
#Stomach, Glandular: Lipoma												
Overall Incidence	Total	0/50 (0%)	0/100 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/100 (0%)	0/50 (0%)	Mean 0%	SD 0%
.....												
#Stomach, Glandular: Sarcoma												
Overall Incidence	Total	0/50 (0%)	0/100 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/100 (0%)	0/50 (0%)	Mean 0%	SD 0%
.....												
*Testes: Adenoma												
Overall Incidence	Total	42/50 (84%)	83/100 (83%)	41/50 (82%)	Mean 83%	SD 1.41%						
.....												
*Thymus: Sarcoma												
Overall Incidence	Total	0/50 (0%)	0/99 (0%)	0/49 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/100 (0%)	0/50 (0%)	Mean 0%	SD 0%
.....												
*Thymus: Thymoma Benign												
Overall Incidence	Total	0/50 (0%)	0/99 (0%)	0/49 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	1/100 (1%)	1/50 (2%)	Mean 1%	SD 1.41%
.....												
*Thymus: Thymoma Malignant												
Overall Incidence	Total	0/50 (0%)	0/99 (0%)	0/49 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/100 (0%)	0/50 (0%)	Mean 0%	SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: METHYLCELLULOSE

Page: 91
 Report Date:04/29/2009

		Male				Female			
*Thymus:									
Thymoma NOS									
		0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)			
Overall Incidence	Total	0/99 (0%)	Mean 0%	SD 0%	Total	0/100 (0%)	Mean 0%	SD 0%	
.....									
*Thymus:									
Thymoma: Benign, Malignant, NOS									
		0/50 (0%)	0/49 (0%)		0/50 (0%)	1/50 (2%)			
Overall Incidence	Total	0/99 (0%)	Mean 0%	SD 0%	Total	1/100 (1%)	Mean 1%	SD 1.41%	
.....									
*Thyroid Gland: C-Cell:									
Adenoma									
		3/50 (6%)	6/50 (12%)		4/50 (8%)	7/50 (14%)			
Overall Incidence	Total	9/100 (9%)	Mean 9%	SD 4.24%	Total	11/100 (11%)	Mean 11%	SD 4.24%	
.....									
*Thyroid Gland: C-Cell:									
Carcinoma									
		1/50 (2%)	2/50 (4%)		0/50 (0%)	0/50 (0%)			
Overall Incidence	Total	3/100 (3%)	Mean 3%	SD 1.41%	Total	0/100 (0%)	Mean 0%	SD 0%	
.....									
*Thyroid Gland: C-Cell:									
Carcinoma or Adenoma									
		4/50 (8%)	8/50 (16%)		4/50 (8%)	7/50 (14%)			
Overall Incidence	Total	12/100 (12%)	Mean 12%	SD 5.66%	Total	11/100 (11%)	Mean 11%	SD 4.24%	
.....									
*Thyroid Gland: Follicular Cell:									
Adenoma									
		3/50 (6%)	0/50 (0%)		0/50 (0%)	0/50 (0%)			
Overall Incidence	Total	3/100 (3%)	Mean 3%	SD 4.24%	Total	0/100 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: METHYLCELLULOSE

Page: 92
 Report Date:04/29/2009

		Male				Female						
*Thyroid Gland: Follicular Cell: Carcinoma												
Overall Incidence	Total	0/50 (0%)	0/100 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/100 (0%)	0/50 (0%)	Mean 0%	SD 0%
.....												
*Thyroid Gland: Follicular Cell: Carcinoma or Adenoma												
Overall Incidence	Total	3/50 (6%)	3/100 (3%)	0/50 (0%)	Mean 3%	SD 4.24%	Total	0/50 (0%)	0/100 (0%)	0/50 (0%)	Mean 0%	SD 0%
.....												
#Tissue NOS: Lipoma												
Overall Incidence	Total	0/50 (0%)	0/100 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/100 (0%)	0/50 (0%)	Mean 0%	SD 0%
.....												
#Tissue NOS: Paraganglioma												
Overall Incidence	Total	0/50 (0%)	0/100 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/100 (0%)	0/50 (0%)	Mean 0%	SD 0%
.....												
#Tissue NOS: Schwannoma Malignant												
Overall Incidence	Total	0/50 (0%)	0/100 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/100 (0%)	0/50 (0%)	Mean 0%	SD 0%
.....												
#Tongue: Squamous Cell Carcinoma												
Overall Incidence	Total	0/50 (0%)	0/100 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/100 (0%)	0/50 (0%)	Mean 0%	SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: METHYLCELLULOSE

Page: 93
 Report Date:04/29/2009

	Male					Female								
#Tongue:														
Squamous Cell Carcinoma or Papilloma Squamous														
		1/50	(2%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	1/100	(1%)	Mean	1%	SD	1.41%	Total	0/100	(0%)	Mean	0%	SD	0%
.....														
#Tongue:														
Squamous Cell Papilloma														
		1/50	(2%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	1/100	(1%)	Mean	1%	SD	1.41%	Total	0/100	(0%)	Mean	0%	SD	0%
.....														
#Tooth:														
Adamantinoma Malignant														
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	0/100	(0%)	Mean	0%	SD	0%	Total	0/100	(0%)	Mean	0%	SD	0%
.....														
#Tooth:														
Odontoma														
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	0/100	(0%)	Mean	0%	SD	0%	Total	0/100	(0%)	Mean	0%	SD	0%
.....														
*Urinary Bladder:														
Carcinoma														
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	0/100	(0%)	Mean	0%	SD	0%	Total	0/100	(0%)	Mean	0%	SD	0%
.....														
*Urinary Bladder:														
Carcinoma or Papilloma														
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	0/100	(0%)	Mean	0%	SD	0%	Total	0/100	(0%)	Mean	0%	SD	0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: METHYLCELLULOSE

Page: 94
 Report Date:04/29/2009

	Male					Female						
*Urinary Bladder: Hemangiosarcoma												
Overall Incidence	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%
.....												
*Urinary Bladder: Leiomyosarcoma												
Overall Incidence	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%
.....												
*Urinary Bladder: Papilloma												
Overall Incidence	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%	Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%
.....												
#Uterus: Adenoma												
Overall Incidence							Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%
.....												
#Uterus: Carcinoma												
Overall Incidence							Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%
.....												
#Uterus: Deciduoma Benign												
Overall Incidence							Total	0/50 0/100	(0%) (0%)	0/50 Mean 0%	(0%) 0%	SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: METHYLCELLULOSE

Page: 95
 Report Date:04/29/2009

	Male			Female		
#Uterus:						
Hemangioma						
		0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	0/100	(0%)	Mean	0%	SD 0%
.....						
#Uterus:						
Hemangiosarcoma						
		0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	0/100	(0%)	Mean	0%	SD 0%
.....						
#Uterus:						
Leiomyoma						
		0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	0/100	(0%)	Mean	0%	SD 0%
.....						
#Uterus:						
Leiomyosarcoma						
		0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	0/100	(0%)	Mean	0%	SD 0%
.....						
#Uterus:						
Polyp Stromal						
		9/50	(18%)	13/50	(26%)	
Overall Incidence	Total	22/100	(22%)	Mean	22%	SD 5.66%
.....						
#Uterus:						
Sarcoma Stromal						
		0/50	(0%)	2/50	(4%)	
Overall Incidence	Total	2/100	(2%)	Mean	2%	SD 2.83%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: METHYLCELLULOSE

Page: 96
 Report Date:04/29/2009

	Male				Female			
#Uterus:								
Sarcoma Stromal or Polyp Stromal								
			9/50 (18%)			15/50 (30%)		
Overall Incidence			Total 24/100 (24%)			Mean 24%		SD 8.49%
.....								
#Uterus:								
Schwannoma Malignant								
			0/50 (0%)			0/50 (0%)		
Overall Incidence			Total 0/100 (0%)			Mean 0%		SD 0%
.....								
#Vagina:								
Polyp								
			0/50 (0%)			0/50 (0%)		
Overall Incidence			Total 0/100 (0%)			Mean 0%		SD 0%
.....								
#Vagina:								
Sarcoma								
			0/50 (0%)			0/50 (0%)		
Overall Incidence			Total 0/100 (0%)			Mean 0%		SD 0%
.....								
#Zymbal's Gland:								
Adenoma								
		0/50 (0%)	0/50 (0%)			0/50 (0%)		
Overall Incidence	Total	0/100 (0%)	Mean 0%	SD 0%	Total	0/100 (0%)	Mean 0%	SD 0%
.....								
#Zymbal's Gland:								
Carcinoma								
		0/50 (0%)	0/50 (0%)			0/50 (0%)		
Overall Incidence	Total	0/100 (0%)	Mean 0%	SD 0%	Total	0/100 (0%)	Mean 0%	SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
Contract/Lab: All Laboratories
Species: RATS
Strain: F344
Length of Study: CHRONIC

Toxicology Data Management System
Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: METHYLCELLULOSE

Page: 97
Report Date:04/29/2009

	Male					Female				
#Zymbal's Gland:										
Carcinoma or Adenoma		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)			
Overall Incidence	Total	0/100 (0%)	Mean 0%	SD 0%	Total	0/100 (0%)	Mean 0%	SD 0%		

*: Denominator is number of animals with tissues examined microscopically
#: Denominator is number of animals necropsied

Version: May2009
Contract/Lab: All Laboratories
Species: RATS
Strain: F344
Length of Study: CHRONIC

Toxicology Data Management System
Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: WATER

Page: 98
Report Date:04/29/2009

Study Summary

Laboratory Name	Study Number	Study Start Date	Length of Study in Days	Number of Animals Total and (#/Cage)	Number Surviving and (Mean Life Span)	Maximum Mean Weekly Body Weight	Chemical
Male							
Battelle Columbus Laboratory	058812305	03/21/01	727	50 (3)	26(673)	509.7	Formamide
Battelle Columbus Laboratory	052000505	01/21/04	727	50 (3)	30(679)	498.5	Ginseng
Battelle Columbus Laboratory	059501107	03/06/02	727	50 (3)	22(673)	510.3	5-(Hydroxymethyl)-2-furfural
Female							
Battelle Columbus Laboratory	058812305	03/20/01	730	50 (5)	38(703)	358.3	Formamide
Battelle Columbus Laboratory	052000505	01/22/04	728	50 (5)	36(700)	355.0	Ginseng
Battelle Columbus Laboratory	059501107	03/07/02	728	50 (5)	31(679)	332.2	5-(Hydroxymethyl)-2-furfural

NOTE: The text on page 2 ("Report Description") describes how the studies listed here are displayed on the data pages that follow.

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: WATER

Page: 99
 Report Date:04/29/2009

		Male			Female		
#All Organs: Benign Tumors							
		45/50 (90%)	49/50 (98%)	50/50 (100%)	43/50 (86%)	42/50 (84%)	46/50 (92%)
Overall Incidence	Total	144/150 (96%)	Mean 96%	SD 5.29%	Total 131/150 (87.33%)	Mean 87.33%	SD 4.16%
.....							
#All Organs: Malignant Tumors							
		25/50 (50%)	26/50 (52%)	35/50 (70%)	15/50 (30%)	10/50 (20%)	16/50 (32%)
Overall Incidence	Total	86/150 (57.33%)	Mean 57.33%	SD 11.02%	Total 41/150 (27.33%)	Mean 27.33%	SD 6.43%
.....							
#All Organs: Malignant and Benign Tumors							
		48/50 (96%)	49/50 (98%)	50/50 (100%)	49/50 (98%)	45/50 (90%)	48/50 (96%)
Overall Incidence	Total	147/150 (98%)	Mean 98%	SD 2%	Total 142/150 (94.67%)	Mean 94.67%	SD 4.16%
.....							
#All Organs: Hemangioma							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total 0/150 (0%)	Mean 0%	SD 0%
.....							
#All Organs: Hemangiosarcoma							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total 0/150 (0%)	Mean 0%	SD 0%
.....							
#All Organs: Hemangiosarcoma or Hemangioma							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total 0/150 (0%)	Mean 0%	SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: WATER

Page: 100
 Report Date:04/29/2009

	Male					Female								
#All Organs:														
Histiocytic Sarcoma														
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	1/150	(0.67%)	Mean	0.67%	SD	1.15%	Total	0/150	(0%)	Mean	0%	SD	0%
.....														
#All Organs:														
Leukemia: Erythrocytic														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/150	(0%)	Mean	0%	SD	0%
.....														
#All Organs:														
Leukemia: Lymphocytic, Monocytic, Mononuclear, or Undifferentiated														
		15/50	(30%)	18/50	(36%)	28/50	(56%)	10/50	(20%)	6/50	(12%)	9/50	(18%)	
Overall Incidence	Total	61/150	(40.67%)	Mean	40.67%	SD	13.61%	Total	25/150	(16.67%)	Mean	16.67%	SD	4.16%
.....														
#All Organs:														
Malignant Lymphoma: Histiocytic, Lymphocytic, Mixed, NOS, or Undifferentiated Cell Type														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/150	(0%)	Mean	0%	SD	0%
.....														
#All Organs:														
Mesothelioma: Benign														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/150	(0%)	Mean	0%	SD	0%
.....														
#All Organs:														
Mesothelioma: Benign, Malignant, NOS														
		2/50	(4%)	2/50	(4%)	2/50	(4%)	2/50	(4%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	6/150	(4%)	Mean	4%	SD	0%	Total	2/150	(1.33%)	Mean	1.33%	SD	2.31%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: WATER

Page: 101
Report Date:04/29/2009

		Male				Female								
#All Organs:														
Mesothelioma: Malignant														
		2/50	(4%)	2/50	(4%)	2/50	(4%)	0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	6/150	(4%)	Mean	4%	SD	0%	Total	2/150	(1.33%)	Mean	1.33%	SD	2.31%
.....														
#All Organs:														
Osteoma														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/150	(0%)	Mean	0%	SD	0%
.....														
#All Organs:														
Osteosarcoma														
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	1/50	(2%)			
Overall Incidence	Total	1/150	(0.67%)	Mean	0.67%	SD	1.15%	Total	1/150	(0.67%)	Mean	0.67%	SD	1.15%
.....														
#All Organs:														
Osteosarcoma or Osteoma														
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	1/50	(2%)			
Overall Incidence	Total	1/150	(0.67%)	Mean	0.67%	SD	1.15%	Total	1/150	(0.67%)	Mean	0.67%	SD	1.15%
.....														
*Adrenal Cortex:														
Adenoma														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)			
Overall Incidence	Total	0/150	(0%)	Mean	0%	SD	0%	Total	1/150	(0.67%)	Mean	0.67%	SD	1.15%
.....														
*Adrenal Cortex:														
Carcinoma														
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	1/150	(0.67%)	Mean	0.67%	SD	1.15%	Total	0/150	(0%)	Mean	0%	SD	0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: WATER

Page: 102
 Report Date:04/29/2009

		Male			Female			
*Adrenal Medulla: Ganglioneuroma								
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%
*Adrenal Medulla: Hemangioma								
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%
*Adrenal Medulla: Pheochromocytoma Benign								
Overall Incidence	Total	9/50 (18%) 18/150 (12%)	4/50 (8%) Mean 12%	5/50 (10%) SD 5.29%	Total	0/50 (0%) 1/150 (0.67%)	1/50 (2%) Mean 0.67%	0/50 (0%) SD 1.15%
*Adrenal Medulla: Pheochromocytoma Complex								
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%
*Adrenal Medulla: Pheochromocytoma Malignant								
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%
*Adrenal Medulla: Pheochromocytoma: Benign, Complex, Malignant, NOS								
Overall Incidence	Total	9/50 (18%) 18/150 (12%)	4/50 (8%) Mean 12%	5/50 (10%) SD 5.29%	Total	0/50 (0%) 1/150 (0.67%)	1/50 (2%) Mean 0.67%	0/50 (0%) SD 1.15%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: WATER

Page: 103
 Report Date:04/29/2009

		Male				Female					
#Bone:											
Chondrosarcoma											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
#Bone:											
Chondrosarcoma or Chondroma											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
#Bone:											
Chordoma											
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	1/150	(0.67%)	Mean 0.67%	SD 1.15%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
#Bone:											
Osteoma											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
#Bone:											
Osteosarcoma											
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
Overall Incidence	Total	1/150	(0.67%)	Mean 0.67%	SD 1.15%	Total	1/150	(0.67%)	Mean 0.67%	SD 1.15%	
.....											
#Bone:											
Osteosarcoma or Osteoma											
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
Overall Incidence	Total	1/150	(0.67%)	Mean 0.67%	SD 1.15%	Total	1/150	(0.67%)	Mean 0.67%	SD 1.15%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: WATER

Page: 104
 Report Date:04/29/2009

		Male				Female							
*Brain:													
Astrocytoma Malignant													
Overall Incidence	Total	0/50 0/150	(0%) (0%)	0/50 Mean 0%	(0%) 0%	0/50 SD 0%	(0%) 0%	0/50 0/150	(0%) (0%)	0/50 Mean 0%	(0%) 0%	0/50 SD 0%	(0%) 0%
.....													
*Brain:													
Ependymoma Benign													
Overall Incidence	Total	0/50 0/150	(0%) (0%)	0/50 Mean 0%	(0%) 0%	0/50 SD 0%	(0%) 0%	0/50 0/150	(0%) (0%)	0/50 Mean 0%	(0%) 0%	0/50 SD 0%	(0%) 0%
.....													
*Brain:													
Ependymoma Malignant													
Overall Incidence	Total	0/50 0/150	(0%) (0%)	0/50 Mean 0%	(0%) 0%	0/50 SD 0%	(0%) 0%	0/50 0/150	(0%) (0%)	0/50 Mean 0%	(0%) 0%	0/50 SD 0%	(0%) 0%
.....													
*Brain:													
Glioma Malignant													
Overall Incidence	Total	0/50 0/150	(0%) (0%)	0/50 Mean 0%	(0%) 0%	0/50 SD 0%	(0%) 0%	0/50 0/150	(0%) (0%)	0/50 Mean 0%	(0%) 0%	0/50 SD 0%	(0%) 0%
.....													
*Brain:													
Granular Cell Tumor Benign													
Overall Incidence	Total	0/50 0/150	(0%) (0%)	0/50 Mean 0%	(0%) 0%	0/50 SD 0%	(0%) 0%	1/50 1/150	(2%) (0.67%)	0/50 Mean 0.67%	(0%) 0.67%	0/50 SD 1.15%	(0%) 1.15%
.....													
*Brain:													
Medulloblastoma Mal													
Overall Incidence	Total	0/50 0/150	(0%) (0%)	0/50 Mean 0%	(0%) 0%	0/50 SD 0%	(0%) 0%	0/50 0/150	(0%) (0%)	0/50 Mean 0%	(0%) 0%	0/50 SD 0%	(0%) 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: WATER

Page: 105
Report Date:04/29/2009

		Male				Female			
*Brain:									
Meningioma Malignant									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%
									SD 0%
.....									
*Brain:									
Meningioma: Benign, Malignant, NOS									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%
									SD 0%
.....									
*Brain:									
Oligodendroglioma Benign									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%
									SD 0%
.....									
*Brain:									
Oligodendroglioma Malignant									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%
									SD 0%
.....									
*Brain:									
Oligodendroglioma, Glioma, or Astrocytoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%
									SD 0%
.....									
*Brain:									
Osteosarcoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%
									SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: WATER

Page: 106
 Report Date:04/29/2009

		Male				Female							
*Brain:													
Schwannoma Malignant													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%			
.....													
*Clitoral/Preputial Gland:													
Adenoma													
		1/50	(2%)	0/50	(0%)	5/50	(10%)	2/50	(4%)	1/50	(2%)	3/50	(6%)
Overall Incidence	Total	6/150	(4%)	Mean 4%	SD 5.29%	Total	6/150	(4%)	Mean 4%	SD 2%			
.....													
*Clitoral/Preputial Gland:													
Carcinoma													
		1/50	(2%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	1/50	(2%)	0/50	(0%)
Overall Incidence	Total	2/150	(1.33%)	Mean 1.33%	SD 1.15%	Total	1/150	(0.67%)	Mean 0.67%	SD 1.15%			
.....													
*Clitoral/Preputial Gland:													
Carcinoma or Adenoma													
		2/50	(4%)	0/50	(0%)	6/50	(12%)	2/50	(4%)	2/50	(4%)	3/50	(6%)
Overall Incidence	Total	8/150	(5.33%)	Mean 5.33%	SD 6.11%	Total	7/150	(4.67%)	Mean 4.67%	SD 1.15%			
.....													
*Clitoral/Preputial Gland:													
Fibrosarcoma													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%			
.....													
*Clitoral/Preputial Gland:													
Sarcoma													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%			

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: WATER

Page: 107
 Report Date:04/29/2009

		Male				Female			
*Clitoral/Preputial Gland: Squamous Cell Papilloma									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
#Ear: Neural Crest Tumor									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
#Esophagus: Fibrosarcoma									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
#Esophagus: Lipoma									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
#Eye: Amelanotic Melanoma, Benign									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
#Eye: Melanoma Malignant									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	Total	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
		0/150 (0%)	Mean 0%	SD 0%	Total	1/150 (0.67%)	Mean 0.67%	SD 1.15%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: WATER

Page: 108
 Report Date:04/29/2009

		Male				Female					
#Eye:											
Schwannoma Malignant											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
#Harderian Gland:											
Carcinoma											
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	1/150	(0.67%)	Mean 0.67%	SD 1.15%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
#Harderian Gland:											
Carcinoma or Adenoma											
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	1/150	(0.67%)	Mean 0.67%	SD 1.15%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
*Heart:											
Schwannoma Benign											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
*Heart:											
Schwannoma Malignant											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	1/150	(0.67%)	Mean 0.67%	SD 1.15%	
.....											
#Intestine Large: Colon/Rectum:											
Adenoma											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	1/150	(0.67%)	Mean 0.67%	SD 1.15%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: WATER

Page: 109
Report Date:04/29/2009

		Male				Female			
#Intestine Large: Colon/Rectum: Carcinoma									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Large: Colon/Rectum: Carcinoma or Adenoma									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	Total	0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/150 (0%)	Mean 0%	SD 0%	Total	1/150 (0.67%)	Mean 0.67%	SD 1.15%	
.....									
#Intestine Large: Colon/Rectum: Hemangioma									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Small: Duodenum: Carcinoma									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Small: Duodenum: Leiomyoma									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	Total	0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/150 (0%)	Mean 0%	SD 0%	Total	1/150 (0.67%)	Mean 0.67%	SD 1.15%	
.....									
#Intestine Small: Jejunum: Carcinoma									
Overall Incidence	Total	0/50 (0%)	1/50 (2%)	0/50 (0%)	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/150 (0.67%)	Mean 0.67%	SD 1.15%	Total	0/150 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: WATER

Page: 110
 Report Date:04/29/2009

		Male				Female			
#Intestine Small: Jejunum: Granular Cell Tumor Malignant									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Small: Jejunum: Leiomyoma									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Small: Jejunum: Leiomyosarcoma									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Small: Site Unspecified: Carcinoma									
Overall Incidence	Total	0/50 (0%)	1/50 (2%)	0/50 (0%)	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/150 (0.67%)	Mean 0.67%	SD 1.15%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Small: Site Unspecified: Carcinoma or Adenoma									
Overall Incidence	Total	0/50 (0%)	1/50 (2%)	0/50 (0%)	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/150 (0.67%)	Mean 0.67%	SD 1.15%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Small: Site Unspecified: Granular Cell Tumor Malignant									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: WATER

Page: 111
 Report Date:04/29/2009

		Male				Female							
#Intestine Small: Site Unspecified: Leiomyoma													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	1/150	(0.67%)	Mean 0.67%	SD 1.15%			
.....													
#Intestine Small: Site Unspecified: Leiomyosarcoma													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%			
.....													
*Islets, Pancreatic: Adenoma													
		2/50	(4%)	0/50	(0%)	2/50	(4%)	1/50	(2%)	1/50	(2%)	0/50	(0%)
Overall Incidence	Total	4/150	(2.67%)	Mean 2.67%	SD 2.31%	Total	2/150	(1.33%)	Mean 1.33%	SD 1.15%			
.....													
*Islets, Pancreatic: Carcinoma													
		1/50	(2%)	0/50	(0%)	2/50	(4%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	3/150	(2%)	Mean 2%	SD 2%	Total	0/150	(0%)	Mean 0%	SD 0%			
.....													
*Islets, Pancreatic: Carcinoma or Adenoma													
		3/50	(6%)	0/50	(0%)	4/50	(8%)	1/50	(2%)	1/50	(2%)	0/50	(0%)
Overall Incidence	Total	7/150	(4.67%)	Mean 4.67%	SD 4.16%	Total	2/150	(1.33%)	Mean 1.33%	SD 1.15%			
.....													
*Kidney: Pelvis and Transitional Epithelium: Carcinoma													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%			

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: WATER

Page: 112
 Report Date:04/29/2009

		Male				Female			
*Kidney: Pelvis and Transitional Epithelium: Carcinoma or Adenoma									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
*Kidney: Pelvis and Transitional Epithelium: Papilloma									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
*Kidney: Renal Tubule: Adenoma									
Overall Incidence	Total	1/50 (2%)	1/50 (2%)	0/50 (0%)	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		2/150 (1.33%)	Mean 1.33%	SD 1.15%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
*Kidney: Renal Tubule: Carcinoma									
Overall Incidence	Total	0/50 (0%)	1/50 (2%)	0/50 (0%)	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/150 (0.67%)	Mean 0.67%	SD 1.15%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
*Kidney: Renal Tubule: Carcinoma or Adenoma									
Overall Incidence	Total	1/50 (2%)	2/50 (4%)	0/50 (0%)	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		3/150 (2%)	Mean 2%	SD 2%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
*Kidney: Renal Tubule: Hemangiosarcoma									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: WATER

Page: 113
 Report Date:04/29/2009

		Male				Female			
*Kidney: Renal Tubule: Lipoma									
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	
.....									
*Kidney: Renal Tubule: Mesenchymal Tumor Benign									
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	
.....									
*Kidney: Renal Tubule: Nephroblastoma									
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	
.....									
*Kidney: Renal Tubule: Sarcoma									
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	
.....									
*Liver: Cholangioma									
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	
.....									
*Liver: Hemangiosarcoma									
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: WATER

Page: 114
 Report Date:04/29/2009

		Male				Female							
*Liver:													
Hepatocellular Adenoma													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	2/50	(4%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	2/150	(1.33%)	Mean 1.33%	SD 2.31%			
.....													
*Liver:													
Hepatocellular Carcinoma													
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	1/150	(0.67%)	Mean 0.67%	SD 1.15%	Total	0/150	(0%)	Mean 0%	SD 0%			
.....													
*Liver:													
Hepatocellular Carcinoma or Hepatoblastoma													
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	1/150	(0.67%)	Mean 0.67%	SD 1.15%	Total	0/150	(0%)	Mean 0%	SD 0%			
.....													
*Liver:													
Hepatocellular Carcinoma or Hepatocellular Adenoma													
		0/50	(0%)	1/50	(2%)	0/50	(0%)	2/50	(4%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	1/150	(0.67%)	Mean 0.67%	SD 1.15%	Total	2/150	(1.33%)	Mean 1.33%	SD 2.31%			
.....													
*Liver:													
Hepatocellular Carcinoma, Hepatocellular Adenoma, or Hepatoblastoma													
		0/50	(0%)	1/50	(2%)	0/50	(0%)	2/50	(4%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	1/150	(0.67%)	Mean 0.67%	SD 1.15%	Total	2/150	(1.33%)	Mean 1.33%	SD 2.31%			
.....													
*Lung:													
Alveolar/Bronchiolar Adenoma													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	1/50	(2%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	2/150	(1.33%)	Mean 1.33%	SD 1.15%			

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: WATER

Page: 115
 Report Date:04/29/2009

		Male				Female								
*Lung:														
Alveolar/Bronchiolar Carcinoma														
		1/50	(2%)	0/50	(0%)	1/50	(2%)	1/50	(2%)	0/50	(0%)			
Overall Incidence	Total	2/150	(1.33%)	Mean	1.33%	SD	1.15%	Total	1/150	(0.67%)	Mean	0.67%	SD	1.15%
.....														
*Lung:														
Alveolar/Bronchiolar Carcinoma or Alveolar/Bronchiolar Adenoma														
		1/50	(2%)	0/50	(0%)	1/50	(2%)	2/50	(4%)	1/50	(2%)	0/50	(0%)	
Overall Incidence	Total	2/150	(1.33%)	Mean	1.33%	SD	1.15%	Total	3/150	(2%)	Mean	2%	SD	2%
.....														
*Lung:														
Fibrosarcoma														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/150	(0%)	Mean	0%	SD	0%
.....														
*Lung:														
Hemangiosarcoma														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/150	(0%)	Mean	0%	SD	0%
.....														
*Lung:														
Sarcoma														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/150	(0%)	Mean	0%	SD	0%
.....														
*Lung:														
Squamous Cell Carcinoma														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/150	(0%)	Mean	0%	SD	0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: WATER

Page: 116
 Report Date:04/29/2009

	Male					Female				
#Lymph Node: Hemangiosarcoma										
Overall Incidence	Total	0/50 (0%)	0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/50 (0%)	0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%
#Mammary Gland: Adenolipoma										
Overall Incidence	Total	0/50 (0%)	0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/50 (0%)	0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%
#Mammary Gland: Adenoma										
Overall Incidence	Total	1/50 (2%)	1/150 (0.67%)	0/50 (0%) Mean 0.67%	0/50 (0%) SD 1.15%	Total	0/50 (0%)	4/150 (2.67%)	2/50 (4%) Mean 2.67%	2/50 (4%) SD 2.31%
#Mammary Gland: Carcinoma										
Overall Incidence	Total	0/50 (0%)	0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	2/50 (4%)	2/150 (1.33%)	0/50 (0%) Mean 1.33%	0/50 (0%) SD 2.31%
#Mammary Gland: Carcinoma or Adenoma										
Overall Incidence	Total	1/50 (2%)	1/150 (0.67%)	0/50 (0%) Mean 0.67%	0/50 (0%) SD 1.15%	Total	2/50 (4%)	6/150 (4%)	2/50 (4%) Mean 4%	2/50 (4%) SD 0%
#Mammary Gland: Fibroadenoma										
Overall Incidence	Total	2/50 (4%)	5/150 (3.33%)	2/50 (4%) Mean 3.33%	1/50 (2%) SD 1.15%	Total	33/50 (66%)	94/150 (62.67%)	32/50 (64%) Mean 62.67%	29/50 (58%) SD 4.16%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: WATER

Page: 117
 Report Date:04/29/2009

	Male					Female								
#Mammary Gland: Fibroma														
		1/50	(2%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)			
Overall Incidence	Total	1/150	(0.67%)	Mean	0.67%	SD	1.15%	Total	1/150	(0.67%)	Mean	0.67%	SD	1.15%
#Mammary Gland: Fibroma, Fibroadenoma or Adenoma														
		4/50	(8%)	2/50	(4%)	1/50	(2%)	33/50	(66%)	33/50	(66%)	30/50	(60%)	
Overall Incidence	Total	7/150	(4.67%)	Mean	4.67%	SD	3.06%	Total	96/150	(64%)	Mean	64%	SD	3.46%
#Mammary Gland: Fibroma, Fibroadenoma, Carcinoma, or Adenoma														
		4/50	(8%)	2/50	(4%)	1/50	(2%)	35/50	(70%)	33/50	(66%)	30/50	(60%)	
Overall Incidence	Total	7/150	(4.67%)	Mean	4.67%	SD	3.06%	Total	98/150	(65.33%)	Mean	65.33%	SD	5.03%
#Mesentery: Fibrosarcoma														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/150	(0%)	Mean	0%	SD	0%
#Mesentery: Hemangiosarcoma														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/150	(0%)	Mean	0%	SD	0%
#Mesentery: Lipoma														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/150	(0%)	Mean	0%	SD	0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: WATER

Page: 118
 Report Date:04/29/2009

		Male				Female					
#Mesentery:											
Rhabdomyosarcoma											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
*Nose:											
Adenoma											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	1/150	(0.67%)	Mean 0.67%	SD 1.15%	
.....											
*Nose:											
Chondroma											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
*Nose:											
Squamous Cell Carcinoma											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
#Oral Cavity (Oral Mucosa, Tongue, Pharynx, Tooth, Gingiva):											
Papilloma Squamous or Papilloma											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
#Oral Cavity (Oral Mucosa, Tongue, Pharynx, Tooth, Gingiva):											
Squamous Cell Carcinoma											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	1/150	(0.67%)	Mean 0.67%	SD 1.15%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: WATER

Page: 119
 Report Date:04/29/2009

	Male					Female				
#Oral Cavity (Oral Mucosa, Tongue, Pharynx, Tooth, Gingiva): Squamous Cell Carcinoma, Papilloma Squamous, or Papilloma										
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%		Total	1/50 (2%) 1/150 (0.67%)	0/50 (0%) Mean 0.67%	0/50 (0%) SD 1.15%	
.....										
#Oral Mucosa: Squamous Cell Carcinoma										
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%		Total	1/50 (2%) 1/150 (0.67%)	0/50 (0%) Mean 0.67%	0/50 (0%) SD 1.15%	
.....										
#Oral Mucosa: Squamous Cell Papilloma										
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%		Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	
.....										
*Ovary: Cystadenoma										
Overall Incidence						Total	0/50 (0%) 0/149 (0%)	0/50 (0%) Mean 0%	0/49 (0%) SD 0%	
.....										
*Ovary: Granulosa Cell Tumor Benign										
Overall Incidence						Total	0/50 (0%) 0/149 (0%)	0/50 (0%) Mean 0%	0/49 (0%) SD 0%	
.....										
*Ovary: Granulosa Cell Tumor Malignant										
Overall Incidence						Total	0/50 (0%) 0/149 (0%)	0/50 (0%) Mean 0%	0/49 (0%) SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: WATER

Page: 120
 Report Date:04/29/2009

		Male			Female		
*Ovary:							
Granulosa Cell Tumor: Benign, Malignant, NOS							
Overall Incidence			0/50 (0%)		0/50 (0%)		0/49 (0%)
	Total	0/149 (0%)		Mean 0%		SD 0%	
.....							
*Ovary:							
Granulosa-Theca Tumor Benign							
Overall Incidence			0/50 (0%)		0/50 (0%)		0/49 (0%)
	Total	0/149 (0%)		Mean 0%		SD 0%	
.....							
*Ovary:							
Granulosa-Theca Tumor Malignant							
Overall Incidence			0/50 (0%)		0/50 (0%)		0/49 (0%)
	Total	0/149 (0%)		Mean 0%		SD 0%	
.....							
*Ovary:							
Tubulostromal Adenoma							
Overall Incidence			0/50 (0%)		0/50 (0%)		0/49 (0%)
	Total	0/149 (0%)		Mean 0%		SD 0%	
.....							
*Pancreas:							
Adenoma							
Overall Incidence	Total	0/50 (0%) 1/150 (0.67%)	0/50 (0%) Mean 0.67%	1/50 (2%) SD 1.15%	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0% SD 0%
.....							
*Pancreas:							
Carcinoma							
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0% SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: WATER

Page: 121
 Report Date:04/29/2009

		Male				Female								
*Pancreas:														
Carcinoma or Adenoma														
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	1/150	0.67%	Mean	0.67%	SD	1.15%	Total	0/150	0%	Mean	0%	SD	0%
.....														
*Pancreas:														
Mixed Tumor Benign														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	0/150	0%	Mean	0%	SD	0%	Total	0/150	0%	Mean	0%	SD	0%
.....														
*Pancreas:														
Mixed Tumor Malignant														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	0/150	0%	Mean	0%	SD	0%	Total	0/150	0%	Mean	0%	SD	0%
.....														
*Parathyroid Gland:														
Adenoma														
		0/48	(0%)	0/50	(0%)	0/49	(0%)	0/46	(0%)	0/48	(0%)			
Overall Incidence	Total	0/147	0%	Mean	0%	SD	0%	Total	0/142	0%	Mean	0%	SD	0%
.....														
#Peripheral Nerve:														
Schwannoma Malignant														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	0/150	0%	Mean	0%	SD	0%	Total	0/150	0%	Mean	0%	SD	0%
.....														
#Peripheral Nerve:														
Schwannoma: Benign, Malignant, NOS														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	0/150	0%	Mean	0%	SD	0%	Total	0/150	0%	Mean	0%	SD	0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: WATER

Page: 122
 Report Date: 04/29/2009

		Male			Female		
*Pituitary Gland: Pars Distalis or Unspecified Site:							
Adenoma							
		11/50 (22%)	20/50 (40%)	15/50 (30%)	22/50 (44%)	16/50 (32%)	24/50 (48%)
Overall Incidence	Total	46/150 (30.67%)	Mean 30.67%	SD 9.02%	Total 62/150 (41.33%)	Mean 41.33%	SD 8.33%
.....							
*Pituitary Gland: Pars Distalis or Unspecified Site:							
Carcinoma							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	2/50 (4%)	0/50 (0%)	1/50 (2%)
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total 3/150 (2%)	Mean 2%	SD 2%
.....							
*Pituitary Gland: Pars Distalis or Unspecified Site:							
Carcinoma or Adenoma							
		11/50 (22%)	20/50 (40%)	15/50 (30%)	24/50 (48%)	16/50 (32%)	25/50 (50%)
Overall Incidence	Total	46/150 (30.67%)	Mean 30.67%	SD 9.02%	Total 65/150 (43.33%)	Mean 43.33%	SD 9.87%
.....							
*Pituitary Gland: Pars Distalis or Unspecified Site:							
Ganglioneuroma							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total 0/150 (0%)	Mean 0%	SD 0%
.....							
*Pituitary Gland: Pars Intermedia:							
Adenoma							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total 0/150 (0%)	Mean 0%	SD 0%
.....							
*Pituitary Gland: Pars Intermedia:							
Carcinoma							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total 0/150 (0%)	Mean 0%	SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: WATER

Page: 123
 Report Date:04/29/2009

		Male				Female			
*Pituitary Gland: Pars Intermedia: Carcinoma or Adenoma									
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	
.....									
*Prostate: Adenoma									
Overall Incidence	Total	0/50 (0%) 1/150 (0.67%)	1/50 (2%) Mean 0.67%	0/50 (0%) SD 1.15%					
.....									
*Prostate: Carcinoma or Adenoma									
Overall Incidence	Total	0/50 (0%) 1/150 (0.67%)	1/50 (2%) Mean 0.67%	0/50 (0%) SD 1.15%					
.....									
*Salivary Glands: Sarcoma									
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	
.....									
#Seminal Vesicle: Adenoma									
Overall Incidence	Total	0/50 (0%) 1/150 (0.67%)	1/50 (2%) Mean 0.67%	0/50 (0%) SD 1.15%					
.....									
#Skeletal Muscle: Fibrous Histiocytoma									
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: WATER

Page: 124
 Report Date:04/29/2009

		Male				Female			
#Skeletal Muscle: Hemangioma									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/150 (0%)	Mean 0%	SD 0%		0/150 (0%)	Mean 0%	SD 0%	
.....									
#Skeletal Muscle: Hemangiosarcoma									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/150 (0%)	Mean 0%	SD 0%		0/150 (0%)	Mean 0%	SD 0%	
.....									
#Skeletal Muscle: Lipoma									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/150 (0%)	Mean 0%	SD 0%		0/150 (0%)	Mean 0%	SD 0%	
.....									
#Skeletal Muscle: Rhabdomyosarcoma									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/150 (0%)	Mean 0%	SD 0%		0/150 (0%)	Mean 0%	SD 0%	
.....									
#Skeletal Muscle: Rhabdomyosarcoma or Rhabdomyoma									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/150 (0%)	Mean 0%	SD 0%		0/150 (0%)	Mean 0%	SD 0%	
.....									
#Skeletal Muscle: Sarcoma									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/150 (0%)	Mean 0%	SD 0%		0/150 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: WATER

Page: 125
 Report Date:04/29/2009

	Male					Female					
#Skin:											
Basal Cell Adenoma											
		1/50	(2%)	1/50	(2%)	1/50	(2%)	1/50	(2%)	0/50	(0%)
Overall Incidence	Total	3/150	(2%)	Mean 2%	SD 0%	Total	2/150	(1.33%)	Mean 1.33%	SD 1.15%	
.....											
#Skin:											
Basal Cell Adenoma or Basosquamous Tumor Benign											
		1/50	(2%)	1/50	(2%)	1/50	(2%)	1/50	(2%)	0/50	(0%)
Overall Incidence	Total	3/150	(2%)	Mean 2%	SD 0%	Total	2/150	(1.33%)	Mean 1.33%	SD 1.15%	
.....											
#Skin:											
Basal Cell Adenoma, Basosquamous Tumor Benign, or Trichoepithelioma											
		1/50	(2%)	1/50	(2%)	1/50	(2%)	2/50	(4%)	1/50	(2%)
Overall Incidence	Total	3/150	(2%)	Mean 2%	SD 0%	Total	3/150	(2%)	Mean 2%	SD 2%	
.....											
#Skin:											
Basal Cell Carcinoma											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
#Skin:											
Basal Cell Carcinoma or Basosquamous Tumor (malignant or NOS)											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
#Skin:											
Basal Cell Carcinoma, Basal Cell Adenoma, Basosquamous Tumor (benign, malignant or NOS), or Trichoepithelioma											
		1/50	(2%)	1/50	(2%)	1/50	(2%)	2/50	(4%)	1/50	(2%)
Overall Incidence	Total	3/150	(2%)	Mean 2%	SD 0%	Total	3/150	(2%)	Mean 2%	SD 2%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: WATER

Page: 126
 Report Date:04/29/2009

		Male				Female			
#Skin:									
Basal or Sq. Cell Carcinoma, Carcinoma, Basosq. Tumor (M or B), Basal Cell Adenoma, Adenoma, Papilloma, Sq Papilloma, Keratoacanthoma, Trichoepithelioma									
		10/50 (20%)	2/50 (4%)	4/50 (8%)		4/50 (8%)	3/50 (6%)	0/50 (0%)	
Overall Incidence	Total	16/150 (10.67%)	Mean 10.67%	SD 8.33%	Total	7/150 (4.67%)	Mean 4.67%	SD 4.16%	
.....									
#Skin:									
Fibroma									
		6/50 (12%)	2/50 (4%)	5/50 (10%)		1/50 (2%)	0/50 (0%)	1/50 (2%)	
Overall Incidence	Total	13/150 (8.67%)	Mean 8.67%	SD 4.16%	Total	2/150 (1.33%)	Mean 1.33%	SD 1.15%	
.....									
#Skin:									
Fibroma, Fibrosarcoma, Sarcoma, Myxoma, Myxosarcoma, or Fibrous Histiocytoma									
		7/50 (14%)	3/50 (6%)	6/50 (12%)		1/50 (2%)	0/50 (0%)	1/50 (2%)	
Overall Incidence	Total	16/150 (10.67%)	Mean 10.67%	SD 4.16%	Total	2/150 (1.33%)	Mean 1.33%	SD 1.15%	
.....									
#Skin:									
Fibrosarcoma									
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/150 (0.67%)	Mean 0.67%	SD 1.15%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Fibrosarcoma, Sarcoma, Myxosarcoma, or Fibrous Histiocytoma									
		1/50 (2%)	1/50 (2%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	3/150 (2%)	Mean 2%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Fibrous Histiocytoma									
		1/50 (2%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	2/150 (1.33%)	Mean 1.33%	SD 1.15%	Total	0/150 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: WATER

Page: 127
 Report Date:04/29/2009

		Male				Female			
#Skin:									
Hemangioma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%
									SD 0%
.....									
#Skin:									
Hemangiosarcoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%
									SD 0%
.....									
#Skin:									
Keratoacanthoma									
		8/50	(16%)	0/50	(0%)	2/50	(4%)	2/50	(4%)
Overall Incidence	Total	10/150	(6.67%)	Mean 6.67%	SD 8.33%	Total	4/150	(2.67%)	Mean 2.67%
									SD 2.31%
.....									
#Skin:									
Lipoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%
									SD 0%
.....									
#Skin:									
Liposarcoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%
									SD 0%
.....									
#Skin:									
Neural Crest Tumor									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%
									SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: WATER

Page: 128
 Report Date:04/29/2009

		Male				Female					
#Skin:											
Neural Crest Tumor, Malignant											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
#Skin:											
Neurofibroma or Schwannoma benign											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
#Skin:											
Neurofibrosarcoma or Schwannoma (malignant or NOS)											
		1/50	(2%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	1/50	(2%)
Overall Incidence	Total	2/150	(1.33%)	Mean 1.33%	SD 1.15%	Total	1/150	(0.67%)	Mean 0.67%	SD 1.15%	
.....											
#Skin:											
Neurofibrosarcoma, Neurofibroma, or Schwannoma (benign, malignant or NOS)											
		1/50	(2%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	1/50	(2%)
Overall Incidence	Total	2/150	(1.33%)	Mean 1.33%	SD 1.15%	Total	1/150	(0.67%)	Mean 0.67%	SD 1.15%	
.....											
#Skin:											
Sarcoma											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
#Skin:											
Schwannoma Benign											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: WATER

Page: 129
 Report Date:04/29/2009

		Male				Female								
#Skin:														
Schwannoma Malignant														
		1/50	(2%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	1/50	(2%)			
Overall Incidence	Total	2/150	(1.33%)	Mean	1.33%	SD	1.15%	Total	1/150	(0.67%)	Mean	0.67%	SD	1.15%
.....														
#Skin:														
Squamous Cell Carcinoma														
		0/50	(0%)	1/50	(2%)	1/50	(2%)	0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	2/150	(1.33%)	Mean	1.33%	SD	1.15%	Total	0/150	(0%)	Mean	0%	SD	0%
.....														
#Skin:														
Squamous Cell Carcinoma, Basal Cell Carcinoma, Basosquamous Tumor (malignant or NOS), or Carcinoma														
		0/50	(0%)	1/50	(2%)	1/50	(2%)	0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	2/150	(1.33%)	Mean	1.33%	SD	1.15%	Total	0/150	(0%)	Mean	0%	SD	0%
.....														
#Skin:														
Squamous Cell Papilloma														
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)			
Overall Incidence	Total	1/150	(0.67%)	Mean	0.67%	SD	1.15%	Total	1/150	(0.67%)	Mean	0.67%	SD	1.15%
.....														
#Skin:														
Squamous Cell Papilloma or Papilloma														
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)			
Overall Incidence	Total	1/150	(0.67%)	Mean	0.67%	SD	1.15%	Total	1/150	(0.67%)	Mean	0.67%	SD	1.15%
.....														
#Skin:														
Squamous Cell Papilloma, Papilloma, Squamous Cell Carcinoma or Keratoacanthoma														
		9/50	(18%)	1/50	(2%)	3/50	(6%)	2/50	(4%)	3/50	(6%)			
Overall Incidence	Total	13/150	(8.67%)	Mean	8.67%	SD	8.33%	Total	5/150	(3.33%)	Mean	3.33%	SD	3.06%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: WATER

Page: 130
Report Date:04/29/2009

	Male					Female								
#Skin:														
Squamous Cell Papilloma, Papilloma, or Keratoacanthoma														
		9/50	(18%)	0/50	(0%)	2/50	(4%)	2/50	(4%)	3/50	(6%)	0/50	(0%)	
Overall Incidence	Total	11/150	(7.33%)	Mean	7.33%	SD	9.45%	Total	5/150	(3.33%)	Mean	3.33%	SD	3.06%
.....														
#Skin:														
Trichoepithelioma														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	0/150	(0%)	Mean	0%	SD	0%	Total	1/150	(0.67%)	Mean	0.67%	SD	1.15%
.....														
#Skin: Sebaceous Gland:														
Adenoma														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/150	(0%)	Mean	0%	SD	0%
.....														
#Skin: Sebaceous Gland:														
Carcinoma														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/150	(0%)	Mean	0%	SD	0%
.....														
#Skin: Sebaceous Gland:														
Carcinoma or Adenoma														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/150	(0%)	Mean	0%	SD	0%
.....														
#Spinal Cord:														
Astrocytoma Benign														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/150	(0%)	Mean	0%	SD	0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: WATER

Page: 131
 Report Date:04/29/2009

		Male				Female			
#Spinal Cord:									
Astrocytoma Malignant									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%
									SD 0%
.....									
#Spinal Cord:									
Glioma Malignant									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	1/150	(0.67%)	Mean 0.67%
									SD 1.15%
.....									
*Spleen:									
Fibrosarcoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%
									SD 0%
.....									
*Spleen:									
Fibrous Histiocytoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%
									SD 0%
.....									
*Spleen:									
Hemangioma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%
									SD 0%
.....									
*Spleen:									
Hemangiosarcoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%
									SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: WATER

Page: 132
 Report Date:04/29/2009

		Male				Female								
*Spleen:														
Leiomyosarcoma														
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	1/150	(0.67%)	Mean	0.67%	SD	1.15%	Total	0/150	(0%)	Mean	0%	SD	0%
.....														
*Spleen:														
Sarcoma														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/150	(0%)	Mean	0%	SD	0%
.....														
#Stomach, Forestomach:														
Leiomyosarcoma														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/150	(0%)	Mean	0%	SD	0%
.....														
#Stomach, Forestomach:														
Squamous Cell Carcinoma														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)			
Overall Incidence	Total	0/150	(0%)	Mean	0%	SD	0%	Total	1/150	(0.67%)	Mean	0.67%	SD	1.15%
.....														
#Stomach, Forestomach:														
Squamous Cell Carcinoma or Papilloma Squamous														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)			
Overall Incidence	Total	0/150	(0%)	Mean	0%	SD	0%	Total	1/150	(0.67%)	Mean	0.67%	SD	1.15%
.....														
#Stomach, Forestomach:														
Squamous Cell Papilloma														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/150	(0%)	Mean	0%	SD	0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: WATER

Page: 133
 Report Date:04/29/2009

		Male			Female			
#Stomach, Glandular:								
Lipoma								
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%
.....								
#Stomach, Glandular:								
Sarcoma								
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%
.....								
*Testes:								
Adenoma								
		44/50 (88%)	45/50 (90%)	48/50 (96%)				
Overall Incidence	Total	137/150 (91.33%)	Mean 91.33%	SD 4.16%				
.....								
*Thymus:								
Sarcoma								
		0/49 (0%)	0/50 (0%)	0/48 (0%)	0/48 (0%)	0/48 (0%)		
Overall Incidence	Total	0/147 (0%)	Mean 0%	SD 0%	Total	0/144 (0%)	Mean 0%	SD 0%
.....								
*Thymus:								
Thymoma Benign								
		0/49 (0%)	0/50 (0%)	0/48 (0%)	0/48 (0%)	1/48 (2%)		
Overall Incidence	Total	0/147 (0%)	Mean 0%	SD 0%	Total	1/144 (0.69%)	Mean 0.69%	SD 1.2%
.....								
*Thymus:								
Thymoma Malignant								
		0/49 (0%)	0/50 (0%)	0/48 (0%)	0/48 (0%)	1/48 (2%)		
Overall Incidence	Total	0/147 (0%)	Mean 0%	SD 0%	Total	1/144 (0.69%)	Mean 0.69%	SD 1.2%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: WATER

Page: 134
 Report Date:04/29/2009

		Male			Female		
*Thymus:							
Thymoma NOS							
		0/49 (0%)	0/50 (0%)	0/48 (0%)	0/48 (0%)	0/48 (0%)	
Overall Incidence	Total	0/147 (0%)	Mean 0%	SD 0%	Total	0/144 (0%)	
						Mean 0%	
						SD 0%	
.....							
*Thymus:							
Thymoma: Benign, Malignant, NOS							
		0/49 (0%)	0/50 (0%)	0/48 (0%)	0/48 (0%)	1/48 (2%)	
Overall Incidence	Total	0/147 (0%)	Mean 0%	SD 0%	Total	2/144 (1.39%)	
						Mean 1.39%	
						SD 1.2%	
.....							
*Thyroid Gland: C-Cell:							
Adenoma							
		6/50 (12%)	11/50 (22%)	1/50 (2%)	5/50 (10%)	6/50 (12%)	
Overall Incidence	Total	18/150 (12%)	Mean 12%	SD 10%	Total	22/150 (14.67%)	
						Mean 14.67%	
						SD 6.43%	
.....							
*Thyroid Gland: C-Cell:							
Carcinoma							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	1/150 (0.67%)	
						Mean 0.67%	
						SD 1.15%	
.....							
*Thyroid Gland: C-Cell:							
Carcinoma or Adenoma							
		6/50 (12%)	11/50 (22%)	1/50 (2%)	5/50 (10%)	6/50 (12%)	
Overall Incidence	Total	18/150 (12%)	Mean 12%	SD 10%	Total	23/150 (15.33%)	
						Mean 15.33%	
						SD 7.57%	
.....							
*Thyroid Gland: Follicular Cell:							
Adenoma							
		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/150 (0.67%)	Mean 0.67%	SD 1.15%	Total	1/150 (0.67%)	
						Mean 0.67%	
						SD 1.15%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: WATER

Page: 135
 Report Date:04/29/2009

		Male				Female			
*Thyroid Gland: Follicular Cell: Carcinoma									
Overall Incidence	Total	1/50 (2%)	1/50 (2%)	2/50 (4%)	0/50 (0%)	0/50 (0%)	2/50 (4%)	4/150 (2.67%)	2/150 (1.33%)
		Mean 2.67%	Mean 2.67%	SD 1.15%	Mean 1.33%	Mean 1.33%	SD 2.31%		
.....									
*Thyroid Gland: Follicular Cell: Carcinoma or Adenoma									
Overall Incidence	Total	1/50 (2%)	1/50 (2%)	3/50 (6%)	0/50 (0%)	0/50 (0%)	2/50 (4%)	5/150 (3.33%)	2/150 (1.33%)
		Mean 3.33%	Mean 3.33%	SD 2.31%	Mean 1.33%	Mean 1.33%	SD 2.31%		
.....									
#Tissue NOS: Lipoma									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/150 (0%)	0/150 (0%)
		Mean 0%	Mean 0%	SD 0%	Mean 0%	Mean 0%	SD 0%		
.....									
#Tissue NOS: Paraganglioma									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/150 (0%)	0/150 (0%)
		Mean 0%	Mean 0%	SD 0%	Mean 0%	Mean 0%	SD 0%		
.....									
#Tissue NOS: Schwannoma Malignant									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/150 (0%)	0/150 (0%)
		Mean 0%	Mean 0%	SD 0%	Mean 0%	Mean 0%	SD 0%		
.....									
#Tongue: Squamous Cell Carcinoma									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/150 (0%)	0/150 (0%)
		Mean 0%	Mean 0%	SD 0%	Mean 0%	Mean 0%	SD 0%		

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: WATER

Page: 136
 Report Date:04/29/2009

		Male				Female			
#Tongue:									
Squamous Cell Carcinoma or Papilloma Squamous									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%
									SD 0%
.....									
#Tongue:									
Squamous Cell Papilloma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%
									SD 0%
.....									
#Tooth:									
Adamantinoma Malignant									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%
									SD 0%
.....									
#Tooth:									
Odontoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%
									SD 0%
.....									
*Urinary Bladder:									
Carcinoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%
									SD 0%
.....									
*Urinary Bladder:									
Carcinoma or Papilloma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%
									SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: WATER

Page: 137
 Report Date:04/29/2009

	Male					Female					
*Urinary Bladder: Hemangiosarcoma											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
*Urinary Bladder: Leiomyosarcoma											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
*Urinary Bladder: Papilloma											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
#Uterus: Adenoma											
						0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence						Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
#Uterus: Carcinoma											
						0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence						Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
#Uterus: Deciduoma Benign											
						0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence						Total	0/150	(0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: WATER

Page: 138
 Report Date:04/29/2009

	Male		Female
#Uterus:			
Hemangioma			
		0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/150 (0%)	Mean 0% SD 0%
.....			
#Uterus:			
Hemangiosarcoma			
		0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/150 (0%)	Mean 0% SD 0%
.....			
#Uterus:			
Leiomyoma			
		0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/150 (0%)	Mean 0% SD 0%
.....			
#Uterus:			
Leiomyosarcoma			
		0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/150 (0%)	Mean 0% SD 0%
.....			
#Uterus:			
Polyp Stromal			
		7/50 (14%)	8/50 (16%)
Overall Incidence	Total	23/150 (15.33%)	Mean 15.33% SD 1.15%
.....			
#Uterus:			
Sarcoma Stromal			
		0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/150 (0%)	Mean 0% SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: WATER

Page: 139
 Report Date:04/29/2009

		Male			Female		
#Uterus:							
Sarcoma Stromal or Polyp Stromal							
			7/50 (14%)		8/50 (16%)	8/50 (16%)	
Overall Incidence		Total	23/150 (15.33%)		Mean 15.33%	SD 1.15%	
.....							
#Uterus:							
Schwannoma Malignant							
			1/50 (2%)		0/50 (0%)	0/50 (0%)	
Overall Incidence		Total	1/150 (0.67%)		Mean 0.67%	SD 1.15%	
.....							
#Vagina:							
Polyp							
			0/50 (0%)		0/50 (0%)	0/50 (0%)	
Overall Incidence		Total	0/150 (0%)		Mean 0%	SD 0%	
.....							
#Vagina:							
Sarcoma							
			0/50 (0%)		0/50 (0%)	0/50 (0%)	
Overall Incidence		Total	0/150 (0%)		Mean 0%	SD 0%	
.....							
#Zymbal's Gland:							
Adenoma							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%
.....							
#Zymbal's Gland:							
Carcinoma							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
Contract/Lab: All Laboratories
Species: RATS
Strain: F344
Length of Study: CHRONIC

Toxicology Data Management System
Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: WATER

Page: 140
Report Date:04/29/2009

	Male				Female				
#Zymbal's Gland:									
Carcinoma or Adenoma		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
#: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: INHALATION
 Vehicle: AIR

Page: 141
 Report Date:04/29/2009

Study Summary

Laboratory Name	Study Number	Study Start Date	Length of Study in Days	Number of Animals Total and (#/Cage)	Number Surviving and (Mean Life Span)	Maximum Mean Weekly Body Weight	Chemical
Male							
Battelle Northwest	052001105	07/14/03	729	50 (5)	23(678)	526.9	1-Bromopropane
Battelle Northwest	059601105	06/04/01	729	50 (5)	26(676)	540.9	Cumene
Battelle Northwest	059901705	08/25/03	729	50 (5)	28(686)	525.6	Diethylamine
Battelle Northwest	059700601	05/25/00	726	50 (5)	32(693)	529.7	Methyl isobutyl ketone
Battelle Northwest	058800603	08/06/01	729	50 (5)	27(680)	537.2	alpha-Methylstyrene
Battelle Northwest	059700805	10/01/01	729	49 (5)	27(683)	525.0	Propargyl alcohol
Battelle Northwest	059302507	06/16/03	729	50 (5)	20(668)	536.2	Tetralin
Female							
Battelle Northwest	052001105	07/14/03	730	50 (5)	34(702)	386.5	1-Bromopropane
Battelle Northwest	059601105	06/04/01	731	50 (5)	21(674)	356.9	Cumene
Battelle Northwest	059901705	08/25/03	730	50 (5)	31(687)	378.3	Diethylamine
Battelle Northwest	059700601	05/25/00	727	50 (5)	35(694)	365.6	Methyl isobutyl ketone
Battelle Northwest	058800603	08/06/01	730	50 (5)	27(647)	351.9	alpha-Methylstyrene
Battelle Northwest	059700805	10/01/01	730	50 (5)	29(678)	353.3	Propargyl alcohol
Battelle Northwest	059302507	06/16/03	730	50 (5)	31(682)	370.8	Tetralin

NOTE: The text on page 2 ("Report Description") describes how the studies listed here are displayed on the data pages that follow.

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: INHALATION
 Vehicle: AIR

Page: 142
 Report Date: 04/29/2009

		Male				Female			
#All Organs:									
Benign Tumors									
		48/50 (96%)	48/50 (96%)	44/50 (88%)	45/50 (90%)	44/50 (88%)	43/50 (86%)	43/50 (86%)	
		50/50 (100%)	48/50 (96%)	48/49 (98%)	44/50 (88%)	43/50 (86%)	42/50 (84%)	42/50 (84%)	
		48/50 (96%)			40/50 (80%)				
Overall Incidence	Total	334/349 (95.7%)	Mean 95.71%	SD 3.72%	Total	301/350 (86%)	Mean 86%	SD 3.27%	
.....									
#All Organs:									
Malignant Tumors									
		38/50 (76%)	36/50 (72%)	31/50 (62%)	26/50 (52%)	24/50 (48%)	24/50 (48%)	24/50 (48%)	
		31/50 (62%)	32/50 (64%)	32/49 (65%)	22/50 (44%)	25/50 (50%)	26/50 (52%)	26/50 (52%)	
		33/50 (66%)			25/50 (50%)				
Overall Incidence	Total	233/349 (66.76%)	Mean 66.76%	SD 5.3%	Total	172/350 (49.14%)	Mean 49.14%	SD 2.79%	
.....									
#All Organs:									
Malignant and Benign Tumors									
		50/50 (100%)	50/50 (100%)	49/50 (98%)	49/50 (98%)	50/50 (100%)	48/50 (96%)	48/50 (96%)	
		50/50 (100%)	50/50 (100%)	49/49 (100%)	46/50 (92%)	46/50 (92%)	47/50 (94%)	47/50 (94%)	
		50/50 (100%)			46/50 (92%)				
Overall Incidence	Total	348/349 (99.71%)	Mean 99.71%	SD 0.76%	Total	332/350 (94.86%)	Mean 94.86%	SD 3.24%	
.....									
#All Organs:									
Hemangioma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)			0/50 (0%)				
Overall Incidence	Total	1/349 (0.29%)	Mean 0.29%	SD 0.76%	Total	1/350 (0.29%)	Mean 0.29%	SD 0.76%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: INHALATION
 Vehicle: AIR

Page: 143
 Report Date: 04/29/2009

		Male				Female					
#All Organs:											
Hemangiosarcoma											
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)
		1/50	(2%)					0/50	(0%)	2/50	(4%)
Overall Incidence	Total	2/349 (0.57%)		Mean 0.57%		SD 0.98%		Total		2/350 (0.57%)	
				Mean 0.57%						SD 1.51%	
.....											
#All Organs:											
Hemangiosarcoma or Hemangioma											
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)
		1/50	(2%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	1/50	(2%)
		1/50	(2%)					0/50	(0%)	2/50	(4%)
Overall Incidence	Total	3/349 (0.86%)		Mean 0.86%		SD 1.07%		Total		3/350 (0.86%)	
				Mean 0.86%						SD 1.57%	
.....											
#All Organs:											
Histiocytic Sarcoma											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	1/50	(2%)	0/49	(0%)	2/50	(4%)	0/50	(0%)
		0/50	(0%)					2/50	(4%)	0/50	(0%)
Overall Incidence	Total	1/349 (0.29%)		Mean 0.29%		SD 0.76%		Total		4/350 (1.14%)	
				Mean 0.29%						SD 1.95%	
.....											
#All Organs:											
Leukemia: Erythrocytic											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)					0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/349 (0%)		Mean 0%		SD 0%		Total		0/350 (0%)	
				Mean 0%						SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: INHALATION
Vehicle: AIR

Page: 144
 Report Date: 04/29/2009

		Male				Female			
#All Organs:									
Leukemia: Lymphocytic, Monocytic, Mononuclear, or Undifferentiated									
		29/50 (58%)	26/50 (52%)	25/50 (50%)		16/50 (32%)	12/50 (24%)	15/50 (30%)	
		25/50 (50%)	26/50 (52%)	21/49 (43%)		14/50 (28%)	18/50 (36%)	20/50 (40%)	
		25/50 (50%)				17/50 (34%)			
Overall Incidence	Total	177/349 (50.72%)	Mean 50.69%	SD 4.47%	Total	112/350 (32%)	Mean 32%	SD 5.29%	
.....									
#All Organs:									
Malignant Lymphoma: Histiocytic, Lymphocytic, Mixed, NOS, or Undifferentiated Cell Type									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/349 (0%)	Mean 0%	SD 0%	Total	0/350 (0%)	Mean 0%	SD 0%	
.....									
#All Organs:									
Mesothelioma: Benign									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/349 (0%)	Mean 0%	SD 0%	Total	1/350 (0.29%)	Mean 0.29%	SD 0.76%	
.....									
#All Organs:									
Mesothelioma: Benign, Malignant, NOS									
		0/50 (0%)	3/50 (6%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	1/49 (2%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	5/349 (1.43%)	Mean 1.43%	SD 2.23%	Total	1/350 (0.29%)	Mean 0.29%	SD 0.76%	
.....									
*: Denominator is number of animals with tissues examined microscopically									
#: Denominator is number of animals necropsied									

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: INHALATION
 Vehicle: AIR

Page: 145
 Report Date: 04/29/2009

		Male				Female					
#All Organs:											
Mesothelioma: Malignant											
		0/50	(0%)	3/50	(6%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		1/50	(2%)	0/50	(0%)	1/49	(2%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)					0/50	(0%)		
Overall Incidence	Total	5/349 (1.43%)		Mean 1.43%		SD 2.23%		Total		0/350 (0%)	
				Mean 0%						SD 0%	
.....											
#All Organs:											
Osteoma											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)					0/50	(0%)		
Overall Incidence	Total	0/349 (0%)		Mean 0%		SD 0%		Total		0/350 (0%)	
				Mean 0%						SD 0%	
.....											
#All Organs:											
Osteosarcoma											
		2/50	(4%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
		0/50	(0%)	0/50	(0%)	1/49	(2%)	0/50	(0%)	0/50	(0%)
		3/50	(6%)					0/50	(0%)		
Overall Incidence	Total	6/349 (1.72%)		Mean 1.72%		SD 2.43%		Total		1/350 (0.29%)	
				Mean 0.29%						SD 0.76%	
.....											
#All Organs:											
Osteosarcoma or Osteoma											
		2/50	(4%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
		0/50	(0%)	0/50	(0%)	1/49	(2%)	0/50	(0%)	0/50	(0%)
		3/50	(6%)					0/50	(0%)		
Overall Incidence	Total	6/349 (1.72%)		Mean 1.72%		SD 2.43%		Total		1/350 (0.29%)	
				Mean 0.29%						SD 0.76%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: INHALATION
Vehicle: AIR

Page: 146
 Report Date: 04/29/2009

		Male				Female			
*Adrenal Cortex: Adenoma									
		1/50 (2%)	0/50 (0%)	1/50 (2%)	3/50 (6%)	0/50 (0%)	4/50 (8%)		
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	2/50 (4%)	0/50 (0%)		
		0/50 (0%)			8/50 (16%)				
Overall Incidence	Total	2/349 (0.57%)	Mean 0.57%	SD 0.98%	Total	17/350 (4.86%)	Mean 4.86%	SD 5.87%	
.....									
*Adrenal Cortex: Carcinoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)			0/50 (0%)				
Overall Incidence	Total	0/349 (0%)	Mean 0%	SD 0%	Total	0/350 (0%)	Mean 0%	SD 0%	
.....									
*Adrenal Medulla: Ganglioneuroma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)		
		0/50 (0%)			0/50 (0%)				
Overall Incidence	Total	0/349 (0%)	Mean 0%	SD 0%	Total	0/349 (0%)	Mean 0%	SD 0%	
.....									
*Adrenal Medulla: Hemangioma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)		
		0/50 (0%)			0/50 (0%)				
Overall Incidence	Total	0/349 (0%)	Mean 0%	SD 0%	Total	0/349 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: INHALATION
 Vehicle: AIR

Page: 147
 Report Date: 04/29/2009

		Male				Female			
*Adrenal Medulla:									
Pheochromocytoma Benign									
		10/50 (20%)	7/50 (14%)	7/50 (14%)	2/50 (4%)	1/50 (2%)	0/50 (0%)		
		8/50 (16%)	8/50 (16%)	8/49 (16%)	3/50 (6%)	1/49 (2%)	1/50 (2%)		
		9/50 (18%)			2/50 (4%)				
Overall Incidence	Total	57/349 (16.33%)	Mean 16.33%	SD 2.13%	Total	10/349 (2.87%)	Mean 2.86%	SD 1.95%	
.....									
*Adrenal Medulla:									
Pheochromocytoma Complex									
		1/50 (2%)	0/50 (0%)	2/50 (4%)	1/50 (2%)	1/50 (2%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)		
		0/50 (0%)			0/50 (0%)				
Overall Incidence	Total	3/349 (0.86%)	Mean 0.86%	SD 1.57%	Total	2/349 (0.57%)	Mean 0.57%	SD 0.98%	
.....									
*Adrenal Medulla:									
Pheochromocytoma Malignant									
		0/50 (0%)	1/50 (2%)	1/50 (2%)	0/50 (0%)	1/50 (2%)	0/50 (0%)		
		0/50 (0%)	2/50 (4%)	3/49 (6%)	0/50 (0%)	0/49 (0%)	0/50 (0%)		
		4/50 (8%)			1/50 (2%)				
Overall Incidence	Total	11/349 (3.15%)	Mean 3.16%	SD 3.04%	Total	2/349 (0.57%)	Mean 0.57%	SD 0.98%	
.....									
*Adrenal Medulla:									
Pheochromocytoma: Benign, Complex, Malignant, NOS									
		11/50 (22%)	7/50 (14%)	10/50 (20%)	3/50 (6%)	3/50 (6%)	0/50 (0%)		
		8/50 (16%)	10/50 (20%)	10/49 (20%)	3/50 (6%)	1/49 (2%)	1/50 (2%)		
		12/50 (24%)			3/50 (6%)				
Overall Incidence	Total	68/349 (19.48%)	Mean 19.49%	SD 3.42%	Total	14/349 (4.01%)	Mean 4.01%	SD 2.58%	

#: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: INHALATION
Vehicle: AIR

Page: 148
 Report Date: 04/29/2009

		Male				Female								
#Bone:														
Chondrosarcoma														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)			0/50	(0%)			0/50	(0%)			
Overall Incidence	Total	0/349	(0%)	Mean	0%	SD	0%	Total	0/350	(0%)	Mean	0%	SD	0%
.....														
#Bone:														
Chondrosarcoma or Chondroma														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)			0/50	(0%)			0/50	(0%)			
Overall Incidence	Total	0/349	(0%)	Mean	0%	SD	0%	Total	0/350	(0%)	Mean	0%	SD	0%
.....														
#Bone:														
Chordoma														
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	1/49	(2%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)			0/50	(0%)			0/50	(0%)			
Overall Incidence	Total	2/349	(0.57%)	Mean	0.58%	SD	0.99%	Total	0/350	(0%)	Mean	0%	SD	0%
.....														
#Bone:														
Osteoma														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)			0/50	(0%)			0/50	(0%)			
Overall Incidence	Total	0/349	(0%)	Mean	0%	SD	0%	Total	0/350	(0%)	Mean	0%	SD	0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: INHALATION
Vehicle: AIR

Page: 149
 Report Date: 04/29/2009

		Male				Female								
#Bone:														
Osteosarcoma														
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	1/49	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		3/50	(6%)					0/50	(0%)					
Overall Incidence	Total	5/349	(1.43%)	Mean	1.43%	SD	2.23%	Total	1/350	(0.29%)	Mean	0.29%	SD	0.76%
.....														
#Bone:														
Osteosarcoma or Osteoma														
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	1/49	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		3/50	(6%)					0/50	(0%)					
Overall Incidence	Total	5/349	(1.43%)	Mean	1.43%	SD	2.23%	Total	1/350	(0.29%)	Mean	0.29%	SD	0.76%
.....														
*Brain:														
Astrocytoma Malignant														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	
		0/50	(0%)					0/50	(0%)					
Overall Incidence	Total	0/349	(0%)	Mean	0%	SD	0%	Total	1/350	(0.29%)	Mean	0.29%	SD	0.76%
.....														
*Brain:														
Ependymoma Benign														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)					0/50	(0%)					
Overall Incidence	Total	0/349	(0%)	Mean	0%	SD	0%	Total	0/350	(0%)	Mean	0%	SD	0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: INHALATION
 Vehicle: AIR

Page: 150
 Report Date: 04/29/2009

		Male				Female								
*Brain:														
Ependymoma Malignant														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)					0/50	(0%)					
Overall Incidence	Total	0/349	(0%)	Mean	0%	SD	0%	Total	0/350	(0%)	Mean	0%	SD	0%
.....														
*Brain:														
Glioma Malignant														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	1/50	(2%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	
		0/50	(0%)					0/50	(0%)					
Overall Incidence	Total	0/349	(0%)	Mean	0%	SD	0%	Total	3/350	(0.86%)	Mean	0.86%	SD	1.07%
.....														
*Brain:														
Granular Cell Tumor Benign														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)					0/50	(0%)					
Overall Incidence	Total	0/349	(0%)	Mean	0%	SD	0%	Total	0/350	(0%)	Mean	0%	SD	0%
.....														
*Brain:														
Medulloblastoma Mal														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	1/50	(2%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)					0/50	(0%)					
Overall Incidence	Total	1/349	(0.29%)	Mean	0.29%	SD	0.76%	Total	0/350	(0%)	Mean	0%	SD	0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: INHALATION
Vehicle: AIR

Page: 151
 Report Date: 04/29/2009

		Male				Female					
*Brain:											
Meningioma Malignant											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)			0/50	(0%)			0/50	(0%)
Overall Incidence	Total	0/349 (0%)		Mean 0%		SD 0%		Total		0/350 (0%)	
*Brain:											
Meningioma: Benign, Malignant, NOS											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)			0/50	(0%)			0/50	(0%)
Overall Incidence	Total	0/349 (0%)		Mean 0%		SD 0%		Total		0/350 (0%)	
*Brain:											
Oligodendroglioma Benign											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)			0/50	(0%)			0/50	(0%)
Overall Incidence	Total	0/349 (0%)		Mean 0%		SD 0%		Total		0/350 (0%)	
*Brain:											
Oligodendroglioma Malignant											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)			0/50	(0%)			0/50	(0%)
Overall Incidence	Total	0/349 (0%)		Mean 0%		SD 0%		Total		1/350 (0.29%)	
										Mean 0.29%	
										SD 0.76%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: INHALATION
 Vehicle: AIR

Page: 152
 Report Date:04/29/2009

		Male				Female			
*Brain:									
Oligodendroglioma, Glioma, or Astrocytoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	2/50 (4%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	2/50 (4%)	0/50 (0%)		
		0/50 (0%)			0/50 (0%)				
Overall Incidence	Total	0/349 (0%)	Mean 0%	SD 0%	Total	5/350 (1.43%)	Mean 1.43%	SD 1.9%	
.....									
*Brain:									
Osteosarcoma									
		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)			0/50 (0%)				
Overall Incidence	Total	1/349 (0.29%)	Mean 0.29%	SD 0.76%	Total	0/350 (0%)	Mean 0%	SD 0%	
.....									
*Brain:									
Schwannoma Malignant									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)			0/50 (0%)				
Overall Incidence	Total	0/349 (0%)	Mean 0%	SD 0%	Total	0/350 (0%)	Mean 0%	SD 0%	
.....									
*Clitoral/Preputial Gland:									
Adenoma									
		4/50 (8%)	0/50 (0%)	0/50 (0%)	3/49 (6%)	1/50 (2%)	1/50 (2%)		
		0/50 (0%)	0/50 (0%)	3/49 (6%)	0/50 (0%)	0/50 (0%)	4/50 (8%)		
		0/50 (0%)			0/50 (0%)				
Overall Incidence	Total	7/349 (2.01%)	Mean 2.02%	SD 3.49%	Total	9/349 (2.58%)	Mean 2.59%	SD 3.23%	

#: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: INHALATION
Vehicle: AIR

Page: 153
 Report Date:04/29/2009

		Male				Female			
*Clitoral/Preputial Gland: Carcinoma									
		2/50 (4%)	0/50 (0%)	1/50 (2%)	1/49 (2%)	2/50 (4%)	0/50 (0%)		
		1/50 (2%)	2/50 (4%)	0/49 (0%)	1/50 (2%)	1/50 (2%)	0/50 (0%)		
		0/50 (0%)			4/50 (8%)				
Overall Incidence	Total	6/349 (1.72%)	Mean 1.71%	SD 1.8%	Total	9/349 (2.58%)	Mean 2.58%	SD 2.76%	
.....									
*Clitoral/Preputial Gland: Carcinoma or Adenoma									
		6/50 (12%)	0/50 (0%)	1/50 (2%)	4/49 (8%)	3/50 (6%)	1/50 (2%)		
		1/50 (2%)	2/50 (4%)	3/49 (6%)	1/50 (2%)	1/50 (2%)	4/50 (8%)		
		0/50 (0%)			4/50 (8%)				
Overall Incidence	Total	13/349 (3.72%)	Mean 3.73%	SD 4.24%	Total	18/349 (5.16%)	Mean 5.17%	SD 3.05%	
.....									
*Clitoral/Preputial Gland: Fibrosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)		
		0/50 (0%)			0/50 (0%)				
Overall Incidence	Total	0/349 (0%)	Mean 0%	SD 0%	Total	1/349 (0.29%)	Mean 0.29%	SD 0.76%	
.....									
*Clitoral/Preputial Gland: Sarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)			0/50 (0%)				
Overall Incidence	Total	0/349 (0%)	Mean 0%	SD 0%	Total	0/349 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: INHALATION
Vehicle: AIR

Page: 154
 Report Date: 04/29/2009

		Male				Female								
*Clitoral/Preputial Gland:														
Squamous Cell Papilloma														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)					0/50	(0%)					
Overall Incidence	Total	0/349	(0%)	Mean	0%	SD	0%	Total	0/349	(0%)	Mean	0%	SD	0%
.....														
#Ear:														
Neural Crest Tumor														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	1/49	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)					0/50	(0%)					
Overall Incidence	Total	1/349	(0.29%)	Mean	0.29%	SD	0.77%	Total	0/350	(0%)	Mean	0%	SD	0%
.....														
#Esophagus:														
Fibrosarcoma														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	
		0/50	(0%)					0/50	(0%)					
Overall Incidence	Total	0/349	(0%)	Mean	0%	SD	0%	Total	1/350	(0.29%)	Mean	0.29%	SD	0.76%
.....														
#Esophagus:														
Lipoma														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)					0/50	(0%)					
Overall Incidence	Total	0/349	(0%)	Mean	0%	SD	0%	Total	0/350	(0%)	Mean	0%	SD	0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: INHALATION
Vehicle: AIR

Page: 155
 Report Date:04/29/2009

		Male				Female								
#Eye:														
Amelanotic Melanoma, Benign														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)					0/50	(0%)					
Overall Incidence	Total	0/349	(0%)	Mean	0%	SD	0%	Total	0/350	(0%)	Mean	0%	SD	0%
.....														
#Eye:														
Melanoma Malignant														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)					0/50	(0%)					
Overall Incidence	Total	0/349	(0%)	Mean	0%	SD	0%	Total	0/350	(0%)	Mean	0%	SD	0%
.....														
#Eye:														
Schwannoma Malignant														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)					0/50	(0%)					
Overall Incidence	Total	0/349	(0%)	Mean	0%	SD	0%	Total	0/350	(0%)	Mean	0%	SD	0%
.....														
#Harderian Gland:														
Carcinoma														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)					0/50	(0%)					
Overall Incidence	Total	0/349	(0%)	Mean	0%	SD	0%	Total	0/350	(0%)	Mean	0%	SD	0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: INHALATION
Vehicle: AIR

Page: 156
 Report Date:04/29/2009

		Male				Female								
#Harderian Gland:														
 Carcinoma or Adenoma														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)					0/50	(0%)					
Overall Incidence	Total	0/349	(0%)	Mean	0%	SD	0%	Total	0/350	(0%)	Mean	0%	SD	0%
.....														
*Heart:														
 Schwannoma Benign														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	1/49	(2%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)					0/50	(0%)					
Overall Incidence	Total	1/349	(0.29%)	Mean	0.29%	SD	0.77%	Total	0/350	(0%)	Mean	0%	SD	0%
.....														
*Heart:														
 Schwannoma Malignant														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		1/50	(2%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)					0/50	(0%)					
Overall Incidence	Total	1/349	(0.29%)	Mean	0.29%	SD	0.76%	Total	0/350	(0%)	Mean	0%	SD	0%
.....														
#Intestine Large: Colon/Rectum:														
 Adenoma														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)					0/50	(0%)					
Overall Incidence	Total	0/349	(0%)	Mean	0%	SD	0%	Total	0/350	(0%)	Mean	0%	SD	0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: INHALATION
Vehicle: AIR

Page: 157
 Report Date: 04/29/2009

		Male				Female			
#Intestine Large: Colon/Rectum: Carcinoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)			0/50 (0%)				
Overall Incidence	Total	0/349 (0%)	Mean 0%	SD 0%	Total	0/350 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Large: Colon/Rectum: Carcinoma or Adenoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)			0/50 (0%)				
Overall Incidence	Total	0/349 (0%)	Mean 0%	SD 0%	Total	0/350 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Large: Colon/Rectum: Hemangioma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)			0/50 (0%)				
Overall Incidence	Total	0/349 (0%)	Mean 0%	SD 0%	Total	0/350 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Small: Duodenum: Carcinoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)			0/50 (0%)				
Overall Incidence	Total	0/349 (0%)	Mean 0%	SD 0%	Total	0/350 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: INHALATION
Vehicle: AIR

Page: 158
 Report Date: 04/29/2009

		Male					Female						
#Intestine Small: Duodenum:													
Leiomyoma													
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)					0/50	(0%)				
Overall Incidence	Total	1/349	(0.29%)	Mean 0.29%		SD 0.76%		Total	0/350	(0%)	Mean 0%		SD 0%
.....													
#Intestine Small: Jejunum:													
Carcinoma													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)					0/50	(0%)				
Overall Incidence	Total	0/349	(0%)	Mean 0%		SD 0%		Total	0/350	(0%)	Mean 0%		SD 0%
.....													
#Intestine Small: Jejunum:													
Granular Cell Tumor Malignant													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)					0/50	(0%)				
Overall Incidence	Total	0/349	(0%)	Mean 0%		SD 0%		Total	0/350	(0%)	Mean 0%		SD 0%
.....													
#Intestine Small: Jejunum:													
Leiomyoma													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)					0/50	(0%)				
Overall Incidence	Total	0/349	(0%)	Mean 0%		SD 0%		Total	0/350	(0%)	Mean 0%		SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: INHALATION
 Vehicle: AIR

Page: 159
 Report Date: 04/29/2009

		Male				Female									
#Intestine Small: Jejunum: Leiomyosarcoma															
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)				
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)				
		0/50	(0%)			0/50	(0%)			0/50	(0%)				
Overall Incidence	Total	0/349 (0%)		Mean 0%		SD 0%		Total		0/350 (0%)		Mean 0%		SD 0%	
.....															
#Intestine Small: Site Unspecified: Carcinoma															
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)			0/50	(0%)			0/50	(0%)	0/50	(0%)		
Overall Incidence	Total	0/349 (0%)		Mean 0%		SD 0%		Total		0/350 (0%)		Mean 0%		SD 0%	
.....															
#Intestine Small: Site Unspecified: Carcinoma or Adenoma															
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)			0/50	(0%)			0/50	(0%)	0/50	(0%)		
Overall Incidence	Total	0/349 (0%)		Mean 0%		SD 0%		Total		0/350 (0%)		Mean 0%		SD 0%	
.....															
#Intestine Small: Site Unspecified: Granular Cell Tumor Malignant															
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)			0/50	(0%)			0/50	(0%)	0/50	(0%)		
Overall Incidence	Total	0/349 (0%)		Mean 0%		SD 0%		Total		0/350 (0%)		Mean 0%		SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: INHALATION
 Vehicle: AIR

Page: 160
 Report Date:04/29/2009

		Male				Female								
#Intestine Small: Site Unspecified:														
Leiomyoma														
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)					0/50	(0%)					
Overall Incidence	Total	1/349	(0.29%)	Mean	0.29%	SD	0.76%	Total	0/350	(0%)	Mean	0%	SD	0%
.....														
#Intestine Small: Site Unspecified:														
Leiomyosarcoma														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)					0/50	(0%)					
Overall Incidence	Total	0/349	(0%)	Mean	0%	SD	0%	Total	0/350	(0%)	Mean	0%	SD	0%
.....														
*Islets, Pancreatic:														
Adenoma														
		0/50	(0%)	1/50	(2%)	6/50	(12%)	0/50	(0%)	1/50	(2%)	2/50	(4%)	
		3/50	(6%)	3/50	(6%)	4/49	(8%)	0/50	(0%)	3/50	(6%)	1/50	(2%)	
		3/50	(6%)					0/50	(0%)					
Overall Incidence	Total	20/349	(5.73%)	Mean	5.74%	SD	3.92%	Total	7/350	(2%)	Mean	2%	SD	2.31%
.....														
*Islets, Pancreatic:														
Carcinoma														
		3/50	(6%)	2/50	(4%)	1/50	(2%)	1/50	(2%)	1/50	(2%)	0/50	(0%)	
		4/50	(8%)	1/50	(2%)	5/49	(10%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		1/50	(2%)					0/50	(0%)					
Overall Incidence	Total	17/349	(4.87%)	Mean	4.89%	SD	3.29%	Total	2/350	(0.57%)	Mean	0.57%	SD	0.98%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: INHALATION
Vehicle: AIR

Page: 161
 Report Date:04/29/2009

		Male					Female									
*Islets, Pancreatic:																
 Carcinoma or Adenoma																
		3/50	(6%)	3/50	(6%)	7/50	(14%)	1/50	(2%)	2/50	(4%)	2/50	(4%)			
		7/50	(14%)	4/50	(8%)	9/49	(18%)	0/50	(0%)	3/50	(6%)	1/50	(2%)			
		4/50	(8%)					0/50	(0%)							
Overall Incidence	Total	37/349 (10.6%)			Mean	10.62%	SD	4.82%	Total		9/350 (2.57%)		Mean	2.57%	SD	2.23%
.....																
*Kidney: Pelvis and Transitional Epithelium:																
 Carcinoma																
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)			
		0/50	(0%)					0/50	(0%)							
Overall Incidence	Total	0/349 (0%)			Mean	0%	SD	0%	Total		0/348 (0%)		Mean	0%	SD	0%
.....																
*Kidney: Pelvis and Transitional Epithelium:																
 Carcinoma or Adenoma																
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)			
		0/50	(0%)					0/50	(0%)							
Overall Incidence	Total	0/349 (0%)			Mean	0%	SD	0%	Total		0/348 (0%)		Mean	0%	SD	0%
.....																
*Kidney: Pelvis and Transitional Epithelium:																
 Papilloma																
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)			
		0/50	(0%)					0/50	(0%)							
Overall Incidence	Total	1/349 (0.29%)			Mean	0.29%	SD	0.76%	Total		0/348 (0%)		Mean	0%	SD	0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: INHALATION
Vehicle: AIR

Page: 162
 Report Date: 04/29/2009

		Male				Female			
*Kidney: Renal Tubule: Adenoma									
		1/50 (2%)	1/50 (2%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	2/349 (0.57%)	Mean 0.57%	SD 0.98%	Total	0/348 (0%)	Mean 0%	SD 0%	
.....									
*Kidney: Renal Tubule: Carcinoma									
		0/50 (0%)	1/50 (2%)	0/50 (0%)		1/49 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	1/349 (0.29%)	Mean 0.29%	SD 0.76%	Total	1/348 (0.29%)	Mean 0.29%	SD 0.77%	
.....									
*Kidney: Renal Tubule: Carcinoma or Adenoma									
		1/50 (2%)	2/50 (4%)	0/50 (0%)		1/49 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	3/349 (0.86%)	Mean 0.86%	SD 1.57%	Total	1/348 (0.29%)	Mean 0.29%	SD 0.77%	
.....									
*Kidney: Renal Tubule: Hemangiosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/349 (0%)	Mean 0%	SD 0%	Total	0/348 (0%)	Mean 0%	SD 0%	

#: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: INHALATION
Vehicle: AIR

Page: 163
 Report Date:04/29/2009

		Male				Female			
*Kidney: Renal Tubule: Lipoma									
		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)			0/50 (0%)				
Overall Incidence	Total	1/349 (0.29%)	Mean 0.29%	SD 0.76%	Total	0/348 (0%)	Mean 0%	SD 0%	
.....									
*Kidney: Renal Tubule: Mesenchymal Tumor Benign									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)			0/50 (0%)				
Overall Incidence	Total	0/349 (0%)	Mean 0%	SD 0%	Total	0/348 (0%)	Mean 0%	SD 0%	
.....									
*Kidney: Renal Tubule: Nephroblastoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)			0/50 (0%)				
Overall Incidence	Total	0/349 (0%)	Mean 0%	SD 0%	Total	0/348 (0%)	Mean 0%	SD 0%	
.....									
*Kidney: Renal Tubule: Sarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)			0/50 (0%)				
Overall Incidence	Total	0/349 (0%)	Mean 0%	SD 0%	Total	0/348 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: INHALATION
 Vehicle: AIR

Page: 164
 Report Date: 04/29/2009

		Male				Female									
*Liver:															
Cholangioma															
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)				
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)				
		0/50	(0%)			0/50	(0%)			0/50	(0%)				
Overall Incidence	Total	0/349 (0%)		Mean 0%		SD 0%		Total		0/350 (0%)		Mean 0%		SD 0%	
.....															
*Liver:															
Hemangiosarcoma															
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)			0/50	(0%)			0/50	(0%)				
Overall Incidence	Total	0/349 (0%)		Mean 0%		SD 0%		Total		0/350 (0%)		Mean 0%		SD 0%	
.....															
*Liver:															
Hepatocellular Adenoma															
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)		
		1/50	(2%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		1/50	(2%)			0/50	(0%)			0/50	(0%)				
Overall Incidence	Total	2/349 (0.57%)		Mean 0.57%		SD 0.98%		Total		1/350 (0.29%)		Mean 0.29%		SD 0.76%	
.....															
*Liver:															
Hepatocellular Carcinoma															
		2/50	(4%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	1/49	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)			0/50	(0%)			0/50	(0%)				
Overall Incidence	Total	3/349 (0.86%)		Mean 0.86%		SD 1.58%		Total		1/350 (0.29%)		Mean 0.29%		SD 0.76%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: INHALATION
 Vehicle: AIR

Page: 165
 Report Date:04/29/2009

		Male				Female			
*Liver:									
Hepatocellular Carcinoma or Hepatoblastoma									
		2/50 (4%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	1/49 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)			0/50 (0%)				
Overall Incidence	Total	3/349 (0.86%)	Mean 0.86%	SD 1.58%	Total	1/350 (0.29%)	Mean 0.29%	SD 0.76%	
.....									
*Liver:									
Hepatocellular Carcinoma or Hepatocellular Adenoma									
		2/50 (4%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	1/50 (2%)		
		1/50 (2%)	0/50 (0%)	1/49 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		1/50 (2%)			0/50 (0%)				
Overall Incidence	Total	5/349 (1.43%)	Mean 1.43%	SD 1.51%	Total	2/350 (0.57%)	Mean 0.57%	SD 0.98%	
.....									
*Liver:									
Hepatocellular Carcinoma, Hepatocellular Adenoma, or Hepatoblastoma									
		2/50 (4%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	1/50 (2%)		
		1/50 (2%)	0/50 (0%)	1/49 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		1/50 (2%)			0/50 (0%)				
Overall Incidence	Total	5/349 (1.43%)	Mean 1.43%	SD 1.51%	Total	2/350 (0.57%)	Mean 0.57%	SD 0.98%	
.....									
*Lung:									
Alveolar/Bronchiolar Adenoma									
		2/50 (4%)	1/50 (2%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	1/49 (2%)	1/50 (2%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)			0/50 (0%)				
Overall Incidence	Total	4/349 (1.15%)	Mean 1.15%	SD 1.58%	Total	2/350 (0.57%)	Mean 0.57%	SD 0.98%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: INHALATION
Vehicle: AIR

Page: 166
 Report Date:04/29/2009

		Male					Female								
*Lung:															
Alveolar/Bronchiolar Carcinoma															
		1/50	(2%)	1/50	(2%)	1/50	(2%)	1/50	(2%)	1/50	(2%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)		
		1/50	(2%)					0/50	(0%)						
Overall Incidence	Total	4/349 (1.15%)		Mean 1.14%		SD 1.07%		Total		3/350 (0.86%)		Mean 0.86%		SD 1.07%	
.....															
*Lung:															
Alveolar/Bronchiolar Carcinoma or Alveolar/Bronchiolar Adenoma															
		3/50	(6%)	2/50	(4%)	1/50	(2%)	2/50	(4%)	1/50	(2%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	1/49	(2%)	1/50	(2%)	0/50	(0%)	1/50	(2%)		
		1/50	(2%)					0/50	(0%)						
Overall Incidence	Total	8/349 (2.29%)		Mean 2.29%		SD 2.14%		Total		5/350 (1.43%)		Mean 1.43%		SD 1.51%	
.....															
*Lung:															
Fibrosarcoma															
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)					0/50	(0%)						
Overall Incidence	Total	0/349 (0%)		Mean 0%		SD 0%		Total		0/350 (0%)		Mean 0%		SD 0%	
.....															
*Lung:															
Hemangiosarcoma															
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)					0/50	(0%)						
Overall Incidence	Total	0/349 (0%)		Mean 0%		SD 0%		Total		0/350 (0%)		Mean 0%		SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: INHALATION
 Vehicle: AIR

Page: 167
 Report Date:04/29/2009

		Male				Female					
*Lung:											
Sarcoma											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)			0/50	(0%)			0/50	(0%)
Overall Incidence	Total	0/349 (0%)		Mean 0%		SD 0%		Total		0/350 (0%)	
				Mean 0%						SD 0%	
.....											
*Lung:											
Squamous Cell Carcinoma											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	1/50	(2%)	0/49	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)			0/50	(0%)			0/50	(0%)
Overall Incidence	Total	1/349 (0.29%)		Mean 0.29%		SD 0.76%		Total		0/350 (0%)	
				Mean 0%						SD 0%	
.....											
#Lymph Node:											
Hemangiosarcoma											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)			0/50	(0%)			0/50	(0%)
Overall Incidence	Total	0/349 (0%)		Mean 0%		SD 0%		Total		0/350 (0%)	
				Mean 0%						SD 0%	
.....											
#Mammary Gland:											
Adenolipoma											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)			0/50	(0%)			0/50	(0%)
Overall Incidence	Total	0/349 (0%)		Mean 0%		SD 0%		Total		0/350 (0%)	
				Mean 0%						SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: INHALATION
 Vehicle: AIR

Page: 168
 Report Date:04/29/2009

		Male				Female			
#Mammary Gland: Adenoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)	0/50 (0%)	2/49 (4%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	3/50 (6%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	2/349 (0.57%)	Mean 0.58%	SD 1.54%	Total	4/350 (1.14%)	Mean 1.14%	SD 2.27%	
.....									
#Mammary Gland: Carcinoma									
		0/50 (0%)	2/50 (4%)	0/50 (0%)	4/50 (8%)	10/50 (20%)	9/50 (18%)		
		2/50 (4%)	0/50 (0%)	0/49 (0%)	5/50 (10%)	3/50 (6%)	7/50 (14%)		
		0/50 (0%)			3/50 (6%)				
Overall Incidence	Total	4/349 (1.15%)	Mean 1.14%	SD 1.95%	Total	41/350 (11.71%)	Mean 11.71%	SD 5.71%	
.....									
#Mammary Gland: Carcinoma or Adenoma									
		0/50 (0%)	2/50 (4%)	0/50 (0%)	4/50 (8%)	10/50 (20%)	10/50 (20%)		
		2/50 (4%)	0/50 (0%)	2/49 (4%)	5/50 (10%)	3/50 (6%)	10/50 (20%)		
		0/50 (0%)			3/50 (6%)				
Overall Incidence	Total	6/349 (1.72%)	Mean 1.73%	SD 2.15%	Total	45/350 (12.86%)	Mean 12.86%	SD 6.82%	
.....									
#Mammary Gland: Fibroadenoma									
		2/50 (4%)	0/50 (0%)	2/50 (4%)	25/50 (50%)	24/50 (48%)	27/50 (54%)		
		2/50 (4%)	1/50 (2%)	1/49 (2%)	22/50 (44%)	22/50 (44%)	26/50 (52%)		
		1/50 (2%)			14/50 (28%)				
Overall Incidence	Total	9/349 (2.58%)	Mean 2.58%	SD 1.51%	Total	160/350 (45.71%)	Mean 45.71%	SD 8.67%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: INHALATION
Vehicle: AIR

Page: 169
 Report Date:04/29/2009

		Male				Female					
#Mammary Gland:											
Fibroma											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)					0/50	(0%)		
Overall Incidence	Total	0/349 (0%)		Mean 0%		SD 0%		Total		0/350 (0%)	
				Mean 0%						SD 0%	
.....											
#Mammary Gland:											
Fibroma, Fibroadenoma or Adenoma											
		2/50	(4%)	0/50	(0%)	2/50	(4%)	25/50	(50%)	24/50	(48%)
		2/50	(4%)	1/50	(2%)	3/49	(6%)	22/50	(44%)	22/50	(44%)
		1/50	(2%)					14/50	(28%)		
Overall Incidence	Total	11/349 (3.15%)		Mean 3.16%		SD 1.98%		Total		162/350 (46.29%)	
				Mean 46.29%						SD 9.27%	
.....											
#Mammary Gland:											
Fibroma, Fibroadenoma, Carcinoma, or Adenoma											
		2/50	(4%)	2/50	(4%)	2/50	(4%)	27/50	(54%)	31/50	(62%)
		4/50	(8%)	1/50	(2%)	3/49	(6%)	26/50	(52%)	24/50	(48%)
		1/50	(2%)					16/50	(32%)		
Overall Incidence	Total	15/349 (4.3%)		Mean 4.3%		SD 2.15%		Total		185/350 (52.86%)	
				Mean 52.86%						SD 10.64%	
.....											
#Mesentery:											
Fibrosarcoma											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)					0/50	(0%)		
Overall Incidence	Total	0/349 (0%)		Mean 0%		SD 0%		Total		0/350 (0%)	
				Mean 0%						SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: INHALATION
Vehicle: AIR

Page: 170
 Report Date:04/29/2009

		Male				Female					
#Mesentery:											
Hemangiosarcoma											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)			0/50	(0%)			0/50	(0%)
Overall Incidence	Total	0/349 (0%)		Mean 0%		SD 0%		Total		0/350 (0%)	
.....											
#Mesentery:											
Lipoma											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)			0/50	(0%)			0/50	(0%)
Overall Incidence	Total	0/349 (0%)		Mean 0%		SD 0%		Total		0/350 (0%)	
.....											
#Mesentery:											
Rhabdomyosarcoma											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)			0/50	(0%)			0/50	(0%)
Overall Incidence	Total	0/349 (0%)		Mean 0%		SD 0%		Total		0/350 (0%)	
.....											
*Nose:											
Adenoma											
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/49	(0%)
		0/50	(0%)			0/50	(0%)			0/50	(0%)
Overall Incidence	Total	0/348 (0%)		Mean 0%		SD 0%		Total		0/348 (0%)	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: INHALATION
 Vehicle: AIR

Page: 171
 Report Date: 04/29/2009

		Male				Female			
*Nose:									
Chondroma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)		
		0/50 (0%)			0/50 (0%)				
Overall Incidence	Total	0/348 (0%)	Mean 0%	SD 0%	Total	1/348 (0.29%)	Mean 0.29%	SD 0.76%	
.....									
*Nose:									
Squamous Cell Carcinoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	0/49 (0%)	
		0/50 (0%)			0/50 (0%)				
Overall Incidence	Total	0/348 (0%)	Mean 0%	SD 0%	Total	0/348 (0%)	Mean 0%	SD 0%	
.....									
#Oral Cavity (Oral Mucosa, Tongue, Pharynx, Tooth, Gingiva):									
Papilloma Squamous or Papilloma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)			0/50 (0%)				
Overall Incidence	Total	0/349 (0%)	Mean 0%	SD 0%	Total	0/350 (0%)	Mean 0%	SD 0%	
.....									
#Oral Cavity (Oral Mucosa, Tongue, Pharynx, Tooth, Gingiva):									
Squamous Cell Carcinoma									
		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)			1/50 (2%)				
Overall Incidence	Total	2/349 (0.57%)	Mean 0.57%	SD 0.98%	Total	1/350 (0.29%)	Mean 0.29%	SD 0.76%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: INHALATION
Vehicle: AIR

Page: 172
 Report Date: 04/29/2009

		Male				Female			
#Oral Cavity (Oral Mucosa, Tongue, Pharynx, Tooth, Gingiva): Squamous Cell Carcinoma, Papilloma Squamous, or Papilloma									
		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)			1/50 (2%)				
Overall Incidence	Total	2/349 (0.57%)	Mean 0.57%	SD 0.98%	Total	1/350 (0.29%)	Mean 0.29%	SD 0.76%	
.....									
#Oral Mucosa: Squamous Cell Carcinoma									
		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)			0/50 (0%)				
Overall Incidence	Total	2/349 (0.57%)	Mean 0.57%	SD 0.98%	Total	0/350 (0%)	Mean 0%	SD 0%	
.....									
#Oral Mucosa: Squamous Cell Papilloma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)			0/50 (0%)				
Overall Incidence	Total	0/349 (0%)	Mean 0%	SD 0%	Total	0/350 (0%)	Mean 0%	SD 0%	
.....									
*Ovary: Cystadenoma									
					0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
					0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
					0/50 (0%)				
Overall Incidence	Total				0/350 (0%)	Mean 0%	SD 0%		

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: INHALATION
 Vehicle: AIR

Page: 173
 Report Date: 04/29/2009

	Male		Female	
*Ovary:				
Granulosa Cell Tumor Benign				
		0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)		
Overall Incidence	Total	0/350 (0%)	Mean 0%	SD 0%
.....				
*Ovary:				
Granulosa Cell Tumor Malignant				
		0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)	0/50 (0%)
		0/50 (0%)		
Overall Incidence	Total	1/350 (0.29%)	Mean 0.29%	SD 0.76%
.....				
*Ovary:				
Granulosa Cell Tumor: Benign, Malignant, NOS				
		0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)	0/50 (0%)
		0/50 (0%)		
Overall Incidence	Total	1/350 (0.29%)	Mean 0.29%	SD 0.76%
.....				
*Ovary:				
Granulosa-Theca Tumor Benign				
		0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)		
Overall Incidence	Total	0/350 (0%)	Mean 0%	SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: INHALATION
 Vehicle: AIR

Page: 174
 Report Date: 04/29/2009

		Male				Female			
*Ovary:									
Granulosa-Theca Tumor Malignant									
						2/50 (4%)	0/50 (0%)	0/50 (0%)	
						0/50 (0%)	0/50 (0%)	0/50 (0%)	
						0/50 (0%)			
Overall Incidence					Total	2/350 (0.57%)	Mean 0.57%	SD 1.51%	
.....									
*Ovary:									
Tubulostromal Adenoma									
						0/50 (0%)	0/50 (0%)	0/50 (0%)	
						0/50 (0%)	0/50 (0%)	0/50 (0%)	
						0/50 (0%)			
Overall Incidence					Total	0/350 (0%)	Mean 0%	SD 0%	
.....									
*Pancreas:									
Adenoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/348 (0%)	Mean 0%	SD 0%	Total	0/350 (0%)	Mean 0%	SD 0%	
.....									
*Pancreas:									
Carcinoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/348 (0%)	Mean 0%	SD 0%	Total	0/350 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: INHALATION
 Vehicle: AIR

Page: 175
 Report Date: 04/29/2009

		Male				Female								
*Pancreas:														
 Carcinoma or Adenoma														
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)					0/50	(0%)					
Overall Incidence	Total	0/348	(0%)	Mean	0%	SD	0%	Total	0/350	(0%)	Mean	0%	SD	0%
.....														
*Pancreas:														
 Mixed Tumor Benign														
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	2/49	(4%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)					0/50	(0%)					
Overall Incidence	Total	2/348	(0.57%)	Mean	0.58%	SD	1.54%	Total	0/350	(0%)	Mean	0%	SD	0%
.....														
*Pancreas:														
 Mixed Tumor Malignant														
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)					0/50	(0%)					
Overall Incidence	Total	0/348	(0%)	Mean	0%	SD	0%	Total	0/350	(0%)	Mean	0%	SD	0%
.....														
*Parathyroid Gland:														
 Adenoma														
		0/46	(0%)	0/45	(0%)	0/48	(0%)	0/47	(0%)	0/49	(0%)	1/43	(2%)	
		0/49	(0%)	0/47	(0%)	0/47	(0%)	0/46	(0%)	0/43	(0%)	0/49	(0%)	
		0/48	(0%)					0/49	(0%)					
Overall Incidence	Total	0/330	(0%)	Mean	0%	SD	0%	Total	1/326	(0.31%)	Mean	0.33%	SD	0.88%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: INHALATION
 Vehicle: AIR

Page: 176
 Report Date: 04/29/2009

		Male				Female			
#Peripheral Nerve:									
Schwannoma Malignant									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)			0/50 (0%)				
Overall Incidence	Total	0/349 (0%)	Mean 0%	SD 0%	Total	0/350 (0%)	Mean 0%	SD 0%	
.....									
#Peripheral Nerve:									
Schwannoma: Benign, Malignant, NOS									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)			0/50 (0%)				
Overall Incidence	Total	0/349 (0%)	Mean 0%	SD 0%	Total	0/350 (0%)	Mean 0%	SD 0%	
.....									
*Pituitary Gland: Pars Distalis or Unspecified Site:									
Adenoma									
		37/50 (74%)	36/50 (72%)	31/50 (62%)	35/50 (70%)	35/50 (70%)	29/50 (58%)		
		35/50 (70%)	34/49 (69%)	36/49 (73%)	24/49 (49%)	35/50 (70%)	30/50 (60%)		
		36/50 (72%)			36/49 (73%)				
Overall Incidence	Total	245/348 (70.4%)	Mean 70.41%	SD 4.07%	Total	224/348 (64.37%)	Mean 64.35%	SD 8.89%	
.....									
*Pituitary Gland: Pars Distalis or Unspecified Site:									
Carcinoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	2/50 (4%)		
		0/50 (0%)	0/49 (0%)	0/49 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)		
		1/50 (2%)			0/49 (0%)				
Overall Incidence	Total	1/348 (0.29%)	Mean 0.29%	SD 0.76%	Total	3/348 (0.86%)	Mean 0.86%	SD 1.57%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: INHALATION
Vehicle: AIR

Page: 177
 Report Date: 04/29/2009

		Male				Female			
*Pituitary Gland: Pars Distalis or Unspecified Site:									
 Carcinoma or Adenoma									
		37/50 (74%)	36/50 (72%)	31/50 (62%)		35/50 (70%)	36/50 (72%)	31/50 (62%)	
		35/50 (70%)	34/49 (69%)	36/49 (73%)		24/49 (49%)	35/50 (70%)	30/50 (60%)	
		37/50 (74%)				36/49 (73%)			
Overall Incidence	Total	246/348 (70.69%)	Mean 70.69%	SD 4.26%	Total	227/348 (65.23%)	Mean 65.21%	SD 8.77%	
.....									
*Pituitary Gland: Pars Distalis or Unspecified Site:									
 Ganglioneuroma									
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/49 (0%)	0/49 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/49 (0%)			
Overall Incidence	Total	1/348 (0.29%)	Mean 0.29%	SD 0.76%	Total	0/348 (0%)	Mean 0%	SD 0%	
.....									
*Pituitary Gland: Pars Intermedia:									
 Adenoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/49 (0%)	1/49 (2%)		0/49 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/49 (0%)			
Overall Incidence	Total	1/348 (0.29%)	Mean 0.29%	SD 0.77%	Total	0/348 (0%)	Mean 0%	SD 0%	
.....									
*Pituitary Gland: Pars Intermedia:									
 Carcinoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/49 (0%)	0/49 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/49 (0%)			
Overall Incidence	Total	0/348 (0%)	Mean 0%	SD 0%	Total	0/348 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: INHALATION
Vehicle: AIR

Page: 178
 Report Date:04/29/2009

		Male				Female						
*Pituitary Gland: Pars Intermedia:												
Carcinoma or Adenoma												
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/49	(0%)	1/49	(2%)	0/49	(0%)	0/50	(0%)	
		0/50	(0%)					0/49	(0%)			
Overall Incidence	Total	1/348	(0.29%)	Mean 0.29%		SD 0.77%		Total	0/348	(0%)	Mean 0%	SD 0%
.....												
*Prostate:												
Adenoma												
		0/50	(0%)	0/50	(0%)	0/50	(0%)					
		0/50	(0%)	0/50	(0%)	0/49	(0%)					
		0/50	(0%)									
Overall Incidence	Total	0/349	(0%)	Mean 0%		SD 0%						
.....												
*Prostate:												
Carcinoma or Adenoma												
		0/50	(0%)	0/50	(0%)	0/50	(0%)					
		0/50	(0%)	0/50	(0%)	0/49	(0%)					
		0/50	(0%)									
Overall Incidence	Total	0/349	(0%)	Mean 0%		SD 0%						
.....												
*Salivary Glands:												
Sarcoma												
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)					0/50	(0%)			
Overall Incidence	Total	0/349	(0%)	Mean 0%		SD 0%		Total	0/350	(0%)	Mean 0%	SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: INHALATION
Vehicle: AIR

Page: 179
 Report Date:04/29/2009

		Male				Female			
#Seminal Vesicle:									
Adenoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/49	(0%)		
		0/50	(0%)						
Overall Incidence	Total	0/349	(0%)	Mean	0%	SD	0%		
.....									
#Skeletal Muscle:									
Fibrous Histiocytoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)
		0/50	(0%)					0/50	(0%)
Overall Incidence	Total	0/349	(0%)	Mean	0%	SD	0%	Total	0/350 (0%)
								Mean	0%
								SD	0%
.....									
#Skeletal Muscle:									
Hemangioma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)
		0/50	(0%)					0/50	(0%)
Overall Incidence	Total	0/349	(0%)	Mean	0%	SD	0%	Total	0/350 (0%)
								Mean	0%
								SD	0%
.....									
#Skeletal Muscle:									
Hemangiosarcoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)
		0/50	(0%)					0/50	(0%)
Overall Incidence	Total	0/349	(0%)	Mean	0%	SD	0%	Total	0/350 (0%)
								Mean	0%
								SD	0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: INHALATION
Vehicle: AIR

Page: 180
 Report Date:04/29/2009

		Male				Female								
#Skeletal Muscle:														
Lipoma														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)					0/50	(0%)					
Overall Incidence	Total	0/349	(0%)	Mean	0%	SD	0%	Total	0/350	(0%)	Mean	0%	SD	0%
.....														
#Skeletal Muscle:														
Rhabdomyosarcoma														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	
		0/50	(0%)					0/50	(0%)					
Overall Incidence	Total	0/349	(0%)	Mean	0%	SD	0%	Total	1/350	(0.29%)	Mean	0.29%	SD	0.76%
.....														
#Skeletal Muscle:														
Rhabdomyosarcoma or Rhabdomyoma														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	
		0/50	(0%)					0/50	(0%)					
Overall Incidence	Total	0/349	(0%)	Mean	0%	SD	0%	Total	1/350	(0.29%)	Mean	0.29%	SD	0.76%
.....														
#Skeletal Muscle:														
Sarcoma														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)					0/50	(0%)					
Overall Incidence	Total	0/349	(0%)	Mean	0%	SD	0%	Total	0/350	(0%)	Mean	0%	SD	0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: INHALATION
 Vehicle: AIR

Page: 181
 Report Date: 04/29/2009

		Male				Female			
#Skin:									
Basal Cell Adenoma									
		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)	1/49 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)			0/50 (0%)				
Overall Incidence	Total	4/349 (1.15%)	Mean 1.15%	SD 1.07%	Total	0/350 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Basal Cell Adenoma or Basosquamous Tumor Benign									
		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)	1/49 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)			0/50 (0%)				
Overall Incidence	Total	4/349 (1.15%)	Mean 1.15%	SD 1.07%	Total	0/350 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Basal Cell Adenoma, Basosquamous Tumor Benign, or Trichoepithelioma									
		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)	1/49 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)
		1/50 (2%)			0/50 (0%)				
Overall Incidence	Total	4/349 (1.15%)	Mean 1.15%	SD 1.07%	Total	1/350 (0.29%)	Mean 0.29%	SD 0.76%	
.....									
#Skin:									
Basal Cell Carcinoma									
		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		3/50 (6%)			0/50 (0%)				
Overall Incidence	Total	4/349 (1.15%)	Mean 1.14%	SD 2.27%	Total	0/350 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: INHALATION
Vehicle: AIR

Page: 182
 Report Date:04/29/2009

		Male				Female			
#Skin:									
Basal Cell Carcinoma or Basosquamous Tumor (malignant or NOS)									
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		3/50 (6%)				0/50 (0%)			
Overall Incidence	Total	4/349 (1.15%)	Mean 1.14%	SD 2.27%	Total	0/350 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Basal Cell Carcinoma, Basal Cell Adenoma, Basosquamous Tumor (benign, malignant or NOS), or Trichoepithelioma									
		0/50 (0%)	1/50 (2%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)	1/49 (2%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		4/50 (8%)				0/50 (0%)			
Overall Incidence	Total	8/349 (2.29%)	Mean 2.29%	SD 2.69%	Total	1/350 (0.29%)	Mean 0.29%	SD 0.76%	
.....									
#Skin:									
Basal or Sq. Cell Carcinoma, Carcinoma, Basosq. Tumor (M or B), Basal Cell Adenoma, Adenoma, Papilloma, Sq Papilloma, Keratoacanthoma, Trichoepithelioma									
		1/50 (2%)	5/50 (10%)	1/50 (2%)		1/50 (2%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)	2/50 (4%)	5/49 (10%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		5/50 (10%)				1/50 (2%)			
Overall Incidence	Total	19/349 (5.44%)	Mean 5.46%	SD 4.46%	Total	4/350 (1.14%)	Mean 1.14%	SD 1.07%	
.....									
#Skin:									
Fibroma									
		3/50 (6%)	3/50 (6%)	1/50 (2%)		2/50 (4%)	0/50 (0%)	1/50 (2%)	
		4/50 (8%)	4/50 (8%)	3/49 (6%)		0/50 (0%)	1/50 (2%)	1/50 (2%)	
		3/50 (6%)				0/50 (0%)			
Overall Incidence	Total	21/349 (6.02%)	Mean 6.02%	SD 2%	Total	5/350 (1.43%)	Mean 1.43%	SD 1.51%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: INHALATION
Vehicle: AIR

Page: 183
 Report Date: 04/29/2009

		Male				Female			
#Skin:									
Fibroma, Fibrosarcoma, Sarcoma, Myxoma, Myxosarcoma, or Fibrous Histiocytoma									
		3/50 (6%)	3/50 (6%)	2/50 (4%)	2/50 (4%)	1/50 (2%)	1/50 (2%)		
		5/50 (10%)	5/50 (10%)	4/49 (8%)	0/50 (0%)	1/50 (2%)	2/50 (4%)		
		6/50 (12%)			0/50 (0%)				
Overall Incidence	Total	28/349 (8.02%)	Mean 8.02%	SD 2.83%	Total	7/350 (2%)	Mean 2%	SD 1.63%	
.....									
#Skin:									
Fibrosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	1/50 (2%)	1/49 (2%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	1/50 (2%)	
		3/50 (6%)			0/50 (0%)				
Overall Incidence	Total	6/349 (1.72%)	Mean 1.72%	SD 2.14%	Total	1/350 (0.29%)	Mean 0.29%	SD 0.76%	
.....									
#Skin:									
Fibrosarcoma, Sarcoma, Myxosarcoma, or Fibrous Histiocytoma									
		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	1/50 (2%)	1/49 (2%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	1/50 (2%)	
		3/50 (6%)			0/50 (0%)				
Overall Incidence	Total	7/349 (2.01%)	Mean 2.01%	SD 2%	Total	2/350 (0.57%)	Mean 0.57%	SD 0.98%	
.....									
#Skin:									
Fibrous Histiocytoma									
		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)			0/50 (0%)				
Overall Incidence	Total	1/349 (0.29%)	Mean 0.29%	SD 0.76%	Total	1/350 (0.29%)	Mean 0.29%	SD 0.76%	
.....									
*: Denominator is number of animals with tissues examined microscopically									
#: Denominator is number of animals necropsied									

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: INHALATION
Vehicle: AIR

Page: 184
 Report Date: 04/29/2009

		Male				Female								
#Skin:														
Hemangioma														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)					0/50	(0%)					
Overall Incidence	Total	0/349	(0%)	Mean	0%	SD	0%	Total	0/350	(0%)	Mean	0%	SD	0%
.....														
#Skin:														
Hemangiosarcoma														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)			
		1/50	(2%)					0/50	(0%)					
Overall Incidence	Total	1/349	(0.29%)	Mean	0.29%	SD	0.76%	Total	0/350	(0%)	Mean	0%	SD	0%
.....														
#Skin:														
Keratoacanthoma														
		0/50	(0%)	4/50	(8%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	1/50	(2%)	
		0/50	(0%)	1/50	(2%)	4/49	(8%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		1/50	(2%)					0/50	(0%)					
Overall Incidence	Total	10/349	(2.87%)	Mean	2.88%	SD	3.66%	Total	2/350	(0.57%)	Mean	0.57%	SD	0.98%
.....														
#Skin:														
Lipoma														
		2/50	(4%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	1/50	(2%)	2/49	(4%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)					0/50	(0%)					
Overall Incidence	Total	5/349	(1.43%)	Mean	1.44%	SD	1.92%	Total	0/350	(0%)	Mean	0%	SD	0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: INHALATION
 Vehicle: AIR

Page: 185
 Report Date: 04/29/2009

		Male				Female								
#Skin:														
Liposarcoma														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)			0/50	(0%)			0/50	(0%)			
Overall Incidence	Total	0/349	(0%)	Mean	0%	SD	0%	Total	0/350	(0%)	Mean	0%	SD	0%
.....														
#Skin:														
Neural Crest Tumor														
		1/50	(2%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)			0/50	(0%)			0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	1/349	(0.29%)	Mean	0.29%	SD	0.76%	Total	1/350	(0.29%)	Mean	0.29%	SD	0.76%
.....														
#Skin:														
Neural Crest Tumor, Malignant														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)			0/50	(0%)			0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	0/349	(0%)	Mean	0%	SD	0%	Total	0/350	(0%)	Mean	0%	SD	0%
.....														
#Skin:														
Neurofibroma or Schwannoma benign														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)			0/50	(0%)			0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	0/349	(0%)	Mean	0%	SD	0%	Total	0/350	(0%)	Mean	0%	SD	0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: INHALATION
 Vehicle: AIR

Page: 186
 Report Date:04/29/2009

		Male				Female								
#Skin:														
Neurofibrosarcoma or Schwannoma (malignant or NOS)														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	1/49	(2%)	0/50	(0%)	0/50	(0%)			
		1/50	(2%)					0/50	(0%)					
Overall Incidence	Total	2/349	(0.57%)	Mean	0.58%	SD	0.99%	Total	0/350	(0%)	Mean	0%	SD	0%
.....														
#Skin:														
Neurofibrosarcoma, Neurofibroma, or Schwannoma (benign, malignant or NOS)														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	1/49	(2%)	0/50	(0%)	0/50	(0%)			
		1/50	(2%)					0/50	(0%)					
Overall Incidence	Total	2/349	(0.57%)	Mean	0.58%	SD	0.99%	Total	0/350	(0%)	Mean	0%	SD	0%
.....														
#Skin:														
Sarcoma														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)					0/50	(0%)					
Overall Incidence	Total	0/349	(0%)	Mean	0%	SD	0%	Total	0/350	(0%)	Mean	0%	SD	0%
.....														
#Skin:														
Schwannoma Benign														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)					0/50	(0%)					
Overall Incidence	Total	0/349	(0%)	Mean	0%	SD	0%	Total	0/350	(0%)	Mean	0%	SD	0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: INHALATION
Vehicle: AIR

Page: 187
 Report Date:04/29/2009

		Male				Female			
#Skin:									
Schwannoma Malignant									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	1/49 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)			0/50 (0%)	0/50 (0%)			
Overall Incidence	Total	2/349 (0.57%)	Mean 0.58%	SD 0.99%	Total	0/350 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Squamous Cell Carcinoma									
		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)			1/50 (2%)				
Overall Incidence	Total	1/349 (0.29%)	Mean 0.29%	SD 0.76%	Total	1/350 (0.29%)	Mean 0.29%	SD 0.76%	
.....									
#Skin:									
Squamous Cell Carcinoma, Basal Cell Carcinoma, Basosquamous Tumor (malignant or NOS), or Carcinoma									
		1/50 (2%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		3/50 (6%)			1/50 (2%)				
Overall Incidence	Total	5/349 (1.43%)	Mean 1.43%	SD 2.23%	Total	1/350 (0.29%)	Mean 0.29%	SD 0.76%	
.....									
#Skin:									
Squamous Cell Papilloma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)			0/50 (0%)				
Overall Incidence	Total	0/349 (0%)	Mean 0%	SD 0%	Total	0/350 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: INHALATION
Vehicle: AIR

Page: 188
 Report Date:04/29/2009

		Male				Female			
#Skin:									
Squamous Cell Papilloma or Papilloma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)			0/50 (0%)				
Overall Incidence	Total	0/349 (0%)	Mean 0%	SD 0%	Total	0/350 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Squamous Cell Papilloma, Papilloma, Squamous Cell Carcinoma or Keratoacanthoma									
		1/50 (2%)	4/50 (8%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	1/50 (2%)
		0/50 (0%)	1/50 (2%)	4/49 (8%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)			1/50 (2%)				
Overall Incidence	Total	11/349 (3.15%)	Mean 3.17%	SD 3.48%	Total	3/350 (0.86%)	Mean 0.86%	SD 1.07%	
.....									
#Skin:									
Squamous Cell Papilloma, Papilloma, or Keratoacanthoma									
		0/50 (0%)	4/50 (8%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	1/50 (2%)
		0/50 (0%)	1/50 (2%)	4/49 (8%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)			0/50 (0%)				
Overall Incidence	Total	10/349 (2.87%)	Mean 2.88%	SD 3.66%	Total	2/350 (0.57%)	Mean 0.57%	SD 0.98%	
.....									
#Skin:									
Trichoepithelioma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)
		0/50 (0%)			0/50 (0%)				
Overall Incidence	Total	0/349 (0%)	Mean 0%	SD 0%	Total	1/350 (0.29%)	Mean 0.29%	SD 0.76%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: INHALATION
Vehicle: AIR

Page: 189
 Report Date: 04/29/2009

		Male				Female			
#Skin: Sebaceous Gland: Adenoma									
		0/50 (0%)	1/50 (2%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	0/50 (0%)	1/49 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		2/50 (4%)			0/50 (0%)				
Overall Incidence	Total	6/349 (1.72%)	Mean 1.72%	SD 1.38%	Total	0/350 (0%)	Mean 0%	SD 0%	
.....									
#Skin: Sebaceous Gland: Carcinoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)			0/50 (0%)				
Overall Incidence	Total	0/349 (0%)	Mean 0%	SD 0%	Total	0/350 (0%)	Mean 0%	SD 0%	
.....									
#Skin: Sebaceous Gland: Carcinoma or Adenoma									
		0/50 (0%)	1/50 (2%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	0/50 (0%)	1/49 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		2/50 (4%)			0/50 (0%)				
Overall Incidence	Total	6/349 (1.72%)	Mean 1.72%	SD 1.38%	Total	0/350 (0%)	Mean 0%	SD 0%	
.....									
#Spinal Cord: Astrocytoma Benign									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)			0/50 (0%)				
Overall Incidence	Total	0/349 (0%)	Mean 0%	SD 0%	Total	0/350 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: INHALATION
Vehicle: AIR

Page: 190
 Report Date:04/29/2009

		Male				Female					
#Spinal Cord:											
Astrocytoma Malignant											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)			0/50	(0%)			0/50	(0%)
Overall Incidence	Total	0/349 (0%)		Mean 0%		SD 0%		Total		0/350 (0%)	
#Spinal Cord:											
Glioma Malignant											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)			0/50	(0%)			0/50	(0%)
Overall Incidence	Total	0/349 (0%)		Mean 0%		SD 0%		Total		0/350 (0%)	
*Spleen:											
Fibrosarcoma											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)			0/50	(0%)			0/50	(0%)
Overall Incidence	Total	0/349 (0%)		Mean 0%		SD 0%		Total		0/350 (0%)	
*Spleen:											
Fibrous Histiocytoma											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)			0/50	(0%)			0/50	(0%)
Overall Incidence	Total	0/349 (0%)		Mean 0%		SD 0%		Total		0/350 (0%)	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: INHALATION
Vehicle: AIR

Page: 191
 Report Date: 04/29/2009

		Male				Female			
*Spleen:									
Hemangioma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)			0/50 (0%)				
Overall Incidence	Total	1/349 (0.29%)	Mean 0.29%	SD 0.76%	Total	0/350 (0%)	Mean 0%	SD 0%	
.....									
*Spleen:									
Hemangiosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)
		0/50 (0%)			0/50 (0%)				
Overall Incidence	Total	0/349 (0%)	Mean 0%	SD 0%	Total	1/350 (0.29%)	Mean 0.29%	SD 0.76%	
.....									
*Spleen:									
Leiomyosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)			0/50 (0%)				
Overall Incidence	Total	1/349 (0.29%)	Mean 0.29%	SD 0.76%	Total	0/350 (0%)	Mean 0%	SD 0%	
.....									
*Spleen:									
Sarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)			0/50 (0%)				
Overall Incidence	Total	0/349 (0%)	Mean 0%	SD 0%	Total	0/350 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: INHALATION
Vehicle: AIR

Page: 192
 Report Date: 04/29/2009

		Male				Female								
#Stomach, Forestomach: Leiomyosarcoma														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)			0/50	(0%)			0/50	(0%)			
Overall Incidence	Total	0/349	(0%)	Mean	0%	SD	0%	Total	0/350	(0%)	Mean	0%	SD	0%
.....														
#Stomach, Forestomach: Squamous Cell Carcinoma														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)			0/50	(0%)			0/50	(0%)			
Overall Incidence	Total	0/349	(0%)	Mean	0%	SD	0%	Total	0/350	(0%)	Mean	0%	SD	0%
.....														
#Stomach, Forestomach: Squamous Cell Carcinoma or Papilloma Squamous														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)			0/50	(0%)			0/50	(0%)			
Overall Incidence	Total	0/349	(0%)	Mean	0%	SD	0%	Total	0/350	(0%)	Mean	0%	SD	0%
.....														
#Stomach, Forestomach: Squamous Cell Papilloma														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)			0/50	(0%)			0/50	(0%)			
Overall Incidence	Total	0/349	(0%)	Mean	0%	SD	0%	Total	0/350	(0%)	Mean	0%	SD	0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: INHALATION
Vehicle: AIR

Page: 193
 Report Date: 04/29/2009

		Male				Female			
#Stomach, Glandular:									
Lipoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/349 (0%)	Mean 0%	SD 0%	Total	0/350 (0%)	Mean 0%	SD 0%	
.....									
#Stomach, Glandular:									
Sarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/349 (0%)	Mean 0%	SD 0%	Total	0/350 (0%)	Mean 0%	SD 0%	
.....									
*Testes:									
Adenoma									
		34/50 (68%)	36/50 (72%)	35/50 (70%)					
		42/50 (84%)	33/50 (66%)	38/49 (78%)					
		29/50 (58%)							
Overall Incidence	Total	247/349 (70.77%)	Mean 70.79%	SD 8.33%					
.....									
*Thymus:									
Sarcoma									
		0/43 (0%)	0/49 (0%)	0/44 (0%)		0/46 (0%)	0/48 (0%)	0/48 (0%)	
		0/49 (0%)	0/42 (0%)	0/47 (0%)		0/47 (0%)	0/50 (0%)	0/46 (0%)	
		0/47 (0%)				0/44 (0%)			
Overall Incidence	Total	0/321 (0%)	Mean 0%	SD 0%	Total	0/329 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: INHALATION
Vehicle: AIR

Page: 194
 Report Date: 04/29/2009

		Male				Female			
*Thymus:									
Thymoma Benign									
		0/43 (0%)	0/49 (0%)	0/44 (0%)	1/46 (2%)	0/48 (0%)	0/48 (0%)		
		0/49 (0%)	0/42 (0%)	1/47 (2%)	0/47 (0%)	1/50 (2%)	0/46 (0%)		
		0/47 (0%)			0/44 (0%)				
Overall Incidence	Total	1/321 (0.31%)	Mean 0.3%	SD 0.8%	Total	2/329 (0.61%)	Mean 0.6%	SD 1.02%	
.....									
*Thymus:									
Thymoma Malignant									
		0/43 (0%)	0/49 (0%)	0/44 (0%)	0/46 (0%)	0/48 (0%)	0/48 (0%)		
		0/49 (0%)	0/42 (0%)	0/47 (0%)	0/47 (0%)	0/50 (0%)	0/46 (0%)		
		0/47 (0%)			0/44 (0%)				
Overall Incidence	Total	0/321 (0%)	Mean 0%	SD 0%	Total	0/329 (0%)	Mean 0%	SD 0%	
.....									
*Thymus:									
Thymoma NOS									
		0/43 (0%)	0/49 (0%)	0/44 (0%)	0/46 (0%)	0/48 (0%)	1/48 (2%)		
		0/49 (0%)	0/42 (0%)	0/47 (0%)	0/47 (0%)	0/50 (0%)	0/46 (0%)		
		0/47 (0%)			0/44 (0%)				
Overall Incidence	Total	0/321 (0%)	Mean 0%	SD 0%	Total	1/329 (0.3%)	Mean 0.3%	SD 0.79%	
.....									
*Thymus:									
Thymoma: Benign, Malignant, NOS									
		0/43 (0%)	0/49 (0%)	0/44 (0%)	1/46 (2%)	0/48 (0%)	1/48 (2%)		
		0/49 (0%)	0/42 (0%)	1/47 (2%)	0/47 (0%)	1/50 (2%)	0/46 (0%)		
		0/47 (0%)			0/44 (0%)				
Overall Incidence	Total	1/321 (0.31%)	Mean 0.3%	SD 0.8%	Total	3/329 (0.91%)	Mean 0.89%	SD 1.12%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: INHALATION
 Vehicle: AIR

Page: 195
 Report Date: 04/29/2009

		Male				Female			
*Thyroid Gland: C-Cell: Adenoma									
		5/50 (10%)	3/50 (6%)	7/50 (14%)	3/50 (6%)	3/50 (6%)	4/50 (8%)		
		1/50 (2%)	3/49 (6%)	4/49 (8%)	3/50 (6%)	2/50 (4%)	3/50 (6%)		
		5/50 (10%)			3/50 (6%)				
Overall Incidence	Total	28/348 (8.05%)	Mean 8.04%	SD 3.82%	Total	21/350 (6%)	Mean 6%	SD 1.15%	
.....									
*Thyroid Gland: C-Cell: Carcinoma									
		4/50 (8%)	1/50 (2%)	1/50 (2%)	1/50 (2%)	0/50 (0%)	0/50 (0%)		
		2/50 (4%)	0/49 (0%)	3/49 (6%)	1/50 (2%)	1/50 (2%)	2/50 (4%)		
		2/50 (4%)			0/50 (0%)				
Overall Incidence	Total	13/348 (3.74%)	Mean 3.73%	SD 2.71%	Total	5/350 (1.43%)	Mean 1.43%	SD 1.51%	
.....									
*Thyroid Gland: C-Cell: Carcinoma or Adenoma									
		9/50 (18%)	3/50 (6%)	8/50 (16%)	4/50 (8%)	3/50 (6%)	4/50 (8%)		
		3/50 (6%)	3/49 (6%)	7/49 (14%)	4/50 (8%)	3/50 (6%)	5/50 (10%)		
		6/50 (12%)			3/50 (6%)				
Overall Incidence	Total	39/348 (11.21%)	Mean 11.2%	SD 5.15%	Total	26/350 (7.43%)	Mean 7.43%	SD 1.51%	
.....									
*Thyroid Gland: Follicular Cell: Adenoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/49 (0%)	1/49 (2%)	1/50 (2%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)			0/50 (0%)				
Overall Incidence	Total	1/348 (0.29%)	Mean 0.29%	SD 0.77%	Total	1/350 (0.29%)	Mean 0.29%	SD 0.76%	

#: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: INHALATION
Vehicle: AIR

Page: 196
 Report Date: 04/29/2009

		Male					Female				
*Thyroid Gland: Follicular Cell: Carcinoma											
		0/50 (0%)	2/50 (4%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	0/49 (0%)	0/49 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)					
Overall Incidence	Total	3/348 (0.86%)	Mean 0.86%	SD 1.57%		Total	0/350 (0%)	Mean 0%	SD 0%		
.....											
*Thyroid Gland: Follicular Cell: Carcinoma or Adenoma											
		0/50 (0%)	2/50 (4%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	0/49 (0%)	1/49 (2%)	0/49 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)					
Overall Incidence	Total	4/348 (1.15%)	Mean 1.15%	SD 1.58%		Total	1/350 (0.29%)	Mean 0.29%	SD 0.76%		
.....											
#Tissue NOS: Lipoma											
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	1/49 (2%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)					
Overall Incidence	Total	1/349 (0.29%)	Mean 0.29%	SD 0.77%		Total	0/350 (0%)	Mean 0%	SD 0%		
.....											
#Tissue NOS: Paraganglioma											
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)					
Overall Incidence	Total	0/349 (0%)	Mean 0%	SD 0%		Total	0/350 (0%)	Mean 0%	SD 0%		

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: INHALATION
Vehicle: AIR

Page: 197
 Report Date:04/29/2009

		Male				Female								
#Tissue NOS:														
Schwannoma Malignant														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)					0/50	(0%)					
Overall Incidence	Total	0/349	(0%)	Mean	0%	SD	0%	Total	0/350	(0%)	Mean	0%	SD	0%
.....														
#Tongue:														
Squamous Cell Carcinoma														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)					1/50	(2%)					
Overall Incidence	Total	0/349	(0%)	Mean	0%	SD	0%	Total	1/350	(0.29%)	Mean	0.29%	SD	0.76%
.....														
#Tongue:														
Squamous Cell Carcinoma or Papilloma Squamous														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)					1/50	(2%)					
Overall Incidence	Total	0/349	(0%)	Mean	0%	SD	0%	Total	1/350	(0.29%)	Mean	0.29%	SD	0.76%
.....														
#Tongue:														
Squamous Cell Papilloma														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)					0/50	(0%)					
Overall Incidence	Total	0/349	(0%)	Mean	0%	SD	0%	Total	0/350	(0%)	Mean	0%	SD	0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: INHALATION
Vehicle: AIR

Page: 198
 Report Date:04/29/2009

		Male					Female				
#Tooth:											
Adamantinoma Malignant											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)
		1/50	(2%)					0/50	(0%)		
Overall Incidence	Total	1/349	(0.29%)	Mean	0.29%	SD	0.76%	Total	0/350	(0%)	Mean 0% SD 0%
.....											
#Tooth:											
Odontoma											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)					0/50	(0%)		
Overall Incidence	Total	0/349	(0%)	Mean	0%	SD	0%	Total	0/350	(0%)	Mean 0% SD 0%
.....											
*Urinary Bladder:											
Carcinoma											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)					0/50	(0%)	0/49	(0%)
Overall Incidence	Total	0/349	(0%)	Mean	0%	SD	0%	Total	0/349	(0%)	Mean 0% SD 0%
.....											
*Urinary Bladder:											
Carcinoma or Papilloma											
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)
		1/50	(2%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)					0/50	(0%)	0/49	(0%)
Overall Incidence	Total	2/349	(0.57%)	Mean	0.57%	SD	0.98%	Total	0/349	(0%)	Mean 0% SD 0%

#: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: INHALATION
Vehicle: AIR

Page: 199
Report Date:04/29/2009

		Male					Female							
*Urinary Bladder:														
Hemangiosarcoma														
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	
		0/50	(0%)					0/50	(0%)					
Overall Incidence	Total	1/349	(0.29%)	Mean	0.29%	SD	0.76%	Total	0/349	(0%)	Mean	0%	SD	0%
.....														
*Urinary Bladder:														
Leiomyosarcoma														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	
		0/50	(0%)					0/50	(0%)					
Overall Incidence	Total	0/349	(0%)	Mean	0%	SD	0%	Total	1/349	(0.29%)	Mean	0.29%	SD	0.76%
.....														
*Urinary Bladder:														
Papilloma														
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		1/50	(2%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	
		0/50	(0%)					0/50	(0%)					
Overall Incidence	Total	2/349	(0.57%)	Mean	0.57%	SD	0.98%	Total	0/349	(0%)	Mean	0%	SD	0%
.....														
#Uterus:														
Adenoma														
								0/50	(0%)	0/50	(0%)	1/50	(2%)	
								0/50	(0%)	0/50	(0%)	0/50	(0%)	
								1/50	(2%)					
Overall Incidence								Total	2/350	(0.57%)	Mean	0.57%	SD	0.98%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: INHALATION
 Vehicle: AIR

Page: 200
 Report Date:04/29/2009

	Male	Female
#Uterus:		
Carcinoma		
	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)
	1/50 (2%)	0/50 (0%)
Overall Incidence	Total 1/350 (0.29%)	Mean 0.29% SD 0.76%
.....		
#Uterus:		
Deciduoma Benign		
	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)
Overall Incidence	Total 0/350 (0%)	Mean 0% SD 0%
.....		
#Uterus:		
Hemangioma		
	0/50 (0%)	0/50 (0%)
	0/50 (0%)	1/50 (2%)
	0/50 (0%)	0/50 (0%)
Overall Incidence	Total 1/350 (0.29%)	Mean 0.29% SD 0.76%
.....		
#Uterus:		
Hemangiosarcoma		
	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)
	0/50 (0%)	1/50 (2%)
Overall Incidence	Total 1/350 (0.29%)	Mean 0.29% SD 0.76%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: INHALATION
Vehicle: AIR

Page: 201
 Report Date: 04/29/2009

	Male		Female
#Uterus:			
Leiomyoma			
		0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/350 (0%)	Mean 0% SD 0%
.....			
#Uterus:			
Leiomyosarcoma			
		0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/350 (0%)	Mean 0% SD 0%
.....			
#Uterus:			
Polyp Stromal			
		8/50 (16%)	13/50 (26%)
		12/50 (24%)	6/50 (12%)
		6/50 (12%)	12/50 (24%)
Overall Incidence	Total	65/350 (18.57%)	Mean 18.57% SD 5.97%
.....			
#Uterus:			
Sarcoma Stromal			
		2/50 (4%)	1/50 (2%)
		1/50 (2%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)
Overall Incidence	Total	4/350 (1.14%)	Mean 1.14% SD 1.57%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: INHALATION
Vehicle: AIR

Page: 202
 Report Date:04/29/2009

	Male	Female
#Uterus:		
Sarcoma Stromal or Polyp Stromal		
	10/50 (20%)	14/50 (28%)
	13/50 (26%)	6/50 (12%)
	6/50 (12%)	8/50 (16%)
	12/50 (24%)	
Overall Incidence	Total 69/350 (19.71%)	Mean 19.71% SD 6.58%
.....		
#Uterus:		
Schwannoma Malignant		
	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)
Overall Incidence	Total 0/350 (0%)	Mean 0% SD 0%
.....		
#Vagina:		
Polyp		
	0/50 (0%)	2/50 (4%)
	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)
Overall Incidence	Total 2/350 (0.57%)	Mean 0.57% SD 1.51%
.....		
#Vagina:		
Sarcoma		
	1/50 (2%)	0/50 (0%)
	1/50 (2%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)
Overall Incidence	Total 2/350 (0.57%)	Mean 0.57% SD 0.98%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: INHALATION
Vehicle: AIR

Page: 203
 Report Date:04/29/2009

		Male					Female							
#Zymbal's Gland:														
Adenoma														
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)					0/50	(0%)					
Overall Incidence	Total	1/349	(0.29%)	Mean	0.29%	SD	0.76%	Total	0/350	(0%)	Mean	0%	SD	0%
.....														
#Zymbal's Gland:														
Carcinoma														
		0/50	(0%)	1/50	(2%)	0/50	(0%)	1/50	(2%)	1/50	(2%)	0/50	(0%)	
		1/50	(2%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)					1/50	(2%)					
Overall Incidence	Total	2/349	(0.57%)	Mean	0.57%	SD	0.98%	Total	3/350	(0.86%)	Mean	0.86%	SD	1.07%
.....														
#Zymbal's Gland:														
Carcinoma or Adenoma														
		0/50	(0%)	1/50	(2%)	1/50	(2%)	1/50	(2%)	1/50	(2%)	0/50	(0%)	
		1/50	(2%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)					1/50	(2%)					
Overall Incidence	Total	3/349	(0.86%)	Mean	0.86%	SD	1.07%	Total	3/350	(0.86%)	Mean	0.86%	SD	1.07%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ORAL
 Vehicle: FEED

Page: 204
 Report Date:04/29/2009

Study Summary

Laboratory Name	Study Number	Study Start Date	Length of Study in Days	Number of Animals Total and (#/Cage)	Number Surviving and (Mean Life Span)	Maximum Mean Weekly Body Weight	Chemical
Male							
Southern Research Institute	059902703	08/12/02	729	50 (3)	37(705)	452.8	Chromium picolinate monohydrate
Battelle Columbus Laboratory	050517405	08/05/02	729	50 (3)	33(703)	510.0	Cresols
Southern Research Institute	059900705	04/21/03	729	50 (3)	33(679)	460.9	Goldenseal root powder
Southern Research Institute	059201305	01/20/00	730	50 (3)	31(702)	448.0	4-Methylimidazole
Southern Research Institute	052000803	03/04/03	729	50 (3)	36(704)	452.1	Milk thistle extract
Female							
Southern Research Institute	059902703	08/12/02	733	50 (5)	36(702)	314.7	Chromium picolinate monohydrate
Battelle Columbus Laboratory	050517405	N/A	N/A	0 (0)	0(0)	N/A	Cresols
Southern Research Institute	059900705	04/21/03	731	50 (5)	30(699)	326.0	Goldenseal root powder
Southern Research Institute	059201305	01/20/00	735	50 (5)	40(702)	311.3	4-Methylimidazole
Southern Research Institute	052000803	03/04/03	732	50 (5)	38(693)	328.4	Milk thistle extract

NOTE: The text on page 2 ("Report Description") describes how the studies listed here are displayed on the data pages that follow.

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: FEED

Page: 205
 Report Date:04/29/2009

		Male				Female			
#All Organs:									
Benign Tumors									
		49/50 (98%)	50/50 (100%)	47/50 (94%)		45/50 (90%)		46/50 (92%)	
		50/50 (100%)	50/50 (100%)			48/50 (96%)		39/50 (78%)	
Overall Incidence	Total	246/250 (98.4%)	Mean 98.4%	SD 2.61%	Total	178/200 (89%)	Mean 89%	SD 7.75%	
.....									
#All Organs:									
Malignant Tumors									
		27/50 (54%)	23/50 (46%)	29/50 (58%)		15/50 (30%)		19/50 (38%)	
		22/50 (44%)	26/50 (52%)			19/50 (38%)		18/50 (36%)	
Overall Incidence	Total	127/250 (50.8%)	Mean 50.8%	SD 5.76%	Total	71/200 (35.5%)	Mean 35.5%	SD 3.79%	
.....									
#All Organs:									
Malignant and Benign Tumors									
		50/50 (100%)	50/50 (100%)	50/50 (100%)		47/50 (94%)		48/50 (96%)	
		50/50 (100%)	50/50 (100%)			48/50 (96%)		46/50 (92%)	
Overall Incidence	Total	250/250 (100%)	Mean 100%	SD 0%	Total	189/200 (94.5%)	Mean 94.5%	SD 1.91%	
.....									
#All Organs:									
Hemangioma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)		0/50 (0%)	
		0/50 (0%)	1/50 (2%)			0/50 (0%)		0/50 (0%)	
Overall Incidence	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#All Organs:									
Hemangiosarcoma									
		2/50 (4%)	0/50 (0%)	0/50 (0%)		0/50 (0%)		0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)		0/50 (0%)	
Overall Incidence	Total	2/250 (0.8%)	Mean 0.8%	SD 1.79%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: FEED

Page: 206
 Report Date:04/29/2009

		Male				Female			
#All Organs:									
Hemangiosarcoma or Hemangioma									
		2/50 (4%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)			0/50 (0%)		0/50 (0%)	0/50 (0%)
Overall Incidence	Total	3/250 (1.2%)	Mean 1.2%	SD 1.79%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#All Organs:									
Histiocytic Sarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	1/50 (2%)		
		0/50 (0%)	3/50 (6%)		2/50 (4%)	0/50 (0%)			
Overall Incidence	Total	3/250 (1.2%)	Mean 1.2%	SD 2.68%	Total	4/200 (2%)	Mean 2%	SD 1.63%	
.....									
#All Organs:									
Leukemia: Erythrocytic									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)			
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#All Organs:									
Leukemia: Lymphocytic, Monocytic, Mononuclear, or Undifferentiated									
		19/50 (38%)	15/50 (30%)	21/50 (42%)	9/50 (18%)	9/50 (18%)	6/50 (12%)	9/50 (18%)	
		15/50 (30%)	17/50 (34%)		9/50 (18%)				
Overall Incidence	Total	87/250 (34.8%)	Mean 34.8%	SD 5.22%	Total	33/200 (16.5%)	Mean 16.5%	SD 3%	
.....									
#All Organs:									
Malignant Lymphoma: Histiocytic, Lymphocytic, Mixed, NOS, or Undifferentiated Cell Type									
		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)		0/50 (0%)		0/50 (0%)		
Overall Incidence	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: FEED

Page: 207
 Report Date:04/29/2009

		Male				Female			
#All Organs:									
Mesothelioma: Benign									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)		0/50 (0%)	
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#All Organs:									
Mesothelioma: Benign, Malignant, NOS									
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)		0/50 (0%)	
Overall Incidence	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#All Organs:									
Mesothelioma: Malignant									
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)		0/50 (0%)	
Overall Incidence	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#All Organs:									
Osteoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)			0/50 (0%)		0/50 (0%)	
Overall Incidence	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#All Organs:									
Osteosarcoma									
		0/50 (0%)	0/50 (0%)	2/50 (4%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			1/50 (2%)		0/50 (0%)	
Overall Incidence	Total	2/250 (0.8%)	Mean 0.8%	SD 1.79%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: FEED

Page: 208
 Report Date:04/29/2009

		Male				Female			
#All Organs:									
Osteosarcoma or Osteoma									
		0/50 (0%)	0/50 (0%)	2/50 (4%)		0/50 (0%)	0/50 (0%)		
		0/50 (0%)	1/50 (2%)			1/50 (2%)	0/50 (0%)		0/50 (0%)
Overall Incidence	Total	3/250 (1.2%)	Mean 1.2%	SD 1.79%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
*Adrenal Cortex:									
Adenoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		2/50 (4%)	0/48 (0%)		1/50 (2%)
		1/50 (2%)	2/50 (4%)			1/49 (2%)			
Overall Incidence	Total	3/250 (1.2%)	Mean 1.2%	SD 1.79%	Total	4/197 (2.03%)	Mean 2.01%	SD 1.63%	
.....									
*Adrenal Cortex:									
Carcinoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/48 (0%)		0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/49 (0%)			
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/197 (0%)	Mean 0%	SD 0%	
.....									
*Adrenal Medulla:									
Ganglioneuroma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/48 (0%)		0/48 (0%)
		0/50 (0%)	0/50 (0%)			0/48 (0%)			
Overall Incidence	Total	0/249 (0%)	Mean 0%	SD 0%	Total	0/194 (0%)	Mean 0%	SD 0%	
.....									
*Adrenal Medulla:									
Hemangioma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/48 (0%)		0/48 (0%)
		0/50 (0%)	0/50 (0%)			0/48 (0%)			
Overall Incidence	Total	0/249 (0%)	Mean 0%	SD 0%	Total	0/194 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: FEED

Page: 209
 Report Date:04/29/2009

		Male				Female			
*Adrenal Medulla:									
Pheochromocytoma Benign									
		8/50 (16%)	8/50 (16%)	5/49 (10%)		1/50 (2%)		0/48 (0%)	
		8/50 (16%)	5/50 (10%)			2/48 (4%)		1/48 (2%)	
Overall Incidence	Total	34/249 (13.65%)	Mean 13.64%	SD 3.23%	Total	4/194 (2.06%)	Mean 2.06%	SD 1.7%	
.....									
*Adrenal Medulla:									
Pheochromocytoma Complex									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)		0/48 (0%)	
		2/50 (4%)	1/50 (2%)			0/48 (0%)		1/48 (2%)	
Overall Incidence	Total	3/249 (1.2%)	Mean 1.2%	SD 1.79%	Total	1/194 (0.52%)	Mean 0.52%	SD 1.04%	
.....									
*Adrenal Medulla:									
Pheochromocytoma Malignant									
		3/50 (6%)	0/50 (0%)	1/49 (2%)		2/50 (4%)		0/48 (0%)	
		0/50 (0%)	0/50 (0%)			1/48 (2%)		0/48 (0%)	
Overall Incidence	Total	4/249 (1.61%)	Mean 1.61%	SD 2.61%	Total	3/194 (1.55%)	Mean 1.52%	SD 1.92%	
.....									
*Adrenal Medulla:									
Pheochromocytoma: Benign, Complex, Malignant, NOS									
		11/50 (22%)	8/50 (16%)	6/49 (12%)		3/50 (6%)		0/48 (0%)	
		10/50 (20%)	6/50 (12%)			3/48 (6%)		2/48 (4%)	
Overall Incidence	Total	41/249 (16.47%)	Mean 16.45%	SD 4.5%	Total	8/194 (4.12%)	Mean 4.1%	SD 2.89%	
.....									
#Bone:									
Chondrosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)		0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)		0/50 (0%)	
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: FEED

Page: 210
 Report Date:04/29/2009

		Male				Female			
#Bone:									
Chondrosarcoma or Chondroma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)		0/50 (0%)	
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Bone:									
Chordoma									
		0/50 (0%)	1/50 (2%)	1/50 (2%)		0/50 (0%)		0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)		0/50 (0%)	
Overall Incidence	Total	2/250 (0.8%)	Mean 0.8%	SD 1.1%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Bone:									
Osteoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)		0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)			0/50 (0%)		0/50 (0%)	
Overall Incidence	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Bone:									
Osteosarcoma									
		0/50 (0%)	0/50 (0%)	2/50 (4%)		0/50 (0%)		0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			1/50 (2%)		0/50 (0%)	
Overall Incidence	Total	2/250 (0.8%)	Mean 0.8%	SD 1.79%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#Bone:									
Osteosarcoma or Osteoma									
		0/50 (0%)	0/50 (0%)	2/50 (4%)		0/50 (0%)		0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)			1/50 (2%)		0/50 (0%)	
Overall Incidence	Total	3/250 (1.2%)	Mean 1.2%	SD 1.79%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: FEED

Page: 211
 Report Date:04/29/2009

		Male				Female			
*Brain:									
Astrocytoma Malignant									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/249 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Brain:									
Ependymoma Benign									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/249 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Brain:									
Ependymoma Malignant									
		0/50 (0%)	0/50 (0%)	1/49 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/249 (0.4%)	Mean 0.41%	SD 0.91%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Brain:									
Glioma Malignant									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/249 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Brain:									
Granular Cell Tumor Benign									
		2/50 (4%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	2/249 (0.8%)	Mean 0.8%	SD 1.79%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: FEED

Page: 212
 Report Date:04/29/2009

		Male				Female								
*Brain:														
Medulloblastoma Mal														
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	0/249	(0%)	Mean	0%	SD	0%	Total	0/200	(0%)	Mean	0%	SD	0%
.....														
*Brain:														
Meningioma Malignant														
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	0/249	(0%)	Mean	0%	SD	0%	Total	0/200	(0%)	Mean	0%	SD	0%
.....														
*Brain:														
Meningioma: Benign, Malignant, NOS														
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	0/249	(0%)	Mean	0%	SD	0%	Total	0/200	(0%)	Mean	0%	SD	0%
.....														
*Brain:														
Oligodendroglioma Benign														
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	0/249	(0%)	Mean	0%	SD	0%	Total	0/200	(0%)	Mean	0%	SD	0%
.....														
*Brain:														
Oligodendroglioma Malignant														
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)			0/50	(0%)	1/50	(2%)			
Overall Incidence	Total	0/249	(0%)	Mean	0%	SD	0%	Total	1/200	(0.5%)	Mean	0.5%	SD	1%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: FEED

Page: 213
Report Date:04/29/2009

	Male					Female								
*Brain:														
Oligodendroglioma, Glioma, or Astrocytoma														
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)			0/50	(0%)	1/50	(2%)			
Overall Incidence	Total	0/249	(0%)	Mean	0%	SD	0%	Total	1/200	(0.5%)	Mean	0.5%	SD	1%
.....														
*Brain:														
Osteosarcoma														
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	0/249	(0%)	Mean	0%	SD	0%	Total	0/200	(0%)	Mean	0%	SD	0%
.....														
*Brain:														
Schwannoma Malignant														
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	0/249	(0%)	Mean	0%	SD	0%	Total	0/200	(0%)	Mean	0%	SD	0%
.....														
*Clitoral/Preputial Gland:														
Adenoma														
		1/50	(2%)	5/50	(10%)	0/50	(0%)	10/50	(20%)	5/50	(10%)			
		2/50	(4%)	1/50	(2%)			8/50	(16%)	11/50	(22%)			
Overall Incidence	Total	9/250	(3.6%)	Mean	3.6%	SD	3.85%	Total	34/200	(17%)	Mean	17%	SD	5.29%
.....														
*Clitoral/Preputial Gland:														
Carcinoma														
		0/50	(0%)	0/50	(0%)	2/50	(4%)	0/50	(0%)	4/50	(8%)			
		0/50	(0%)	2/50	(4%)			2/50	(4%)	3/50	(6%)			
Overall Incidence	Total	4/250	(1.6%)	Mean	1.6%	SD	2.19%	Total	9/200	(4.5%)	Mean	4.5%	SD	3.42%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: FEED

Page: 214
 Report Date:04/29/2009

		Male				Female			
*Clitoral/Preputial Gland: Carcinoma or Adenoma									
		1/50 (2%)	5/50 (10%)	2/50 (4%)		10/50 (20%)	9/50 (18%)		
		2/50 (4%)	3/50 (6%)			10/50 (20%)			
Overall Incidence	Total	13/250 (5.2%)	Mean 5.2%	SD 3.03%	Total	43/200 (21.5%)	Mean 21.5%	SD 4.43%	
.....									
*Clitoral/Preputial Gland: Fibrosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Clitoral/Preputial Gland: Sarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Clitoral/Preputial Gland: Squamous Cell Papilloma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Ear: Neural Crest Tumor									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: FEED

Page: 215
 Report Date:04/29/2009

		Male				Female			
#Esophagus:									
Fibrosarcoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/250	(0%)	Mean 0%	SD 0%	Total	0/200	(0%)	Mean 0%
									SD 0%
.....									
#Esophagus:									
Lipoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/250	(0%)	Mean 0%	SD 0%	Total	0/200	(0%)	Mean 0%
									SD 0%
.....									
#Eye:									
Amelanotic Melanoma, Benign									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/250	(0%)	Mean 0%	SD 0%	Total	0/200	(0%)	Mean 0%
									SD 0%
.....									
#Eye:									
Melanoma Malignant									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/250	(0%)	Mean 0%	SD 0%	Total	0/200	(0%)	Mean 0%
									SD 0%
.....									
#Eye:									
Schwannoma Malignant									
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	1/250	(0.4%)	Mean 0.4%	SD 0.89%	Total	0/200	(0%)	Mean 0%
									SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: FEED

Page: 216
 Report Date:04/29/2009

		Male				Female			
#Harderian Gland: Carcinoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)		0/50 (0%)	
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Harderian Gland: Carcinoma or Adenoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)		0/50 (0%)	
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Heart: Schwannoma Benign									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			1/50 (2%)		0/50 (0%)	
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
*Heart: Schwannoma Malignant									
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)	1/50 (2%)			0/50 (0%)		0/50 (0%)	
Overall Incidence	Total	2/250 (0.8%)	Mean 0.8%	SD 1.1%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#Intestine Large: Colon/Rectum: Adenoma									
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)		0/50 (0%)	
Overall Incidence	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: FEED

Page: 217
 Report Date: 04/29/2009

		Male				Female			
#Intestine Large: Colon/Rectum: Carcinoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)		0/50 (0%)	
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Large: Colon/Rectum: Carcinoma or Adenoma									
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)		0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)		0/50 (0%)	
Overall Incidence	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Large: Colon/Rectum: Hemangioma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)		0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)			0/50 (0%)		0/50 (0%)	
Overall Incidence	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Small: Duodenum: Carcinoma									
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)		0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)		0/50 (0%)	
Overall Incidence	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Small: Duodenum: Leiomyoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)		0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)		0/50 (0%)	
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: FEED

Page: 218
 Report Date:04/29/2009

		Male				Female			
#Intestine Small: Jejunum: Carcinoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)		0/50 (0%)	
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Small: Jejunum: Granular Cell Tumor Malignant									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)		0/50 (0%)	
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Small: Jejunum: Leiomyoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)		0/50 (0%)	
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Small: Jejunum: Leiomyosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)		0/50 (0%)	
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Small: Site Unspecified: Carcinoma									
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)		0/50 (0%)	
Overall Incidence	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: FEED

Page: 219
 Report Date: 04/29/2009

		Male				Female			
#Intestine Small: Site Unspecified: Carcinoma or Adenoma									
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)		0/50 (0%)	
Overall Incidence	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Small: Site Unspecified: Granular Cell Tumor Malignant									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)		0/50 (0%)	
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Small: Site Unspecified: Leiomyoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)		0/50 (0%)	
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Small: Site Unspecified: Leiomyosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)		0/50 (0%)	
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Islets, Pancreatic: Adenoma									
		1/50 (2%)	1/49 (2%)	7/50 (14%)		2/49 (4%)		0/49 (0%)	0/49 (0%)
		3/50 (6%)	3/50 (6%)			0/49 (0%)		0/48 (0%)	
Overall Incidence	Total	15/249 (6.02%)	Mean 6.01%	SD 4.89%	Total	2/195 (1.03%)	Mean 1.02%	SD 2.04%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: FEED

Page: 220
 Report Date:04/29/2009

		Male				Female			
*Islets, Pancreatic: Carcinoma									
		1/50 (2%)	1/49 (2%)	0/50 (0%)		0/49 (0%)		0/49 (0%)	
		0/50 (0%)	1/50 (2%)			0/49 (0%)		0/48 (0%)	
Overall Incidence	Total	3/249 (1.2%)	Mean 1.21%	SD 1.1%	Total	0/195 (0%)	Mean 0%	SD 0%	
.....									
*Islets, Pancreatic: Carcinoma or Adenoma									
		2/50 (4%)	2/49 (4%)	7/50 (14%)		2/49 (4%)		0/49 (0%)	
		3/50 (6%)	4/50 (8%)			0/49 (0%)		0/48 (0%)	
Overall Incidence	Total	18/249 (7.23%)	Mean 7.22%	SD 4.13%	Total	2/195 (1.03%)	Mean 1.02%	SD 2.04%	
.....									
*Kidney: Pelvis and Transitional Epithelium: Carcinoma									
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/47 (0%)		0/49 (0%)	
		0/48 (0%)	0/50 (0%)			0/48 (0%)		0/48 (0%)	
Overall Incidence	Total	1/248 (0.4%)	Mean 0.4%	SD 0.89%	Total	0/192 (0%)	Mean 0%	SD 0%	
.....									
*Kidney: Pelvis and Transitional Epithelium: Carcinoma or Adenoma									
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/47 (0%)		0/49 (0%)	
		0/48 (0%)	0/50 (0%)			0/48 (0%)		0/48 (0%)	
Overall Incidence	Total	1/248 (0.4%)	Mean 0.4%	SD 0.89%	Total	0/192 (0%)	Mean 0%	SD 0%	
.....									
*Kidney: Pelvis and Transitional Epithelium: Papilloma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/47 (0%)		0/49 (0%)	
		0/48 (0%)	0/50 (0%)			1/48 (2%)		0/48 (0%)	
Overall Incidence	Total	0/248 (0%)	Mean 0%	SD 0%	Total	1/192 (0.52%)	Mean 0.52%	SD 1.04%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: FEED

Page: 221
 Report Date:04/29/2009

		Male				Female			
*Kidney: Renal Tubule: Adenoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/47 (0%)		0/49 (0%)	
		0/48 (0%)	0/50 (0%)			0/48 (0%)		0/48 (0%)	
Overall Incidence	Total	0/248 (0%)	Mean 0%	SD 0%	Total	0/192 (0%)	Mean 0%	SD 0%	
.....									
*Kidney: Renal Tubule: Carcinoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/47 (0%)		0/49 (0%)	
		0/48 (0%)	0/50 (0%)			0/48 (0%)		0/48 (0%)	
Overall Incidence	Total	0/248 (0%)	Mean 0%	SD 0%	Total	0/192 (0%)	Mean 0%	SD 0%	
.....									
*Kidney: Renal Tubule: Carcinoma or Adenoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/47 (0%)		0/49 (0%)	
		0/48 (0%)	0/50 (0%)			0/48 (0%)		0/48 (0%)	
Overall Incidence	Total	0/248 (0%)	Mean 0%	SD 0%	Total	0/192 (0%)	Mean 0%	SD 0%	
.....									
*Kidney: Renal Tubule: Hemangiosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/47 (0%)		0/49 (0%)	
		0/48 (0%)	0/50 (0%)			0/48 (0%)		0/48 (0%)	
Overall Incidence	Total	0/248 (0%)	Mean 0%	SD 0%	Total	0/192 (0%)	Mean 0%	SD 0%	
.....									
*Kidney: Renal Tubule: Lipoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/47 (0%)		0/49 (0%)	
		0/48 (0%)	0/50 (0%)			0/48 (0%)		0/48 (0%)	
Overall Incidence	Total	0/248 (0%)	Mean 0%	SD 0%	Total	0/192 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: FEED

Page: 222
 Report Date:04/29/2009

		Male				Female			
*Kidney: Renal Tubule: Mesenchymal Tumor Benign									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/47 (0%)		0/49 (0%)	
		0/48 (0%)	0/50 (0%)			0/48 (0%)		0/48 (0%)	
Overall Incidence	Total	0/248 (0%)	Mean 0%	SD 0%	Total	0/192 (0%)	Mean 0%	SD 0%	
.....									
*Kidney: Renal Tubule: Nephroblastoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/47 (0%)		0/49 (0%)	
		0/48 (0%)	0/50 (0%)			0/48 (0%)		0/48 (0%)	
Overall Incidence	Total	0/248 (0%)	Mean 0%	SD 0%	Total	0/192 (0%)	Mean 0%	SD 0%	
.....									
*Kidney: Renal Tubule: Sarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/47 (0%)		1/49 (2%)	
		1/48 (2%)	0/50 (0%)			0/48 (0%)		0/48 (0%)	
Overall Incidence	Total	1/248 (0.4%)	Mean 0.42%	SD 0.93%	Total	1/192 (0.52%)	Mean 0.51%	SD 1.02%	
.....									
*Liver: Cholangioma									
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)		0/50 (0%)	
		0/50 (0%)	1/50 (2%)			0/50 (0%)		0/50 (0%)	
Overall Incidence	Total	2/250 (0.8%)	Mean 0.8%	SD 1.1%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Liver: Hemangiosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)		0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)		0/50 (0%)	
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: FEED

Page: 223
 Report Date:04/29/2009

		Male				Female			
*Liver:									
Hepatocellular Adenoma									
		1/50 (2%)	0/50 (0%)	1/50 (2%)	2/50 (4%)		0/50 (0%)		
		0/50 (0%)	3/50 (6%)		0/50 (0%)		2/50 (4%)		
Overall Incidence	Total	5/250 (2%)	Mean 2%	SD 2.45%	Total	4/200 (2%)	Mean 2%	SD 2.31%	
.....									
*Liver:									
Hepatocellular Carcinoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)		
		0/50 (0%)	0/50 (0%)		0/50 (0%)		0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Liver:									
Hepatocellular Carcinoma or Hepatoblastoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)		
		0/50 (0%)	0/50 (0%)		0/50 (0%)		0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Liver:									
Hepatocellular Carcinoma or Hepatocellular Adenoma									
		1/50 (2%)	0/50 (0%)	1/50 (2%)	2/50 (4%)		0/50 (0%)		
		0/50 (0%)	3/50 (6%)		0/50 (0%)		2/50 (4%)		
Overall Incidence	Total	5/250 (2%)	Mean 2%	SD 2.45%	Total	4/200 (2%)	Mean 2%	SD 2.31%	
.....									
*Liver:									
Hepatocellular Carcinoma, Hepatocellular Adenoma, or Hepatoblastoma									
		1/50 (2%)	0/50 (0%)	1/50 (2%)	2/50 (4%)		0/50 (0%)		
		0/50 (0%)	3/50 (6%)		0/50 (0%)		2/50 (4%)		
Overall Incidence	Total	5/250 (2%)	Mean 2%	SD 2.45%	Total	4/200 (2%)	Mean 2%	SD 2.31%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: FEED

Page: 224
 Report Date: 04/29/2009

		Male				Female								
*Lung:														
Alveolar/Bronchiolar Adenoma														
		0/50	(0%)	1/50	(2%)	0/50	(0%)	1/50	(2%)	1/50	(2%)			
		0/50	(0%)	1/50	(2%)			0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	2/250	(0.8%)	Mean	0.8%	SD	1.1%	Total	2/200	(1%)	Mean	1%	SD	1.15%
.....														
*Lung:														
Alveolar/Bronchiolar Carcinoma														
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)			0/50	(0%)	1/50	(2%)			
Overall Incidence	Total	1/250	(0.4%)	Mean	0.4%	SD	0.89%	Total	1/200	(0.5%)	Mean	0.5%	SD	1%
.....														
*Lung:														
Alveolar/Bronchiolar Carcinoma or Alveolar/Bronchiolar Adenoma														
		0/50	(0%)	1/50	(2%)	1/50	(2%)	1/50	(2%)	1/50	(2%)			
		0/50	(0%)	1/50	(2%)			0/50	(0%)	1/50	(2%)			
Overall Incidence	Total	3/250	(1.2%)	Mean	1.2%	SD	1.1%	Total	3/200	(1.5%)	Mean	1.5%	SD	1%
.....														
*Lung:														
Fibrosarcoma														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	0/250	(0%)	Mean	0%	SD	0%	Total	0/200	(0%)	Mean	0%	SD	0%
.....														
*Lung:														
Hemangiosarcoma														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	0/250	(0%)	Mean	0%	SD	0%	Total	0/200	(0%)	Mean	0%	SD	0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: FEED

Page: 225
 Report Date:04/29/2009

		Male				Female			
*Lung: Sarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)		0/50 (0%)	
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Lung: Squamous Cell Carcinoma									
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)		0/50 (0%)	
Overall Incidence	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Lymph Node: Hemangiosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)		0/50 (0%)	
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Mammary Gland: Adenolipoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)		0/50 (0%)	
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Mammary Gland: Adenoma									
		0/50 (0%)	1/50 (2%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	2/50 (4%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)		0/50 (0%)	
Overall Incidence	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	Total	3/200 (1.5%)	Mean 1.5%	SD 1.91%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: FEED

Page: 226
 Report Date:04/29/2009

		Male				Female			
#Mammary Gland: Carcinoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	4/50 (8%)		
		0/50 (0%)	0/50 (0%)			2/50 (4%)			
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	10/200 (5%)	Mean 5%	SD 3.83%	
.....									
#Mammary Gland: Carcinoma or Adenoma									
		0/50 (0%)	1/50 (2%)	0/50 (0%)		1/50 (2%)	6/50 (12%)		
		0/50 (0%)	0/50 (0%)			2/50 (4%)	4/50 (8%)		
Overall Incidence	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	Total	13/200 (6.5%)	Mean 6.5%	SD 4.43%	
.....									
#Mammary Gland: Fibroadenoma									
		2/50 (4%)	0/50 (0%)	1/50 (2%)		29/50 (58%)	30/50 (60%)		
		3/50 (6%)	0/50 (0%)			24/50 (48%)	28/50 (56%)		
Overall Incidence	Total	6/250 (2.4%)	Mean 2.4%	SD 2.61%	Total	111/200 (55.5%)	Mean 55.5%	SD 5.26%	
.....									
#Mammary Gland: Fibroma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Mammary Gland: Fibroma, Fibroadenoma or Adenoma									
		2/50 (4%)	1/50 (2%)	1/50 (2%)		30/50 (60%)	30/50 (60%)		
		3/50 (6%)	0/50 (0%)			24/50 (48%)	28/50 (56%)		
Overall Incidence	Total	7/250 (2.8%)	Mean 2.8%	SD 2.28%	Total	112/200 (56%)	Mean 56%	SD 5.66%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: FEED

Page: 227
 Report Date:04/29/2009

		Male				Female			
#Mammary Gland:									
Fibroma, Fibroadenoma, Carcinoma, or Adenoma									
		2/50 (4%)	1/50 (2%)	1/50 (2%)		30/50 (60%)		31/50 (62%)	
		3/50 (6%)	0/50 (0%)			25/50 (50%)		28/50 (56%)	
Overall Incidence	Total	7/250 (2.8%)	Mean 2.8%	SD 2.28%	Total	114/200 (57%)	Mean 57%	SD 5.29%	
.....									
#Mesentery:									
Fibrosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)		0/50 (0%)	
		0/50 (0%)	0/50 (0%)			1/50 (2%)		0/50 (0%)	
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#Mesentery:									
Hemangiosarcoma									
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)		0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)		0/50 (0%)	
Overall Incidence	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Mesentery:									
Lipoma									
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)		0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)		0/50 (0%)	
Overall Incidence	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Mesentery:									
Rhabdomyosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)		0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)		0/50 (0%)	
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: FEED

Page: 228
 Report Date:04/29/2009

		Male				Female			
*Nose:									
Adenoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)			0/49 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/249 (0%)	Mean 0%	SD 0%	Total	0/199 (0%)	Mean 0%	SD 0%	
.....									
*Nose:									
Chondroma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)			0/49 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/249 (0%)	Mean 0%	SD 0%	Total	0/199 (0%)	Mean 0%	SD 0%	
.....									
*Nose:									
Squamous Cell Carcinoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)			0/49 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/249 (0%)	Mean 0%	SD 0%	Total	0/199 (0%)	Mean 0%	SD 0%	
.....									
#Oral Cavity (Oral Mucosa, Tongue, Pharynx, Tooth, Gingiva):									
Papilloma Squamous or Papilloma									
		1/50 (2%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)	1/50 (2%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	3/250 (1.2%)	Mean 1.2%	SD 1.1%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#Oral Cavity (Oral Mucosa, Tongue, Pharynx, Tooth, Gingiva):									
Squamous Cell Carcinoma									
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: FEED

Page: 229
 Report Date:04/29/2009

		Male				Female			
#Oral Cavity (Oral Mucosa, Tongue, Pharynx, Tooth, Gingiva): Squamous Cell Carcinoma, Papilloma Squamous, or Papilloma									
		1/50 (2%)	0/50 (0%)	2/50 (4%)		0/50 (0%)		1/50 (2%)	
		0/50 (0%)	1/50 (2%)			0/50 (0%)		0/50 (0%)	
Overall Incidence	Total	4/250 (1.6%)	Mean 1.6%	SD 1.67%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#Oral Mucosa: Squamous Cell Carcinoma									
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)		0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)		0/50 (0%)	
Overall Incidence	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Oral Mucosa: Squamous Cell Papilloma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)		0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)		0/50 (0%)	
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Ovary: Cystadenoma									
						0/50 (0%)		0/50 (0%)	
						0/50 (0%)		0/50 (0%)	
Overall Incidence	Total				Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Ovary: Granulosa Cell Tumor Benign									
						0/50 (0%)		0/50 (0%)	
						0/50 (0%)		0/50 (0%)	
Overall Incidence	Total				Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: FEED

Page: 230
Report Date:04/29/2009

	Male	Female
*Ovary:		
Granulosa Cell Tumor Malignant		
	0/50 (0%) 0/50 (0%)	2/50 (4%) 0/50 (0%)
Overall Incidence	Total 2/200 (1%)	Mean 1% SD 2%
.....		
*Ovary:		
Granulosa Cell Tumor: Benign, Malignant, NOS		
	0/50 (0%) 0/50 (0%)	2/50 (4%) 0/50 (0%)
Overall Incidence	Total 2/200 (1%)	Mean 1% SD 2%
.....		
*Ovary:		
Granulosa-Theca Tumor Benign		
	1/50 (2%) 0/50 (0%)	0/50 (0%) 0/50 (0%)
Overall Incidence	Total 1/200 (0.5%)	Mean 0.5% SD 1%
.....		
*Ovary:		
Granulosa-Theca Tumor Malignant		
	0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)
Overall Incidence	Total 0/200 (0%)	Mean 0% SD 0%
.....		
*Ovary:		
Tubulostromal Adenoma		
	0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)
Overall Incidence	Total 0/200 (0%)	Mean 0% SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: FEED

Page: 231
 Report Date: 04/29/2009

		Male				Female			
*Pancreas:									
Adenoma									
		0/49 (0%)	0/49 (0%)	0/50 (0%)		0/49 (0%)	0/49 (0%)	0/48 (0%)	0/49 (0%)
		1/50 (2%)	2/50 (4%)			0/49 (0%)			
Overall Incidence	Total	3/248 (1.21%)	Mean 1.2%	SD 1.79%	Total	0/195 (0%)	Mean 0%	SD 0%	
.....									
*Pancreas:									
Carcinoma									
		0/49 (0%)	0/49 (0%)	0/50 (0%)		0/49 (0%)	0/49 (0%)	0/48 (0%)	0/49 (0%)
		0/50 (0%)	0/50 (0%)			0/49 (0%)			
Overall Incidence	Total	0/248 (0%)	Mean 0%	SD 0%	Total	0/195 (0%)	Mean 0%	SD 0%	
.....									
*Pancreas:									
Carcinoma or Adenoma									
		0/49 (0%)	0/49 (0%)	0/50 (0%)		0/49 (0%)	0/49 (0%)	0/48 (0%)	0/49 (0%)
		1/50 (2%)	2/50 (4%)			0/49 (0%)			
Overall Incidence	Total	3/248 (1.21%)	Mean 1.2%	SD 1.79%	Total	0/195 (0%)	Mean 0%	SD 0%	
.....									
*Pancreas:									
Mixed Tumor Benign									
		0/49 (0%)	0/49 (0%)	0/50 (0%)		0/49 (0%)	0/49 (0%)	0/48 (0%)	0/49 (0%)
		0/50 (0%)	0/50 (0%)			0/49 (0%)			
Overall Incidence	Total	0/248 (0%)	Mean 0%	SD 0%	Total	0/195 (0%)	Mean 0%	SD 0%	
.....									
*Pancreas:									
Mixed Tumor Malignant									
		0/49 (0%)	0/49 (0%)	1/50 (2%)		0/49 (0%)	0/49 (0%)	0/48 (0%)	0/49 (0%)
		0/50 (0%)	0/50 (0%)			0/49 (0%)			
Overall Incidence	Total	1/248 (0.4%)	Mean 0.4%	SD 0.89%	Total	0/195 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: FEED

Page: 232
 Report Date:04/29/2009

		Male				Female			
*Parathyroid Gland:									
Adenoma									
		1/45 (2%)	1/46 (2%)	0/49 (0%)		0/48 (0%)	0/49 (0%)		
		1/48 (2%)	0/50 (0%)			0/50 (0%)	0/49 (0%)		0/49 (0%)
Overall Incidence	Total	3/238 (1.26%)	Mean 1.3%	SD 1.18%	Total	0/196 (0%)	Mean 0%	SD 0%	
.....									
#Peripheral Nerve:									
Schwannoma Malignant									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)		0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		0/50 (0%)
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Peripheral Nerve:									
Schwannoma: Benign, Malignant, NOS									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)		0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		0/50 (0%)
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Pituitary Gland: Pars Distalis or Unspecified Site:									
Adenoma									
		10/50 (20%)	20/50 (40%)	8/50 (16%)		24/49 (49%)	25/50 (50%)		
		16/49 (33%)	13/50 (26%)			29/48 (60%)	20/50 (40%)		
Overall Incidence	Total	67/249 (26.91%)	Mean 26.93%	SD 9.64%	Total	98/197 (49.75%)	Mean 49.85%	SD 8.36%	
.....									
*Pituitary Gland: Pars Distalis or Unspecified Site:									
Carcinoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/49 (2%)	0/50 (0%)		0/50 (0%)
		0/49 (0%)	0/50 (0%)			0/48 (0%)	1/50 (2%)		0/50 (0%)
Overall Incidence	Total	0/249 (0%)	Mean 0%	SD 0%	Total	2/197 (1.02%)	Mean 1.01%	SD 1.17%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: FEED

Page: 233
Report Date:04/29/2009

		Male				Female			
*Pituitary Gland: Pars Distalis or Unspecified Site: Carcinoma or Adenoma									
		10/50 (20%)	20/50 (40%)	8/50 (16%)		25/49 (51%)	21/50 (42%)	25/50 (50%)	
		16/49 (33%)	13/50 (26%)			29/48 (60%)			
Overall Incidence	Total	67/249 (26.91%)	Mean 26.93%	SD 9.64%	Total	100/197 (50.76%)	Mean 50.86%	SD 7.54%	
.....									
*Pituitary Gland: Pars Distalis or Unspecified Site: Ganglioneuroma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)			0/48 (0%)			
Overall Incidence	Total	0/249 (0%)	Mean 0%	SD 0%	Total	0/197 (0%)	Mean 0%	SD 0%	
.....									
*Pituitary Gland: Pars Intermedia: Adenoma									
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)			0/48 (0%)			
Overall Incidence	Total	1/249 (0.4%)	Mean 0.4%	SD 0.89%	Total	0/197 (0%)	Mean 0%	SD 0%	
.....									
*Pituitary Gland: Pars Intermedia: Carcinoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)			0/48 (0%)			
Overall Incidence	Total	0/249 (0%)	Mean 0%	SD 0%	Total	0/197 (0%)	Mean 0%	SD 0%	
.....									
*Pituitary Gland: Pars Intermedia: Carcinoma or Adenoma									
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)			0/48 (0%)			
Overall Incidence	Total	1/249 (0.4%)	Mean 0.4%	SD 0.89%	Total	0/197 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: FEED

Page: 234
 Report Date: 04/29/2009

		Male				Female			
*Prostate:									
Adenoma									
		0/50	(0%)	0/50	(0%)	1/50	(2%)		
		0/50	(0%)	0/50	(0%)				
Overall Incidence	Total	1/250	(0.4%)	Mean	0.4%	SD	0.89%		
.....									
*Prostate:									
Carcinoma or Adenoma									
		0/50	(0%)	0/50	(0%)	1/50	(2%)		
		0/50	(0%)	0/50	(0%)				
Overall Incidence	Total	1/250	(0.4%)	Mean	0.4%	SD	0.89%		
.....									
*Salivary Glands:									
Sarcoma									
		0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/48	(0%)			0/50	(0%)
Overall Incidence	Total	0/247	(0%)	Mean	0%	SD	0%	Total	0/200 (0%) Mean 0% SD 0%
.....									
#Seminal Vesicle:									
Adenoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)				
Overall Incidence	Total	0/250	(0%)	Mean	0%	SD	0%		
.....									
#Skeletal Muscle:									
Fibrous Histiocytoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)			0/50	(0%)
Overall Incidence	Total	0/250	(0%)	Mean	0%	SD	0%	Total	0/200 (0%) Mean 0% SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: FEED

Page: 235
Report Date:04/29/2009

		Male				Female			
#Skeletal Muscle: Hemangioma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skeletal Muscle: Hemangiosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skeletal Muscle: Lipoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skeletal Muscle: Rhabdomyosarcoma									
		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skeletal Muscle: Rhabdomyosarcoma or Rhabdomyoma									
		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: FEED

Page: 236
 Report Date:04/29/2009

		Male				Female			
#Skeletal Muscle:									
Sarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Basal Cell Adenoma									
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	2/250 (0.8%)	Mean 0.8%	SD 1.1%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Basal Cell Adenoma or Basosquamous Tumor Benign									
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	2/250 (0.8%)	Mean 0.8%	SD 1.1%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Basal Cell Adenoma, Basosquamous Tumor Benign, or Trichoepithelioma									
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		1/50 (2%)	0/50 (0%)			1/50 (2%)	0/50 (0%)		
Overall Incidence	Total	2/250 (0.8%)	Mean 0.8%	SD 1.1%	Total	2/200 (1%)	Mean 1%	SD 1.15%	
.....									
#Skin:									
Basal Cell Carcinoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: FEED

Page: 237
 Report Date:04/29/2009

		Male				Female			
#Skin:									
Basal Cell Carcinoma or Basosquamous Tumor (malignant or NOS)									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)			0/50 (0%)		0/50 (0%)	
Overall Incidence	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Basal Cell Carcinoma, Basal Cell Adenoma, Basosquamous Tumor (benign, malignant or NOS), or Trichoepithelioma									
		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)		
		1/50 (2%)	1/50 (2%)			1/50 (2%)	0/50 (0%)		
Overall Incidence	Total	3/250 (1.2%)	Mean 1.2%	SD 1.1%	Total	2/200 (1%)	Mean 1%	SD 1.15%	
.....									
#Skin:									
Basal or Sq. Cell Carcinoma, Carcinoma, Basosq. Tumor (M or B), Basal Cell Adenoma, Adenoma, Papilloma, Sq Papilloma, Keratoacanthoma, Trichoepithelioma									
		4/50 (8%)	1/50 (2%)	2/50 (4%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	1/50 (2%)	
		3/50 (6%)	6/50 (12%)		2/50 (4%)				
Overall Incidence	Total	16/250 (6.4%)	Mean 6.4%	SD 3.85%	Total	4/200 (2%)	Mean 2%	SD 1.63%	
.....									
#Skin:									
Fibroma									
		4/50 (8%)	1/50 (2%)	5/50 (10%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	1/50 (2%)	
		8/50 (16%)	3/50 (6%)		1/50 (2%)				
Overall Incidence	Total	21/250 (8.4%)	Mean 8.4%	SD 5.18%	Total	3/200 (1.5%)	Mean 1.5%	SD 1%	
.....									
#Skin:									
Fibroma, Fibrosarcoma, Sarcoma, Myxoma, Myxosarcoma, or Fibrous Histiocytoma									
		4/50 (8%)	4/50 (8%)	5/50 (10%)	0/50 (0%)	0/50 (0%)	3/50 (6%)		
		8/50 (16%)	4/50 (8%)		1/50 (2%)				
Overall Incidence	Total	25/250 (10%)	Mean 10%	SD 3.46%	Total	5/200 (2.5%)	Mean 2.5%	SD 2.52%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: FEED

Page: 238
 Report Date:04/29/2009

		Male				Female			
#Skin:									
Fibrosarcoma									
		0/50 (0%)	2/50 (4%)	0/50 (0%)		0/50 (0%)		0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)		1/50 (2%)	0/50 (0%)
Overall Incidence	Total	2/250 (0.8%)	Mean 0.8%	SD 1.79%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#Skin:									
Fibrosarcoma, Sarcoma, Myxosarcoma, or Fibrous Histiocytoma									
		0/50 (0%)	3/50 (6%)	0/50 (0%)		0/50 (0%)		2/50 (4%)	
		0/50 (0%)	1/50 (2%)			0/50 (0%)		1/50 (2%)	0/50 (0%)
Overall Incidence	Total	4/250 (1.6%)	Mean 1.6%	SD 2.61%	Total	3/200 (1.5%)	Mean 1.5%	SD 1.91%	
.....									
#Skin:									
Fibrous Histiocytoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)		0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)		0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Hemangioma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)		0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)		0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Hemangiosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)		0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)		0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: FEED

Page: 239
 Report Date:04/29/2009

		Male				Female			
#Skin:									
Keratoacanthoma									
		3/50 (6%)	1/50 (2%)	2/50 (4%)		0/50 (0%)		0/50 (0%)	
		1/50 (2%)	4/50 (8%)			0/50 (0%)		0/50 (0%)	
Overall Incidence	Total	11/250 (4.4%)	Mean 4.4%	SD 2.61%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Lipoma									
		0/50 (0%)	1/50 (2%)	1/50 (2%)		0/50 (0%)		0/50 (0%)	
		0/50 (0%)	1/50 (2%)			0/50 (0%)		0/50 (0%)	
Overall Incidence	Total	3/250 (1.2%)	Mean 1.2%	SD 1.1%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Liposarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)		0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)		0/50 (0%)	
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Neural Crest Tumor									
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)		1/50 (2%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)		0/50 (0%)	
Overall Incidence	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#Skin:									
Neural Crest Tumor, Malignant									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)		0/50 (0%)	
		0/50 (0%)	1/50 (2%)			0/50 (0%)		0/50 (0%)	
Overall Incidence	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: FEED

Page: 240
 Report Date:04/29/2009

		Male				Female			
#Skin:									
Neurofibroma or Schwannoma benign									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Neurofibrosarcoma or Schwannoma (malignant or NOS)									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Neurofibrosarcoma, Neurofibroma, or Schwannoma (benign, malignant or NOS)									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Sarcoma									
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	2/50 (4%)	
		0/50 (0%)	1/50 (2%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	2/50 (4%)
Overall Incidence	Total	2/250 (0.8%)	Mean 0.8%	SD 1.1%	Total	2/200 (1%)	Mean 1%	SD 2%	
.....									
#Skin:									
Schwannoma Benign									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: FEED

Page: 241
 Report Date:04/29/2009

		Male				Female			
#Skin:									
Schwannoma Malignant									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)		0/50 (0%)	
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Squamous Cell Carcinoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	1/50 (2%)			0/50 (0%)			
Overall Incidence	Total	2/250 (0.8%)	Mean 0.8%	SD 1.1%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#Skin:									
Squamous Cell Carcinoma, Basal Cell Carcinoma, Basosquamous Tumor (malignant or NOS), or Carcinoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	2/50 (4%)			0/50 (0%)			
Overall Incidence	Total	3/250 (1.2%)	Mean 1.2%	SD 1.79%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#Skin:									
Squamous Cell Papilloma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)			1/50 (2%)			
Overall Incidence	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#Skin:									
Squamous Cell Papilloma or Papilloma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)			1/50 (2%)			
Overall Incidence	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: FEED

Page: 242
 Report Date:04/29/2009

		Male				Female			
#Skin:									
Squamous Cell Papilloma, Papilloma, Squamous Cell Carcinoma or Keratoacanthoma									
		3/50 (6%)	1/50 (2%)	2/50 (4%)		0/50 (0%)		0/50 (0%)	
		2/50 (4%)	6/50 (12%)			1/50 (2%)		1/50 (2%)	
Overall Incidence	Total	14/250 (5.6%)	Mean 5.6%	SD 3.85%	Total	2/200 (1%)	Mean 1%	SD 1.15%	
.....									
#Skin:									
Squamous Cell Papilloma, Papilloma, or Keratoacanthoma									
		3/50 (6%)	1/50 (2%)	2/50 (4%)		0/50 (0%)		0/50 (0%)	
		1/50 (2%)	5/50 (10%)			1/50 (2%)		0/50 (0%)	
Overall Incidence	Total	12/250 (4.8%)	Mean 4.8%	SD 3.35%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#Skin:									
Trichoepithelioma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)		1/50 (2%)	
		0/50 (0%)	0/50 (0%)			1/50 (2%)		0/50 (0%)	
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	2/200 (1%)	Mean 1%	SD 1.15%	
.....									
#Skin: Sebaceous Gland:									
Adenoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)		0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)		0/50 (0%)	
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skin: Sebaceous Gland:									
Carcinoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)		0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)		0/50 (0%)	
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: FEED

Page: 243
Report Date:04/29/2009

		Male				Female			
#Skin: Sebaceous Gland:									
 Carcinoma or Adenoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/250	(0%)	Mean 0%	SD 0%	Total	0/200	(0%)	Mean 0%
#Spinal Cord:									
 Astrocytoma Benign									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/250	(0%)	Mean 0%	SD 0%	Total	0/200	(0%)	Mean 0%
#Spinal Cord:									
 Astrocytoma Malignant									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/250	(0%)	Mean 0%	SD 0%	Total	0/200	(0%)	Mean 0%
#Spinal Cord:									
 Glioma Malignant									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/250	(0%)	Mean 0%	SD 0%	Total	0/200	(0%)	Mean 0%
*Spleen:									
 Fibrosarcoma									
		0/50	(0%)	0/49	(0%)	0/49	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)
Overall Incidence	Total	0/248	(0%)	Mean 0%	SD 0%	Total	0/198	(0%)	Mean 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: FEED

Page: 244
 Report Date:04/29/2009

		Male				Female			
*Spleen:									
Fibrous Histiocytoma									
		0/50 (0%)	0/49 (0%)	1/49 (2%)		0/50 (0%)		0/49 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)		0/49 (0%)	
Overall Incidence	Total	1/248 (0.4%)	Mean 0.41%	SD 0.91%	Total	0/198 (0%)	Mean 0%	SD 0%	
.....									
*Spleen:									
Hemangioma									
		0/50 (0%)	0/49 (0%)	0/49 (0%)		0/50 (0%)		0/49 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)		0/49 (0%)	
Overall Incidence	Total	0/248 (0%)	Mean 0%	SD 0%	Total	0/198 (0%)	Mean 0%	SD 0%	
.....									
*Spleen:									
Hemangiosarcoma									
		1/50 (2%)	0/49 (0%)	0/49 (0%)		0/50 (0%)		0/49 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)		0/49 (0%)	
Overall Incidence	Total	1/248 (0.4%)	Mean 0.4%	SD 0.89%	Total	0/198 (0%)	Mean 0%	SD 0%	
.....									
*Spleen:									
Leiomyosarcoma									
		1/50 (2%)	0/49 (0%)	0/49 (0%)		0/50 (0%)		0/49 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)		0/49 (0%)	
Overall Incidence	Total	1/248 (0.4%)	Mean 0.4%	SD 0.89%	Total	0/198 (0%)	Mean 0%	SD 0%	
.....									
*Spleen:									
Sarcoma									
		0/50 (0%)	0/49 (0%)	0/49 (0%)		0/50 (0%)		0/49 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)		0/49 (0%)	
Overall Incidence	Total	0/248 (0%)	Mean 0%	SD 0%	Total	0/198 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: FEED

Page: 245
 Report Date:04/29/2009

		Male				Female			
#Stomach, Forestomach:									
Leiomyosarcoma									
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)		0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)		0/50 (0%)	
Overall Incidence	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Stomach, Forestomach:									
Squamous Cell Carcinoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)		0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)		0/50 (0%)	
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Stomach, Forestomach:									
Squamous Cell Carcinoma or Papilloma Squamous									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)		1/50 (2%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)		0/50 (0%)	
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#Stomach, Forestomach:									
Squamous Cell Papilloma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)		1/50 (2%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)		0/50 (0%)	
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#Stomach, Glandular:									
Lipoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)		0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)		0/50 (0%)	
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: FEED

Page: 246
 Report Date:04/29/2009

		Male				Female			
#Stomach, Glandular:									
Sarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)		0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)		0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Testes:									
Adenoma									
		46/50 (92%)	49/50 (98%)	42/50 (84%)					
		46/50 (92%)	46/50 (92%)						
Overall Incidence	Total	229/250 (91.6%)	Mean 91.6%	SD 4.98%					
.....									
*Thymus:									
Sarcoma									
		0/48 (0%)	0/47 (0%)	0/48 (0%)		0/46 (0%)		0/49 (0%)	
		0/48 (0%)	0/41 (0%)			0/47 (0%)		0/50 (0%)	
Overall Incidence	Total	0/232 (0%)	Mean 0%	SD 0%	Total	0/192 (0%)	Mean 0%	SD 0%	
.....									
*Thymus:									
Thymoma Benign									
		0/48 (0%)	0/47 (0%)	1/48 (2%)		0/46 (0%)		0/49 (0%)	
		0/48 (0%)	0/41 (0%)			0/47 (0%)		0/50 (0%)	
Overall Incidence	Total	1/232 (0.43%)	Mean 0.42%	SD 0.93%	Total	0/192 (0%)	Mean 0%	SD 0%	
.....									
*Thymus:									
Thymoma Malignant									
		0/48 (0%)	0/47 (0%)	0/48 (0%)		0/46 (0%)		0/49 (0%)	
		0/48 (0%)	0/41 (0%)			0/47 (0%)		0/50 (0%)	
Overall Incidence	Total	0/232 (0%)	Mean 0%	SD 0%	Total	0/192 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: FEED

Page: 247
 Report Date:04/29/2009

		Male				Female			
*Thymus:									
Thymoma NOS									
		0/48 (0%)	0/47 (0%)	0/48 (0%)		0/46 (0%)	0/49 (0%)		
		0/48 (0%)	0/41 (0%)			0/47 (0%)	0/50 (0%)		
Overall Incidence	Total	0/232 (0%)	Mean 0%	SD 0%	Total	0/192 (0%)	Mean 0%	SD 0%	
.....									
*Thymus:									
Thymoma: Benign, Malignant, NOS									
		0/48 (0%)	0/47 (0%)	1/48 (2%)		0/46 (0%)	0/49 (0%)		
		0/48 (0%)	0/41 (0%)			0/47 (0%)	0/50 (0%)		
Overall Incidence	Total	1/232 (0.43%)	Mean 0.42%	SD 0.93%	Total	0/192 (0%)	Mean 0%	SD 0%	
.....									
*Thyroid Gland: C-Cell:									
Adenoma									
		5/50 (10%)	6/50 (12%)	7/50 (14%)		3/49 (6%)	4/50 (8%)		
		11/47 (23%)	5/48 (10%)			10/47 (21%)	2/47 (4%)		
Overall Incidence	Total	34/245 (13.88%)	Mean 13.96%	SD 5.51%	Total	19/193 (9.84%)	Mean 9.91%	SD 7.73%	
.....									
*Thyroid Gland: C-Cell:									
Carcinoma									
		4/50 (8%)	1/50 (2%)	1/50 (2%)		1/49 (2%)	1/50 (2%)		
		0/47 (0%)	1/48 (2%)			1/47 (2%)	0/47 (0%)		
Overall Incidence	Total	7/245 (2.86%)	Mean 2.82%	SD 3.03%	Total	3/193 (1.55%)	Mean 1.54%	SD 1.03%	
.....									
*Thyroid Gland: C-Cell:									
Carcinoma or Adenoma									
		9/50 (18%)	7/50 (14%)	8/50 (16%)		4/49 (8%)	5/50 (10%)		
		11/47 (23%)	6/48 (13%)			11/47 (23%)	2/47 (4%)		
Overall Incidence	Total	41/245 (16.73%)	Mean 16.78%	SD 4.24%	Total	22/193 (11.4%)	Mean 11.46%	SD 8.32%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: FEED

Page: 248
 Report Date:04/29/2009

		Male				Female			
*Thyroid Gland: Follicular Cell: Adenoma									
		2/50 (4%)	0/50 (0%)	0/50 (0%)		0/49 (0%)		0/50 (0%)	
		0/47 (0%)	0/48 (0%)			2/47 (4%)		0/47 (0%)	
Overall Incidence	Total	2/245 (0.82%)	Mean 0.8%	SD 1.79%	Total	2/193 (1.04%)	Mean 1.06%	SD 2.13%	
.....									
*Thyroid Gland: Follicular Cell: Carcinoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)		0/50 (0%)	
		0/47 (0%)	0/48 (0%)			0/47 (0%)		1/47 (2%)	
Overall Incidence	Total	0/245 (0%)	Mean 0%	SD 0%	Total	1/193 (0.52%)	Mean 0.53%	SD 1.06%	
.....									
*Thyroid Gland: Follicular Cell: Carcinoma or Adenoma									
		2/50 (4%)	0/50 (0%)	0/50 (0%)		0/49 (0%)		0/50 (0%)	
		0/47 (0%)	0/48 (0%)			2/47 (4%)		1/47 (2%)	
Overall Incidence	Total	2/245 (0.82%)	Mean 0.8%	SD 1.79%	Total	3/193 (1.55%)	Mean 1.6%	SD 2.04%	
.....									
#Tissue NOS: Lipoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)		0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)		0/50 (0%)	
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Tissue NOS: Paraganglioma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)		0/50 (0%)	
		0/50 (0%)	1/50 (2%)			0/50 (0%)		0/50 (0%)	
Overall Incidence	Total	1/250 (0.4%)	Mean 0.4%	SD 0.89%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: FEED

Page: 249
 Report Date:04/29/2009

		Male				Female			
#Tissue NOS:									
Schwannoma Malignant									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			1/50 (2%)		0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#Tongue:									
Squamous Cell Carcinoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)		0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Tongue:									
Squamous Cell Carcinoma or Papilloma Squamous									
		1/50 (2%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)	1/50 (2%)			0/50 (0%)		0/50 (0%)	0/50 (0%)
Overall Incidence	Total	3/250 (1.2%)	Mean 1.2%	SD 1.1%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#Tongue:									
Squamous Cell Papilloma									
		1/50 (2%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)	1/50 (2%)			0/50 (0%)		0/50 (0%)	0/50 (0%)
Overall Incidence	Total	3/250 (1.2%)	Mean 1.2%	SD 1.1%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#Tooth:									
Adamantinoma Malignant									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)		0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: FEED

Page: 250
Report Date:04/29/2009

		Male				Female			
#Tooth:									
Odontoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/250	(0%)	Mean 0%	SD 0%	Total	0/200	(0%)	Mean 0%
									SD 0%
.....									
*Urinary Bladder:									
Carcinoma									
		0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)
		0/49	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)
Overall Incidence	Total	0/248	(0%)	Mean 0%	SD 0%	Total	0/199	(0%)	Mean 0%
									SD 0%
.....									
*Urinary Bladder:									
Carcinoma or Papilloma									
		0/50	(0%)	1/49	(2%)	0/50	(0%)	0/50	(0%)
		0/49	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)
Overall Incidence	Total	1/248	(0.4%)	Mean 0.41%	SD 0.91%	Total	0/199	(0%)	Mean 0%
									SD 0%
.....									
*Urinary Bladder:									
Hemangiosarcoma									
		0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)
		0/49	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)
Overall Incidence	Total	0/248	(0%)	Mean 0%	SD 0%	Total	0/199	(0%)	Mean 0%
									SD 0%
.....									
*Urinary Bladder:									
Leiomyosarcoma									
		0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)
		0/49	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)
Overall Incidence	Total	0/248	(0%)	Mean 0%	SD 0%	Total	0/199	(0%)	Mean 0%
									SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: FEED

Page: 251
Report Date:04/29/2009

		Male				Female			
*Urinary Bladder:									
Papilloma									
		0/50	(0%)	1/49	(2%)	0/50	(0%)	0/50	(0%)
		0/49	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)
Overall Incidence	Total	1/248	(0.4%)	Mean	0.41%	SD	0.91%	Total	0/199 (0%)
									Mean 0%
									SD 0%
.....									
#Uterus:									
Adenoma									
						0/50	(0%)		0/50 (0%)
						0/50	(0%)	1/50	(2%)
Overall Incidence	Total					1/200	(0.5%)	Mean	0.5%
									SD 1%
.....									
#Uterus:									
Carcinoma									
						0/50	(0%)		0/50 (0%)
						0/50	(0%)	0/50	(0%)
Overall Incidence	Total					0/200	(0%)	Mean	0%
									SD 0%
.....									
#Uterus:									
Deciduoma Benign									
						0/50	(0%)		0/50 (0%)
						0/50	(0%)	0/50	(0%)
Overall Incidence	Total					0/200	(0%)	Mean	0%
									SD 0%
.....									
#Uterus:									
Hemangioma									
						0/50	(0%)		0/50 (0%)
						0/50	(0%)	0/50	(0%)
Overall Incidence	Total					0/200	(0%)	Mean	0%
									SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: FEED

Page: 252
 Report Date:04/29/2009

	Male	Female
#Uterus:		
Hemangiosarcoma		
	0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)
Overall Incidence	Total 0/200 (0%)	Mean 0% SD 0%
.....		
#Uterus:		
Leiomyoma		
	0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)
Overall Incidence	Total 0/200 (0%)	Mean 0% SD 0%
.....		
#Uterus:		
Leiomyosarcoma		
	0/50 (0%) 0/50 (0%)	1/50 (2%) 0/50 (0%)
Overall Incidence	Total 1/200 (0.5%)	Mean 0.5% SD 1%
.....		
#Uterus:		
Polyp Stromal		
	10/50 (20%) 16/50 (32%)	14/50 (28%) 10/50 (20%)
Overall Incidence	Total 50/200 (25%)	Mean 25% SD 6%
.....		
#Uterus:		
Sarcoma Stromal		
	0/50 (0%) 1/50 (2%)	0/50 (0%) 0/50 (0%)
Overall Incidence	Total 1/200 (0.5%)	Mean 0.5% SD 1%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: FEED

Page: 253
Report Date:04/29/2009

		Male			Female		
#Uterus:							
Sarcoma Stromal or Polyp Stromal							
			10/50 (20%)			14/50 (28%)	
			17/50 (34%)		10/50 (20%)		
Overall Incidence		Total	51/200 (25.5%)		Mean 25.5%		SD 6.81%
.....							
#Uterus:							
Schwannoma Malignant							
			0/50 (0%)			0/50 (0%)	
			0/50 (0%)		0/50 (0%)		
Overall Incidence		Total	0/200 (0%)		Mean 0%		SD 0%
.....							
#Vagina:							
Polyp							
			0/50 (0%)			0/50 (0%)	
			0/50 (0%)		0/50 (0%)		
Overall Incidence		Total	0/200 (0%)		Mean 0%		SD 0%
.....							
#Vagina:							
Sarcoma							
			0/50 (0%)			0/50 (0%)	
			0/50 (0%)		0/50 (0%)		
Overall Incidence		Total	0/200 (0%)		Mean 0%		SD 0%
.....							
#Zymbal's Gland:							
Adenoma							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)		0/50 (0%)		
Overall Incidence	Total	0/250 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0% SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: FEED

Page: 254
 Report Date:04/29/2009

		Male				Female			
#Zymbal's Gland: Carcinoma									
		0/50 (0%)	1/50 (2%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		3/50 (6%)	0/50 (0%)			0/50 (0%)			
Overall Incidence	Total	4/250 (1.6%)	Mean 1.6%	SD 2.61%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#Zymbal's Gland: Carcinoma or Adenoma									
		0/50 (0%)	1/50 (2%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		3/50 (6%)	0/50 (0%)			0/50 (0%)			
Overall Incidence	Total	4/250 (1.6%)	Mean 1.6%	SD 2.61%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ORAL
 Vehicle: WATER

Page: 255
 Report Date:04/29/2009

Study Summary

Laboratory Name	Study Number	Study Start Date	Length of Study in Days	Number of Animals Total and (#/Cage)	Number Surviving and (Mean Life Span)	Maximum Mean Weekly Body Weight	Chemical
Male							
Southern Research Institute	052011407	10/02/02	730	50 (3)	28(696)	532.4	Sodium dichromate dihydrate (VI)
Southern Research Institute	059601905	09/26/01	729	50 (3)	31(686)	526.0	Water disinfection byproducts (Bromochloroacetic acid)
Southern Research Institute	059601705	03/08/00	729	50 (3)	34(683)	522.9	Water disinfection byproducts (Dibromoacetic acid)
Southern Research Institute	059601505	09/05/01	729	50 (3)	31(692)	507.8	Water disinfection byproducts (Dibromoacetonitrile)
Female							
Southern Research Institute	052011407	10/02/02	735	50 (5)	33(700)	351.2	Sodium dichromate dihydrate (VI)
Southern Research Institute	059601905	09/26/01	731	50 (5)	34(688)	357.3	Water disinfection byproducts (Bromochloroacetic acid)
Southern Research Institute	059601705	03/08/00	734	50 (5)	35(693)	350.5	Water disinfection byproducts (Dibromoacetic acid)
Southern Research Institute	059601505	09/05/01	734	50 (5)	29(689)	337.6	Water disinfection byproducts (Dibromoacetonitrile)

NOTE: The text on page 2 ("Report Description") describes how the studies listed here are displayed on the data pages that follow.

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: WATER

Page: 256
Report Date:04/29/2009

		Male			Female		
#All Organs:							
Benign Tumors							
		49/50 (98%)	50/50 (100%)	47/50 (94%)	47/50 (94%)	49/50 (98%)	42/50 (84%)
		50/50 (100%)			44/50 (88%)		
Overall Incidence	Total	196/200 (98%)	Mean 98%	SD 2.83%	Total	182/200 (91%)	Mean 91% SD 6.22%
.....							
#All Organs:							
Malignant Tumors							
		29/50 (58%)	27/50 (54%)	29/50 (58%)	20/50 (40%)	18/50 (36%)	16/50 (32%)
		27/50 (54%)			20/50 (40%)		
Overall Incidence	Total	112/200 (56%)	Mean 56%	SD 2.31%	Total	74/200 (37%)	Mean 37% SD 3.83%
.....							
#All Organs:							
Malignant and Benign Tumors							
		50/50 (100%)	50/50 (100%)	50/50 (100%)	49/50 (98%)	49/50 (98%)	45/50 (90%)
		50/50 (100%)			48/50 (96%)		
Overall Incidence	Total	200/200 (100%)	Mean 100%	SD 0%	Total	191/200 (95.5%)	Mean 95.5% SD 3.79%
.....							
#All Organs:							
Hemangioma							
		1/50 (2%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)			0/50 (0%)		
Overall Incidence	Total	2/200 (1%)	Mean 1%	SD 1.15%	Total	0/200 (0%)	Mean 0% SD 0%
.....							
#All Organs:							
Hemangiosarcoma							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)			1/50 (2%)		
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5% SD 1%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: WATER

Page: 257
 Report Date: 04/29/2009

		Male				Female			
#All Organs:									
Hemangiosarcoma or Hemangioma									
		1/50 (2%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				1/50 (2%)			
Overall Incidence	Total	2/200 (1%)	Mean 1%	SD 1.15%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#All Organs:									
Histiocytic Sarcoma									
		0/50 (0%)	0/50 (0%)	2/50 (4%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	2/200 (1%)	Mean 1%	SD 2%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#All Organs:									
Leukemia: Erythrocytic									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#All Organs:									
Leukemia: Lymphocytic, Monocytic, Mononuclear, or Undifferentiated									
		26/50 (52%)	21/50 (42%)	17/50 (34%)	8/50 (16%)	15/50 (30%)	11/50 (22%)		
		21/50 (42%)			14/50 (28%)				
Overall Incidence	Total	85/200 (42.5%)	Mean 42.5%	SD 7.37%	Total	48/200 (24%)	Mean 24%	SD 6.32%	
.....									
#All Organs:									
Malignant Lymphoma: Histiocytic, Lymphocytic, Mixed, NOS, or Undifferentiated Cell Type									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				1/50 (2%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: WATER

Page: 258
 Report Date: 04/29/2009

		Male				Female			
#All Organs:									
Mesothelioma: Benign									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#All Organs:									
Mesothelioma: Benign, Malignant, NOS									
		2/50 (4%)	1/50 (2%)	3/50 (6%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	6/200 (3%)	Mean 3%	SD 2.58%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#All Organs:									
Mesothelioma: Malignant									
		2/50 (4%)	1/50 (2%)	3/50 (6%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	6/200 (3%)	Mean 3%	SD 2.58%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#All Organs:									
Osteoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#All Organs:									
Osteosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: WATER

Page: 259
 Report Date:04/29/2009

		Male				Female			
#All Organs:									
Osteosarcoma or Osteoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
*Adrenal Cortex:									
Adenoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		1/50 (2%)	0/50 (0%)	1/49 (2%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	2/199 (1.01%)	Mean 1.01%	SD 1.17%	
.....									
*Adrenal Cortex:									
Carcinoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/199 (0%)	Mean 0%	SD 0%	
.....									
*Adrenal Medulla:									
Ganglioneuroma									
		0/49 (0%)	0/50 (0%)	0/49 (0%)		0/49 (0%)	0/49 (0%)	0/49 (0%)	
		0/50 (0%)				0/49 (0%)			
Overall Incidence	Total	0/198 (0%)	Mean 0%	SD 0%	Total	0/196 (0%)	Mean 0%	SD 0%	
.....									
*Adrenal Medulla:									
Hemangioma									
		0/49 (0%)	0/50 (0%)	0/49 (0%)		0/49 (0%)	0/49 (0%)	0/49 (0%)	
		0/50 (0%)				0/49 (0%)			
Overall Incidence	Total	0/198 (0%)	Mean 0%	SD 0%	Total	0/196 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: WATER

Page: 260
 Report Date:04/29/2009

		Male				Female			
*Adrenal Medulla: Pheochromocytoma Benign									
		6/49 (12%)	9/50 (18%)	7/49 (14%)		2/49 (4%)	2/49 (4%)	1/49 (2%)	
		10/50 (20%)				1/49 (2%)			
Overall Incidence	Total	32/198 (16.16%)	Mean 16.13%	SD 3.51%	Total	6/196 (3.06%)	Mean 3.06%	SD 1.18%	
.....									
*Adrenal Medulla: Pheochromocytoma Complex									
		0/49 (0%)	0/50 (0%)	0/49 (0%)		0/49 (0%)	0/49 (0%)	0/49 (0%)	
		0/50 (0%)				0/49 (0%)			
Overall Incidence	Total	0/198 (0%)	Mean 0%	SD 0%	Total	0/196 (0%)	Mean 0%	SD 0%	
.....									
*Adrenal Medulla: Pheochromocytoma Malignant									
		1/49 (2%)	1/50 (2%)	0/49 (0%)		1/49 (2%)	2/49 (4%)	0/49 (0%)	
		0/50 (0%)				0/49 (0%)			
Overall Incidence	Total	2/198 (1.01%)	Mean 1.01%	SD 1.17%	Total	3/196 (1.53%)	Mean 1.53%	SD 1.95%	
.....									
*Adrenal Medulla: Pheochromocytoma: Benign, Complex, Malignant, NOS									
		7/49 (14%)	10/50 (20%)	7/49 (14%)		3/49 (6%)	4/49 (8%)	1/49 (2%)	
		10/50 (20%)				1/49 (2%)			
Overall Incidence	Total	34/198 (17.17%)	Mean 17.14%	SD 3.3%	Total	9/196 (4.59%)	Mean 4.59%	SD 3.06%	
.....									
#Bone: Chondrosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				1/50 (2%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: WATER

Page: 261
Report Date:04/29/2009

		Male				Female			
#Bone:									
Chondrosarcoma or Chondroma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				1/50 (2%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#Bone:									
Chordoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Bone:									
Osteoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Bone:									
Osteosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#Bone:									
Osteosarcoma or Osteoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: WATER

Page: 262
 Report Date:04/29/2009

		Male				Female			
*Brain:									
Astrocytoma Malignant									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Brain:									
Ependymoma Benign									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Brain:									
Ependymoma Malignant									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Brain:									
Glioma Malignant									
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Brain:									
Granular Cell Tumor Benign									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: WATER

Page: 263
 Report Date:04/29/2009

		Male				Female			
*Brain:									
Medulloblastoma Mal									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Brain:									
Meningioma Malignant									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
*Brain:									
Meningioma: Benign, Malignant, NOS									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
*Brain:									
Oligodendroglioma Benign									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Brain:									
Oligodendroglioma Malignant									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: WATER

Page: 264
Report Date:04/29/2009

		Male				Female			
*Brain:									
Oligodendroglioma, Glioma, or Astrocytoma									
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Brain:									
Osteosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Brain:									
Schwannoma Malignant									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Clitoral/Preputial Gland:									
Adenoma									
		4/50 (8%)	4/50 (8%)	3/50 (6%)		2/50 (4%)	17/50 (34%)	8/50 (16%)	
		1/48 (2%)				5/50 (10%)			
Overall Incidence	Total	12/198 (6.06%)	Mean 6.02%	SD 2.79%	Total	32/200 (16%)	Mean 16%	SD 12.96%	
.....									
*Clitoral/Preputial Gland:									
Carcinoma									
		1/50 (2%)	2/50 (4%)	0/50 (0%)		8/50 (16%)	0/50 (0%)	1/50 (2%)	
		0/48 (0%)				1/50 (2%)			
Overall Incidence	Total	3/198 (1.52%)	Mean 1.5%	SD 1.91%	Total	10/200 (5%)	Mean 5%	SD 7.39%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: WATER

Page: 265
Report Date:04/29/2009

		Male				Female			
*Clitoral/Preputial Gland: Carcinoma or Adenoma									
		4/50 (8%)	5/50 (10%)	3/50 (6%)		10/50 (20%)	17/50 (34%)	9/50 (18%)	
		1/48 (2%)				6/50 (12%)			
Overall Incidence	Total	13/198 (6.57%)	Mean 6.52%	SD 3.38%	Total	42/200 (21%)	Mean 21%	SD 9.31%	
.....									
*Clitoral/Preputial Gland: Fibrosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/48 (0%)				0/50 (0%)			
Overall Incidence	Total	0/198 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Clitoral/Preputial Gland: Sarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/48 (0%)				0/50 (0%)			
Overall Incidence	Total	0/198 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Clitoral/Preputial Gland: Squamous Cell Papilloma									
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/48 (0%)				0/50 (0%)			
Overall Incidence	Total	1/198 (0.51%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Ear: Neural Crest Tumor									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: WATER

Page: 266
Report Date: 04/29/2009

		Male				Female			
#Esophagus:									
Fibrosarcoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)			0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/200	(0%)	Mean	0%	SD	0%	Total	0/200 (0%) Mean 0% SD 0%
.....									
#Esophagus:									
Lipoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)			0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/200	(0%)	Mean	0%	SD	0%	Total	0/200 (0%) Mean 0% SD 0%
.....									
#Eye:									
Amelanotic Melanoma, Benign									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)			0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/200	(0%)	Mean	0%	SD	0%	Total	0/200 (0%) Mean 0% SD 0%
.....									
#Eye:									
Melanoma Malignant									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)			0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/200	(0%)	Mean	0%	SD	0%	Total	0/200 (0%) Mean 0% SD 0%
.....									
#Eye:									
Schwannoma Malignant									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)			0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/200	(0%)	Mean	0%	SD	0%	Total	0/200 (0%) Mean 0% SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: WATER

Page: 267
 Report Date:04/29/2009

		Male				Female			
#Harderian Gland: Carcinoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Harderian Gland: Carcinoma or Adenoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Heart: Schwannoma Benign									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)				1/50 (2%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	2/200 (1%)	Mean 1%	SD 1.15%	
.....									
*Heart: Schwannoma Malignant									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#Intestine Large: Colon/Rectum: Adenoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: WATER

Page: 268
Report Date:04/29/2009

		Male				Female			
#Intestine Large: Colon/Rectum: Carcinoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)				1/50 (2%)			
Overall Incidence	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#Intestine Large: Colon/Rectum: Carcinoma or Adenoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)				1/50 (2%)			
Overall Incidence	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#Intestine Large: Colon/Rectum: Hemangioma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Small: Duodenum: Carcinoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Small: Duodenum: Leiomyoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: WATER

Page: 269
Report Date:04/29/2009

		Male				Female			
#Intestine Small: Jejunum: Carcinoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Small: Jejunum: Granular Cell Tumor Malignant									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Small: Jejunum: Leiomyoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Small: Jejunum: Leiomyosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#Intestine Small: Site Unspecified: Carcinoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: WATER

Page: 270
 Report Date:04/29/2009

		Male				Female			
#Intestine Small: Site Unspecified: Carcinoma or Adenoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Small: Site Unspecified: Granular Cell Tumor Malignant									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Small: Site Unspecified: Leiomyoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#Intestine Small: Site Unspecified: Leiomyosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
*Islets, Pancreatic: Adenoma									
		4/50 (8%)	3/50 (6%)	5/48 (10%)		2/50 (4%)	3/49 (6%)	0/47 (0%)	
		5/49 (10%)				1/50 (2%)			
Overall Incidence	Total	17/197 (8.63%)	Mean 8.66%	SD 2.08%	Total	6/196 (3.06%)	Mean 3.03%	SD 2.63%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: WATER

Page: 271
 Report Date:04/29/2009

		Male				Female			
*Islets, Pancreatic: Carcinoma									
		0/50 (0%)	2/50 (4%)	0/48 (0%)		0/50 (0%)	0/49 (0%)	0/47 (0%)	
		1/49 (2%)				0/50 (0%)			
Overall Incidence	Total	3/197 (1.52%)	Mean 1.51%	SD 1.92%	Total	0/196 (0%)	Mean 0%	SD 0%	
.....									
*Islets, Pancreatic: Carcinoma or Adenoma									
		4/50 (8%)	5/50 (10%)	5/48 (10%)		2/50 (4%)	3/49 (6%)	0/47 (0%)	
		6/49 (12%)				1/50 (2%)			
Overall Incidence	Total	20/197 (10.15%)	Mean 10.17%	SD 1.74%	Total	6/196 (3.06%)	Mean 3.03%	SD 2.63%	
.....									
*Kidney: Pelvis and Transitional Epithelium: Carcinoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)				0/50 (0%)			
Overall Incidence	Total	0/198 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Kidney: Pelvis and Transitional Epithelium: Carcinoma or Adenoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)				0/50 (0%)			
Overall Incidence	Total	0/198 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Kidney: Pelvis and Transitional Epithelium: Papilloma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)				0/50 (0%)			
Overall Incidence	Total	0/198 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: WATER

Page: 272
 Report Date:04/29/2009

		Male				Female			
*Kidney: Renal Tubule: Adenoma									
		0/50 (0%)	0/50 (0%)	1/49 (2%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/49 (0%)				0/50 (0%)			
Overall Incidence	Total	1/198 (0.51%)	Mean 0.51%	SD 1.02%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
*Kidney: Renal Tubule: Carcinoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)				0/50 (0%)			
Overall Incidence	Total	0/198 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Kidney: Renal Tubule: Carcinoma or Adenoma									
		0/50 (0%)	0/50 (0%)	1/49 (2%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/49 (0%)				0/50 (0%)			
Overall Incidence	Total	1/198 (0.51%)	Mean 0.51%	SD 1.02%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
*Kidney: Renal Tubule: Hemangiosarcoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)				0/50 (0%)			
Overall Incidence	Total	0/198 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Kidney: Renal Tubule: Lipoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)				0/50 (0%)			
Overall Incidence	Total	0/198 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: WATER

Page: 273
 Report Date:04/29/2009

		Male				Female			
*Kidney: Renal Tubule: Mesenchymal Tumor Benign									
		0/50 (0%) 0/49 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/198 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Kidney: Renal Tubule: Nephroblastoma									
		0/50 (0%) 0/49 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/198 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Kidney: Renal Tubule: Sarcoma									
		0/50 (0%) 0/49 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/198 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Liver: Cholangioma									
		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Liver: Hemangiosarcoma									
		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: WATER

Page: 274
Report Date:04/29/2009

		Male				Female			
*Liver:									
Hepatocellular Adenoma									
		0/50 (0%)	2/50 (4%)	1/50 (2%)		1/50 (2%)	0/50 (0%)	2/50 (4%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	3/200 (1.5%)	Mean 1.5%	SD 1.91%	Total	3/200 (1.5%)	Mean 1.5%	SD 1.91%	
.....									
*Liver:									
Hepatocellular Carcinoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Liver:									
Hepatocellular Carcinoma or Hepatoblastoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Liver:									
Hepatocellular Carcinoma or Hepatocellular Adenoma									
		0/50 (0%)	2/50 (4%)	1/50 (2%)		1/50 (2%)	0/50 (0%)	2/50 (4%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	3/200 (1.5%)	Mean 1.5%	SD 1.91%	Total	3/200 (1.5%)	Mean 1.5%	SD 1.91%	
.....									
*Liver:									
Hepatocellular Carcinoma, Hepatocellular Adenoma, or Hepatoblastoma									
		0/50 (0%)	2/50 (4%)	1/50 (2%)		1/50 (2%)	0/50 (0%)	2/50 (4%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	3/200 (1.5%)	Mean 1.5%	SD 1.91%	Total	3/200 (1.5%)	Mean 1.5%	SD 1.91%	

#: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: WATER

Page: 275
 Report Date:04/29/2009

		Male				Female			
*Lung:									
Alveolar/Bronchiolar Adenoma									
		4/50 (8%)	2/50 (4%)	2/50 (4%)		4/50 (8%)	1/50 (2%)	1/50 (2%)	
		3/50 (6%)				1/50 (2%)			
Overall Incidence	Total	11/200 (5.5%)	Mean 5.5%	SD 1.91%	Total	7/200 (3.5%)	Mean 3.5%	SD 3%	
.....									
*Lung:									
Alveolar/Bronchiolar Carcinoma									
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		1/50 (2%)				0/50 (0%)			
Overall Incidence	Total	2/200 (1%)	Mean 1%	SD 1.15%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
*Lung:									
Alveolar/Bronchiolar Carcinoma or Alveolar/Bronchiolar Adenoma									
		4/50 (8%)	3/50 (6%)	2/50 (4%)		4/50 (8%)	1/50 (2%)	2/50 (4%)	
		4/50 (8%)				1/50 (2%)			
Overall Incidence	Total	13/200 (6.5%)	Mean 6.5%	SD 1.91%	Total	8/200 (4%)	Mean 4%	SD 2.83%	
.....									
*Lung:									
Fibrosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Lung:									
Hemangiosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

#: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: WATER

Page: 276
Report Date:04/29/2009

		Male				Female			
*Lung:									
Sarcoma									
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Lung:									
Squamous Cell Carcinoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Lymph Node:									
Hemangiosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Mammary Gland:									
Adenolipoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Mammary Gland:									
Adenoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		2/50 (4%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	2/200 (1%)	Mean 1%	SD 2%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: WATER

Page: 277
 Report Date:04/29/2009

		Male				Female			
#Mammary Gland: Carcinoma									
		1/50 (2%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	1/50 (2%)	3/50 (6%)	
		1/50 (2%)				2/50 (4%)			
Overall Incidence	Total	3/200 (1.5%)	Mean 1.5%	SD 1%	Total	6/200 (3%)	Mean 3%	SD 2.58%	
.....									
#Mammary Gland: Carcinoma or Adenoma									
		1/50 (2%)	0/50 (0%)	1/50 (2%)		2/50 (4%)	1/50 (2%)	3/50 (6%)	
		1/50 (2%)				2/50 (4%)			
Overall Incidence	Total	3/200 (1.5%)	Mean 1.5%	SD 1%	Total	8/200 (4%)	Mean 4%	SD 1.63%	
.....									
#Mammary Gland: Fibroadenoma									
		2/50 (4%)	3/50 (6%)	4/50 (8%)		37/50 (74%)	43/50 (86%)	32/50 (64%)	
		6/50 (12%)				31/50 (62%)			
Overall Incidence	Total	15/200 (7.5%)	Mean 7.5%	SD 3.42%	Total	143/200 (71.5%)	Mean 71.5%	SD 11%	
.....									
#Mammary Gland: Fibroma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Mammary Gland: Fibroma, Fibroadenoma or Adenoma									
		2/50 (4%)	3/50 (6%)	4/50 (8%)		37/50 (74%)	43/50 (86%)	32/50 (64%)	
		6/50 (12%)				31/50 (62%)			
Overall Incidence	Total	15/200 (7.5%)	Mean 7.5%	SD 3.42%	Total	143/200 (71.5%)	Mean 71.5%	SD 11%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: WATER

Page: 278
Report Date:04/29/2009

		Male				Female			
#Mammary Gland:									
Fibroma, Fibroadenoma, Carcinoma, or Adenoma									
		3/50 (6%)	3/50 (6%)	5/50 (10%)		37/50 (74%)	43/50 (86%)	32/50 (64%)	
		6/50 (12%)				31/50 (62%)			
Overall Incidence	Total	17/200 (8.5%)	Mean 8.5%	SD 3%	Total	143/200 (71.5%)	Mean 71.5%	SD 11%	
.....									
#Mesentery:									
Fibrosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Mesentery:									
Hemangiosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Mesentery:									
Lipoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Mesentery:									
Rhabdomyosarcoma									
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: WATER

Page: 279
 Report Date:04/29/2009

		Male				Female			
*Nose:									
Adenoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Nose:									
Chondroma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Nose:									
Squamous Cell Carcinoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Oral Cavity (Oral Mucosa, Tongue, Pharynx, Tooth, Gingiva):									
Papilloma Squamous or Papilloma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				1/50 (2%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	3/200 (1.5%)	Mean 1.5%	SD 1%	
.....									
#Oral Cavity (Oral Mucosa, Tongue, Pharynx, Tooth, Gingiva):									
Squamous Cell Carcinoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: WATER

Page: 280
Report Date:04/29/2009

		Male				Female			
#Oral Cavity (Oral Mucosa, Tongue, Pharynx, Tooth, Gingiva): Squamous Cell Carcinoma, Papilloma Squamous, or Papilloma									
		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%) 1/50 (2%)	1/50 (2%)	0/50 (0%)	
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	3/200 (1.5%)	Mean 1.5%	SD 1%	
.....									
#Oral Mucosa: Squamous Cell Carcinoma									
		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Oral Mucosa: Squamous Cell Papilloma									
		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%) 0/50 (0%)	1/50 (2%)	0/50 (0%)	
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
*Ovary: Cystadenoma									
						0/49 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence					Total	0/199 (0%)	Mean 0%	SD 0%	
.....									
*Ovary: Granulosa Cell Tumor Benign									
						0/49 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence					Total	0/199 (0%)	Mean 0%	SD 0%	

#: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: WATER

Page: 281
Report Date:04/29/2009

	Male	Female
*Ovary:		
Granulosa Cell Tumor Malignant	0/49 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)
Overall Incidence	Total 0/199 (0%)	Mean 0% SD 0%
.....		
*Ovary:		
Granulosa Cell Tumor: Benign, Malignant, NOS	0/49 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)
Overall Incidence	Total 0/199 (0%)	Mean 0% SD 0%
.....		
*Ovary:		
Granulosa-Theca Tumor Benign	0/49 (0%) 1/50 (2%)	0/50 (0%) 0/50 (0%)
Overall Incidence	Total 1/199 (0.5%)	Mean 0.5% SD 1%
.....		
*Ovary:		
Granulosa-Theca Tumor Malignant	0/49 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)
Overall Incidence	Total 0/199 (0%)	Mean 0% SD 0%
.....		
*Ovary:		
Tubulostromal Adenoma	0/49 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)
Overall Incidence	Total 0/199 (0%)	Mean 0% SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: WATER

Page: 282
 Report Date:04/29/2009

		Male				Female			
*Pancreas:									
Adenoma									
		1/50 (2%)	2/50 (4%)	0/48 (0%)		0/50 (0%)	0/50 (0%)	0/47 (0%)	
		1/49 (2%)				0/50 (0%)			
Overall Incidence	Total	4/197 (2.03%)	Mean 2.01%	SD 1.63%	Total	0/197 (0%)	Mean 0%	SD 0%	
.....									
*Pancreas:									
Carcinoma									
		0/50 (0%)	0/50 (0%)	0/48 (0%)		0/50 (0%)	0/50 (0%)	0/47 (0%)	
		0/49 (0%)				0/50 (0%)			
Overall Incidence	Total	0/197 (0%)	Mean 0%	SD 0%	Total	0/197 (0%)	Mean 0%	SD 0%	
.....									
*Pancreas:									
Carcinoma or Adenoma									
		1/50 (2%)	2/50 (4%)	0/48 (0%)		0/50 (0%)	0/50 (0%)	0/47 (0%)	
		1/49 (2%)				0/50 (0%)			
Overall Incidence	Total	4/197 (2.03%)	Mean 2.01%	SD 1.63%	Total	0/197 (0%)	Mean 0%	SD 0%	
.....									
*Pancreas:									
Mixed Tumor Benign									
		0/50 (0%)	0/50 (0%)	0/48 (0%)		0/50 (0%)	0/50 (0%)	0/47 (0%)	
		0/49 (0%)				0/50 (0%)			
Overall Incidence	Total	0/197 (0%)	Mean 0%	SD 0%	Total	0/197 (0%)	Mean 0%	SD 0%	
.....									
*Pancreas:									
Mixed Tumor Malignant									
		0/50 (0%)	0/50 (0%)	0/48 (0%)		0/50 (0%)	0/50 (0%)	0/47 (0%)	
		0/49 (0%)				0/50 (0%)			
Overall Incidence	Total	0/197 (0%)	Mean 0%	SD 0%	Total	0/197 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: WATER

Page: 283
Report Date:04/29/2009

		Male				Female			
*Parathyroid Gland:									
Adenoma									
		0/46 (0%)	0/44 (0%)	0/50 (0%)		0/46 (0%)	0/42 (0%)	0/50 (0%)	
		1/46 (2%)				0/42 (0%)			
Overall Incidence	Total	1/186 (0.54%)	Mean 0.54%	SD 1.09%	Total	0/180 (0%)	Mean 0%	SD 0%	
.....									
#Peripheral Nerve:									
Schwannoma Malignant									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Peripheral Nerve:									
Schwannoma: Benign, Malignant, NOS									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Pituitary Gland: Pars Distalis or Unspecified Site:									
Adenoma									
		16/50 (32%)	23/48 (48%)	23/50 (46%)		28/50 (56%)	28/50 (56%)	26/50 (52%)	
		24/50 (48%)				27/49 (55%)			
Overall Incidence	Total	86/198 (43.43%)	Mean 43.48%	SD 7.71%	Total	109/199 (54.77%)	Mean 54.78%	SD 1.9%	
.....									
*Pituitary Gland: Pars Distalis or Unspecified Site:									
Carcinoma									
		0/50 (0%)	0/48 (0%)	0/50 (0%)		2/50 (4%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/49 (0%)			
Overall Incidence	Total	0/198 (0%)	Mean 0%	SD 0%	Total	2/199 (1.01%)	Mean 1%	SD 2%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: WATER

Page: 284
 Report Date: 04/29/2009

		Male				Female			
*Pituitary Gland: Pars Distalis or Unspecified Site: Carcinoma or Adenoma									
		16/50 (32%)	23/48 (48%)	23/50 (46%)		30/50 (60%)	28/50 (56%)	26/50 (52%)	
		24/50 (48%)				27/49 (55%)			
Overall Incidence	Total	86/198 (43.43%)	Mean 43.48%	SD 7.71%	Total	111/199 (55.78%)	Mean 55.78%	SD 3.3%	
.....									
*Pituitary Gland: Pars Distalis or Unspecified Site: Ganglioneuroma									
		0/50 (0%)	0/48 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/49 (0%)			
Overall Incidence	Total	0/198 (0%)	Mean 0%	SD 0%	Total	0/199 (0%)	Mean 0%	SD 0%	
.....									
*Pituitary Gland: Pars Intermedia: Adenoma									
		0/50 (0%)	0/48 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)				0/49 (0%)			
Overall Incidence	Total	0/198 (0%)	Mean 0%	SD 0%	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	
.....									
*Pituitary Gland: Pars Intermedia: Carcinoma									
		0/50 (0%)	0/48 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/49 (0%)			
Overall Incidence	Total	0/198 (0%)	Mean 0%	SD 0%	Total	0/199 (0%)	Mean 0%	SD 0%	
.....									
*Pituitary Gland: Pars Intermedia: Carcinoma or Adenoma									
		0/50 (0%)	0/48 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)				0/49 (0%)			
Overall Incidence	Total	0/198 (0%)	Mean 0%	SD 0%	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: WATER

Page: 285
 Report Date:04/29/2009

		Male				Female			
*Prostate:									
Adenoma									
		2/50	(4%)	0/50	(0%)	0/50	(0%)		
		0/49	(0%)						
Overall Incidence	Total	2/199	(1.01%)	Mean	1%	SD	2%		
.....									
*Prostate:									
Carcinoma or Adenoma									
		2/50	(4%)	0/50	(0%)	0/50	(0%)		
		0/49	(0%)						
Overall Incidence	Total	2/199	(1.01%)	Mean	1%	SD	2%		
.....									
*Salivary Glands:									
Sarcoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)			0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/200	(0%)	Mean	0%	SD	0%	Total	0/200 (0%) Mean 0% SD 0%
.....									
#Seminal Vesicle:									
Adenoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)						
Overall Incidence	Total	0/200	(0%)	Mean	0%	SD	0%		
.....									
#Skeletal Muscle:									
Fibrous Histiocytoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)			0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/200	(0%)	Mean	0%	SD	0%	Total	0/200 (0%) Mean 0% SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: WATER

Page: 286
 Report Date: 04/29/2009

		Male				Female			
#Skeletal Muscle: Hemangioma									
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skeletal Muscle: Hemangiosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skeletal Muscle: Lipoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skeletal Muscle: Rhabdomyosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skeletal Muscle: Rhabdomyosarcoma or Rhabdomyoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: WATER

Page: 287
 Report Date:04/29/2009

		Male				Female			
#Skeletal Muscle:									
Sarcoma									
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Basal Cell Adenoma									
		2/50 (4%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		2/50 (4%)				0/50 (0%)			
Overall Incidence	Total	4/200 (2%)	Mean 2%	SD 2.31%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Basal Cell Adenoma or Basosquamous Tumor Benign									
		2/50 (4%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		2/50 (4%)				0/50 (0%)			
Overall Incidence	Total	4/200 (2%)	Mean 2%	SD 2.31%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Basal Cell Adenoma, Basosquamous Tumor Benign, or Trichoepithelioma									
		2/50 (4%)	3/50 (6%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		2/50 (4%)				0/50 (0%)			
Overall Incidence	Total	8/200 (4%)	Mean 4%	SD 1.63%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Basal Cell Carcinoma									
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		2/50 (4%)				0/50 (0%)			
Overall Incidence	Total	3/200 (1.5%)	Mean 1.5%	SD 1.91%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: WATER

Page: 288
 Report Date:04/29/2009

		Male				Female			
#Skin:									
Basal Cell Carcinoma or Basosquamous Tumor (malignant or NOS)									
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		2/50 (4%)				0/50 (0%)			
Overall Incidence	Total	3/200 (1.5%)	Mean 1.5%	SD 1.91%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Basal Cell Carcinoma, Basal Cell Adenoma, Basosquamous Tumor (benign, malignant or NOS), or Trichoepithelioma									
		2/50 (4%)	3/50 (6%)	2/50 (4%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		4/50 (8%)				0/50 (0%)			
Overall Incidence	Total	11/200 (5.5%)	Mean 5.5%	SD 1.91%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Basal or Sq. Cell Carcinoma, Carcinoma, Basosq. Tumor (M or B), Basal Cell Adenoma, Adenoma, Papilloma, Sq Papilloma, Keratoacanthoma, Trichoepithelioma									
		5/50 (10%)	6/50 (12%)	7/50 (14%)		1/50 (2%)	0/50 (0%)	1/50 (2%)	
		11/50 (22%)				0/50 (0%)			
Overall Incidence	Total	29/200 (14.5%)	Mean 14.5%	SD 5.26%	Total	2/200 (1%)	Mean 1%	SD 1.15%	
.....									
#Skin:									
Fibroma									
		8/50 (16%)	7/50 (14%)	5/50 (10%)		1/50 (2%)	1/50 (2%)	1/50 (2%)	
		8/50 (16%)				0/50 (0%)			
Overall Incidence	Total	28/200 (14%)	Mean 14%	SD 2.83%	Total	3/200 (1.5%)	Mean 1.5%	SD 1%	
.....									
#Skin:									
Fibroma, Fibrosarcoma, Sarcoma, Myxoma, Myxosarcoma, or Fibrous Histiocytoma									
		11/50 (22%)	8/50 (16%)	6/50 (12%)		1/50 (2%)	1/50 (2%)	1/50 (2%)	
		9/50 (18%)				1/50 (2%)			
Overall Incidence	Total	34/200 (17%)	Mean 17%	SD 4.16%	Total	4/200 (2%)	Mean 2%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: WATER

Page: 289
 Report Date:04/29/2009

		Male				Female			
#Skin:									
Fibrosarcoma									
		1/50 (2%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				1/50 (2%)			
Overall Incidence	Total	2/200 (1%)	Mean 1%	SD 1.15%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#Skin:									
Fibrosarcoma, Sarcoma, Myxosarcoma, or Fibrous Histiocytoma									
		3/50 (6%)	1/50 (2%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)				1/50 (2%)			
Overall Incidence	Total	6/200 (3%)	Mean 3%	SD 2%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#Skin:									
Fibrous Histiocytoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)				0/50 (0%)			
Overall Incidence	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Hemangioma									
		1/50 (2%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	2/200 (1%)	Mean 1%	SD 1.15%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Hemangiosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: WATER

Page: 290
Report Date:04/29/2009

		Male				Female			
#Skin:									
Keratoacanthoma									
		2/50 (4%)	1/50 (2%)	3/50 (6%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		6/50 (12%)				0/50 (0%)			
Overall Incidence	Total	12/200 (6%)	Mean 6%	SD 4.32%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#Skin:									
Lipoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)				0/50 (0%)			
Overall Incidence	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Liposarcoma									
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Neural Crest Tumor									
		0/50 (0%)	1/50 (2%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	2/200 (1%)	Mean 1%	SD 1.15%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Neural Crest Tumor, Malignant									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: WATER

Page: 291
 Report Date:04/29/2009

		Male				Female			
#Skin:									
Neurofibroma or Schwannoma benign									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Neurofibrosarcoma or Schwannoma (malignant or NOS)									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Neurofibrosarcoma, Neurofibroma, or Schwannoma (benign, malignant or NOS)									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Sarcoma									
		2/50 (4%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	3/200 (1.5%)	Mean 1.5%	SD 1.91%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Schwannoma Benign									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: WATER

Page: 292
 Report Date:04/29/2009

		Male				Female			
#Skin:									
Schwannoma Malignant									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Squamous Cell Carcinoma									
		1/50 (2%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	2/200 (1%)	Mean 1%	SD 1.15%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Squamous Cell Carcinoma, Basal Cell Carcinoma, Basosquamous Tumor (malignant or NOS), or Carcinoma									
		1/50 (2%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		2/50 (4%)				0/50 (0%)			
Overall Incidence	Total	4/200 (2%)	Mean 2%	SD 1.63%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Squamous Cell Papilloma									
		1/50 (2%)	3/50 (6%)	2/50 (4%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		1/50 (2%)				0/50 (0%)			
Overall Incidence	Total	7/200 (3.5%)	Mean 3.5%	SD 1.91%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#Skin:									
Squamous Cell Papilloma or Papilloma									
		1/50 (2%)	3/50 (6%)	2/50 (4%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		1/50 (2%)				0/50 (0%)			
Overall Incidence	Total	7/200 (3.5%)	Mean 3.5%	SD 1.91%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: WATER

Page: 293
 Report Date:04/29/2009

		Male				Female			
#Skin:									
Squamous Cell Papilloma, Papilloma, Squamous Cell Carcinoma or Keratoacanthoma									
		4/50 (8%)	4/50 (8%)	6/50 (12%)		1/50 (2%)	0/50 (0%)	1/50 (2%)	
		7/50 (14%)				0/50 (0%)			
Overall Incidence	Total	21/200 (10.5%)	Mean 10.5%	SD 3%	Total	2/200 (1%)	Mean 1%	SD 1.15%	
.....									
#Skin:									
Squamous Cell Papilloma, Papilloma, or Keratoacanthoma									
		3/50 (6%)	4/50 (8%)	5/50 (10%)		1/50 (2%)	0/50 (0%)	1/50 (2%)	
		7/50 (14%)				0/50 (0%)			
Overall Incidence	Total	19/200 (9.5%)	Mean 9.5%	SD 3.42%	Total	2/200 (1%)	Mean 1%	SD 1.15%	
.....									
#Skin:									
Trichoepithelioma									
		0/50 (0%)	3/50 (6%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	4/200 (2%)	Mean 2%	SD 2.83%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skin: Sebaceous Gland:									
Adenoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#Skin: Sebaceous Gland:									
Carcinoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: WATER

Page: 294
Report Date:04/29/2009

		Male				Female			
#Skin: Sebaceous Gland:									
 Carcinoma or Adenoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#Spinal Cord:									
 Astrocytoma Benign									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Spinal Cord:									
 Astrocytoma Malignant									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Spinal Cord:									
 Glioma Malignant									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Spleen:									
 Fibrosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/47 (0%)	
		0/49 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/197 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: WATER

Page: 295
Report Date:04/29/2009

		Male				Female			
*Spleen:									
Fibrous Histiocytoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/47 (0%)
		0/49 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/197 (0%)	Mean 0%	SD 0%	
.....									
*Spleen:									
Hemangioma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/47 (0%)
		0/49 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/197 (0%)	Mean 0%	SD 0%	
.....									
*Spleen:									
Hemangiosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/47 (0%)
		0/49 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/197 (0%)	Mean 0%	SD 0%	
.....									
*Spleen:									
Leiomyosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/47 (0%)
		0/49 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/197 (0%)	Mean 0%	SD 0%	
.....									
*Spleen:									
Sarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/47 (0%)
		0/49 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/197 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: WATER

Page: 296
 Report Date:04/29/2009

		Male				Female			
#Stomach, Forestomach: Leiomyosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Stomach, Forestomach: Squamous Cell Carcinoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Stomach, Forestomach: Squamous Cell Carcinoma or Papilloma Squamous									
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	1/50 (2%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#Stomach, Forestomach: Squamous Cell Papilloma									
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	1/50 (2%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#Stomach, Glandular: Lipoma									
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: WATER

Page: 297
 Report Date:04/29/2009

		Male				Female			
#Stomach, Glandular:									
Sarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Testes:									
Adenoma									
		48/50 (96%)	46/50 (92%)	41/50 (82%)					
		49/50 (98%)							
Overall Incidence	Total	184/200 (92%)	Mean 92%	SD 7.12%					
.....									
*Thymus:									
Sarcoma									
		0/48 (0%)	0/49 (0%)	1/49 (2%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
		0/43 (0%)				0/48 (0%)			
Overall Incidence	Total	1/189 (0.53%)	Mean 0.51%	SD 1.02%	Total	0/197 (0%)	Mean 0%	SD 0%	
.....									
*Thymus:									
Thymoma Benign									
		0/48 (0%)	0/49 (0%)	1/49 (2%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
		0/43 (0%)				0/48 (0%)			
Overall Incidence	Total	1/189 (0.53%)	Mean 0.51%	SD 1.02%	Total	0/197 (0%)	Mean 0%	SD 0%	
.....									
*Thymus:									
Thymoma Malignant									
		0/48 (0%)	0/49 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
		0/43 (0%)				0/48 (0%)			
Overall Incidence	Total	0/189 (0%)	Mean 0%	SD 0%	Total	0/197 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: WATER

Page: 298
 Report Date:04/29/2009

		Male				Female			
*Thymus:									
Thymoma NOS									
		0/48 (0%)	0/49 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
		0/43 (0%)				0/48 (0%)			
Overall Incidence	Total	0/189 (0%)	Mean 0%	SD 0%	Total	0/197 (0%)	Mean 0%	SD 0%	
.....									
*Thymus:									
Thymoma: Benign, Malignant, NOS									
		0/48 (0%)	0/49 (0%)	1/49 (2%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
		0/43 (0%)				0/48 (0%)			
Overall Incidence	Total	1/189 (0.53%)	Mean 0.51%	SD 1.02%	Total	0/197 (0%)	Mean 0%	SD 0%	
.....									
*Thyroid Gland: C-Cell:									
Adenoma									
		5/50 (10%)	3/50 (6%)	6/50 (12%)		8/50 (16%)	6/49 (12%)	6/50 (12%)	
		10/49 (20%)				6/46 (13%)			
Overall Incidence	Total	24/199 (12.06%)	Mean 12.1%	SD 6.07%	Total	26/195 (13.33%)	Mean 13.32%	SD 1.84%	
.....									
*Thyroid Gland: C-Cell:									
Carcinoma									
		1/50 (2%)	1/50 (2%)	1/50 (2%)		2/50 (4%)	1/49 (2%)	0/50 (0%)	
		1/49 (2%)				0/46 (0%)			
Overall Incidence	Total	4/199 (2.01%)	Mean 2.01%	SD 0.02%	Total	3/195 (1.54%)	Mean 1.51%	SD 1.92%	
.....									
*Thyroid Gland: C-Cell:									
Carcinoma or Adenoma									
		6/50 (12%)	4/50 (8%)	7/50 (14%)		10/50 (20%)	7/49 (14%)	6/50 (12%)	
		11/49 (22%)				6/46 (13%)			
Overall Incidence	Total	28/199 (14.07%)	Mean 14.11%	SD 6.09%	Total	29/195 (14.87%)	Mean 14.83%	SD 3.57%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: WATER

Page: 299
 Report Date:04/29/2009

		Male				Female			
*Thyroid Gland: Follicular Cell: Adenoma									
		0/50 (0%)	2/50 (4%)	1/50 (2%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/49 (0%)				1/46 (2%)			
Overall Incidence	Total	3/199 (1.51%)	Mean 1.5%	SD 1.91%	Total	1/195 (0.51%)	Mean 0.54%	SD 1.09%	
.....									
*Thyroid Gland: Follicular Cell: Carcinoma									
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/49 (0%)				0/46 (0%)			
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/195 (0%)	Mean 0%	SD 0%	
.....									
*Thyroid Gland: Follicular Cell: Carcinoma or Adenoma									
		0/50 (0%)	3/50 (6%)	1/50 (2%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/49 (0%)				1/46 (2%)			
Overall Incidence	Total	4/199 (2.01%)	Mean 2%	SD 2.83%	Total	1/195 (0.51%)	Mean 0.54%	SD 1.09%	
.....									
#Tissue NOS: Lipoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Tissue NOS: Paraganglioma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: WATER

Page: 300
Report Date:04/29/2009

		Male				Female			
#Tissue NOS:									
Schwannoma Malignant									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Tongue:									
Squamous Cell Carcinoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Tongue:									
Squamous Cell Carcinoma or Papilloma Squamous									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				1/50 (2%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	2/200 (1%)	Mean 1%	SD 1.15%	
.....									
#Tongue:									
Squamous Cell Papilloma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				1/50 (2%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	2/200 (1%)	Mean 1%	SD 1.15%	
.....									
#Tooth:									
Adamantinoma Malignant									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: WATER

Page: 301
 Report Date:04/29/2009

		Male				Female			
#Tooth:									
Odontoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Urinary Bladder:									
Carcinoma									
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	Total	0/199 (0%)	Mean 0%	SD 0%	
.....									
*Urinary Bladder:									
Carcinoma or Papilloma									
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	Total	0/199 (0%)	Mean 0%	SD 0%	
.....									
*Urinary Bladder:									
Hemangiosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	0/199 (0%)	Mean 0%	SD 0%	
.....									
*Urinary Bladder:									
Leiomyosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/200 (0%)	Mean 0%	SD 0%	Total	0/199 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: WATER

Page: 302
Report Date:04/29/2009

		Male				Female								
*Urinary Bladder:														
Papilloma														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)			
		0/50	(0%)					0/50	(0%)					
Overall Incidence	Total	0/200	(0%)	Mean	0%	SD	0%	Total	0/199	(0%)	Mean	0%	SD	0%
.....														
#Uterus:														
Adenoma														
								1/50	(2%)	0/50	(0%)	0/50	(0%)	
								0/50	(0%)					
Overall Incidence	Total							1/200	(0.5%)	Mean	0.5%	SD	1%	
.....														
#Uterus:														
Carcinoma														
								0/50	(0%)	0/50	(0%)	0/50	(0%)	
								0/50	(0%)					
Overall Incidence	Total							0/200	(0%)	Mean	0%	SD	0%	
.....														
#Uterus:														
Deciduoma Benign														
								0/50	(0%)	0/50	(0%)	0/50	(0%)	
								0/50	(0%)					
Overall Incidence	Total							0/200	(0%)	Mean	0%	SD	0%	
.....														
#Uterus:														
Hemangioma														
								0/50	(0%)	0/50	(0%)	0/50	(0%)	
								0/50	(0%)					
Overall Incidence	Total							0/200	(0%)	Mean	0%	SD	0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: WATER

Page: 303
Report Date:04/29/2009

	Male		Female
#Uterus:			
Hemangiosarcoma			
		0/50 (0%) 1/50 (2%)	0/50 (0%) 0/50 (0%)
Overall Incidence	Total	1/200 (0.5%)	Mean 0.5% SD 1%
.....			
#Uterus:			
Leiomyoma			
		0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)
Overall Incidence	Total	0/200 (0%)	Mean 0% SD 0%
.....			
#Uterus:			
Leiomyosarcoma			
		0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)
Overall Incidence	Total	0/200 (0%)	Mean 0% SD 0%
.....			
#Uterus:			
Polyp Stromal			
		10/50 (20%) 13/50 (26%)	9/50 (18%) 4/50 (8%)
Overall Incidence	Total	36/200 (18%)	Mean 18% SD 7.48%
.....			
#Uterus:			
Sarcoma Stromal			
		0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)
Overall Incidence	Total	0/200 (0%)	Mean 0% SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: WATER

Page: 304
Report Date:04/29/2009

		Male			Female			
#Uterus:								
Sarcoma Stromal or Polyp Stromal								
			10/50 (20%)		9/50 (18%)		4/50 (8%)	
			13/50 (26%)					
Overall Incidence		Total	36/200 (18%)		Mean 18%		SD 7.48%	
.....								
#Uterus:								
Schwannoma Malignant								
			0/50 (0%)		0/50 (0%)		0/50 (0%)	
			1/50 (2%)					
Overall Incidence		Total	1/200 (0.5%)		Mean 0.5%		SD 1%	
.....								
#Vagina:								
Polyp								
			0/50 (0%)		0/50 (0%)		0/50 (0%)	
			0/50 (0%)					
Overall Incidence		Total	0/200 (0%)		Mean 0%		SD 0%	
.....								
#Vagina:								
Sarcoma								
			0/50 (0%)		0/50 (0%)		0/50 (0%)	
			0/50 (0%)					
Overall Incidence		Total	0/200 (0%)		Mean 0%		SD 0%	
.....								
#Zymbal's Gland:								
Adenoma								
		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)			0/50 (0%)			
Overall Incidence	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ORAL
Vehicle: WATER

Page: 305
 Report Date:04/29/2009

		Male				Female			
#Zymbal's Gland:									
Carcinoma									
		0/50 (0%)	1/50 (2%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	Total	2/200 (1%)	Mean 1%	SD 1.15%	
.....									
#Zymbal's Gland:									
Carcinoma or Adenoma									
		0/50 (0%)	1/50 (2%)	1/50 (2%)		1/50 (2%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	2/200 (1%)	Mean 1%	SD 1.15%	Total	2/200 (1%)	Mean 1%	SD 1.15%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: SKIN
 Vehicle: ETHANOL

Page: 306
 Report Date:04/29/2009

Study Summary

Laboratory Name	Study Number	Study Start Date	Length of Study in Days	Number of Animals Total and (#/Cage)	Number Surviving and (Mean Life Span)	Maximum Mean Weekly Body Weight	Chemical
Male							
Battelle Columbus Laboratory	059902805	09/16/02	729	50 (1)	21(676)	506.2	bis(2-Chloroethoxy)methane
Battelle Columbus Laboratory	059700307	07/10/02	728	50 (1)	25(680)	510.4	1,2-Dibromo-2,4-dicyanobutane
Southern Research Institute	059302007	04/24/00	729	50 (1)	20(670)	484.2	Diisopropylcarbodiimide
Female							
Battelle Columbus Laboratory	059902805	09/17/02	730	50 (1)	19(646)	341.0	bis(2-Chloroethoxy)methane
Battelle Columbus Laboratory	059700307	07/11/02	729	50 (1)	29(695)	337.8	1,2-Dibromo-2,4-dicyanobutane
Southern Research Institute	059302007	04/24/00	731	50 (1)	30(672)	319.5	Diisopropylcarbodiimide

NOTE: The text on page 2 ("Report Description") describes how the studies listed here are displayed on the data pages that follow.

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: SKIN
 Vehicle: ETHANOL

Page: 307
 Report Date:04/29/2009

		Male			Female		
#All Organs: Benign Tumors							
		49/50 (98%)	46/50 (92%)	47/50 (94%)	37/50 (74%)	46/50 (92%)	44/50 (88%)
Overall Incidence	Total	142/150 (94.67%)	Mean 94.67%	SD 3.06%	Total 127/150 (84.67%)	Mean 84.67%	SD 9.45%
.....							
#All Organs: Malignant Tumors							
		26/50 (52%)	23/50 (46%)	34/50 (68%)	19/50 (38%)	15/50 (30%)	22/50 (44%)
Overall Incidence	Total	83/150 (55.33%)	Mean 55.33%	SD 11.37%	Total 56/150 (37.33%)	Mean 37.33%	SD 7.02%
.....							
#All Organs: Malignant and Benign Tumors							
		49/50 (98%)	50/50 (100%)	50/50 (100%)	44/50 (88%)	48/50 (96%)	48/50 (96%)
Overall Incidence	Total	149/150 (99.33%)	Mean 99.33%	SD 1.15%	Total 140/150 (93.33%)	Mean 93.33%	SD 4.62%
.....							
#All Organs: Hemangioma							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total 0/150 (0%)	Mean 0%	SD 0%
.....							
#All Organs: Hemangiosarcoma							
		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/150 (0.67%)	Mean 0.67%	SD 1.15%	Total 0/150 (0%)	Mean 0%	SD 0%
.....							
#All Organs: Hemangiosarcoma or Hemangioma							
		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/150 (0.67%)	Mean 0.67%	SD 1.15%	Total 0/150 (0%)	Mean 0%	SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: SKIN
Vehicle: ETHANOL

Page: 308
 Report Date:04/29/2009

		Male				Female							
#All Organs:													
Histiocytic Sarcoma													
		1/50	(2%)	1/50	(2%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	2/150	(1.33%)	Mean 1.33%	SD 1.15%	Total	1/150	(0.67%)	Mean 0.67%	SD 1.15%			
.....													
#All Organs:													
Leukemia: Erythrocytic													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%			
.....													
#All Organs:													
Leukemia: Lymphocytic, Monocytic, Mononuclear, or Undifferentiated													
		17/50	(34%)	17/50	(34%)	13/50	(26%)	12/50	(24%)	10/50	(20%)	9/50	(18%)
Overall Incidence	Total	47/150	(31.33%)	Mean 31.33%	SD 4.62%	Total	31/150	(20.67%)	Mean 20.67%	SD 3.06%			
.....													
#All Organs:													
Malignant Lymphoma: Histiocytic, Lymphocytic, Mixed, NOS, or Undifferentiated Cell Type													
		0/50	(0%)	0/50	(0%)	2/50	(4%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	2/150	(1.33%)	Mean 1.33%	SD 2.31%	Total	0/150	(0%)	Mean 0%	SD 0%			
.....													
#All Organs:													
Mesothelioma: Benign													
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	1/150	(0.67%)	Mean 0.67%	SD 1.15%	Total	0/150	(0%)	Mean 0%	SD 0%			
.....													
#All Organs:													
Mesothelioma: Benign, Malignant, NOS													
		2/50	(4%)	1/50	(2%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	4/150	(2.67%)	Mean 2.67%	SD 1.15%	Total	0/150	(0%)	Mean 0%	SD 0%			

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: SKIN
 Vehicle: ETHANOL

Page: 309
 Report Date:04/29/2009

		Male				Female						
#All Organs: Mesothelioma: Malignant												
		2/50	(4%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	3/150	(2%)	Mean 2%		SD 2%		Total	0/150	(0%)	Mean 0%	SD 0%
.....												
#All Organs: Osteoma												
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	0/150	(0%)	Mean 0%		SD 0%		Total	0/150	(0%)	Mean 0%	SD 0%
.....												
#All Organs: Osteosarcoma												
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	0/150	(0%)	Mean 0%		SD 0%		Total	0/150	(0%)	Mean 0%	SD 0%
.....												
#All Organs: Osteosarcoma or Osteoma												
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	0/150	(0%)	Mean 0%		SD 0%		Total	0/150	(0%)	Mean 0%	SD 0%
.....												
*Adrenal Cortex: Adenoma												
		0/50	(0%)	3/50	(6%)	0/50	(0%)	0/50	(0%)	3/50	(6%)	
Overall Incidence	Total	3/150	(2%)	Mean 2%		SD 3.46%		Total	3/150	(2%)	Mean 2%	SD 3.46%
.....												
*Adrenal Cortex: Carcinoma												
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	0/150	(0%)	Mean 0%		SD 0%		Total	0/150	(0%)	Mean 0%	SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: SKIN
 Vehicle: ETHANOL

Page: 310
 Report Date:04/29/2009

		Male			Female			
*Adrenal Medulla: Ganglioneuroma								
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/50 (0%) 0/149 (0%)	0/50 (0%) Mean 0%	0/49 (0%) SD 0%
.....								
*Adrenal Medulla: Hemangioma								
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/50 (0%) 0/149 (0%)	0/50 (0%) Mean 0%	0/49 (0%) SD 0%
.....								
*Adrenal Medulla: Pheochromocytoma Benign								
Overall Incidence	Total	3/50 (6%) 11/150 (7.33%)	5/50 (10%) Mean 7.33%	3/50 (6%) SD 2.31%	Total	1/50 (2%) 2/149 (1.34%)	1/50 (2%) Mean 1.33%	0/49 (0%) SD 1.15%
.....								
*Adrenal Medulla: Pheochromocytoma Complex								
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/50 (0%) 0/149 (0%)	0/50 (0%) Mean 0%	0/49 (0%) SD 0%
.....								
*Adrenal Medulla: Pheochromocytoma Malignant								
Overall Incidence	Total	0/50 (0%) 4/150 (2.67%)	0/50 (0%) Mean 2.67%	4/50 (8%) SD 4.62%	Total	0/50 (0%) 0/149 (0%)	0/50 (0%) Mean 0%	0/49 (0%) SD 0%
.....								
*Adrenal Medulla: Pheochromocytoma: Benign, Complex, Malignant, NOS								
Overall Incidence	Total	3/50 (6%) 14/150 (9.33%)	5/50 (10%) Mean 9.33%	6/50 (12%) SD 3.06%	Total	1/50 (2%) 2/149 (1.34%)	1/50 (2%) Mean 1.33%	0/49 (0%) SD 1.15%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: SKIN
Vehicle: ETHANOL

Page: 311
 Report Date:04/29/2009

		Male				Female			
#Bone:									
Chondrosarcoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%
#Bone:									
Chondrosarcoma or Chondroma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%
#Bone:									
Chordoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%
#Bone:									
Osteoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%
#Bone:									
Osteosarcoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%
#Bone:									
Osteosarcoma or Osteoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: SKIN
Vehicle: ETHANOL

Page: 312
 Report Date:04/29/2009

		Male				Female								
*Brain:														
Astrocytoma Malignant														
		0/50	(0%)	1/50	(2%)	1/50	(2%)	0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	2/150	(1.33%)	Mean	1.33%	SD	1.15%	Total	0/150	(0%)	Mean	0%	SD	0%
.....														
*Brain:														
Ependymoma Benign														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/150	(0%)	Mean	0%	SD	0%
.....														
*Brain:														
Ependymoma Malignant														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/150	(0%)	Mean	0%	SD	0%
.....														
*Brain:														
Glioma Malignant														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/150	(0%)	Mean	0%	SD	0%
.....														
*Brain:														
Granular Cell Tumor Benign														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/150	(0%)	Mean	0%	SD	0%
.....														
*Brain:														
Medulloblastoma Mal														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/150	(0%)	Mean	0%	SD	0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: SKIN
Vehicle: ETHANOL

Page: 313
 Report Date:04/29/2009

		Male				Female			
*Brain:									
Meningioma Malignant									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%
									SD 0%
.....									
*Brain:									
Meningioma: Benign, Malignant, NOS									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%
									SD 0%
.....									
*Brain:									
Oligodendroglioma Benign									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%
									SD 0%
.....									
*Brain:									
Oligodendroglioma Malignant									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	1/150	(0.67%)	Mean 0.67%
									SD 1.15%
.....									
*Brain:									
Oligodendroglioma, Glioma, or Astrocytoma									
		0/50	(0%)	1/50	(2%)	1/50	(2%)	0/50	(0%)
Overall Incidence	Total	2/150	(1.33%)	Mean 1.33%	SD 1.15%	Total	1/150	(0.67%)	Mean 0.67%
									SD 1.15%
.....									
*Brain:									
Osteosarcoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%
									SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: SKIN
 Vehicle: ETHANOL

Page: 314
 Report Date:04/29/2009

		Male				Female								
*Brain:														
Schwannoma Malignant														
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	1/150	(0.67%)	Mean	0.67%	SD	1.15%	Total	0/150	(0%)	Mean	0%	SD	0%
.....														
*Clitoral/Preputial Gland:														
Adenoma														
		2/50	(4%)	2/50	(4%)	1/50	(2%)	2/50	(4%)	6/50	(12%)	2/50	(4%)	
Overall Incidence	Total	5/150	(3.33%)	Mean	3.33%	SD	1.15%	Total	10/150	(6.67%)	Mean	6.67%	SD	4.62%
.....														
*Clitoral/Preputial Gland:														
Carcinoma														
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	2/50	(4%)	
Overall Incidence	Total	1/150	(0.67%)	Mean	0.67%	SD	1.15%	Total	2/150	(1.33%)	Mean	1.33%	SD	2.31%
.....														
*Clitoral/Preputial Gland:														
Carcinoma or Adenoma														
		2/50	(4%)	2/50	(4%)	2/50	(4%)	2/50	(4%)	6/50	(12%)	4/50	(8%)	
Overall Incidence	Total	6/150	(4%)	Mean	4%	SD	0%	Total	12/150	(8%)	Mean	8%	SD	4%
.....														
*Clitoral/Preputial Gland:														
Fibrosarcoma														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/150	(0%)	Mean	0%	SD	0%
.....														
*Clitoral/Preputial Gland:														
Sarcoma														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/150	(0%)	Mean	0%	SD	0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: SKIN
Vehicle: ETHANOL

Page: 315
 Report Date:04/29/2009

		Male				Female						
*Clitoral/Preputial Gland: Squamous Cell Papilloma												
Overall Incidence	Total	0/50 (0%)	0/150 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/150 (0%)	0/50 (0%)	Mean 0%	SD 0%
.....												
#Ear: Neural Crest Tumor												
Overall Incidence	Total	0/50 (0%)	0/150 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/150 (0%)	0/50 (0%)	Mean 0%	SD 0%
.....												
#Esophagus: Fibrosarcoma												
Overall Incidence	Total	0/50 (0%)	0/150 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/150 (0%)	0/50 (0%)	Mean 0%	SD 0%
.....												
#Esophagus: Lipoma												
Overall Incidence	Total	0/50 (0%)	0/150 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	1/50 (2%)	1/150 (0.67%)	0/50 (0%)	Mean 0.67%	SD 1.15%
.....												
#Eye: Amelanotic Melanoma, Benign												
Overall Incidence	Total	0/50 (0%)	0/150 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	1/150 (0.67%)	0/50 (0%)	Mean 0.67%	SD 1.15%
.....												
#Eye: Melanoma Malignant												
Overall Incidence	Total	0/50 (0%)	0/150 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/150 (0%)	0/50 (0%)	Mean 0%	SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: SKIN
 Vehicle: ETHANOL

Page: 316
 Report Date:04/29/2009

		Male				Female					
#Eye:											
Schwannoma Malignant											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
#Harderian Gland:											
Carcinoma											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
#Harderian Gland:											
Carcinoma or Adenoma											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
*Heart:											
Schwannoma Benign											
		2/50	(4%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	2/150	(1.33%)	Mean 1.33%	SD 2.31%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
*Heart:											
Schwannoma Malignant											
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	1/50	(2%)
Overall Incidence	Total	1/150	(0.67%)	Mean 0.67%	SD 1.15%	Total	1/150	(0.67%)	Mean 0.67%	SD 1.15%	
.....											
#Intestine Large: Colon/Rectum:											
Adenoma											
		0/50	(0%)	0/50	(0%)	1/50	(2%)	1/50	(2%)	0/50	(0%)
Overall Incidence	Total	1/150	(0.67%)	Mean 0.67%	SD 1.15%	Total	2/150	(1.33%)	Mean 1.33%	SD 1.15%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: SKIN
 Vehicle: ETHANOL

Page: 317
 Report Date:04/29/2009

		Male				Female			
#Intestine Large: Colon/Rectum: Carcinoma									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Large: Colon/Rectum: Carcinoma or Adenoma									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	1/50 (2%)	Total	1/50 (2%)	1/50 (2%)	0/50 (0%)	
		1/150 (0.67%)	Mean 0.67%	SD 1.15%	Total	2/150 (1.33%)	Mean 1.33%	SD 1.15%	
.....									
#Intestine Large: Colon/Rectum: Hemangioma									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Small: Duodenum: Carcinoma									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Small: Duodenum: Leiomyoma									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Small: Jejunum: Carcinoma									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: SKIN
Vehicle: ETHANOL

Page: 318
 Report Date:04/29/2009

		Male				Female			
#Intestine Small: Jejunum: Granular Cell Tumor Malignant									
Overall Incidence	Total	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/150 (0.67%)	Mean 0.67%	SD 1.15%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Small: Jejunum: Leiomyoma									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Small: Jejunum: Leiomyosarcoma									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Small: Site Unspecified: Carcinoma									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Small: Site Unspecified: Carcinoma or Adenoma									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Small: Site Unspecified: Granular Cell Tumor Malignant									
Overall Incidence	Total	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/150 (0.67%)	Mean 0.67%	SD 1.15%	Total	0/150 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: SKIN
 Vehicle: ETHANOL

Page: 319
 Report Date:04/29/2009

		Male				Female			
#Intestine Small: Site Unspecified: Leiomyoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Small: Site Unspecified: Leiomyosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
*Islets, Pancreatic: Adenoma									
		3/50 (6%)	6/50 (12%)	5/50 (10%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	14/150 (9.33%)	Mean 9.33%	SD 3.06%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
*Islets, Pancreatic: Carcinoma									
		0/50 (0%)	0/50 (0%)	2/50 (4%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	2/150 (1.33%)	Mean 1.33%	SD 2.31%	Total	1/150 (0.67%)	Mean 0.67%	SD 1.15%	
.....									
*Islets, Pancreatic: Carcinoma or Adenoma									
		3/50 (6%)	6/50 (12%)	7/50 (14%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	16/150 (10.67%)	Mean 10.67%	SD 4.16%	Total	1/150 (0.67%)	Mean 0.67%	SD 1.15%	
.....									
*Kidney: Pelvis and Transitional Epithelium: Carcinoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: SKIN
Vehicle: ETHANOL

Page: 320
 Report Date:04/29/2009

		Male				Female			
*Kidney: Pelvis and Transitional Epithelium: Carcinoma or Adenoma									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
*Kidney: Pelvis and Transitional Epithelium: Papilloma									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
*Kidney: Renal Tubule: Adenoma									
Overall Incidence	Total	0/50 (0%)	1/50 (2%)	0/50 (0%)	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/150 (0.67%)	Mean 0.67%	SD 1.15%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
*Kidney: Renal Tubule: Carcinoma									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
*Kidney: Renal Tubule: Carcinoma or Adenoma									
Overall Incidence	Total	0/50 (0%)	1/50 (2%)	0/50 (0%)	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/150 (0.67%)	Mean 0.67%	SD 1.15%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
*Kidney: Renal Tubule: Hemangiosarcoma									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: SKIN
 Vehicle: ETHANOL

Page: 321
 Report Date:04/29/2009

		Male				Female			
*Kidney: Renal Tubule: Lipoma									
Overall Incidence	Total	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/150 (0.67%)	Mean 0.67%	SD 1.15%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
*Kidney: Renal Tubule: Mesenchymal Tumor Benign									
Overall Incidence	Total	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/150 (0.67%)	Mean 0.67%	SD 1.15%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
*Kidney: Renal Tubule: Nephroblastoma									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
*Kidney: Renal Tubule: Sarcoma									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/150 (0%)	Mean 0%	SD 0%	Total	1/150 (0.67%)	Mean 0.67%	SD 1.15%	
.....									
*Liver: Cholangioma									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
*Liver: Hemangiosarcoma									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: SKIN
 Vehicle: ETHANOL

Page: 322
 Report Date:04/29/2009

		Male				Female					
*Liver:											
Hepatocellular Adenoma											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	6/50	(12%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	6/150	(4%)	Mean 4%	SD 6.93%	
.....											
*Liver:											
Hepatocellular Carcinoma											
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	1/150	(0.67%)	Mean 0.67%	SD 1.15%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
*Liver:											
Hepatocellular Carcinoma or Hepatoblastoma											
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	1/150	(0.67%)	Mean 0.67%	SD 1.15%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
*Liver:											
Hepatocellular Carcinoma or Hepatocellular Adenoma											
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	6/50	(12%)
Overall Incidence	Total	1/150	(0.67%)	Mean 0.67%	SD 1.15%	Total	6/150	(4%)	Mean 4%	SD 6.93%	
.....											
*Liver:											
Hepatocellular Carcinoma, Hepatocellular Adenoma, or Hepatoblastoma											
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	6/50	(12%)
Overall Incidence	Total	1/150	(0.67%)	Mean 0.67%	SD 1.15%	Total	6/150	(4%)	Mean 4%	SD 6.93%	
.....											
*Lung:											
Alveolar/Bronchiolar Adenoma											
		4/50	(8%)	1/50	(2%)	1/50	(2%)	0/50	(0%)	4/50	(8%)
Overall Incidence	Total	6/150	(4%)	Mean 4%	SD 3.46%	Total	4/150	(2.67%)	Mean 2.67%	SD 4.62%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: SKIN
Vehicle: ETHANOL

Page: 323
 Report Date:04/29/2009

		Male				Female								
*Lung:														
Alveolar/Bronchiolar Carcinoma														
		1/50	(2%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	
Overall Incidence	Total	2/150	(1.33%)	Mean	1.33%	SD	1.15%	Total	1/150	(0.67%)	Mean	0.67%	SD	1.15%
.....														
*Lung:														
Alveolar/Bronchiolar Carcinoma or Alveolar/Bronchiolar Adenoma														
		5/50	(10%)	2/50	(4%)	1/50	(2%)	0/50	(0%)	4/50	(8%)	0/50	(0%)	
Overall Incidence	Total	8/150	(5.33%)	Mean	5.33%	SD	4.16%	Total	4/150	(2.67%)	Mean	2.67%	SD	4.62%
.....														
*Lung:														
Fibrosarcoma														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/150	(0%)	Mean	0%	SD	0%
.....														
*Lung:														
Hemangiosarcoma														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/150	(0%)	Mean	0%	SD	0%
.....														
*Lung:														
Sarcoma														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/150	(0%)	Mean	0%	SD	0%
.....														
*Lung:														
Squamous Cell Carcinoma														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/150	(0%)	Mean	0%	SD	0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: SKIN
Vehicle: ETHANOL

Page: 324
 Report Date:04/29/2009

		Male				Female			
#Lymph Node: Hemangiosarcoma									
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	
.....									
#Mammary Gland: Adenolipoma									
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	
.....									
#Mammary Gland: Adenoma									
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/50 (0%) 1/150 (0.67%)	1/50 (2%) Mean 0.67%	0/50 (0%) SD 1.15%	
.....									
#Mammary Gland: Carcinoma									
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	1/50 (2%) 7/150 (4.67%)	2/50 (4%) Mean 4.67%	4/50 (8%) SD 3.06%	
.....									
#Mammary Gland: Carcinoma or Adenoma									
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	1/50 (2%) 8/150 (5.33%)	3/50 (6%) Mean 5.33%	4/50 (8%) SD 3.06%	
.....									
#Mammary Gland: Fibroadenoma									
Overall Incidence	Total	3/50 (6%) 4/150 (2.67%)	1/50 (2%) Mean 2.67%	0/50 (0%) SD 3.06%	Total	16/50 (32%) 42/150 (28%)	14/50 (28%) Mean 28%	12/50 (24%) SD 4%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: SKIN
Vehicle: ETHANOL

Page: 325
 Report Date:04/29/2009

		Male			Female		
#Mammary Gland:							
Fibroma							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	
						Mean 0%	
						SD 0%	
.....							
#Mammary Gland:							
Fibroma, Fibroadenoma or Adenoma							
		3/50 (6%)	1/50 (2%)	0/50 (0%)	16/50 (32%)	15/50 (30%)	
Overall Incidence	Total	4/150 (2.67%)	Mean 2.67%	SD 3.06%	Total	43/150 (28.67%)	
						Mean 28.67%	
						SD 4.16%	
.....							
#Mammary Gland:							
Fibroma, Fibroadenoma, Carcinoma, or Adenoma							
		3/50 (6%)	1/50 (2%)	0/50 (0%)	17/50 (34%)	17/50 (34%)	
Overall Incidence	Total	4/150 (2.67%)	Mean 2.67%	SD 3.06%	Total	48/150 (32%)	
						Mean 32%	
						SD 3.46%	
.....							
#Mesentery:							
Fibrosarcoma							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	
						Mean 0%	
						SD 0%	
.....							
#Mesentery:							
Hemangiosarcoma							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	
						Mean 0%	
						SD 0%	
.....							
#Mesentery:							
Lipoma							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	
						Mean 0%	
						SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: SKIN
Vehicle: ETHANOL

Page: 326
 Report Date:04/29/2009

		Male			Female		
#Mesentery:							
Rhabdomyosarcoma							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	
						Mean 0%	
						SD 0%	
.....							
*Nose:							
Adenoma							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/149 (0%)	
						Mean 0%	
						SD 0%	
.....							
*Nose:							
Chondroma							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/149 (0%)	
						Mean 0%	
						SD 0%	
.....							
*Nose:							
Squamous Cell Carcinoma							
		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/49 (0%)	0/50 (0%)	
Overall Incidence	Total	1/150 (0.67%)	Mean 0.67%	SD 1.15%	Total	0/149 (0%)	
						Mean 0%	
						SD 0%	
.....							
#Oral Cavity (Oral Mucosa, Tongue, Pharynx, Tooth, Gingiva):							
Papilloma Squamous or Papilloma							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	3/150 (2%)	
						Mean 2%	
						SD 2%	
.....							
#Oral Cavity (Oral Mucosa, Tongue, Pharynx, Tooth, Gingiva):							
Squamous Cell Carcinoma							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	1/150 (0.67%)	
						Mean 0.67%	
						SD 1.15%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: SKIN
Vehicle: ETHANOL

Page: 327
 Report Date:04/29/2009

	Male						Female						
#Oral Cavity (Oral Mucosa, Tongue, Pharynx, Tooth, Gingiva): Squamous Cell Carcinoma, Papilloma Squamous, or Papilloma													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	3/50	(6%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	4/150	(2.67%)	Mean 2.67%	SD 3.06%			
.....													
#Oral Mucosa: Squamous Cell Carcinoma													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	1/150	(0.67%)	Mean 0.67%	SD 1.15%			
.....													
#Oral Mucosa: Squamous Cell Papilloma													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	1/150	(0.67%)	Mean 0.67%	SD 1.15%			
.....													
*Ovary: Cystadenoma													
							0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence						Total	0/150	(0%)	Mean 0%	SD 0%			
.....													
*Ovary: Granulosa Cell Tumor Benign													
							0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence						Total	0/150	(0%)	Mean 0%	SD 0%			
.....													
*Ovary: Granulosa Cell Tumor Malignant													
							1/50	(2%)	0/50	(0%)	0/50	(0%)	
Overall Incidence						Total	1/150	(0.67%)	Mean 0.67%	SD 1.15%			

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: SKIN
 Vehicle: ETHANOL

Page: 328
 Report Date:04/29/2009

		Male			Female			
*Ovary:								
Granulosa Cell Tumor: Benign, Malignant, NOS								
			1/50 (2%)		0/50 (0%)		0/50 (0%)	
Overall Incidence			Total 1/150 (0.67%)		Mean 0.67%		SD 1.15%	
.....								
*Ovary:								
Granulosa-Theca Tumor Benign								
			0/50 (0%)		0/50 (0%)		0/50 (0%)	
Overall Incidence			Total 0/150 (0%)		Mean 0%		SD 0%	
.....								
*Ovary:								
Granulosa-Theca Tumor Malignant								
			0/50 (0%)		0/50 (0%)		0/50 (0%)	
Overall Incidence			Total 0/150 (0%)		Mean 0%		SD 0%	
.....								
*Ovary:								
Tubulostromal Adenoma								
			0/50 (0%)		0/50 (0%)		0/50 (0%)	
Overall Incidence			Total 0/150 (0%)		Mean 0%		SD 0%	
.....								
*Pancreas:								
Adenoma								
		0/50 (0%)	0/50 (0%)	3/50 (6%)		0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	3/150 (2%)	Mean 2%	SD 3.46%	Total	0/150 (0%)	Mean 0%	SD 0%
.....								
*Pancreas:								
Carcinoma								
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: SKIN
 Vehicle: ETHANOL

Page: 329
 Report Date:04/29/2009

		Male			Female		
*Pancreas:							
 Carcinoma or Adenoma							
		0/50 (0%)	0/50 (0%)	3/50 (6%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	3/150 (2%)	Mean 2%	SD 3.46%	Total	0/150 (0%)	
						Mean 0%	
						SD 0%	
.....							
*Pancreas:							
 Mixed Tumor Benign							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	
						Mean 0%	
						SD 0%	
.....							
*Pancreas:							
 Mixed Tumor Malignant							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	
						Mean 0%	
						SD 0%	
.....							
*Parathyroid Gland:							
 Adenoma							
		0/49 (0%)	0/49 (0%)	0/49 (0%)	0/43 (0%)	0/46 (0%)	
Overall Incidence	Total	0/147 (0%)	Mean 0%	SD 0%	Total	0/134 (0%)	
						Mean 0%	
						SD 0%	
.....							
#Peripheral Nerve:							
 Schwannoma Malignant							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	
						Mean 0%	
						SD 0%	
.....							
#Peripheral Nerve:							
 Schwannoma: Benign, Malignant, NOS							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	
						Mean 0%	
						SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: SKIN
Vehicle: ETHANOL

Page: 330
 Report Date:04/29/2009

		Male				Female			
*Pituitary Gland: Pars Distalis or Unspecified Site:									
Adenoma									
		35/49 (71%)	32/50 (64%)	29/50 (58%)		22/50 (44%)	35/50 (70%)	33/50 (66%)	
Overall Incidence	Total	96/149 (64.43%)	Mean 64.48%	SD 6.73%	Total	90/150 (60%)	Mean 60%	SD 14%	
.....									
*Pituitary Gland: Pars Distalis or Unspecified Site:									
Carcinoma									
		0/49 (0%)	0/50 (0%)	5/50 (10%)		0/50 (0%)	0/50 (0%)	3/50 (6%)	
Overall Incidence	Total	5/149 (3.36%)	Mean 3.33%	SD 5.77%	Total	3/150 (2%)	Mean 2%	SD 3.46%	
.....									
*Pituitary Gland: Pars Distalis or Unspecified Site:									
Carcinoma or Adenoma									
		35/49 (71%)	32/50 (64%)	34/50 (68%)		22/50 (44%)	35/50 (70%)	36/50 (72%)	
Overall Incidence	Total	101/149 (67.79%)	Mean 67.81%	SD 3.72%	Total	93/150 (62%)	Mean 62%	SD 15.62%	
.....									
*Pituitary Gland: Pars Distalis or Unspecified Site:									
Ganglioneuroma									
		0/49 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/149 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
*Pituitary Gland: Pars Intermedia:									
Adenoma									
		0/49 (0%)	0/50 (0%)	2/50 (4%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	2/149 (1.34%)	Mean 1.33%	SD 2.31%	Total	1/150 (0.67%)	Mean 0.67%	SD 1.15%	
.....									
*Pituitary Gland: Pars Intermedia:									
Carcinoma									
		0/49 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/149 (0.67%)	Mean 0.67%	SD 1.15%	Total	0/150 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: SKIN
Vehicle: ETHANOL

Page: 331
 Report Date:04/29/2009

		Male				Female			
*Pituitary Gland: Pars Intermedia: Carcinoma or Adenoma									
		0/49 (0%)	0/50 (0%)	3/50 (6%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	3/149 (2.01%)	Mean 2%	SD 3.46%	Total	1/150 (0.67%)	Mean 0.67%	SD 1.15%	
.....									
*Prostate: Adenoma									
		0/50 (0%)	0/50 (0%)	1/50 (2%)					
Overall Incidence	Total	1/150 (0.67%)	Mean 0.67%	SD 1.15%					
.....									
*Prostate: Carcinoma or Adenoma									
		0/50 (0%)	0/50 (0%)	1/50 (2%)					
Overall Incidence	Total	1/150 (0.67%)	Mean 0.67%	SD 1.15%					
.....									
*Salivary Glands: Sarcoma									
		0/50 (0%)	0/50 (0%)	1/49 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/149 (0.67%)	Mean 0.68%	SD 1.18%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
#Seminal Vesicle: Adenoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)					
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%					
.....									
#Skeletal Muscle: Fibrous Histiocytoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: SKIN
Vehicle: ETHANOL

Page: 332
 Report Date:04/29/2009

		Male				Female			
#Skeletal Muscle: Hemangioma									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
#Skeletal Muscle: Hemangiosarcoma									
Overall Incidence	Total	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/150 (0.67%)	Mean 0.67%	SD 1.15%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
#Skeletal Muscle: Lipoma									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/150 (0.67%)	Mean 0.67%	SD 1.15%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
#Skeletal Muscle: Rhabdomyosarcoma									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/150 (0%)	Mean 0%	SD 0%	Total	1/150 (0.67%)	Mean 0.67%	SD 1.15%	
.....									
#Skeletal Muscle: Rhabdomyosarcoma or Rhabdomyoma									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/150 (0%)	Mean 0%	SD 0%	Total	1/150 (0.67%)	Mean 0.67%	SD 1.15%	
.....									
#Skeletal Muscle: Sarcoma									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/150 (0.67%)	Mean 0.67%	SD 1.15%	Total	0/150 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: SKIN
 Vehicle: ETHANOL

Page: 333
 Report Date:04/29/2009

	Male					Female					
#Skin:											
Basal Cell Adenoma											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
#Skin:											
Basal Cell Adenoma or Basosquamous Tumor Benign											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
#Skin:											
Basal Cell Adenoma, Basosquamous Tumor Benign, or Trichoepithelioma											
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	1/150	(0.67%)	Mean 0.67%	SD 1.15%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
#Skin:											
Basal Cell Carcinoma											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
#Skin:											
Basal Cell Carcinoma or Basosquamous Tumor (malignant or NOS)											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
#Skin:											
Basal Cell Carcinoma, Basal Cell Adenoma, Basosquamous Tumor (benign, malignant or NOS), or Trichoepithelioma											
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	1/150	(0.67%)	Mean 0.67%	SD 1.15%	Total	0/150	(0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: SKIN
Vehicle: ETHANOL

Page: 334
 Report Date:04/29/2009

		Male				Female			
#Skin:									
Basal or Sq. Cell Carcinoma, Carcinoma, Basosq. Tumor (M or B), Basal Cell Adenoma, Adenoma, Papilloma, Sq Papilloma, Keratoacanthoma, Trichoepithelioma									
		2/50 (4%)	2/50 (4%)	4/50 (8%)		0/50 (0%)	1/50 (2%)	1/50 (2%)	
Overall Incidence	Total	8/150 (5.33%)	Mean 5.33%	SD 2.31%	Total	2/150 (1.33%)	Mean 1.33%	SD 1.15%	
.....									
#Skin:									
Fibroma									
		1/50 (2%)	7/50 (14%)	5/50 (10%)		2/50 (4%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	13/150 (8.67%)	Mean 8.67%	SD 6.11%	Total	2/150 (1.33%)	Mean 1.33%	SD 2.31%	
.....									
#Skin:									
Fibroma, Fibrosarcoma, Sarcoma, Myxoma, Myxosarcoma, or Fibrous Histiocytoma									
		3/50 (6%)	8/50 (16%)	5/50 (10%)		2/50 (4%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	16/150 (10.67%)	Mean 10.67%	SD 5.03%	Total	2/150 (1.33%)	Mean 1.33%	SD 2.31%	
.....									
#Skin:									
Fibrosarcoma									
		2/50 (4%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	2/150 (1.33%)	Mean 1.33%	SD 2.31%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Fibrosarcoma, Sarcoma, Myxosarcoma, or Fibrous Histiocytoma									
		2/50 (4%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	3/150 (2%)	Mean 2%	SD 2%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Fibrous Histiocytoma									
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/150 (0.67%)	Mean 0.67%	SD 1.15%	Total	0/150 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: SKIN
Vehicle: ETHANOL

Page: 335
 Report Date:04/29/2009

		Male				Female					
#Skin:											
Hemangioma											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
#Skin:											
Hemangiosarcoma											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
#Skin:											
Keratoacanthoma											
		0/50	(0%)	2/50	(4%)	3/50	(6%)	0/50	(0%)	1/50	(2%)
Overall Incidence	Total	5/150	(3.33%)	Mean 3.33%	SD 3.06%	Total	1/150	(0.67%)	Mean 0.67%	SD 1.15%	
.....											
#Skin:											
Lipoma											
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	1/150	(0.67%)	Mean 0.67%	SD 1.15%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
#Skin:											
Liposarcoma											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
#Skin:											
Neural Crest Tumor											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: SKIN
Vehicle: ETHANOL

Page: 336
 Report Date:04/29/2009

		Male			Female			
#Skin:								
Neural Crest Tumor, Malignant								
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%
.....								
#Skin:								
Neurofibroma or Schwannoma benign								
		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/150 (0.67%)	Mean 0.67%	SD 1.15%	Total	0/150 (0%)	Mean 0%	SD 0%
.....								
#Skin:								
Neurofibrosarcoma or Schwannoma (malignant or NOS)								
		1/50 (2%)	1/50 (2%)	2/50 (4%)	0/50 (0%)	0/50 (0%)	2/50 (4%)	
Overall Incidence	Total	4/150 (2.67%)	Mean 2.67%	SD 1.15%	Total	2/150 (1.33%)	Mean 1.33%	SD 2.31%
.....								
#Skin:								
Neurofibrosarcoma, Neurofibroma, or Schwannoma (benign, malignant or NOS)								
		1/50 (2%)	2/50 (4%)	2/50 (4%)	0/50 (0%)	0/50 (0%)	2/50 (4%)	
Overall Incidence	Total	5/150 (3.33%)	Mean 3.33%	SD 1.15%	Total	2/150 (1.33%)	Mean 1.33%	SD 2.31%
.....								
#Skin:								
Sarcoma								
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%
.....								
#Skin:								
Schwannoma Benign								
		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/150 (0.67%)	Mean 0.67%	SD 1.15%	Total	0/150 (0%)	Mean 0%	SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: SKIN
 Vehicle: ETHANOL

Page: 337
 Report Date:04/29/2009

	Male					Female								
#Skin:														
Schwannoma Malignant														
		1/50	(2%)	1/50	(2%)	2/50	(4%)	0/50	(0%)	0/50	(0%)	2/50	(4%)	
Overall Incidence	Total	4/150	(2.67%)	Mean	2.67%	SD	1.15%	Total	2/150	(1.33%)	Mean	1.33%	SD	2.31%
.....														
#Skin:														
Squamous Cell Carcinoma														
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	
Overall Incidence	Total	1/150	(0.67%)	Mean	0.67%	SD	1.15%	Total	1/150	(0.67%)	Mean	0.67%	SD	1.15%
.....														
#Skin:														
Squamous Cell Carcinoma, Basal Cell Carcinoma, Basosquamous Tumor (malignant or NOS), or Carcinoma														
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	
Overall Incidence	Total	1/150	(0.67%)	Mean	0.67%	SD	1.15%	Total	1/150	(0.67%)	Mean	0.67%	SD	1.15%
.....														
#Skin:														
Squamous Cell Papilloma														
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	1/150	(0.67%)	Mean	0.67%	SD	1.15%	Total	0/150	(0%)	Mean	0%	SD	0%
.....														
#Skin:														
Squamous Cell Papilloma or Papilloma														
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	1/150	(0.67%)	Mean	0.67%	SD	1.15%	Total	0/150	(0%)	Mean	0%	SD	0%
.....														
#Skin:														
Squamous Cell Papilloma, Papilloma, Squamous Cell Carcinoma or Keratoacanthoma														
		1/50	(2%)	2/50	(4%)	4/50	(8%)	0/50	(0%)	1/50	(2%)	1/50	(2%)	
Overall Incidence	Total	7/150	(4.67%)	Mean	4.67%	SD	3.06%	Total	2/150	(1.33%)	Mean	1.33%	SD	1.15%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: SKIN
 Vehicle: ETHANOL

Page: 338
 Report Date:04/29/2009

	Male					Female								
#Skin:														
Squamous Cell Papilloma, Papilloma, or Keratoacanthoma														
		0/50	(0%)	2/50	(4%)	4/50	(8%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	
Overall Incidence	Total	6/150	(4%)	Mean	4%	SD	4%	Total	1/150	(0.67%)	Mean	0.67%	SD	1.15%
.....														
#Skin:														
Trichoepithelioma														
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	1/150	(0.67%)	Mean	0.67%	SD	1.15%	Total	0/150	(0%)	Mean	0%	SD	0%
.....														
#Skin: Sebaceous Gland:														
Adenoma														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/150	(0%)	Mean	0%	SD	0%
.....														
#Skin: Sebaceous Gland:														
Carcinoma														
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	1/150	(0.67%)	Mean	0.67%	SD	1.15%	Total	0/150	(0%)	Mean	0%	SD	0%
.....														
#Skin: Sebaceous Gland:														
Carcinoma or Adenoma														
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	1/150	(0.67%)	Mean	0.67%	SD	1.15%	Total	0/150	(0%)	Mean	0%	SD	0%
.....														
#Spinal Cord:														
Astrocytoma Benign														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/150	(0%)	Mean	0%	SD	0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: SKIN
 Vehicle: ETHANOL

Page: 339
 Report Date:04/29/2009

		Male				Female								
#Spinal Cord:														
Astrocytoma Malignant														
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	1/150	(0.67%)	Mean	0.67%	SD	1.15%	Total	0/150	(0%)	Mean	0%	SD	0%
.....														
#Spinal Cord:														
Glioma Malignant														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/150	(0%)	Mean	0%	SD	0%
.....														
*Spleen:														
Fibrosarcoma														
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	1/150	(0.67%)	Mean	0.67%	SD	1.15%	Total	0/150	(0%)	Mean	0%	SD	0%
.....														
*Spleen:														
Fibrous Histiocytoma														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/150	(0%)	Mean	0%	SD	0%
.....														
*Spleen:														
Hemangioma														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/150	(0%)	Mean	0%	SD	0%
.....														
*Spleen:														
Hemangiosarcoma														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	0/150	(0%)	Mean	0%	SD	0%	Total	0/150	(0%)	Mean	0%	SD	0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: SKIN
Vehicle: ETHANOL

Page: 340
 Report Date:04/29/2009

		Male				Female					
*Spleen:											
Leiomyosarcoma											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
*Spleen:											
Sarcoma											
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	1/150	(0.67%)	Mean 0.67%	SD 1.15%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
#Stomach, Forestomach:											
Leiomyosarcoma											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
#Stomach, Forestomach:											
Squamous Cell Carcinoma											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
#Stomach, Forestomach:											
Squamous Cell Carcinoma or Papilloma Squamous											
		0/50	(0%)	1/50	(2%)	1/50	(2%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	2/150	(1.33%)	Mean 1.33%	SD 1.15%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
#Stomach, Forestomach:											
Squamous Cell Papilloma											
		0/50	(0%)	1/50	(2%)	1/50	(2%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	2/150	(1.33%)	Mean 1.33%	SD 1.15%	Total	0/150	(0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: SKIN
Vehicle: ETHANOL

Page: 341
 Report Date:04/29/2009

		Male			Female			
#Stomach, Glandular:								
Lipoma								
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%
.....								
#Stomach, Glandular:								
Sarcoma								
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%
.....								
*Testes:								
Adenoma								
		30/50 (60%)	37/50 (74%)	36/50 (72%)				
Overall Incidence	Total	103/150 (68.67%)	Mean 68.67%	SD 7.57%				
.....								
*Thymus:								
Sarcoma								
		0/49 (0%)	0/49 (0%)	0/49 (0%)	0/49 (0%)	0/50 (0%)		
Overall Incidence	Total	0/147 (0%)	Mean 0%	SD 0%	Total	0/144 (0%)	Mean 0%	SD 0%
.....								
*Thymus:								
Thymoma Benign								
		0/49 (0%)	0/49 (0%)	0/49 (0%)	0/49 (0%)	0/50 (0%)		
Overall Incidence	Total	0/147 (0%)	Mean 0%	SD 0%	Total	0/144 (0%)	Mean 0%	SD 0%
.....								
*Thymus:								
Thymoma Malignant								
		0/49 (0%)	0/49 (0%)	0/49 (0%)	0/49 (0%)	0/50 (0%)		
Overall Incidence	Total	0/147 (0%)	Mean 0%	SD 0%	Total	0/144 (0%)	Mean 0%	SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: SKIN
Vehicle: ETHANOL

Page: 342
 Report Date:04/29/2009

		Male			Female			
*Thymus:								
Thymoma NOS								
		0/49 (0%)	0/49 (0%)	0/49 (0%)	0/49 (0%)	0/45 (0%)	0/50 (0%)	
Overall Incidence	Total	0/147 (0%)	Mean 0%	SD 0%	Total	0/144 (0%)	Mean 0%	SD 0%
.....								
*Thymus:								
Thymoma: Benign, Malignant, NOS								
		0/49 (0%)	0/49 (0%)	0/49 (0%)	0/49 (0%)	0/45 (0%)	0/50 (0%)	
Overall Incidence	Total	0/147 (0%)	Mean 0%	SD 0%	Total	0/144 (0%)	Mean 0%	SD 0%
.....								
*Thyroid Gland: C-Cell:								
Adenoma								
		10/50 (20%)	10/50 (20%)	5/50 (10%)	6/50 (12%)	8/50 (16%)	3/50 (6%)	
Overall Incidence	Total	25/150 (16.67%)	Mean 16.67%	SD 5.77%	Total	17/150 (11.33%)	Mean 11.33%	SD 5.03%
.....								
*Thyroid Gland: C-Cell:								
Carcinoma								
		1/50 (2%)	2/50 (4%)	5/50 (10%)	0/50 (0%)	0/50 (0%)	2/50 (4%)	
Overall Incidence	Total	8/150 (5.33%)	Mean 5.33%	SD 4.16%	Total	2/150 (1.33%)	Mean 1.33%	SD 2.31%
.....								
*Thyroid Gland: C-Cell:								
Carcinoma or Adenoma								
		11/50 (22%)	12/50 (24%)	10/50 (20%)	6/50 (12%)	8/50 (16%)	5/50 (10%)	
Overall Incidence	Total	33/150 (22%)	Mean 22%	SD 2%	Total	19/150 (12.67%)	Mean 12.67%	SD 3.06%
.....								
*Thyroid Gland: Follicular Cell:								
Adenoma								
		0/50 (0%)	0/50 (0%)	1/50 (2%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/150 (0.67%)	Mean 0.67%	SD 1.15%	Total	1/150 (0.67%)	Mean 0.67%	SD 1.15%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: SKIN
 Vehicle: ETHANOL

Page: 343
 Report Date:04/29/2009

		Male				Female			
*Thyroid Gland: Follicular Cell: Carcinoma									
Overall Incidence	Total	0/50 (0%)	1/50 (2%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	1/50 (2%)
		1/150 (0.67%)	Mean 0.67%	SD 1.15%	Total	2/150 (1.33%)	Mean 1.33%	SD 1.15%	
.....									
*Thyroid Gland: Follicular Cell: Carcinoma or Adenoma									
Overall Incidence	Total	0/50 (0%)	1/50 (2%)	1/50 (2%)	2/50 (4%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	1/50 (2%)
		2/150 (1.33%)	Mean 1.33%	SD 1.15%	Total	3/150 (2%)	Mean 2%	SD 2%	
.....									
#Tissue NOS: Lipoma									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
#Tissue NOS: Paraganglioma									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
#Tissue NOS: Schwannoma Malignant									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
#Tongue: Squamous Cell Carcinoma									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: SKIN
 Vehicle: ETHANOL

Page: 344
 Report Date:04/29/2009

		Male				Female					
#Tongue:											
Squamous Cell Carcinoma or Papilloma Squamous											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	2/50	(4%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	2/150	(1.33%)	Mean 1.33%	SD 2.31%	
.....											
#Tongue:											
Squamous Cell Papilloma											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	2/50	(4%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	2/150	(1.33%)	Mean 1.33%	SD 2.31%	
.....											
#Tooth:											
Adamantinoma Malignant											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
#Tooth:											
Odontoma											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	1/150	(0.67%)	Mean 0.67%	SD 1.15%	
.....											
*Urinary Bladder:											
Carcinoma											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
*Urinary Bladder:											
Carcinoma or Papilloma											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: SKIN
 Vehicle: ETHANOL

Page: 345
 Report Date:04/29/2009

		Male			Female			
*Urinary Bladder: Hemangiosarcoma								
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%
*Urinary Bladder: Leiomyosarcoma								
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%
*Urinary Bladder: Papilloma								
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%
#Uterus: Adenoma								
Overall Incidence					Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%
#Uterus: Carcinoma								
Overall Incidence					Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%
#Uterus: Deciduoma Benign								
Overall Incidence					Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: SKIN
 Vehicle: ETHANOL

Page: 346
 Report Date:04/29/2009

	Male			Female		
#Uterus:						
Hemangioma						
		0/50	(0%)	0/50	(0%)	0/50
Overall Incidence	Total	0/150	(0%)	Mean 0%		SD 0%
.....						
#Uterus:						
Hemangiosarcoma						
		0/50	(0%)	0/50	(0%)	0/50
Overall Incidence	Total	0/150	(0%)	Mean 0%		SD 0%
.....						
#Uterus:						
Leiomyoma						
		0/50	(0%)	0/50	(0%)	1/50
Overall Incidence	Total	1/150	(0.67%)	Mean 0.67%		SD 1.15%
.....						
#Uterus:						
Leiomyosarcoma						
		0/50	(0%)	0/50	(0%)	0/50
Overall Incidence	Total	0/150	(0%)	Mean 0%		SD 0%
.....						
#Uterus:						
Polyp Stromal						
		5/50	(10%)	2/50	(4%)	10/50
Overall Incidence	Total	17/150	(11.33%)	Mean 11.33%		SD 8.08%
.....						
#Uterus:						
Sarcoma Stromal						
		1/50	(2%)	1/50	(2%)	0/50
Overall Incidence	Total	2/150	(1.33%)	Mean 1.33%		SD 1.15%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: SKIN
Vehicle: ETHANOL

Page: 347
 Report Date:04/29/2009

		Male			Female		
#Uterus:							
Sarcoma Stromal or Polyp Stromal							
			6/50 (12%)		3/50 (6%)		10/50 (20%)
Overall Incidence		Total	19/150 (12.67%)		Mean 12.67%		SD 7.02%
.....							
#Uterus:							
Schwannoma Malignant							
			0/50 (0%)		0/50 (0%)		0/50 (0%)
Overall Incidence		Total	0/150 (0%)		Mean 0%		SD 0%
.....							
#Vagina:							
Polyp							
			0/50 (0%)		0/50 (0%)		0/50 (0%)
Overall Incidence		Total	0/150 (0%)		Mean 0%		SD 0%
.....							
#Vagina:							
Sarcoma							
			0/50 (0%)		0/50 (0%)		0/50 (0%)
Overall Incidence		Total	0/150 (0%)		Mean 0%		SD 0%
.....							
#Zymbal's Gland:							
Adenoma							
		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/150 (0.67%)	Mean 0.67%	SD 1.15%	Total	0/150 (0%)	Mean 0%
							SD 0%
.....							
#Zymbal's Gland:							
Carcinoma							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%
							SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: SKIN
Vehicle: ETHANOL

Page: 348
 Report Date:04/29/2009

		Male			Female		
#Zymbal's Gland:							
Carcinoma or Adenoma							
		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/150 (0.67%)	Mean 0.67%	SD 1.15%	Total	0/150 (0%)	Mean 0% SD 0%

.....
 *: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied