

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 4
 Report Date:04/29/2009

Study Summary

Laboratory Name	Study Number	Study Start Date	Length of Study in Days	Number of Animals Total and (#/Cage)	Number Surviving and (Mean Life Span)	Maximum Mean Weekly Body Weight	Chemical
Male							
Battelle Columbus Laboratory	058810503	04/22/02	729	50 (3)	35(702)	521.9	Isoeugenol
Battelle Columbus Laboratory	052000705	08/18/04	727	49 (3)	34(692)	515.2	Kava kava extract
Battelle Columbus Laboratory	059902303	03/25/02	729	50 (3)	29(683)	501.9	beta-Myrcene
Battelle Columbus Laboratory	059902005	04/09/03	727	50 (3)	39(685)	514.9	Pulegone
Female							
Battelle Columbus Laboratory	058810503	04/23/02	730	50 (5)	33(699)	339.3	Isoeugenol
Battelle Columbus Laboratory	052000705	08/19/04	728	50 (5)	34(683)	354.3	Kava kava extract
Battelle Columbus Laboratory	059902303	03/26/02	730	50 (5)	31(668)	323.8	beta-Myrcene
Battelle Columbus Laboratory	059902005	04/10/03	728	50 (5)	31(682)	341.2	Pulegone

NOTE: The text on page 2 ("Report Description") describes how the studies listed here are displayed on the data pages that follow.

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 5
Report Date:04/29/2009

		Male				Female			
#All Organs:									
Benign Tumors									
		49/50 (98%)	49/49 (100%)	49/50 (98%)		41/50 (82%)	43/50 (86%)	40/50 (80%)	
		47/50 (94%)				42/50 (84%)			
Overall Incidence	Total	194/199 (97.49%)	Mean 97.5%	SD 2.52%	Total	166/200 (83%)	Mean 83%	SD 2.58%	
.....									
#All Organs:									
Malignant Tumors									
		29/50 (58%)	17/49 (35%)	23/50 (46%)		18/50 (36%)	11/50 (22%)	11/50 (22%)	
		10/50 (20%)				8/50 (16%)			
Overall Incidence	Total	79/199 (39.7%)	Mean 39.67%	SD 16.2%	Total	48/200 (24%)	Mean 24%	SD 8.49%	
.....									
#All Organs:									
Malignant and Benign Tumors									
		50/50 (100%)	49/49 (100%)	50/50 (100%)		46/50 (92%)	46/50 (92%)	45/50 (90%)	
		47/50 (94%)				44/50 (88%)			
Overall Incidence	Total	196/199 (98.49%)	Mean 98.5%	SD 3%	Total	181/200 (90.5%)	Mean 90.5%	SD 1.91%	
.....									
#All Organs:									
Hemangioma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#All Organs:									
Hemangiosarcoma									
		1/50 (2%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				2/50 (4%)			
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	2/200 (1%)	Mean 1%	SD 2%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 6
Report Date:04/29/2009

		Male				Female			
#All Organs:									
Hemangiosarcoma or Hemangioma									
		1/50 (2%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)				2/50 (4%)			
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	3/200 (1.5%)	Mean 1.5%	SD 1.91%	
.....									
#All Organs:									
Histiocytic Sarcoma									
		0/50 (0%)	0/49 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#All Organs:									
Leukemia: Erythrocytic									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#All Organs:									
Leukemia: Lymphocytic, Monocytic, Mononuclear, or Undifferentiated									
		10/50 (20%)	7/49 (14%)	9/50 (18%)		8/50 (16%)	5/50 (10%)	5/50 (10%)	
		4/50 (8%)				4/50 (8%)			
Overall Incidence	Total	30/199 (15.08%)	Mean 15.07%	SD 5.28%	Total	22/200 (11%)	Mean 11%	SD 3.46%	
.....									
#All Organs:									
Malignant Lymphoma: Histiocytic, Lymphocytic, Mixed, NOS, or Undifferentiated Cell Type									
		0/50 (0%)	1/49 (2%)	1/50 (2%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	2/199 (1.01%)	Mean 1.01%	SD 1.17%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 7
 Report Date:04/29/2009

		Male				Female			
#All Organs:									
Mesothelioma: Benign									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#All Organs:									
Mesothelioma: Benign, Malignant, NOS									
		3/50 (6%)	3/49 (6%)	2/50 (4%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		2/50 (4%)				1/50 (2%)			
Overall Incidence	Total	10/199 (5.03%)	Mean 5.03%	SD 1.19%	Total	2/200 (1%)	Mean 1%	SD 1.15%	
.....									
#All Organs:									
Mesothelioma: Malignant									
		3/50 (6%)	3/49 (6%)	2/50 (4%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		2/50 (4%)				1/50 (2%)			
Overall Incidence	Total	10/199 (5.03%)	Mean 5.03%	SD 1.19%	Total	2/200 (1%)	Mean 1%	SD 1.15%	
.....									
#All Organs:									
Osteoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#All Organs:									
Osteosarcoma									
		2/50 (4%)	1/49 (2%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	4/199 (2.01%)	Mean 2.01%	SD 1.63%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 8
Report Date:04/29/2009

		Male				Female			
#All Organs:									
Osteosarcoma or Osteoma									
		2/50 (4%)	1/49 (2%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	4/199 (2.01%)	Mean 2.01%	SD 1.63%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Adrenal Cortex:									
Adenoma									
		0/50 (0%)	0/49 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		2/50 (4%)				0/50 (0%)			
Overall Incidence	Total	3/199 (1.51%)	Mean 1.5%	SD 1.91%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Adrenal Cortex:									
Carcinoma									
		0/50 (0%)	1/49 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	1/199 (0.5%)	Mean 0.51%	SD 1.02%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Adrenal Medulla:									
Ganglioneuroma									
		0/50 (0%)	0/49 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Adrenal Medulla:									
Hemangioma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 9
Report Date:04/29/2009

		Male				Female			
*Adrenal Medulla:									
Pheochromocytoma Benign									
		5/50 (10%)	5/49 (10%)	11/50 (22%)		2/50 (4%)	3/50 (6%)	1/50 (2%)	
		8/50 (16%)				3/50 (6%)			
Overall Incidence	Total	29/199 (14.57%)	Mean 14.55%	SD 5.69%	Total	9/200 (4.5%)	Mean 4.5%	SD 1.91%	
.....									
*Adrenal Medulla:									
Pheochromocytoma Complex									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Adrenal Medulla:									
Pheochromocytoma Malignant									
		3/50 (6%)	0/49 (0%)	2/50 (4%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	5/199 (2.51%)	Mean 2.5%	SD 3%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Adrenal Medulla:									
Pheochromocytoma: Benign, Complex, Malignant, NOS									
		7/50 (14%)	5/49 (10%)	13/50 (26%)		2/50 (4%)	3/50 (6%)	1/50 (2%)	
		8/50 (16%)				3/50 (6%)			
Overall Incidence	Total	33/199 (16.58%)	Mean 16.55%	SD 6.74%	Total	9/200 (4.5%)	Mean 4.5%	SD 1.91%	
.....									
#Bone:									
Chondrosarcoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 10
 Report Date:04/29/2009

		Male				Female			
#Bone:									
Chondrosarcoma or Chondroma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Bone:									
Chordoma									
		0/50 (0%)	0/49 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Bone:									
Osteoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Bone:									
Osteosarcoma									
		2/50 (4%)	1/49 (2%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	4/199 (2.01%)	Mean 2.01%	SD 1.63%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Bone:									
Osteosarcoma or Osteoma									
		2/50 (4%)	1/49 (2%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	4/199 (2.01%)	Mean 2.01%	SD 1.63%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 11
 Report Date:04/29/2009

		Male				Female			
*Brain:									
Astrocytoma Malignant									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)				0/50 (0%)			
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Brain:									
Ependymoma Benign									
		0/50 (0%)	0/49 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Brain:									
Ependymoma Malignant									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Brain:									
Glioma Malignant									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Brain:									
Granular Cell Tumor Benign									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 12
 Report Date:04/29/2009

		Male				Female					
*Brain:											
Medulloblastoma Mal											
		0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)					0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/199	(0%)	Mean 0%	SD 0%	Total	0/200	(0%)	Mean 0%	SD 0%	
.....											
*Brain:											
Meningioma Malignant											
		0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)					0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/199	(0%)	Mean 0%	SD 0%	Total	0/200	(0%)	Mean 0%	SD 0%	
.....											
*Brain:											
Meningioma: Benign, Malignant, NOS											
		0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)					0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/199	(0%)	Mean 0%	SD 0%	Total	0/200	(0%)	Mean 0%	SD 0%	
.....											
*Brain:											
Oligodendroglioma Benign											
		0/50	(0%)	0/49	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)					0/50	(0%)	0/50	(0%)
Overall Incidence	Total	1/199	(0.5%)	Mean 0.5%	SD 1%	Total	0/200	(0%)	Mean 0%	SD 0%	
.....											
*Brain:											
Oligodendroglioma Malignant											
		1/50	(2%)	0/49	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)
		0/50	(0%)					0/50	(0%)	0/50	(0%)
Overall Incidence	Total	1/199	(0.5%)	Mean 0.5%	SD 1%	Total	1/200	(0.5%)	Mean 0.5%	SD 1%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 13
Report Date:04/29/2009

		Male				Female								
*Brain:														
Oligodendroglioma, Glioma, or Astrocytoma														
		1/50	(2%)	0/49	(0%)	1/50	(2%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	
		1/50	(2%)					0/50	(0%)					
Overall Incidence	Total	3/199	(1.51%)	Mean	1.5%	SD	1%	Total	1/200	(0.5%)	Mean	0.5%	SD	1%
.....														
*Brain:														
Osteosarcoma														
		0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)					0/50	(0%)					
Overall Incidence	Total	0/199	(0%)	Mean	0%	SD	0%	Total	0/200	(0%)	Mean	0%	SD	0%
.....														
*Brain:														
Schwannoma Malignant														
		0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)					0/50	(0%)					
Overall Incidence	Total	0/199	(0%)	Mean	0%	SD	0%	Total	0/200	(0%)	Mean	0%	SD	0%
.....														
*Clitoral/Preputial Gland:														
Adenoma														
		2/50	(4%)	0/49	(0%)	5/50	(10%)	3/48	(6%)	2/50	(4%)	7/50	(14%)	
		3/50	(6%)					3/50	(6%)					
Overall Incidence	Total	10/199	(5.03%)	Mean	5%	SD	4.16%	Total	15/198	(7.58%)	Mean	7.56%	SD	4.41%
.....														
*Clitoral/Preputial Gland:														
Carcinoma														
		2/50	(4%)	1/49	(2%)	0/50	(0%)	2/48	(4%)	2/50	(4%)	0/50	(0%)	
		1/50	(2%)					0/50	(0%)					
Overall Incidence	Total	4/199	(2.01%)	Mean	2.01%	SD	1.63%	Total	4/198	(2.02%)	Mean	2.04%	SD	2.36%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 14
 Report Date:04/29/2009

		Male				Female			
*Clitoral/Preputial Gland: Carcinoma or Adenoma									
		4/50 (8%)	1/49 (2%)	5/50 (10%)		5/48 (10%)	4/50 (8%)	7/50 (14%)	
		4/50 (8%)				3/50 (6%)			
Overall Incidence	Total	14/199 (7.04%)	Mean 7.01%	SD 3.44%	Total	19/198 (9.6%)	Mean 9.6%	SD 3.44%	
.....									
*Clitoral/Preputial Gland: Fibrosarcoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/48 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/198 (0%)	Mean 0%	SD 0%	
.....									
*Clitoral/Preputial Gland: Sarcoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/48 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/198 (0%)	Mean 0%	SD 0%	
.....									
*Clitoral/Preputial Gland: Squamous Cell Papilloma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/48 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/198 (0%)	Mean 0%	SD 0%	
.....									
#Ear: Neural Crest Tumor									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 15
Report Date:04/29/2009

		Male				Female			
#Esophagus:									
Fibrosarcoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Esophagus:									
Lipoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Eye:									
Amelanotic Melanoma, Benign									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Eye:									
Melanoma Malignant									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Eye:									
Schwannoma Malignant									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 16
 Report Date: 04/29/2009

		Male				Female			
#Harderian Gland: Carcinoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Harderian Gland: Carcinoma or Adenoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Heart: Schwannoma Benign									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				1/50 (2%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
*Heart: Schwannoma Malignant									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Large: Colon/Rectum: Adenoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 17
 Report Date: 04/29/2009

		Male				Female			
#Intestine Large: Colon/Rectum: Carcinoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Large: Colon/Rectum: Carcinoma or Adenoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Large: Colon/Rectum: Hemangioma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Small: Duodenum: Carcinoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Small: Duodenum: Leiomyoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 18
Report Date:04/29/2009

		Male				Female			
#Intestine Small: Jejunum: Carcinoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Small: Jejunum: Granular Cell Tumor Malignant									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Small: Jejunum: Leiomyoma									
		1/50 (2%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Small: Jejunum: Leiomyosarcoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Small: Site Unspecified: Carcinoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 19
 Report Date:04/29/2009

		Male				Female			
#Intestine Small: Site Unspecified: Carcinoma or Adenoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Small: Site Unspecified: Granular Cell Tumor Malignant									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Small: Site Unspecified: Leiomyoma									
		1/50 (2%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Small: Site Unspecified: Leiomyosarcoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Islets, Pancreatic: Adenoma									
		4/50 (8%)	4/49 (8%)	2/50 (4%)		0/50 (0%)	1/50 (2%)	1/50 (2%)	1/50 (2%)
		2/50 (4%)				1/50 (2%)			
Overall Incidence	Total	12/199 (6.03%)	Mean 6.04%	SD 2.36%	Total	3/200 (1.5%)	Mean 1.5%	SD 1%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 20
Report Date:04/29/2009

		Male				Female			
*Islets, Pancreatic: Carcinoma									
		0/50 (0%)	0/49 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Islets, Pancreatic: Carcinoma or Adenoma									
		4/50 (8%)	4/49 (8%)	3/50 (6%)		0/50 (0%)	1/50 (2%)	1/50 (2%)	
		2/50 (4%)				1/50 (2%)			
Overall Incidence	Total	13/199 (6.53%)	Mean 6.54%	SD 1.96%	Total	3/200 (1.5%)	Mean 1.5%	SD 1%	
.....									
*Kidney: Pelvis and Transitional Epithelium: Carcinoma									
		0/50 (0%)	0/49 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Kidney: Pelvis and Transitional Epithelium: Carcinoma or Adenoma									
		0/50 (0%)	0/49 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Kidney: Pelvis and Transitional Epithelium: Papilloma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 21
Report Date:04/29/2009

		Male				Female			
*Kidney: Renal Tubule: Adenoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)				0/50 (0%)			
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Kidney: Renal Tubule: Carcinoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Kidney: Renal Tubule: Carcinoma or Adenoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)				0/50 (0%)			
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Kidney: Renal Tubule: Hemangiosarcoma									
		1/50 (2%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Kidney: Renal Tubule: Lipoma									
		0/50 (0%)	0/49 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 22
 Report Date:04/29/2009

		Male				Female			
*Kidney: Renal Tubule: Mesenchymal Tumor Benign									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Kidney: Renal Tubule: Nephroblastoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
*Kidney: Renal Tubule: Sarcoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Liver: Cholangioma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Liver: Hemangiosarcoma									
		1/50 (2%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 23
Report Date:04/29/2009

		Male				Female			
*Liver:									
Hepatocellular Adenoma									
		1/50 (2%)	1/49 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)				1/50 (2%)			
Overall Incidence	Total	3/199 (1.51%)	Mean 1.51%	SD 1.01%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
*Liver:									
Hepatocellular Carcinoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Liver:									
Hepatocellular Carcinoma or Hepatoblastoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Liver:									
Hepatocellular Carcinoma or Hepatocellular Adenoma									
		1/50 (2%)	1/49 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)				1/50 (2%)			
Overall Incidence	Total	3/199 (1.51%)	Mean 1.51%	SD 1.01%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
*Liver:									
Hepatocellular Carcinoma, Hepatocellular Adenoma, or Hepatoblastoma									
		1/50 (2%)	1/49 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)				1/50 (2%)			
Overall Incidence	Total	3/199 (1.51%)	Mean 1.51%	SD 1.01%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	

#: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 24
 Report Date: 04/29/2009

		Male				Female			
*Lung:									
Alveolar/Bronchiolar Adenoma									
		3/50 (6%)	2/49 (4%)	3/50 (6%)		1/50 (2%)	0/50 (0%)	4/50 (8%)	
		0/50 (0%)				2/50 (4%)			
Overall Incidence	Total	8/199 (4.02%)	Mean 4.02%	SD 2.83%	Total	7/200 (3.5%)	Mean 3.5%	SD 3.42%	
.....									
*Lung:									
Alveolar/Bronchiolar Carcinoma									
		1/50 (2%)	1/49 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)				0/50 (0%)			
Overall Incidence	Total	3/199 (1.51%)	Mean 1.51%	SD 1.01%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Lung:									
Alveolar/Bronchiolar Carcinoma or Alveolar/Bronchiolar Adenoma									
		4/50 (8%)	2/49 (4%)	3/50 (6%)		1/50 (2%)	0/50 (0%)	4/50 (8%)	
		1/50 (2%)				2/50 (4%)			
Overall Incidence	Total	10/199 (5.03%)	Mean 5.02%	SD 2.57%	Total	7/200 (3.5%)	Mean 3.5%	SD 3.42%	
.....									
*Lung:									
Fibrosarcoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
*Lung:									
Hemangiosarcoma									
		1/50 (2%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%	

#: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 25
 Report Date:04/29/2009

		Male				Female			
*Lung: Sarcoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Lung: Squamous Cell Carcinoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#Lymph Node: Hemangiosarcoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Mammary Gland: Adenolipoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#Mammary Gland: Adenoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	2/50 (4%)	0/50 (0%)	
		0/50 (0%)				2/50 (4%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	4/200 (2%)	Mean 2%	SD 2.31%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 26
Report Date:04/29/2009

		Male				Female			
#Mammary Gland: Carcinoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		4/50 (8%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	5/200 (2.5%)	Mean 2.5%	SD 3.79%	
.....									
#Mammary Gland: Carcinoma or Adenoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		4/50 (8%)	3/50 (6%)	0/50 (0%)	
		0/50 (0%)				2/50 (4%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	9/200 (4.5%)	Mean 4.5%	SD 3.42%	
.....									
#Mammary Gland: Fibroadenoma									
		4/50 (8%)	0/49 (0%)	0/50 (0%)		26/50 (52%)	24/50 (48%)	17/50 (34%)	
		1/50 (2%)				21/50 (42%)			
Overall Incidence	Total	5/199 (2.51%)	Mean 2.5%	SD 3.79%	Total	88/200 (44%)	Mean 44%	SD 7.83%	
.....									
#Mammary Gland: Fibroma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Mammary Gland: Fibroma, Fibroadenoma or Adenoma									
		4/50 (8%)	0/49 (0%)	0/50 (0%)		26/50 (52%)	25/50 (50%)	17/50 (34%)	
		1/50 (2%)				22/50 (44%)			
Overall Incidence	Total	5/199 (2.51%)	Mean 2.5%	SD 3.79%	Total	90/200 (45%)	Mean 45%	SD 8.08%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 27
 Report Date: 04/29/2009

		Male				Female			
#Mammary Gland:									
Fibroma, Fibroadenoma, Carcinoma, or Adenoma									
		4/50 (8%)	0/49 (0%)	0/50 (0%)		28/50 (56%)	26/50 (52%)	17/50 (34%)	
		1/50 (2%)				22/50 (44%)			
Overall Incidence	Total	5/199 (2.51%)	Mean 2.5%	SD 3.79%	Total	93/200 (46.5%)	Mean 46.5%	SD 9.71%	
.....									
#Mesentery:									
Fibrosarcoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Mesentery:									
Hemangiosarcoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Mesentery:									
Lipoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Mesentery:									
Rhabdomyosarcoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 28
 Report Date:04/29/2009

		Male				Female			
*Nose:									
Adenoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Nose:									
Chondroma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Nose:									
Squamous Cell Carcinoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)				0/50 (0%)			
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Oral Cavity (Oral Mucosa, Tongue, Pharynx, Tooth, Gingiva):									
Papilloma Squamous or Papilloma									
		0/50 (0%)	1/49 (2%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	1/50 (2%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	2/199 (1.01%)	Mean 1.01%	SD 1.17%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#Oral Cavity (Oral Mucosa, Tongue, Pharynx, Tooth, Gingiva):									
Squamous Cell Carcinoma									
		1/50 (2%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	1/50 (2%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 29
 Report Date:04/29/2009

		Male				Female			
#Oral Cavity (Oral Mucosa, Tongue, Pharynx, Tooth, Gingiva): Squamous Cell Carcinoma, Papilloma Squamous, or Papilloma									
		1/50 (2%) 0/50 (0%)	1/49 (2%)	1/50 (2%)	0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)	2/50 (4%)		
Overall Incidence	Total	3/199 (1.51%)	Mean 1.51%	SD 1.01%	Total	2/200 (1%)	Mean 1%	SD 2%	
.....									
#Oral Mucosa: Squamous Cell Carcinoma									
		1/50 (2%) 0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)	1/50 (2%)		
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#Oral Mucosa: Squamous Cell Papilloma									
		0/50 (0%) 0/50 (0%)	1/49 (2%)	1/50 (2%)	0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	2/199 (1.01%)	Mean 1.01%	SD 1.17%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Ovary: Cystadenoma									
					0/50 (0%) 0/50 (0%)	1/50 (2%)	0/50 (0%)		
Overall Incidence					Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
*Ovary: Granulosa Cell Tumor Benign									
					0/50 (0%) 0/50 (0%)	0/50 (0%)	1/50 (2%)		
Overall Incidence					Total	1/200 (0.5%)	Mean 0.5%	SD 1%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 30
Report Date:04/29/2009

	Male	Female
*Ovary:		
Granulosa Cell Tumor Malignant	0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)
Overall Incidence	Total 0/200 (0%)	Mean 0% SD 0%
.....		
*Ovary:		
Granulosa Cell Tumor: Benign, Malignant, NOS	0/50 (0%) 0/50 (0%)	0/50 (0%) 1/50 (2%)
Overall Incidence	Total 1/200 (0.5%)	Mean 0.5% SD 1%
.....		
*Ovary:		
Granulosa-Theca Tumor Benign	0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)
Overall Incidence	Total 0/200 (0%)	Mean 0% SD 0%
.....		
*Ovary:		
Granulosa-Theca Tumor Malignant	0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)
Overall Incidence	Total 0/200 (0%)	Mean 0% SD 0%
.....		
*Ovary:		
Tubulostromal Adenoma	0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)
Overall Incidence	Total 0/200 (0%)	Mean 0% SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 31
 Report Date:04/29/2009

		Male				Female			
*Pancreas:									
Adenoma									
		7/50 (14%)	1/49 (2%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		2/50 (4%)				0/50 (0%)			
Overall Incidence	Total	11/199 (5.53%)	Mean 5.51%	SD 5.74%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Pancreas:									
Carcinoma									
		1/50 (2%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Pancreas:									
Carcinoma or Adenoma									
		8/50 (16%)	1/49 (2%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		2/50 (4%)				0/50 (0%)			
Overall Incidence	Total	12/199 (6.03%)	Mean 6.01%	SD 6.72%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Pancreas:									
Mixed Tumor Benign									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Pancreas:									
Mixed Tumor Malignant									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 32
 Report Date:04/29/2009

		Male				Female			
*Parathyroid Gland:									
Adenoma									
		0/47 (0%)	1/49 (2%)	1/45 (2%)		0/47 (0%)	0/44 (0%)	0/47 (0%)	
		1/49 (2%)				2/46 (4%)			
Overall Incidence	Total	3/190 (1.58%)	Mean 1.58%	SD 1.05%	Total	2/184 (1.09%)	Mean 1.09%	SD 2.17%	
.....									
#Peripheral Nerve:									
Schwannoma Malignant									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Peripheral Nerve:									
Schwannoma: Benign, Malignant, NOS									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Pituitary Gland: Pars Distalis or Unspecified Site:									
Adenoma									
		19/50 (38%)	21/49 (43%)	6/50 (12%)		25/50 (50%)	29/50 (58%)	25/50 (50%)	
		11/50 (22%)				27/50 (54%)			
Overall Incidence	Total	57/199 (28.64%)	Mean 28.71%	SD 14.27%	Total	106/200 (53%)	Mean 53%	SD 3.83%	
.....									
*Pituitary Gland: Pars Distalis or Unspecified Site:									
Carcinoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 33
Report Date:04/29/2009

		Male				Female			
*Pituitary Gland: Pars Distalis or Unspecified Site:									
Carcinoma or Adenoma									
		19/50 (38%)	21/49 (43%)	6/50 (12%)		25/50 (50%)	30/50 (60%)	25/50 (50%)	
		11/50 (22%)				27/50 (54%)			
Overall Incidence	Total	57/199 (28.64%)	Mean 28.71%	SD 14.27%	Total	107/200 (53.5%)	Mean 53.5%	SD 4.73%	
.....									
*Pituitary Gland: Pars Distalis or Unspecified Site:									
Ganglioneuroma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Pituitary Gland: Pars Intermedia:									
Adenoma									
		1/50 (2%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Pituitary Gland: Pars Intermedia:									
Carcinoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Pituitary Gland: Pars Intermedia:									
Carcinoma or Adenoma									
		1/50 (2%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 34
 Report Date:04/29/2009

		Male				Female			
*Prostate:									
Adenoma									
		0/50	(0%)	0/49	(0%)	0/50	(0%)		
		0/50	(0%)						
Overall Incidence	Total	0/199	(0%)	Mean	0%	SD	0%		
.....									
*Prostate:									
Carcinoma or Adenoma									
		0/50	(0%)	0/49	(0%)	0/50	(0%)		
		0/50	(0%)						
Overall Incidence	Total	0/199	(0%)	Mean	0%	SD	0%		
.....									
*Salivary Glands:									
Sarcoma									
		0/50	(0%)	0/49	(0%)	0/50	(0%)	0/49	(0%)
		0/50	(0%)					0/50	(0%)
Overall Incidence	Total	0/199	(0%)	Mean	0%	SD	0%	Total	0/199 (0%)
								Mean	0%
								SD	0%
.....									
#Seminal Vesicle:									
Adenoma									
		0/50	(0%)	0/49	(0%)	0/50	(0%)		
		0/50	(0%)						
Overall Incidence	Total	0/199	(0%)	Mean	0%	SD	0%		
.....									
#Skeletal Muscle:									
Fibrous Histiocytoma									
		0/50	(0%)	1/49	(2%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)					0/50	(0%)
Overall Incidence	Total	1/199	(0.5%)	Mean	0.51%	SD	1.02%	Total	0/200 (0%)
								Mean	0%
								SD	0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 35
Report Date:04/29/2009

		Male				Female			
#Skeletal Muscle: Hemangioma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skeletal Muscle: Hemangiosarcoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skeletal Muscle: Lipoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skeletal Muscle: Rhabdomyosarcoma									
		0/50 (0%)	0/49 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skeletal Muscle: Rhabdomyosarcoma or Rhabdomyoma									
		0/50 (0%)	0/49 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 36
 Report Date:04/29/2009

		Male				Female			
#Skeletal Muscle:									
Sarcoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Basal Cell Adenoma									
		0/50 (0%)	2/49 (4%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	2/199 (1.01%)	Mean 1.02%	SD 2.04%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#Skin:									
Basal Cell Adenoma or Basosquamous Tumor Benign									
		0/50 (0%)	2/49 (4%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	2/199 (1.01%)	Mean 1.02%	SD 2.04%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#Skin:									
Basal Cell Adenoma, Basosquamous Tumor Benign, or Trichoepithelioma									
		0/50 (0%)	2/49 (4%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	2/199 (1.01%)	Mean 1.02%	SD 2.04%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#Skin:									
Basal Cell Carcinoma									
		1/50 (2%)	0/49 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	2/199 (1.01%)	Mean 1%	SD 1.15%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 37
 Report Date:04/29/2009

		Male				Female			
#Skin:									
Basal Cell Carcinoma or Basosquamous Tumor (malignant or NOS)									
		1/50 (2%)	0/49 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)			0/50 (0%)				
Overall Incidence	Total	2/199 (1.01%)	Mean 1%	SD 1.15%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Basal Cell Carcinoma, Basal Cell Adenoma, Basosquamous Tumor (benign, malignant or NOS), or Trichoepithelioma									
		1/50 (2%)	2/49 (4%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	1/50 (2%)		
		0/50 (0%)			0/50 (0%)				
Overall Incidence	Total	4/199 (2.01%)	Mean 2.02%	SD 1.67%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#Skin:									
Basal or Sq. Cell Carcinoma, Carcinoma, Basosq. Tumor (M or B), Basal Cell Adenoma, Adenoma, Papilloma, Sq Papilloma, Keratoacanthoma, Trichoepithelioma									
		8/50 (16%)	2/49 (4%)	3/50 (6%)	0/50 (0%)	0/50 (0%)	1/50 (2%)		
		3/50 (6%)			1/50 (2%)				
Overall Incidence	Total	16/199 (8.04%)	Mean 8.02%	SD 5.4%	Total	2/200 (1%)	Mean 1%	SD 1.15%	
.....									
#Skin:									
Fibroma									
		5/50 (10%)	7/49 (14%)	3/50 (6%)	0/50 (0%)	1/50 (2%)	2/50 (4%)		
		3/50 (6%)			3/50 (6%)				
Overall Incidence	Total	18/199 (9.05%)	Mean 9.07%	SD 3.95%	Total	6/200 (3%)	Mean 3%	SD 2.58%	
.....									
#Skin:									
Fibroma, Fibrosarcoma, Sarcoma, Myxoma, Myxosarcoma, or Fibrous Histiocytoma									
		7/50 (14%)	7/49 (14%)	4/50 (8%)	0/50 (0%)	1/50 (2%)	3/50 (6%)		
		3/50 (6%)			3/50 (6%)				
Overall Incidence	Total	21/199 (10.55%)	Mean 10.57%	SD 4.21%	Total	7/200 (3.5%)	Mean 3.5%	SD 3%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 38
 Report Date: 04/29/2009

		Male				Female			
#Skin:									
Fibrosarcoma									
		1/50 (2%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#Skin:									
Fibrosarcoma, Sarcoma, Myxosarcoma, or Fibrous Histiocytoma									
		2/50 (4%)	0/49 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	3/199 (1.51%)	Mean 1.5%	SD 1.91%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#Skin:									
Fibrous Histiocytoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Hemangioma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Hemangiosarcoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 39
 Report Date: 04/29/2009

		Male				Female			
#Skin:									
Keratoacanthoma									
		7/50 (14%)	0/49 (0%)	2/50 (4%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		3/50 (6%)				0/50 (0%)			
Overall Incidence	Total	12/199 (6.03%)	Mean 6%	SD 5.89%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Lipoma									
		2/50 (4%)	1/49 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	3/199 (1.51%)	Mean 1.51%	SD 1.92%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Liposarcoma									
		0/50 (0%)	1/49 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	1/199 (0.5%)	Mean 0.51%	SD 1.02%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Neural Crest Tumor									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Neural Crest Tumor, Malignant									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 40
 Report Date:04/29/2009

		Male				Female			
#Skin:									
Neurofibroma or Schwannoma benign									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Neurofibrosarcoma or Schwannoma (malignant or NOS)									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		3/50 (6%)				0/50 (0%)			
Overall Incidence	Total	3/199 (1.51%)	Mean 1.5%	SD 3%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Neurofibrosarcoma, Neurofibroma, or Schwannoma (benign, malignant or NOS)									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		3/50 (6%)				0/50 (0%)			
Overall Incidence	Total	3/199 (1.51%)	Mean 1.5%	SD 3%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Sarcoma									
		1/50 (2%)	0/49 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	2/199 (1.01%)	Mean 1%	SD 1.15%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Schwannoma Benign									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 41
Report Date:04/29/2009

		Male				Female			
#Skin:									
Schwannoma Malignant									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		3/50 (6%)				0/50 (0%)			
Overall Incidence	Total	3/199 (1.51%)	Mean 1.5%	SD 3%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Squamous Cell Carcinoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Squamous Cell Carcinoma, Basal Cell Carcinoma, Basosquamous Tumor (malignant or NOS), or Carcinoma									
		1/50 (2%)	0/49 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	2/199 (1.01%)	Mean 1%	SD 1.15%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Squamous Cell Papilloma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				1/50 (2%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#Skin:									
Squamous Cell Papilloma or Papilloma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				1/50 (2%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 42
 Report Date:04/29/2009

		Male				Female			
#Skin:									
Squamous Cell Papilloma, Papilloma, Squamous Cell Carcinoma or Keratoacanthoma									
		7/50 (14%)	0/49 (0%)	2/50 (4%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		3/50 (6%)				1/50 (2%)			
Overall Incidence	Total	12/199 (6.03%)	Mean 6%	SD 5.89%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#Skin:									
Squamous Cell Papilloma, Papilloma, or Keratoacanthoma									
		7/50 (14%)	0/49 (0%)	2/50 (4%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		3/50 (6%)				1/50 (2%)			
Overall Incidence	Total	12/199 (6.03%)	Mean 6%	SD 5.89%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#Skin:									
Trichoepithelioma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skin: Sebaceous Gland:									
Adenoma									
		1/50 (2%)	0/49 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	2/199 (1.01%)	Mean 1%	SD 1.15%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Skin: Sebaceous Gland:									
Carcinoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 43
 Report Date: 04/29/2009

		Male				Female			
#Skin: Sebaceous Gland:									
 Carcinoma or Adenoma									
		1/50 (2%)	0/49 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	2/199 (1.01%)	Mean 1%	SD 1.15%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Spinal Cord:									
 Astrocytoma Benign									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#Spinal Cord:									
 Astrocytoma Malignant									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Spinal Cord:									
 Glioma Malignant									
		0/50 (0%)	1/49 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	1/199 (0.5%)	Mean 0.51%	SD 1.02%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Spleen:									
 Fibrosarcoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 44
Report Date:04/29/2009

		Male				Female			
*Spleen:									
Fibrous Histiocytoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Spleen:									
Hemangioma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Spleen:									
Hemangiosarcoma									
		1/50 (2%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				2/50 (4%)			
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	2/200 (1%)	Mean 1%	SD 2%	
.....									
*Spleen:									
Leiomyosarcoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Spleen:									
Sarcoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 45
 Report Date:04/29/2009

		Male				Female			
#Stomach, Forestomach: Leiomyosarcoma									
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Stomach, Forestomach: Squamous Cell Carcinoma									
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Stomach, Forestomach: Squamous Cell Carcinoma or Papilloma Squamous									
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 1/50 (2%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#Stomach, Forestomach: Squamous Cell Papilloma									
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 1/50 (2%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#Stomach, Glandular: Lipoma									
		0/50 (0%) 0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%) 0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 46
 Report Date:04/29/2009

		Male				Female			
#Stomach, Glandular:									
Sarcoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
*Testes:									
Adenoma									
		46/50 (92%)	37/49 (76%)	47/50 (94%)					
		46/50 (92%)							
Overall Incidence	Total	176/199 (88.44%)	Mean 88.38%	SD 8.63%					
.....									
*Thymus:									
Sarcoma									
		0/47 (0%)	0/48 (0%)	0/47 (0%)		0/47 (0%)	0/50 (0%)	0/49 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/192 (0%)	Mean 0%	SD 0%	Total	0/196 (0%)	Mean 0%	SD 0%	
.....									
*Thymus:									
Thymoma Benign									
		0/47 (0%)	0/48 (0%)	0/47 (0%)		0/47 (0%)	0/50 (0%)	0/49 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/192 (0%)	Mean 0%	SD 0%	Total	0/196 (0%)	Mean 0%	SD 0%	
.....									
*Thymus:									
Thymoma Malignant									
		0/47 (0%)	0/48 (0%)	0/47 (0%)		0/47 (0%)	0/50 (0%)	0/49 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/192 (0%)	Mean 0%	SD 0%	Total	0/196 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 47
 Report Date:04/29/2009

		Male				Female			
*Thymus:									
Thymoma NOS									
		0/47 (0%)	0/48 (0%)	0/47 (0%)		0/47 (0%)	0/50 (0%)	0/49 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/192 (0%)	Mean 0%	SD 0%	Total	0/196 (0%)	Mean 0%	SD 0%	
.....									
*Thymus:									
Thymoma: Benign, Malignant, NOS									
		0/47 (0%)	0/48 (0%)	0/47 (0%)		0/47 (0%)	0/50 (0%)	0/49 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/192 (0%)	Mean 0%	SD 0%	Total	0/196 (0%)	Mean 0%	SD 0%	
.....									
*Thyroid Gland: C-Cell:									
Adenoma									
		9/50 (18%)	8/49 (16%)	12/50 (24%)		7/50 (14%)	5/50 (10%)	5/50 (10%)	
		8/50 (16%)				8/50 (16%)			
Overall Incidence	Total	37/199 (18.59%)	Mean 18.58%	SD 3.72%	Total	25/200 (12.5%)	Mean 12.5%	SD 3%	
.....									
*Thyroid Gland: C-Cell:									
Carcinoma									
		6/50 (12%)	0/49 (0%)	0/50 (0%)		3/50 (6%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	6/199 (3.02%)	Mean 3%	SD 6%	Total	3/200 (1.5%)	Mean 1.5%	SD 3%	
.....									
*Thyroid Gland: C-Cell:									
Carcinoma or Adenoma									
		15/50 (30%)	8/49 (16%)	12/50 (24%)		9/50 (18%)	5/50 (10%)	5/50 (10%)	
		8/50 (16%)				8/50 (16%)			
Overall Incidence	Total	43/199 (21.61%)	Mean 21.58%	SD 6.72%	Total	27/200 (13.5%)	Mean 13.5%	SD 4.12%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 48
Report Date:04/29/2009

		Male				Female				
*Thyroid Gland: Follicular Cell: Adenoma										
		1/50 (2%)	1/49 (2%)	1/50 (2%)		0/50 (0%)	1/50 (2%)	0/50 (0%)		
		0/50 (0%)				0/50 (0%)				
Overall Incidence	Total	3/199 (1.51%)	Mean 1.51%	SD 1.01%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%		
.....										
*Thyroid Gland: Follicular Cell: Carcinoma										
		1/50 (2%)	0/49 (0%)	2/50 (4%)		1/50 (2%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)				0/50 (0%)				
Overall Incidence	Total	3/199 (1.51%)	Mean 1.5%	SD 1.91%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%		
.....										
*Thyroid Gland: Follicular Cell: Carcinoma or Adenoma										
		2/50 (4%)	1/49 (2%)	3/50 (6%)		1/50 (2%)	1/50 (2%)	0/50 (0%)		
		0/50 (0%)				0/50 (0%)				
Overall Incidence	Total	6/199 (3.02%)	Mean 3.01%	SD 2.58%	Total	2/200 (1%)	Mean 1%	SD 1.15%		
.....										
#Tissue NOS: Lipoma										
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)				0/50 (0%)				
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%		
.....										
#Tissue NOS: Paraganglioma										
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)				0/50 (0%)				
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%		

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 49
Report Date:04/29/2009

		Male				Female			
#Tissue NOS:									
Schwannoma Malignant									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Tongue:									
Squamous Cell Carcinoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Tongue:									
Squamous Cell Carcinoma or Papilloma Squamous									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#Tongue:									
Squamous Cell Papilloma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#Tooth:									
Adamantinoma Malignant									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 50
Report Date:04/29/2009

		Male				Female			
#Tooth:									
Odontoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				1/50 (2%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
*Urinary Bladder:									
Carcinoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Urinary Bladder:									
Carcinoma or Papilloma									
		0/50 (0%)	0/49 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Urinary Bladder:									
Hemangiosarcoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
*Urinary Bladder:									
Leiomyosarcoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 51
 Report Date:04/29/2009

		Male				Female			
*Urinary Bladder: Papilloma									
		0/50 (0%)	0/49 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	1/199 (0.5%)	Mean 0.5%	SD 1%	Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Uterus: Adenoma									
						0/50 (0%)	0/50 (0%)	0/50 (0%)	
						0/50 (0%)			
Overall Incidence	Total				Total	0/200 (0%)	Mean 0%	SD 0%	
.....									
#Uterus: Carcinoma									
						0/50 (0%)	0/50 (0%)	1/50 (2%)	
						0/50 (0%)			
Overall Incidence	Total				Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#Uterus: Deciduoma Benign									
						1/50 (2%)	0/50 (0%)	0/50 (0%)	
						0/50 (0%)			
Overall Incidence	Total				Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#Uterus: Hemangioma									
						0/50 (0%)	0/50 (0%)	0/50 (0%)	
						0/50 (0%)			
Overall Incidence	Total				Total	0/200 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 52
 Report Date:04/29/2009

	Male	Female
#Uterus:		
Hemangiosarcoma		
	0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)
Overall Incidence	Total 0/200 (0%)	Mean 0% SD 0%
.....		
#Uterus:		
Leiomyoma		
	0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)
Overall Incidence	Total 0/200 (0%)	Mean 0% SD 0%
.....		
#Uterus:		
Leiomyosarcoma		
	0/50 (0%) 0/50 (0%)	0/50 (0%) 0/50 (0%)
Overall Incidence	Total 0/200 (0%)	Mean 0% SD 0%
.....		
#Uterus:		
Polyp Stromal		
	8/50 (16%) 5/50 (10%)	7/50 (14%) 7/50 (14%)
Overall Incidence	Total 28/200 (14%)	Mean 14% SD 2.83%
.....		
#Uterus:		
Sarcoma Stromal		
	0/50 (0%) 0/50 (0%)	1/50 (2%) 0/50 (0%)
Overall Incidence	Total 1/200 (0.5%)	Mean 0.5% SD 1%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 53
 Report Date:04/29/2009

		Male			Female		
#Uterus:							
Sarcoma Stromal or Polyp Stromal							
			8/50 (16%)		7/50 (14%)		8/50 (16%)
			5/50 (10%)				
Overall Incidence		Total	28/200 (14%)		Mean 14%		SD 2.83%
.....							
#Uterus:							
Schwannoma Malignant							
			0/50 (0%)		0/50 (0%)		0/50 (0%)
			0/50 (0%)				
Overall Incidence		Total	0/200 (0%)		Mean 0%		SD 0%
.....							
#Vagina:							
Polyp							
			1/50 (2%)		0/50 (0%)		0/50 (0%)
			0/50 (0%)				
Overall Incidence		Total	1/200 (0.5%)		Mean 0.5%		SD 1%
.....							
#Vagina:							
Sarcoma							
			0/50 (0%)		0/50 (0%)		0/50 (0%)
			0/50 (0%)				
Overall Incidence		Total	0/200 (0%)		Mean 0%		SD 0%
.....							
#Zymbal's Gland:							
Adenoma							
		0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)			0/50 (0%)		
Overall Incidence	Total	0/199 (0%)	Mean 0%	SD 0%	Total	0/200 (0%)	Mean 0% SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2009
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F344
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 54
 Report Date:04/29/2009

		Male				Female			
#Zymbal's Gland: Carcinoma									
		2/50 (4%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				1/50 (2%)			
Overall Incidence	Total	2/199 (1.01%)	Mean 1%	SD 2%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	
.....									
#Zymbal's Gland: Carcinoma or Adenoma									
		2/50 (4%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				1/50 (2%)			
Overall Incidence	Total	2/199 (1.01%)	Mean 1%	SD 2%	Total	1/200 (0.5%)	Mean 0.5%	SD 1%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied