



National Toxicology Program
Department of Health and Human Services

NTP Historical Controls Report

All Routes and Vehicles

MICE

March 2010

REPORT DESCRIPTION

This report shows the tumor rates of control group animals from selected studies. The studies used are shown on the Study Summary page.

The report combines all the data from all of the historical control studies into one section. To see this data broken up by route and vehicle you must run the "By Route And Vehicle" report.

The individual tumor rates shown on the data pages of the report relate to the Study Summary page as follows: the tumor rates are shown in the same order as the Study Summary page, except that they are grouped horizontally in sets of three, with the males in the first set of three and the females in the second set. For example if the study summary showed the studies like this:

Male

M1
M2
M3
M4
M5

Female

F1
F2
F3
F4
F5

the data would be shown as:

	Male			Female		
M1	M2	M3	F1	F2	F3	
M4	M5		F4	F5		

Directly beneath the individual tumor rates on the data pages are the overall totals for that tumor/site combination. This includes the total tumors/animals, the overall mean (in parentheses), the mean of the study means, and the standard deviation of the study means.

Studies with no control animals of a particular gender are listed on the summary page with the Number of Animals shown as zero and the Start Date and Length of Study shown as "N/A". On the data pages there are blank spaces where tumor rates for these studies would normally be found, so that the male and female rates for the remaining studies can be easily compared.

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 3
 Report Date: 03/22/2010

Study Summary

Laboratory Name	Study Number	Study Start Date	Length of Study in Days	Number of Animals Total and (#/Cage)	Number Surviving and (Mean Life Span)	Maximum Mean Weekly Body Weight	Chemical
Male							
Southern Research Institute	059902408	12/16/02	729	50(1)	36(687)	53.8	Androstenedione
Southern Research Institute	059903706	06/30/03	729	50(1)	40(701)	53.9	alpha/beta Thujone mixture
Battelle Columbus Laboratory	059902806	10/03/02	728	50(1)	37(682)	53.5	bis(2-Chloroethoxy)methane
Battelle Northwest	052001106	07/21/03	729	50(5)	37(689)	53.4	1-Bromopropane
Southern Research Institute	059902704	07/29/02	729	50(1)	46(715)	50.0	Chromium picolinate monohydrate
Battelle Columbus Laboratory	050517406	N/A	N/A	0(0)	0(0)	N/A	Cresols
Battelle Northwest	059601106	06/11/01	729	50(5)	38(709)	53.9	Cumene
Battelle Columbus Laboratory	059700308	06/25/02	730	50(1)	34(702)	54.2	1,2-Dibromo-2,4-dicyanobutane
Battelle Northwest	059901706	08/18/03	729	50(5)	31(686)	53.8	Diethylamine
Battelle Columbus Laboratory	058812307	10/04/01	728	50(1)	39(698)	52.9	Formamide
Battelle Columbus Laboratory	052000506	02/10/04	730	50(1)	32(691)	51.1	Ginseng
Southern Research Institute	059900706	05/12/03	729	50(1)	43(715)	48.3	Goldenseal root powder
Battelle Columbus Laboratory	059501106	08/09/01	728	50(1)	40(702)	52.3	5-(Hydroxymethyl)-2-furfural
Battelle Columbus Laboratory	058810504	05/09/02	728	50(1)	39(688)	56.7	Isoeugenol
Battelle Columbus Laboratory	052000706	08/24/04	730	50(1)	34(689)	56.4	Kava kava extract
Southern Research Institute	059500306	04/26/04	729	50(1)	34(694)	54.6	Methyl trans-styryl ketone
Battelle Northwest	058800604	07/30/01	729	50(5)	35(698)	54.9	alpha-Methylstyrene
Southern Research Institute	052000804	03/25/03	729	50(1)	45(712)	49.8	Milk thistle extract
Battelle Columbus Laboratory	059902304	04/11/02	728	50(1)	34(692)	56.2	beta-Myrcene
Battelle Northwest	059700806	09/17/01	729	50(5)	37(694)	53.5	Propargyl alcohol
Battelle Columbus Laboratory	059902006	04/15/03	730	50(1)	38(691)	56.6	Pulegone
Southern Research Institute	052011406	09/04/02	729	50(1)	33(700)	55.6	Sodium dichromate dihydrate (VI)
Battelle Columbus Laboratory	058814807	02/04/03	728	50(1)	35(702)	52.7	3,3',4,4'-Tetrachloroazobenzene
Battelle Northwest	059302506	06/23/03	729	50(5)	36(695)	52.9	Tetralin
Southern Research Institute	059601906	10/10/01	729	50(1)	38(696)	54.1	Water disinfection byproducts (Bromochloroacetic acid)
Southern Research Institute	059601506	08/22/01	729	50(1)	40(697)	54.0	Water disinfection byproducts (Dibromoacetonitrile)

NOTE: The text on page 2 ("Report Description") describes how the studies listed here are displayed on the data pages that follow.

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 4
 Report Date: 03/22/2010

Study Summary

Laboratory Name	Study Number	Study Start Date	Length of Study in Days	Number of Animals Total and (#/Cage)	Number Surviving and (Mean Life Span)	Maximum Mean Weekly Body Weight	Chemical
Female							
Southern Research Institute	059902408	12/16/02	733	50(5)	35(690)	65.3	Androstenedione
Southern Research Institute	059903706	06/30/03	731	50(5)	37(668)	64.7	alpha/beta Thujone mixture
Battelle Columbus Laboratory	059902806	10/02/02	727	50(1)	31(692)	60.8	bis(2-Chloroethoxy)methane
Battelle Northwest	052001106	07/21/03	731	50(5)	36(698)	61.2	1-Bromopropane
Southern Research Institute	059902704	07/29/02	732	50(5)	45(698)	50.3	Chromium picolinate monohydrate
Battelle Columbus Laboratory	050517406	08/20/02	728	50(5)	41(696)	51.8	Cresols
Battelle Northwest	059601106	06/11/01	731	50(5)	37(685)	60.7	Cumene
Battelle Columbus Laboratory	059700308	06/24/02	729	50(1)	33(693)	60.9	1,2-Dibromo-2,4-dicyanobutane
Battelle Northwest	059901706	08/18/03	731	50(5)	32(684)	60.7	Diethylamine
Battelle Columbus Laboratory	058812307	10/03/01	727	50(5)	38(692)	64.7	Formamide
Battelle Columbus Laboratory	052000506	02/09/04	729	50(5)	38(711)	63.9	Ginseng
Southern Research Institute	059900706	05/12/03	732	50(5)	44(718)	51.9	Goldenseal root powder
Battelle Columbus Laboratory	059501106	08/08/01	727	50(5)	39(694)	64.4	5-(Hydroxymethyl)-2-furfural
Battelle Columbus Laboratory	058810504	05/08/02	727	49(5)	34(679)	65.0	Isoeugenol
Battelle Columbus Laboratory	052000706	08/23/04	729	50(5)	38(695)	66.2	Kava kava extract
Southern Research Institute	059500306	04/26/04	731	50(1)	37(709)	64.6	Methyl trans-styryl ketone
Battelle Northwest	058800604	07/30/01	731	50(5)	39(701)	58.6	alpha-Methylstyrene
Southern Research Institute	052000804	03/25/03	732	50(5)	40(714)	51.0	Milk thistle extract
Battelle Columbus Laboratory	059902304	04/10/02	727	50(5)	39(705)	64.1	beta-Myrcene
Battelle Northwest	059700806	09/17/01	731	50(5)	39(699)	58.3	Propargyl alcohol
Battelle Columbus Laboratory	059902006	04/14/03	729	49(5)	35(705)	64.9	Pulegone
Southern Research Institute	052011406	09/04/02	735	50(5)	35(701)	64.3	Sodium dichromate dihydrate (VI)
Battelle Columbus Laboratory	058814807	02/03/03	731	50(5)	35(675)	63.2	3,3',4,4'-Tetrachloroazobenzene
Battelle Northwest	059302506	06/23/03	731	50(5)	31(663)	62.1	Tetralin
Southern Research Institute	059601906	10/10/01	734	50(5)	36(693)	63.0	Water disinfection byproducts (Bromochloroacetic acid)
Southern Research Institute	059601506	08/22/01	731	50(5)	35(705)	60.9	Water disinfection byproducts (Dibromoacetonitrile)

NOTE: The text on page 2 ("Report Description") describes how the studies listed here are displayed on the data pages that follow.

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 5
 Report Date: 03/22/2010

		Male				Female			
#All Organs:									
Benign Tumors									
		38/50 (76%)	32/50 (64%)	41/50 (82%)	27/50 (54%)	22/50 (44%)	27/50 (54%)		
		36/50 (72%)	28/50 (56%)		22/50 (44%)	16/50 (32%)	16/50 (32%)		
		43/50 (86%)	40/50 (80%)	33/50 (66%)	34/50 (68%)	39/50 (78%)	25/50 (50%)		
		31/50 (62%)	38/50 (76%)	28/50 (56%)	17/50 (34%)	33/50 (66%)	17/50 (34%)		
		42/50 (84%)	33/50 (66%)	34/50 (68%)	26/50 (52%)	20/49 (41%)	26/50 (52%)		
		37/50 (74%)	35/50 (70%)	21/50 (42%)	33/50 (66%)	26/50 (52%)	18/50 (36%)		
		33/50 (66%)	28/50 (56%)	30/50 (60%)	21/50 (42%)	26/50 (52%)	27/49 (55%)		
		42/50 (84%)	30/50 (60%)	42/50 (84%)	27/50 (54%)	24/50 (48%)	24/50 (48%)		
		41/50 (82%)	32/50 (64%)		32/50 (64%)	29/50 (58%)			
Overall Incidence	Total	868/1250 (69.44%)	Mean 69.44%	SD 11.32%	Total	654/1298 (50.39%)	Mean 50.38%	SD 11.92%	

#All Organs:									
Malignant Tumors									
		37/50 (74%)	30/50 (60%)	26/50 (52%)	27/50 (54%)	19/50 (38%)	31/50 (62%)		
		30/50 (60%)	24/50 (48%)		33/50 (66%)	22/50 (44%)	20/50 (40%)		
		27/50 (54%)	27/50 (54%)	36/50 (72%)	26/50 (52%)	31/50 (62%)	23/50 (46%)		
		28/50 (56%)	26/50 (52%)	20/50 (40%)	26/50 (52%)	15/50 (30%)	13/50 (26%)		
		26/50 (52%)	20/50 (40%)	32/50 (64%)	16/50 (32%)	21/49 (43%)	19/50 (38%)		
		37/50 (74%)	19/50 (38%)	29/50 (58%)	42/50 (84%)	29/50 (58%)	19/50 (38%)		
		30/50 (60%)	22/50 (44%)	19/50 (38%)	14/50 (28%)	23/50 (46%)	20/49 (41%)		
		31/50 (62%)	28/50 (56%)	26/50 (52%)	22/50 (44%)	13/50 (26%)	27/50 (54%)		
		36/50 (72%)	29/50 (58%)		38/50 (76%)	31/50 (62%)			
Overall Incidence	Total	695/1250 (55.6%)	Mean 55.6%	SD 10.71%	Total	620/1298 (47.77%)	Mean 47.76%	SD 15%	

#All Organs:									
Malignant and Benign Tumors									
		47/50 (94%)	45/50 (90%)	48/50 (96%)	40/50 (80%)	35/50 (70%)	44/50 (88%)		
		47/50 (94%)	40/50 (80%)		42/50 (84%)	31/50 (62%)	29/50 (58%)		
		48/50 (96%)	45/50 (90%)	48/50 (96%)	42/50 (84%)	46/50 (92%)	41/50 (82%)		
		41/50 (82%)	46/50 (92%)	38/50 (76%)	36/50 (72%)	42/50 (84%)	26/50 (52%)		
		49/50 (98%)	43/50 (86%)	47/50 (94%)	34/50 (68%)	34/49 (69%)	39/50 (78%)		
		49/50 (98%)	43/50 (86%)	39/50 (78%)	48/50 (96%)	40/50 (80%)	32/50 (64%)		
		43/50 (86%)	38/50 (76%)	38/50 (76%)	30/50 (60%)	37/50 (74%)	40/49 (82%)		
		49/50 (98%)	41/50 (82%)	47/50 (94%)	36/50 (72%)	29/50 (58%)	40/50 (80%)		
		47/50 (94%)	41/50 (82%)		43/50 (86%)	44/50 (88%)			
Overall Incidence	Total	1107/1250 (88.56%)	Mean 88.56%	SD 7.65%	Total	980/1298 (75.5%)	Mean 75.5%	SD 11.57%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 6
 Report Date: 03/22/2010

		Male						Female					
#All Organs:													
Hemangioma													
		1/50 (2%)	0/50 (0%)	2/50 (4%)		1/50 (2%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)		
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)		
		2/50 (4%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	2/50 (4%)		2/50 (4%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)		
		1/50 (2%)	0/50 (0%)	2/50 (4%)		0/50 (0%)	1/50 (2%)	1/50 (2%)		1/50 (2%)	1/50 (2%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)		2/50 (4%)	0/50 (0%)	1/49 (2%)		0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	1/50 (2%)		1/50 (2%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)		
		1/50 (2%)	1/50 (2%)			2/50 (4%)	0/50 (0%)						
Overall Incidence	Total	15/1250 (1.2%)			Mean 1.2%	SD 1.53%	Total 14/1298 (1.08%)			Mean 1.08%	SD 1.41%		
#All Organs:													
Hemangiosarcoma													
		5/50 (10%)	4/50 (8%)	5/50 (10%)		1/50 (2%)	1/50 (2%)	7/50 (14%)					
		2/50 (4%)	2/50 (4%)			4/50 (8%)	3/50 (6%)	1/50 (2%)					
		0/50 (0%)	6/50 (12%)	7/50 (14%)		1/50 (2%)	1/50 (2%)	5/50 (10%)					
		3/50 (6%)	4/50 (8%)	2/50 (4%)		2/50 (4%)	0/50 (0%)	1/50 (2%)					
		2/50 (4%)	3/50 (6%)	6/50 (12%)		5/50 (10%)	1/49 (2%)	1/50 (2%)					
		6/50 (12%)	4/50 (8%)	3/50 (6%)		5/50 (10%)	4/50 (8%)	2/50 (4%)					
		7/50 (14%)	2/50 (4%)	3/50 (6%)		1/50 (2%)	2/50 (4%)	3/49 (6%)					
		4/50 (8%)	3/50 (6%)	4/50 (8%)		2/50 (4%)	0/50 (0%)	2/50 (4%)					
		3/50 (6%)	1/50 (2%)			1/50 (2%)	3/50 (6%)	2/50 (4%)					
Overall Incidence	Total	91/1250 (7.28%)			Mean 7.28%	SD 3.65%	Total 59/1298 (4.55%)			Mean 4.54%	SD 3.56%		
#All Organs:													
Hemangiosarcoma or Hemangioma													
		5/50 (10%)	4/50 (8%)	7/50 (14%)		2/50 (4%)	1/50 (2%)	8/50 (16%)					
		2/50 (4%)	2/50 (4%)			4/50 (8%)	3/50 (6%)	1/50 (2%)					
		1/50 (2%)	6/50 (12%)	7/50 (14%)		1/50 (2%)	1/50 (2%)	5/50 (10%)					
		5/50 (10%)	5/50 (10%)	2/50 (4%)		2/50 (4%)	1/50 (2%)	1/50 (2%)					
		2/50 (4%)	3/50 (6%)	8/50 (16%)		7/50 (14%)	1/49 (2%)	1/50 (2%)					
		7/50 (14%)	4/50 (8%)	4/50 (8%)		5/50 (10%)	5/50 (10%)	3/50 (6%)					
		7/50 (14%)	2/50 (4%)	3/50 (6%)		3/50 (6%)	2/50 (4%)	4/49 (8%)					
		4/50 (8%)	3/50 (6%)	5/50 (10%)		3/50 (6%)	1/50 (2%)	2/50 (4%)					
		4/50 (8%)	2/50 (4%)			3/50 (6%)	3/50 (6%)	2/50 (4%)					
Overall Incidence	Total	104/1250 (8.32%)			Mean 8.32%	SD 3.99%	Total 73/1298 (5.62%)			Mean 5.62%	SD 3.88%		

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 7
 Report Date: 03/22/2010

		Male				Female			
#All Organs:									
Histiocytic Sarcoma									
		0/50 (0%)	1/50 (2%)	1/50 (2%)		2/50 (4%)	2/50 (4%)	3/50 (6%)	
		0/50 (0%)	0/50 (0%)			1/50 (2%)	1/50 (2%)	2/50 (4%)	
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	1/50 (2%)	1/50 (2%)	
		0/50 (0%)	1/50 (2%)	0/50 (0%)		2/50 (4%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	3/50 (6%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	1/50 (2%)	1/50 (2%)	
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	3/49 (6%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		2/50 (4%)	1/50 (2%)	2/50 (4%)	
		0/50 (0%)	0/50 (0%)			1/50 (2%)	4/50 (8%)		
Overall Incidence	Total	5/1250 (0.4%)	Mean 0.4%	SD 0.82%	Total	35/1298 (2.7%)	Mean 2.7%	SD 2.19%	
#All Organs:									
Malignant Lymphoma: Histiocytic, Lymphocytic, Mixed, NOS, or Undifferentiated Cell Type									
		4/50 (8%)	4/50 (8%)	0/50 (0%)		14/50 (28%)	6/50 (12%)	9/50 (18%)	
		2/50 (4%)	2/50 (4%)			17/50 (34%)	5/50 (10%)	7/50 (14%)	
		2/50 (4%)	1/50 (2%)	2/50 (4%)		7/50 (14%)	14/50 (28%)	8/50 (16%)	
		2/50 (4%)	4/50 (8%)	1/50 (2%)		10/50 (20%)	9/50 (18%)	6/50 (12%)	
		2/50 (4%)	0/50 (0%)	2/50 (4%)		8/50 (16%)	11/49 (22%)	6/50 (12%)	
		4/50 (8%)	0/50 (0%)	6/50 (12%)		20/50 (40%)	15/50 (30%)	11/50 (22%)	
		1/50 (2%)	1/50 (2%)	1/50 (2%)		7/50 (14%)	13/50 (26%)	6/49 (12%)	
		2/50 (4%)	1/50 (2%)	2/50 (4%)		7/50 (14%)	2/50 (4%)	12/50 (24%)	
		2/50 (4%)	0/50 (0%)			18/50 (36%)	9/50 (18%)		
Overall Incidence	Total	48/1250 (3.84%)	Mean 3.84%	SD 3%	Total	257/1298 (19.8%)	Mean 19.8%	SD 8.8%	
#All Organs:									
Mesothelioma: Benign, Malignant, NOS									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
		2/50 (4%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	3/1250 (0.24%)	Mean 0.24%	SD 0.88%	Total	0/1298 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 8
 Report Date: 03/22/2010

		Male				Female				
#All Organs:										
Mesothelioma: Malignant										
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		2/50 (4%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	3/1250 (0.24%)		Mean 0.24%	SD 0.88%	Total	0/1298 (0%)		Mean 0%	SD 0%

#All Organs:										
Osteoma										
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/1250 (0.08%)		Mean 0.08%	SD 0.4%	Total	1/1298 (0.08%)		Mean 0.08%	SD 0.39%

#All Organs:										
Osteosarcoma										
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	2/50 (4%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	1/49 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	4/1250 (0.32%)		Mean 0.32%	SD 0.75%	Total	6/1298 (0.46%)		Mean 0.46%	SD 1.03%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 9
 Report Date: 03/22/2010

		Male				Female					
#All Organs:											
Osteosarcoma or Osteoma											
		0/50 (0%)	1/50 (2%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	2/50 (4%)				
		1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)		
		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	1/49 (2%)		0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)		
		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)		
		1/50 (2%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)		
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)				
Overall Incidence	Total	5/1250 (0.4%)		Mean 0.4%	SD 0.82%		Total	7/1298 (0.54%)		Mean 0.54%	SD 1.07%

*Adrenal Cortex:											
Adenoma											
		1/50 (2%)	2/50 (4%)	6/49 (12%)	0/50 (0%)	1/50 (2%)	0/50 (0%)				
		4/49 (8%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/49 (0%)		
		1/50 (2%)	6/50 (12%)	6/50 (12%)	0/50 (0%)	0/50 (0%)	1/50 (2%)		1/50 (2%)		
		2/50 (4%)	1/50 (2%)	2/50 (4%)	0/49 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)		
		5/49 (10%)	3/50 (6%)	0/50 (0%)	0/50 (0%)	0/48 (0%)	0/50 (0%)		0/50 (0%)		
		6/50 (12%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)		
		2/50 (4%)	1/49 (2%)	1/50 (2%)	1/50 (2%)	0/49 (0%)	1/49 (2%)		1/49 (2%)		
		7/49 (14%)	3/50 (6%)	2/49 (4%)	0/49 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)		
		9/50 (18%)	6/50 (12%)		0/50 (0%)	0/50 (0%)	0/50 (0%)				
Overall Incidence	Total	77/1244 (6.19%)		Mean 6.2%	SD 5.17%		Total	5/1292 (0.39%)		Mean 0.39%	SD 0.81%

*Adrenal Cortex:											
Plasma Cell Tumor Malignant											
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)		
		0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/49 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)		
		0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/48 (0%)	0/50 (0%)		0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)		
		0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)		0/49 (0%)		
		0/49 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)		
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)				
Overall Incidence	Total	0/1244 (0%)		Mean 0%	SD 0%		Total	1/1292 (0.08%)		Mean 0.08%	SD 0.39%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 10
 Report Date: 03/22/2010

		Male				Female			
*Adrenal Medulla:									
Pheochromocytoma Benign									
		0/49 (0%)	0/49 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/49 (0%)			3/50 (6%)	0/49 (0%)	0/49 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	2/50 (4%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/48 (0%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)	1/49 (2%)		0/50 (0%)	2/50 (4%)	0/49 (0%)	
		0/50 (0%)	0/47 (0%)	1/50 (2%)		0/50 (0%)	1/48 (2%)	1/49 (2%)	
		0/49 (0%)	0/50 (0%)	1/47 (2%)		0/49 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	1/49 (2%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	5/1235 (0.4%)		Mean 0.41%	SD 0.83%	Total 10/1290 (0.78%)		Mean 0.77%	SD 1.61%

*Adrenal Medulla:									
Pheochromocytoma Complex									
		0/49 (0%)	0/49 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/49 (0%)			0/50 (0%)	0/49 (0%)	0/49 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/48 (0%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
		0/50 (0%)	0/47 (0%)	0/50 (0%)		0/50 (0%)	0/48 (0%)	0/49 (0%)	
		0/49 (0%)	0/50 (0%)	0/47 (0%)		0/49 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/49 (0%)			1/50 (2%)	0/50 (0%)		
Overall Incidence	Total	0/1235 (0%)		Mean 0%	SD 0%	Total 1/1290 (0.08%)		Mean 0.08%	SD 0.39%

*Adrenal Medulla:									
Pheochromocytoma Malignant									
		0/49 (0%)	1/49 (2%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/49 (0%)			1/50 (2%)	1/49 (2%)	1/49 (2%)	
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/48 (0%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)	0/49 (0%)		1/50 (2%)	0/50 (0%)	0/49 (0%)	
		0/50 (0%)	0/47 (0%)	0/50 (0%)		0/50 (0%)	0/48 (0%)	0/49 (0%)	
		0/49 (0%)	0/50 (0%)	0/47 (0%)		0/49 (0%)	1/49 (2%)	0/50 (0%)	
		0/50 (0%)	0/49 (0%)			1/50 (2%)	0/50 (0%)		
Overall Incidence	Total	3/1235 (0.24%)		Mean 0.24%	SD 0.67%	Total 6/1290 (0.47%)		Mean 0.47%	SD 0.87%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 11
 Report Date: 03/22/2010

		Male				Female			
*Adrenal Medulla:									
Pheochromocytoma: Benign, Complex, Malignant, NOS									
		0/49 (0%)	1/49 (2%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	0/49 (0%)		4/50 (8%)	1/49 (2%)	1/49 (2%)	1/49 (2%)	1/49 (2%)
		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	2/50 (4%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/48 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/49 (0%)	0/50 (0%)	1/49 (2%)	1/50 (2%)	2/50 (4%)	0/49 (0%)	0/49 (0%)	0/49 (0%)
		0/50 (0%)	0/47 (0%)	1/50 (2%)	0/50 (0%)	1/48 (2%)	1/49 (2%)	1/49 (2%)	1/49 (2%)
		0/49 (0%)	0/50 (0%)	1/47 (2%)	0/49 (0%)	1/49 (2%)	1/49 (2%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/49 (2%)		2/50 (4%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	8/1235 (0.65%)	Mean 0.65%	SD 0.97%	Total	17/1290 (1.32%)	Mean 1.32%	SD 1.96%	

*Bone Marrow:									
Hemangioma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/48 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)
		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/49 (0%)	0/48 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)
		0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/1246 (0.08%)	Mean 0.08%	SD 0.4%	Total	0/1294 (0%)	Mean 0%	SD 0%	

*Bone Marrow:									
Hemangiosarcoma									
		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	1/50 (2%)	1/50 (2%)	1/50 (2%)	1/50 (2%)
		0/48 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)	2/50 (4%)	0/49 (0%)	0/50 (0%)	1/50 (2%)	1/50 (2%)	1/50 (2%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	0/49 (0%)
		0/50 (0%)	0/50 (0%)	2/50 (4%)	0/49 (0%)	0/48 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	1/49 (2%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	2/50 (4%)	1/49 (2%)	1/49 (2%)	1/49 (2%)
		1/49 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	1/50 (2%)
		1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	9/1246 (0.72%)	Mean 0.72%	SD 1.28%	Total	8/1294 (0.62%)	Mean 0.62%	SD 1.1%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 12
 Report Date: 03/22/2010

		Male				Female			
*Bone Marrow:									
Plasma Cell Tumor Malignant									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/48 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/48 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
		0/49 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/1246 (0%)	Mean 0%	SD 0%	Total	1/1294 (0.08%)	Mean 0.08%	SD 0.39%	

#Bone:									
Hemangiosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	1/1250 (0.08%)	Mean 0.08%	SD 0.4%	Total	2/1298 (0.15%)	Mean 0.15%	SD 0.54%	

#Bone:									
Osteoma									
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	1/1250 (0.08%)	Mean 0.08%	SD 0.4%	Total	1/1298 (0.08%)	Mean 0.08%	SD 0.39%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 13
 Report Date: 03/22/2010

		Male				Female			
#Bone:									
Osteosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	2/50 (4%)	
		1/50 (2%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/49 (2%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	3/1250 (0.24%)		Mean 0.24%	SD 0.66%	Total 6/1298 (0.46%)		Mean 0.46%	SD 1.03%

#Bone:									
Osteosarcoma or Osteoma									
		0/50 (0%)	1/50 (2%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	2/50 (4%)	
		1/50 (2%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/49 (2%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	4/1250 (0.32%)		Mean 0.32%	SD 0.75%	Total 7/1298 (0.54%)		Mean 0.54%	SD 1.07%

*Brain:									
Meningioma Benign									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	1/1250 (0.08%)		Mean 0.08%	SD 0.4%	Total 0/1297 (0%)		Mean 0%	SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 14
 Report Date: 03/22/2010

		Male						Female								
*Brain:																
Meningioma Malignant																
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)			
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)					
Overall Incidence	Total	1/1250 (0.08%)			Mean 0.08%		SD 0.4%		Total	0/1297 (0%)			Mean 0%		SD 0%	
*Brain:																
Meningioma: Benign, Malignant, NOS																
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)			
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)					
Overall Incidence	Total	2/1250 (0.16%)			Mean 0.16%		SD 0.55%		Total	0/1297 (0%)			Mean 0%		SD 0%	
*Brain:																
Schwannoma Malignant																
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)			1/50	(2%)	0/50	(0%)					
Overall Incidence	Total	0/1250 (0%)			Mean 0%		SD 0%		Total	3/1297 (0.23%)			Mean 0.23%		SD 0.65%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 15
 Report Date: 03/22/2010

		Male				Female			
*Clitoral/Preputial Gland: Adenoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/47 (0%)	0/48 (0%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)			0/46 (0%)	0/44 (0%)	0/49 (0%)	
		0/49 (0%)	0/50 (0%)	0/50 (0%)		0/41 (0%)	0/50 (0%)	0/46 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/47 (0%)	0/49 (0%)	
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/48 (0%)	0/43 (0%)	0/47 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/42 (0%)	0/47 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/46 (0%)	
		0/48 (0%)	1/49 (2%)			0/43 (0%)	0/47 (0%)		
Overall Incidence	Total	2/1244 (0.16%)	Mean 0.16%	SD 0.56%	Total	0/1228 (0%)	Mean 0%	SD 0%	

*Clitoral/Preputial Gland: Carcinoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/47 (0%)	0/48 (0%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)			0/46 (0%)	0/44 (0%)	1/49 (2%)	
		0/49 (0%)	0/50 (0%)	0/50 (0%)		0/41 (0%)	0/50 (0%)	0/46 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/47 (0%)	0/49 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/48 (0%)	0/43 (0%)	0/47 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/42 (0%)	0/47 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/49 (2%)	0/46 (0%)	
		0/48 (0%)	0/49 (0%)			0/43 (0%)	0/47 (0%)		
Overall Incidence	Total	0/1244 (0%)	Mean 0%	SD 0%	Total	2/1228 (0.16%)	Mean 0.16%	SD 0.55%	

*Clitoral/Preputial Gland: Carcinoma or Adenoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/47 (0%)	0/48 (0%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)			0/46 (0%)	0/44 (0%)	1/49 (2%)	
		0/49 (0%)	0/50 (0%)	0/50 (0%)		0/41 (0%)	0/50 (0%)	0/46 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/47 (0%)	0/49 (0%)	
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/48 (0%)	0/43 (0%)	0/47 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/42 (0%)	0/47 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/49 (2%)	0/46 (0%)	
		0/48 (0%)	1/49 (2%)			0/43 (0%)	0/47 (0%)		
Overall Incidence	Total	2/1244 (0.16%)	Mean 0.16%	SD 0.56%	Total	2/1228 (0.16%)	Mean 0.16%	SD 0.55%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 16
 Report Date: 03/22/2010

		Male				Female			
*Clitoral/Preputial Gland:									
Hemangioma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/47 (0%)	0/48 (0%)	1/50 (2%)	
		0/49 (0%)	0/50 (0%)			0/46 (0%)	0/44 (0%)	0/49 (0%)	
		0/49 (0%)	0/50 (0%)	0/50 (0%)		0/41 (0%)	0/50 (0%)	0/46 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/47 (0%)	0/49 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/48 (0%)	0/43 (0%)	0/47 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/42 (0%)	0/47 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/46 (0%)	
		0/48 (0%)	0/49 (0%)			0/43 (0%)	0/47 (0%)		
Overall Incidence	Total	0/1244 (0%)	Mean 0%	SD 0%	Total	1/1228 (0.08%)	Mean 0.08%	SD 0.39%	

*Clitoral/Preputial Gland:									
Hemangiosarcoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/47 (0%)	0/48 (0%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)			0/46 (0%)	0/44 (0%)	0/49 (0%)	
		0/49 (0%)	0/50 (0%)	0/50 (0%)		0/41 (0%)	0/50 (0%)	0/46 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/47 (0%)	0/49 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/48 (0%)	0/43 (0%)	0/47 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/42 (0%)	0/47 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/46 (0%)	
		0/48 (0%)	0/49 (0%)			0/43 (0%)	0/47 (0%)		
Overall Incidence	Total	1/1244 (0.08%)	Mean 0.08%	SD 0.4%	Total	0/1228 (0%)	Mean 0%	SD 0%	

*Clitoral/Preputial Gland:									
Squamous Cell Carcinoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/47 (0%)	0/48 (0%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)			0/46 (0%)	0/44 (0%)	0/49 (0%)	
		0/49 (0%)	0/50 (0%)	0/50 (0%)		0/41 (0%)	0/50 (0%)	0/46 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/47 (0%)	0/49 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/48 (0%)	1/43 (2%)	0/47 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/42 (0%)	0/47 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/46 (0%)	
		0/48 (0%)	0/49 (0%)			0/43 (0%)	0/47 (0%)		
Overall Incidence	Total	0/1244 (0%)	Mean 0%	SD 0%	Total	1/1228 (0.08%)	Mean 0.09%	SD 0.46%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 17
 Report Date: 03/22/2010

		Male				Female			
#Esophagus:									
Squamous Cell Carcinoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/1250 (0%)	Mean 0%	SD 0%	Total	1/1298 (0.08%)	Mean 0.08%	SD 0.39%	

#Eye:									
Sarcoma									
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/1250 (0.08%)	Mean 0.08%	SD 0.4%	Total	0/1298 (0%)	Mean 0%	SD 0%	

#Harderian Gland:									
Adenoma									
		7/50 (14%)	8/50 (16%)	10/50 (20%)		9/50 (18%)	5/50 (10%)	3/50 (6%)	
		7/50 (14%)	5/50 (10%)			3/50 (6%)	7/50 (14%)	6/50 (12%)	
		8/50 (16%)	7/50 (14%)	4/50 (8%)		8/50 (16%)	6/50 (12%)	3/50 (6%)	
		6/50 (12%)	11/50 (22%)	7/50 (14%)		4/50 (8%)	7/50 (14%)	5/50 (10%)	
		11/50 (22%)	8/50 (16%)	5/50 (10%)		7/50 (14%)	3/49 (6%)	5/50 (10%)	
		2/50 (4%)	10/50 (20%)	5/50 (10%)		4/50 (8%)	3/50 (6%)	6/50 (12%)	
		9/50 (18%)	3/50 (6%)	6/50 (12%)		4/50 (8%)	4/50 (8%)	7/49 (14%)	
		6/50 (12%)	6/50 (12%)	2/50 (4%)		4/50 (8%)	14/50 (28%)	1/50 (2%)	
		5/50 (10%)	5/50 (10%)			1/50 (2%)	6/50 (12%)		
Overall Incidence	Total	163/1250 (13.04%)	Mean 13.04%	SD 5%	Total	135/1298 (10.4%)	Mean 10.4%	SD 5.4%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 18
 Report Date: 03/22/2010

		Male						Female					
#Harderian Gland:													
Carcinoma													
		2/50 (4%)	2/50 (4%)	2/50 (4%)			1/50 (2%)	1/50 (2%)	0/50 (0%)				
		3/50 (6%)	1/50 (2%)				2/50 (4%)	2/50 (4%)	1/50 (2%)				
		4/50 (8%)	0/50 (0%)	4/50 (8%)			5/50 (10%)	2/50 (4%)	2/50 (4%)				
		2/50 (4%)	1/50 (2%)	2/50 (4%)			4/50 (8%)	0/50 (0%)	2/50 (4%)				
		3/50 (6%)	4/50 (8%)	0/50 (0%)			0/50 (0%)	1/49 (2%)	0/50 (0%)				
		1/50 (2%)	1/50 (2%)	0/50 (0%)			0/50 (0%)	1/50 (2%)	2/50 (4%)				
		1/50 (2%)	3/50 (6%)	1/50 (2%)			0/50 (0%)	0/50 (0%)	1/49 (2%)				
		0/50 (0%)	0/50 (0%)	3/50 (6%)			1/50 (2%)	0/50 (0%)	1/50 (2%)				
		0/50 (0%)	0/50 (0%)	0/50 (0%)			2/50 (4%)	2/50 (4%)					
Overall Incidence	Total	40/1250 (3.2%)			Mean 3.2%	SD 2.77%	Total 33/1298 (2.54%)			Mean 2.54%	SD 2.5%		

#Harderian Gland:													
Carcinoma or Adenoma													
		9/50 (18%)	10/50 (20%)	12/50 (24%)			10/50 (20%)	6/50 (12%)	3/50 (6%)				
		10/50 (20%)	5/50 (10%)				5/50 (10%)	9/50 (18%)	7/50 (14%)				
		11/50 (22%)	7/50 (14%)	8/50 (16%)			12/50 (24%)	8/50 (16%)	5/50 (10%)				
		7/50 (14%)	12/50 (24%)	9/50 (18%)			8/50 (16%)	7/50 (14%)	7/50 (14%)				
		13/50 (26%)	12/50 (24%)	5/50 (10%)			7/50 (14%)	4/49 (8%)	5/50 (10%)				
		3/50 (6%)	11/50 (22%)	5/50 (10%)			4/50 (8%)	4/50 (8%)	8/50 (16%)				
		9/50 (18%)	6/50 (12%)	7/50 (14%)			4/50 (8%)	4/50 (8%)	8/49 (16%)				
		6/50 (12%)	6/50 (12%)	5/50 (10%)			5/50 (10%)	14/50 (28%)	2/50 (4%)				
		5/50 (10%)	5/50 (10%)				3/50 (6%)	8/50 (16%)					
Overall Incidence	Total	198/1250 (15.84%)			Mean 15.84%	SD 5.71%	Total 167/1298 (12.87%)			Mean 12.86%	SD 5.69%		

#Harderian Gland:													
Sarcoma													
		0/50 (0%)	0/50 (0%)	1/50 (2%)			0/50 (0%)	0/50 (0%)	0/50 (0%)				
		0/50 (0%)	0/50 (0%)				0/50 (0%)	0/50 (0%)	0/50 (0%)				
		0/50 (0%)	0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)				
		0/50 (0%)	0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)				
		0/50 (0%)	0/50 (0%)	0/50 (0%)			0/50 (0%)	0/49 (0%)	0/50 (0%)				
		0/50 (0%)	0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)				
		0/50 (0%)	0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/49 (0%)				
		0/50 (0%)	0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)				
		0/50 (0%)	0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)				
Overall Incidence	Total	1/1250 (0.08%)			Mean 0.08%	SD 0.4%	Total 0/1298 (0%)			Mean 0%	SD 0%		

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 19
 Report Date: 03/22/2010

		Male						Female												
*Heart:																				
Hemangioma																				
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)									
Overall Incidence	Total	1/1250 (0.08%)			Mean 0.08%			SD 0.4%			Total	0/1297 (0%)			Mean 0%			SD 0%		
*Heart:																				
Hemangiosarcoma																				
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)					
		0/50	(0%)	0/50	(0%)			1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)					
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)					
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)					
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)					
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)					
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)					
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)							
Overall Incidence	Total	4/1250 (0.32%)			Mean 0.32%			SD 0.75%			Total	3/1297 (0.23%)			Mean 0.23%			SD 0.65%		
#Intestine Large: Cecum:																				
Carcinoma																				
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)					
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)					
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)					
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)					
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)					
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)					
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)					
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)					
		1/50	(2%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)							
Overall Incidence	Total	4/1250 (0.32%)			Mean 0.32%			SD 0.75%			Total	0/1298 (0%)			Mean 0%			SD 0%		

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 20
 Report Date: 03/22/2010

		Male				Female				
#Intestine Large: Cecum:										
Carcinoma or Adenoma										
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	4/1250 (0.32%)		Mean 0.32%	SD 0.75%	Total	0/1298 (0%)		Mean 0%	SD 0%

#Intestine Large: Cecum:										
Leiomyoma										
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/1250 (0%)		Mean 0%	SD 0%	Total	1/1298 (0.08%)		Mean 0.08%	SD 0.39%

#Intestine Large: Colon/Rectum:										
Leiomyosarcoma										
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/1250 (0%)		Mean 0%	SD 0%	Total	1/1298 (0.08%)		Mean 0.08%	SD 0.39%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 21
 Report Date: 03/22/2010

		Male				Female			
#Intestine Small: Duodenum:									
Adenoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/49 (0%)	1/50 (2%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		3/50 (6%)	1/50 (2%)			1/50 (2%)	0/50 (0%)		
Overall Incidence	Total	7/1250 (0.56%)		Mean 0.56%	SD 1.36%	Total 2/1298 (0.15%)		Mean 0.15%	SD 0.54%

#Intestine Small: Duodenum:									
Carcinoma									
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		2/50 (4%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	4/1250 (0.32%)		Mean 0.32%	SD 0.95%	Total 1/1298 (0.08%)		Mean 0.08%	SD 0.39%

#Intestine Small: Duodenum:									
Leiomyosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/1250 (0%)		Mean 0%	SD 0%	Total 1/1298 (0.08%)		Mean 0.08%	SD 0.39%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 22
 Report Date: 03/22/2010

		Male						Female												
#Intestine Small: Duodenum:																				
Polyp Adenomatous																				
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		1/50	(2%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
Overall Incidence	Total	1/1250 (0.08%)			Mean 0.08%			SD 0.4%			Total	0/1298 (0%)			Mean 0%			SD 0%		
#Intestine Small: Ileum:																				
Carcinoma																				
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	1/50	(2%)			0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
Overall Incidence	Total	2/1250 (0.16%)			Mean 0.16%			SD 0.55%			Total	0/1298 (0%)			Mean 0%			SD 0%		
#Intestine Small: Ileum:																				
Hemangiosarcoma																				
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/49	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
Overall Incidence	Total	1/1250 (0.08%)			Mean 0.08%			SD 0.4%			Total	0/1298 (0%)			Mean 0%			SD 0%		

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 23
 Report Date: 03/22/2010

		Male				Female			
#Intestine Small: Ileum:									
Polyp Adenomatous									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/1250 (0%)	Mean 0%	SD 0%	Total	1/1298 (0.08%)	Mean 0.08%	SD 0.39%	

#Intestine Small: Jejunum:									
Adenoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/49 (0%)	1/50 (2%)	0/50 (0%)
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	2/1250 (0.16%)	Mean 0.16%	SD 0.55%	Total	1/1298 (0.08%)	Mean 0.08%	SD 0.39%	

#Intestine Small: Jejunum:									
Carcinoma									
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		4/50 (8%)	1/50 (2%)			0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	0/50 (0%)	2/50 (4%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	2/50 (4%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/49 (0%)	0/50 (0%)
		0/50 (0%)	2/50 (4%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	1/50 (2%)			1/50 (2%)	0/50 (0%)		
Overall Incidence	Total	18/1250 (1.44%)	Mean 1.44%	SD 1.96%	Total	4/1298 (0.31%)	Mean 0.31%	SD 0.74%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 24
 Report Date: 03/22/2010

		Male				Female			
#Intestine Small: Jejunum:									
Hemangiosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/1250 (0.08%)		Mean 0.08%	SD 0.4%	Total 1/1298 (0.08%)		Mean 0.08%	SD 0.39%

#Intestine Small: Jejunum:									
Leiomyosarcoma									
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/1250 (0.08%)		Mean 0.08%	SD 0.4%	Total 1/1298 (0.08%)		Mean 0.08%	SD 0.39%

#Intestine Small: Site Unspecified:									
Adenoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	2/50 (4%)		0/50 (0%)	0/49 (0%)	2/50 (4%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		3/50 (6%)	1/50 (2%)			1/50 (2%)	0/50 (0%)		
Overall Incidence	Total	9/1250 (0.72%)		Mean 0.72%	SD 1.51%	Total 3/1298 (0.23%)		Mean 0.23%	SD 0.86%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 25
 Report Date: 03/22/2010

		Male				Female			
#Intestine Small: Site Unspecified:									
Carcinoma									
		3/50 (6%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		4/50 (8%)	2/50 (4%)			0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	0/50 (0%)	2/50 (4%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	2/50 (4%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		2/50 (4%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/49 (0%)	0/50 (0%)
		0/50 (0%)	2/50 (4%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		2/50 (4%)	1/50 (2%)			1/50 (2%)	0/50 (0%)		
Overall Incidence	Total	24/1250 (1.92%)	Mean 1.92%	SD 2.27%	Total	5/1298 (0.39%)	Mean 0.38%	SD 0.8%	

#Intestine Small: Site Unspecified:									
Carcinoma or Adenoma									
		3/50 (6%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		4/50 (8%)	3/50 (6%)			0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	0/50 (0%)	2/50 (4%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	2/50 (4%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		2/50 (4%)	0/50 (0%)	3/50 (6%)		0/50 (0%)	0/49 (0%)	2/50 (4%)	0/50 (0%)
		2/50 (4%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/49 (0%)	0/50 (0%)
		1/50 (2%)	2/50 (4%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		5/50 (10%)	1/50 (2%)			2/50 (4%)	0/50 (0%)		
Overall Incidence	Total	32/1250 (2.56%)	Mean 2.56%	SD 2.92%	Total	8/1298 (0.62%)	Mean 0.62%	SD 1.24%	

#Intestine Small: Site Unspecified:									
Hemangiosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	2/1250 (0.16%)	Mean 0.16%	SD 0.55%	Total	1/1298 (0.08%)	Mean 0.08%	SD 0.39%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 26
 Report Date: 03/22/2010

		Male				Female			
#Intestine Small: Site Unspecified:									
Leiomyosarcoma									
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	1/1250 (0.08%)		Mean 0.08%	SD 0.4%	Total 2/1298 (0.15%)		Mean 0.15%	SD 0.54%

#Intestine Small: Site Unspecified:									
Polyp Adenomatous									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	1/1250 (0.08%)		Mean 0.08%	SD 0.4%	Total 1/1298 (0.08%)		Mean 0.08%	SD 0.39%

*Islets, Pancreatic:									
Adenoma									
		2/50 (4%)	4/50 (8%)	0/50 (0%)		0/49 (0%)	1/48 (2%)	0/50 (0%)	
		0/48 (0%)	1/50 (2%)			0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)	0/50 (0%)	2/50 (4%)		1/49 (2%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)	0/49 (0%)		0/50 (0%)	1/50 (2%)	1/48 (2%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/47 (0%)	1/50 (2%)	
		2/50 (4%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/49 (0%)	0/49 (0%)	
		0/50 (0%)	1/49 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
		3/49 (6%)	0/50 (0%)	2/49 (4%)		1/49 (2%)	1/49 (2%)	0/50 (0%)	
		1/50 (2%)	1/50 (2%)			1/49 (2%)	1/49 (2%)		
Overall Incidence	Total	20/1243 (1.61%)		Mean 1.61%	SD 2.25%	Total 11/1284 (0.86%)		Mean 0.86%	SD 1.02%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 27
 Report Date: 03/22/2010

		Male				Female			
*Islets, Pancreatic:									
Carcinoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/48 (0%)	0/50 (0%)	
		0/48 (0%)	0/50 (0%)			0/50 (0%)	2/50 (4%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/48 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/47 (0%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)	0/49 (0%)		0/50 (0%)	0/49 (0%)	0/49 (0%)	
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/49 (0%)	
		0/49 (0%)	2/50 (4%)	0/49 (0%)		0/49 (0%)	1/49 (2%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/49 (0%)	0/49 (0%)		
Overall Incidence	Total	4/1243 (0.32%)		Mean 0.32%	SD 0.95%	Total 4/1284 (0.31%)		Mean 0.31%	SD 0.93%

*Islets, Pancreatic:									
Carcinoma or Adenoma									
		2/50 (4%)	4/50 (8%)	0/50 (0%)		0/49 (0%)	1/48 (2%)	0/50 (0%)	
		0/48 (0%)	1/50 (2%)			0/50 (0%)	2/50 (4%)	1/50 (2%)	
		0/50 (0%)	0/50 (0%)	2/50 (4%)		1/49 (2%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	2/50 (4%)	0/49 (0%)		0/50 (0%)	1/50 (2%)	1/48 (2%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/47 (0%)	1/50 (2%)	
		2/50 (4%)	1/50 (2%)	0/49 (0%)		0/50 (0%)	0/49 (0%)	0/49 (0%)	
		0/50 (0%)	1/49 (2%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/49 (0%)	
		3/49 (6%)	2/50 (4%)	2/49 (4%)		1/49 (2%)	2/49 (4%)	0/50 (0%)	
		1/50 (2%)	1/50 (2%)			1/49 (2%)	1/49 (2%)		
Overall Incidence	Total	24/1243 (1.93%)		Mean 1.93%	SD 2.28%	Total 15/1284 (1.17%)		Mean 1.17%	SD 1.3%

*Kidney: Renal Tubule:									
Adenoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)	2/50 (4%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	1/50 (2%)	1/50 (2%)		0/50 (0%)	0/47 (0%)	0/50 (0%)	
		1/48 (2%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/49 (2%)	
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	
		4/50 (8%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	11/1245 (0.88%)		Mean 0.88%	SD 1.84%	Total 1/1293 (0.08%)		Mean 0.08%	SD 0.4%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 28
 Report Date: 03/22/2010

		Male				Female			
*Kidney: Renal Tubule: Carcinoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/49 (0%)	1/50 (2%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/47 (0%)	0/50 (0%)	0/50 (0%)
		0/48 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	2/1245 (0.16%)	Mean 0.16%	SD 0.55%	Total	0/1293 (0%)	Mean 0%	SD 0%	

*Kidney: Renal Tubule: Carcinoma or Adenoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/49 (0%)	3/50 (6%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	1/50 (2%)	1/50 (2%)		0/50 (0%)	0/47 (0%)	0/50 (0%)	0/50 (0%)
		1/48 (2%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/49 (2%)	1/49 (2%)
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
		4/50 (8%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	13/1245 (1.04%)	Mean 1.04%	SD 2.01%	Total	1/1293 (0.08%)	Mean 0.08%	SD 0.4%	

*Kidney: Renal Tubule: Hemangioma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/49 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/47 (0%)	0/50 (0%)	0/50 (0%)
		0/48 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/1245 (0.08%)	Mean 0.08%	SD 0.4%	Total	0/1293 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 29
 Report Date: 03/22/2010

		Male						Female								
*Kidney: Renal Tubule: Hemangiosarcoma																
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/49	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/47	(0%)	0/50	(0%)			
		0/48	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)			
		0/50	(0%)	1/50	(2%)	0/49	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)					
Overall Incidence	Total	1/1245 (0.08%)			Mean	0.08%	SD	0.4%	Total	0/1293 (0%)			Mean	0%	SD	0%

*Kidney: Renal Tubule: Plasma Cell Tumor Malignant																
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)			
		0/49	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/47	(0%)	0/50	(0%)			
		0/48	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)			
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)					
Overall Incidence	Total	0/1245 (0%)			Mean	0%	SD	0%	Total	1/1293 (0.08%)			Mean	0.08%	SD	0.39%

*Kidney: Renal Tubule: Sarcoma																
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/49	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/47	(0%)	0/50	(0%)			
		0/48	(0%)	0/50	(0%)	0/50	(0%)	1/49	(2%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)			
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)					
Overall Incidence	Total	0/1245 (0%)			Mean	0%	SD	0%	Total	1/1293 (0.08%)			Mean	0.08%	SD	0.4%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 30
 Report Date: 03/22/2010

		Male						Female								
*Liver:																
Fibrous Histiocytoma																
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)			
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/49	(0%)	0/49	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)					
Overall Incidence	Total	0/1248 (0%)			Mean	0%	SD	0%	Total	1/1296 (0.08%)			Mean	0.08%	SD	0.39%

*Liver:																
Hemangioma																
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)			
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)			
		0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)			
		0/50	(0%)	0/50	(0%)	0/49	(0%)	1/49	(2%)	0/49	(0%)	0/50	(0%)			
		0/50	(0%)	1/50	(2%)			0/50	(0%)	0/50	(0%)					
Overall Incidence	Total	3/1248 (0.24%)			Mean	0.24%	SD	0.66%	Total	2/1296 (0.15%)			Mean	0.16%	SD	0.55%

*Liver:																
Hemangiosarcoma																
		3/50	(6%)	2/50	(4%)	1/50	(2%)	0/50	(0%)	1/50	(2%)	2/50	(4%)			
		1/50	(2%)	2/50	(4%)			0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	1/50	(2%)	2/50	(4%)	0/50	(0%)	1/50	(2%)	1/50	(2%)			
		1/50	(2%)	2/50	(4%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		1/50	(2%)	1/50	(2%)	5/50	(10%)	0/50	(0%)	0/49	(0%)	1/50	(2%)			
		4/50	(8%)	4/50	(8%)	0/50	(0%)	1/50	(2%)	1/50	(2%)	0/50	(0%)			
		5/50	(10%)	1/49	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)			
		1/50	(2%)	1/50	(2%)	1/49	(2%)	1/49	(2%)	0/49	(0%)	2/50	(4%)			
		2/50	(4%)	0/50	(0%)			0/50	(0%)	2/50	(4%)					
Overall Incidence	Total	41/1248 (3.29%)			Mean	3.28%	SD	2.99%	Total	13/1296 (1%)			Mean	1%	SD	1.42%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 31
 Report Date: 03/22/2010

		Male				Female			
*Liver:									
Hepatoblastoma									
		3/50 (6%)	3/50 (6%)	2/50 (4%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	2/50 (4%)	1/50 (2%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		1/50 (2%)	1/50 (2%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	3/50 (6%)	0/50 (0%)		1/50 (2%)	0/49 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		4/50 (8%)	0/49 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
		17/50 (34%)	2/50 (4%)	0/49 (0%)		0/49 (0%)	0/49 (0%)	0/50 (0%)	
		4/50 (8%)	1/50 (2%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	50/1248 (4.01%)		Mean 4%	SD 6.71%	Total 2/1296 (0.15%)		Mean 0.15%	SD 0.54%

*Liver:									
Hepatocellular Adenoma									
		32/50 (64%)	24/50 (48%)	33/50 (66%)		14/50 (28%)	13/50 (26%)	22/50 (44%)	
		30/50 (60%)	21/50 (42%)			19/50 (38%)	1/50 (2%)	4/50 (8%)	
		34/50 (68%)	35/50 (70%)	28/50 (56%)		18/50 (36%)	31/50 (62%)	14/50 (28%)	
		24/50 (48%)	34/50 (68%)	22/50 (44%)		6/50 (12%)	21/50 (42%)	3/50 (6%)	
		33/50 (66%)	24/50 (48%)	27/50 (54%)		14/50 (28%)	11/49 (22%)	8/50 (16%)	
		31/50 (62%)	24/50 (48%)	12/50 (24%)		30/50 (60%)	10/50 (20%)	3/50 (6%)	
		26/50 (52%)	21/49 (43%)	22/50 (44%)		6/50 (12%)	15/50 (30%)	13/49 (27%)	
		36/50 (72%)	22/50 (44%)	33/49 (67%)		14/49 (29%)	3/49 (6%)	14/50 (28%)	
		27/50 (54%)	29/50 (58%)			27/50 (54%)	19/50 (38%)		
Overall Incidence	Total	684/1248 (54.81%)		Mean 54.81%	SD 11.65%	Total 353/1296 (27.24%)		Mean 27.22%	SD 16.54%

*Liver:									
Hepatocellular Carcinoma									
		26/50 (52%)	16/50 (32%)	14/50 (28%)		5/50 (10%)	3/50 (6%)	3/50 (6%)	
		15/50 (30%)	15/50 (30%)			5/50 (10%)	3/50 (6%)	1/50 (2%)	
		13/50 (26%)	17/50 (34%)	20/50 (40%)		10/50 (20%)	8/50 (16%)	4/50 (8%)	
		15/50 (30%)	14/50 (28%)	8/50 (16%)		4/50 (8%)	2/50 (4%)	3/50 (6%)	
		11/50 (22%)	8/50 (16%)	20/50 (40%)		2/50 (4%)	3/49 (6%)	3/50 (6%)	
		28/50 (56%)	10/50 (20%)	17/50 (34%)		23/50 (46%)	3/50 (6%)	0/50 (0%)	
		14/50 (28%)	10/49 (20%)	13/50 (26%)		1/50 (2%)	4/50 (8%)	5/49 (10%)	
		14/50 (28%)	17/50 (34%)	11/49 (22%)		8/49 (16%)	2/49 (4%)	7/50 (14%)	
		19/50 (38%)	24/50 (48%)			14/50 (28%)	10/50 (20%)		
Overall Incidence	Total	389/1248 (31.17%)		Mean 31.15%	SD 10.25%	Total 136/1296 (10.49%)		Mean 10.49%	SD 9.72%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 32
 Report Date: 03/22/2010

		Male				Female			
*Liver:									
Hepatocellular Carcinoma or Hepatoblastoma									
	27/50 (54%)	18/50 (36%)	15/50 (30%)		5/50 (10%)	3/50 (6%)	3/50 (6%)		
	16/50 (32%)	15/50 (30%)			5/50 (10%)	3/50 (6%)	1/50 (2%)		
	14/50 (28%)	19/50 (38%)	20/50 (40%)		10/50 (20%)	9/50 (18%)	4/50 (8%)		
	16/50 (32%)	14/50 (28%)	9/50 (18%)		4/50 (8%)	2/50 (4%)	3/50 (6%)		
	12/50 (24%)	11/50 (22%)	20/50 (40%)		3/50 (6%)	3/49 (6%)	3/50 (6%)		
	29/50 (58%)	10/50 (20%)	17/50 (34%)		23/50 (46%)	3/50 (6%)	0/50 (0%)		
	16/50 (32%)	10/49 (20%)	13/50 (26%)		1/50 (2%)	4/50 (8%)	5/49 (10%)		
	25/50 (50%)	19/50 (38%)	11/49 (22%)		8/49 (16%)	2/49 (4%)	7/50 (14%)		
	21/50 (42%)	24/50 (48%)			14/50 (28%)	10/50 (20%)			
Overall Incidence	Total 421/1248 (33.73%)	Mean 33.71%	SD 10.79%		Total 138/1296 (10.65%)	Mean 10.64%	SD 9.73%		

*Liver:									
Hepatocellular Carcinoma or Hepatocellular Adenoma									
	41/50 (82%)	33/50 (66%)	40/50 (80%)		17/50 (34%)	15/50 (30%)	22/50 (44%)		
	38/50 (76%)	32/50 (64%)			24/50 (48%)	4/50 (8%)	4/50 (8%)		
	40/50 (80%)	41/50 (82%)	40/50 (80%)		25/50 (50%)	32/50 (64%)	16/50 (32%)		
	33/50 (66%)	39/50 (78%)	26/50 (52%)		9/50 (18%)	23/50 (46%)	6/50 (12%)		
	39/50 (78%)	28/50 (56%)	38/50 (76%)		14/50 (28%)	13/49 (27%)	10/50 (20%)		
	45/50 (90%)	28/50 (56%)	26/50 (52%)		38/50 (76%)	13/50 (26%)	3/50 (6%)		
	33/50 (66%)	26/49 (53%)	29/50 (58%)		7/50 (14%)	17/50 (34%)	17/49 (35%)		
	42/50 (84%)	34/50 (68%)	37/49 (76%)		17/49 (35%)	4/49 (8%)	20/50 (40%)		
	34/50 (68%)	37/50 (74%)			31/50 (62%)	27/50 (54%)			
Overall Incidence	Total 879/1248 (70.43%)	Mean 70.42%	SD 11.16%		Total 428/1296 (33.02%)	Mean 33%	SD 18.84%		

*Liver:									
Hepatocellular Carcinoma, Hepatocellular Adenoma, or Hepatoblastoma									
	41/50 (82%)	33/50 (66%)	40/50 (80%)		17/50 (34%)	15/50 (30%)	22/50 (44%)		
	38/50 (76%)	32/50 (64%)			24/50 (48%)	4/50 (8%)	4/50 (8%)		
	41/50 (82%)	41/50 (82%)	40/50 (80%)		25/50 (50%)	32/50 (64%)	16/50 (32%)		
	34/50 (68%)	39/50 (78%)	26/50 (52%)		9/50 (18%)	23/50 (46%)	6/50 (12%)		
	39/50 (78%)	30/50 (60%)	38/50 (76%)		15/50 (30%)	13/49 (27%)	10/50 (20%)		
	45/50 (90%)	28/50 (56%)	26/50 (52%)		38/50 (76%)	13/50 (26%)	3/50 (6%)		
	34/50 (68%)	26/49 (53%)	29/50 (58%)		7/50 (14%)	17/50 (34%)	17/49 (35%)		
	46/50 (92%)	34/50 (68%)	37/49 (76%)		17/49 (35%)	4/49 (8%)	20/50 (40%)		
	35/50 (70%)	37/50 (74%)			31/50 (62%)	27/50 (54%)			
Overall Incidence	Total 889/1248 (71.23%)	Mean 71.22%	SD 11.48%		Total 429/1296 (33.1%)	Mean 33.08%	SD 18.82%		

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

		Male				Female				
*Liver:										
Hepatocolangiocarcinoma										
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	2/50 (4%)	4/50 (8%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	
		0/50 (0%)	1/50 (2%)	0/49 (0%)		0/49 (0%)	0/49 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	10/1248 (0.8%)		Mean 0.8%	SD 1.83%	Total	0/1296 (0%)		Mean 0%	SD 0%

*Liver:										
Hepatocolangioma										
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/49 (0%)	0/49 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	1/1248 (0.08%)		Mean 0.08%	SD 0.4%	Total	0/1296 (0%)		Mean 0%	SD 0%

*Liver:										
Ito Cell Tumor Benign										
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/49 (0%)	0/49 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	1/1248 (0.08%)		Mean 0.08%	SD 0.4%	Total	0/1296 (0%)		Mean 0%	SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 34
 Report Date: 03/22/2010

		Male				Female				
*Liver:										
Ito Cell Tumor Malignant										
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		2/50 (4%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/49 (0%)	0/49 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	2/50 (4%)			0/50 (0%)	0/50 (0%)			
Overall Incidence	Total	5/1248 (0.4%)		Mean 0.4%	SD 1.15%	Total	0/1296 (0%)		Mean 0%	SD 0%

*Liver:										
Plasma Cell Tumor Malignant										
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/49 (0%)	0/49 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)			
Overall Incidence	Total	0/1248 (0%)		Mean 0%	SD 0%	Total	1/1296 (0.08%)		Mean 0.08%	SD 0.39%

*Liver:										
Sarcoma										
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	1/50 (2%)	1/50 (2%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/49 (0%)	0/49 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)			
Overall Incidence	Total	0/1248 (0%)		Mean 0%	SD 0%	Total	1/1296 (0.08%)		Mean 0.08%	SD 0.39%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 35
 Report Date: 03/22/2010

		Male				Female				
*Lung:										
Adenoma										
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/48 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	1/1250 (0.08%)		Mean 0.08%	SD 0.4%	Total	0/1296 (0%)		Mean 0%	SD 0%

*Lung:										
Alveolar/Bronchiolar Adenoma										
		7/50 (14%)	7/50 (14%)	6/50 (12%)		0/50 (0%)	3/50 (6%)	1/50 (2%)		
		6/50 (12%)	13/50 (26%)			1/50 (2%)	1/50 (2%)	5/50 (10%)		
		13/50 (26%)	10/50 (20%)	4/50 (8%)		1/50 (2%)	2/50 (4%)	2/50 (4%)		
		10/50 (20%)	9/50 (18%)	4/50 (8%)		4/50 (8%)	6/50 (12%)	4/50 (8%)		
		10/50 (20%)	6/50 (12%)	9/50 (18%)		2/50 (4%)	4/48 (8%)	2/50 (4%)		
		8/50 (16%)	8/50 (16%)	1/50 (2%)		1/50 (2%)	1/50 (2%)	1/50 (2%)		
		8/50 (16%)	10/50 (20%)	6/50 (12%)		4/50 (8%)	3/50 (6%)	1/49 (2%)		
		15/50 (30%)	5/50 (10%)	10/50 (20%)		1/50 (2%)	3/49 (6%)	6/50 (12%)		
		4/50 (8%)	6/50 (12%)			2/50 (4%)	3/50 (6%)			
Overall Incidence	Total	195/1250 (15.6%)		Mean 15.6%	SD 6.43%	Total	64/1296 (4.94%)		Mean 4.94%	SD 3.32%

*Lung:										
Alveolar/Bronchiolar Carcinoma										
		11/50 (22%)	6/50 (12%)	5/50 (10%)		4/50 (8%)	1/50 (2%)	4/50 (8%)		
		8/50 (16%)	3/50 (6%)			0/50 (0%)	1/50 (2%)	2/50 (4%)		
		9/50 (18%)	6/50 (12%)	12/50 (24%)		3/50 (6%)	3/50 (6%)	3/50 (6%)		
		6/50 (12%)	3/50 (6%)	6/50 (12%)		2/50 (4%)	1/50 (2%)	1/50 (2%)		
		7/50 (14%)	2/50 (4%)	2/50 (4%)		1/50 (2%)	0/48 (0%)	2/50 (4%)		
		7/50 (14%)	5/50 (10%)	10/50 (20%)		3/50 (6%)	1/50 (2%)	1/50 (2%)		
		5/50 (10%)	7/50 (14%)	3/50 (6%)		2/50 (4%)	2/50 (4%)	2/49 (4%)		
		3/50 (6%)	3/50 (6%)	11/50 (22%)		2/50 (4%)	0/49 (0%)	0/50 (0%)		
		12/50 (24%)	4/50 (8%)			6/50 (12%)	6/50 (12%)			
Overall Incidence	Total	156/1250 (12.48%)		Mean 12.48%	SD 6.28%	Total	53/1296 (4.09%)		Mean 4.08%	SD 3.27%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 36
 Report Date: 03/22/2010

		Male				Female			
*Lung:									
Alveolar/Bronchiolar Carcinoma or Alveolar/Bronchiolar Adenoma									
		16/50 (32%)	13/50 (26%)	11/50 (22%)		4/50 (8%)	4/50 (8%)	5/50 (10%)	
		13/50 (26%)	16/50 (32%)			1/50 (2%)	2/50 (4%)	5/50 (10%)	
		19/50 (38%)	15/50 (30%)	15/50 (30%)		4/50 (8%)	5/50 (10%)	5/50 (10%)	
		16/50 (32%)	12/50 (24%)	10/50 (20%)		5/50 (10%)	7/50 (14%)	5/50 (10%)	
		16/50 (32%)	7/50 (14%)	11/50 (22%)		3/50 (6%)	4/48 (8%)	4/50 (8%)	
		14/50 (28%)	13/50 (26%)	11/50 (22%)		4/50 (8%)	2/50 (4%)	2/50 (4%)	
		13/50 (26%)	17/50 (34%)	9/50 (18%)		6/50 (12%)	5/50 (10%)	3/49 (6%)	
		16/50 (32%)	7/50 (14%)	20/50 (40%)		2/50 (4%)	3/49 (6%)	6/50 (12%)	
		15/50 (30%)	10/50 (20%)			8/50 (16%)	9/50 (18%)		
Overall Incidence	Total	335/1250 (26.8%)	Mean 26.8%	SD 6.76%	Total	113/1296 (8.72%)	Mean 8.71%	SD 3.78%	
*Lung:									
Fibrosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/48 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	1/1250 (0.08%)	Mean 0.08%	SD 0.4%	Total	0/1296 (0%)	Mean 0%	SD 0%	
*Lung:									
Fibrous Histiocytoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/48 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/1250 (0%)	Mean 0%	SD 0%	Total	1/1296 (0.08%)	Mean 0.08%	SD 0.39%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 37
 Report Date: 03/22/2010

		Male						Female								
*Lung:																
Hemangiosarcoma																
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/48	(0%)	0/50	(0%)			
		0/50	(0%)	1/50	(2%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	1/50	(2%)			
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)					
Overall Incidence	Total	1/1250 (0.08%)			Mean 0.08%		SD 0.4%		Total	3/1296 (0.23%)			Mean 0.23%		SD 0.65%	
*Lung:																
Plasma Cell Tumor Malignant																
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/48	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)					
Overall Incidence	Total	0/1250 (0%)			Mean 0%		SD 0%		Total	1/1296 (0.08%)			Mean 0.08%		SD 0.39%	
*Lung:																
Sarcoma																
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/48	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)					
Overall Incidence	Total	1/1250 (0.08%)			Mean 0.08%		SD 0.4%		Total	0/1296 (0%)			Mean 0%		SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 38
 Report Date: 03/22/2010

		Male				Female			
#Lymph Node:									
Fibrous Histiocytoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/1250 (0%)	Mean 0%	SD 0%	Total	1/1298 (0.08%)	Mean 0.08%	SD 0.39%	

#Lymph Node:									
Hemangioma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/1250 (0%)	Mean 0%	SD 0%	Total	1/1298 (0.08%)	Mean 0.08%	SD 0.39%	

#Lymph Node:									
Hemangiosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/1250 (0%)	Mean 0%	SD 0%	Total	1/1298 (0.08%)	Mean 0.08%	SD 0.39%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 39
 Report Date: 03/22/2010

		Male				Female								
#Lymph Node:														
Plasma Cell Tumor Malignant														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	0/1250 (0%)		Mean	0%	SD	0%	Total	1/1298 (0.08%)		Mean	0.08%	SD	0.39%

#Lymph Node:														
Sarcoma														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	0/1250 (0%)		Mean	0%	SD	0%	Total	1/1298 (0.08%)		Mean	0.08%	SD	0.39%

#Lymph Node, Bronchial:														
Hemangiosarcoma														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	0/1250 (0%)		Mean	0%	SD	0%	Total	1/1298 (0.08%)		Mean	0.08%	SD	0.39%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 40
 Report Date: 03/22/2010

		Male				Female			
#Lymph Node, Mandibular:									
Fibrous Histiocytoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/1250 (0%)	Mean 0%	SD 0%	Total	1/1298 (0.08%)	Mean 0.08%	SD 0.39%	

#Lymph Node, Mandibular:									
Hemangiosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/1250 (0%)	Mean 0%	SD 0%	Total	2/1298 (0.15%)	Mean 0.15%	SD 0.54%	

#Lymph Node, Mandibular:									
Mast Cell Tumor Malignant									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/1250 (0.08%)	Mean 0.08%	SD 0.4%	Total	0/1298 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 41
 Report Date: 03/22/2010

		Male				Female			
#Lymph Node, Mandibular:									
Plasma Cell Tumor Malignant									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/1250 (0%)	Mean 0%	SD 0%	Total	1/1298 (0.08%)	Mean 0.08%	SD 0.39%	

#Lymph Node, Mesenteric:									
Fibrous Histiocytoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	1/1250 (0.08%)	Mean 0.08%	SD 0.4%	Total	1/1298 (0.08%)	Mean 0.08%	SD 0.39%	

#Lymph Node, Mesenteric:									
Hemangioma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	1/1250 (0.08%)	Mean 0.08%	SD 0.4%	Total	0/1298 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 42
 Report Date: 03/22/2010

		Male				Female			
#Lymph Node, Mesenteric:									
Hemangiosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/1250 (0%)	Mean 0%	SD 0%	Total	2/1298 (0.15%)	Mean 0.15%	SD 0.54%	
#Lymph Node, Mesenteric:									
Plasma Cell Tumor Malignant									
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/1250 (0.08%)	Mean 0.08%	SD 0.4%	Total	1/1298 (0.08%)	Mean 0.08%	SD 0.39%	
#Mammary Gland:									
Adenoacanthoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/49 (2%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/1250 (0%)	Mean 0%	SD 0%	Total	1/1298 (0.08%)	Mean 0.08%	SD 0.4%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 43
 Report Date: 03/22/2010

		Male				Female			
#Mammary Gland:									
Adenoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/1250 (0%)	Mean 0%	SD 0%	Total	1/1298 (0.08%)	Mean 0.08%	SD 0.39%	

#Mammary Gland:									
Carcinoma									
		0/50 (0%)	0/50 (0%)	1/50 (2%)		1/50 (2%)	1/50 (2%)	2/50 (4%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		2/50 (4%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	4/50 (8%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		2/50 (4%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		2/50 (4%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/49 (2%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		2/50 (4%)	1/50 (2%)		
Overall Incidence	Total	1/1250 (0.08%)	Mean 0.08%	SD 0.4%	Total	23/1298 (1.77%)	Mean 1.77%	SD 1.99%	

#Mammary Gland:									
Carcinoma or Adenoma									
		0/50 (0%)	0/50 (0%)	1/50 (2%)		1/50 (2%)	1/50 (2%)	2/50 (4%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		2/50 (4%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	4/50 (8%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		2/50 (4%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		2/50 (4%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/49 (2%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		2/50 (4%)	1/50 (2%)		
Overall Incidence	Total	1/1250 (0.08%)	Mean 0.08%	SD 0.4%	Total	24/1298 (1.85%)	Mean 1.85%	SD 1.95%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ALL ROUTES
Vehicle: ALL VEHICLES

Page: 44
 Report Date: 03/22/2010

		Male				Female			
#Mammary Gland:									
Fibroadenoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/1250 (0%)	Mean 0%	SD 0%	Total	1/1298 (0.08%)	Mean 0.08%	SD 0.39%	

#Mammary Gland:									
Fibroma, Fibroadenoma or Adenoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/1250 (0%)	Mean 0%	SD 0%	Total	2/1298 (0.15%)	Mean 0.15%	SD 0.54%	

#Mammary Gland:									
Fibroma, Fibroadenoma, Carcinoma, or Adenoma									
		0/50 (0%)	0/50 (0%)	1/50 (2%)		1/50 (2%)	1/50 (2%)	2/50 (4%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		2/50 (4%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	5/50 (10%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		2/50 (4%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		2/50 (4%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/49 (2%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		2/50 (4%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/1250 (0.08%)	Mean 0.08%	SD 0.4%	Total	25/1298 (1.93%)	Mean 1.92%	SD 2.23%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 45
 Report Date: 03/22/2010

		Male						Female								
#Mesentery:																
Fibrosarcoma																
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	3/50	(6%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)					
Overall Incidence	Total	0/1250 (0%)			Mean	0%	SD	0%	Total	4/1298 (0.31%)			Mean	0.31%	SD	1.23%

#Mesentery:																
Hemangioma																
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/49	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)					
Overall Incidence	Total	2/1250 (0.16%)			Mean	0.16%	SD	0.55%	Total	1/1298 (0.08%)			Mean	0.08%	SD	0.39%

#Mesentery:																
Hemangiosarcoma																
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)			1/50	(2%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	1/50	(2%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	2/50	(4%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)			
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)					
Overall Incidence	Total	2/1250 (0.16%)			Mean	0.16%	SD	0.55%	Total	4/1298 (0.31%)			Mean	0.31%	SD	0.93%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 46
 Report Date: 03/22/2010

		Male				Female			
#Mesentery:									
Sarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			1/50 (2%)	0/50 (0%)		
Overall Incidence	Total	0/1250 (0%)	Mean 0%	SD 0%	Total	2/1298 (0.15%)	Mean 0.15%	SD 0.54%	

*Nose:									
Mast Cell Tumor Malignant									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/48 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	1/1248 (0.08%)	Mean 0.08%	SD 0.4%	Total	0/1295 (0%)	Mean 0%	SD 0%	

#Oral Cavity (Oral Mucosa, Tongue, Pharynx, Tooth, Gingiva):									
Papilloma Squamous or Papilloma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/49 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/1250 (0%)	Mean 0%	SD 0%	Total	1/1298 (0.08%)	Mean 0.08%	SD 0.39%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 47
 Report Date: 03/22/2010

		Male				Female				
#Oral Cavity (Oral Mucosa, Tongue, Pharynx, Tooth, Gingiva):										
Squamous Cell Carcinoma										
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	2/1250 (0.16%)		Mean 0.16%	SD 0.55%	Total	1/1298 (0.08%)		Mean 0.08%	SD 0.39%

#Oral Cavity (Oral Mucosa, Tongue, Pharynx, Tooth, Gingiva):										
Squamous Cell Carcinoma, Papilloma Squamous, or Papilloma										
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/49 (0%)	0/49 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	2/1250 (0.16%)		Mean 0.16%	SD 0.55%	Total	2/1298 (0.15%)		Mean 0.15%	SD 0.54%

*Ovary:										
Choriocarcinoma										
						0/49 (0%)	1/48 (2%)	0/50 (0%)		
						0/50 (0%)	0/48 (0%)	0/50 (0%)		
						0/48 (0%)	0/50 (0%)	0/49 (0%)		
						0/50 (0%)	0/50 (0%)	0/49 (0%)		
						0/50 (0%)	0/48 (0%)	0/49 (0%)		
						0/49 (0%)	0/48 (0%)	0/46 (0%)		
						0/50 (0%)	0/49 (0%)	0/49 (0%)		
						0/50 (0%)	0/49 (0%)	0/50 (0%)		
						0/50 (0%)	0/49 (0%)	0/50 (0%)		
						0/47 (0%)	1/50 (2%)			
Overall Incidence	Total					Total	2/1275 (0.16%)		Mean 0.16%	SD 0.55%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 48
 Report Date: 03/22/2010

	Male			Female		
*Ovary:						
Cystadenoma						
	4/49	(8%)		2/48	(4%)	2/50 (4%)
	3/50	(6%)		0/48	(0%)	1/50 (2%)
	5/48	(10%)		3/50	(6%)	3/49 (6%)
	1/50	(2%)		7/50	(14%)	3/49 (6%)
	3/50	(6%)		3/48	(6%)	5/49 (10%)
	1/49	(2%)		2/48	(4%)	1/46 (2%)
	2/50	(4%)		6/49	(12%)	1/49 (2%)
	1/50	(2%)		2/49	(4%)	2/50 (4%)
	2/47	(4%)		1/50	(2%)	
Overall Incidence	Total	66/1275 (5.18%)		Mean	5.17%	SD 3.46%
*Ovary:						
Fibrous Histiocytoma						
	0/49	(0%)		0/48	(0%)	0/50 (0%)
	0/50	(0%)		0/48	(0%)	0/50 (0%)
	0/48	(0%)		1/50	(2%)	0/49 (0%)
	0/50	(0%)		0/50	(0%)	0/49 (0%)
	0/50	(0%)		0/48	(0%)	0/49 (0%)
	0/49	(0%)		0/48	(0%)	0/46 (0%)
	0/50	(0%)		0/49	(0%)	0/49 (0%)
	0/50	(0%)		0/49	(0%)	0/50 (0%)
	0/47	(0%)		0/50	(0%)	
Overall Incidence	Total	1/1275 (0.08%)		Mean	0.08%	SD 0.39%
*Ovary:						
Granulosa Cell Tumor Benign						
	0/49	(0%)		0/48	(0%)	0/50 (0%)
	0/50	(0%)		2/48	(4%)	0/50 (0%)
	0/48	(0%)		0/50	(0%)	0/49 (0%)
	0/50	(0%)		0/50	(0%)	0/49 (0%)
	0/50	(0%)		0/48	(0%)	0/49 (0%)
	0/49	(0%)		0/48	(0%)	0/46 (0%)
	0/50	(0%)		0/49	(0%)	1/49 (2%)
	0/50	(0%)		0/49	(0%)	0/50 (0%)
	0/47	(0%)		1/50	(2%)	
Overall Incidence	Total	4/1275 (0.31%)		Mean	0.32%	SD 0.96%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 49
 Report Date: 03/22/2010

	Male			Female		
*Ovary:						
Granulosa Cell Tumor Malignant						
	0/49	(0%)	0/48	(0%)	0/50	(0%)
	0/50	(0%)	1/48	(2%)	0/50	(0%)
	0/48	(0%)	0/50	(0%)	0/49	(0%)
	0/50	(0%)	0/50	(0%)	0/49	(0%)
	0/50	(0%)	0/48	(0%)	0/49	(0%)
	0/49	(0%)	0/48	(0%)	0/46	(0%)
	0/50	(0%)	0/49	(0%)	0/49	(0%)
	0/50	(0%)	0/49	(0%)	0/50	(0%)
	0/47	(0%)	0/50	(0%)		
Overall Incidence	Total	1/1275 (0.08%)	Mean	0.08%	SD	0.41%
*Ovary:						
Granulosa Cell Tumor: Benign, Malignant, NOS						
	0/49	(0%)	0/48	(0%)	0/50	(0%)
	0/50	(0%)	3/48	(6%)	0/50	(0%)
	0/48	(0%)	0/50	(0%)	0/49	(0%)
	0/50	(0%)	0/50	(0%)	0/49	(0%)
	0/50	(0%)	0/48	(0%)	0/49	(0%)
	0/49	(0%)	0/48	(0%)	0/46	(0%)
	0/50	(0%)	0/49	(0%)	1/49	(2%)
	0/50	(0%)	0/49	(0%)	0/50	(0%)
	0/47	(0%)	1/50	(2%)		
Overall Incidence	Total	5/1275 (0.39%)	Mean	0.4%	SD	1.31%
*Ovary:						
Hemangioma						
	0/49	(0%)	0/48	(0%)	0/50	(0%)
	0/50	(0%)	0/48	(0%)	0/50	(0%)
	0/48	(0%)	0/50	(0%)	0/49	(0%)
	0/50	(0%)	0/50	(0%)	0/49	(0%)
	0/50	(0%)	0/48	(0%)	0/49	(0%)
	0/49	(0%)	0/48	(0%)	0/46	(0%)
	0/50	(0%)	0/49	(0%)	1/49	(2%)
	0/50	(0%)	1/49	(2%)	0/50	(0%)
	0/47	(0%)	0/50	(0%)		
Overall Incidence	Total	2/1275 (0.16%)	Mean	0.16%	SD	0.55%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 50
 Report Date: 03/22/2010

	Male			Female		
*Ovary:						
Hemangiosarcoma						
	0/49	(0%)	0/48	(0%)	0/50	(0%)
	0/50	(0%)	0/48	(0%)	0/50	(0%)
	0/48	(0%)	0/50	(0%)	1/49	(2%)
	0/50	(0%)	0/50	(0%)	0/49	(0%)
	0/50	(0%)	0/48	(0%)	0/49	(0%)
	0/49	(0%)	0/48	(0%)	0/46	(0%)
	0/50	(0%)	0/49	(0%)	1/49	(2%)
	0/50	(0%)	0/49	(0%)	0/50	(0%)
	0/47	(0%)	0/50	(0%)		
Overall Incidence	Total	2/1275 (0.16%)	Mean	0.16%	SD	0.55%

*Ovary:						
Leiomyosarcoma						
	0/49	(0%)	0/48	(0%)	0/50	(0%)
	0/50	(0%)	0/48	(0%)	0/50	(0%)
	0/48	(0%)	0/50	(0%)	0/49	(0%)
	0/50	(0%)	0/50	(0%)	0/49	(0%)
	0/50	(0%)	0/48	(0%)	0/49	(0%)
	0/49	(0%)	0/48	(0%)	0/46	(0%)
	0/50	(0%)	1/49	(2%)	0/49	(0%)
	0/50	(0%)	0/49	(0%)	0/50	(0%)
	0/47	(0%)	0/50	(0%)		
Overall Incidence	Total	1/1275 (0.08%)	Mean	0.08%	SD	0.4%

*Ovary:						
Luteoma						
	0/49	(0%)	0/48	(0%)	0/50	(0%)
	1/50	(2%)	0/48	(0%)	0/50	(0%)
	0/48	(0%)	0/50	(0%)	0/49	(0%)
	0/50	(0%)	0/50	(0%)	0/49	(0%)
	0/50	(0%)	0/48	(0%)	1/49	(2%)
	0/49	(0%)	0/48	(0%)	0/46	(0%)
	1/50	(2%)	0/49	(0%)	0/49	(0%)
	0/50	(0%)	0/49	(0%)	1/50	(2%)
	0/47	(0%)	0/50	(0%)		
Overall Incidence	Total	4/1275 (0.31%)	Mean	0.31%	SD	0.74%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 51
 Report Date: 03/22/2010

	Male			Female		
*Ovary:						
Plasma Cell Tumor Malignant						
	0/49	(0%)	1/48	(2%)	0/50	(0%)
	0/50	(0%)	0/48	(0%)	0/50	(0%)
	0/48	(0%)	0/50	(0%)	0/49	(0%)
	0/50	(0%)	0/50	(0%)	0/49	(0%)
	0/50	(0%)	0/48	(0%)	0/49	(0%)
	0/49	(0%)	0/48	(0%)	0/46	(0%)
	0/50	(0%)	0/49	(0%)	0/49	(0%)
	0/50	(0%)	0/49	(0%)	0/50	(0%)
	0/47	(0%)	0/50	(0%)		
Overall Incidence	Total	1/1275 (0.08%)	Mean	0.08%	SD	0.41%

*Ovary:						
Teratoma Benign						
	0/49	(0%)	0/48	(0%)	0/50	(0%)
	0/50	(0%)	0/48	(0%)	0/50	(0%)
	1/48	(2%)	0/50	(0%)	0/49	(0%)
	0/50	(0%)	0/50	(0%)	0/49	(0%)
	0/50	(0%)	0/48	(0%)	0/49	(0%)
	0/49	(0%)	0/48	(0%)	0/46	(0%)
	0/50	(0%)	0/49	(0%)	0/49	(0%)
	0/50	(0%)	1/49	(2%)	1/50	(2%)
	0/47	(0%)	0/50	(0%)		
Overall Incidence	Total	3/1275 (0.24%)	Mean	0.24%	SD	0.67%

*Ovary:						
Teratoma Malignant						
	0/49	(0%)	0/48	(0%)	0/50	(0%)
	0/50	(0%)	0/48	(0%)	0/50	(0%)
	0/48	(0%)	0/50	(0%)	0/49	(0%)
	0/50	(0%)	0/50	(0%)	0/49	(0%)
	0/50	(0%)	0/48	(0%)	0/49	(0%)
	0/49	(0%)	0/48	(0%)	0/46	(0%)
	0/50	(0%)	0/49	(0%)	0/49	(0%)
	0/50	(0%)	0/49	(0%)	1/50	(2%)
	0/47	(0%)	0/50	(0%)		
Overall Incidence	Total	1/1275 (0.08%)	Mean	0.08%	SD	0.39%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 52
 Report Date: 03/22/2010

		Male						Female					
*Ovary:													
Tubulostromal Adenoma													
							0/49 (0%)	0/48 (0%)	0/50 (0%)				
							0/50 (0%)	0/48 (0%)	0/50 (0%)				
							0/48 (0%)	0/50 (0%)	0/49 (0%)				
							0/50 (0%)	0/50 (0%)	0/49 (0%)				
							0/50 (0%)	0/48 (0%)	0/49 (0%)				
							0/49 (0%)	0/48 (0%)	0/46 (0%)				
							0/50 (0%)	0/49 (0%)	0/49 (0%)				
							0/50 (0%)	0/49 (0%)	0/50 (0%)				
							0/47 (0%)	1/50 (2%)					
Overall Incidence							Total	1/1275 (0.08%)	Mean	0.08%	SD	0.39%	

*Pancreas:													
Adenoma													
		0/50 (0%)	0/50 (0%)	0/50 (0%)			0/49 (0%)	0/48 (0%)	0/50 (0%)				
		0/48 (0%)	0/50 (0%)				0/50 (0%)	0/50 (0%)	0/50 (0%)				
		0/50 (0%)	0/50 (0%)	0/50 (0%)			0/49 (0%)	0/50 (0%)	0/50 (0%)				
		0/50 (0%)	0/50 (0%)	1/49 (2%)			0/49 (0%)	0/50 (0%)	0/48 (0%)				
		0/50 (0%)	0/50 (0%)	0/50 (0%)			0/49 (0%)	0/47 (0%)	0/49 (0%)				
		0/49 (0%)	0/50 (0%)	0/49 (0%)			0/50 (0%)	0/49 (0%)	0/49 (0%)				
		0/50 (0%)	0/49 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/49 (0%)				
		0/49 (0%)	0/50 (0%)	0/49 (0%)			0/48 (0%)	0/49 (0%)	0/50 (0%)				
		0/50 (0%)	0/50 (0%)				0/49 (0%)	0/49 (0%)					
Overall Incidence	Total	1/1242 (0.08%)	Mean	0.08%	SD	0.41%	Total	0/1280 (0%)	Mean	0%	SD	0%	

*Pancreas:													
Carcinoma													
		0/50 (0%)	0/50 (0%)	0/50 (0%)			0/49 (0%)	0/48 (0%)	0/50 (0%)				
		1/48 (2%)	0/50 (0%)				0/50 (0%)	0/50 (0%)	0/50 (0%)				
		0/50 (0%)	0/50 (0%)	0/50 (0%)			0/49 (0%)	0/50 (0%)	0/50 (0%)				
		0/50 (0%)	0/50 (0%)	0/49 (0%)			0/49 (0%)	0/50 (0%)	0/48 (0%)				
		0/50 (0%)	0/50 (0%)	0/50 (0%)			0/49 (0%)	0/47 (0%)	0/49 (0%)				
		0/49 (0%)	0/50 (0%)	0/49 (0%)			0/50 (0%)	0/49 (0%)	0/49 (0%)				
		0/50 (0%)	0/49 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/49 (0%)				
		0/49 (0%)	0/50 (0%)	0/49 (0%)			0/48 (0%)	0/49 (0%)	0/50 (0%)				
		0/50 (0%)	0/50 (0%)				1/49 (2%)	0/49 (0%)					
Overall Incidence	Total	1/1242 (0.08%)	Mean	0.08%	SD	0.42%	Total	1/1280 (0.08%)	Mean	0.08%	SD	0.4%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 53
 Report Date: 03/22/2010

		Male				Female			
*Pancreas:									
Carcinoma or Adenoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/48 (0%)	0/50 (0%)	
		1/48 (2%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	1/49 (2%)		0/49 (0%)	0/50 (0%)	0/48 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/47 (0%)	0/49 (0%)	
		0/49 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/49 (0%)	0/49 (0%)	
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
		0/49 (0%)	0/50 (0%)	0/49 (0%)		0/48 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			1/49 (2%)	0/49 (0%)		
Overall Incidence	Total	2/1242 (0.16%)	Mean 0.16%	SD 0.57%	Total	1/1280 (0.08%)	Mean 0.08%	SD 0.4%	

*Pituitary Gland: Pars Distalis or Unspecified Site:									
Adenoma									
		0/50 (0%)	0/48 (0%)	1/50 (2%)		1/49 (2%)	2/49 (4%)	4/49 (8%)	
		1/46 (2%)	0/48 (0%)			5/46 (11%)	1/47 (2%)	2/50 (4%)	
		1/48 (2%)	0/50 (0%)	0/50 (0%)		8/50 (16%)	5/50 (10%)	10/50 (20%)	
		1/50 (2%)	1/50 (2%)	0/50 (0%)		3/50 (6%)	1/50 (2%)	0/50 (0%)	
		0/48 (0%)	0/50 (0%)	0/49 (0%)		2/49 (4%)	4/47 (9%)	2/50 (4%)	
		0/49 (0%)	0/48 (0%)	0/48 (0%)		5/47 (11%)	4/50 (8%)	2/49 (4%)	
		0/49 (0%)	0/47 (0%)	0/50 (0%)		1/50 (2%)	4/50 (8%)	2/49 (4%)	
		0/49 (0%)	0/49 (0%)	0/50 (0%)		3/48 (6%)	1/49 (2%)	6/49 (12%)	
		1/50 (2%)	0/49 (0%)			4/48 (8%)	2/48 (4%)		
Overall Incidence	Total	6/1225 (0.49%)	Mean 0.49%	SD 0.89%	Total	84/1273 (6.6%)	Mean 6.6%	SD 4.7%	

*Pituitary Gland: Pars Distalis or Unspecified Site:									
Carcinoma									
		0/50 (0%)	0/48 (0%)	0/50 (0%)		0/49 (0%)	0/49 (0%)	0/49 (0%)	
		0/46 (0%)	0/48 (0%)			1/46 (2%)	0/47 (0%)	0/50 (0%)	
		0/48 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/48 (0%)	0/50 (0%)	0/49 (0%)		0/49 (0%)	0/47 (0%)	0/50 (0%)	
		0/49 (0%)	0/48 (0%)	0/48 (0%)		0/47 (0%)	0/50 (0%)	0/49 (0%)	
		0/49 (0%)	0/47 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/49 (0%)	
		0/49 (0%)	0/49 (0%)	0/50 (0%)		0/48 (0%)	0/49 (0%)	0/49 (0%)	
		0/50 (0%)	0/49 (0%)			0/48 (0%)	0/48 (0%)		
Overall Incidence	Total	1/1225 (0.08%)	Mean 0.08%	SD 0.4%	Total	2/1273 (0.16%)	Mean 0.16%	SD 0.57%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 54
 Report Date: 03/22/2010

		Male				Female			
*Pituitary Gland: Pars Distalis or Unspecified Site:									
 Carcinoma or Adenoma									
		0/50 (0%)	0/48 (0%)	1/50 (2%)		1/49 (2%)	2/49 (4%)	4/49 (8%)	
		1/46 (2%)	0/48 (0%)			6/46 (13%)	1/47 (2%)	2/50 (4%)	
		1/48 (2%)	0/50 (0%)	0/50 (0%)		8/50 (16%)	5/50 (10%)	10/50 (20%)	
		2/50 (4%)	1/50 (2%)	0/50 (0%)		3/50 (6%)	1/50 (2%)	0/50 (0%)	
		0/48 (0%)	0/50 (0%)	0/49 (0%)		2/49 (4%)	4/47 (9%)	2/50 (4%)	
		0/49 (0%)	0/48 (0%)	0/48 (0%)		5/47 (11%)	4/50 (8%)	2/49 (4%)	
		0/49 (0%)	0/47 (0%)	0/50 (0%)		1/50 (2%)	5/50 (10%)	2/49 (4%)	
		0/49 (0%)	0/49 (0%)	0/50 (0%)		3/48 (6%)	1/49 (2%)	6/49 (12%)	
		1/50 (2%)	0/49 (0%)			4/48 (8%)	2/48 (4%)		
Overall Incidence	Total	7/1225 (0.57%)	Mean 0.57%	SD 1.1%	Total	86/1273 (6.76%)	Mean 6.76%	SD 4.83%	

*Pituitary Gland: Pars Intermedia:									
 Adenoma									
		0/50 (0%)	0/48 (0%)	1/50 (2%)		0/49 (0%)	0/49 (0%)	0/49 (0%)	
		0/46 (0%)	0/48 (0%)			0/46 (0%)	1/47 (2%)	0/50 (0%)	
		0/48 (0%)	0/50 (0%)	0/50 (0%)		2/50 (4%)	1/50 (2%)	2/50 (4%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	1/50 (2%)	0/50 (0%)	
		0/48 (0%)	0/50 (0%)	1/49 (2%)		2/49 (4%)	0/47 (0%)	1/50 (2%)	
		0/49 (0%)	1/48 (2%)	0/48 (0%)		0/47 (0%)	0/50 (0%)	0/49 (0%)	
		0/49 (0%)	0/47 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
		0/49 (0%)	0/49 (0%)	0/50 (0%)		0/48 (0%)	0/49 (0%)	1/49 (2%)	
		1/50 (2%)	0/49 (0%)			0/48 (0%)	0/48 (0%)		
Overall Incidence	Total	4/1225 (0.33%)	Mean 0.32%	SD 0.76%	Total	12/1273 (0.94%)	Mean 0.93%	SD 1.42%	

*Pituitary Gland: Pars Intermedia:									
 Carcinoma or Adenoma									
		0/50 (0%)	0/48 (0%)	1/50 (2%)		0/49 (0%)	0/49 (0%)	0/49 (0%)	
		0/46 (0%)	0/48 (0%)			0/46 (0%)	1/47 (2%)	0/50 (0%)	
		0/48 (0%)	0/50 (0%)	0/50 (0%)		2/50 (4%)	1/50 (2%)	2/50 (4%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	1/50 (2%)	0/50 (0%)	
		0/48 (0%)	0/50 (0%)	1/49 (2%)		2/49 (4%)	0/47 (0%)	1/50 (2%)	
		0/49 (0%)	1/48 (2%)	0/48 (0%)		0/47 (0%)	0/50 (0%)	0/49 (0%)	
		0/49 (0%)	0/47 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
		0/49 (0%)	0/49 (0%)	0/50 (0%)		0/48 (0%)	0/49 (0%)	1/49 (2%)	
		1/50 (2%)	0/49 (0%)			0/48 (0%)	0/48 (0%)		
Overall Incidence	Total	4/1225 (0.33%)	Mean 0.32%	SD 0.76%	Total	12/1273 (0.94%)	Mean 0.93%	SD 1.42%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 55
 Report Date: 03/22/2010

		Male				Female	
*Prostate:							
Adenoma							
		0/50 (0%)	0/49 (0%)	0/50 (0%)			
		0/49 (0%)	1/50 (2%)				
		0/50 (0%)	0/50 (0%)	0/50 (0%)			
		0/50 (0%)	0/50 (0%)	0/50 (0%)			
		0/50 (0%)	0/50 (0%)	0/50 (0%)			
		0/50 (0%)	0/50 (0%)	0/50 (0%)			
		0/50 (0%)	0/50 (0%)	0/49 (0%)			
		0/50 (0%)	0/50 (0%)	0/50 (0%)			
Overall Incidence	Total	1/1247 (0.08%)	Mean 0.08%	SD 0.4%			

*Prostate:							
Carcinoma or Adenoma							
		0/50 (0%)	0/49 (0%)	0/50 (0%)			
		0/49 (0%)	1/50 (2%)				
		0/50 (0%)	0/50 (0%)	0/50 (0%)			
		0/50 (0%)	0/50 (0%)	0/50 (0%)			
		0/50 (0%)	0/50 (0%)	0/50 (0%)			
		0/50 (0%)	0/50 (0%)	0/50 (0%)			
		0/50 (0%)	0/50 (0%)	0/50 (0%)			
		0/50 (0%)	0/50 (0%)	0/49 (0%)			
		0/50 (0%)	0/50 (0%)	0/50 (0%)			
Overall Incidence	Total	1/1247 (0.08%)	Mean 0.08%	SD 0.4%			

*Prostate:							
Hemangioma							
		0/50 (0%)	0/49 (0%)	1/50 (2%)			
		0/49 (0%)	0/50 (0%)				
		0/50 (0%)	0/50 (0%)	0/50 (0%)			
		0/50 (0%)	0/50 (0%)	0/50 (0%)			
		0/50 (0%)	0/50 (0%)	0/50 (0%)			
		0/50 (0%)	0/50 (0%)	0/50 (0%)			
		0/50 (0%)	0/50 (0%)	0/50 (0%)			
		0/50 (0%)	0/50 (0%)	0/49 (0%)			
		0/50 (0%)	0/50 (0%)	0/50 (0%)			
Overall Incidence	Total	1/1247 (0.08%)	Mean 0.08%	SD 0.4%			

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 56
 Report Date: 03/22/2010

		Male						Female								
*Salivary Glands:																
 Carcinoma																
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/49	(0%)	0/50	(0%)			
		0/49	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/49	(0%)	0/49	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/49	(0%)			
		0/50	(0%)	1/50	(2%)			0/50	(0%)	0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	1/1247 (0.08%)			Mean	0.08%	SD	0.4%	Total	0/1291 (0%)			Mean	0%	SD	0%

*Salivary Glands:																
 Carcinoma or Adenoma																
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/49	(0%)	0/50	(0%)			
		0/49	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/49	(0%)	0/49	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)			
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)			
		0/50	(0%)	1/50	(2%)			0/50	(0%)	0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	1/1247 (0.08%)			Mean	0.08%	SD	0.4%	Total	0/1291 (0%)			Mean	0%	SD	0%

*Salivary Glands:																
 Mast Cell Tumor Malignant																
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/49	(0%)	0/50	(0%)			
		0/49	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)			
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/49	(0%)	0/49	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)			
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	1/1247 (0.08%)			Mean	0.08%	SD	0.4%	Total	0/1291 (0%)			Mean	0%	SD	0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 57
 Report Date: 03/22/2010

		Male				Female							
#Seminal Vesicle:													
Adenoma													
		0/50	(0%)	0/50	(0%)	0/50	(0%)						
		1/50	(2%)	0/50	(0%)								
		0/50	(0%)	0/50	(0%)	0/50	(0%)						
		0/50	(0%)	0/50	(0%)	0/50	(0%)						
		0/50	(0%)	0/50	(0%)	0/50	(0%)						
		0/50	(0%)	0/50	(0%)	0/50	(0%)						
		0/50	(0%)	0/50	(0%)	0/50	(0%)						
		0/50	(0%)	0/50	(0%)	0/50	(0%)						
		0/50	(0%)	0/50	(0%)	0/50	(0%)						
Overall Incidence	Total	1/1250 (0.08%)		Mean 0.08%		SD 0.4%							

#Skeletal Muscle:													
Fibrosarcoma													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/1250 (0%)		Mean 0%		SD 0%		Total	1/1298 (0.08%)	Mean 0.08%		SD 0.39%	

#Skeletal Muscle:													
Hemangiosarcoma													
		0/50	(0%)	2/50	(4%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	1/50	(2%)	1/50	(2%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	5/1250 (0.4%)		Mean 0.4%		SD 1%		Total	3/1298 (0.23%)	Mean 0.23%		SD 0.65%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 58
 Report Date: 03/22/2010

		Male				Female							
#Skeletal Muscle:													
Myxosarcoma													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)		
Overall Incidence	Total	0/1250 (0%)		Mean 0%		SD 0%		Total	1/1298 (0.08%)	Mean 0.08%		SD 0.39%	

#Skeletal Muscle:													
Rhabdomyosarcoma													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	3/50	(6%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/49	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	2/50	(4%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)		
Overall Incidence	Total	1/1250 (0.08%)		Mean 0.08%		SD 0.4%		Total	7/1298 (0.54%)	Mean 0.54%		SD 1.45%	

#Skeletal Muscle:													
Rhabdomyosarcoma or Rhabdomyoma													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	3/50	(6%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/49	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	2/50	(4%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)		
Overall Incidence	Total	1/1250 (0.08%)		Mean 0.08%		SD 0.4%		Total	7/1298 (0.54%)	Mean 0.54%		SD 1.45%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 59
 Report Date: 03/22/2010

		Male				Female			
#Skeletal Muscle:									
Sarcoma									
		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	2/1250 (0.16%)	Mean 0.16%	SD 0.55%	Total	1/1298 (0.08%)	Mean 0.08%	SD 0.39%	

#Skin:									
Basal Cell Adenoma or Basosquamous Tumor Benign									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/49 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/1250 (0%)	Mean 0%	SD 0%	Total	1/1298 (0.08%)	Mean 0.08%	SD 0.39%	

#Skin:									
Basal Cell Adenoma, Basosquamous Tumor Benign, or Trichoepithelioma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/49 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/1250 (0%)	Mean 0%	SD 0%	Total	2/1298 (0.15%)	Mean 0.15%	SD 0.54%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 60
 Report Date: 03/22/2010

		Male				Female						
#Skin:												
Basal Cell Carcinoma												
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	1/1250 (0.08%)		Mean 0.08%		SD 0.4%		Total	1/1298 (0.08%)		Mean 0.08%	SD 0.39%
#Skin:												
Basal Cell Carcinoma or Basosquamous Tumor (malignant or NOS)												
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	1/1250 (0.08%)		Mean 0.08%		SD 0.4%		Total	1/1298 (0.08%)		Mean 0.08%	SD 0.39%
#Skin:												
Basal Cell Carcinoma, Basal Cell Adenoma, Basosquamous Tumor (benign, malignant or NOS), or Trichoepithelioma												
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		1/50	(2%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	1/1250 (0.08%)		Mean 0.08%		SD 0.4%		Total	3/1298 (0.23%)		Mean 0.23%	SD 0.65%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 61
 Report Date: 03/22/2010

		Male				Female			
#Skin:									
Basal or Sq. Cell Carcinoma, Carcinoma, Basosq. Tumor (M or B), Basal Cell Adenoma, Adenoma, Papilloma, Sq Papilloma, Keratoacanthoma, Trichoepithelioma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	1/50 (2%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/49 (0%)	0/49 (0%)
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	2/1250 (0.16%)		Mean 0.16%	SD 0.55%	Total 5/1298 (0.39%)		Mean 0.38%	SD 0.8%

#Skin:									
Basosquamous Tumor Benign									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/49 (0%)	0/49 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/1250 (0%)		Mean 0%	SD 0%	Total 1/1298 (0.08%)		Mean 0.08%	SD 0.39%

#Skin:									
Fibroma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/49 (0%)	0/49 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	2/1250 (0.16%)		Mean 0.16%	SD 0.55%	Total 1/1298 (0.08%)		Mean 0.08%	SD 0.39%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 62
 Report Date: 03/22/2010

		Male				Female			
#Skin:									
Fibroma, Fibrosarcoma, Sarcoma, Myxoma, Myxosarcoma, or Fibrous Histiocytoma									
		1/50 (2%)	0/50 (0%)	0/50 (0%)	5/50 (10%)	3/50 (6%)	0/50 (0%)		
		0/50 (0%)	1/50 (2%)		8/50 (16%)	2/50 (4%)	5/50 (10%)		
		2/50 (4%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	1/50 (2%)	4/50 (8%)		
		0/50 (0%)	1/50 (2%)	0/50 (0%)	1/50 (2%)	4/50 (8%)	3/50 (6%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	3/49 (6%)	0/50 (0%)		
		1/50 (2%)	0/50 (0%)	3/50 (6%)	1/50 (2%)	6/50 (12%)	3/50 (6%)		
		1/50 (2%)	0/50 (0%)	0/50 (0%)	2/50 (4%)	2/50 (4%)	2/49 (4%)		
		0/50 (0%)	1/50 (2%)	2/50 (4%)	2/50 (4%)	1/50 (2%)	1/50 (2%)		
		1/50 (2%)	0/50 (0%)		2/50 (4%)	4/50 (8%)			
Overall Incidence	Total	15/1250 (1.2%)	Mean 1.2%	SD 1.63%	Total	65/1298 (5.01%)	Mean 5.01%	SD 4.01%	

#Skin:									
Fibrosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	3/50 (6%)	2/50 (4%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	4/50 (8%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	3/50 (6%)	1/50 (2%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)		
		1/50 (2%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	3/50 (6%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	1/49 (2%)		
		0/50 (0%)	1/50 (2%)	0/50 (0%)	1/50 (2%)	1/50 (2%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)		0/50 (0%)	4/50 (8%)			
Overall Incidence	Total	3/1250 (0.24%)	Mean 0.24%	SD 0.66%	Total	26/1298 (2%)	Mean 2%	SD 2.65%	

#Skin:									
Fibrosarcoma, Sarcoma, Myxosarcoma, or Fibrous Histiocytoma									
		1/50 (2%)	0/50 (0%)	0/50 (0%)	5/50 (10%)	3/50 (6%)	0/50 (0%)		
		0/50 (0%)	1/50 (2%)		8/50 (16%)	2/50 (4%)	5/50 (10%)		
		2/50 (4%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	1/50 (2%)	4/50 (8%)		
		0/50 (0%)	1/50 (2%)	0/50 (0%)	1/50 (2%)	4/50 (8%)	3/50 (6%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	3/49 (6%)	0/50 (0%)		
		1/50 (2%)	0/50 (0%)	2/50 (4%)	1/50 (2%)	6/50 (12%)	3/50 (6%)		
		1/50 (2%)	0/50 (0%)	0/50 (0%)	2/50 (4%)	2/50 (4%)	2/49 (4%)		
		0/50 (0%)	1/50 (2%)	2/50 (4%)	2/50 (4%)	1/50 (2%)	1/50 (2%)		
		0/50 (0%)	0/50 (0%)		2/50 (4%)	4/50 (8%)			
Overall Incidence	Total	13/1250 (1.04%)	Mean 1.04%	SD 1.43%	Total	65/1298 (5.01%)	Mean 5.01%	SD 4.01%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 63
 Report Date: 03/22/2010

		Male				Female			
#Skin:									
Fibrous Histiocytoma									
		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)			1/50 (2%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	2/50 (4%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/49 (2%)	
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			1/50 (2%)	0/50 (0%)		
Overall Incidence	Total	6/1250 (0.48%)	Mean 0.48%	SD 1.05%		Total	5/1298 (0.39%)	Mean 0.39%	SD 0.81%

#Skin:									
Granular Cell Tumor Benign									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	1/1250 (0.08%)	Mean 0.08%	SD 0.4%		Total	0/1298 (0%)	Mean 0%	SD 0%

#Skin:									
Hemangioma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/49 (0%)	
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			2/50 (4%)	0/50 (0%)		
Overall Incidence	Total	3/1250 (0.24%)	Mean 0.24%	SD 0.66%		Total	4/1298 (0.31%)	Mean 0.31%	SD 0.93%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 64
 Report Date: 03/22/2010

		Male				Female			
#Skin:									
Hemangiosarcoma									
		1/50 (2%)	0/50 (0%)	1/50 (2%)		1/50 (2%)	1/50 (2%)	1/50 (2%)	1/50 (2%)
		0/50 (0%)	0/50 (0%)			1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	2/50 (4%)	1/50 (2%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)	1/50 (2%)		0/50 (0%)	1/49 (2%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	1/50 (2%)	2/50 (4%)		2/50 (4%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/49 (0%)	0/49 (0%)
		0/50 (0%)	1/50 (2%)	2/50 (4%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)	1/50 (2%)		
Overall Incidence	Total	16/1250 (1.28%)	Mean 1.28%	SD 1.4%	Total	11/1298 (0.85%)	Mean 0.85%	SD 1.16%	

#Skin:									
Liposarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/1250 (0%)	Mean 0%	SD 0%	Total	1/1298 (0.08%)	Mean 0.08%	SD 0.39%	

#Skin:									
Mast Cell Tumor Benign									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/1250 (0%)	Mean 0%	SD 0%	Total	1/1298 (0.08%)	Mean 0.08%	SD 0.39%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 65
 Report Date: 03/22/2010

		Male				Female			
#Skin:									
Myxosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/1250 (0%)	Mean 0%	SD 0%	Total	1/1298 (0.08%)	Mean 0.08%	SD 0.39%	

#Skin:									
Neurofibrosarcoma or Schwannoma (malignant or NOS)									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	2/50 (4%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	2/50 (4%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	2/49 (4%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	1/1250 (0.08%)	Mean 0.08%	SD 0.4%	Total	11/1298 (0.85%)	Mean 0.85%	SD 1.41%	

#Skin:									
Neurofibrosarcoma, Neurofibroma, or Schwannoma (benign, malignant or NOS)									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	2/50 (4%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	2/50 (4%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	2/49 (4%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	1/1250 (0.08%)	Mean 0.08%	SD 0.4%	Total	11/1298 (0.85%)	Mean 0.85%	SD 1.41%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 66
 Report Date: 03/22/2010

		Male						Female												
#Skin:																				
Osteosarcoma																				
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/49	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)									
Overall Incidence	Total	1/1250 (0.08%)			Mean 0.08%			SD 0.4%			Total	0/1298 (0%)			Mean 0%			SD 0%		
#Skin:																				
Sarcoma																				
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	1/50	(2%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)			7/50	(14%)	0/50	(0%)	1/50	(2%)							
		1/50	(2%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	1/50	(2%)	4/50	(8%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	2/50	(4%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	3/49	(6%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	6/50	(12%)	0/50	(0%)							
		1/50	(2%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	2/50	(4%)	0/49	(0%)							
		0/50	(0%)	0/50	(0%)	1/50	(2%)	1/50	(2%)	0/50	(0%)	1/50	(2%)							
		0/50	(0%)	0/50	(0%)			1/50	(2%)	0/50	(0%)									
Overall Incidence	Total	4/1250 (0.32%)			Mean 0.32%			SD 0.75%			Total	33/1298 (2.54%)			Mean 2.54%			SD 3.69%		
#Skin:																				
Schwannoma Malignant																				
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	2/50	(4%)							
		0/50	(0%)	0/50	(0%)			0/50	(0%)	1/50	(2%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)							
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	2/50	(4%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	2/49	(4%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)									
Overall Incidence	Total	1/1250 (0.08%)			Mean 0.08%			SD 0.4%			Total	11/1298 (0.85%)			Mean 0.85%			SD 1.41%		

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 67
 Report Date: 03/22/2010

		Male				Female							
#Skin:													
Squamous Cell Carcinoma													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
Overall Incidence	Total	0/1250 (0%)		Mean	0%	SD	0%	Total	1/1298 (0.08%)	Mean	0.08%	SD	0.39%
#Skin:													
Squamous Cell Carcinoma, Basal Cell Carcinoma, Basosquamous Tumor (malignant or NOS), or Carcinoma													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	1/50	(2%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)		
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
Overall Incidence	Total	1/1250 (0.08%)		Mean	0.08%	SD	0.4%	Total	2/1298 (0.15%)	Mean	0.15%	SD	0.54%
#Skin:													
Squamous Cell Papilloma													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)		
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
Overall Incidence	Total	1/1250 (0.08%)		Mean	0.08%	SD	0.4%	Total	1/1298 (0.08%)	Mean	0.08%	SD	0.39%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 68
 Report Date: 03/22/2010

		Male				Female				
#Skin:										
Squamous Cell Papilloma or Papilloma										
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)			0/50 (0%)	0/50 (0%)			
Overall Incidence	Total	1/1250 (0.08%)		Mean 0.08%	SD 0.4%	Total	1/1298 (0.08%)		Mean 0.08%	SD 0.39%

#Skin:										
Squamous Cell Papilloma, Papilloma, Squamous Cell Carcinoma or Keratoacanthoma										
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)			0/50 (0%)	0/50 (0%)			
Overall Incidence	Total	1/1250 (0.08%)		Mean 0.08%	SD 0.4%	Total	2/1298 (0.15%)		Mean 0.15%	SD 0.54%

#Skin:										
Squamous Cell Papilloma, Papilloma, or Keratoacanthoma										
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)			0/50 (0%)	0/50 (0%)			
Overall Incidence	Total	1/1250 (0.08%)		Mean 0.08%	SD 0.4%	Total	1/1298 (0.08%)		Mean 0.08%	SD 0.39%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 69
 Report Date: 03/22/2010

		Male				Female			
#Skin:									
Trichoepithelioma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/1250 (0%)	Mean 0%	SD 0%	Total	1/1298 (0.08%)	Mean 0.08%	SD 0.39%	

#Skin: Sebaceous Gland:									
Adenoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/1250 (0%)	Mean 0%	SD 0%	Total	3/1298 (0.23%)	Mean 0.23%	SD 0.65%	

#Skin: Sebaceous Gland:									
Carcinoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/1250 (0.08%)	Mean 0.08%	SD 0.4%	Total	0/1298 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ALL ROUTES
Vehicle: ALL VEHICLES

Page: 70
 Report Date: 03/22/2010

		Male				Female				
#Skin: Sebaceous Gland:										
 Carcinoma or Adenoma										
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)			0/50 (0%)	1/50 (2%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)		
		0/50 (0%)	0/50 (0%)			0/50 (0%)	1/50 (2%)			
Overall Incidence	Total	1/1250 (0.08%)		Mean 0.08%	SD 0.4%	Total	3/1298 (0.23%)		Mean 0.23%	SD 0.65%

#Spinal Cord:										
 Meningioma Malignant										
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	1/50 (2%)			0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)			
Overall Incidence	Total	1/1250 (0.08%)		Mean 0.08%	SD 0.4%	Total	0/1298 (0%)		Mean 0%	SD 0%

*Spleen:										
 Fibrous Histiocytoma										
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/48 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/48 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	1/50 (2%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/48 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/48 (0%)	0/49 (0%)		
		0/48 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)		
		0/49 (0%)	0/49 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/49 (0%)		
		0/49 (0%)	0/50 (0%)	0/49 (0%)		0/48 (0%)	0/49 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)			0/49 (0%)	0/48 (0%)			
Overall Incidence	Total	0/1242 (0%)		Mean 0%	SD 0%	Total	1/1282 (0.08%)		Mean 0.08%	SD 0.39%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 71
 Report Date: 03/22/2010

		Male						Female						
*Spleen:														
Hemangioma														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/48	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/48	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/48	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/48	(0%)	0/49	(0%)	
		0/48	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	
		0/49	(0%)	0/49	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/49	(0%)	
		0/49	(0%)	0/50	(0%)	0/49	(0%)	0/48	(0%)	0/49	(0%)	0/50	(0%)	
		1/50	(2%)	0/50	(0%)			0/49	(0%)	0/48	(0%)			
Overall Incidence	Total	1/1242 (0.08%)			Mean 0.08%		SD 0.4%	Total	1/1282 (0.08%)			Mean 0.08%		SD 0.39%

*Spleen:														
Hemangiosarcoma														
		1/50	(2%)	1/50	(2%)	3/50	(6%)	0/50	(0%)	1/50	(2%)	5/50	(10%)	
		2/48	(4%)	0/50	(0%)			1/50	(2%)	2/50	(4%)	1/48	(2%)	
		0/50	(0%)	1/50	(2%)	3/50	(6%)	0/49	(0%)	0/50	(0%)	2/50	(4%)	
		2/50	(4%)	1/50	(2%)	1/50	(2%)	1/50	(2%)	0/50	(0%)	1/48	(2%)	
		1/50	(2%)	0/50	(0%)	2/50	(4%)	4/49	(8%)	1/48	(2%)	0/49	(0%)	
		3/48	(6%)	1/50	(2%)	2/50	(4%)	2/49	(4%)	0/50	(0%)	0/50	(0%)	
		1/49	(2%)	1/49	(2%)	2/50	(4%)	0/49	(0%)	1/50	(2%)	1/49	(2%)	
		2/49	(4%)	2/50	(4%)	1/49	(2%)	1/48	(2%)	0/49	(0%)	1/50	(2%)	
		1/50	(2%)	1/50	(2%)			1/49	(2%)	0/48	(0%)			
Overall Incidence	Total	35/1242 (2.82%)			Mean 2.82%		SD 1.76%	Total	26/1282 (2.03%)			Mean 2.03%		SD 2.48%

*Spleen:														
Mast Cell Tumor Malignant														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/48	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/48	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/48	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/48	(0%)	1/49	(2%)	
		0/48	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	
		0/49	(0%)	0/49	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/49	(0%)	
		0/49	(0%)	0/50	(0%)	0/49	(0%)	0/48	(0%)	0/49	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)			0/49	(0%)	0/48	(0%)			
Overall Incidence	Total	0/1242 (0%)			Mean 0%		SD 0%	Total	1/1282 (0.08%)			Mean 0.08%		SD 0.4%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 72
 Report Date: 03/22/2010

		Male				Female			
*Spleen:									
Plasma Cell Tumor Malignant									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/48 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/48 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/48 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/48 (0%)	0/49 (0%)	
		0/48 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)	0/49 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/49 (0%)	
		0/49 (0%)	0/50 (0%)	0/49 (0%)		0/48 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/49 (0%)	0/48 (0%)		
Overall Incidence	Total	0/1242 (0%)	Mean 0%	SD 0%	Total	1/1282 (0.08%)	Mean 0.08%	SD 0.39%	

#Stomach, Forestomach:									
Mast Cell Tumor Malignant									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	1/1250 (0.08%)	Mean 0.08%	SD 0.4%	Total	0/1298 (0%)	Mean 0%	SD 0%	

#Stomach, Forestomach:									
Squamous Cell Carcinoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	2/50 (4%)		1/50 (2%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	6/1250 (0.48%)	Mean 0.48%	SD 1.05%	Total	2/1298 (0.15%)	Mean 0.15%	SD 0.54%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 73
 Report Date: 03/22/2010

		Male				Female			
#Stomach, Forestomach:									
Squamous Cell Carcinoma or Papilloma Squamous									
		2/50 (4%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)	2/50 (4%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	2/50 (4%)		1/50 (2%)	1/50 (2%)	1/50 (2%)	
		0/50 (0%)	1/50 (2%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		2/50 (4%)	0/50 (0%)	9/50 (18%)		2/50 (4%)	1/49 (2%)	3/50 (6%)	
		4/50 (8%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	1/50 (2%)	1/50 (2%)	
		0/50 (0%)	0/50 (0%)	1/50 (2%)		1/50 (2%)	1/50 (2%)	2/49 (4%)	
		0/50 (0%)	1/50 (2%)	0/50 (0%)		1/50 (2%)	2/50 (4%)	1/50 (2%)	
		2/50 (4%)	0/50 (0%)			0/50 (0%)	1/50 (2%)		
Overall Incidence	Total	27/1250 (2.16%)	Mean 2.16%	SD 3.91%	Total	24/1298 (1.85%)	Mean 1.85%	SD 1.49%	

#Stomach, Forestomach:									
Squamous Cell Papilloma									
		2/50 (4%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)	2/50 (4%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		2/50 (4%)	0/50 (0%)	8/50 (16%)		2/50 (4%)	1/49 (2%)	3/50 (6%)	
		3/50 (6%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	1/50 (2%)	1/50 (2%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	1/50 (2%)	2/49 (4%)	
		0/50 (0%)	1/50 (2%)	0/50 (0%)		1/50 (2%)	2/50 (4%)	1/50 (2%)	
		2/50 (4%)	0/50 (0%)			0/50 (0%)	1/50 (2%)		
Overall Incidence	Total	22/1250 (1.76%)	Mean 1.76%	SD 3.48%	Total	22/1298 (1.69%)	Mean 1.7%	SD 1.57%	

#Stomach, Glandular:									
Adenoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/49 (2%)	1/50 (2%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/1250 (0%)	Mean 0%	SD 0%	Total	2/1298 (0.15%)	Mean 0.16%	SD 0.55%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 74
 Report Date: 03/22/2010

		Male				Female			
#Stomach, Glandular:									
Carcinoma or Adenoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/49 (2%)	1/50 (2%)	1/50 (2%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/1250 (0%)	Mean 0%	SD 0%	Total	2/1298 (0.15%)	Mean 0.16%	SD 0.55%	

*Testes:									
Adenoma									
		0/50 (0%)	1/50 (2%)	2/50 (4%)					
		0/50 (0%)	0/50 (0%)						
		1/50 (2%)	2/50 (4%)	0/50 (0%)					
		0/50 (0%)	0/50 (0%)	0/50 (0%)					
		0/50 (0%)	2/50 (4%)	1/50 (2%)					
		0/50 (0%)	0/50 (0%)	1/50 (2%)					
		0/50 (0%)	0/50 (0%)	0/50 (0%)					
		0/50 (0%)	0/50 (0%)	0/50 (0%)					
		1/50 (2%)	1/50 (2%)						
Overall Incidence	Total	12/1250 (0.96%)	Mean 0.96%	SD 1.43%					

*Thymus:									
Thymoma Benign									
		0/45 (0%)	0/44 (0%)	0/49 (0%)		0/47 (0%)	0/46 (0%)	0/50 (0%)	0/50 (0%)
		0/38 (0%)	0/41 (0%)			0/49 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
		0/45 (0%)	0/47 (0%)	0/38 (0%)		0/49 (0%)	0/47 (0%)	0/47 (0%)	0/47 (0%)
		0/47 (0%)	0/47 (0%)	0/44 (0%)		0/49 (0%)	0/48 (0%)	0/49 (0%)	0/49 (0%)
		0/43 (0%)	0/48 (0%)	0/48 (0%)		0/47 (0%)	0/47 (0%)	0/50 (0%)	0/50 (0%)
		0/44 (0%)	0/41 (0%)	0/45 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)
		0/47 (0%)	0/47 (0%)	0/49 (0%)		0/49 (0%)	0/49 (0%)	0/48 (0%)	0/48 (0%)
		0/49 (0%)	0/41 (0%)	0/47 (0%)		0/46 (0%)	1/48 (2%)	0/48 (0%)	0/48 (0%)
		0/46 (0%)	0/44 (0%)			0/49 (0%)	0/46 (0%)	0/48 (0%)	0/48 (0%)
Overall Incidence	Total	0/1124 (0%)	Mean 0%	SD 0%	Total	1/1256 (0.08%)	Mean 0.08%	SD 0.41%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 75
 Report Date: 03/22/2010

		Male				Female			
*Thymus:									
Thymoma Malignant									
		0/45 (0%)	0/44 (0%)	0/49 (0%)		0/47 (0%)	0/46 (0%)	0/50 (0%)	
		0/38 (0%)	0/41 (0%)			0/49 (0%)	0/49 (0%)	0/50 (0%)	
		0/45 (0%)	1/47 (2%)	0/38 (0%)		0/49 (0%)	1/47 (2%)	0/47 (0%)	
		0/47 (0%)	0/47 (0%)	0/44 (0%)		0/49 (0%)	0/48 (0%)	0/49 (0%)	
		0/43 (0%)	0/48 (0%)	0/48 (0%)		0/47 (0%)	0/47 (0%)	0/50 (0%)	
		0/44 (0%)	0/41 (0%)	0/45 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
		0/47 (0%)	0/47 (0%)	0/49 (0%)		0/49 (0%)	0/49 (0%)	0/48 (0%)	
		0/49 (0%)	0/41 (0%)	0/47 (0%)		0/46 (0%)	0/48 (0%)	0/48 (0%)	
		0/46 (0%)	0/44 (0%)			0/49 (0%)	0/46 (0%)		
Overall Incidence	Total	1/1124 (0.09%)	Mean 0.09%	SD 0.43%	Total	1/1256 (0.08%)	Mean 0.08%	SD 0.42%	

*Thymus:									
Thymoma: Benign, Malignant, NOS									
		0/45 (0%)	0/44 (0%)	0/49 (0%)		0/47 (0%)	0/46 (0%)	0/50 (0%)	
		0/38 (0%)	0/41 (0%)			0/49 (0%)	0/49 (0%)	0/50 (0%)	
		0/45 (0%)	1/47 (2%)	0/38 (0%)		0/49 (0%)	1/47 (2%)	0/47 (0%)	
		0/47 (0%)	0/47 (0%)	0/44 (0%)		0/49 (0%)	0/48 (0%)	0/49 (0%)	
		0/43 (0%)	0/48 (0%)	0/48 (0%)		0/47 (0%)	0/47 (0%)	0/50 (0%)	
		0/44 (0%)	0/41 (0%)	0/45 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
		0/47 (0%)	0/47 (0%)	0/49 (0%)		0/49 (0%)	0/49 (0%)	0/48 (0%)	
		0/49 (0%)	0/41 (0%)	0/47 (0%)		0/46 (0%)	1/48 (2%)	0/48 (0%)	
		0/46 (0%)	0/44 (0%)			0/49 (0%)	0/46 (0%)		
Overall Incidence	Total	1/1124 (0.09%)	Mean 0.09%	SD 0.43%	Total	2/1256 (0.16%)	Mean 0.16%	SD 0.57%	

*Thyroid Gland: C-Cell:									
Carcinoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)			0/49 (0%)	0/50 (0%)	0/48 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/48 (0%)	0/48 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/48 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
		0/50 (0%)	1/50 (2%)	0/49 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			1/50 (2%)	0/49 (0%)		
Overall Incidence	Total	1/1244 (0.08%)	Mean 0.08%	SD 0.4%	Total	1/1287 (0.08%)	Mean 0.08%	SD 0.39%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 76
 Report Date: 03/22/2010

		Male				Female			
*Thyroid Gland: C-Cell: Carcinoma or Adenoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/49 (0%)	0/50 (0%)			0/49 (0%)	0/50 (0%)	0/48 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/48 (0%)	0/48 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/48 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
		0/50 (0%)	1/50 (2%)	0/49 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/49 (0%)		1/50 (2%)	0/49 (0%)	0/50 (0%)	
Overall Incidence	Total	1/1244 (0.08%)		Mean 0.08%	SD 0.4%	Total 1/1287 (0.08%)		Mean 0.08%	SD 0.39%

*Thyroid Gland: Follicular Cell: Adenoma									
		0/50 (0%)	1/49 (2%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)			0/49 (0%)	1/50 (2%)	0/48 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)	1/50 (2%)		2/49 (4%)	0/49 (0%)	0/50 (0%)	
		2/50 (4%)	0/50 (0%)	0/50 (0%)		1/48 (2%)	0/48 (0%)	0/50 (0%)	
		1/50 (2%)	3/50 (6%)	0/48 (0%)		0/49 (0%)	3/50 (6%)	0/50 (0%)	
		0/50 (0%)	0/49 (0%)	0/50 (0%)		1/50 (2%)	2/50 (4%)	1/49 (2%)	
		1/50 (2%)	0/50 (0%)	0/49 (0%)		1/50 (2%)	0/49 (0%)	0/50 (0%)	
		3/50 (6%)	3/50 (6%)	3/50 (6%)		3/50 (6%)	1/49 (2%)		
Overall Incidence	Total	16/1244 (1.29%)		Mean 1.28%	SD 2.07%	Total 18/1287 (1.4%)		Mean 1.39%	SD 1.86%

*Thyroid Gland: Follicular Cell: Carcinoma									
		0/50 (0%)	1/49 (2%)	1/50 (2%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)			0/49 (0%)	0/50 (0%)	0/48 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/48 (0%)	0/48 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/48 (0%)		1/49 (2%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/49 (2%)	
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	2/49 (4%)	1/50 (2%)	
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/49 (0%)		
Overall Incidence	Total	5/1244 (0.4%)		Mean 0.4%	SD 0.82%	Total 7/1287 (0.54%)		Mean 0.54%	SD 1.08%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 77
 Report Date: 03/22/2010

		Male				Female			
*Thyroid Gland: Follicular Cell: Carcinoma or Adenoma									
		0/50 (0%)	2/49 (4%)	1/50 (2%)		2/50 (4%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)			0/49 (0%)	1/50 (2%)	0/48 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		2/50 (4%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	1/50 (2%)	1/50 (2%)		2/49 (4%)	0/49 (0%)	0/50 (0%)	
		2/50 (4%)	1/50 (2%)	0/50 (0%)		1/48 (2%)	0/48 (0%)	0/50 (0%)	
		1/50 (2%)	3/50 (6%)	0/48 (0%)		1/49 (2%)	3/50 (6%)	0/50 (0%)	
		1/50 (2%)	0/49 (0%)	0/50 (0%)		1/50 (2%)	2/50 (4%)	2/49 (4%)	
		1/50 (2%)	0/50 (0%)	0/49 (0%)		1/50 (2%)	2/49 (4%)	1/50 (2%)	
		3/50 (6%)	3/50 (6%)			3/50 (6%)	1/49 (2%)		
Overall Incidence	Total	21/1244 (1.69%)	Mean 1.68%	SD 2.06%	Total	25/1287 (1.94%)	Mean 1.94%	SD 2.01%	

#Tissue NOS: Carcinoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/49 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/1250 (0%)	Mean 0%	SD 0%	Total	1/1298 (0.08%)	Mean 0.08%	SD 0.39%	

#Tissue NOS: Hemangiosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/1250 (0%)	Mean 0%	SD 0%	Total	2/1298 (0.15%)	Mean 0.15%	SD 0.54%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 78
 Report Date: 03/22/2010

		Male				Female			
#Tissue NOS:									
Plasma Cell Tumor Malignant									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/1250 (0%)	Mean 0%	SD 0%	Total	1/1298 (0.08%)	Mean 0.08%	SD 0.39%	

#Tissue NOS:									
Sarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/1250 (0%)	Mean 0%	SD 0%	Total	1/1298 (0.08%)	Mean 0.08%	SD 0.39%	

#Tongue:									
Fibroma									
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	1/1250 (0.08%)	Mean 0.08%	SD 0.4%	Total	0/1298 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 79
 Report Date: 03/22/2010

		Male				Female			
#Tongue:									
Squamous Cell Carcinoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	2/1250 (0.16%)	Mean 0.16%	SD 0.55%	Total	1/1298 (0.08%)	Mean 0.08%	SD 0.39%	

#Tongue:									
Squamous Cell Carcinoma or Papilloma Squamous									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/49 (0%)	0/49 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	2/1250 (0.16%)	Mean 0.16%	SD 0.55%	Total	2/1298 (0.15%)	Mean 0.15%	SD 0.54%	

#Tongue:									
Squamous Cell Papilloma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/49 (0%)	0/49 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/1250 (0%)	Mean 0%	SD 0%	Total	1/1298 (0.08%)	Mean 0.08%	SD 0.39%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 80
 Report Date: 03/22/2010

		Male				Female			
#Tooth:									
Odontoma									
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	2/50 (4%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	5/1250 (0.4%)		Mean 0.4%	SD 1%	Total 0/1298 (0%)		Mean 0%	SD 0%

*Urinary Bladder:									
Hemangioma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/47 (0%)	0/50 (0%)			0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/48 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/49 (0%)	0/49 (0%)	0/49 (0%)
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/47 (0%)	0/50 (0%)	0/50 (0%)
		0/49 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)
		0/49 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/49 (0%)	0/49 (0%)	0/49 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/1241 (0.08%)		Mean 0.08%	SD 0.4%	Total 0/1287 (0%)		Mean 0%	SD 0%

*Urinary Bladder:									
Hemangiosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/47 (0%)	0/50 (0%)			1/50 (2%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/48 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/49 (0%)	0/49 (0%)	0/49 (0%)
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/47 (0%)	0/50 (0%)	0/50 (0%)
		0/49 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)
		0/49 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/49 (0%)	0/49 (0%)	0/49 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/1241 (0%)		Mean 0%	SD 0%	Total 1/1287 (0.08%)		Mean 0.08%	SD 0.39%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 81
 Report Date: 03/22/2010

		Male				Female			
*Urinary Bladder:									
Plasma Cell Tumor Malignant									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/47 (0%)	0/50 (0%)			0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/48 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/49 (0%)	0/49 (0%)	
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/47 (0%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
		0/49 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/49 (0%)	0/49 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/1241 (0%)	Mean 0%	SD 0%	Total	1/1287 (0.08%)	Mean 0.08%	SD 0.39%	

*Urinary Bladder:									
Sarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/47 (0%)	0/50 (0%)			0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/48 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/49 (0%)	0/49 (0%)	
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/47 (0%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
		0/49 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/49 (0%)	0/49 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/1241 (0%)	Mean 0%	SD 0%	Total	1/1287 (0.08%)	Mean 0.08%	SD 0.39%	

#Uterus:									
Adenoma									
						0/50 (0%)	0/50 (0%)	0/50 (0%)	
						0/50 (0%)	0/50 (0%)	0/50 (0%)	
						0/50 (0%)	0/50 (0%)	0/50 (0%)	
						0/50 (0%)	0/50 (0%)	0/50 (0%)	
						0/50 (0%)	0/49 (0%)	0/50 (0%)	
						0/50 (0%)	1/50 (2%)	0/50 (0%)	
						0/50 (0%)	0/50 (0%)	0/49 (0%)	
						0/50 (0%)	0/50 (0%)	1/50 (2%)	
						0/50 (0%)	0/50 (0%)		
Overall Incidence	Total				Total	2/1298 (0.15%)	Mean 0.15%	SD 0.54%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 82
 Report Date: 03/22/2010

	Male			Female		
#Uterus:						
Carcinoma						
		0/50	(0%)	0/50	(0%)	0/50 (0%)
		0/50	(0%)	0/50	(0%)	0/50 (0%)
		3/50	(6%)	0/50	(0%)	0/50 (0%)
		0/50	(0%)	0/50	(0%)	0/50 (0%)
		0/50	(0%)	0/49	(0%)	0/50 (0%)
		1/50	(2%)	0/50	(0%)	0/50 (0%)
		0/50	(0%)	0/50	(0%)	0/49 (0%)
		0/50	(0%)	0/50	(0%)	1/50 (2%)
		0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	5/1298 (0.39%)		Mean	0.38%	SD 1.27%

#Uterus:						
Hemangioma						
		0/50	(0%)	0/50	(0%)	0/50 (0%)
		0/50	(0%)	0/50	(0%)	0/50 (0%)
		0/50	(0%)	0/50	(0%)	0/50 (0%)
		0/50	(0%)	0/50	(0%)	0/50 (0%)
		2/50	(4%)	0/49	(0%)	0/50 (0%)
		0/50	(0%)	0/50	(0%)	0/50 (0%)
		0/50	(0%)	0/50	(0%)	0/49 (0%)
		0/50	(0%)	0/50	(0%)	0/50 (0%)
		0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	2/1298 (0.15%)		Mean	0.15%	SD 0.78%

#Uterus:						
Hemangiosarcoma						
		0/50	(0%)	0/50	(0%)	0/50 (0%)
		0/50	(0%)	0/50	(0%)	0/50 (0%)
		0/50	(0%)	0/50	(0%)	0/50 (0%)
		0/50	(0%)	0/50	(0%)	0/50 (0%)
		0/50	(0%)	0/49	(0%)	0/50 (0%)
		1/50	(2%)	1/50	(2%)	0/50 (0%)
		0/50	(0%)	0/50	(0%)	0/49 (0%)
		0/50	(0%)	0/50	(0%)	1/50 (2%)
		0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	3/1298 (0.23%)		Mean	0.23%	SD 0.65%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 83
 Report Date: 03/22/2010

	Male				Female			
#Uterus:								
Leiomyoma								
		0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	1/50	(2%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/49	(0%)	0/50	(0%)	
		0/50	(0%)	1/50	(2%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/49	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	2/1298 (0.15%)		Mean 0.15%		SD 0.54%		

#Uterus:								
Leiomyosarcoma								
		0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	2/50	(4%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/49	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	1/50	(2%)	0/49	(0%)	
		0/50	(0%)	0/50	(0%)	1/50	(2%)	
		0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	4/1298 (0.31%)		Mean 0.31%		SD 0.93%		

#Uterus:								
Polyp Stromal								
		2/50	(4%)	1/50	(2%)	0/50	(0%)	
		0/50	(0%)	2/50	(4%)	0/50	(0%)	
		3/50	(6%)	1/50	(2%)	1/50	(2%)	
		0/50	(0%)	0/50	(0%)	2/50	(4%)	
		1/50	(2%)	0/49	(0%)	2/50	(4%)	
		1/50	(2%)	3/50	(6%)	4/50	(8%)	
		0/50	(0%)	2/50	(4%)	0/49	(0%)	
		1/50	(2%)	0/50	(0%)	1/50	(2%)	
		2/50	(4%)	1/50	(2%)			
Overall Incidence	Total	30/1298 (2.31%)		Mean 2.31%		SD 2.24%		

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 84
 Report Date: 03/22/2010

	Male				Female			
#Uterus:								
Sarcoma Stromal								
		0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	1/49	(2%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/49	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	1/1298 (0.08%)		Mean 0.08%		SD 0.4%		

#Uterus:								
Sarcoma Stromal or Polyp Stromal								
		2/50	(4%)	1/50	(2%)	0/50	(0%)	
		0/50	(0%)	2/50	(4%)	0/50	(0%)	
		3/50	(6%)	1/50	(2%)	1/50	(2%)	
		0/50	(0%)	0/50	(0%)	2/50	(4%)	
		1/50	(2%)	1/49	(2%)	2/50	(4%)	
		1/50	(2%)	3/50	(6%)	4/50	(8%)	
		0/50	(0%)	2/50	(4%)	0/49	(0%)	
		1/50	(2%)	0/50	(0%)	1/50	(2%)	
		2/50	(4%)	1/50	(2%)			
Overall Incidence	Total	31/1298 (2.39%)		Mean 2.39%		SD 2.19%		

#Uterus:								
Schwannoma Malignant								
		0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	1/50	(2%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/49	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/49	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	1/1298 (0.08%)		Mean 0.08%		SD 0.39%		

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 85
 Report Date: 03/22/2010

	Male			Female		
#Vagina:						
Liposarcoma						
	0/50	(0%)		0/50	(0%)	0/50 (0%)
	0/50	(0%)		0/50	(0%)	0/50 (0%)
	0/50	(0%)		0/50	(0%)	0/50 (0%)
	0/50	(0%)		0/50	(0%)	0/50 (0%)
	0/50	(0%)		0/49	(0%)	0/50 (0%)
	1/50	(2%)		0/50	(0%)	0/50 (0%)
	0/50	(0%)		0/50	(0%)	0/49 (0%)
	0/50	(0%)		0/50	(0%)	0/50 (0%)
	0/50	(0%)		0/50	(0%)	0/50 (0%)
Overall Incidence	Total 1/1298 (0.08%)			Mean 0.08%		SD 0.39%

#Vagina:						
Squamous Cell Papilloma						
	0/50	(0%)		0/50	(0%)	0/50 (0%)
	0/50	(0%)		0/50	(0%)	0/50 (0%)
	0/50	(0%)		0/50	(0%)	0/50 (0%)
	0/50	(0%)		0/50	(0%)	0/50 (0%)
	0/50	(0%)		0/49	(0%)	0/50 (0%)
	0/50	(0%)		0/50	(0%)	0/50 (0%)
	0/50	(0%)		0/50	(0%)	0/49 (0%)
	1/50	(2%)		0/50	(0%)	0/50 (0%)
	0/50	(0%)		0/50	(0%)	0/50 (0%)
Overall Incidence	Total 1/1298 (0.08%)			Mean 0.08%		SD 0.39%

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied