



National Toxicology Program
Department of Health and Human Services

NTP Historical Controls Report

All Routes and Vehicles

RATS

March 2010

REPORT DESCRIPTION

This report shows the tumor rates of control group animals from selected studies. The studies used are shown on the Study Summary page.

The report combines all the data from all of the historical control studies into one section. To see this data broken up by route and vehicle you must run the "By Route And Vehicle" report.

The individual tumor rates shown on the data pages of the report relate to the Study Summary page as follows: the tumor rates are shown in the same order as the Study Summary page, except that they are grouped horizontally in sets of three, with the males in the first set of three and the females in the second set. For example if the study summary showed the studies like this:

Male

M1
M2
M3
M4
M5

Female

F1
F2
F3
F4
F5

the data would be shown as:

Male			Female		
M1	M2	M3	F1	F2	F3
M4	M5		F4	F5	

Directly beneath the individual tumor rates on the data pages are the overall totals for that tumor/site combination. This includes the total tumors/animals, the overall mean (in parentheses), the mean of the study means, and the standard deviation of the study means.

Studies with no control animals of a particular gender are listed on the summary page with the Number of Animals shown as zero and the Start Date and Length of Study shown as "N/A". On the data pages there are blank spaces where tumor rates for these studies would normally be found, so that the male and female rates for the remaining studies can be easily compared.

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 3
 Report Date: 03/20/2010

Study Summary

Laboratory Name	Study Number	Study Start Date	Length of Study in Days	Number of Animals Total and (#/Cage)	Number Surviving and (Mean Life Span)	Maximum Mean Weekly Body Weight	Chemical
Male							
Southern Research Institute	059902407	02/03/03	729	50(3)	21(661)	518.7	Androstenedione
Southern Research Institute	059903705	06/09/03	729	50(3)	27(662)	523.0	alpha/beta Thujone mixture
Battelle Columbus Laboratory	059902805	09/16/02	729	50(1)	21(676)	506.2	bis(2-Chloroethoxy)methane
Battelle Northwest	052001105	07/14/03	729	50(5)	23(678)	526.9	1-Bromopropane
Southern Research Institute	059902703	08/12/02	729	50(3)	37(705)	452.8	Chromium picolinate monohydrate
Battelle Columbus Laboratory	050517405	08/05/02	729	50(3)	33(703)	510.0	Cresols
Battelle Northwest	059601105	06/04/01	729	50(5)	26(676)	540.9	Cumene
Battelle Columbus Laboratory	059700307	07/10/02	728	50(1)	25(680)	510.4	1,2-Dibromo-2,4-dicyanobutane
Battelle Northwest	059901705	08/25/03	729	50(5)	28(686)	525.6	Diethylamine
Battelle Columbus Laboratory	058812305	03/21/01	727	50(3)	26(673)	509.7	Formamide
Battelle Columbus Laboratory	052000505	01/21/04	727	50(3)	30(679)	498.5	Ginseng
Southern Research Institute	059900705	04/21/03	729	50(3)	33(679)	460.9	Goldenseal root powder
Battelle Columbus Laboratory	059501107	03/06/02	727	50(3)	22(673)	510.3	5-(Hydroxymethyl)-2-furfural
Battelle Columbus Laboratory	058810503	04/22/02	729	50(3)	35(702)	521.9	Isoeugenol
Battelle Columbus Laboratory	052000705	08/18/04	727	49(3)	34(692)	515.2	Kava kava extract
Battelle Northwest	058800603	08/06/01	729	50(5)	27(680)	537.2	alpha-Methylstyrene
Southern Research Institute	052000803	03/04/03	729	50(3)	36(704)	452.1	Milk thistle extract
Battelle Columbus Laboratory	059902303	03/25/02	729	50(3)	29(683)	501.9	beta-Myrcene
Battelle Northwest	059700805	10/01/01	729	49(5)	27(683)	525.0	Propargyl alcohol
Battelle Columbus Laboratory	059902005	04/09/03	727	50(3)	39(685)	514.9	Pulegone
Battelle Columbus Laboratory	059903203	09/15/04	727	50(1)	23(651)	510.1	Pyrogallol
Southern Research Institute	052011407	10/02/02	730	50(3)	28(696)	532.4	Sodium dichromate dihydrate (VI)
Battelle Northwest	059302507	06/16/03	729	50(5)	20(668)	536.2	Tetralin
Southern Research Institute	058813307	01/18/05	729	50(1)	23(681)	516.1	Trimethylolpropane triacrylate
Southern Research Institute	059601905	09/26/01	729	50(3)	31(686)	526.0	Water disinfection byproducts (Bromochloroacetic acid)
Southern Research Institute	059601505	09/05/01	729	50(3)	31(692)	507.8	Water disinfection byproducts (Dibromoacetonitrile)

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 4
 Report Date: 03/20/2010

Study Summary

Laboratory Name	Study Number	Study Start Date	Length of Study in Days	Number of Animals Total and (#/Cage)	Number Surviving and (Mean Life Span)	Maximum Mean Weekly Body Weight	Chemical
Female							
Southern Research Institute	059902407	02/03/03	729	50(5)	38(710)	356.5	Androstenedione
Southern Research Institute	059903705	06/09/03	730	50(5)	35(689)	335.4	alpha/beta Thujone mixture
Battelle Columbus Laboratory	059902805	09/17/02	730	50(1)	19(646)	341.0	bis(2-Chloroethoxy)methane
Battelle Northwest	052001105	07/14/03	730	50(5)	34(702)	386.5	1-Bromopropane
Southern Research Institute	059902703	08/12/02	733	50(5)	36(702)	314.7	Chromium picolinate monohydrate
Battelle Columbus Laboratory	050517405	N/A	N/A	0(0)	0(0)	N/A	Cresols
Battelle Northwest	059601105	06/04/01	731	50(5)	21(674)	356.9	Cumene
Battelle Columbus Laboratory	059700307	07/11/02	729	50(1)	29(695)	337.8	1,2-Dibromo-2,4-dicyanobutane
Battelle Northwest	059901705	08/25/03	730	50(5)	31(687)	378.3	Diethylamine
Battelle Columbus Laboratory	058812305	03/20/01	730	50(5)	38(703)	358.3	Formamide
Battelle Columbus Laboratory	052000505	01/22/04	728	50(5)	36(700)	355.0	Ginseng
Southern Research Institute	059900705	04/21/03	731	50(5)	30(699)	326.0	Goldenseal root powder
Battelle Columbus Laboratory	059501107	03/07/02	728	50(5)	31(679)	332.2	5-(Hydroxymethyl)-2-furfural
Battelle Columbus Laboratory	058810503	04/23/02	730	50(5)	33(699)	339.3	Isoeugenol
Battelle Columbus Laboratory	052000705	08/19/04	728	50(5)	34(683)	354.3	Kava kava extract
Battelle Northwest	058800603	08/06/01	730	50(5)	27(647)	351.9	alpha-Methylstyrene
Southern Research Institute	052000803	03/04/03	732	50(5)	38(693)	328.4	Milk thistle extract
Battelle Columbus Laboratory	059902303	03/26/02	730	50(5)	31(668)	323.8	beta-Myrcene
Battelle Northwest	059700805	10/01/01	730	50(5)	29(678)	353.3	Propargyl alcohol
Battelle Columbus Laboratory	059902005	04/10/03	728	50(5)	31(682)	341.2	Pulegone
Battelle Columbus Laboratory	059903203	09/16/04	728	50(1)	29(670)	351.0	Pyrogallol
Southern Research Institute	052011407	10/02/02	735	50(5)	33(700)	351.2	Sodium dichromate dihydrate (VI)
Battelle Northwest	059302507	06/16/03	730	50(5)	31(682)	370.8	Tetralin
Southern Research Institute	058813307	01/18/05	731	50(1)	27(688)	352.8	Trimethylolpropane triacrylate
Southern Research Institute	059601905	09/26/01	731	50(5)	34(688)	357.3	Water disinfection byproducts (Bromochloroacetic acid)
Southern Research Institute	059601505	09/05/01	734	50(5)	29(689)	337.6	Water disinfection byproducts (Dibromoacetonitrile)

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 5
 Report Date: 03/20/2010

		Male			Female			
#All Organs:								
Benign Tumors								
		47/50 (94%)	44/50 (88%)	49/50 (98%)	44/50 (88%)	46/50 (92%)	37/50 (74%)	
		48/50 (96%)	49/50 (98%)	50/50 (100%)	45/50 (90%)	45/50 (90%)		
		48/50 (96%)	46/50 (92%)	44/50 (88%)	44/50 (88%)	46/50 (92%)	43/50 (86%)	
		45/50 (90%)	49/50 (98%)	47/50 (94%)	43/50 (86%)	42/50 (84%)	46/50 (92%)	
		50/50 (100%)	49/50 (98%)	49/49 (100%)	46/50 (92%)	41/50 (82%)	43/50 (86%)	
		48/50 (96%)	50/50 (100%)	49/50 (98%)	43/50 (86%)	39/50 (78%)	40/50 (80%)	
		48/49 (98%)	47/50 (94%)	47/50 (94%)	42/50 (84%)	42/50 (84%)	43/50 (86%)	
		49/50 (98%)	48/50 (96%)	48/50 (96%)	47/50 (94%)	40/50 (80%)	43/50 (86%)	
		50/50 (100%)	50/50 (100%)		49/50 (98%)	44/50 (88%)		
Overall Incidence	Total	1248/1298 (96.15%)	Mean 96.15%	SD 3.57%	Total	1083/1250 (86.64%)	Mean 86.64%	SD 5.38%
<hr/>								
#All Organs:								
Malignant Tumors								
		34/50 (68%)	31/50 (62%)	26/50 (52%)	10/50 (20%)	20/50 (40%)	19/50 (38%)	
		38/50 (76%)	27/50 (54%)	23/50 (46%)	26/50 (52%)	15/50 (30%)		
		36/50 (72%)	23/50 (46%)	31/50 (62%)	24/50 (48%)	15/50 (30%)	24/50 (48%)	
		25/50 (50%)	26/50 (52%)	29/50 (58%)	15/50 (30%)	10/50 (20%)	19/50 (38%)	
		35/50 (70%)	29/50 (58%)	17/49 (35%)	16/50 (32%)	18/50 (36%)	11/50 (22%)	
		32/50 (64%)	26/50 (52%)	23/50 (46%)	25/50 (50%)	18/50 (36%)	11/50 (22%)	
		32/49 (65%)	10/50 (20%)	22/50 (44%)	26/50 (52%)	8/50 (16%)	12/50 (24%)	
		29/50 (58%)	33/50 (66%)	30/50 (60%)	20/50 (40%)	25/50 (50%)	21/50 (42%)	
		27/50 (54%)	27/50 (54%)		18/50 (36%)	20/50 (40%)		
Overall Incidence	Total	721/1298 (55.55%)	Mean 55.54%	SD 12.05%	Total	446/1250 (35.68%)	Mean 35.68%	SD 10.9%
<hr/>								
#All Organs:								
Malignant and Benign Tumors								
		49/50 (98%)	48/50 (96%)	49/50 (98%)	46/50 (92%)	49/50 (98%)	44/50 (88%)	
		50/50 (100%)	50/50 (100%)	50/50 (100%)	49/50 (98%)	47/50 (94%)		
		50/50 (100%)	50/50 (100%)	49/50 (98%)	50/50 (100%)	48/50 (96%)	48/50 (96%)	
		48/50 (96%)	49/50 (98%)	50/50 (100%)	49/50 (98%)	45/50 (90%)	48/50 (96%)	
		50/50 (100%)	50/50 (100%)	49/49 (100%)	48/50 (96%)	46/50 (92%)	46/50 (92%)	
		50/50 (100%)	50/50 (100%)	50/50 (100%)	46/50 (92%)	46/50 (92%)	45/50 (90%)	
		49/49 (100%)	47/50 (94%)	49/50 (98%)	47/50 (94%)	44/50 (88%)	45/50 (90%)	
		50/50 (100%)	50/50 (100%)	50/50 (100%)	49/50 (98%)	46/50 (92%)	47/50 (94%)	
		50/50 (100%)	50/50 (100%)		49/50 (98%)	48/50 (96%)		
Overall Incidence	Total	1286/1298 (99.08%)	Mean 99.08%	SD 1.62%	Total	1175/1250 (94%)	Mean 94%	SD 3.42%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 6
 Report Date: 03/20/2010

		Male				Female			
#All Organs:									
Hemangioma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)	0/50 (0%)	1/50 (2%)	1/50 (2%)	0/50 (0%)	1/50 (2%)	1/50 (2%)
		0/49 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	3/1298 (0.23%)		Mean 0.23%	SD 0.65%	Total 2/1250 (0.16%)		Mean 0.16%	SD 0.55%

#All Organs:									
Hemangiosarcoma									
		1/50 (2%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	2/50 (4%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	2/50 (4%)	2/50 (4%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	7/1298 (0.54%)		Mean 0.54%	SD 1.07%	Total 5/1250 (0.4%)		Mean 0.4%	SD 1.15%

#All Organs:									
Hemangiosarcoma or Hemangioma									
		1/50 (2%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	2/50 (4%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	1/50 (2%)	1/50 (2%)
		0/49 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	2/50 (4%)	2/50 (4%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	10/1298 (0.77%)		Mean 0.77%	SD 1.14%	Total 7/1250 (0.56%)		Mean 0.56%	SD 1.23%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 7
 Report Date: 03/20/2010

		Male				Female			
#All Organs:									
Histiocytic Sarcoma									
		1/50 (2%)	1/50 (2%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)		
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	3/50 (6%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	2/50 (4%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)		
Overall Incidence	Total	10/1298 (0.77%)		Mean 0.77%	SD 1.39%	Total 6/1250 (0.48%)		Mean 0.48%	SD 1.05%

#All Organs:									
Leukemia: Erythrocytic									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/1298 (0%)		Mean 0%	SD 0%	Total 1/1250 (0.08%)		Mean 0.08%	SD 0.4%

#All Organs:									
Leukemia: Lymphocytic, Monocytic, Mononuclear, or Undifferentiated									
		26/50 (52%)	22/50 (44%)	17/50 (34%)		5/50 (10%)	10/50 (20%)	12/50 (24%)	
		29/50 (58%)	19/50 (38%)	15/50 (30%)		16/50 (32%)	9/50 (18%)		
		26/50 (52%)	17/50 (34%)	25/50 (50%)		12/50 (24%)	10/50 (20%)	15/50 (30%)	
		15/50 (30%)	18/50 (36%)	21/50 (42%)		10/50 (20%)	6/50 (12%)	9/50 (18%)	
		28/50 (56%)	10/50 (20%)	7/49 (14%)		9/50 (18%)	8/50 (16%)	5/50 (10%)	
		26/50 (52%)	17/50 (34%)	9/50 (18%)		18/50 (36%)	6/50 (12%)	5/50 (10%)	
		21/49 (43%)	4/50 (8%)	11/50 (22%)		20/50 (40%)	4/50 (8%)	8/50 (16%)	
		26/50 (52%)	25/50 (50%)	26/50 (52%)		8/50 (16%)	17/50 (34%)	12/50 (24%)	
		21/50 (42%)	21/50 (42%)			15/50 (30%)	14/50 (28%)		
Overall Incidence	Total	502/1298 (38.67%)		Mean 38.66%	SD 13.73%	Total 263/1250 (21.04%)		Mean 21.04%	SD 8.93%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 8
 Report Date: 03/20/2010

		Male				Female			
#All Organs:									
Malignant Lymphoma: Histiocytic, Lymphocytic, Mixed, NOS, or Undifferentiated Cell Type									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	1/49 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)		
Overall Incidence	Total	3/1298 (0.23%)		Mean 0.23%	SD 0.66%	Total	3/1250 (0.24%)		Mean 0.24%
									SD 0.66%
#All Organs:									
Mesothelioma: Benign									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/1298 (0.08%)		Mean 0.08%	SD 0.39%	Total	1/1250 (0.08%)		Mean 0.08%
									SD 0.4%
#All Organs:									
Mesothelioma: Benign, Malignant, NOS									
		1/50 (2%)	2/50 (4%)	2/50 (4%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		3/50 (6%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		2/50 (4%)	2/50 (4%)	0/50 (0%)	0/50 (0%)	2/50 (4%)	0/50 (0%)	0/50 (0%)	
		2/50 (4%)	3/50 (6%)	3/49 (6%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	2/50 (4%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	
		1/49 (2%)	2/50 (4%)	2/50 (4%)	1/50 (2%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	
		2/50 (4%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	32/1298 (2.47%)		Mean 2.47%	SD 2.15%	Total	5/1250 (0.4%)		Mean 0.4%
									SD 1%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 9
 Report Date: 03/20/2010

		Male						Female					
#All Organs:													
Mesothelioma: Malignant													
		1/50 (2%)	2/50 (4%)	2/50 (4%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		3/50 (6%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		2/50 (4%)	2/50 (4%)	0/50 (0%)	2/50 (4%)	0/50 (0%)	2/50 (4%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		2/50 (4%)	3/50 (6%)	3/49 (6%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	2/50 (4%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)		
		1/49 (2%)	2/50 (4%)	2/50 (4%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		2/50 (4%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	31/1298 (2.39%)			Mean 2.39%	SD 2.2%	Total 4/1250 (0.32%)			Mean 0.32%	SD 0.95%		

#All Organs:													
Osteoma													
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	1/1298 (0.08%)			Mean 0.08%	SD 0.39%	Total 1/1250 (0.08%)			Mean 0.08%	SD 0.4%		

#All Organs:													
Osteosarcoma													
		1/50 (2%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		2/50 (4%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	1/50 (2%)	2/50 (4%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	2/50 (4%)	1/49 (2%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		1/49 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	3/50 (6%)	2/50 (4%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	17/1298 (1.31%)			Mean 1.31%	SD 1.78%	Total 4/1250 (0.32%)			Mean 0.32%	SD 0.75%		

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 10
 Report Date: 03/20/2010

		Male						Female												
#All Organs:																				
Osteosarcoma or Osteoma																				
		1/50	(2%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)							
		2/50	(4%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	1/50	(2%)	2/50	(4%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	2/50	(4%)	1/49	(2%)	1/50	(2%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	1/50	(2%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		1/49	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)							
		0/50	(0%)	3/50	(6%)	2/50	(4%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)							
Overall Incidence	Total	18/1298 (1.39%)			Mean 1.39%			SD 1.77%			Total	5/1250 (0.4%)			Mean 0.4%			SD 0.82%		

*Adrenal Cortex:																				
Adenoma																				
		3/50	(6%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	1/47	(2%)	0/50	(0%)							
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	3/50	(6%)	2/50	(4%)							
		0/50	(0%)	3/50	(6%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)							
		0/50	(0%)	0/50	(0%)	0/49	(0%)	1/50	(2%)	1/50	(2%)	0/50	(0%)							
		0/50	(0%)	2/50	(4%)	1/50	(2%)	2/50	(4%)	0/48	(0%)	0/50	(0%)							
		0/49	(0%)	2/50	(4%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)							
		0/50	(0%)	0/50	(0%)	1/50	(2%)	1/50	(2%)	8/50	(16%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
Overall Incidence	Total	15/1298 (1.16%)			Mean 1.15%			SD 1.89%			Total	24/1245 (1.93%)			Mean 1.93%			SD 3.63%		

*Adrenal Cortex:																				
Carcinoma																				
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/47	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	1/49	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/48	(0%)	0/50	(0%)							
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
Overall Incidence	Total	2/1298 (0.15%)			Mean 0.16%			SD 0.55%			Total	0/1245 (0%)			Mean 0%			SD 0%		

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 11
 Report Date: 03/20/2010

		Male				Female			
*Adrenal Medulla:									
Ganglioneuroma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/48 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/48 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/49 (0%)	0/48 (0%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/48 (0%)	
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	0/49 (0%)	0/49 (0%)		
Overall Incidence	Total	1/1295 (0.08%)		Mean 0.08%	SD 0.39%	Total	0/1238 (0%)		Mean 0%
									SD 0%
*Adrenal Medulla:									
Hemangioma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/48 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/48 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/48 (0%)	1/50 (2%)	
		0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	0/49 (0%)	0/50 (0%)	0/48 (0%)	
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	0/49 (0%)	0/49 (0%)		
Overall Incidence	Total	0/1295 (0%)		Mean 0%	SD 0%	Total	1/1238 (0.08%)		Mean 0.08%
									SD 0.4%
*Adrenal Medulla:									
Pheochromocytoma Benign									
		7/50 (14%)	6/50 (12%)	3/50 (6%)	3/50 (6%)	2/48 (4%)	1/50 (2%)		
		10/50 (20%)	8/50 (16%)	8/50 (16%)	2/50 (4%)	1/50 (2%)			
		7/50 (14%)	5/50 (10%)	7/50 (14%)	1/50 (2%)	1/50 (2%)	0/50 (0%)		
		9/50 (18%)	4/50 (8%)	5/49 (10%)	0/50 (0%)	1/50 (2%)	0/48 (0%)		
		5/50 (10%)	5/50 (10%)	5/49 (10%)	0/50 (0%)	2/50 (4%)	3/50 (6%)		
		8/50 (16%)	5/50 (10%)	11/50 (22%)	1/49 (2%)	1/48 (2%)	1/50 (2%)		
		8/49 (16%)	8/50 (16%)	4/50 (8%)	1/50 (2%)	3/50 (6%)	1/50 (2%)		
		6/49 (12%)	9/50 (18%)	11/49 (22%)	2/49 (4%)	2/50 (4%)	0/48 (0%)		
		9/50 (18%)	10/50 (20%)		2/49 (4%)	1/49 (2%)			
Overall Incidence	Total	183/1295 (14.13%)		Mean 14.13%	SD 4.53%	Total	32/1238 (2.58%)		Mean 2.58%
									SD 1.88%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 12
 Report Date: 03/20/2010

		Male						Female					
*Adrenal Medulla:													
Pheochromocytoma Complex													
		1/50 (2%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	1/48 (2%)	0/50 (0%)						
		1/50 (2%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)						
		0/50 (0%)	0/50 (0%)	2/50 (4%)	1/50 (2%)	0/50 (0%)	0/50 (0%)			0/50 (0%)			
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/48 (0%)			0/48 (0%)			
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)			0/50 (0%)			
		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/49 (0%)	1/48 (2%)	0/50 (0%)			0/50 (0%)			
		0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)			0/50 (0%)			
		0/49 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	0/50 (0%)	0/48 (0%)			0/48 (0%)			
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	0/49 (0%)	0/49 (0%)						
Overall Incidence	Total	5/1295 (0.39%)			Mean 0.38%	SD 0.98%	Total 5/1238 (0.4%)			Mean 0.41%	SD 0.83%		

*Adrenal Medulla:													
Pheochromocytoma Malignant													
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/48 (0%)	0/50 (0%)			0/50 (0%)			
		0/50 (0%)	3/50 (6%)	0/50 (0%)	0/50 (0%)	2/50 (4%)	0/50 (0%)						
		1/50 (2%)	0/50 (0%)	1/50 (2%)	1/50 (2%)	0/50 (0%)	0/50 (0%)			0/50 (0%)			
		0/50 (0%)	0/50 (0%)	1/49 (2%)	0/50 (0%)	0/50 (0%)	0/48 (0%)			0/48 (0%)			
		0/50 (0%)	3/50 (6%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)			0/50 (0%)			
		2/50 (4%)	0/50 (0%)	2/50 (4%)	0/49 (0%)	0/48 (0%)	0/50 (0%)			0/50 (0%)			
		3/49 (6%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)			0/50 (0%)			
		1/49 (2%)	4/50 (8%)	1/49 (2%)	1/49 (2%)	1/50 (2%)	0/48 (0%)			0/48 (0%)			
		1/50 (2%)	0/50 (0%)	0/50 (0%)	2/49 (4%)	0/49 (0%)							
Overall Incidence	Total	24/1295 (1.85%)			Mean 1.86%	SD 2.4%	Total 7/1238 (0.57%)			Mean 0.56%	SD 1.24%		

*Adrenal Medulla:													
Pheochromocytoma: Benign, Complex, Malignant, NOS													
		8/50 (16%)	6/50 (12%)	3/50 (6%)	4/50 (8%)	3/48 (6%)	1/50 (2%)						
		11/50 (22%)	11/50 (22%)	8/50 (16%)	3/50 (6%)	3/50 (6%)	0/50 (0%)						
		7/50 (14%)	5/50 (10%)	10/50 (20%)	3/50 (6%)	1/50 (2%)	0/50 (0%)			0/50 (0%)			
		9/50 (18%)	4/50 (8%)	6/49 (12%)	0/50 (0%)	1/50 (2%)	0/48 (0%)			0/48 (0%)			
		5/50 (10%)	7/50 (14%)	5/49 (10%)	0/50 (0%)	2/50 (4%)	3/50 (6%)			3/50 (6%)			
		10/50 (20%)	6/50 (12%)	13/50 (26%)	1/49 (2%)	2/48 (4%)	1/50 (2%)			1/50 (2%)			
		10/49 (20%)	8/50 (16%)	5/50 (10%)	1/50 (2%)	3/50 (6%)	1/50 (2%)			1/50 (2%)			
		7/49 (14%)	12/50 (24%)	12/49 (24%)	3/49 (6%)	3/50 (6%)	0/48 (0%)			0/48 (0%)			
		10/50 (20%)	10/50 (20%)		4/49 (8%)	1/49 (2%)							
Overall Incidence	Total	208/1295 (16.06%)			Mean 16.06%	SD 5.51%	Total 44/1238 (3.55%)			Mean 3.55%	SD 2.69%		

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 13
 Report Date: 03/20/2010

		Male				Female							
#Bone:													
Chondrosarcoma													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)				
Overall Incidence	Total	0/1298 (0%)		Mean	0%	SD	0%	Total	1/1250 (0.08%)	Mean	0.08%	SD	0.4%

#Bone:													
Chondrosarcoma or Chondroma													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)				
Overall Incidence	Total	0/1298 (0%)		Mean	0%	SD	0%	Total	1/1250 (0.08%)	Mean	0.08%	SD	0.4%

#Bone:													
Chordoma													
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		1/50	(2%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		1/50	(2%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)		
		1/49	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
Overall Incidence	Total	7/1298 (0.54%)		Mean	0.54%	SD	0.91%	Total	0/1250 (0%)	Mean	0%	SD	0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 14
 Report Date: 03/20/2010

		Male						Female									
#Bone:																	
Osteoma																	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)				
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)				
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)				
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)				
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)				
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)				
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)				
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)				
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)				
Overall Incidence	Total	1/1298 (0.08%)				Mean 0.08%		SD 0.39%		Total 1/1250 (0.08%)				Mean 0.08%		SD 0.4%	

#Bone:																	
Osteosarcoma																	
		1/50	(2%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)				
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)				
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)				
		0/50	(0%)	1/50	(2%)	2/50	(4%)	0/50	(0%)	0/50	(0%)	0/50	(0%)				
		0/50	(0%)	2/50	(4%)	1/49	(2%)	1/50	(2%)	0/50	(0%)	0/50	(0%)				
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)				
		1/49	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)				
		0/50	(0%)	3/50	(6%)	2/50	(4%)	0/50	(0%)	0/50	(0%)	0/50	(0%)				
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)				
Overall Incidence	Total	16/1298 (1.23%)				Mean 1.23%		SD 1.71%		Total 4/1250 (0.32%)				Mean 0.32%		SD 0.75%	

#Bone:																	
Osteosarcoma or Osteoma																	
		1/50	(2%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)				
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)				
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)				
		0/50	(0%)	1/50	(2%)	2/50	(4%)	0/50	(0%)	0/50	(0%)	0/50	(0%)				
		0/50	(0%)	2/50	(4%)	1/49	(2%)	1/50	(2%)	0/50	(0%)	0/50	(0%)				
		0/50	(0%)	1/50	(2%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)				
		1/49	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)				
		0/50	(0%)	3/50	(6%)	2/50	(4%)	0/50	(0%)	0/50	(0%)	0/50	(0%)				
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)				
Overall Incidence	Total	17/1298 (1.31%)				Mean 1.31%		SD 1.69%		Total 5/1250 (0.4%)				Mean 0.4%		SD 0.82%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 15
 Report Date: 03/20/2010

		Male						Female												
*Brain:																				
Astrocytoma Malignant																				
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)							
		0/49	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
Overall Incidence	Total	3/1297 (0.23%)			Mean 0.23%			SD 0.65%			Total	1/1250 (0.08%)			Mean 0.08%			SD 0.4%		

*Brain:																				
Ependymoma Benign																				
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
Overall Incidence	Total	1/1297 (0.08%)			Mean 0.08%			SD 0.39%			Total	0/1250 (0%)			Mean 0%			SD 0%		

*Brain:																				
Ependymoma Malignant																				
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	1/49	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
Overall Incidence	Total	1/1297 (0.08%)			Mean 0.08%			SD 0.4%			Total	0/1250 (0%)			Mean 0%			SD 0%		

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 16
 Report Date: 03/20/2010

		Male						Female								
*Brain:																
 Glioma Malignant																
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)					
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)			
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	0/1297 (0%)			Mean	0%	SD	0%	Total	4/1250 (0.32%)			Mean	0.32%	SD	0.75%

*Brain:																
 Granular Cell Tumor Benign																
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	2/50	(4%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/49	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	2/1297 (0.15%)			Mean	0.15%	SD	0.78%	Total	1/1250 (0.08%)			Mean	0.08%	SD	0.4%

*Brain:																
 Medulloblastoma Mal																
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	1/1297 (0.08%)			Mean	0.08%	SD	0.39%	Total	0/1250 (0%)			Mean	0%	SD	0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 17
 Report Date: 03/20/2010

		Male						Female												
*Brain:																				
Oligodendroglioma Benign																				
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
Overall Incidence	Total	1/1297 (0.08%)			Mean 0.08%			SD 0.39%			Total	0/1250 (0%)			Mean 0%			SD 0%		
*Brain:																				
Oligodendroglioma Malignant																				
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)					
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)					
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)					
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)					
		0/50	(0%)	1/50	(2%)	0/49	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)					
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)					
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)					
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)					
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)					
Overall Incidence	Total	1/1297 (0.08%)			Mean 0.08%			SD 0.39%			Total	4/1250 (0.32%)			Mean 0.32%			SD 0.75%		
*Brain:																				
Oligodendroglioma, Glioma, or Astrocytoma																				
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	1/50	(2%)					
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)					
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	2/50	(4%)	0/50	(0%)	0/50	(0%)					
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)					
		0/50	(0%)	1/50	(2%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)					
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	2/50	(4%)	1/50	(2%)	0/50	(0%)					
		0/49	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)					
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)					
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)					
Overall Incidence	Total	5/1297 (0.39%)			Mean 0.38%			SD 0.8%			Total	9/1250 (0.72%)			Mean 0.72%			SD 1.28%		

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 18
 Report Date: 03/20/2010

		Male						Female					
*Brain:													
Osteosarcoma													
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	1/1297 (0.08%)			Mean 0.08%	SD 0.39%	Total	0/1250 (0%)			Mean 0%	SD 0%	

*Brain:													
Schwannoma Malignant													
		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	1/1297 (0.08%)			Mean 0.08%	SD 0.39%	Total	0/1250 (0%)			Mean 0%	SD 0%	

*Clitoral/Preputial Gland:													
Adenoma													
		3/50 (6%)	2/49 (4%)	2/50 (4%)	12/50 (24%)	12/50 (24%)	2/50 (4%)	12/50 (24%)	12/50 (24%)	2/50 (4%)	2/50 (4%)		
		4/50 (8%)	1/50 (2%)	5/50 (10%)	3/49 (6%)	10/50 (20%)	1/50 (2%)	3/50 (6%)	10/50 (20%)	1/50 (2%)	1/50 (2%)		
		0/50 (0%)	2/50 (4%)	0/50 (0%)	1/50 (2%)	6/50 (12%)	5/50 (10%)	2/50 (4%)	6/50 (12%)	5/50 (10%)	5/50 (10%)		
		1/50 (2%)	0/50 (0%)	0/50 (0%)	2/50 (4%)	1/50 (2%)	2/50 (4%)	1/50 (2%)	2/50 (4%)	2/50 (4%)	2/50 (4%)		
		5/50 (10%)	2/50 (4%)	0/49 (0%)	3/50 (6%)	3/48 (6%)	5/50 (10%)	3/48 (6%)	3/48 (6%)	5/50 (10%)	5/50 (10%)		
		0/50 (0%)	1/50 (2%)	5/50 (10%)	0/50 (0%)	11/50 (22%)	7/50 (14%)	0/50 (0%)	11/50 (22%)	7/50 (14%)	7/50 (14%)		
		3/49 (6%)	3/50 (6%)	0/50 (0%)	4/50 (8%)	3/50 (6%)	3/50 (6%)	4/50 (8%)	3/50 (6%)	3/50 (6%)	3/50 (6%)		
		4/50 (8%)	0/50 (0%)	3/50 (6%)	2/50 (4%)	0/50 (0%)	4/50 (8%)	2/50 (4%)	0/50 (0%)	4/50 (8%)	4/50 (8%)		
		4/50 (8%)	1/48 (2%)	17/50 (34%)	5/50 (10%)	5/50 (10%)	4/50 (8%)	5/50 (10%)	5/50 (10%)	4/50 (8%)	4/50 (8%)		
Overall Incidence	Total	51/1295 (3.94%)			Mean 3.93%	SD 3.56%	Total	119/1247 (9.54%)			Mean 9.53%	SD 8.77%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 19
 Report Date: 03/20/2010

		Male				Female			
*Clitoral/Preputial Gland: Carcinoma									
		0/50 (0%)	1/49 (2%)	0/50 (0%)	1/50 (2%)	2/50 (4%)	0/50 (0%)		
		2/50 (4%)	0/50 (0%)	0/50 (0%)	1/49 (2%)	0/50 (0%)			
		0/50 (0%)	0/50 (0%)	1/50 (2%)	2/50 (4%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	2/50 (4%)	0/50 (0%)	1/50 (2%)	4/50 (8%)	4/50 (8%)	
		1/50 (2%)	2/50 (4%)	1/49 (2%)	0/50 (0%)	2/48 (4%)	2/50 (4%)	2/50 (4%)	
		2/50 (4%)	2/50 (4%)	0/50 (0%)	1/50 (2%)	3/50 (6%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	1/50 (2%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)	8/50 (16%)	4/50 (8%)	7/50 (14%)	7/50 (14%)	
		2/50 (4%)	0/48 (0%)		0/50 (0%)	1/50 (2%)			
Overall Incidence	Total	19/1295 (1.47%)	Mean 1.46%	SD 1.66%	Total	40/1247 (3.21%)	Mean 3.21%	SD 4.32%	
*Clitoral/Preputial Gland: Carcinoma or Adenoma									
		3/50 (6%)	3/49 (6%)	2/50 (4%)	13/50 (26%)	14/50 (28%)	2/50 (4%)		
		6/50 (12%)	1/50 (2%)	5/50 (10%)	4/49 (8%)	10/50 (20%)			
		0/50 (0%)	2/50 (4%)	1/50 (2%)	3/50 (6%)	6/50 (12%)	1/50 (2%)		
		2/50 (4%)	0/50 (0%)	2/50 (4%)	2/50 (4%)	2/50 (4%)	9/50 (18%)		
		6/50 (12%)	4/50 (8%)	1/49 (2%)	3/50 (6%)	5/48 (10%)	4/50 (8%)		
		2/50 (4%)	3/50 (6%)	5/50 (10%)	1/50 (2%)	14/50 (28%)	7/50 (14%)		
		3/49 (6%)	4/50 (8%)	0/50 (0%)	4/50 (8%)	3/50 (6%)	4/50 (8%)		
		4/50 (8%)	0/50 (0%)	3/50 (6%)	10/50 (20%)	4/50 (8%)	10/50 (20%)		
		5/50 (10%)	1/48 (2%)		17/50 (34%)	6/50 (12%)			
Overall Incidence	Total	68/1295 (5.25%)	Mean 5.24%	SD 3.71%	Total	158/1247 (12.67%)	Mean 12.66%	SD 9.12%	
*Clitoral/Preputial Gland: Fibrosarcoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)			
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/48 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)		
		0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/48 (0%)		0/50 (0%)	0/50 (0%)			
Overall Incidence	Total	0/1295 (0%)	Mean 0%	SD 0%	Total	1/1247 (0.08%)	Mean 0.08%	SD 0.4%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 20
 Report Date: 03/20/2010

		Male				Female			
*Clitoral/Preputial Gland:									
Sarcoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/48 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/48 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/1295 (0%)	Mean 0%	SD 0%	Total	1/1247 (0.08%)	Mean 0.08%	SD 0.4%	

#Ear:									
Neural Crest Tumor									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/49 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/1298 (0.08%)	Mean 0.08%	SD 0.4%	Total	1/1250 (0.08%)	Mean 0.08%	SD 0.4%	

#Esophagus:									
Fibrosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/1298 (0%)	Mean 0%	SD 0%	Total	1/1250 (0.08%)	Mean 0.08%	SD 0.4%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 21
 Report Date: 03/20/2010

		Male				Female								
#Esophagus:														
Lipoma														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	0/1298 (0%)		Mean 0%		SD 0%		Total	1/1250 (0.08%)		Mean 0.08%		SD 0.4%	
#Eye:														
Melanoma Malignant														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	0/1298 (0%)		Mean 0%		SD 0%		Total	1/1250 (0.08%)		Mean 0.08%		SD 0.4%	
#Eye:														
Schwannoma Malignant														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	1/1298 (0.08%)		Mean 0.08%		SD 0.39%		Total	0/1250 (0%)		Mean 0%		SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 22
 Report Date: 03/20/2010

		Male						Female						
#Harderian Gland:														
Carcinoma														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	1/1298 (0.08%)				Mean	0.08%	SD	0.39%	Total	0/1250 (0%)			
						Mean	0%	SD	0%					
#Harderian Gland:														
Carcinoma or Adenoma														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	1/1298 (0.08%)				Mean	0.08%	SD	0.39%	Total	0/1250 (0%)			
						Mean	0%	SD	0%					
*Heart:														
Schwannoma Benign														
		0/50	(0%)	2/50	(4%)	2/50	(4%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		1/49	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	1/50	(2%)	0/50	(0%)	
Overall Incidence	Total	5/1298 (0.39%)				Mean	0.39%	SD	1.14%	Total	3/1250 (0.24%)			
						Mean	0.24%	SD	0.66%					

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 23
 Report Date: 03/20/2010

		Male				Female			
*Heart:									
Schwannoma Malignant									
		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	1/50 (2%)
		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/49 (0%)	0/50 (0%)	2/50 (4%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	5/1298 (0.39%)		Mean 0.38%	SD 0.98%	Total 3/1250 (0.24%)		Mean 0.24%	SD 0.66%

#Intestine Large: Colon/Rectum:									
Adenoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	1/50 (2%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/49 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	2/1298 (0.15%)		Mean 0.15%	SD 0.54%	Total 4/1250 (0.32%)		Mean 0.32%	SD 0.75%

#Intestine Large: Colon/Rectum:									
Carcinoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/1298 (0.08%)		Mean 0.08%	SD 0.39%	Total 1/1250 (0.08%)		Mean 0.08%	SD 0.4%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 24
 Report Date: 03/20/2010

		Male				Female			
#Intestine Large: Colon/Rectum:									
Carcinoma or Adenoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	1/50 (2%)	
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/49 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)			0/50 (0%)	1/50 (2%)		
Overall Incidence	Total	3/1298 (0.23%)	Mean 0.23%	SD 0.65%	Total	5/1250 (0.4%)	Mean 0.4%	SD 0.82%	

#Intestine Large: Colon/Rectum:									
Hemangioma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/1298 (0.08%)	Mean 0.08%	SD 0.39%	Total	0/1250 (0%)	Mean 0%	SD 0%	

#Intestine Small: Duodenum:									
Carcinoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/1298 (0.08%)	Mean 0.08%	SD 0.39%	Total	0/1250 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 25
 Report Date: 03/20/2010

		Male				Female						
#Intestine Small: Duodenum:												
Leiomyoma												
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	1/1298 (0.08%)		Mean 0.08%		SD 0.39%		Total	2/1250 (0.16%)		Mean 0.16%	SD 0.55%

#Intestine Small: Ileum:												
Adenoma												
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	0/1298 (0%)		Mean 0%		SD 0%		Total	1/1250 (0.08%)		Mean 0.08%	SD 0.4%

#Intestine Small: Jejunum:												
Carcinoma												
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	1/1298 (0.08%)		Mean 0.08%		SD 0.39%		Total	0/1250 (0%)		Mean 0%	SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 26
 Report Date: 03/20/2010

		Male						Female						
#Intestine Small: Jejunum:														
Granular Cell Tumor Malignant														
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	1/1298 (0.08%)				Mean	0.08%	SD	0.39%	Total	0/1250 (0%)			
						Mean	0%	SD	0%					
#Intestine Small: Jejunum:														
Leiomyoma														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	1/50	(2%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	1/1298 (0.08%)				Mean	0.08%	SD	0.39%	Total	0/1250 (0%)			
						Mean	0%	SD	0%					
#Intestine Small: Jejunum:														
Leiomyosarcoma														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	0/1298 (0%)				Mean	0%	SD	0%	Total	1/1250 (0.08%)			
						Mean	0.08%	SD	0.4%					

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 27
 Report Date: 03/20/2010

		Male						Female						
#Intestine Small: Site Unspecified:														
Adenoma														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	0/1298	(0%)	Mean	0%	SD	0%	Total	1/1250	(0.08%)	Mean	0.08%	SD	0.4%

#Intestine Small: Site Unspecified:														
Carcinoma														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	2/1298	(0.15%)	Mean	0.15%	SD	0.54%	Total	0/1250	(0%)	Mean	0%	SD	0%

#Intestine Small: Site Unspecified:														
Carcinoma or Adenoma														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	2/1298	(0.15%)	Mean	0.15%	SD	0.54%	Total	1/1250	(0.08%)	Mean	0.08%	SD	0.4%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 28
 Report Date: 03/20/2010

		Male						Female												
#Intestine Small: Site Unspecified:																				
Granular Cell Tumor Malignant																				
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
Overall Incidence	Total	1/1298 (0.08%)			Mean 0.08%			SD 0.39%			Total	0/1250 (0%)			Mean 0%			SD 0%		
#Intestine Small: Site Unspecified:																				
Leiomyoma																				
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)							
		0/50	(0%)	1/50	(2%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
Overall Incidence	Total	2/1298 (0.15%)			Mean 0.15%			SD 0.54%			Total	2/1250 (0.16%)			Mean 0.16%			SD 0.55%		
#Intestine Small: Site Unspecified:																				
Leiomyosarcoma																				
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
Overall Incidence	Total	0/1298 (0%)			Mean 0%			SD 0%			Total	1/1250 (0.08%)			Mean 0.08%			SD 0.4%		

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 29
 Report Date: 03/20/2010

		Male						Female					
*Islets, Pancreatic:													
Adenoma													
		4/50 (8%)	1/50 (2%)	3/50 (6%)		1/50 (2%)	1/49 (2%)	0/50 (0%)					
		0/50 (0%)	1/50 (2%)	1/49 (2%)		0/50 (0%)	2/49 (4%)						
		1/50 (2%)	6/50 (12%)	6/50 (12%)		1/50 (2%)	0/50 (0%)	2/50 (4%)					
		2/50 (4%)	0/50 (0%)	7/50 (14%)		1/50 (2%)	1/50 (2%)	0/49 (0%)					
		2/50 (4%)	4/50 (8%)	4/49 (8%)		0/50 (0%)	0/50 (0%)	1/50 (2%)					
		3/50 (6%)	3/50 (6%)	2/50 (4%)		3/50 (6%)	0/48 (0%)	1/50 (2%)					
		4/49 (8%)	2/50 (4%)	3/50 (6%)		1/50 (2%)	1/50 (2%)	2/50 (4%)					
		4/50 (8%)	3/50 (6%)	18/50 (36%)		2/50 (4%)	0/50 (0%)	3/50 (6%)					
		3/50 (6%)	5/49 (10%)			3/49 (6%)	1/50 (2%)						
Overall Incidence	Total	92/1296 (7.1%)			Mean 7.1%	SD 6.91%	Total 27/1244 (2.17%)			Mean 2.17%	SD 2.01%		

*Islets, Pancreatic:													
Carcinoma													
		0/50 (0%)	2/50 (4%)	0/50 (0%)		1/50 (2%)	0/49 (0%)	1/50 (2%)					
		3/50 (6%)	1/50 (2%)	1/49 (2%)		1/50 (2%)	0/49 (0%)						
		2/50 (4%)	0/50 (0%)	1/50 (2%)		1/50 (2%)	0/50 (0%)	0/50 (0%)					
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)					
		2/50 (4%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)					
		1/50 (2%)	1/50 (2%)	1/50 (2%)		0/50 (0%)	0/48 (0%)	0/50 (0%)					
		5/49 (10%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)					
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)					
		2/50 (4%)	1/49 (2%)			0/49 (0%)	0/50 (0%)						
Overall Incidence	Total	25/1296 (1.93%)			Mean 1.93%	SD 2.39%	Total 4/1244 (0.32%)			Mean 0.32%	SD 0.75%		

*Islets, Pancreatic:													
Carcinoma or Adenoma													
		4/50 (8%)	3/50 (6%)	3/50 (6%)		2/50 (4%)	1/49 (2%)	1/50 (2%)					
		3/50 (6%)	2/50 (4%)	2/49 (4%)		1/50 (2%)	2/49 (4%)						
		3/50 (6%)	6/50 (12%)	7/50 (14%)		2/50 (4%)	0/50 (0%)	2/50 (4%)					
		3/50 (6%)	0/50 (0%)	7/50 (14%)		1/50 (2%)	1/50 (2%)	0/49 (0%)					
		4/50 (8%)	4/50 (8%)	4/49 (8%)		0/50 (0%)	0/50 (0%)	1/50 (2%)					
		4/50 (8%)	4/50 (8%)	3/50 (6%)		3/50 (6%)	0/48 (0%)	1/50 (2%)					
		9/49 (18%)	2/50 (4%)	3/50 (6%)		1/50 (2%)	1/50 (2%)	2/50 (4%)					
		4/50 (8%)	4/50 (8%)	18/50 (36%)		2/50 (4%)	0/50 (0%)	3/50 (6%)					
		5/50 (10%)	6/49 (12%)			3/49 (6%)	1/50 (2%)						
Overall Incidence	Total	117/1296 (9.03%)			Mean 9.03%	SD 6.67%	Total 31/1244 (2.49%)			Mean 2.49%	SD 1.95%		

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 30
 Report Date: 03/20/2010

		Male						Female					
*Kidney: Pelvis and Transitional Epithelium: Carcinoma													
		0/49 (0%)	0/48 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/44 (0%)	0/50 (0%)				
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	0/47 (0%)					
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)			
		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)			
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/48 (0%)	0/50 (0%)	0/50 (0%)			
		0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)			
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)			
		0/50 (0%)	0/49 (0%)				0/50 (0%)	0/50 (0%)					
Overall Incidence	Total	2/1294 (0.15%)	Mean 0.15%	SD 0.54%			Total	0/1236 (0%)	Mean 0%	SD 0%			
*Kidney: Pelvis and Transitional Epithelium: Carcinoma or Adenoma													
		0/49 (0%)	0/48 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/44 (0%)	0/50 (0%)				
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	0/47 (0%)					
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)			
		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)			
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)			
		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/48 (0%)	0/50 (0%)	0/50 (0%)			
		0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)			
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)			
		0/50 (0%)	0/49 (0%)				0/50 (0%)	0/50 (0%)					
Overall Incidence	Total	2/1294 (0.15%)	Mean 0.15%	SD 0.54%			Total	0/1236 (0%)	Mean 0%	SD 0%			
*Kidney: Pelvis and Transitional Epithelium: Papilloma													
		0/49 (0%)	0/48 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/44 (0%)	0/50 (0%)				
		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	0/47 (0%)					
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)			
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)			
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)			
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/48 (0%)	0/50 (0%)	0/50 (0%)			
		0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)			
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)			
		0/50 (0%)	0/49 (0%)				0/50 (0%)	0/50 (0%)					
Overall Incidence	Total	1/1294 (0.08%)	Mean 0.08%	SD 0.39%			Total	0/1236 (0%)	Mean 0%	SD 0%			

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 31
 Report Date: 03/20/2010

		Male				Female			
*Kidney: Renal Tubule: Adenoma									
		0/49 (0%)	0/48 (0%)	0/50 (0%)		0/50 (0%)	0/44 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/47 (0%)		
		1/50 (2%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/48 (0%)	0/50 (0%)	
		0/49 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/49 (0%)			1/50 (2%)	0/50 (0%)		
Overall Incidence	Total	6/1294 (0.46%)	Mean 0.46%	SD 0.86%	Total	1/1236 (0.08%)	Mean 0.08%	SD 0.4%	

*Kidney: Renal Tubule: Carcinoma									
		0/49 (0%)	0/48 (0%)	0/50 (0%)		0/50 (0%)	0/44 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/49 (2%)	0/47 (0%)		
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/48 (0%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/49 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	2/1294 (0.15%)	Mean 0.15%	SD 0.54%	Total	1/1236 (0.08%)	Mean 0.08%	SD 0.41%	

*Kidney: Renal Tubule: Carcinoma or Adenoma									
		0/49 (0%)	0/48 (0%)	0/50 (0%)		0/50 (0%)	0/44 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		1/49 (2%)	0/47 (0%)		
		2/50 (4%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	2/50 (4%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/48 (0%)	0/50 (0%)	
		0/49 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/49 (0%)			1/50 (2%)	0/50 (0%)		
Overall Incidence	Total	8/1294 (0.62%)	Mean 0.62%	SD 1.24%	Total	2/1236 (0.16%)	Mean 0.16%	SD 0.56%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 32
 Report Date: 03/20/2010

		Male						Female								
*Kidney: Renal Tubule: Hemangiosarcoma																
		0/49	(0%)	0/48	(0%)	0/50	(0%)	0/50	(0%)	0/44	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/47	(0%)					
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)			
		0/50	(0%)	1/50	(2%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/48	(0%)	0/50	(0%)			
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/49	(0%)			0/50	(0%)	0/50	(0%)					
Overall Incidence	Total	1/1294 (0.08%)			Mean 0.08%		SD 0.39%		Total	0/1236 (0%)			Mean 0%		SD 0%	

*Kidney: Renal Tubule: Lipoma																
		0/49	(0%)	0/48	(0%)	1/50	(2%)	0/50	(0%)	0/44	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/47	(0%)					
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)			
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/49	(0%)	0/48	(0%)	0/50	(0%)			
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/49	(0%)			0/50	(0%)	0/50	(0%)					
Overall Incidence	Total	3/1294 (0.23%)			Mean 0.23%		SD 0.65%		Total	1/1236 (0.08%)			Mean 0.08%		SD 0.4%	

*Kidney: Renal Tubule: Mesenchymal Tumor Benign																
		0/49	(0%)	0/48	(0%)	0/50	(0%)	0/50	(0%)	0/44	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/47	(0%)					
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)			
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/48	(0%)	0/50	(0%)			
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/49	(0%)			0/50	(0%)	0/50	(0%)					
Overall Incidence	Total	1/1294 (0.08%)			Mean 0.08%		SD 0.39%		Total	0/1236 (0%)			Mean 0%		SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 33
 Report Date: 03/20/2010

		Male				Female			
*Kidney: Renal Tubule:									
Mesenchymal Tumor Malignant									
		0/49 (0%)	0/48 (0%)	0/50 (0%)		0/50 (0%)	1/44 (2%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/47 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/48 (0%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/49 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/1294 (0%)	Mean 0%	SD 0%	Total	1/1236 (0.08%)	Mean 0.09%	SD 0.45%	

*Kidney: Renal Tubule:									
Nephroblastoma									
		0/49 (0%)	0/48 (0%)	0/50 (0%)		0/50 (0%)	0/44 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/47 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/48 (0%)	1/50 (2%)	
		0/49 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/49 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/1294 (0%)	Mean 0%	SD 0%	Total	1/1236 (0.08%)	Mean 0.08%	SD 0.4%	

*Kidney: Renal Tubule:									
Sarcoma									
		0/49 (0%)	0/48 (0%)	0/50 (0%)		0/50 (0%)	0/44 (0%)	1/50 (2%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/47 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/49 (2%)	
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/48 (0%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)	0/49 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/1294 (0%)	Mean 0%	SD 0%	Total	3/1236 (0.24%)	Mean 0.24%	SD 0.67%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 34
 Report Date: 03/20/2010

		Male				Female			
*Liver:									
Cholangioma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	2/1298 (0.15%)	Mean 0.15%	SD 0.54%	Total	0/1250 (0%)	Mean 0%	SD 0%	

*Liver:									
Hemangiosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/1298 (0.08%)	Mean 0.08%	SD 0.39%	Total	0/1250 (0%)	Mean 0%	SD 0%	

*Liver:									
Hepatocellular Adenoma									
		2/50 (4%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	2/50 (4%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)	0/50 (0%)	1/50 (2%)		2/50 (4%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)	1/49 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	3/50 (6%)	0/50 (0%)		0/50 (0%)	2/50 (4%)	0/50 (0%)	
		0/49 (0%)	1/50 (2%)	1/50 (2%)		0/50 (0%)	1/50 (2%)	2/50 (4%)	
		0/50 (0%)	1/50 (2%)	1/50 (2%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		2/50 (4%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	15/1298 (1.16%)	Mean 1.16%	SD 1.62%	Total	11/1250 (0.88%)	Mean 0.88%	SD 1.54%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 35
 Report Date: 03/20/2010

		Male						Female												
*Liver:																				
Hepatocellular Carcinoma																				
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		2/50	(4%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		1/49	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)							
Overall Incidence	Total	6/1298 (0.46%)			Mean 0.46%			SD 1.03%			Total	1/1250 (0.08%)			Mean 0.08%			SD 0.4%		
*Liver:																				
Hepatocellular Carcinoma or Hepatoblastoma																				
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		2/50	(4%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		1/49	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)							
Overall Incidence	Total	6/1298 (0.46%)			Mean 0.46%			SD 1.03%			Total	1/1250 (0.08%)			Mean 0.08%			SD 0.4%		
*Liver:																				
Hepatocellular Carcinoma or Hepatocellular Adenoma																				
		2/50	(4%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		2/50	(4%)	1/50	(2%)	0/50	(0%)	1/50	(2%)	2/50	(4%)	0/50	(0%)							
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)							
		0/50	(0%)	1/50	(2%)	1/50	(2%)	2/50	(4%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	1/50	(2%)	1/49	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	3/50	(6%)	0/50	(0%)	0/50	(0%)	2/50	(4%)	0/50	(0%)							
		1/49	(2%)	1/50	(2%)	1/50	(2%)	0/50	(0%)	1/50	(2%)	2/50	(4%)							
		0/50	(0%)	1/50	(2%)	2/50	(4%)	1/50	(2%)	0/50	(0%)	0/50	(0%)							
		2/50	(4%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)							
Overall Incidence	Total	21/1298 (1.62%)			Mean 1.62%			SD 1.7%			Total	12/1250 (0.96%)			Mean 0.96%			SD 1.54%		

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 36
 Report Date: 03/20/2010

		Male						Female												
*Liver:																				
Hepatocellular Carcinoma, Hepatocellular Adenoma, or Hepatoblastoma																				
		2/50	(4%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		2/50	(4%)	1/50	(2%)	0/50	(0%)	1/50	(2%)	2/50	(4%)	0/50	(0%)							
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)							
		0/50	(0%)	1/50	(2%)	1/50	(2%)	2/50	(4%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	1/50	(2%)	1/49	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	3/50	(6%)	0/50	(0%)	0/50	(0%)	2/50	(4%)	0/50	(0%)							
		1/49	(2%)	1/50	(2%)	1/50	(2%)	0/50	(0%)	1/50	(2%)	2/50	(4%)							
		0/50	(0%)	1/50	(2%)	2/50	(4%)	1/50	(2%)	0/50	(0%)	0/50	(0%)							
		2/50	(4%)	0/50	(0%)			0/50	(0%)	0/50	(0%)									
Overall Incidence	Total	21/1298 (1.62%)			Mean 1.62%			SD 1.7%			Total	12/1250 (0.96%)			Mean 0.96%			SD 1.54%		
*Liver:																				
Ito Cell Tumor Benign																				
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
Overall Incidence	Total	1/1298 (0.08%)			Mean 0.08%			SD 0.39%			Total	0/1250 (0%)			Mean 0%			SD 0%		
*Lung:																				
Alveolar/Bronchiolar Adenoma																				
		0/50	(0%)	1/50	(2%)	4/50	(8%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		2/50	(4%)	0/50	(0%)	1/50	(2%)	1/50	(2%)	1/50	(2%)	0/50	(0%)							
		1/50	(2%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	4/50	(8%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	1/50	(2%)	1/50	(2%)							
		0/50	(0%)	3/50	(6%)	2/49	(4%)	0/50	(0%)	1/50	(2%)	0/50	(0%)							
		0/50	(0%)	1/50	(2%)	3/50	(6%)	0/50	(0%)	0/50	(0%)	4/50	(8%)							
		1/49	(2%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	2/50	(4%)	0/50	(0%)							
		4/50	(8%)	0/50	(0%)	1/50	(2%)	4/50	(8%)	0/50	(0%)	0/50	(0%)							
		2/50	(4%)	3/50	(6%)			1/50	(2%)	1/50	(2%)									
Overall Incidence	Total	31/1298 (2.39%)			Mean 2.39%			SD 2.6%			Total	22/1250 (1.76%)			Mean 1.76%			SD 2.6%		

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 37
 Report Date: 03/20/2010

		Male				Female			
*Lung:									
Alveolar/Bronchiolar Carcinoma									
		0/50 (0%)	1/50 (2%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)		
		1/50 (2%)	1/50 (2%)	1/50 (2%)		1/50 (2%)	1/50 (2%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	1/50 (2%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	1/50 (2%)	1/49 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/49 (0%)	1/50 (2%)	3/50 (6%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	1/50 (2%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	19/1298 (1.46%)	Mean 1.46%	SD 1.33%	Total	6/1250 (0.48%)	Mean 0.48%	SD 0.87%	

*Lung:									
Alveolar/Bronchiolar Carcinoma or Alveolar/Bronchiolar Adenoma									
		0/50 (0%)	2/50 (4%)	5/50 (10%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		3/50 (6%)	0/50 (0%)	1/50 (2%)		2/50 (4%)	1/50 (2%)		
		2/50 (4%)	2/50 (4%)	1/50 (2%)		1/50 (2%)	4/50 (8%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	1/50 (2%)		2/50 (4%)	1/50 (2%)	1/50 (2%)	
		1/50 (2%)	4/50 (8%)	2/49 (4%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)	3/50 (6%)		0/50 (0%)	1/50 (2%)	4/50 (8%)	
		1/49 (2%)	1/50 (2%)	4/50 (8%)		1/50 (2%)	2/50 (4%)	0/50 (0%)	
		4/50 (8%)	1/50 (2%)	2/50 (4%)		4/50 (8%)	0/50 (0%)	0/50 (0%)	
		3/50 (6%)	4/50 (8%)			1/50 (2%)	1/50 (2%)		
Overall Incidence	Total	49/1298 (3.78%)	Mean 3.77%	SD 2.9%	Total	27/1250 (2.16%)	Mean 2.16%	SD 2.58%	

*Lung:									
Fibrosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/1298 (0%)	Mean 0%	SD 0%	Total	1/1250 (0.08%)	Mean 0.08%	SD 0.4%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 38
 Report Date: 03/20/2010

		Male				Female			
*Lung:									
Hemangiosarcoma									
		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	2/1298 (0.15%)	Mean 0.15%	SD 0.54%	Total	0/1250 (0%)	Mean 0%	SD 0%	

*Lung:									
Squamous Cell Carcinoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)
		0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	2/1298 (0.15%)	Mean 0.15%	SD 0.54%	Total	1/1250 (0.08%)	Mean 0.08%	SD 0.4%	

#Lymph Node:									
Hemangiosarcoma									
		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/1298 (0.08%)	Mean 0.08%	SD 0.39%	Total	0/1250 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 39
 Report Date: 03/20/2010

		Male						Female								
#Mammary Gland:																
Adenolipoma																
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	0/1298 (0%)			Mean	0%	SD	0%	Total	1/1250 (0.08%)			Mean	0.08%	SD	0.4%

#Mammary Gland:																
Adenoma																
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	1/50	(2%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	1/50	(2%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	1/50	(2%)			
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	2/50	(4%)	2/50	(4%)			
		0/50	(0%)	0/50	(0%)	0/49	(0%)	2/50	(4%)	0/50	(0%)	2/50	(4%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		2/49	(4%)	0/50	(0%)	0/50	(0%)	3/50	(6%)	2/50	(4%)	2/50	(4%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	2/50	(4%)	0/50	(0%)	4/50	(8%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	4/1298 (0.31%)			Mean	0.31%	SD	0.94%	Total	26/1250 (2.08%)			Mean	2.08%	SD	2.27%

#Mammary Gland:																
Carcinoma																
		0/50	(0%)	0/50	(0%)	0/50	(0%)	2/50	(4%)	2/50	(4%)	1/50	(2%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	4/50	(8%)	0/50	(0%)	0/50	(0%)			
		2/50	(4%)	0/50	(0%)	0/50	(0%)	10/50	(20%)	2/50	(4%)	9/50	(18%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	2/50	(4%)	0/50	(0%)	4/50	(8%)			
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	4/50	(8%)	1/50	(2%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	3/50	(6%)	4/50	(8%)	0/50	(0%)			
		0/49	(0%)	0/50	(0%)	1/50	(2%)	7/50	(14%)	0/50	(0%)	1/50	(2%)			
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	3/50	(6%)	3/50	(6%)			
		0/50	(0%)	1/50	(2%)	0/50	(0%)	1/50	(2%)	2/50	(4%)	0/50	(0%)			
Overall Incidence	Total	5/1298 (0.39%)			Mean	0.38%	SD	0.98%	Total	65/1250 (5.2%)			Mean	5.2%	SD	5.42%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 40
 Report Date: 03/20/2010

		Male				Female			
#Mammary Gland:									
Carcinoma or Adenoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		3/50 (6%)	3/50 (6%)	1/50 (2%)	
		0/50 (0%)	0/50 (0%)	1/50 (2%)		4/50 (8%)	1/50 (2%)		
		2/50 (4%)	0/50 (0%)	0/50 (0%)		10/50 (20%)	3/50 (6%)	10/50 (20%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		2/50 (4%)	2/50 (4%)	6/50 (12%)	
		0/50 (0%)	0/50 (0%)	0/49 (0%)		2/50 (4%)	4/50 (8%)	3/50 (6%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		3/50 (6%)	4/50 (8%)	0/50 (0%)	
		2/49 (4%)	0/50 (0%)	1/50 (2%)		10/50 (20%)	2/50 (4%)	3/50 (6%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		2/50 (4%)	3/50 (6%)	6/50 (12%)	
		0/50 (0%)	1/50 (2%)			1/50 (2%)	2/50 (4%)		
Overall Incidence	Total	9/1298 (0.69%)		Mean 0.7%	SD 1.27%	Total 90/1250 (7.2%)		Mean 7.2%	SD 5.57%

#Mammary Gland:									
Fibroadenoma									
		2/50 (4%)	3/50 (6%)	3/50 (6%)		35/50 (70%)	26/50 (52%)	16/50 (32%)	
		2/50 (4%)	2/50 (4%)	0/50 (0%)		25/50 (50%)	29/50 (58%)		
		0/50 (0%)	1/50 (2%)	2/50 (4%)		24/50 (48%)	14/50 (28%)	27/50 (54%)	
		2/50 (4%)	2/50 (4%)	1/50 (2%)		33/50 (66%)	32/50 (64%)	30/50 (60%)	
		1/50 (2%)	4/50 (8%)	0/49 (0%)		29/50 (58%)	26/50 (52%)	24/50 (48%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		22/50 (44%)	28/50 (56%)	17/50 (34%)	
		1/49 (2%)	1/50 (2%)	0/50 (0%)		26/50 (52%)	21/50 (42%)	24/50 (48%)	
		2/50 (4%)	1/50 (2%)	1/50 (2%)		37/50 (74%)	14/50 (28%)	22/50 (44%)	
		3/50 (6%)	6/50 (12%)			43/50 (86%)	31/50 (62%)		
Overall Incidence	Total	41/1298 (3.16%)		Mean 3.16%	SD 2.84%	Total 655/1250 (52.4%)		Mean 52.4%	SD 14.01%

#Mammary Gland:									
Fibroma									
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	2/1298 (0.15%)		Mean 0.15%	SD 0.54%	Total 2/1250 (0.16%)		Mean 0.16%	SD 0.55%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 41
 Report Date: 03/20/2010

		Male				Female			
#Mammary Gland:									
Fibroma, Fibroadenoma or Adenoma									
		3/50 (6%)	3/50 (6%)	3/50 (6%)	36/50 (72%)	28/50 (56%)	16/50 (32%)		
		2/50 (4%)	2/50 (4%)	1/50 (2%)	25/50 (50%)	30/50 (60%)			
		0/50 (0%)	1/50 (2%)	2/50 (4%)	24/50 (48%)	15/50 (30%)	27/50 (54%)		
		4/50 (8%)	2/50 (4%)	1/50 (2%)	33/50 (66%)	33/50 (66%)	30/50 (60%)		
		1/50 (2%)	4/50 (8%)	0/49 (0%)	30/50 (60%)	26/50 (52%)	25/50 (50%)		
		1/50 (2%)	0/50 (0%)	0/50 (0%)	22/50 (44%)	28/50 (56%)	17/50 (34%)		
		3/49 (6%)	1/50 (2%)	0/50 (0%)	28/50 (56%)	22/50 (44%)	25/50 (50%)		
		2/50 (4%)	1/50 (2%)	1/50 (2%)	37/50 (74%)	14/50 (28%)	25/50 (50%)		
		3/50 (6%)	6/50 (12%)		43/50 (86%)	31/50 (62%)			
Overall Incidence	Total	47/1298 (3.62%)	Mean 3.62%	SD 3%	Total	670/1250 (53.6%)	Mean 53.6%	SD 13.93%	

#Mammary Gland:									
Fibroma, Fibroadenoma, Carcinoma, or Adenoma									
		3/50 (6%)	3/50 (6%)	3/50 (6%)	37/50 (74%)	30/50 (60%)	17/50 (34%)		
		2/50 (4%)	2/50 (4%)	1/50 (2%)	27/50 (54%)	30/50 (60%)			
		2/50 (4%)	1/50 (2%)	2/50 (4%)	31/50 (62%)	17/50 (34%)	30/50 (60%)		
		4/50 (8%)	2/50 (4%)	1/50 (2%)	35/50 (70%)	33/50 (66%)	31/50 (62%)		
		1/50 (2%)	4/50 (8%)	0/49 (0%)	30/50 (60%)	28/50 (56%)	26/50 (52%)		
		1/50 (2%)	0/50 (0%)	0/50 (0%)	24/50 (48%)	28/50 (56%)	17/50 (34%)		
		3/49 (6%)	1/50 (2%)	1/50 (2%)	31/50 (62%)	22/50 (44%)	26/50 (52%)		
		3/50 (6%)	1/50 (2%)	1/50 (2%)	37/50 (74%)	16/50 (32%)	25/50 (50%)		
		3/50 (6%)	6/50 (12%)		43/50 (86%)	31/50 (62%)			
Overall Incidence	Total	51/1298 (3.93%)	Mean 3.93%	SD 2.86%	Total	702/1250 (56.16%)	Mean 56.16%	SD 13.48%	

#Mesentery:									
Fibrous Histiocytoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)			
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	1/1298 (0.08%)	Mean 0.08%	SD 0.39%	Total	0/1250 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 42
 Report Date: 03/20/2010

		Male						Female												
#Mesentery:																				
Hemangiosarcoma																				
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
Overall Incidence	Total	1/1298 (0.08%)			Mean 0.08%			SD 0.39%			Total	0/1250 (0%)			Mean 0%			SD 0%		
#Mesentery:																				
Lipoma																				
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
Overall Incidence	Total	1/1298 (0.08%)			Mean 0.08%			SD 0.39%			Total	0/1250 (0%)			Mean 0%			SD 0%		
#Mesentery:																				
Schwannoma Malignant																				
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	2/50	(4%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
Overall Incidence	Total	0/1298 (0%)			Mean 0%			SD 0%			Total	2/1250 (0.16%)			Mean 0.16%			SD 0.8%		

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 43
 Report Date: 03/20/2010

		Male				Female			
*Nose:									
Adenoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/1297 (0%)	Mean 0%	SD 0%	Total	1/1247 (0.08%)	Mean 0.08%	SD 0.4%	

*Nose:									
Chondroma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/49 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/1297 (0%)	Mean 0%	SD 0%	Total	1/1247 (0.08%)	Mean 0.08%	SD 0.4%	

*Nose:									
Squamous Cell Carcinoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)	1/50 (2%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/1297 (0.08%)	Mean 0.08%	SD 0.39%	Total	0/1247 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 44
 Report Date: 03/20/2010

		Male				Female			
#Oral Cavity (Oral Mucosa, Tongue, Pharynx, Tooth, Gingiva): Papilloma Squamous or Papilloma									
		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)	0/50 (0%)	1/49 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	1/50 (2%)	1/50 (2%)	1/50 (2%)	
Overall Incidence	Total	7/1298 (0.54%)	Mean 0.54%	SD 0.91%	Total	6/1250 (0.48%)	Mean 0.48%	SD 0.87%	
#Oral Cavity (Oral Mucosa, Tongue, Pharynx, Tooth, Gingiva): Squamous Cell Carcinoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/49 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	4/1298 (0.31%)	Mean 0.31%	SD 0.74%	Total	3/1250 (0.24%)	Mean 0.24%	SD 0.66%	
#Oral Cavity (Oral Mucosa, Tongue, Pharynx, Tooth, Gingiva): Squamous Cell Carcinoma, Papilloma Squamous, or Papilloma									
		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	
		1/50 (2%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	2/50 (4%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)	1/50 (2%)	1/49 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	2/50 (4%)	
		0/49 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	1/50 (2%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	1/50 (2%)	1/50 (2%)	0/50 (0%)	
Overall Incidence	Total	11/1298 (0.85%)	Mean 0.85%	SD 1.16%	Total	9/1250 (0.72%)	Mean 0.72%	SD 1.14%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 45
 Report Date: 03/20/2010

		Male						Female					
#Oral Mucosa:													
Squamous Cell Carcinoma													
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	1/50 (2%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)		
		0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	3/1298 (0.23%)			Mean 0.23%	SD 0.65%	Total	2/1250 (0.16%)			Mean 0.16%	SD 0.55%	

#Oral Mucosa:													
Squamous Cell Papilloma													
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	1/49 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	2/1298 (0.15%)			Mean 0.16%	SD 0.55%	Total	2/1250 (0.16%)			Mean 0.16%	SD 0.55%	

*Ovary:													
Cystadenoma													
						0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
						0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
						0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
						0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
						0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)		
						0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
						0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
						0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
						0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
Overall Incidence	Total						Total	1/1248 (0.08%)			Mean 0.08%	SD 0.4%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 46
 Report Date: 03/20/2010

	Male				Female			
*Ovary:								
Granulosa Cell Tumor Benign								
		0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/49	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	1/50	(2%)	
		0/50	(0%)	0/50	(0%)	1/50	(2%)	
		0/49	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	2/1248 (0.16%)		Mean 0.16%		SD 0.55%		

*Ovary:								
Granulosa Cell Tumor Malignant								
		0/50	(0%)	1/50	(2%)	1/50	(2%)	
		0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/49	(0%)	0/50	(0%)	0/50	(0%)	
		1/50	(2%)	2/50	(4%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/49	(0%)	0/50	(0%)	1/50	(2%)	
		0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	6/1248 (0.48%)		Mean 0.48%		SD 1.05%		

*Ovary:								
Granulosa Cell Tumor: Benign, Malignant, NOS								
		0/50	(0%)	1/50	(2%)	1/50	(2%)	
		0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/49	(0%)	0/50	(0%)	0/50	(0%)	
		1/50	(2%)	2/50	(4%)	1/50	(2%)	
		0/50	(0%)	0/50	(0%)	1/50	(2%)	
		0/49	(0%)	0/50	(0%)	1/50	(2%)	
		0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	8/1248 (0.64%)		Mean 0.64%		SD 1.11%		

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 47
 Report Date: 03/20/2010

	Male				Female			
*Ovary:								
Granulosa-Theca Tumor Benign								
		0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	1/50	(2%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/49	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/49	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	1/50	(2%)			
Overall Incidence		Total	2/1248 (0.16%)	Mean	0.16%	SD	0.55%	

*Ovary:								
Granulosa-Theca Tumor Malignant								
		0/50	(0%)	0/50	(0%)	0/50	(0%)	
		2/50	(4%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/49	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/49	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)			
Overall Incidence		Total	2/1248 (0.16%)	Mean	0.16%	SD	0.8%	

*Ovary:								
Tubulostromal Adenoma								
		1/50	(2%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/49	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/49	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)			
Overall Incidence		Total	1/1248 (0.08%)	Mean	0.08%	SD	0.4%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 48
 Report Date: 03/20/2010

		Male				Female			
*Pancreas:									
Adenoma									
		3/50 (6%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/49 (0%)	0/49 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)
		1/50 (2%)	7/50 (14%)	1/49 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	2/50 (4%)	1/50 (2%)	0/50 (0%)	0/48 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/49 (0%)	2/50 (4%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		2/50 (4%)	1/49 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	22/1294 (1.7%)	Mean 1.7%	SD 3.03%	Total	0/1245 (0%)	Mean 0%	SD 0%	

*Pancreas:									
Carcinoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/49 (0%)	0/49 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)
		0/50 (0%)	1/50 (2%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/48 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/1294 (0.08%)	Mean 0.08%	SD 0.39%	Total	0/1245 (0%)	Mean 0%	SD 0%	

*Pancreas:									
Carcinoma or Adenoma									
		3/50 (6%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/49 (0%)	0/49 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)
		1/50 (2%)	8/50 (16%)	1/49 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	2/50 (4%)	1/50 (2%)	0/50 (0%)	0/48 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/49 (0%)	2/50 (4%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		2/50 (4%)	1/49 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	23/1294 (1.78%)	Mean 1.77%	SD 3.36%	Total	0/1245 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 49
 Report Date: 03/20/2010

		Male				Female			
*Pancreas:									
Mixed Tumor Benign									
		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)
		0/50 (0%)	0/49 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/48 (0%)	0/50 (0%)	0/50 (0%)
		2/49 (4%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	4/1294 (0.31%)	Mean 0.31%	SD 0.94%	Total	0/1245 (0%)	Mean 0%	SD 0%	

*Pancreas:									
Mixed Tumor Malignant									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/49 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/48 (0%)	0/50 (0%)	0/50 (0%)
		0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/1294 (0.08%)	Mean 0.08%	SD 0.39%	Total	0/1245 (0%)	Mean 0%	SD 0%	

*Parathyroid Gland:									
Adenoma									
		0/48 (0%)	0/48 (0%)	0/49 (0%)	0/49 (0%)	0/47 (0%)	0/43 (0%)	0/48 (0%)	0/43 (0%)
		0/46 (0%)	1/45 (2%)	1/46 (2%)	0/47 (0%)	0/48 (0%)	0/48 (0%)	0/48 (0%)	0/48 (0%)
		0/45 (0%)	0/49 (0%)	0/48 (0%)	0/49 (0%)	0/46 (0%)	0/49 (0%)	0/46 (0%)	1/43 (2%)
		0/48 (0%)	0/50 (0%)	0/49 (0%)	0/46 (0%)	0/48 (0%)	0/49 (0%)	0/48 (0%)	0/49 (0%)
		0/49 (0%)	0/47 (0%)	1/49 (2%)	0/48 (0%)	0/47 (0%)	0/44 (0%)	0/47 (0%)	0/44 (0%)
		0/47 (0%)	0/50 (0%)	1/45 (2%)	0/43 (0%)	0/49 (0%)	0/47 (0%)	0/49 (0%)	0/47 (0%)
		0/47 (0%)	1/49 (2%)	0/50 (0%)	0/49 (0%)	2/46 (4%)	0/49 (0%)	0/49 (0%)	0/49 (0%)
		0/46 (0%)	0/48 (0%)	0/45 (0%)	0/46 (0%)	0/49 (0%)	0/45 (0%)	0/46 (0%)	0/45 (0%)
		0/44 (0%)	1/46 (2%)	0/42 (0%)	0/42 (0%)	0/42 (0%)	0/42 (0%)	0/42 (0%)	0/42 (0%)
Overall Incidence	Total	6/1233 (0.49%)	Mean 0.5%	SD 0.92%	Total	3/1161 (0.26%)	Mean 0.27%	SD 0.97%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 50
 Report Date: 03/20/2010

		Male				Female			
*Pituitary Gland: Pars Distalis or Unspecified Site:									
Adenoma									
		19/50 (38%)	24/50 (48%)	35/49 (71%)	19/50 (38%)	25/50 (50%)	22/50 (44%)		
		37/50 (74%)	10/50 (20%)	20/50 (40%)	35/50 (70%)	24/49 (49%)			
		36/50 (72%)	32/50 (64%)	31/50 (62%)	35/50 (70%)	35/50 (70%)	29/50 (58%)		
		11/50 (22%)	20/50 (40%)	8/50 (16%)	22/50 (44%)	16/50 (32%)	25/50 (50%)		
		15/50 (30%)	19/50 (38%)	21/49 (43%)	24/50 (48%)	25/50 (50%)	29/50 (58%)		
		34/49 (69%)	13/50 (26%)	6/50 (12%)	35/50 (70%)	20/50 (40%)	25/50 (50%)		
		36/49 (73%)	11/50 (22%)	33/50 (66%)	30/50 (60%)	27/50 (54%)	25/50 (50%)		
		16/50 (32%)	36/50 (72%)	34/49 (69%)	28/50 (56%)	36/49 (73%)	36/50 (72%)		
		23/48 (48%)	24/50 (48%)		28/50 (56%)	27/49 (55%)			
Overall Incidence	Total	604/1293 (46.71%)	Mean 46.79%	SD 20.55%	Total	682/1247 (54.69%)	Mean 54.7%	SD 11.31%	
*Pituitary Gland: Pars Distalis or Unspecified Site:									
Carcinoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/49 (2%)			
		0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	2/50 (4%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	2/50 (4%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/49 (0%)	1/50 (2%)	0/50 (0%)	1/50 (2%)		
		0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)		
		0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	1/50 (2%)	0/49 (0%)	2/50 (4%)	0/49 (0%)	2/50 (4%)		
		0/48 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)			
Overall Incidence	Total	1/1293 (0.08%)	Mean 0.08%	SD 0.39%	Total	14/1247 (1.12%)	Mean 1.12%	SD 1.54%	
*Pituitary Gland: Pars Distalis or Unspecified Site:									
Carcinoma or Adenoma									
		19/50 (38%)	24/50 (48%)	35/49 (71%)	19/50 (38%)	26/50 (52%)	22/50 (44%)		
		37/50 (74%)	10/50 (20%)	20/50 (40%)	35/50 (70%)	25/49 (51%)			
		36/50 (72%)	32/50 (64%)	31/50 (62%)	36/50 (72%)	35/50 (70%)	31/50 (62%)		
		11/50 (22%)	20/50 (40%)	8/50 (16%)	24/50 (48%)	16/50 (32%)	25/50 (50%)		
		15/50 (30%)	19/50 (38%)	21/49 (43%)	25/50 (50%)	25/50 (50%)	30/50 (60%)		
		34/49 (69%)	13/50 (26%)	6/50 (12%)	35/50 (70%)	21/50 (42%)	25/50 (50%)		
		36/49 (73%)	11/50 (22%)	33/50 (66%)	30/50 (60%)	27/50 (54%)	25/50 (50%)		
		16/50 (32%)	37/50 (74%)	34/49 (69%)	30/50 (60%)	36/49 (73%)	38/50 (76%)		
		23/48 (48%)	24/50 (48%)		28/50 (56%)	27/49 (55%)			
Overall Incidence	Total	605/1293 (46.79%)	Mean 46.86%	SD 20.65%	Total	696/1247 (55.81%)	Mean 55.82%	SD 11.48%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 51
 Report Date: 03/20/2010

		Male						Female								
*Pituitary Gland: Pars Distalis or Unspecified Site:																
 Ganglioneuroma																
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)					
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)			
		0/48	(0%)	0/50	(0%)			0/50	(0%)	0/49	(0%)					
Overall Incidence	Total	1/1293 (0.08%)			Mean	0.08%	SD	0.39%	Total	1/1247 (0.08%)			Mean	0.08%	SD	0.4%

*Pituitary Gland: Pars Intermedia:																
 Adenoma																
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	1/50	(2%)	1/50	(2%)			
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/49	(0%)					
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	1/50	(2%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		1/49	(2%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/49	(0%)	1/50	(2%)			
		0/48	(0%)	0/50	(0%)			0/50	(0%)	0/49	(0%)					
Overall Incidence	Total	4/1293 (0.31%)			Mean	0.31%	SD	0.74%	Total	3/1247 (0.24%)			Mean	0.24%	SD	0.66%

*Pituitary Gland: Pars Intermedia:																
 Carcinoma or Adenoma																
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	1/50	(2%)	1/50	(2%)			
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/49	(0%)					
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	1/50	(2%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		1/49	(2%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/49	(0%)	1/50	(2%)			
		0/48	(0%)	0/50	(0%)			0/50	(0%)	0/49	(0%)					
Overall Incidence	Total	4/1293 (0.31%)			Mean	0.31%	SD	0.74%	Total	3/1247 (0.24%)			Mean	0.24%	SD	0.66%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 52
 Report Date: 03/20/2010

		Male						Female								
*Pituitary Gland: Pars Nervosa:																
Craniopharyngioma																
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/49	(0%)	1/50	(2%)			
		0/48	(0%)	0/50	(0%)			0/50	(0%)	0/49	(0%)					
Overall Incidence	Total	0/1293 (0%)			Mean	0%	SD	0%	Total	1/1247 (0.08%)			Mean	0.08%	SD	0.4%

*Prostate:																
Adenoma																
		0/50	(0%)	2/50	(4%)	0/50	(0%)									
		0/50	(0%)	0/50	(0%)	0/50	(0%)									
		0/50	(0%)	0/50	(0%)	0/50	(0%)									
		0/50	(0%)	1/50	(2%)	1/50	(2%)									
		0/50	(0%)	0/50	(0%)	0/49	(0%)									
		0/50	(0%)	0/50	(0%)	0/50	(0%)									
		0/49	(0%)	0/50	(0%)	0/50	(0%)									
		2/50	(4%)	0/50	(0%)	0/50	(0%)									
		0/50	(0%)	0/49	(0%)											
Overall Incidence	Total	6/1297 (0.46%)			Mean	0.46%	SD	1.17%								

*Prostate:																
Carcinoma or Adenoma																
		0/50	(0%)	2/50	(4%)	0/50	(0%)									
		0/50	(0%)	0/50	(0%)	0/50	(0%)									
		0/50	(0%)	0/50	(0%)	0/50	(0%)									
		0/50	(0%)	1/50	(2%)	1/50	(2%)									
		0/50	(0%)	0/50	(0%)	0/49	(0%)									
		0/50	(0%)	0/50	(0%)	0/50	(0%)									
		0/49	(0%)	0/50	(0%)	0/50	(0%)									
		2/50	(4%)	0/50	(0%)	0/50	(0%)									
		0/50	(0%)	0/49	(0%)											
Overall Incidence	Total	6/1297 (0.46%)			Mean	0.46%	SD	1.17%								

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 53
 Report Date: 03/20/2010

		Male						Female						
*Salivary Glands:														
Carcinoma														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	
		0/50	(0%)	0/48	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/49	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	2/1295 (0.15%)		Mean 0.15%		SD 0.54%		Total	0/1249 (0%)		Mean 0%		SD 0%	
*Salivary Glands:														
Carcinoma or Adenoma														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	
		0/50	(0%)	0/48	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/49	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	2/1295 (0.15%)		Mean 0.15%		SD 0.54%		Total	0/1249 (0%)		Mean 0%		SD 0%	
*Salivary Glands:														
Sarcoma														
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	
		0/50	(0%)	0/48	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	1/1295 (0.08%)		Mean 0.08%		SD 0.39%		Total	0/1249 (0%)		Mean 0%		SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 54
 Report Date: 03/20/2010

		Male				Female						
*Salivary Glands:												
Schwannoma Malignant												
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/49	(0%)	
		0/50	(0%)	0/48	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/49	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	1/1295 (0.08%)		Mean 0.08%		SD 0.39%		Total	0/1249 (0%)		Mean 0%	SD 0%

#Seminal Vesicle:												
Adenoma												
		0/50	(0%)	0/50	(0%)	0/50	(0%)					
		0/50	(0%)	0/50	(0%)	0/50	(0%)					
		0/50	(0%)	0/50	(0%)	0/50	(0%)					
		0/50	(0%)	1/50	(2%)	0/50	(0%)					
		0/50	(0%)	0/50	(0%)	0/49	(0%)					
		0/50	(0%)	0/50	(0%)	0/50	(0%)					
		0/49	(0%)	0/50	(0%)	0/50	(0%)					
		0/50	(0%)	0/50	(0%)	0/50	(0%)					
		0/50	(0%)	0/50	(0%)	0/50	(0%)					
Overall Incidence	Total	1/1298 (0.08%)		Mean 0.08%		SD 0.39%						

#Skeletal Muscle:												
Fibrous Histiocytoma												
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	1/49	(2%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	1/1298 (0.08%)		Mean 0.08%		SD 0.4%		Total	0/1250 (0%)		Mean 0%	SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 55
 Report Date: 03/20/2010

		Male				Female			
#Skeletal Muscle:									
Hemangiosarcoma									
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/1298 (0.08%)		Mean 0.08%	SD 0.39%	Total 0/1250 (0%)		Mean 0%	SD 0%

#Skeletal Muscle:									
Rhabdomyosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	1/50 (2%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	2/1298 (0.15%)		Mean 0.15%	SD 0.54%	Total 2/1250 (0.16%)		Mean 0.16%	SD 0.55%

#Skeletal Muscle:									
Rhabdomyosarcoma or Rhabdomyoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	1/50 (2%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	2/1298 (0.15%)		Mean 0.15%	SD 0.54%	Total 2/1250 (0.16%)		Mean 0.16%	SD 0.55%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 56
 Report Date: 03/20/2010

		Male				Female			
#Skin:									
Basal Cell Adenoma									
		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	1/50 (2%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	2/49 (4%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	
		1/49 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		2/50 (4%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)	2/50 (4%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	15/1298 (1.16%)		Mean 1.16%	SD 1.41%	Total 5/1250 (0.4%)		Mean 0.4%	SD 0.82%

#Skin:									
Basal Cell Adenoma or Basosquamous Tumor Benign									
		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	1/50 (2%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	2/49 (4%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	
		1/49 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		2/50 (4%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)	2/50 (4%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	15/1298 (1.16%)		Mean 1.16%	SD 1.41%	Total 5/1250 (0.4%)		Mean 0.4%	SD 0.82%

#Skin:									
Basal Cell Adenoma, Basosquamous Tumor Benign, or Trichoepithelioma									
		0/50 (0%)	3/50 (6%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	2/50 (4%)	1/50 (2%)	1/50 (2%)	
		1/50 (2%)	0/50 (0%)	2/49 (4%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	
		1/49 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	
		2/50 (4%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	
		3/50 (6%)	2/50 (4%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	21/1298 (1.62%)		Mean 1.62%	SD 1.88%	Total 8/1250 (0.64%)		Mean 0.64%	SD 1.11%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 57
 Report Date: 03/20/2010

		Male				Female			
#Skin:									
Basal Cell Carcinoma									
		1/50 (2%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)
		0/50 (0%)	3/50 (6%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	2/50 (4%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	11/1298 (0.85%)		Mean 0.85%	SD 1.52%	Total 2/1250 (0.16%)		Mean 0.16%	SD 0.55%

#Skin:									
Basal Cell Carcinoma or Basosquamous Tumor (malignant or NOS)									
		1/50 (2%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)
		0/50 (0%)	3/50 (6%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	2/50 (4%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	11/1298 (0.85%)		Mean 0.85%	SD 1.52%	Total 2/1250 (0.16%)		Mean 0.16%	SD 0.55%

#Skin:									
Basal Cell Carcinoma, Basal Cell Adenoma, Basosquamous Tumor (benign, malignant or NOS), or Trichoepithelioma									
		1/50 (2%)	4/50 (8%)	1/50 (2%)	0/50 (0%)	2/50 (4%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	1/50 (2%)	0/50 (0%)	2/50 (4%)	1/50 (2%)	1/50 (2%)	1/50 (2%)	1/50 (2%)
		1/50 (2%)	1/50 (2%)	2/49 (4%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	1/50 (2%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	1/50 (2%)
		1/49 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	1/50 (2%)	1/50 (2%)
		2/50 (4%)	4/50 (8%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	1/50 (2%)
		3/50 (6%)	4/50 (8%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	32/1298 (2.47%)		Mean 2.47%	SD 2.49%	Total 10/1250 (0.8%)		Mean 0.8%	SD 1.29%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 58
 Report Date: 03/20/2010

	Male				Female			
#Skin:								
Basal or Sq. Cell Carcinoma, Carcinoma, Basosq. Tumor (M or B), Basal Cell Adenoma, Adenoma, Papilloma, Sq Papilloma, Keratoacanthoma, Trichoepithelioma								
	5/50 (10%)	9/50 (18%)	2/50 (4%)	0/50 (0%)	2/50 (4%)	0/50 (0%)		
	1/50 (2%)	4/50 (8%)	1/50 (2%)	1/50 (2%)	0/50 (0%)	0/50 (0%)		
	5/50 (10%)	2/50 (4%)	1/50 (2%)	0/50 (0%)	1/50 (2%)	1/50 (2%)	1/50 (2%)	
	10/50 (20%)	2/50 (4%)	2/50 (4%)	4/50 (8%)	3/50 (6%)	1/50 (2%)	1/50 (2%)	
	4/50 (8%)	8/50 (16%)	2/49 (4%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
	2/50 (4%)	6/50 (12%)	3/50 (6%)	0/50 (0%)	1/50 (2%)	1/50 (2%)	1/50 (2%)	
	5/49 (10%)	3/50 (6%)	3/50 (6%)	1/50 (2%)	1/50 (2%)	1/50 (2%)	1/50 (2%)	
	5/50 (10%)	5/50 (10%)	5/50 (10%)	1/50 (2%)	1/50 (2%)	1/50 (2%)	1/50 (2%)	
	6/50 (12%)	11/50 (22%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	
Overall Incidence	Total	112/1298 (8.63%)	Mean 8.63%	SD 5.54%	Total	21/1250 (1.68%)	Mean 1.68%	SD 1.97%

#Skin:								
Fibroma								
	5/50 (10%)	11/50 (22%)	1/50 (2%)	3/50 (6%)	2/50 (4%)	2/50 (4%)		
	3/50 (6%)	4/50 (8%)	1/50 (2%)	2/50 (4%)	0/50 (0%)	0/50 (0%)		
	3/50 (6%)	7/50 (14%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	1/50 (2%)	
	6/50 (12%)	2/50 (4%)	5/50 (10%)	1/50 (2%)	0/50 (0%)	1/50 (2%)	1/50 (2%)	
	5/50 (10%)	5/50 (10%)	7/49 (14%)	1/50 (2%)	0/50 (0%)	1/50 (2%)	1/50 (2%)	
	4/50 (8%)	3/50 (6%)	3/50 (6%)	1/50 (2%)	1/50 (2%)	2/50 (4%)	2/50 (4%)	
	3/49 (6%)	3/50 (6%)	1/50 (2%)	1/50 (2%)	3/50 (6%)	1/50 (2%)	1/50 (2%)	
	8/50 (16%)	3/50 (6%)	4/50 (8%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
	7/50 (14%)	8/50 (16%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	113/1298 (8.71%)	Mean 8.71%	SD 5.07%	Total	25/1250 (2%)	Mean 2%	SD 1.83%

#Skin:								
Fibroma, Fibrosarcoma, Sarcoma, Myxoma, Myxosarcoma, or Fibrous Histiocytoma								
	6/50 (12%)	16/50 (32%)	3/50 (6%)	3/50 (6%)	2/50 (4%)	2/50 (4%)		
	3/50 (6%)	4/50 (8%)	4/50 (8%)	2/50 (4%)	0/50 (0%)	0/50 (0%)		
	3/50 (6%)	8/50 (16%)	2/50 (4%)	1/50 (2%)	0/50 (0%)	1/50 (2%)	1/50 (2%)	
	7/50 (14%)	3/50 (6%)	5/50 (10%)	1/50 (2%)	0/50 (0%)	3/50 (6%)	3/50 (6%)	
	6/50 (12%)	7/50 (14%)	7/49 (14%)	1/50 (2%)	0/50 (0%)	1/50 (2%)	1/50 (2%)	
	5/50 (10%)	4/50 (8%)	4/50 (8%)	1/50 (2%)	1/50 (2%)	3/50 (6%)	3/50 (6%)	
	4/49 (8%)	3/50 (6%)	1/50 (2%)	2/50 (4%)	3/50 (6%)	1/50 (2%)	1/50 (2%)	
	11/50 (22%)	6/50 (12%)	4/50 (8%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
	8/50 (16%)	9/50 (18%)		1/50 (2%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	143/1298 (11.02%)	Mean 11.02%	SD 6.33%	Total	31/1250 (2.48%)	Mean 2.48%	SD 2.02%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 59
 Report Date: 03/20/2010

		Male				Female			
#Skin:									
Fibrosarcoma									
		1/50 (2%)	3/50 (6%)	2/50 (4%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	2/50 (4%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	1/50 (2%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	1/50 (2%)	
		1/49 (2%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	3/50 (6%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)			0/50 (0%)	1/50 (2%)		
Overall Incidence	Total	17/1298 (1.31%)	Mean 1.31%	SD 1.87%	Total	4/1250 (0.32%)	Mean 0.32%	SD 0.75%	

#Skin:									
Fibrosarcoma, Sarcoma, Myxosarcoma, or Fibrous Histiocytoma									
		1/50 (2%)	6/50 (12%)	2/50 (4%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	3/50 (6%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)	1/50 (2%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	2/50 (4%)	
		1/50 (2%)	2/50 (4%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	1/50 (2%)	1/50 (2%)		0/50 (0%)	1/50 (2%)	1/50 (2%)	
		1/49 (2%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		3/50 (6%)	3/50 (6%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	1/50 (2%)			0/50 (0%)	1/50 (2%)		
Overall Incidence	Total	31/1298 (2.39%)	Mean 2.39%	SD 2.71%	Total	7/1250 (0.56%)	Mean 0.56%	SD 1.08%	

#Skin:									
Fibrous Histiocytoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)	1/50 (2%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	5/1298 (0.39%)	Mean 0.38%	SD 0.8%	Total	1/1250 (0.08%)	Mean 0.08%	SD 0.4%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 60
 Report Date: 03/20/2010

		Male				Female			
#Skin:									
Hemangioma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/1298 (0.08%)	Mean 0.08%	SD 0.39%	Total	0/1250 (0%)	Mean 0%	SD 0%	

#Skin:									
Hemangiosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/1298 (0.08%)	Mean 0.08%	SD 0.39%	Total	0/1250 (0%)	Mean 0%	SD 0%	

#Skin:									
Keratoacanthoma									
		3/50 (6%)	5/50 (10%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	3/50 (6%)	1/50 (2%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		4/50 (8%)	2/50 (4%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		8/50 (16%)	0/50 (0%)	2/50 (4%)		2/50 (4%)	2/50 (4%)	0/50 (0%)	
		2/50 (4%)	7/50 (14%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	4/50 (8%)	2/50 (4%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		4/49 (8%)	3/50 (6%)	2/50 (4%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		2/50 (4%)	1/50 (2%)	4/50 (8%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	6/50 (12%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	67/1298 (5.16%)	Mean 5.16%	SD 4.39%	Total	7/1250 (0.56%)	Mean 0.56%	SD 1.23%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 61
 Report Date: 03/20/2010

		Male						Female									
#Skin:																	
Lipoma																	
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)				
		2/50	(4%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)				
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)				
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)				
		0/50	(0%)	2/50	(4%)	1/49	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)				
		1/50	(2%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)				
		2/49	(4%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)				
		0/50	(0%)	0/50	(0%)	2/50	(4%)	0/50	(0%)	0/50	(0%)	0/50	(0%)				
		0/50	(0%)	1/50	(2%)			0/50	(0%)	0/50	(0%)	0/50	(0%)				
Overall Incidence	Total	16/1298 (1.23%)				Mean 1.24%		SD 1.51%		Total 0/1250 (0%)				Mean 0%		SD 0%	

#Skin:																	
Liposarcoma																	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)				
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)				
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)				
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)				
		0/50	(0%)	0/50	(0%)	1/49	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)				
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)				
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)				
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)				
		1/50	(2%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)				
Overall Incidence	Total	2/1298 (0.15%)				Mean 0.16%		SD 0.55%		Total 0/1250 (0%)				Mean 0%		SD 0%	

#Skin:																	
Neural Crest Tumor																	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)				
		1/50	(2%)	1/50	(2%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)				
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)				
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)				
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)				
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)				
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)				
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)				
		1/50	(2%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)				
Overall Incidence	Total	3/1298 (0.23%)				Mean 0.23%		SD 0.65%		Total 2/1250 (0.16%)				Mean 0.16%		SD 0.55%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 62
 Report Date: 03/20/2010

		Male				Female			
#Skin:									
Neural Crest Tumor, Malignant									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/1298 (0.08%)	Mean 0.08%	SD 0.39%	Total	0/1250 (0%)	Mean 0%	SD 0%	

#Skin:									
Neurofibroma or Schwannoma benign									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/1298 (0.08%)	Mean 0.08%	SD 0.39%	Total	1/1250 (0.08%)	Mean 0.08%	SD 0.4%	

#Skin:									
Neurofibrosarcoma or Schwannoma (malignant or NOS)									
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/49 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/49 (2%)	3/50 (6%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	9/1298 (0.69%)	Mean 0.69%	SD 1.38%	Total	2/1250 (0.16%)	Mean 0.16%	SD 0.55%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 63
 Report Date: 03/20/2010

		Male				Female			
#Skin:									
Neurofibrosarcoma, Neurofibroma, or Schwannoma (benign, malignant or NOS)									
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	2/50 (4%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	0/50 (0%)	0/49 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/49 (2%)	3/50 (6%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	1/50 (2%)
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	1/50 (2%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	10/1298 (0.77%)		Mean 0.77%	SD 1.51%	Total 3/1250 (0.24%)		Mean 0.24%	SD 0.66%

#Skin:									
Sarcoma									
		0/50 (0%)	3/50 (6%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	2/50 (4%)	2/50 (4%)
		0/50 (0%)	1/50 (2%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/49 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		2/50 (4%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	9/1298 (0.69%)		Mean 0.69%	SD 1.49%	Total 2/1250 (0.16%)		Mean 0.16%	SD 0.8%

#Skin:									
Schwannoma Benign									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/49 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	1/50 (2%)
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	1/1298 (0.08%)		Mean 0.08%	SD 0.39%	Total 1/1250 (0.08%)		Mean 0.08%	SD 0.4%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 64
 Report Date: 03/20/2010

		Male				Female			
#Skin:									
Schwannoma Malignant									
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/49 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/49 (2%)	3/50 (6%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	9/1298 (0.69%)		Mean 0.69%	SD 1.38%	Total 2/1250 (0.16%)		Mean 0.16%	SD 0.55%

#Skin:									
Squamous Cell Carcinoma									
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	6/1298 (0.46%)		Mean 0.46%	SD 0.86%	Total 3/1250 (0.24%)		Mean 0.24%	SD 0.66%

#Skin:									
Squamous Cell Carcinoma, Basal Cell Carcinoma, Basosquamous Tumor (malignant or NOS), or Carcinoma									
		1/50 (2%)	1/50 (2%)	1/50 (2%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	1/50 (2%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	2/50 (4%)	1/50 (2%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		1/50 (2%)	3/50 (6%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	2/50 (4%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	17/1298 (1.31%)		Mean 1.31%	SD 1.59%	Total 5/1250 (0.4%)		Mean 0.4%	SD 0.82%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 65
 Report Date: 03/20/2010

		Male				Female			
#Skin:									
Squamous Cell Papilloma									
		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/49 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		3/50 (6%)	1/50 (2%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	10/1298 (0.77%)	Mean 0.77%	SD 1.39%	Total	2/1250 (0.16%)	Mean 0.16%	SD 0.55%	

#Skin:									
Squamous Cell Papilloma or Papilloma									
		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/49 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		3/50 (6%)	1/50 (2%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	10/1298 (0.77%)	Mean 0.77%	SD 1.39%	Total	2/1250 (0.16%)	Mean 0.16%	SD 0.55%	

#Skin:									
Squamous Cell Papilloma, Papilloma, Squamous Cell Carcinoma or Keratoacanthoma									
		4/50 (8%)	5/50 (10%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	3/50 (6%)	1/50 (2%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		4/50 (8%)	2/50 (4%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	1/50 (2%)	1/50 (2%)	1/50 (2%)
		9/50 (18%)	1/50 (2%)	2/50 (4%)	2/50 (4%)	3/50 (6%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		3/50 (6%)	7/50 (14%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	6/50 (12%)	2/50 (4%)	0/50 (0%)	1/50 (2%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
		4/49 (8%)	3/50 (6%)	3/50 (6%)	0/50 (0%)	1/50 (2%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
		4/50 (8%)	1/50 (2%)	5/50 (10%)	1/50 (2%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		4/50 (8%)	7/50 (14%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	83/1298 (6.39%)	Mean 6.39%	SD 4.63%	Total	12/1250 (0.96%)	Mean 0.96%	SD 1.54%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 66
 Report Date: 03/20/2010

		Male				Female			
#Skin:									
Squamous Cell Papilloma, Papilloma, or Keratoacanthoma									
		4/50 (8%)	5/50 (10%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	3/50 (6%)	1/50 (2%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		4/50 (8%)	2/50 (4%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)
		9/50 (18%)	0/50 (0%)	2/50 (4%)	2/50 (4%)	3/50 (6%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		2/50 (4%)	7/50 (14%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	5/50 (10%)	2/50 (4%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		4/49 (8%)	3/50 (6%)	3/50 (6%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		3/50 (6%)	1/50 (2%)	5/50 (10%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		4/50 (8%)	7/50 (14%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	77/1298 (5.93%)	Mean 5.93%	SD 4.82%	Total	9/1250 (0.72%)	Mean 0.72%	SD 1.51%	

#Skin:									
Trichoepithelioma									
		0/50 (0%)	2/50 (4%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/49 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		3/50 (6%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	6/1298 (0.46%)	Mean 0.46%	SD 1.42%	Total	3/1250 (0.24%)	Mean 0.24%	SD 0.66%	

#Skin: Sebaceous Gland:									
Adenoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/49 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	2/50 (4%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	7/1298 (0.54%)	Mean 0.54%	SD 1.07%	Total	1/1250 (0.08%)	Mean 0.08%	SD 0.4%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 67
 Report Date: 03/20/2010

		Male				Female			
#Skin: Sebaceous Gland:									
 Carcinoma or Adenoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/49 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	2/50 (4%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	7/1298 (0.54%)		Mean 0.54%	SD 1.07%	Total 1/1250 (0.08%)		Mean 0.08%	SD 0.4%

#Spinal Cord:									
 Astrocytoma Benign									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/49 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/1298 (0%)		Mean 0%	SD 0%	Total 1/1250 (0.08%)		Mean 0.08%	SD 0.4%

#Spinal Cord:									
 Astrocytoma Malignant									
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/1298 (0.08%)		Mean 0.08%	SD 0.39%	Total 0/1250 (0%)		Mean 0%	SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 68
 Report Date: 03/20/2010

		Male						Female												
#Spinal Cord:																				
 Glioma Malignant																				
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	1/49	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
Overall Incidence	Total	1/1298 (0.08%)			Mean 0.08%			SD 0.4%			Total	1/1250 (0.08%)			Mean 0.08%			SD 0.4%		

*Spleen:																				
 Fibrosarcoma																				
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/48	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)							
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)							
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
Overall Incidence	Total	1/1295 (0.08%)			Mean 0.08%			SD 0.39%			Total	0/1246 (0%)			Mean 0%			SD 0%		

*Spleen:																				
 Fibrous Histiocytoma																				
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/48	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	1/49	(2%)	0/50	(0%)	0/50	(0%)	0/49	(0%)							
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)							
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
Overall Incidence	Total	1/1295 (0.08%)			Mean 0.08%			SD 0.4%			Total	0/1246 (0%)			Mean 0%			SD 0%		

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 69
 Report Date: 03/20/2010

		Male				Female				
*Spleen:										
Hemangiosarcoma										
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/48 (0%)	0/50 (0%)		
		0/50 (0%)	1/50 (2%)	0/49 (0%)		0/50 (0%)	0/50 (0%)			
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)		
		0/50 (0%)	1/50 (2%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)		
		0/49 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	2/50 (4%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/49 (0%)			0/50 (0%)	0/50 (0%)			
Overall Incidence	Total	2/1295 (0.15%)		Mean 0.15%	SD 0.54%	Total	3/1246 (0.24%)		Mean 0.24%	SD 0.88%

*Spleen:										
Leiomyosarcoma										
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/48 (0%)	0/50 (0%)		
		0/50 (0%)	1/50 (2%)	0/49 (0%)		0/50 (0%)	0/50 (0%)			
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)		
		1/50 (2%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)		
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)		
		0/49 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/49 (0%)			0/50 (0%)	0/50 (0%)			
Overall Incidence	Total	3/1295 (0.23%)		Mean 0.23%	SD 0.65%	Total	0/1246 (0%)		Mean 0%	SD 0%

*Spleen:										
Sarcoma										
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/48 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)			
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)		
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)		
		0/49 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/49 (0%)			0/50 (0%)	0/50 (0%)			
Overall Incidence	Total	1/1295 (0.08%)		Mean 0.08%	SD 0.39%	Total	0/1246 (0%)		Mean 0%	SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 70
 Report Date: 03/20/2010

		Male				Female			
#Stomach, Forestomach:									
Leiomyosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/1298 (0.08%)	Mean 0.08%	SD 0.39%	Total	0/1250 (0%)	Mean 0%	SD 0%	
#Stomach, Forestomach:									
Squamous Cell Carcinoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/49 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/1298 (0%)	Mean 0%	SD 0%	Total	1/1250 (0.08%)	Mean 0.08%	SD 0.4%	
#Stomach, Forestomach:									
Squamous Cell Carcinoma or Papilloma Squamous									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/49 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/1298 (0.08%)	Mean 0.08%	SD 0.39%	Total	3/1250 (0.24%)	Mean 0.24%	SD 0.66%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 71
 Report Date: 03/20/2010

		Male						Female								
#Stomach, Forestomach:																
Squamous Cell Papilloma																
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)			
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	1/1298 (0.08%)			Mean 0.08%		SD 0.39%		Total	2/1250 (0.16%)			Mean 0.16%		SD 0.55%	
#Stomach, Glandular:																
Carcinoma																
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/49	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	1/1298 (0.08%)			Mean 0.08%		SD 0.39%		Total	0/1250 (0%)			Mean 0%		SD 0%	
#Stomach, Glandular:																
Carcinoma or Adenoma																
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/49	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	1/1298 (0.08%)			Mean 0.08%		SD 0.39%		Total	0/1250 (0%)			Mean 0%		SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ALL ROUTES
Vehicle: ALL VEHICLES

Page: 72
 Report Date: 03/20/2010

		Male						Female								
#Stomach, Glandular:																
Lipoma																
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	1/1298 (0.08%)			Mean	0.08%	SD	0.39%	Total	0/1250 (0%)			Mean	0%	SD	0%
#Stomach, Glandular:																
Sarcoma																
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	0/1298 (0%)			Mean	0%	SD	0%	Total	1/1250 (0.08%)			Mean	0.08%	SD	0.4%
*Testes:																
Adenoma																
		42/50	(84%)	35/50	(70%)	30/50	(60%)									
		34/50	(68%)	46/50	(92%)	49/50	(98%)									
		36/50	(72%)	37/50	(74%)	36/50	(72%)									
		44/50	(88%)	45/50	(90%)	42/50	(84%)									
		48/50	(96%)	46/50	(92%)	37/49	(76%)									
		33/50	(66%)	46/50	(92%)	47/50	(94%)									
		38/49	(78%)	46/50	(92%)	37/50	(74%)									
		48/50	(96%)	29/50	(58%)	27/50	(54%)									
		46/50	(92%)	49/50	(98%)											
Overall Incidence	Total	1053/1298 (81.12%)			Mean	81.12%	SD	13.37%								

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 73
 Report Date: 03/20/2010

		Male				Female							
*Testes:													
Hemangioma													
		0/50	(0%)	0/50	(0%)	0/50	(0%)						
		0/50	(0%)	0/50	(0%)	0/50	(0%)						
		0/50	(0%)	0/50	(0%)	0/50	(0%)						
		0/50	(0%)	0/50	(0%)	0/50	(0%)						
		0/50	(0%)	0/50	(0%)	0/49	(0%)						
		0/50	(0%)	0/50	(0%)	0/50	(0%)						
		0/49	(0%)	0/50	(0%)	1/50	(2%)						
		0/50	(0%)	0/50	(0%)	0/50	(0%)						
		0/50	(0%)	0/50	(0%)								
Overall Incidence	Total	1/1298 (0.08%)		Mean 0.08%		SD 0.39%							

*Thymus:													
Thymoma Benign													
		0/50	(0%)	0/44	(0%)	0/49	(0%)	0/50	(0%)	0/48	(0%)	0/49	(0%)
		0/43	(0%)	0/48	(0%)	0/47	(0%)	1/46	(2%)	0/46	(0%)		
		0/49	(0%)	0/49	(0%)	0/44	(0%)	0/48	(0%)	0/45	(0%)	0/48	(0%)
		0/49	(0%)	0/50	(0%)	1/48	(2%)	0/48	(0%)	0/48	(0%)	0/49	(0%)
		0/48	(0%)	0/47	(0%)	0/48	(0%)	1/48	(2%)	0/47	(0%)	0/50	(0%)
		0/42	(0%)	0/41	(0%)	0/47	(0%)	1/50	(2%)	0/50	(0%)	0/49	(0%)
		1/47	(2%)	0/50	(0%)	0/47	(0%)	0/46	(0%)	0/50	(0%)	1/50	(2%)
		0/48	(0%)	0/47	(0%)	0/45	(0%)	0/50	(0%)	0/44	(0%)	0/47	(0%)
		0/49	(0%)	0/43	(0%)			0/50	(0%)	0/48	(0%)		
Overall Incidence	Total	2/1219 (0.16%)		Mean 0.16%		SD 0.57%		Total	4/1204 (0.33%)	Mean 0.33%		SD 0.77%	

*Thymus:													
Thymoma Malignant													
		0/50	(0%)	0/44	(0%)	0/49	(0%)	0/50	(0%)	0/48	(0%)	0/49	(0%)
		0/43	(0%)	0/48	(0%)	0/47	(0%)	0/46	(0%)	0/46	(0%)		
		0/49	(0%)	0/49	(0%)	0/44	(0%)	0/48	(0%)	0/45	(0%)	0/48	(0%)
		0/49	(0%)	0/50	(0%)	0/48	(0%)	0/48	(0%)	1/48	(2%)	0/49	(0%)
		0/48	(0%)	0/47	(0%)	0/48	(0%)	0/48	(0%)	0/47	(0%)	0/50	(0%)
		0/42	(0%)	0/41	(0%)	0/47	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)
		0/47	(0%)	0/50	(0%)	0/47	(0%)	0/46	(0%)	0/50	(0%)	0/50	(0%)
		0/48	(0%)	0/47	(0%)	0/45	(0%)	0/50	(0%)	0/44	(0%)	0/47	(0%)
		0/49	(0%)	0/43	(0%)			0/50	(0%)	0/48	(0%)		
Overall Incidence	Total	0/1219 (0%)		Mean 0%		SD 0%		Total	1/1204 (0.08%)	Mean 0.08%		SD 0.42%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 74
 Report Date: 03/20/2010

		Male						Female								
*Thymus:																
Thymoma NOS																
		0/50	(0%)	0/44	(0%)	0/49	(0%)	0/50	(0%)	0/48	(0%)	0/49	(0%)			
		0/43	(0%)	0/48	(0%)	0/47	(0%)	0/46	(0%)	0/46	(0%)					
		0/49	(0%)	0/49	(0%)	0/44	(0%)	0/48	(0%)	0/45	(0%)	1/48	(2%)			
		0/49	(0%)	0/50	(0%)	0/48	(0%)	0/48	(0%)	0/48	(0%)	0/49	(0%)			
		0/48	(0%)	0/47	(0%)	0/48	(0%)	0/48	(0%)	0/47	(0%)	0/50	(0%)			
		0/42	(0%)	0/41	(0%)	0/47	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)			
		0/47	(0%)	0/50	(0%)	0/47	(0%)	0/46	(0%)	0/50	(0%)	0/50	(0%)			
		0/48	(0%)	0/47	(0%)	0/45	(0%)	0/50	(0%)	0/44	(0%)	0/47	(0%)			
		0/49	(0%)	0/43	(0%)			0/50	(0%)	0/48	(0%)					
Overall Incidence	Total	0/1219 (0%)			Mean	0%	SD	0%	Total	1/1204 (0.08%)			Mean	0.08%	SD	0.42%

*Thymus:																
Thymoma: Benign, Malignant, NOS																
		0/50	(0%)	0/44	(0%)	0/49	(0%)	0/50	(0%)	0/48	(0%)	0/49	(0%)			
		0/43	(0%)	0/48	(0%)	0/47	(0%)	1/46	(2%)	0/46	(0%)					
		0/49	(0%)	0/49	(0%)	0/44	(0%)	0/48	(0%)	0/45	(0%)	1/48	(2%)			
		0/49	(0%)	0/50	(0%)	1/48	(2%)	0/48	(0%)	1/48	(2%)	0/49	(0%)			
		0/48	(0%)	0/47	(0%)	0/48	(0%)	1/48	(2%)	0/47	(0%)	0/50	(0%)			
		0/42	(0%)	0/41	(0%)	0/47	(0%)	1/50	(2%)	0/50	(0%)	0/49	(0%)			
		1/47	(2%)	0/50	(0%)	0/47	(0%)	0/46	(0%)	0/50	(0%)	1/50	(2%)			
		0/48	(0%)	0/47	(0%)	0/45	(0%)	0/50	(0%)	0/44	(0%)	0/47	(0%)			
		0/49	(0%)	0/43	(0%)			0/50	(0%)	0/48	(0%)					
Overall Incidence	Total	2/1219 (0.16%)			Mean	0.16%	SD	0.57%	Total	6/1204 (0.5%)			Mean	0.5%	SD	0.9%

*Thyroid Gland: C-Cell:																
Adenoma																
		3/50	(6%)	6/46	(13%)	10/50	(20%)	4/50	(8%)	4/42	(10%)	6/50	(12%)			
		5/50	(10%)	5/50	(10%)	6/50	(12%)	3/50	(6%)	3/49	(6%)					
		3/50	(6%)	10/50	(20%)	7/50	(14%)	3/50	(6%)	8/50	(16%)	4/50	(8%)			
		6/50	(12%)	11/50	(22%)	7/50	(14%)	5/50	(10%)	6/50	(12%)	4/50	(8%)			
		1/50	(2%)	9/50	(18%)	8/49	(16%)	11/50	(22%)	7/50	(14%)	5/50	(10%)			
		3/49	(6%)	5/48	(10%)	12/50	(24%)	2/50	(4%)	2/47	(4%)	5/50	(10%)			
		4/49	(8%)	8/50	(16%)	9/50	(18%)	3/50	(6%)	8/50	(16%)	7/50	(14%)			
		5/50	(10%)	5/50	(10%)	8/50	(16%)	8/50	(16%)	3/50	(6%)	3/50	(6%)			
		3/50	(6%)	10/49	(20%)			6/49	(12%)	6/46	(13%)					
Overall Incidence	Total	169/1290 (13.1%)			Mean	13.1%	SD	5.72%	Total	126/1233 (10.22%)			Mean	10.21%	SD	4.48%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 75
 Report Date: 03/20/2010

		Male				Female			
*Thyroid Gland: C-Cell: Carcinoma									
		1/50 (2%)	0/46 (0%)	1/50 (2%)	0/50 (0%)	3/42 (7%)	0/50 (0%)		
		4/50 (8%)	4/50 (8%)	1/50 (2%)	1/50 (2%)	1/49 (2%)			
		1/50 (2%)	2/50 (4%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	1/50 (2%)	
		0/50 (0%)	6/50 (12%)	0/49 (0%)	1/50 (2%)	3/50 (6%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)	1/48 (2%)	0/50 (0%)	1/50 (2%)	0/47 (0%)	0/50 (0%)	0/50 (0%)	
		3/49 (6%)	0/50 (0%)	0/50 (0%)	2/50 (4%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	2/50 (4%)	1/50 (2%)	2/50 (4%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	1/49 (2%)		1/49 (2%)	0/46 (0%)			
Overall Incidence	Total	32/1290 (2.48%)	Mean 2.47%	SD 3.01%	Total	16/1233 (1.3%)	Mean 1.33%	SD 2.03%	

*Thyroid Gland: C-Cell: Carcinoma or Adenoma									
		4/50 (8%)	6/46 (13%)	11/50 (22%)	4/50 (8%)	7/42 (17%)	6/50 (12%)		
		9/50 (18%)	9/50 (18%)	7/50 (14%)	4/50 (8%)	4/49 (8%)			
		3/50 (6%)	12/50 (24%)	8/50 (16%)	3/50 (6%)	8/50 (16%)	4/50 (8%)		
		6/50 (12%)	11/50 (22%)	8/50 (16%)	5/50 (10%)	6/50 (12%)	5/50 (10%)		
		1/50 (2%)	15/50 (30%)	8/49 (16%)	12/50 (24%)	9/50 (18%)	5/50 (10%)		
		3/49 (6%)	6/48 (13%)	12/50 (24%)	3/50 (6%)	2/47 (4%)	5/50 (10%)		
		7/49 (14%)	8/50 (16%)	9/50 (18%)	5/50 (10%)	8/50 (16%)	7/50 (14%)		
		6/50 (12%)	6/50 (12%)	8/50 (16%)	10/50 (20%)	3/50 (6%)	3/50 (6%)		
		4/50 (8%)	11/49 (22%)		7/49 (14%)	6/46 (13%)			
Overall Incidence	Total	198/1290 (15.35%)	Mean 15.34%	SD 6.44%	Total	141/1233 (11.44%)	Mean 11.46%	SD 4.95%	

*Thyroid Gland: Follicular Cell: Adenoma									
		3/50 (6%)	0/46 (0%)	0/50 (0%)	0/50 (0%)	0/42 (0%)	1/50 (2%)		
		0/50 (0%)	2/50 (4%)	0/50 (0%)	0/50 (0%)	0/49 (0%)			
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	1/50 (2%)	1/49 (2%)	1/50 (2%)	0/50 (0%)	1/50 (2%)		
		0/49 (0%)	0/48 (0%)	1/50 (2%)	0/50 (0%)	0/47 (0%)	0/50 (0%)		
		1/49 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		2/50 (4%)	0/49 (0%)		0/49 (0%)	1/46 (2%)			
Overall Incidence	Total	12/1290 (0.93%)	Mean 0.93%	SD 1.63%	Total	5/1233 (0.41%)	Mean 0.41%	SD 0.83%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 76
 Report Date: 03/20/2010

		Male				Female			
*Thyroid Gland: Follicular Cell: Carcinoma									
		0/50 (0%)	0/46 (0%)	0/50 (0%)		0/50 (0%)	0/42 (0%)	1/50 (2%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)		
		2/50 (4%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		2/50 (4%)	1/50 (2%)	0/49 (0%)		2/50 (4%)	1/50 (2%)	0/50 (0%)	
		0/49 (0%)	0/48 (0%)	2/50 (4%)		0/50 (0%)	1/47 (2%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/49 (0%)			0/49 (0%)	0/46 (0%)		
Overall Incidence	Total	11/1290 (0.85%)	Mean 0.85%	SD 1.41%	Total	5/1233 (0.41%)	Mean 0.41%	SD 1.01%	
*Thyroid Gland: Follicular Cell: Carcinoma or Adenoma									
		3/50 (6%)	0/46 (0%)	0/50 (0%)		0/50 (0%)	0/42 (0%)	2/50 (4%)	
		0/50 (0%)	2/50 (4%)	0/50 (0%)		0/50 (0%)	0/49 (0%)		
		2/50 (4%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		3/50 (6%)	2/50 (4%)	1/49 (2%)		2/50 (4%)	1/50 (2%)	1/50 (2%)	
		0/49 (0%)	0/48 (0%)	3/50 (6%)		0/50 (0%)	1/47 (2%)	0/50 (0%)	
		1/49 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		3/50 (6%)	0/49 (0%)			0/49 (0%)	1/46 (2%)		
Overall Incidence	Total	23/1290 (1.78%)	Mean 1.77%	SD 2.29%	Total	9/1233 (0.73%)	Mean 0.73%	SD 1.29%	
#Tissue NOS: Lipoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/49 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	1/1298 (0.08%)	Mean 0.08%	SD 0.4%	Total	0/1250 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 77
 Report Date: 03/20/2010

		Male						Female												
#Tissue NOS:																				
Paranglioma																				
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
Overall Incidence	Total	1/1298 (0.08%)			Mean 0.08%			SD 0.39%			Total	0/1250 (0%)			Mean 0%			SD 0%		
#Tongue:																				
Squamous Cell Carcinoma																				
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/49	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
Overall Incidence	Total	1/1298 (0.08%)			Mean 0.08%			SD 0.39%			Total	1/1250 (0.08%)			Mean 0.08%			SD 0.4%		
#Tongue:																				
Squamous Cell Carcinoma or Papilloma Squamous																				
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	1/50	(2%)							
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)							
		0/49	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	1/50	(2%)	1/50	(2%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	1/50	(2%)							
Overall Incidence	Total	6/1298 (0.46%)			Mean 0.46%			SD 0.86%			Total	5/1250 (0.4%)			Mean 0.4%			SD 0.82%		

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 78
 Report Date: 03/20/2010

		Male				Female			
#Tongue:									
Squamous Cell Papilloma									
		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)
		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)
		0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	5/1298 (0.39%)	Mean 0.38%	SD 0.8%	Total	4/1250 (0.32%)	Mean 0.32%	SD 0.75%	

#Tooth:									
Adamantinoma Malignant									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/1298 (0.08%)	Mean 0.08%	SD 0.39%	Total	0/1250 (0%)	Mean 0%	SD 0%	

#Tooth:									
Odontoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/1298 (0%)	Mean 0%	SD 0%	Total	2/1250 (0.16%)	Mean 0.16%	SD 0.55%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 79
 Report Date: 03/20/2010

		Male				Female			
*Urinary Bladder:									
 Carcinoma or Papilloma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	1/49 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/49 (0%)	0/50 (0%)	1/50 (2%)	0/49 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	4/1297 (0.31%)	Mean 0.31%	SD 0.74%	Total	0/1248 (0%)	Mean 0%	SD 0%	

*Urinary Bladder:									
 Hemangiosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/49 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/1297 (0.08%)	Mean 0.08%	SD 0.39%	Total	0/1248 (0%)	Mean 0%	SD 0%	

*Urinary Bladder:									
 Leiomyosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/49 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/1297 (0%)	Mean 0%	SD 0%	Total	1/1248 (0.08%)	Mean 0.08%	SD 0.4%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 80
 Report Date: 03/20/2010

		Male				Female			
*Urinary Bladder:									
Papilloma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	1/49 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/49 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)	1/50 (2%)		0/49 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	4/1297 (0.31%)		Mean 0.31%	SD 0.74%	Total	0/1248 (0%)		Mean 0%
									SD 0%
#Uterus:									
Adenoma									
						0/50 (0%)	0/50 (0%)	0/50 (0%)	
						0/50 (0%)	0/50 (0%)	0/50 (0%)	
						0/50 (0%)	0/50 (0%)	1/50 (2%)	
						0/50 (0%)	0/50 (0%)	0/50 (0%)	
						0/50 (0%)	0/50 (0%)	0/50 (0%)	
						0/50 (0%)	1/50 (2%)	0/50 (0%)	
						0/50 (0%)	0/50 (0%)	0/50 (0%)	
						1/50 (2%)	1/50 (2%)	0/50 (0%)	
						0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total					4/1250 (0.32%)		Mean 0.32%	SD 0.75%
#Uterus:									
Carcinoma									
						0/50 (0%)	0/50 (0%)	0/50 (0%)	
						0/50 (0%)	0/50 (0%)	0/50 (0%)	
						0/50 (0%)	0/50 (0%)	0/50 (0%)	
						0/50 (0%)	0/50 (0%)	0/50 (0%)	
						0/50 (0%)	0/50 (0%)	0/50 (0%)	
						0/50 (0%)	0/50 (0%)	1/50 (2%)	
						0/50 (0%)	0/50 (0%)	0/50 (0%)	
						0/50 (0%)	1/50 (2%)	0/50 (0%)	
						0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total					2/1250 (0.16%)		Mean 0.16%	SD 0.55%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 81
 Report Date: 03/20/2010

	Male				Female			
#Uterus:								
Deciduoma Benign								
		0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	1/50	(2%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	1/1250 (0.08%)		Mean 0.08%		SD 0.4%		

#Uterus:								
Hemangioma								
		0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	
		1/50	(2%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	1/1250 (0.08%)		Mean 0.08%		SD 0.4%		

#Uterus:								
Hemangiosarcoma								
		0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	
		1/50	(2%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	1/50	(2%)	0/50	(0%)	
Overall Incidence	Total	2/1250 (0.16%)		Mean 0.16%		SD 0.55%		

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 82
 Report Date: 03/20/2010

	Male				Female			
#Uterus:								
Leiomyosarcoma								
		0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	1/50	(2%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	1/1250 (0.08%)		Mean 0.08%		SD 0.4%		

#Uterus:								
Polyp Stromal								
		9/50	(18%)	17/50	(34%)	5/50	(10%)	
		8/50	(16%)	10/50	(20%)			
		13/50	(26%)	2/50	(4%)	8/50	(16%)	
		7/50	(14%)	8/50	(16%)	14/50	(28%)	
		8/50	(16%)	8/50	(16%)	7/50	(14%)	
		6/50	(12%)	10/50	(20%)	8/50	(16%)	
		12/50	(24%)	5/50	(10%)	7/50	(14%)	
		10/50	(20%)	6/50	(12%)	9/50	(18%)	
		9/50	(18%)	13/50	(26%)			
Overall Incidence	Total	219/1250 (17.52%)		Mean 17.52%		SD 6.44%		

#Uterus:								
Sarcoma								
		0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	1/50	(2%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	1/1250 (0.08%)		Mean 0.08%		SD 0.4%		

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 83
 Report Date: 03/20/2010

	Male			Female		
#Uterus:						
Sarcoma Stromal						
	0/50	(0%)	0/50	(0%)	1/50	(2%)
	2/50	(4%)	0/50	(0%)		
	1/50	(2%)	1/50	(2%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	1/50	(2%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	6/1250 (0.48%)	Mean	0.48%	SD	1.05%
#Uterus:						
Sarcoma Stromal or Polyp Stromal						
	9/50	(18%)	17/50	(34%)	6/50	(12%)
	10/50	(20%)	10/50	(20%)		
	14/50	(28%)	3/50	(6%)	8/50	(16%)
	7/50	(14%)	8/50	(16%)	14/50	(28%)
	8/50	(16%)	8/50	(16%)	7/50	(14%)
	6/50	(12%)	10/50	(20%)	8/50	(16%)
	12/50	(24%)	5/50	(10%)	7/50	(14%)
	10/50	(20%)	6/50	(12%)	9/50	(18%)
	9/50	(18%)	13/50	(26%)		
Overall Incidence	Total	224/1250 (17.92%)	Mean	17.92%	SD	6.31%
#Uterus:						
Schwannoma Malignant						
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)		
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	1/50	(2%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	2/1250 (0.16%)	Mean	0.16%	SD	0.55%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 84
 Report Date: 03/20/2010

		Male				Female								
#Vagina:														
Polyp														
					0/50	(0%)	0/50	(0%)	0/50	(0%)				
					0/50	(0%)	0/50	(0%)						
					2/50	(4%)	0/50	(0%)	0/50	(0%)				
					0/50	(0%)	0/50	(0%)	0/50	(0%)				
					0/50	(0%)	1/50	(2%)	0/50	(0%)				
					0/50	(0%)	0/50	(0%)	0/50	(0%)				
					0/50	(0%)	0/50	(0%)	0/50	(0%)				
					0/50	(0%)	0/50	(0%)	1/50	(2%)				
					0/50	(0%)	0/50	(0%)						
Overall Incidence					Total	4/1250	(0.32%)	Mean	0.32%	SD	0.95%			

#Vagina:														
Sarcoma														
					0/50	(0%)	0/50	(0%)	0/50	(0%)				
					1/50	(2%)	0/50	(0%)						
					0/50	(0%)	0/50	(0%)	0/50	(0%)				
					0/50	(0%)	0/50	(0%)	0/50	(0%)				
					0/50	(0%)	0/50	(0%)	0/50	(0%)				
					0/50	(0%)	0/50	(0%)	0/50	(0%)				
					0/50	(0%)	0/50	(0%)	0/50	(0%)				
					0/50	(0%)	0/50	(0%)	0/50	(0%)				
					0/50	(0%)	0/50	(0%)	0/50	(0%)				
Overall Incidence					Total	1/1250	(0.08%)	Mean	0.08%	SD	0.4%			

#Zymbal's Gland:														
Adenoma														
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	2/50	(4%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)			
Overall Incidence	Total	4/1298	(0.31%)	Mean	0.31%	SD	0.93%	Total	0/1250	(0%)	Mean	0%	SD	0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 85
 Report Date: 03/20/2010

		Male						Female												
#Zymbal's Gland:																				
Carcinoma																				
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	1/50	(2%)	1/50	(2%)	1/50	(2%)	1/50	(2%)							
		1/50	(2%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	2/50	(4%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/49	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	1/50	(2%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	1/50	(2%)	0/50	(0%)							
		1/50	(2%)	0/50	(0%)			0/50	(0%)	0/50	(0%)									
Overall Incidence	Total	6/1298 (0.46%)			Mean 0.46%			SD 1.03%			Total	6/1250 (0.48%)			Mean 0.48%			SD 0.87%		

#Zymbal's Gland:																				
Carcinoma or Adenoma																				
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	1/50	(2%)	1/50	(2%)	1/50	(2%)	1/50	(2%)							
		1/50	(2%)	0/50	(0%)	2/50	(4%)	1/50	(2%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	2/50	(4%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/49	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	1/50	(2%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	1/50	(2%)	1/50	(2%)	1/50	(2%)	0/50	(0%)							
		1/50	(2%)	0/50	(0%)			0/50	(0%)	0/50	(0%)									
Overall Incidence	Total	10/1298 (0.77%)			Mean 0.77%			SD 1.27%			Total	6/1250 (0.48%)			Mean 0.48%			SD 0.87%		

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied