

Version: Mar2010  
Contract/Lab: All Laboratories  
Species: MICE  
Strain: B6C3F1  
Length of Study: CHRONIC

**Toxicology Data Management System**  
Tumor Incidence for Selected Control Animal Groups  
Route: GAVAGE  
Vehicle: METHYLCELLULOSE

Page: 54  
Report Date: 03/22/2010

**Study Summary**

Laboratory Name	Study Number	Study Start Date	Length of Study in Days	Number of Animals Total and (#/Cage)	Number Surviving and (Mean Life Span)	Maximum Mean Weekly Body Weight	Chemical
<b>Male</b>							
Southern Research Institute	059902408	12/16/02	729	50(1)	36(687)	53.8	Androstenedione
Southern Research Institute	059903706	06/30/03	729	50(1)	40(701)	53.9	alpha/beta Thujone mixture
<b>Female</b>							
Southern Research Institute	059902408	12/16/02	733	50(5)	35(690)	65.3	Androstenedione
Southern Research Institute	059903706	06/30/03	731	50(5)	37(668)	64.7	alpha/beta Thujone mixture

Version: Mar2010  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: GAVAGE  
 Vehicle: METHYLCELLULOSE

Page: 55  
 Report Date: 03/22/2010

		Male			Female			
<b>#All Organs:</b>								
<b>Benign Tumors</b>								
		38/50 (76%)	32/50 (64%)		27/50 (54%)	22/50 (44%)		
<b>Overall Incidence</b>	Total	70/100 (70%)	Mean 70%	SD 8.49%	Total	49/100 (49%)	Mean 49%	SD 7.07%
.....								
<b>#All Organs:</b>								
<b>Malignant Tumors</b>								
		37/50 (74%)	30/50 (60%)		27/50 (54%)	19/50 (38%)		
<b>Overall Incidence</b>	Total	67/100 (67%)	Mean 67%	SD 9.9%	Total	46/100 (46%)	Mean 46%	SD 11.31%
.....								
<b>#All Organs:</b>								
<b>Malignant and Benign Tumors</b>								
		47/50 (94%)	45/50 (90%)		40/50 (80%)	35/50 (70%)		
<b>Overall Incidence</b>	Total	92/100 (92%)	Mean 92%	SD 2.83%	Total	75/100 (75%)	Mean 75%	SD 7.07%
.....								
<b>#All Organs:</b>								
<b>Hemangioma</b>								
		1/50 (2%)	0/50 (0%)		1/50 (2%)	0/50 (0%)		
<b>Overall Incidence</b>	Total	1/100 (1%)	Mean 1%	SD 1.41%	Total	1/100 (1%)	Mean 1%	SD 1.41%
.....								
<b>#All Organs:</b>								
<b>Hemangiosarcoma</b>								
		5/50 (10%)	4/50 (8%)		1/50 (2%)	1/50 (2%)		
<b>Overall Incidence</b>	Total	9/100 (9%)	Mean 9%	SD 1.41%	Total	2/100 (2%)	Mean 2%	SD 0%
.....								
<b>#All Organs:</b>								
<b>Hemangiosarcoma or Hemangioma</b>								
		5/50 (10%)	4/50 (8%)		2/50 (4%)	1/50 (2%)		
<b>Overall Incidence</b>	Total	9/100 (9%)	Mean 9%	SD 1.41%	Total	3/100 (3%)	Mean 3%	SD 1.41%
.....								

\*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Mar2010  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: GAVAGE  
 Vehicle: METHYLCELLULOSE

Page: 56  
 Report Date: 03/22/2010

		Male				Female			
<b>#All Organs:</b>									
<b>Histiocytic Sarcoma</b>									
		0/50	(0%)	1/50	(2%)	2/50	(4%)	2/50	(4%)
<b>Overall Incidence</b>	Total	1/100	(1%)	Mean 1%	SD 1.41%	Total	4/100	(4%)	Mean 4%
.....									
<b>#All Organs:</b>									
<b>Malignant Lymphoma: Histiocytic, Lymphocytic, Mixed, NOS, or Undifferentiated Cell Type</b>									
		4/50	(8%)	4/50	(8%)	14/50	(28%)	6/50	(12%)
<b>Overall Incidence</b>	Total	8/100	(8%)	Mean 8%	SD 0%	Total	20/100	(20%)	Mean 20%
.....									
<b>#All Organs:</b>									
<b>Mesothelioma: Benign, Malignant, NOS</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%
.....									
<b>#All Organs:</b>									
<b>Mesothelioma: Malignant</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%
.....									
<b>#All Organs:</b>									
<b>Osteoma</b>									
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	1/100	(1%)	Mean 1%	SD 1.41%	Total	0/100	(0%)	Mean 0%
.....									
<b>#All Organs:</b>									
<b>Osteosarcoma</b>									
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	1/100	(1%)	Mean 1%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Mar2010  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: GAVAGE  
 Vehicle: METHYLCELLULOSE

Page: 57  
 Report Date: 03/22/2010

		Male				Female					
<b>#All Organs:</b>											
<b>Osteosarcoma or Osteoma</b>											
		0/50	(0%)	1/50	(2%)			1/50	(2%)	0/50	(0%)
<b>Overall Incidence</b>	Total	1/100	(1%)	Mean 1%	SD 1.41%	Total	1/100	(1%)	Mean 1%	SD 1.41%	
.....											
<b>*Adrenal Cortex:</b>											
<b>Adenoma</b>											
		1/50	(2%)	2/50	(4%)			0/50	(0%)	1/50	(2%)
<b>Overall Incidence</b>	Total	3/100	(3%)	Mean 3%	SD 1.41%	Total	1/100	(1%)	Mean 1%	SD 1.41%	
.....											
<b>*Adrenal Cortex:</b>											
<b>Plasma Cell Tumor Malignant</b>											
		0/50	(0%)	0/50	(0%)			0/50	(0%)	1/50	(2%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	1/100	(1%)	Mean 1%	SD 1.41%	
.....											
<b>*Adrenal Medulla:</b>											
<b>Pheochromocytoma Benign</b>											
		0/49	(0%)	0/49	(0%)			0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/98	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%	SD 0%	
.....											
<b>*Adrenal Medulla:</b>											
<b>Pheochromocytoma Complex</b>											
		0/49	(0%)	0/49	(0%)			0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/98	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%	SD 0%	
.....											
<b>*Adrenal Medulla:</b>											
<b>Pheochromocytoma Malignant</b>											
		0/49	(0%)	1/49	(2%)			0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	1/98	(1.02%)	Mean 1.02%	SD 1.44%	Total	0/100	(0%)	Mean 0%	SD 0%	

\*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Mar2010  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: GAVAGE  
 Vehicle: METHYLCELLULOSE

Page: 58  
 Report Date: 03/22/2010

	Male				Female			
<b>*Adrenal Medulla:</b>								
<b>Pheochromocytoma: Benign, Complex, Malignant, NOS</b>								
		0/49 (0%)	1/49 (2%)		0/50 (0%)	0/50 (0%)		
<b>Overall Incidence</b>	Total	1/98 (1.02%)	Mean 1.02%	SD 1.44%	Total	0/100 (0%)	Mean 0%	SD 0%
.....								
<b>*Bone Marrow:</b>								
<b>Hemangioma</b>								
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)		
<b>Overall Incidence</b>	Total	0/100 (0%)	Mean 0%	SD 0%	Total	0/100 (0%)	Mean 0%	SD 0%
.....								
<b>*Bone Marrow:</b>								
<b>Hemangiosarcoma</b>								
		0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)		
<b>Overall Incidence</b>	Total	0/100 (0%)	Mean 0%	SD 0%	Total	1/100 (1%)	Mean 1%	SD 1.41%
.....								
<b>*Bone Marrow:</b>								
<b>Plasma Cell Tumor Malignant</b>								
		0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)		
<b>Overall Incidence</b>	Total	0/100 (0%)	Mean 0%	SD 0%	Total	1/100 (1%)	Mean 1%	SD 1.41%
.....								
<b>#Bone:</b>								
<b>Hemangiosarcoma</b>								
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)		
<b>Overall Incidence</b>	Total	0/100 (0%)	Mean 0%	SD 0%	Total	0/100 (0%)	Mean 0%	SD 0%
.....								
<b>#Bone:</b>								
<b>Osteoma</b>								
		0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)		
<b>Overall Incidence</b>	Total	1/100 (1%)	Mean 1%	SD 1.41%	Total	0/100 (0%)	Mean 0%	SD 0%

\*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Mar2010  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: GAVAGE  
 Vehicle: METHYLCELLULOSE

Page: 59  
 Report Date: 03/22/2010

		Male				Female			
<b>#Bone:</b>									
<b>Osteosarcoma</b>									
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	1/100	(1%)	Mean 1%
									SD 1.41%
.....									
<b>#Bone:</b>									
<b>Osteosarcoma or Osteoma</b>									
		0/50	(0%)	1/50	(2%)	1/50	(2%)	0/50	(0%)
<b>Overall Incidence</b>	Total	1/100	(1%)	Mean 1%	SD 1.41%	Total	1/100	(1%)	Mean 1%
									SD 1.41%
.....									
<b>*Brain:</b>									
<b>Meningioma Benign</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%
									SD 0%
.....									
<b>*Brain:</b>									
<b>Meningioma Malignant</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%
									SD 0%
.....									
<b>*Brain:</b>									
<b>Meningioma: Benign, Malignant, NOS</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%
									SD 0%
.....									
<b>*Brain:</b>									
<b>Schwannoma Malignant</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	1/100	(1%)	Mean 1%
									SD 1.41%
.....									

\*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Mar2010  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: GAVAGE  
 Vehicle: METHYLCELLULOSE

Page: 60  
 Report Date: 03/22/2010

		Male				Female			
<b>*Clitoral/Preputial Gland: Adenoma</b>									
		0/50	(0%)	0/49	(0%)	0/47	(0%)	0/48	(0%)
<b>Overall Incidence</b>	Total	0/99	(0%)	Mean 0%	SD 0%	Total	0/95	(0%)	Mean 0% SD 0%
.....									
<b>*Clitoral/Preputial Gland: Carcinoma</b>									
		0/50	(0%)	0/49	(0%)	0/47	(0%)	0/48	(0%)
<b>Overall Incidence</b>	Total	0/99	(0%)	Mean 0%	SD 0%	Total	0/95	(0%)	Mean 0% SD 0%
.....									
<b>*Clitoral/Preputial Gland: Carcinoma or Adenoma</b>									
		0/50	(0%)	0/49	(0%)	0/47	(0%)	0/48	(0%)
<b>Overall Incidence</b>	Total	0/99	(0%)	Mean 0%	SD 0%	Total	0/95	(0%)	Mean 0% SD 0%
.....									
<b>*Clitoral/Preputial Gland: Hemangioma</b>									
		0/50	(0%)	0/49	(0%)	0/47	(0%)	0/48	(0%)
<b>Overall Incidence</b>	Total	0/99	(0%)	Mean 0%	SD 0%	Total	0/95	(0%)	Mean 0% SD 0%
.....									
<b>*Clitoral/Preputial Gland: Hemangiosarcoma</b>									
		0/50	(0%)	0/49	(0%)	0/47	(0%)	0/48	(0%)
<b>Overall Incidence</b>	Total	0/99	(0%)	Mean 0%	SD 0%	Total	0/95	(0%)	Mean 0% SD 0%
.....									
<b>*Clitoral/Preputial Gland: Squamous Cell Carcinoma</b>									
		0/50	(0%)	0/49	(0%)	0/47	(0%)	0/48	(0%)
<b>Overall Incidence</b>	Total	0/99	(0%)	Mean 0%	SD 0%	Total	0/95	(0%)	Mean 0% SD 0%

\*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Mar2010  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: GAVAGE  
 Vehicle: METHYLCELLULOSE

Page: 61  
 Report Date: 03/22/2010

		Male				Female			
<b>#Esophagus:</b>									
<b>Squamous Cell Carcinoma</b>									
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)			
<b>Overall Incidence</b>	Total	0/100 (0%)	Mean 0%	SD 0%	Total	0/100 (0%)	Mean 0%	SD 0%	
.....									
<b>#Eye:</b>									
<b>Sarcoma</b>									
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)			
<b>Overall Incidence</b>	Total	0/100 (0%)	Mean 0%	SD 0%	Total	0/100 (0%)	Mean 0%	SD 0%	
.....									
<b>#Harderian Gland:</b>									
<b>Adenoma</b>									
		7/50 (14%)	8/50 (16%)		9/50 (18%)	5/50 (10%)			
<b>Overall Incidence</b>	Total	15/100 (15%)	Mean 15%	SD 1.41%	Total	14/100 (14%)	Mean 14%	SD 5.66%	
.....									
<b>#Harderian Gland:</b>									
<b>Carcinoma</b>									
		2/50 (4%)	2/50 (4%)		1/50 (2%)	1/50 (2%)			
<b>Overall Incidence</b>	Total	4/100 (4%)	Mean 4%	SD 0%	Total	2/100 (2%)	Mean 2%	SD 0%	
.....									
<b>#Harderian Gland:</b>									
<b>Carcinoma or Adenoma</b>									
		9/50 (18%)	10/50 (20%)		10/50 (20%)	6/50 (12%)			
<b>Overall Incidence</b>	Total	19/100 (19%)	Mean 19%	SD 1.41%	Total	16/100 (16%)	Mean 16%	SD 5.66%	
.....									
<b>#Harderian Gland:</b>									
<b>Sarcoma</b>									
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)			
<b>Overall Incidence</b>	Total	0/100 (0%)	Mean 0%	SD 0%	Total	0/100 (0%)	Mean 0%	SD 0%	

\*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied



Version: Mar2010  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: GAVAGE  
 Vehicle: METHYLCELLULOSE

Page: 62  
 Report Date: 03/22/2010

		Male				Female			
<b>*Heart:</b>									
<b>Hemangioma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0% SD 0%
.....									
<b>*Heart:</b>									
<b>Hemangiosarcoma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0% SD 0%
.....									
<b>#Intestine Large: Cecum:</b>									
<b>Carcinoma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0% SD 0%
.....									
<b>#Intestine Large: Cecum:</b>									
<b>Carcinoma or Adenoma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0% SD 0%
.....									
<b>#Intestine Large: Cecum:</b>									
<b>Leiomyoma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0% SD 0%
.....									
<b>#Intestine Large: Colon/Rectum:</b>									
<b>Leiomyosarcoma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0% SD 0%

\*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Mar2010  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: GAVAGE  
 Vehicle: METHYLCELLULOSE

Page: 63  
 Report Date: 03/22/2010

		Male				Female					
<b>#Intestine Small: Duodenum:</b>											
<b>Adenoma</b>											
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%	SD 0%	
.....											
<b>#Intestine Small: Duodenum:</b>											
<b>Carcinoma</b>											
		1/50	(2%)	0/50	(0%)			0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	1/100	(1%)	Mean 1%	SD 1.41%	Total	0/100	(0%)	Mean 0%	SD 0%	
.....											
<b>#Intestine Small: Duodenum:</b>											
<b>Leiomyosarcoma</b>											
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%	SD 0%	
.....											
<b>#Intestine Small: Duodenum:</b>											
<b>Polyp Adenomatous</b>											
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%	SD 0%	
.....											
<b>#Intestine Small: Ileum:</b>											
<b>Carcinoma</b>											
		1/50	(2%)	0/50	(0%)			0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	1/100	(1%)	Mean 1%	SD 1.41%	Total	0/100	(0%)	Mean 0%	SD 0%	
.....											
<b>#Intestine Small: Ileum:</b>											
<b>Hemangiosarcoma</b>											
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%	SD 0%	

\*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Mar2010  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: GAVAGE  
 Vehicle: METHYLCELLULOSE

Page: 64  
 Report Date: 03/22/2010

		Male				Female			
<b>#Intestine Small: Ileum: Polyp Adenomatous</b>									
<b>Overall Incidence</b>	Total	0/50 (0%) 0/100 (0%)	0/50 (0%) Mean 0%	SD 0%	Total	0/50 (0%) 0/100 (0%)	0/50 (0%) Mean 0%	SD 0%	
<b>#Intestine Small: Jejunum: Adenoma</b>									
<b>Overall Incidence</b>	Total	0/50 (0%) 0/100 (0%)	0/50 (0%) Mean 0%	SD 0%	Total	0/50 (0%) 0/100 (0%)	0/50 (0%) Mean 0%	SD 0%	
<b>#Intestine Small: Jejunum: Carcinoma</b>									
<b>Overall Incidence</b>	Total	1/50 (2%) 1/100 (1%)	0/50 (0%) Mean 1%	SD 1.41%	Total	0/50 (0%) 0/100 (0%)	0/50 (0%) Mean 0%	SD 0%	
<b>#Intestine Small: Jejunum: Hemangiosarcoma</b>									
<b>Overall Incidence</b>	Total	0/50 (0%) 0/100 (0%)	0/50 (0%) Mean 0%	SD 0%	Total	0/50 (0%) 0/100 (0%)	0/50 (0%) Mean 0%	SD 0%	
<b>#Intestine Small: Jejunum: Leiomyosarcoma</b>									
<b>Overall Incidence</b>	Total	0/50 (0%) 1/100 (1%)	1/50 (2%) Mean 1%	SD 1.41%	Total	0/50 (0%) 0/100 (0%)	0/50 (0%) Mean 0%	SD 0%	
<b>#Intestine Small: Site Unspecified: Adenoma</b>									
<b>Overall Incidence</b>	Total	0/50 (0%) 0/100 (0%)	0/50 (0%) Mean 0%	SD 0%	Total	0/50 (0%) 0/100 (0%)	0/50 (0%) Mean 0%	SD 0%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Mar2010  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: GAVAGE  
 Vehicle: METHYLCELLULOSE

Page: 65  
 Report Date: 03/22/2010

		Male				Female					
<b>#Intestine Small: Site Unspecified: Carcinoma</b>											
		3/50	(6%)	0/50	(0%)			0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	3/100	(3%)	Mean 3%	SD 4.24%	Total	0/100	(0%)	Mean 0%	SD 0%	
.....											
<b>#Intestine Small: Site Unspecified: Carcinoma or Adenoma</b>											
		3/50	(6%)	0/50	(0%)			0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	3/100	(3%)	Mean 3%	SD 4.24%	Total	0/100	(0%)	Mean 0%	SD 0%	
.....											
<b>#Intestine Small: Site Unspecified: Hemangiosarcoma</b>											
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%	SD 0%	
.....											
<b>#Intestine Small: Site Unspecified: Leiomyosarcoma</b>											
		0/50	(0%)	1/50	(2%)			0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	1/100	(1%)	Mean 1%	SD 1.41%	Total	0/100	(0%)	Mean 0%	SD 0%	
.....											
<b>#Intestine Small: Site Unspecified: Polyp Adenomatous</b>											
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%	SD 0%	
.....											
<b>*Islets, Pancreatic: Adenoma</b>											
		2/50	(4%)	4/50	(8%)			0/49	(0%)	1/48	(2%)
<b>Overall Incidence</b>	Total	6/100	(6%)	Mean 6%	SD 2.83%	Total	1/97	(1.03%)	Mean 1.04%	SD 1.47%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Mar2010  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: GAVAGE  
 Vehicle: METHYLCELLULOSE

Page: 66  
 Report Date: 03/22/2010

		Male				Female					
<b>*Islets, Pancreatic:</b>											
<b>  Carcinoma</b>											
		0/50	(0%)	0/50	(0%)			0/49	(0%)	0/48	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/97	(0%)	Mean 0%	SD 0%	
.....											
<b>*Islets, Pancreatic:</b>											
<b>  Carcinoma or Adenoma</b>											
		2/50	(4%)	4/50	(8%)			0/49	(0%)	1/48	(2%)
<b>Overall Incidence</b>	Total	6/100	(6%)	Mean 6%	SD 2.83%	Total	1/97	(1.03%)	Mean 1.04%	SD 1.47%	
.....											
<b>*Kidney: Renal Tubule:</b>											
<b>  Adenoma</b>											
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%	SD 0%	
.....											
<b>*Kidney: Renal Tubule:</b>											
<b>  Carcinoma</b>											
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%	SD 0%	
.....											
<b>*Kidney: Renal Tubule:</b>											
<b>  Carcinoma or Adenoma</b>											
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%	SD 0%	
.....											
<b>*Kidney: Renal Tubule:</b>											
<b>  Hemangioma</b>											
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%	SD 0%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Mar2010  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: GAVAGE  
 Vehicle: METHYLCELLULOSE

Page: 67  
 Report Date: 03/22/2010

		Male				Female				
<b>*Kidney: Renal Tubule: Hemangiosarcoma</b>										
<b>Overall Incidence</b>	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%
		0/100 (0%)					0/100 (0%)			
<b>*Kidney: Renal Tubule: Plasma Cell Tumor Malignant</b>										
<b>Overall Incidence</b>	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	1/50 (2%)	Mean 1%	SD 1.41%
		0/100 (0%)					1/100 (1%)			
<b>*Kidney: Renal Tubule: Sarcoma</b>										
<b>Overall Incidence</b>	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%
		0/100 (0%)					0/100 (0%)			
<b>*Liver: Fibrous Histiocytoma</b>										
<b>Overall Incidence</b>	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%
		0/100 (0%)					0/100 (0%)			
<b>*Liver: Hemangioma</b>										
<b>Overall Incidence</b>	Total	1/50 (2%)	0/50 (0%)	Mean 1%	SD 1.41%	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%
		1/100 (1%)					0/100 (0%)			
<b>*Liver: Hemangiosarcoma</b>										
<b>Overall Incidence</b>	Total	3/50 (6%)	2/50 (4%)	Mean 5%	SD 1.41%	Total	0/50 (0%)	1/50 (2%)	Mean 1%	SD 1.41%
		5/100 (5%)					1/100 (1%)			

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Mar2010  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: GAVAGE  
 Vehicle: METHYLCELLULOSE

Page: 68  
 Report Date: 03/22/2010

		Male			Female		
<b>*Liver:</b>							
<b>Hepatoblastoma</b>							
		3/50 (6%)	3/50 (6%)		0/50 (0%)	0/50 (0%)	
<b>Overall Incidence</b>	Total	6/100 (6%)	Mean 6%	SD 0%	Total	0/100 (0%)	Mean 0% SD 0%
.....							
<b>*Liver:</b>							
<b>Hepatocellular Adenoma</b>							
		32/50 (64%)	24/50 (48%)		14/50 (28%)	13/50 (26%)	
<b>Overall Incidence</b>	Total	56/100 (56%)	Mean 56%	SD 11.31%	Total	27/100 (27%)	Mean 27% SD 1.41%
.....							
<b>*Liver:</b>							
<b>Hepatocellular Carcinoma</b>							
		26/50 (52%)	16/50 (32%)		5/50 (10%)	3/50 (6%)	
<b>Overall Incidence</b>	Total	42/100 (42%)	Mean 42%	SD 14.14%	Total	8/100 (8%)	Mean 8% SD 2.83%
.....							
<b>*Liver:</b>							
<b>Hepatocellular Carcinoma or Hepatoblastoma</b>							
		27/50 (54%)	18/50 (36%)		5/50 (10%)	3/50 (6%)	
<b>Overall Incidence</b>	Total	45/100 (45%)	Mean 45%	SD 12.73%	Total	8/100 (8%)	Mean 8% SD 2.83%
.....							
<b>*Liver:</b>							
<b>Hepatocellular Carcinoma or Hepatocellular Adenoma</b>							
		41/50 (82%)	33/50 (66%)		17/50 (34%)	15/50 (30%)	
<b>Overall Incidence</b>	Total	74/100 (74%)	Mean 74%	SD 11.31%	Total	32/100 (32%)	Mean 32% SD 2.83%
.....							
<b>*Liver:</b>							
<b>Hepatocellular Carcinoma, Hepatocellular Adenoma, or Hepatoblastoma</b>							
		41/50 (82%)	33/50 (66%)		17/50 (34%)	15/50 (30%)	
<b>Overall Incidence</b>	Total	74/100 (74%)	Mean 74%	SD 11.31%	Total	32/100 (32%)	Mean 32% SD 2.83%

\*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Mar2010  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: GAVAGE  
 Vehicle: METHYLCELLULOSE

Page: 69  
 Report Date: 03/22/2010

		Male				Female			
<b>*Liver:</b>									
<b>Hepatocholangiocarcinoma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0% SD 0%
.....									
<b>*Liver:</b>									
<b>Hepatocholangioma</b>									
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	1/100	(1%)	Mean 1%	SD 1.41%	Total	0/100	(0%)	Mean 0% SD 0%
.....									
<b>*Liver:</b>									
<b>Ito Cell Tumor Benign</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0% SD 0%
.....									
<b>*Liver:</b>									
<b>Ito Cell Tumor Malignant</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0% SD 0%
.....									
<b>*Liver:</b>									
<b>Plasma Cell Tumor Malignant</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	1/100	(1%)	Mean 1% SD 1.41%
.....									
<b>*Liver:</b>									
<b>Sarcoma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0% SD 0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied



Version: Mar2010  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: GAVAGE  
 Vehicle: METHYLCELLULOSE

Page: 70  
 Report Date: 03/22/2010

		Male				Female			
<b>*Lung:</b>									
<b>Adenoma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	0/100	(0%)	Mean 0%	SD 0%
.....									
<b>*Lung:</b>									
<b>Alveolar/Bronchiolar Adenoma</b>									
		7/50	(14%)	7/50	(14%)	0/50	(0%)	3/50	(6%)
<b>Overall Incidence</b>	Total	14/100	(14%)	Mean 14%	SD 0%	3/100	(3%)	Mean 3%	SD 4.24%
.....									
<b>*Lung:</b>									
<b>Alveolar/Bronchiolar Carcinoma</b>									
		11/50	(22%)	6/50	(12%)	4/50	(8%)	1/50	(2%)
<b>Overall Incidence</b>	Total	17/100	(17%)	Mean 17%	SD 7.07%	5/100	(5%)	Mean 5%	SD 4.24%
.....									
<b>*Lung:</b>									
<b>Alveolar/Bronchiolar Carcinoma or Alveolar/Bronchiolar Adenoma</b>									
		16/50	(32%)	13/50	(26%)	4/50	(8%)	4/50	(8%)
<b>Overall Incidence</b>	Total	29/100	(29%)	Mean 29%	SD 4.24%	8/100	(8%)	Mean 8%	SD 0%
.....									
<b>*Lung:</b>									
<b>Fibrosarcoma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	0/100	(0%)	Mean 0%	SD 0%
.....									
<b>*Lung:</b>									
<b>Fibrous Histiocytoma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	0/100	(0%)	Mean 0%	SD 0%
.....									

\*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Mar2010  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: GAVAGE  
 Vehicle: METHYLCELLULOSE

Page: 71  
 Report Date: 03/22/2010

		Male				Female			
<b>*Lung:</b>									
<b>Hemangiosarcoma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%
									SD 0%
.....									
<b>*Lung:</b>									
<b>Plasma Cell Tumor Malignant</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	1/100	(1%)	Mean 1%
									SD 1.41%
.....									
<b>*Lung:</b>									
<b>Sarcoma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%
									SD 0%
.....									
<b>#Lymph Node:</b>									
<b>Fibrous Histiocytoma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%
									SD 0%
.....									
<b>#Lymph Node:</b>									
<b>Hemangioma</b>									
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	1/100	(1%)	Mean 1%
									SD 1.41%
.....									
<b>#Lymph Node:</b>									
<b>Hemangiosarcoma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%
									SD 0%

\*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Mar2010  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: GAVAGE  
 Vehicle: METHYLCELLULOSE

Page: 72  
 Report Date: 03/22/2010

		Male				Female			
<b>#Lymph Node:</b>									
<b>Plasma Cell Tumor Malignant</b>									
		0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)			
<b>Overall Incidence</b>	Total	0/100 (0%)	Mean 0%	SD 0%	Total	1/100 (1%)	Mean 1%	SD 1.41%	
.....									
<b>#Lymph Node:</b>									
<b>Sarcoma</b>									
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)			
<b>Overall Incidence</b>	Total	0/100 (0%)	Mean 0%	SD 0%	Total	0/100 (0%)	Mean 0%	SD 0%	
.....									
<b>#Lymph Node, Bronchial:</b>									
<b>Hemangiosarcoma</b>									
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)			
<b>Overall Incidence</b>	Total	0/100 (0%)	Mean 0%	SD 0%	Total	0/100 (0%)	Mean 0%	SD 0%	
.....									
<b>#Lymph Node, Mandibular:</b>									
<b>Fibrous Histiocytoma</b>									
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)			
<b>Overall Incidence</b>	Total	0/100 (0%)	Mean 0%	SD 0%	Total	0/100 (0%)	Mean 0%	SD 0%	
.....									
<b>#Lymph Node, Mandibular:</b>									
<b>Hemangiosarcoma</b>									
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)			
<b>Overall Incidence</b>	Total	0/100 (0%)	Mean 0%	SD 0%	Total	0/100 (0%)	Mean 0%	SD 0%	
.....									
<b>#Lymph Node, Mandibular:</b>									
<b>Mast Cell Tumor Malignant</b>									
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)			
<b>Overall Incidence</b>	Total	0/100 (0%)	Mean 0%	SD 0%	Total	0/100 (0%)	Mean 0%	SD 0%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Mar2010  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: GAVAGE  
 Vehicle: METHYLCELLULOSE

Page: 73  
 Report Date: 03/22/2010

		Male				Female			
<b>#Lymph Node, Mandibular:</b>									
<b>Plasma Cell Tumor Malignant</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	1/100	(1%)	Mean 1%
									SD 1.41%
.....									
<b>#Lymph Node, Mesenteric:</b>									
<b>Fibrous Histiocytoma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%
									SD 0%
.....									
<b>#Lymph Node, Mesenteric:</b>									
<b>Hemangioma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%
									SD 0%
.....									
<b>#Lymph Node, Mesenteric:</b>									
<b>Hemangiosarcoma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%
									SD 0%
.....									
<b>#Lymph Node, Mesenteric:</b>									
<b>Plasma Cell Tumor Malignant</b>									
		0/50	(0%)	1/50	(2%)	0/50	(0%)	1/50	(2%)
<b>Overall Incidence</b>	Total	1/100	(1%)	Mean 1%	SD 1.41%	Total	1/100	(1%)	Mean 1%
									SD 1.41%
.....									
<b>#Mammary Gland:</b>									
<b>Adenoacanthoma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%
									SD 0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Mar2010  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: GAVAGE  
 Vehicle: METHYLCELLULOSE

Page: 74  
 Report Date: 03/22/2010

		Male				Female					
<b>#Mammary Gland: Adenoma</b>											
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%	SD 0%	
.....											
<b>#Mammary Gland: Carcinoma</b>											
		0/50	(0%)	0/50	(0%)			1/50	(2%)	1/50	(2%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	2/100	(2%)	Mean 2%	SD 0%	
.....											
<b>#Mammary Gland: Carcinoma or Adenoma</b>											
		0/50	(0%)	0/50	(0%)			1/50	(2%)	1/50	(2%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	2/100	(2%)	Mean 2%	SD 0%	
.....											
<b>#Mammary Gland: Fibroadenoma</b>											
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%	SD 0%	
.....											
<b>#Mammary Gland: Fibroma, Fibroadenoma or Adenoma</b>											
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%	SD 0%	
.....											
<b>#Mammary Gland: Fibroma, Fibroadenoma, Carcinoma, or Adenoma</b>											
		0/50	(0%)	0/50	(0%)			1/50	(2%)	1/50	(2%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	2/100	(2%)	Mean 2%	SD 0%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Mar2010  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: GAVAGE  
 Vehicle: METHYLCELLULOSE

Page: 75  
 Report Date: 03/22/2010

		Male				Female			
<b>#Mesentery:</b>									
<b>Fibrosarcoma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	0/100	(0%)	Mean 0%	SD 0%
.....									
<b>#Mesentery:</b>									
<b>Hemangioma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	0/100	(0%)	Mean 0%	SD 0%
.....									
<b>#Mesentery:</b>									
<b>Hemangiosarcoma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	0/100	(0%)	Mean 0%	SD 0%
.....									
<b>#Mesentery:</b>									
<b>Sarcoma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	0/100	(0%)	Mean 0%	SD 0%
.....									
<b>*Nose:</b>									
<b>Mast Cell Tumor Malignant</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	0/100	(0%)	Mean 0%	SD 0%
.....									
<b>#Oral Cavity (Oral Mucosa, Tongue, Pharynx, Tooth, Gingiva):</b>									
<b>Papilloma Squamous or Papilloma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	0/100	(0%)	Mean 0%	SD 0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Mar2010  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: GAVAGE  
 Vehicle: METHYLCELLULOSE

Page: 76  
 Report Date: 03/22/2010

	Male				Female			
<b>#Oral Cavity (Oral Mucosa, Tongue, Pharynx, Tooth, Gingiva): Squamous Cell Carcinoma</b>								
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)		
<b>Overall Incidence</b>	Total	0/100 (0%)	Mean 0%	SD 0%	Total	0/100 (0%)	Mean 0%	SD 0%
.....								
<b>#Oral Cavity (Oral Mucosa, Tongue, Pharynx, Tooth, Gingiva): Squamous Cell Carcinoma, Papilloma Squamous, or Papilloma</b>								
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)		
<b>Overall Incidence</b>	Total	0/100 (0%)	Mean 0%	SD 0%	Total	0/100 (0%)	Mean 0%	SD 0%
.....								
<b>*Ovary: Choriocarcinoma</b>								
					0/49 (0%)	1/48 (2%)		
<b>Overall Incidence</b>	Total				1/97 (1.03%)	Mean 1.04%		SD 1.47%
.....								
<b>*Ovary: Cystadenoma</b>								
					4/49 (8%)	2/48 (4%)		
<b>Overall Incidence</b>	Total				6/97 (6.19%)	Mean 6.16%		SD 2.83%
.....								
<b>*Ovary: Fibrous Histiocytoma</b>								
					0/49 (0%)	0/48 (0%)		
<b>Overall Incidence</b>	Total				0/97 (0%)	Mean 0%		SD 0%
.....								
<b>*Ovary: Granulosa Cell Tumor Benign</b>								
					0/49 (0%)	0/48 (0%)		
<b>Overall Incidence</b>	Total				0/97 (0%)	Mean 0%		SD 0%

\*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Mar2010  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: GAVAGE  
 Vehicle: METHYLCELLULOSE

Page: 77  
 Report Date: 03/22/2010

	Male		Female	
<b>*Ovary:</b>				
<b>Granulosa Cell Tumor Malignant</b>				
		0/49 (0%)	0/48 (0%)	
<b>Overall Incidence</b>	Total	0/97 (0%)	Mean 0%	SD 0%
.....				
<b>*Ovary:</b>				
<b>Granulosa Cell Tumor: Benign, Malignant, NOS</b>				
		0/49 (0%)	0/48 (0%)	
<b>Overall Incidence</b>	Total	0/97 (0%)	Mean 0%	SD 0%
.....				
<b>*Ovary:</b>				
<b>Hemangioma</b>				
		0/49 (0%)	0/48 (0%)	
<b>Overall Incidence</b>	Total	0/97 (0%)	Mean 0%	SD 0%
.....				
<b>*Ovary:</b>				
<b>Hemangiosarcoma</b>				
		0/49 (0%)	0/48 (0%)	
<b>Overall Incidence</b>	Total	0/97 (0%)	Mean 0%	SD 0%
.....				
<b>*Ovary:</b>				
<b>Leiomyosarcoma</b>				
		0/49 (0%)	0/48 (0%)	
<b>Overall Incidence</b>	Total	0/97 (0%)	Mean 0%	SD 0%
.....				
<b>*Ovary:</b>				
<b>Luteoma</b>				
		0/49 (0%)	0/48 (0%)	
<b>Overall Incidence</b>	Total	0/97 (0%)	Mean 0%	SD 0%
.....				

\*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied



Version: Mar2010  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: GAVAGE  
 Vehicle: METHYLCELLULOSE

Page: 78  
 Report Date: 03/22/2010

		Male			Female		
<b>*Ovary:</b>							
<b>Plasma Cell Tumor Malignant</b>							
			0/49 (0%)		1/48 (2%)		
<b>Overall Incidence</b>		Total	1/97 (1.03%)		Mean 1.04%		SD 1.47%
.....							
<b>*Ovary:</b>							
<b>Teratoma Benign</b>							
			0/49 (0%)		0/48 (0%)		
<b>Overall Incidence</b>		Total	0/97 (0%)		Mean 0%		SD 0%
.....							
<b>*Ovary:</b>							
<b>Teratoma Malignant</b>							
			0/49 (0%)		0/48 (0%)		
<b>Overall Incidence</b>		Total	0/97 (0%)		Mean 0%		SD 0%
.....							
<b>*Ovary:</b>							
<b>Tubulostromal Adenoma</b>							
			0/49 (0%)		0/48 (0%)		
<b>Overall Incidence</b>		Total	0/97 (0%)		Mean 0%		SD 0%
.....							
<b>*Pancreas:</b>							
<b>Adenoma</b>							
		0/50 (0%)	0/50 (0%)		0/49 (0%)	0/48 (0%)	
<b>Overall Incidence</b>	Total	0/100 (0%)	Mean 0%	SD 0%	Total	0/97 (0%)	Mean 0%
							SD 0%
.....							
<b>*Pancreas:</b>							
<b>Carcinoma</b>							
		0/50 (0%)	0/50 (0%)		0/49 (0%)	0/48 (0%)	
<b>Overall Incidence</b>	Total	0/100 (0%)	Mean 0%	SD 0%	Total	0/97 (0%)	Mean 0%
							SD 0%

\*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Mar2010  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: GAVAGE  
 Vehicle: METHYLCELLULOSE

Page: 79  
 Report Date: 03/22/2010

		Male				Female			
<b>*Pancreas:</b>									
<b>  Carcinoma or Adenoma</b>									
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/48	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	0/97	(0%)	Mean 0%	SD 0%
.....									
<b>*Pituitary Gland: Pars Distalis or Unspecified Site:</b>									
<b>  Adenoma</b>									
		0/50	(0%)	0/48	(0%)	1/49	(2%)	2/49	(4%)
<b>Overall Incidence</b>	Total	0/98	(0%)	Mean 0%	SD 0%	3/98	(3.06%)	Mean 3.06%	SD 1.44%
.....									
<b>*Pituitary Gland: Pars Distalis or Unspecified Site:</b>									
<b>  Carcinoma</b>									
		0/50	(0%)	0/48	(0%)	0/49	(0%)	0/49	(0%)
<b>Overall Incidence</b>	Total	0/98	(0%)	Mean 0%	SD 0%	0/98	(0%)	Mean 0%	SD 0%
.....									
<b>*Pituitary Gland: Pars Distalis or Unspecified Site:</b>									
<b>  Carcinoma or Adenoma</b>									
		0/50	(0%)	0/48	(0%)	1/49	(2%)	2/49	(4%)
<b>Overall Incidence</b>	Total	0/98	(0%)	Mean 0%	SD 0%	3/98	(3.06%)	Mean 3.06%	SD 1.44%
.....									
<b>*Pituitary Gland: Pars Intermedia:</b>									
<b>  Adenoma</b>									
		0/50	(0%)	0/48	(0%)	0/49	(0%)	0/49	(0%)
<b>Overall Incidence</b>	Total	0/98	(0%)	Mean 0%	SD 0%	0/98	(0%)	Mean 0%	SD 0%
.....									
<b>*Pituitary Gland: Pars Intermedia:</b>									
<b>  Carcinoma or Adenoma</b>									
		0/50	(0%)	0/48	(0%)	0/49	(0%)	0/49	(0%)
<b>Overall Incidence</b>	Total	0/98	(0%)	Mean 0%	SD 0%	0/98	(0%)	Mean 0%	SD 0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Mar2010  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: GAVAGE  
 Vehicle: METHYLCELLULOSE

Page: 80  
 Report Date: 03/22/2010

		Male				Female			
<b>*Prostate:</b>									
<b>Adenoma</b>									
		0/50	(0%)	0/49	(0%)				
<b>Overall Incidence</b>	Total	0/99	(0%)	Mean 0%	SD 0%				
.....									
<b>*Prostate:</b>									
<b>Carcinoma or Adenoma</b>									
		0/50	(0%)	0/49	(0%)				
<b>Overall Incidence</b>	Total	0/99	(0%)	Mean 0%	SD 0%				
.....									
<b>*Prostate:</b>									
<b>Hemangioma</b>									
		0/50	(0%)	0/49	(0%)				
<b>Overall Incidence</b>	Total	0/99	(0%)	Mean 0%	SD 0%				
.....									
<b>*Salivary Glands:</b>									
<b>Carcinoma</b>									
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/49	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total 0/98	(0%)	Mean 0%	SD 0%
.....									
<b>*Salivary Glands:</b>									
<b>Carcinoma or Adenoma</b>									
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/49	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total 0/98	(0%)	Mean 0%	SD 0%
.....									
<b>*Salivary Glands:</b>									
<b>Mast Cell Tumor Malignant</b>									
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/49	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total 0/98	(0%)	Mean 0%	SD 0%

\*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Mar2010  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: GAVAGE  
 Vehicle: METHYLCELLULOSE

Page: 81  
 Report Date: 03/22/2010

		Male				Female			
<b>#Seminal Vesicle:</b>									
<b>Adenoma</b>									
		0/50	(0%)	0/50	(0%)				
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%				
.....									
<b>#Skeletal Muscle:</b>									
<b>Fibrosarcoma</b>									
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	1/100	(1%)	Mean 1%
									SD 1.41%
.....									
<b>#Skeletal Muscle:</b>									
<b>Hemangiosarcoma</b>									
		0/50	(0%)	2/50	(4%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	2/100	(2%)	Mean 2%	SD 2.83%	Total	0/100	(0%)	Mean 0%
									SD 0%
.....									
<b>#Skeletal Muscle:</b>									
<b>Myxosarcoma</b>									
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	1/100	(1%)	Mean 1%
									SD 1.41%
.....									
<b>#Skeletal Muscle:</b>									
<b>Rhabdomyosarcoma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	1/100	(1%)	Mean 1%
									SD 1.41%
.....									
<b>#Skeletal Muscle:</b>									
<b>Rhabdomyosarcoma or Rhabdomyoma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	1/100	(1%)	Mean 1%
									SD 1.41%

\*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Mar2010  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: GAVAGE  
 Vehicle: METHYLCELLULOSE

Page: 82  
 Report Date: 03/22/2010

		Male				Female					
<b>#Skeletal Muscle:</b>											
<b>Sarcoma</b>											
		1/50	(2%)	0/50	(0%)			0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	1/100	(1%)	Mean 1%	SD 1.41%	Total	0/100	(0%)	Mean 0%	SD 0%	
.....											
<b>#Skin:</b>											
<b>Basal Cell Adenoma or Basosquamous Tumor Benign</b>											
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%	SD 0%	
.....											
<b>#Skin:</b>											
<b>Basal Cell Adenoma, Basosquamous Tumor Benign, or Trichoepithelioma</b>											
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%	SD 0%	
.....											
<b>#Skin:</b>											
<b>Basal Cell Carcinoma</b>											
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%	SD 0%	
.....											
<b>#Skin:</b>											
<b>Basal Cell Carcinoma or Basosquamous Tumor (malignant or NOS)</b>											
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%	SD 0%	
.....											
<b>#Skin:</b>											
<b>Basal Cell Carcinoma, Basal Cell Adenoma, Basosquamous Tumor (benign, malignant or NOS), or Trichoepithelioma</b>											
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%	SD 0%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Mar2010  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: GAVAGE  
 Vehicle: METHYLCELLULOSE

Page: 83  
 Report Date: 03/22/2010

	Male				Female			
<b>#Skin:</b>								
<b>Basal or Sq. Cell Carcinoma, Carcinoma, Basosq. Tumor (M or B), Basal Cell Adenoma, Adenoma, Papilloma, Sq Papilloma, Keratoacanthoma, Trichoepithelioma</b>								
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)		
<b>Overall Incidence</b>	Total	0/100 (0%)	Mean 0%	SD 0%	Total	0/100 (0%)	Mean 0%	SD 0%
<b>#Skin:</b>								
<b>Basosquamous Tumor Benign</b>								
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)		
<b>Overall Incidence</b>	Total	0/100 (0%)	Mean 0%	SD 0%	Total	0/100 (0%)	Mean 0%	SD 0%
<b>#Skin:</b>								
<b>Fibroma</b>								
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)		
<b>Overall Incidence</b>	Total	0/100 (0%)	Mean 0%	SD 0%	Total	0/100 (0%)	Mean 0%	SD 0%
<b>#Skin:</b>								
<b>Fibroma, Fibrosarcoma, Sarcoma, Myxoma, Myxosarcoma, or Fibrous Histiocytoma</b>								
		1/50 (2%)	0/50 (0%)		5/50 (10%)	3/50 (6%)		
<b>Overall Incidence</b>	Total	1/100 (1%)	Mean 1%	SD 1.41%	Total	8/100 (8%)	Mean 8%	SD 2.83%
<b>#Skin:</b>								
<b>Fibrosarcoma</b>								
		0/50 (0%)	0/50 (0%)		3/50 (6%)	2/50 (4%)		
<b>Overall Incidence</b>	Total	0/100 (0%)	Mean 0%	SD 0%	Total	5/100 (5%)	Mean 5%	SD 1.41%
<b>#Skin:</b>								
<b>Fibrosarcoma, Sarcoma, Myxosarcoma, or Fibrous Histiocytoma</b>								
		1/50 (2%)	0/50 (0%)		5/50 (10%)	3/50 (6%)		
<b>Overall Incidence</b>	Total	1/100 (1%)	Mean 1%	SD 1.41%	Total	8/100 (8%)	Mean 8%	SD 2.83%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Mar2010  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: GAVAGE  
 Vehicle: METHYLCELLULOSE

Page: 84  
 Report Date: 03/22/2010

		Male				Female					
<b>#Skin:</b>											
<b>Fibrous Histiocytoma</b>											
		1/50	(2%)	0/50	(0%)			0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	1/100	(1%)	Mean 1%	SD 1.41%	Total	0/100	(0%)	Mean 0%	SD 0%	
.....											
<b>#Skin:</b>											
<b>Granular Cell Tumor Benign</b>											
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%	SD 0%	
.....											
<b>#Skin:</b>											
<b>Hemangioma</b>											
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%	SD 0%	
.....											
<b>#Skin:</b>											
<b>Hemangiosarcoma</b>											
		1/50	(2%)	0/50	(0%)			1/50	(2%)	1/50	(2%)
<b>Overall Incidence</b>	Total	1/100	(1%)	Mean 1%	SD 1.41%	Total	2/100	(2%)	Mean 2%	SD 0%	
.....											
<b>#Skin:</b>											
<b>Liposarcoma</b>											
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%	SD 0%	
.....											
<b>#Skin:</b>											
<b>Mast Cell Tumor Benign</b>											
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%	SD 0%	

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Mar2010  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: GAVAGE  
 Vehicle: METHYLCELLULOSE

Page: 85  
 Report Date: 03/22/2010

		Male				Female			
<b>#Skin:</b>									
<b>Myxosarcoma</b>									
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	1/100	(1%)	Mean 1%
									SD 1.41%
.....									
<b>#Skin:</b>									
<b>Neurofibrosarcoma or Schwannoma (malignant or NOS)</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	1/100	(1%)	Mean 1%
									SD 1.41%
.....									
<b>#Skin:</b>									
<b>Neurofibrosarcoma, Neurofibroma, or Schwannoma (benign, malignant or NOS)</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	1/100	(1%)	Mean 1%
									SD 1.41%
.....									
<b>#Skin:</b>									
<b>Osteosarcoma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%
									SD 0%
.....									
<b>#Skin:</b>									
<b>Sarcoma</b>									
		0/50	(0%)	0/50	(0%)	1/50	(2%)	1/50	(2%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	2/100	(2%)	Mean 2%
									SD 0%
.....									
<b>#Skin:</b>									
<b>Schwannoma Malignant</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	1/100	(1%)	Mean 1%
									SD 1.41%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied



Version: Mar2010  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: GAVAGE  
 Vehicle: METHYLCELLULOSE

Page: 86  
 Report Date: 03/22/2010

		Male				Female			
<b>#Skin:</b>									
<b>Squamous Cell Carcinoma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0% SD 0%
.....									
<b>#Skin:</b>									
<b>Squamous Cell Carcinoma, Basal Cell Carcinoma, Basosquamous Tumor (malignant or NOS), or Carcinoma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0% SD 0%
.....									
<b>#Skin:</b>									
<b>Squamous Cell Papilloma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0% SD 0%
.....									
<b>#Skin:</b>									
<b>Squamous Cell Papilloma or Papilloma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0% SD 0%
.....									
<b>#Skin:</b>									
<b>Squamous Cell Papilloma, Papilloma, Squamous Cell Carcinoma or Keratoacanthoma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0% SD 0%
.....									
<b>#Skin:</b>									
<b>Squamous Cell Papilloma, Papilloma, or Keratoacanthoma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0% SD 0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Mar2010  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: GAVAGE  
 Vehicle: METHYLCELLULOSE

Page: 87  
 Report Date: 03/22/2010

		Male				Female			
<b>#Skin:</b>									
<b>Trichoepithelioma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0% SD 0%
.....									
<b>#Skin: Sebaceous Gland:</b>									
<b>Adenoma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0% SD 0%
.....									
<b>#Skin: Sebaceous Gland:</b>									
<b>Carcinoma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0% SD 0%
.....									
<b>#Skin: Sebaceous Gland:</b>									
<b>Carcinoma or Adenoma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0% SD 0%
.....									
<b>#Spinal Cord:</b>									
<b>Meningioma Malignant</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0% SD 0%
.....									
<b>*Spleen:</b>									
<b>Fibrous Histiocytoma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0% SD 0%

\*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Mar2010  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: GAVAGE  
 Vehicle: METHYLCELLULOSE

Page: 88  
 Report Date: 03/22/2010

		Male				Female			
<b>*Spleen:</b>									
<b>Hemangioma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%
									SD 0%
.....									
<b>*Spleen:</b>									
<b>Hemangiosarcoma</b>									
		1/50	(2%)	1/50	(2%)	0/50	(0%)	1/50	(2%)
<b>Overall Incidence</b>	Total	2/100	(2%)	Mean 2%	SD 0%	Total	1/100	(1%)	Mean 1%
									SD 1.41%
.....									
<b>*Spleen:</b>									
<b>Mast Cell Tumor Malignant</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%
									SD 0%
.....									
<b>*Spleen:</b>									
<b>Plasma Cell Tumor Malignant</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	1/100	(1%)	Mean 1%
									SD 1.41%
.....									
<b>#Stomach, Forestomach:</b>									
<b>Mast Cell Tumor Malignant</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%
									SD 0%
.....									
<b>#Stomach, Forestomach:</b>									
<b>Squamous Cell Carcinoma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%
									SD 0%
.....									

\*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Mar2010  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: GAVAGE  
 Vehicle: METHYLCELLULOSE

Page: 89  
 Report Date: 03/22/2010

		Male				Female					
<b>#Stomach, Forestomach:</b>											
<b>Squamous Cell Carcinoma or Papilloma Squamous</b>											
		2/50	(4%)	0/50	(0%)			1/50	(2%)	0/50	(0%)
<b>Overall Incidence</b>	Total	2/100	(2%)	Mean 2%	SD 2.83%	Total	1/100	(1%)	Mean 1%	SD 1.41%	
.....											
<b>#Stomach, Forestomach:</b>											
<b>Squamous Cell Papilloma</b>											
		2/50	(4%)	0/50	(0%)			1/50	(2%)	0/50	(0%)
<b>Overall Incidence</b>	Total	2/100	(2%)	Mean 2%	SD 2.83%	Total	1/100	(1%)	Mean 1%	SD 1.41%	
.....											
<b>#Stomach, Glandular:</b>											
<b>Adenoma</b>											
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%	SD 0%	
.....											
<b>#Stomach, Glandular:</b>											
<b>Carcinoma or Adenoma</b>											
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%	SD 0%	
.....											
<b>*Testes:</b>											
<b>Adenoma</b>											
		0/50	(0%)	1/50	(2%)						
<b>Overall Incidence</b>	Total	1/100	(1%)	Mean 1%	SD 1.41%						
.....											
<b>*Thymus:</b>											
<b>Thymoma Benign</b>											
		0/45	(0%)	0/44	(0%)			0/47	(0%)	0/46	(0%)
<b>Overall Incidence</b>	Total	0/89	(0%)	Mean 0%	SD 0%	Total	0/93	(0%)	Mean 0%	SD 0%	
.....											
*: Denominator is number of animals with tissues examined microscopically											
#: Denominator is number of animals necropsied											

Version: Mar2010  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: GAVAGE  
 Vehicle: METHYLCELLULOSE

Page: 90  
 Report Date: 03/22/2010

		Male				Female			
<b>*Thymus:</b>									
<b>Thymoma Malignant</b>									
		0/45	(0%)	0/44	(0%)	0/47	(0%)	0/46	(0%)
<b>Overall Incidence</b>	Total	0/89	(0%)	Mean 0%	SD 0%	0/93	(0%)	Mean 0%	SD 0%
.....									
<b>*Thymus:</b>									
<b>Thymoma: Benign, Malignant, NOS</b>									
		0/45	(0%)	0/44	(0%)	0/47	(0%)	0/46	(0%)
<b>Overall Incidence</b>	Total	0/89	(0%)	Mean 0%	SD 0%	0/93	(0%)	Mean 0%	SD 0%
.....									
<b>*Thyroid Gland: C-Cell:</b>									
<b>Carcinoma</b>									
		0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/99	(0%)	Mean 0%	SD 0%	0/100	(0%)	Mean 0%	SD 0%
.....									
<b>*Thyroid Gland: C-Cell:</b>									
<b>Carcinoma or Adenoma</b>									
		0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/99	(0%)	Mean 0%	SD 0%	0/100	(0%)	Mean 0%	SD 0%
.....									
<b>*Thyroid Gland: Follicular Cell:</b>									
<b>Adenoma</b>									
		0/50	(0%)	1/49	(2%)	1/50	(2%)	0/50	(0%)
<b>Overall Incidence</b>	Total	1/99	(1.01%)	Mean 1.02%	SD 1.44%	1/100	(1%)	Mean 1%	SD 1.41%
.....									
<b>*Thyroid Gland: Follicular Cell:</b>									
<b>Carcinoma</b>									
		0/50	(0%)	1/49	(2%)	1/50	(2%)	0/50	(0%)
<b>Overall Incidence</b>	Total	1/99	(1.01%)	Mean 1.02%	SD 1.44%	1/100	(1%)	Mean 1%	SD 1.41%

\*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Mar2010  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: GAVAGE  
 Vehicle: METHYLCELLULOSE

Page: 91  
 Report Date: 03/22/2010

		Male			Female		
<b>*Thyroid Gland: Follicular Cell: Carcinoma or Adenoma</b>							
<b>Overall Incidence</b>	Total	0/50 (0%) 2/99 (2.02%)	2/49 (4%) Mean 2.04%	SD 2.89%	Total	2/50 (4%) 2/100 (2%)	0/50 (0%) Mean 2% SD 2.83%
<b>#Tissue NOS: Carcinoma</b>							
<b>Overall Incidence</b>	Total	0/50 (0%) 0/100 (0%)	0/50 (0%) Mean 0%	SD 0%	Total	0/50 (0%) 0/100 (0%)	0/50 (0%) Mean 0% SD 0%
<b>#Tissue NOS: Hemangiosarcoma</b>							
<b>Overall Incidence</b>	Total	0/50 (0%) 0/100 (0%)	0/50 (0%) Mean 0%	SD 0%	Total	0/50 (0%) 0/100 (0%)	0/50 (0%) Mean 0% SD 0%
<b>#Tissue NOS: Plasma Cell Tumor Malignant</b>							
<b>Overall Incidence</b>	Total	0/50 (0%) 0/100 (0%)	0/50 (0%) Mean 0%	SD 0%	Total	0/50 (0%) 1/100 (1%)	1/50 (2%) Mean 1% SD 1.41%
<b>#Tissue NOS: Sarcoma</b>							
<b>Overall Incidence</b>	Total	0/50 (0%) 0/100 (0%)	0/50 (0%) Mean 0%	SD 0%	Total	0/50 (0%) 0/100 (0%)	0/50 (0%) Mean 0% SD 0%
<b>#Tongue: Fibroma</b>							
<b>Overall Incidence</b>	Total	0/50 (0%) 1/100 (1%)	1/50 (2%) Mean 1%	SD 1.41%	Total	0/50 (0%) 0/100 (0%)	0/50 (0%) Mean 0% SD 0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Mar2010  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: GAVAGE  
 Vehicle: METHYLCELLULOSE

Page: 92  
 Report Date: 03/22/2010

		Male				Female			
<b>#Tongue:</b>									
<b>Squamous Cell Carcinoma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0% SD 0%
.....									
<b>#Tongue:</b>									
<b>Squamous Cell Carcinoma or Papilloma Squamous</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0% SD 0%
.....									
<b>#Tongue:</b>									
<b>Squamous Cell Papilloma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0% SD 0%
.....									
<b>#Tooth:</b>									
<b>Odontoma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0% SD 0%
.....									
<b>*Urinary Bladder:</b>									
<b>Hemangioma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0% SD 0%
.....									
<b>*Urinary Bladder:</b>									
<b>Hemangiosarcoma</b>									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
<b>Overall Incidence</b>	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0% SD 0%

\*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Mar2010  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: GAVAGE  
 Vehicle: METHYLCELLULOSE

Page: 93  
 Report Date: 03/22/2010

	Male				Female			
<b>*Urinary Bladder:</b>								
<b>Plasma Cell Tumor Malignant</b>								
		0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)		
<b>Overall Incidence</b>	Total	0/100 (0%)	Mean 0%	SD 0%	Total	1/100 (1%)	Mean 1%	SD 1.41%
.....								
<b>*Urinary Bladder:</b>								
<b>Sarcoma</b>								
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)		
<b>Overall Incidence</b>	Total	0/100 (0%)	Mean 0%	SD 0%	Total	0/100 (0%)	Mean 0%	SD 0%
.....								
<b>#Uterus:</b>								
<b>Adenoma</b>								
					0/50 (0%)	0/50 (0%)		
<b>Overall Incidence</b>					Total	0/100 (0%)	Mean 0%	SD 0%
.....								
<b>#Uterus:</b>								
<b>Carcinoma</b>								
					0/50 (0%)	0/50 (0%)		
<b>Overall Incidence</b>					Total	0/100 (0%)	Mean 0%	SD 0%
.....								
<b>#Uterus:</b>								
<b>Hemangioma</b>								
					0/50 (0%)	0/50 (0%)		
<b>Overall Incidence</b>					Total	0/100 (0%)	Mean 0%	SD 0%
.....								
<b>#Uterus:</b>								
<b>Hemangiosarcoma</b>								
					0/50 (0%)	0/50 (0%)		
<b>Overall Incidence</b>					Total	0/100 (0%)	Mean 0%	SD 0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied



Version: Mar2010  
 Contract/Lab: All Laboratories  
 Species: MICE  
 Strain: B6C3F1  
 Length of Study: CHRONIC

**Toxicology Data Management System**  
 Tumor Incidence for Selected Control Animal Groups  
 Route: GAVAGE  
 Vehicle: METHYLCELLULOSE

Page: 94  
 Report Date: 03/22/2010

	Male	Female
<b>#Uterus:</b>		
<b>Leiomyoma</b>		
Overall Incidence	Total 0/50 (0%) 0/100 (0%)	0/50 (0%) Mean 0% SD 0%
<b>#Uterus:</b>		
<b>Leiomyosarcoma</b>		
Overall Incidence	Total 0/50 (0%) 0/100 (0%)	0/50 (0%) Mean 0% SD 0%
<b>#Uterus:</b>		
<b>Polyp Stromal</b>		
Overall Incidence	Total 2/50 (4%) 3/100 (3%)	1/50 (2%) Mean 3% SD 1.41%
<b>#Uterus:</b>		
<b>Sarcoma Stromal</b>		
Overall Incidence	Total 0/50 (0%) 0/100 (0%)	0/50 (0%) Mean 0% SD 0%
<b>#Uterus:</b>		
<b>Sarcoma Stromal or Polyp Stromal</b>		
Overall Incidence	Total 2/50 (4%) 3/100 (3%)	1/50 (2%) Mean 3% SD 1.41%
<b>#Uterus:</b>		
<b>Schwannoma Malignant</b>		
Overall Incidence	Total 0/50 (0%) 0/100 (0%)	0/50 (0%) Mean 0% SD 0%

\*: Denominator is number of animals with tissues examined microscopically  
 #: Denominator is number of animals necropsied

Version: Mar2010  
Contract/Lab: All Laboratories  
Species: MICE  
Strain: B6C3F1  
Length of Study: CHRONIC

**Toxicology Data Management System**  
Tumor Incidence for Selected Control Animal Groups  
Route: GAVAGE  
Vehicle: METHYLCELLULOSE

Page: 95  
Report Date: 03/22/2010

---

	Male			Female		
<b>#Vagina:</b>						
<b>Liposarcoma</b>						
			0/50 (0%)		0/50 (0%)	
<b>Overall Incidence</b>		Total	0/100 (0%)	Mean	0%	SD 0%
.....						
<b>#Vagina:</b>						
<b>Squamous Cell Papilloma</b>						
			0/50 (0%)		0/50 (0%)	
<b>Overall Incidence</b>		Total	0/100 (0%)	Mean	0%	SD 0%
.....						

\*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied