

Version: Mar2010
Contract/Lab: All Laboratories
Species: MICE
Strain: B6C3F1
Length of Study: CHRONIC

Toxicology Data Management System
Tumor Incidence for Selected Control Animal Groups
Route: SKIN
Vehicle: ETHANOL

Page: 280
Report Date: 03/22/2010

Study Summary

Laboratory Name	Study Number	Study Start Date	Length of Study in Days	Number of Animals Total and (#/Cage)	Number Surviving and (Mean Life Span)	Maximum Mean Weekly Body Weight	Chemical
Male							
Battelle Columbus Laboratory	059902806	10/03/02	728	50(1)	37(682)	53.5	bis(2-Chloroethoxy)methane
Battelle Columbus Laboratory	059700308	06/25/02	730	50(1)	34(702)	54.2	1,2-Dibromo-2,4-dicyanobutane
Southern Research Institute	059500306	04/26/04	729	50(1)	34(694)	54.6	Methyl trans-styryl ketone
Female							
Battelle Columbus Laboratory	059902806	10/02/02	727	50(1)	31(692)	60.8	bis(2-Chloroethoxy)methane
Battelle Columbus Laboratory	059700308	06/24/02	729	50(1)	33(693)	60.9	1,2-Dibromo-2,4-dicyanobutane
Southern Research Institute	059500306	04/26/04	731	50(1)	37(709)	64.6	Methyl trans-styryl ketone

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: SKIN
Vehicle: ETHANOL

Page: 281
 Report Date: 03/22/2010

		Male			Female		
#All Organs:							
Benign Tumors							
		41/50 (82%)	40/50 (80%)	37/50 (74%)	27/50 (54%)	39/50 (78%)	33/50 (66%)
Overall Incidence	Total	118/150 (78.67%)	Mean 78.67%	SD 4.16%	Total	99/150 (66%)	Mean 66% SD 12%
.....							
#All Organs:							
Malignant Tumors							
		26/50 (52%)	27/50 (54%)	37/50 (74%)	31/50 (62%)	31/50 (62%)	42/50 (84%)
Overall Incidence	Total	90/150 (60%)	Mean 60%	SD 12.17%	Total	104/150 (69.33%)	Mean 69.33% SD 12.7%
.....							
#All Organs:							
Malignant and Benign Tumors							
		48/50 (96%)	45/50 (90%)	49/50 (98%)	44/50 (88%)	46/50 (92%)	48/50 (96%)
Overall Incidence	Total	142/150 (94.67%)	Mean 94.67%	SD 4.16%	Total	138/150 (92%)	Mean 92% SD 4%
.....							
#All Organs:							
Hemangioma							
		2/50 (4%)	0/50 (0%)	1/50 (2%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	3/150 (2%)	Mean 2%	SD 2%	Total	1/150 (0.67%)	Mean 0.67% SD 1.15%
.....							
#All Organs:							
Hemangiosarcoma							
		5/50 (10%)	6/50 (12%)	6/50 (12%)	7/50 (14%)	1/50 (2%)	5/50 (10%)
Overall Incidence	Total	17/150 (11.33%)	Mean 11.33%	SD 1.15%	Total	13/150 (8.67%)	Mean 8.67% SD 6.11%
.....							
#All Organs:							
Hemangiosarcoma or Hemangioma							
		7/50 (14%)	6/50 (12%)	7/50 (14%)	8/50 (16%)	1/50 (2%)	5/50 (10%)
Overall Incidence	Total	20/150 (13.33%)	Mean 13.33%	SD 1.15%	Total	14/150 (9.33%)	Mean 9.33% SD 7.02%

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: SKIN
Vehicle: ETHANOL

Page: 282
 Report Date: 03/22/2010

		Male			Female			
#All Organs:								
Histiocytic Sarcoma								
		1/50 (2%)	0/50 (0%)	0/50 (0%)	3/50 (6%)	1/50 (2%)	1/50 (2%)	
Overall Incidence	Total	1/150 (0.67%)	Mean 0.67%	SD 1.15%	Total	5/150 (3.33%)	Mean 3.33%	SD 2.31%
.....								
#All Organs:								
Malignant Lymphoma: Histiocytic, Lymphocytic, Mixed, NOS, or Undifferentiated Cell Type								
		0/50 (0%)	1/50 (2%)	4/50 (8%)	9/50 (18%)	14/50 (28%)	20/50 (40%)	
Overall Incidence	Total	5/150 (3.33%)	Mean 3.33%	SD 4.16%	Total	43/150 (28.67%)	Mean 28.67%	SD 11.02%
.....								
#All Organs:								
Mesothelioma: Benign, Malignant, NOS								
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%
.....								
#All Organs:								
Mesothelioma: Malignant								
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%
.....								
#All Organs:								
Osteoma								
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%
.....								
#All Organs:								
Osteosarcoma								
		0/50 (0%)	0/50 (0%)	0/50 (0%)	2/50 (4%)	1/50 (2%)	0/50 (0%)	
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	3/150 (2%)	Mean 2%	SD 2%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: SKIN
Vehicle: ETHANOL

Page: 283
 Report Date: 03/22/2010

		Male			Female		
#All Organs:							
Osteosarcoma or Osteoma							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	2/50 (4%)	1/50 (2%)	0/50 (0%)
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	3/150 (2%)	Mean 2% SD 2%
.....							
*Adrenal Cortex:							
Adenoma							
		6/49 (12%)	6/50 (12%)	6/50 (12%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	18/149 (12.08%)	Mean 12.08%	SD 0.14%	Total	0/150 (0%)	Mean 0% SD 0%
.....							
*Adrenal Cortex:							
Plasma Cell Tumor Malignant							
		0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/149 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0% SD 0%
.....							
*Adrenal Medulla:							
Pheochromocytoma Benign							
		0/49 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	2/50 (4%)	0/50 (0%)
Overall Incidence	Total	0/148 (0%)	Mean 0%	SD 0%	Total	2/150 (1.33%)	Mean 1.33% SD 2.31%
.....							
*Adrenal Medulla:							
Pheochromocytoma Complex							
		0/49 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/148 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0% SD 0%
.....							
*Adrenal Medulla:							
Pheochromocytoma Malignant							
		0/49 (0%)	1/50 (2%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)
Overall Incidence	Total	1/148 (0.68%)	Mean 0.67%	SD 1.15%	Total	1/150 (0.67%)	Mean 0.67% SD 1.15%

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: SKIN
Vehicle: ETHANOL

Page: 284
 Report Date: 03/22/2010

		Male				Female			
*Adrenal Medulla:									
 Pheochromocytoma: Benign, Complex, Malignant, NOS									
		0/49 (0%)	1/50 (2%)	0/49 (0%)		0/50 (0%)	2/50 (4%)	1/50 (2%)	
Overall Incidence	Total	1/148 (0.68%)	Mean 0.67%	SD 1.15%	Total	3/150 (2%)	Mean 2%	SD 2%	
.....									
*Bone Marrow:									
 Hemangioma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
*Bone Marrow:									
 Hemangiosarcoma									
		1/50 (2%)	1/50 (2%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	1/50 (2%)	
Overall Incidence	Total	2/150 (1.33%)	Mean 1.33%	SD 1.15%	Total	2/150 (1.33%)	Mean 1.33%	SD 1.15%	
.....									
*Bone Marrow:									
 Plasma Cell Tumor Malignant									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
#Bone:									
 Hemangiosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
#Bone:									
 Osteoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: SKIN
Vehicle: ETHANOL

Page: 285
 Report Date: 03/22/2010

		Male				Female							
#Bone:													
Osteosarcoma													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	2/50	(4%)	1/50	(2%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	3/150	(2%)	Mean 2%	SD 2%			
.....													
#Bone:													
Osteosarcoma or Osteoma													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	2/50	(4%)	1/50	(2%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	3/150	(2%)	Mean 2%	SD 2%			
.....													
*Brain:													
Meningioma Benign													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%			
.....													
*Brain:													
Meningioma Malignant													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%			
.....													
*Brain:													
Meningioma: Benign, Malignant, NOS													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%			
.....													
*Brain:													
Schwannoma Malignant													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	1/150	(0.67%)	Mean 0.67%	SD 1.15%			

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: SKIN
Vehicle: ETHANOL

Page: 286
 Report Date: 03/22/2010

		Male				Female			
*Clitoral/Preputial Gland: Adenoma									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/48 (0%)	0/48 (0%)
		0/150 (0%)	Mean 0%	SD 0%		0/148 (0%)	Mean 0%	SD 0%	
.....									
*Clitoral/Preputial Gland: Carcinoma									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/48 (0%)	0/48 (0%)
		0/150 (0%)	Mean 0%	SD 0%		0/148 (0%)	Mean 0%	SD 0%	
.....									
*Clitoral/Preputial Gland: Carcinoma or Adenoma									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/48 (0%)	0/48 (0%)
		0/150 (0%)	Mean 0%	SD 0%		0/148 (0%)	Mean 0%	SD 0%	
.....									
*Clitoral/Preputial Gland: Hemangioma									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/48 (0%)	0/48 (0%)
		0/150 (0%)	Mean 0%	SD 0%		1/148 (0.68%)	Mean 0.67%	SD 1.15%	
.....									
*Clitoral/Preputial Gland: Hemangiosarcoma									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/48 (0%)	0/48 (0%)
		0/150 (0%)	Mean 0%	SD 0%		0/148 (0%)	Mean 0%	SD 0%	
.....									
*Clitoral/Preputial Gland: Squamous Cell Carcinoma									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/48 (0%)	0/48 (0%)
		0/150 (0%)	Mean 0%	SD 0%		0/148 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: SKIN
Vehicle: ETHANOL

Page: 287
 Report Date: 03/22/2010

		Male			Female			
#Esophagus:								
Squamous Cell Carcinoma								
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%
.....								
#Eye:								
Sarcoma								
		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/150 (0.67%)	Mean 0.67%	SD 1.15%	Total	0/150 (0%)	Mean 0%	SD 0%
.....								
#Harderian Gland:								
Adenoma								
		10/50 (20%)	7/50 (14%)	2/50 (4%)	3/50 (6%)	6/50 (12%)	4/50 (8%)	
Overall Incidence	Total	19/150 (12.67%)	Mean 12.67%	SD 8.08%	Total	13/150 (8.67%)	Mean 8.67%	SD 3.06%
.....								
#Harderian Gland:								
Carcinoma								
		2/50 (4%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	2/50 (4%)	0/50 (0%)	
Overall Incidence	Total	3/150 (2%)	Mean 2%	SD 2%	Total	2/150 (1.33%)	Mean 1.33%	SD 2.31%
.....								
#Harderian Gland:								
Carcinoma or Adenoma								
		12/50 (24%)	7/50 (14%)	3/50 (6%)	3/50 (6%)	8/50 (16%)	4/50 (8%)	
Overall Incidence	Total	22/150 (14.67%)	Mean 14.67%	SD 9.02%	Total	15/150 (10%)	Mean 10%	SD 5.29%
.....								
#Harderian Gland:								
Sarcoma								
		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/150 (0.67%)	Mean 0.67%	SD 1.15%	Total	0/150 (0%)	Mean 0%	SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: SKIN
Vehicle: ETHANOL

Page: 288
 Report Date: 03/22/2010

		Male				Female			
*Heart:									
Hemangioma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
*Heart:									
Hemangiosarcoma									
		0/50 (0%)	0/50 (0%)	1/50 (2%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/150 (0.67%)	Mean 0.67%	SD 1.15%	Total	1/150 (0.67%)	Mean 0.67%	SD 1.15%	
.....									
#Intestine Large: Cecum:									
Carcinoma									
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/150 (0.67%)	Mean 0.67%	SD 1.15%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Large: Cecum:									
Carcinoma or Adenoma									
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/150 (0.67%)	Mean 0.67%	SD 1.15%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Large: Cecum:									
Leiomyoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Large: Colon/Rectum:									
Leiomyosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: SKIN
Vehicle: ETHANOL

Page: 289
 Report Date: 03/22/2010

		Male				Female					
#Intestine Small: Duodenum:											
Adenoma											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
#Intestine Small: Duodenum:											
Carcinoma											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	1/150	(0.67%)	Mean 0.67%	SD 1.15%	
.....											
#Intestine Small: Duodenum:											
Leiomyosarcoma											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
#Intestine Small: Duodenum:											
Polyp Adenomatous											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
#Intestine Small: Ileum:											
Carcinoma											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
#Intestine Small: Ileum:											
Hemangiosarcoma											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: SKIN
Vehicle: ETHANOL

Page: 290
 Report Date: 03/22/2010

		Male			Female			
#Intestine Small: Ileum:								
Polyp Adenomatous								
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%
.....								
#Intestine Small: Jejunum:								
Adenoma								
Overall Incidence	Total	0/50 (0%) 1/150 (0.67%)	0/50 (0%) Mean 0.67%	1/50 (2%) SD 1.15%	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%
.....								
#Intestine Small: Jejunum:								
Carcinoma								
Overall Incidence	Total	0/50 (0%) 1/150 (0.67%)	0/50 (0%) Mean 0.67%	1/50 (2%) SD 1.15%	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%
.....								
#Intestine Small: Jejunum:								
Hemangiosarcoma								
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/50 (0%) 1/150 (0.67%)	0/50 (0%) Mean 0.67%	1/50 (2%) SD 1.15%
.....								
#Intestine Small: Jejunum:								
Leiomyosarcoma								
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%
.....								
#Intestine Small: Site Unspecified:								
Adenoma								
Overall Incidence	Total	0/50 (0%) 1/150 (0.67%)	0/50 (0%) Mean 0.67%	1/50 (2%) SD 1.15%	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: SKIN
Vehicle: ETHANOL

Page: 291
 Report Date: 03/22/2010

		Male			Female		
#Intestine Small: Site Unspecified: Carcinoma							
		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	1/50 (2%)
Overall Incidence	Total	1/150 (0.67%)	Mean 0.67%	SD 1.15%	Total	1/150 (0.67%)	Mean 0.67% SD 1.15%
.....							
#Intestine Small: Site Unspecified: Carcinoma or Adenoma							
		0/50 (0%)	0/50 (0%)	2/50 (4%)	0/50 (0%)	0/50 (0%)	1/50 (2%)
Overall Incidence	Total	2/150 (1.33%)	Mean 1.33%	SD 2.31%	Total	1/150 (0.67%)	Mean 0.67% SD 1.15%
.....							
#Intestine Small: Site Unspecified: Hemangiosarcoma							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	1/150 (0.67%)	Mean 0.67% SD 1.15%
.....							
#Intestine Small: Site Unspecified: Leiomyosarcoma							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0% SD 0%
.....							
#Intestine Small: Site Unspecified: Polyp Adenomatous							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0% SD 0%
.....							
*Islets, Pancreatic: Adenoma							
		0/50 (0%)	0/50 (0%)	2/50 (4%)	0/50 (0%)	1/50 (2%)	0/50 (0%)
Overall Incidence	Total	2/150 (1.33%)	Mean 1.33%	SD 2.31%	Total	1/150 (0.67%)	Mean 0.67% SD 1.15%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: SKIN
 Vehicle: ETHANOL

Page: 292
 Report Date: 03/22/2010

		Male				Female					
*Islets, Pancreatic:											
 Carcinoma											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
*Islets, Pancreatic:											
 Carcinoma or Adenoma											
		0/50	(0%)	0/50	(0%)	2/50	(4%)	0/50	(0%)	1/50	(2%)
Overall Incidence	Total	2/150	(1.33%)	Mean 1.33%	SD 2.31%	Total	1/150	(0.67%)	Mean 0.67%	SD 1.15%	
.....											
*Kidney: Renal Tubule:											
 Adenoma											
		0/50	(0%)	0/50	(0%)	1/48	(2%)	0/50	(0%)	0/49	(0%)
Overall Incidence	Total	1/148	(0.68%)	Mean 0.69%	SD 1.2%	Total	0/149	(0%)	Mean 0%	SD 0%	
.....											
*Kidney: Renal Tubule:											
 Carcinoma											
		0/50	(0%)	0/50	(0%)	0/48	(0%)	0/50	(0%)	0/49	(0%)
Overall Incidence	Total	0/148	(0%)	Mean 0%	SD 0%	Total	0/149	(0%)	Mean 0%	SD 0%	
.....											
*Kidney: Renal Tubule:											
 Carcinoma or Adenoma											
		0/50	(0%)	0/50	(0%)	1/48	(2%)	0/50	(0%)	0/49	(0%)
Overall Incidence	Total	1/148	(0.68%)	Mean 0.69%	SD 1.2%	Total	0/149	(0%)	Mean 0%	SD 0%	
.....											
*Kidney: Renal Tubule:											
 Hemangioma											
		0/50	(0%)	0/50	(0%)	0/48	(0%)	0/50	(0%)	0/49	(0%)
Overall Incidence	Total	0/148	(0%)	Mean 0%	SD 0%	Total	0/149	(0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: SKIN
Vehicle: ETHANOL

Page: 293
 Report Date: 03/22/2010

		Male				Female			
*Kidney: Renal Tubule: Hemangiosarcoma									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/48 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)		
		0/148 (0%)	Mean 0%	SD 0%	Total	0/149 (0%)	Mean 0%	SD 0%	
.....									
*Kidney: Renal Tubule: Plasma Cell Tumor Malignant									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/48 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)		
		0/148 (0%)	Mean 0%	SD 0%	Total	0/149 (0%)	Mean 0%	SD 0%	
.....									
*Kidney: Renal Tubule: Sarcoma									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/48 (0%)	0/50 (0%)	1/49 (2%)			
		0/148 (0%)	Mean 0%	SD 0%	Total	1/149 (0.67%)	Mean 0.68%	SD 1.18%	
.....									
*Liver: Fibrous Histiocytoma									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)		
		0/150 (0%)	Mean 0%	SD 0%	Total	1/150 (0.67%)	Mean 0.67%	SD 1.15%	
.....									
*Liver: Hemangioma									
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
*Liver: Hemangiosarcoma									
Overall Incidence	Total	1/50 (2%)	1/50 (2%)	4/50 (8%)	2/50 (4%)	1/50 (2%)	1/50 (2%)		
		6/150 (4%)	Mean 4%	SD 3.46%	Total	4/150 (2.67%)	Mean 2.67%	SD 1.15%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: SKIN
 Vehicle: ETHANOL

Page: 294
 Report Date: 03/22/2010

		Male			Female			
*Liver:								
Hepatoblastoma								
		2/50 (4%)	2/50 (4%)	1/50 (2%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	
Overall Incidence	Total	5/150 (3.33%)	Mean 3.33%	SD 1.15%	Total	1/150 (0.67%)	Mean 0.67%	SD 1.15%
.....								
*Liver:								
Hepatocellular Adenoma								
		33/50 (66%)	35/50 (70%)	31/50 (62%)	22/50 (44%)	31/50 (62%)	30/50 (60%)	
Overall Incidence	Total	99/150 (66%)	Mean 66%	SD 4%	Total	83/150 (55.33%)	Mean 55.33%	SD 9.87%
.....								
*Liver:								
Hepatocellular Carcinoma								
		14/50 (28%)	17/50 (34%)	28/50 (56%)	3/50 (6%)	8/50 (16%)	23/50 (46%)	
Overall Incidence	Total	59/150 (39.33%)	Mean 39.33%	SD 14.74%	Total	34/150 (22.67%)	Mean 22.67%	SD 20.82%
.....								
*Liver:								
Hepatocellular Carcinoma or Hepatoblastoma								
		15/50 (30%)	19/50 (38%)	29/50 (58%)	3/50 (6%)	9/50 (18%)	23/50 (46%)	
Overall Incidence	Total	63/150 (42%)	Mean 42%	SD 14.42%	Total	35/150 (23.33%)	Mean 23.33%	SD 20.53%
.....								
*Liver:								
Hepatocellular Carcinoma or Hepatocellular Adenoma								
		40/50 (80%)	41/50 (82%)	45/50 (90%)	22/50 (44%)	32/50 (64%)	38/50 (76%)	
Overall Incidence	Total	126/150 (84%)	Mean 84%	SD 5.29%	Total	92/150 (61.33%)	Mean 61.33%	SD 16.17%
.....								
*Liver:								
Hepatocellular Carcinoma, Hepatocellular Adenoma, or Hepatoblastoma								
		40/50 (80%)	41/50 (82%)	45/50 (90%)	22/50 (44%)	32/50 (64%)	38/50 (76%)	
Overall Incidence	Total	126/150 (84%)	Mean 84%	SD 5.29%	Total	92/150 (61.33%)	Mean 61.33%	SD 16.17%

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: SKIN
Vehicle: ETHANOL

Page: 295
 Report Date: 03/22/2010

		Male				Female					
*Liver:											
Hepatocholangiocarcinoma											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
*Liver:											
Hepatocholangioma											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
*Liver:											
Ito Cell Tumor Benign											
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	1/150	(0.67%)	Mean 0.67%	SD 1.15%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
*Liver:											
Ito Cell Tumor Malignant											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
*Liver:											
Plasma Cell Tumor Malignant											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
*Liver:											
Sarcoma											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: SKIN
Vehicle: ETHANOL

Page: 296
 Report Date: 03/22/2010

		Male			Female			
*Lung:								
Adenoma								
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%
.....								
*Lung:								
Alveolar/Bronchiolar Adenoma								
		6/50 (12%)	10/50 (20%)	8/50 (16%)	1/50 (2%)	2/50 (4%)	1/50 (2%)	
Overall Incidence	Total	24/150 (16%)	Mean 16%	SD 4%	Total	4/150 (2.67%)	Mean 2.67%	SD 1.15%
.....								
*Lung:								
Alveolar/Bronchiolar Carcinoma								
		5/50 (10%)	6/50 (12%)	7/50 (14%)	4/50 (8%)	3/50 (6%)	3/50 (6%)	
Overall Incidence	Total	18/150 (12%)	Mean 12%	SD 2%	Total	10/150 (6.67%)	Mean 6.67%	SD 1.15%
.....								
*Lung:								
Alveolar/Bronchiolar Carcinoma or Alveolar/Bronchiolar Adenoma								
		11/50 (22%)	15/50 (30%)	14/50 (28%)	5/50 (10%)	5/50 (10%)	4/50 (8%)	
Overall Incidence	Total	40/150 (26.67%)	Mean 26.67%	SD 4.16%	Total	14/150 (9.33%)	Mean 9.33%	SD 1.15%
.....								
*Lung:								
Fibrosarcoma								
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%
.....								
*Lung:								
Fibrous Histiocytoma								
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	1/150 (0.67%)	Mean 0.67%	SD 1.15%

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: SKIN
Vehicle: ETHANOL

Page: 297
 Report Date: 03/22/2010

		Male				Female					
*Lung:											
Hemangiosarcoma											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	1/150	(0.67%)	Mean 0.67%	SD 1.15%	
.....											
*Lung:											
Plasma Cell Tumor Malignant											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
*Lung:											
Sarcoma											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
#Lymph Node:											
Fibrous Histiocytoma											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	1/150	(0.67%)	Mean 0.67%	SD 1.15%	
.....											
#Lymph Node:											
Hemangioma											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
#Lymph Node:											
Hemangiosarcoma											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: SKIN
 Vehicle: ETHANOL

Page: 298
 Report Date: 03/22/2010

		Male				Female					
#Lymph Node: Plasma Cell Tumor Malignant											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
#Lymph Node: Sarcoma											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
#Lymph Node, Bronchial: Hemangiosarcoma											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
#Lymph Node, Mandibular: Fibrous Histiocytoma											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	1/150	(0.67%)	Mean 0.67%	SD 1.15%	
.....											
#Lymph Node, Mandibular: Hemangiosarcoma											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
#Lymph Node, Mandibular: Mast Cell Tumor Malignant											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: SKIN
Vehicle: ETHANOL

Page: 299
 Report Date: 03/22/2010

		Male			Female			
#Lymph Node, Mandibular:								
Plasma Cell Tumor Malignant								
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%
.....								
#Lymph Node, Mesenteric:								
Fibrous Histiocytoma								
		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	
Overall Incidence	Total	1/150 (0.67%)	Mean 0.67%	SD 1.15%	Total	1/150 (0.67%)	Mean 0.67%	SD 1.15%
.....								
#Lymph Node, Mesenteric:								
Hemangioma								
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%
.....								
#Lymph Node, Mesenteric:								
Hemangiosarcoma								
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%
.....								
#Lymph Node, Mesenteric:								
Plasma Cell Tumor Malignant								
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%
.....								
#Mammary Gland:								
Adenoacanthoma								
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: SKIN
Vehicle: ETHANOL

Page: 300
 Report Date: 03/22/2010

		Male				Female			
#Mammary Gland: Adenoma									
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	
#Mammary Gland: Carcinoma									
Overall Incidence	Total	1/50 (2%) 1/150 (0.67%)	0/50 (0%) Mean 0.67%	0/50 (0%) SD 1.15%	Total	2/50 (4%) 4/150 (2.67%)	0/50 (0%) Mean 2.67%	2/50 (4%) SD 2.31%	
#Mammary Gland: Carcinoma or Adenoma									
Overall Incidence	Total	1/50 (2%) 1/150 (0.67%)	0/50 (0%) Mean 0.67%	0/50 (0%) SD 1.15%	Total	2/50 (4%) 4/150 (2.67%)	0/50 (0%) Mean 2.67%	2/50 (4%) SD 2.31%	
#Mammary Gland: Fibroadenoma									
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	
#Mammary Gland: Fibroma, Fibroadenoma or Adenoma									
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	
#Mammary Gland: Fibroma, Fibroadenoma, Carcinoma, or Adenoma									
Overall Incidence	Total	1/50 (2%) 1/150 (0.67%)	0/50 (0%) Mean 0.67%	0/50 (0%) SD 1.15%	Total	2/50 (4%) 4/150 (2.67%)	0/50 (0%) Mean 2.67%	2/50 (4%) SD 2.31%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: SKIN
Vehicle: ETHANOL

Page: 301
 Report Date: 03/22/2010

		Male			Female			
#Mesentery:								
Fibrosarcoma								
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%
.....								
#Mesentery:								
Hemangioma								
		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/150 (0.67%)	Mean 0.67%	SD 1.15%	Total	0/150 (0%)	Mean 0%	SD 0%
.....								
#Mesentery:								
Hemangiosarcoma								
		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/150 (0.67%)	Mean 0.67%	SD 1.15%	Total	0/150 (0%)	Mean 0%	SD 0%
.....								
#Mesentery:								
Sarcoma								
		0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	1/150 (0.67%)	Mean 0.67%	SD 1.15%
.....								
*Nose:								
Mast Cell Tumor Malignant								
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%
.....								
#Oral Cavity (Oral Mucosa, Tongue, Pharynx, Tooth, Gingiva):								
Papilloma Squamous or Papilloma								
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: SKIN
Vehicle: ETHANOL

Page: 302
 Report Date: 03/22/2010

	Male				Female			
#Oral Cavity (Oral Mucosa, Tongue, Pharynx, Tooth, Gingiva):								
Squamous Cell Carcinoma								
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%
.....								
#Oral Cavity (Oral Mucosa, Tongue, Pharynx, Tooth, Gingiva):								
Squamous Cell Carcinoma, Papilloma Squamous, or Papilloma								
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%
.....								
*Ovary:								
Choriocarcinoma								
						0/50 (0%)	0/50 (0%)	0/49 (0%)
Overall Incidence					Total	0/149 (0%)	Mean 0%	SD 0%
.....								
*Ovary:								
Cystadenoma								
						2/50 (4%)	3/50 (6%)	1/49 (2%)
Overall Incidence					Total	6/149 (4.03%)	Mean 4.01%	SD 1.98%
.....								
*Ovary:								
Fibrous Histiocytoma								
						0/50 (0%)	1/50 (2%)	0/49 (0%)
Overall Incidence					Total	1/149 (0.67%)	Mean 0.67%	SD 1.15%
.....								
*Ovary:								
Granulosa Cell Tumor Benign								
						0/50 (0%)	0/50 (0%)	0/49 (0%)
Overall Incidence					Total	0/149 (0%)	Mean 0%	SD 0%

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: SKIN
Vehicle: ETHANOL

Page: 303
 Report Date: 03/22/2010

	Male		Female	
*Ovary:				
Granulosa Cell Tumor Malignant				
		0/50 (0%)	0/50 (0%)	0/49 (0%)
Overall Incidence	Total	0/149 (0%)	Mean 0%	SD 0%
.....				
*Ovary:				
Granulosa Cell Tumor: Benign, Malignant, NOS				
		0/50 (0%)	0/50 (0%)	0/49 (0%)
Overall Incidence	Total	0/149 (0%)	Mean 0%	SD 0%
.....				
*Ovary:				
Hemangioma				
		0/50 (0%)	0/50 (0%)	0/49 (0%)
Overall Incidence	Total	0/149 (0%)	Mean 0%	SD 0%
.....				
*Ovary:				
Hemangiosarcoma				
		0/50 (0%)	0/50 (0%)	0/49 (0%)
Overall Incidence	Total	0/149 (0%)	Mean 0%	SD 0%
.....				
*Ovary:				
Leiomyosarcoma				
		0/50 (0%)	0/50 (0%)	0/49 (0%)
Overall Incidence	Total	0/149 (0%)	Mean 0%	SD 0%
.....				
*Ovary:				
Luteoma				
		0/50 (0%)	0/50 (0%)	0/49 (0%)
Overall Incidence	Total	0/149 (0%)	Mean 0%	SD 0%
.....				

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: SKIN
 Vehicle: ETHANOL

Page: 304
 Report Date: 03/22/2010

		Male			Female		
*Ovary:							
Plasma Cell Tumor Malignant							
			0/50 (0%)		0/50 (0%)	0/49 (0%)	
Overall Incidence		Total	0/149 (0%)	Mean 0%		SD 0%	
.....							
*Ovary:							
Teratoma Benign							
			0/50 (0%)		0/50 (0%)	0/49 (0%)	
Overall Incidence		Total	0/149 (0%)	Mean 0%		SD 0%	
.....							
*Ovary:							
Teratoma Malignant							
			0/50 (0%)		0/50 (0%)	0/49 (0%)	
Overall Incidence		Total	0/149 (0%)	Mean 0%		SD 0%	
.....							
*Ovary:							
Tubulostromal Adenoma							
			0/50 (0%)		0/50 (0%)	0/49 (0%)	
Overall Incidence		Total	0/149 (0%)	Mean 0%		SD 0%	
.....							
*Pancreas:							
Adenoma							
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/149 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%
.....							
*Pancreas:							
Carcinoma							
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/149 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%
.....							

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: SKIN
Vehicle: ETHANOL

Page: 305
 Report Date: 03/22/2010

		Male				Female			
*Pancreas:									
 Carcinoma or Adenoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/149 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
*Pituitary Gland: Pars Distalis or Unspecified Site:									
 Adenoma									
		1/50 (2%)	0/50 (0%)	0/49 (0%)		4/49 (8%)	5/50 (10%)	5/47 (11%)	
Overall Incidence	Total	1/149 (0.67%)	Mean 0.67%	SD 1.15%	Total	14/146 (9.59%)	Mean 9.6%	SD 1.28%	
.....									
*Pituitary Gland: Pars Distalis or Unspecified Site:									
 Carcinoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/49 (0%)	0/50 (0%)	0/47 (0%)	
Overall Incidence	Total	0/149 (0%)	Mean 0%	SD 0%	Total	0/146 (0%)	Mean 0%	SD 0%	
.....									
*Pituitary Gland: Pars Distalis or Unspecified Site:									
 Carcinoma or Adenoma									
		1/50 (2%)	0/50 (0%)	0/49 (0%)		4/49 (8%)	5/50 (10%)	5/47 (11%)	
Overall Incidence	Total	1/149 (0.67%)	Mean 0.67%	SD 1.15%	Total	14/146 (9.59%)	Mean 9.6%	SD 1.28%	
.....									
*Pituitary Gland: Pars Intermedia:									
 Adenoma									
		1/50 (2%)	0/50 (0%)	0/49 (0%)		0/49 (0%)	1/50 (2%)	0/47 (0%)	
Overall Incidence	Total	1/149 (0.67%)	Mean 0.67%	SD 1.15%	Total	1/146 (0.68%)	Mean 0.67%	SD 1.15%	
.....									
*Pituitary Gland: Pars Intermedia:									
 Carcinoma or Adenoma									
		1/50 (2%)	0/50 (0%)	0/49 (0%)		0/49 (0%)	1/50 (2%)	0/47 (0%)	
Overall Incidence	Total	1/149 (0.67%)	Mean 0.67%	SD 1.15%	Total	1/146 (0.68%)	Mean 0.67%	SD 1.15%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: SKIN
Vehicle: ETHANOL

Page: 306
 Report Date: 03/22/2010

		Male				Female			
*Prostate:									
Adenoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)		
Overall Incidence	Total	0/150	(0%)	Mean 0%		SD 0%			
.....									
*Prostate:									
Carcinoma or Adenoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)		
Overall Incidence	Total	0/150	(0%)	Mean 0%		SD 0%			
.....									
*Prostate:									
Hemangioma									
		1/50	(2%)	0/50	(0%)	0/50	(0%)		
Overall Incidence	Total	1/150	(0.67%)	Mean 0.67%		SD 1.15%			
.....									
*Salivary Glands:									
Carcinoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%		SD 0%	Total	0/150	(0%)
								Mean 0%	SD 0%
.....									
*Salivary Glands:									
Carcinoma or Adenoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%		SD 0%	Total	0/150	(0%)
								Mean 0%	SD 0%
.....									
*Salivary Glands:									
Mast Cell Tumor Malignant									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%		SD 0%	Total	0/150	(0%)
								Mean 0%	SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: SKIN
Vehicle: ETHANOL

Page: 307
 Report Date: 03/22/2010

		Male			Female		
#Seminal Vesicle:							
Adenoma							
		0/50 (0%)	0/50 (0%)	0/50 (0%)			
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%			
.....							
#Skeletal Muscle:							
Fibrosarcoma							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%
						SD 0%	
.....							
#Skeletal Muscle:							
Hemangiosarcoma							
		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	1/50 (2%)
Overall Incidence	Total	1/150 (0.67%)	Mean 0.67%	SD 1.15%	Total	1/150 (0.67%)	Mean 0.67%
						SD 1.15%	
.....							
#Skeletal Muscle:							
Myxosarcoma							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%
						SD 0%	
.....							
#Skeletal Muscle:							
Rhabdomyosarcoma							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%
						SD 0%	
.....							
#Skeletal Muscle:							
Rhabdomyosarcoma or Rhabdomyoma							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%
						SD 0%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: SKIN
Vehicle: ETHANOL

Page: 308
 Report Date: 03/22/2010

		Male				Female					
#Skeletal Muscle:											
Sarcoma											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
#Skin:											
Basal Cell Adenoma or Basosquamous Tumor Benign											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
#Skin:											
Basal Cell Adenoma, Basosquamous Tumor Benign, or Trichoepithelioma											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
#Skin:											
Basal Cell Carcinoma											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	1/150	(0.67%)	Mean 0.67%	SD 1.15%	
.....											
#Skin:											
Basal Cell Carcinoma or Basosquamous Tumor (malignant or NOS)											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	1/150	(0.67%)	Mean 0.67%	SD 1.15%	
.....											
#Skin:											
Basal Cell Carcinoma, Basal Cell Adenoma, Basosquamous Tumor (benign, malignant or NOS), or Trichoepithelioma											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	1/150	(0.67%)	Mean 0.67%	SD 1.15%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: SKIN
Vehicle: ETHANOL

Page: 309
 Report Date: 03/22/2010

		Male			Female		
#Skin:							
Basal or Sq. Cell Carcinoma, Carcinoma, Basosq. Tumor (M or B), Basal Cell Adenoma, Adenoma, Papilloma, Sq Papilloma, Keratoacanthoma, Trichoepithelioma							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	1/150 (0.67%)	Mean 0.67%
							SD 1.15%
.....							
#Skin:							
Basosquamous Tumor Benign							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%
							SD 0%
.....							
#Skin:							
Fibroma							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%
							SD 0%
.....							
#Skin:							
Fibroma, Fibrosarcoma, Sarcoma, Myxoma, Myxosarcoma, or Fibrous Histiocytoma							
		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	1/50 (2%)	1/50 (2%)
Overall Incidence	Total	1/150 (0.67%)	Mean 0.67%	SD 1.15%	Total	2/150 (1.33%)	Mean 1.33%
							SD 1.15%
.....							
#Skin:							
Fibrosarcoma							
		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	1/50 (2%)
Overall Incidence	Total	1/150 (0.67%)	Mean 0.67%	SD 1.15%	Total	1/150 (0.67%)	Mean 0.67%
							SD 1.15%
.....							
#Skin:							
Fibrosarcoma, Sarcoma, Myxosarcoma, or Fibrous Histiocytoma							
		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	1/50 (2%)	1/50 (2%)
Overall Incidence	Total	1/150 (0.67%)	Mean 0.67%	SD 1.15%	Total	2/150 (1.33%)	Mean 1.33%
							SD 1.15%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: SKIN
Vehicle: ETHANOL

Page: 310
 Report Date: 03/22/2010

		Male			Female			
#Skin:								
Fibrous Histiocytoma								
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%
.....								
#Skin:								
Granular Cell Tumor Benign								
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%
.....								
#Skin:								
Hemangioma								
		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/150 (0.67%)	Mean 0.67%	SD 1.15%	Total	0/150 (0%)	Mean 0%	SD 0%
.....								
#Skin:								
Hemangiosarcoma								
		1/50 (2%)	2/50 (4%)	1/50 (2%)	1/50 (2%)	0/50 (0%)	2/50 (4%)	
Overall Incidence	Total	4/150 (2.67%)	Mean 2.67%	SD 1.15%	Total	3/150 (2%)	Mean 2%	SD 2%
.....								
#Skin:								
Liposarcoma								
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%
.....								
#Skin:								
Mast Cell Tumor Benign								
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	1/150 (0.67%)	Mean 0.67%	SD 1.15%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: SKIN
Vehicle: ETHANOL

Page: 311
 Report Date: 03/22/2010

		Male			Female			
#Skin:								
Myxosarcoma								
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%
.....								
#Skin:								
Neurofibrosarcoma or Schwannoma (malignant or NOS)								
		0/50 (0%)	0/50 (0%)	0/50 (0%)	2/50 (4%)	1/50 (2%)	1/50 (2%)	
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	4/150 (2.67%)	Mean 2.67%	SD 1.15%
.....								
#Skin:								
Neurofibrosarcoma, Neurofibroma, or Schwannoma (benign, malignant or NOS)								
		0/50 (0%)	0/50 (0%)	0/50 (0%)	2/50 (4%)	1/50 (2%)	1/50 (2%)	
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	4/150 (2.67%)	Mean 2.67%	SD 1.15%
.....								
#Skin:								
Osteosarcoma								
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%
.....								
#Skin:								
Sarcoma								
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	1/150 (0.67%)	Mean 0.67%	SD 1.15%
.....								
#Skin:								
Schwannoma Malignant								
		0/50 (0%)	0/50 (0%)	0/50 (0%)	2/50 (4%)	1/50 (2%)	1/50 (2%)	
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	4/150 (2.67%)	Mean 2.67%	SD 1.15%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: SKIN
Vehicle: ETHANOL

Page: 312
 Report Date: 03/22/2010

		Male				Female			
#Skin:									
Squamous Cell Carcinoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%
									SD 0%
.....									
#Skin:									
Squamous Cell Carcinoma, Basal Cell Carcinoma, Basosquamous Tumor (malignant or NOS), or Carcinoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	1/150	(0.67%)	Mean 0.67%
									SD 1.15%
.....									
#Skin:									
Squamous Cell Papilloma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%
									SD 0%
.....									
#Skin:									
Squamous Cell Papilloma or Papilloma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%
									SD 0%
.....									
#Skin:									
Squamous Cell Papilloma, Papilloma, Squamous Cell Carcinoma or Keratoacanthoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%
									SD 0%
.....									
#Skin:									
Squamous Cell Papilloma, Papilloma, or Keratoacanthoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%
									SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: SKIN
Vehicle: ETHANOL

Page: 313
 Report Date: 03/22/2010

		Male				Female			
#Skin:									
Trichoepithelioma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%
									SD 0%
.....									
#Skin: Sebaceous Gland:									
Adenoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%
									SD 0%
.....									
#Skin: Sebaceous Gland:									
Carcinoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%
									SD 0%
.....									
#Skin: Sebaceous Gland:									
Carcinoma or Adenoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%
									SD 0%
.....									
#Spinal Cord:									
Meningioma Malignant									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%
									SD 0%
.....									
*Spleen:									
Fibrous Histiocytoma									
		0/50	(0%)	0/50	(0%)	0/48	(0%)	1/50	(2%)
Overall Incidence	Total	0/148	(0%)	Mean 0%	SD 0%	Total	1/149	(0.67%)	Mean 0.67%
									SD 1.15%

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: SKIN
Vehicle: ETHANOL

Page: 314
 Report Date: 03/22/2010

		Male				Female			
*Spleen:									
Hemangioma									
		0/50 (0%)	0/50 (0%)	0/48 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
Overall Incidence	Total	0/148 (0%)	Mean 0%	SD 0%	Total	0/149 (0%)	Mean 0%	SD 0%	
.....									
*Spleen:									
Hemangiosarcoma									
		3/50 (6%)	1/50 (2%)	3/48 (6%)		5/50 (10%)	0/50 (0%)	2/49 (4%)	
Overall Incidence	Total	7/148 (4.73%)	Mean 4.75%	SD 2.38%	Total	7/149 (4.7%)	Mean 4.69%	SD 5.03%	
.....									
*Spleen:									
Mast Cell Tumor Malignant									
		0/50 (0%)	0/50 (0%)	0/48 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
Overall Incidence	Total	0/148 (0%)	Mean 0%	SD 0%	Total	0/149 (0%)	Mean 0%	SD 0%	
.....									
*Spleen:									
Plasma Cell Tumor Malignant									
		0/50 (0%)	0/50 (0%)	0/48 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
Overall Incidence	Total	0/148 (0%)	Mean 0%	SD 0%	Total	0/149 (0%)	Mean 0%	SD 0%	
.....									
#Stomach, Forestomach:									
Mast Cell Tumor Malignant									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0%	SD 0%	
.....									
#Stomach, Forestomach:									
Squamous Cell Carcinoma									
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/150 (0.67%)	Mean 0.67%	SD 1.15%	Total	0/150 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: SKIN
Vehicle: ETHANOL

Page: 315
 Report Date: 03/22/2010

		Male			Female		
#Stomach, Forestomach:							
Squamous Cell Carcinoma or Papilloma Squamous							
		0/50 (0%)	0/50 (0%)	4/50 (8%)	1/50 (2%)	1/50 (2%)	1/50 (2%)
Overall Incidence	Total	4/150 (2.67%)	Mean 2.67%	SD 4.62%	Total	3/150 (2%)	Mean 2% SD 0%
.....							
#Stomach, Forestomach:							
Squamous Cell Papilloma							
		0/50 (0%)	0/50 (0%)	3/50 (6%)	1/50 (2%)	1/50 (2%)	1/50 (2%)
Overall Incidence	Total	3/150 (2%)	Mean 2%	SD 3.46%	Total	3/150 (2%)	Mean 2% SD 0%
.....							
#Stomach, Glandular:							
Adenoma							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0% SD 0%
.....							
#Stomach, Glandular:							
Carcinoma or Adenoma							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/150 (0%)	Mean 0% SD 0%
.....							
*Testes:							
Adenoma							
		2/50 (4%)	2/50 (4%)	0/50 (0%)			
Overall Incidence	Total	4/150 (2.67%)	Mean 2.67%	SD 2.31%			
.....							
*Thymus:							
Thymoma Benign							
		0/49 (0%)	0/47 (0%)	0/44 (0%)	0/50 (0%)	0/47 (0%)	0/50 (0%)
Overall Incidence	Total	0/140 (0%)	Mean 0%	SD 0%	Total	0/147 (0%)	Mean 0% SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: SKIN
Vehicle: ETHANOL

Page: 316
 Report Date: 03/22/2010

		Male			Female		
*Thymus:							
Thymoma Malignant							
		0/49 (0%)	1/47 (2%)	0/44 (0%)	0/50 (0%)	1/47 (2%)	0/50 (0%)
Overall Incidence	Total	1/140 (0.71%)	Mean 0.71%	SD 1.23%	Total	1/147 (0.68%)	Mean 0.71% SD 1.23%
.....							
*Thymus:							
Thymoma: Benign, Malignant, NOS							
		0/49 (0%)	1/47 (2%)	0/44 (0%)	0/50 (0%)	1/47 (2%)	0/50 (0%)
Overall Incidence	Total	1/140 (0.71%)	Mean 0.71%	SD 1.23%	Total	1/147 (0.68%)	Mean 0.71% SD 1.23%
.....							
*Thyroid Gland: C-Cell:							
Carcinoma							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/149 (0%)	Mean 0% SD 0%
.....							
*Thyroid Gland: C-Cell:							
Carcinoma or Adenoma							
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)
Overall Incidence	Total	0/150 (0%)	Mean 0%	SD 0%	Total	0/149 (0%)	Mean 0% SD 0%
.....							
*Thyroid Gland: Follicular Cell:							
Adenoma							
		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/49 (0%)
Overall Incidence	Total	1/150 (0.67%)	Mean 0.67%	SD 1.15%	Total	0/149 (0%)	Mean 0% SD 0%
.....							
*Thyroid Gland: Follicular Cell:							
Carcinoma							
		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/49 (2%)
Overall Incidence	Total	1/150 (0.67%)	Mean 0.67%	SD 1.15%	Total	1/149 (0.67%)	Mean 0.68% SD 1.18%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: SKIN
Vehicle: ETHANOL

Page: 317
 Report Date: 03/22/2010

		Male			Female			
*Thyroid Gland: Follicular Cell: Carcinoma or Adenoma								
Overall Incidence	Total	1/50 (2%) 2/150 (1.33%)	0/50 (0%) Mean 1.33%	1/50 (2%) SD 1.15%	Total	0/50 (0%) 1/149 (0.67%)	0/50 (0%) Mean 0.68%	1/49 (2%) SD 1.18%
#Tissue NOS: Carcinoma								
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%
#Tissue NOS: Hemangiosarcoma								
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/50 (0%) 1/150 (0.67%)	0/50 (0%) Mean 0.67%	1/50 (2%) SD 1.15%
#Tissue NOS: Plasma Cell Tumor Malignant								
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%
#Tissue NOS: Sarcoma								
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/50 (0%) 1/150 (0.67%)	0/50 (0%) Mean 0.67%	1/50 (2%) SD 1.15%
#Tongue: Fibroma								
Overall Incidence	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%	Total	0/50 (0%) 0/150 (0%)	0/50 (0%) Mean 0%	0/50 (0%) SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: SKIN
Vehicle: ETHANOL

Page: 318
 Report Date: 03/22/2010

		Male				Female					
#Tongue:											
Squamous Cell Carcinoma											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
#Tongue:											
Squamous Cell Carcinoma or Papilloma Squamous											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
#Tongue:											
Squamous Cell Papilloma											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/150	(0%)	Mean 0%	SD 0%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
#Tooth:											
Odontoma											
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	1/150	(0.67%)	Mean 0.67%	SD 1.15%	Total	0/150	(0%)	Mean 0%	SD 0%	
.....											
*Urinary Bladder:											
Hemangioma											
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/49	(0%)
Overall Incidence	Total	0/149	(0%)	Mean 0%	SD 0%	Total	0/149	(0%)	Mean 0%	SD 0%	
.....											
*Urinary Bladder:											
Hemangiosarcoma											
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/49	(0%)
Overall Incidence	Total	0/149	(0%)	Mean 0%	SD 0%	Total	0/149	(0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: SKIN
Vehicle: ETHANOL

Page: 319
 Report Date: 03/22/2010

		Male			Female			
*Urinary Bladder:								
Plasma Cell Tumor Malignant								
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	
Overall Incidence	Total	0/149 (0%)	Mean 0%	SD 0%	Total	0/149 (0%)	Mean 0%	SD 0%
.....								
*Urinary Bladder:								
Sarcoma								
		0/50 (0%)	0/50 (0%)	0/49 (0%)	1/50 (2%)	0/50 (0%)	0/49 (0%)	
Overall Incidence	Total	0/149 (0%)	Mean 0%	SD 0%	Total	1/149 (0.67%)	Mean 0.67%	SD 1.15%
.....								
#Uterus:								
Adenoma								
					0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total				0/150 (0%)	Mean 0%	SD 0%	
.....								
#Uterus:								
Carcinoma								
					0/50 (0%)	0/50 (0%)	1/50 (2%)	
Overall Incidence	Total				1/150 (0.67%)	Mean 0.67%	SD 1.15%	
.....								
#Uterus:								
Hemangioma								
					0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total				0/150 (0%)	Mean 0%	SD 0%	
.....								
#Uterus:								
Hemangiosarcoma								
					0/50 (0%)	0/50 (0%)	1/50 (2%)	
Overall Incidence	Total				1/150 (0.67%)	Mean 0.67%	SD 1.15%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: SKIN
Vehicle: ETHANOL

Page: 320
 Report Date: 03/22/2010

	Male	Female
#Uterus:		
Leiomyoma		
Overall Incidence	Total	0/50 (0%) 0/150 (0%) Mean 0% SD 0%
.....		
#Uterus:		
Leiomyosarcoma		
Overall Incidence	Total	0/50 (0%) 0/150 (0%) Mean 0% SD 0%
.....		
#Uterus:		
Polyp Stromal		
Overall Incidence	Total	0/50 (0%) 2/150 (1.33%) Mean 1.33% SD 1.15%
.....		
#Uterus:		
Sarcoma Stromal		
Overall Incidence	Total	0/50 (0%) 0/150 (0%) Mean 0% SD 0%
.....		
#Uterus:		
Sarcoma Stromal or Polyp Stromal		
Overall Incidence	Total	0/50 (0%) 2/150 (1.33%) Mean 1.33% SD 1.15%
.....		
#Uterus:		
Schwannoma Malignant		
Overall Incidence	Total	0/50 (0%) 0/150 (0%) Mean 0% SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Mar2010
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: SKIN
Vehicle: ETHANOL

Page: 321
 Report Date: 03/22/2010

	Male	Female
#Vagina:		
Liposarcoma		
	0/50 (0%)	0/50 (0%)
Overall Incidence	Total 1/150 (0.67%)	Mean 0.67% SD 1.15%
.....		
#Vagina:		
Squamous Cell Papilloma		
	0/50 (0%)	0/50 (0%)
Overall Incidence	Total 0/150 (0%)	Mean 0% SD 0%
.....		

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied