

Version: May2011
Contract/Lab: All Laboratories
Species: MICE
Strain: B6C3F1
Length of Study: CHRONIC

Toxicology Data Management System
Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: METHYLCELLULOSE

Page: 68
Report Date: 05/04/2011

Study Summary

Laboratory Name	Study Number	Study Start Date	Length of Study in Days	Number of Animals Total and (#/Cage)	Number Surviving and (Mean Life Span)	Maximum Mean Weekly Body Weight	Chemical
Male							
Southern Research Institute	059902408	12/16/02	729	50(1)	36(687)	53.8	Androstenedione
Southern Research Institute	059903706	06/30/03	729	50(1)	40(701)	53.9	alpha/beta Thujone mixture
Female							
Southern Research Institute	059902408	12/16/02	733	50(5)	35(690)	65.3	Androstenedione
Southern Research Institute	059903706	06/30/03	731	50(5)	37(668)	64.7	alpha/beta Thujone mixture

Version: May2011
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 69
 Report Date: 05/04/2011

		Male			Female		
#All Organs:							
Benign Tumors							
		38/50 (76%)	32/50 (64%)		27/50 (54%)	22/50 (44%)	
Overall Incidence	Total	70/100 (70%)	Mean 70%	SD 8.49%	Total	49/100 (49%)	Mean 49% SD 7.07%
.....							
#All Organs:							
Malignant Tumors							
		37/50 (74%)	30/50 (60%)		27/50 (54%)	19/50 (38%)	
Overall Incidence	Total	67/100 (67%)	Mean 67%	SD 9.9%	Total	46/100 (46%)	Mean 46% SD 11.31%
.....							
#All Organs:							
Malignant and Benign Tumors							
		47/50 (94%)	45/50 (90%)		40/50 (80%)	35/50 (70%)	
Overall Incidence	Total	92/100 (92%)	Mean 92%	SD 2.83%	Total	75/100 (75%)	Mean 75% SD 7.07%
.....							
#All Organs:							
Hemangioma							
		1/50 (2%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	
Overall Incidence	Total	1/100 (1%)	Mean 1%	SD 1.41%	Total	1/100 (1%)	Mean 1% SD 1.41%
.....							
#All Organs:							
Hemangiosarcoma							
		5/50 (10%)	4/50 (8%)		1/50 (2%)	1/50 (2%)	
Overall Incidence	Total	9/100 (9%)	Mean 9%	SD 1.41%	Total	2/100 (2%)	Mean 2% SD 0%
.....							
#All Organs:							
Hemangiosarcoma or Hemangioma							
		5/50 (10%)	4/50 (8%)		2/50 (4%)	1/50 (2%)	
Overall Incidence	Total	9/100 (9%)	Mean 9%	SD 1.41%	Total	3/100 (3%)	Mean 3% SD 1.41%

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 70
 Report Date: 05/04/2011

		Male				Female			
#All Organs:									
Histiocytic Sarcoma									
		0/50 (0%)	1/50 (2%)		2/50 (4%)	2/50 (4%)			
Overall Incidence	Total	1/100 (1%)	Mean 1%	SD 1.41%	Total	4/100 (4%)	Mean 4%	SD 0%	
.....									
#All Organs:									
Malignant Lymphoma: Histiocytic, Lymphocytic, Mixed, NOS, or Undifferentiated Cell Type									
		4/50 (8%)	4/50 (8%)		14/50 (28%)	6/50 (12%)			
Overall Incidence	Total	8/100 (8%)	Mean 8%	SD 0%	Total	20/100 (20%)	Mean 20%	SD 11.31%	
.....									
#All Organs:									
Mesothelioma: Benign									
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)			
Overall Incidence	Total	0/100 (0%)	Mean 0%	SD 0%	Total	0/100 (0%)	Mean 0%	SD 0%	
.....									
#All Organs:									
Mesothelioma: Benign, Malignant, NOS									
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)			
Overall Incidence	Total	0/100 (0%)	Mean 0%	SD 0%	Total	0/100 (0%)	Mean 0%	SD 0%	
.....									
#All Organs:									
Mesothelioma: Malignant									
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)			
Overall Incidence	Total	0/100 (0%)	Mean 0%	SD 0%	Total	0/100 (0%)	Mean 0%	SD 0%	
.....									
#All Organs:									
Osteoma									
		0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)			
Overall Incidence	Total	1/100 (1%)	Mean 1%	SD 1.41%	Total	0/100 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 71
 Report Date: 05/04/2011

		Male				Female			
#All Organs:									
Osteosarcoma									
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	1/100	(1%)	Mean 1%
SD 1.41%									
#All Organs:									
Osteosarcoma or Osteoma									
		0/50	(0%)	1/50	(2%)	1/50	(2%)	0/50	(0%)
Overall Incidence	Total	1/100	(1%)	Mean 1%	SD 1.41%	Total	1/100	(1%)	Mean 1%
SD 1.41%									
*Adrenal Cortex:									
Adenoma									
		1/50	(2%)	2/50	(4%)	0/50	(0%)	1/50	(2%)
Overall Incidence	Total	3/100	(3%)	Mean 3%	SD 1.41%	Total	1/100	(1%)	Mean 1%
SD 1.41%									
*Adrenal Cortex:									
Plasma Cell Tumor Malignant									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	1/100	(1%)	Mean 1%
SD 1.41%									
*Adrenal Medulla:									
Pheochromocytoma Benign									
		0/49	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/98	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%
SD 0%									
*Adrenal Medulla:									
Pheochromocytoma Malignant									
		0/49	(0%)	1/49	(2%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	1/98	(1.02%)	Mean 1.02%	SD 1.44%	Total	0/100	(0%)	Mean 0%
SD 0%									

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 72
 Report Date: 05/04/2011

	Male				Female			
*Adrenal Medulla:								
Pheochromocytoma: Benign, Complex, Malignant, NOS								
		0/49 (0%)	1/49 (2%)		0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	1/98 (1.02%)	Mean 1.02%	SD 1.44%	Total	0/100 (0%)	Mean 0%	SD 0%
.....								
*Bone Marrow:								
Hemangioma								
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/100 (0%)	Mean 0%	SD 0%	Total	0/100 (0%)	Mean 0%	SD 0%
.....								
*Bone Marrow:								
Hemangiosarcoma								
		0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)		
Overall Incidence	Total	0/100 (0%)	Mean 0%	SD 0%	Total	1/100 (1%)	Mean 1%	SD 1.41%
.....								
*Bone Marrow:								
Plasma Cell Tumor Malignant								
		0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)		
Overall Incidence	Total	0/100 (0%)	Mean 0%	SD 0%	Total	1/100 (1%)	Mean 1%	SD 1.41%
.....								
#Bone:								
Hemangiosarcoma								
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/100 (0%)	Mean 0%	SD 0%	Total	0/100 (0%)	Mean 0%	SD 0%
.....								
#Bone:								
Osteoma								
		0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	1/100 (1%)	Mean 1%	SD 1.41%	Total	0/100 (0%)	Mean 0%	SD 0%

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 73
 Report Date: 05/04/2011

		Male				Female			
#Bone:									
Osteosarcoma									
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	1/100	(1%)	Mean 1%
									SD 1.41%
.....									
#Bone:									
Osteosarcoma or Osteoma									
		0/50	(0%)	1/50	(2%)	1/50	(2%)	0/50	(0%)
Overall Incidence	Total	1/100	(1%)	Mean 1%	SD 1.41%	Total	1/100	(1%)	Mean 1%
									SD 1.41%
.....									
*Brain:									
Meningioma Benign									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%
									SD 0%
.....									
*Brain:									
Meningioma Malignant									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%
									SD 0%
.....									
*Brain:									
Meningioma: Benign, Malignant, NOS									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%
									SD 0%
.....									
*Brain:									
Oligodendroglioma Malignant									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%
									SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 74
 Report Date: 05/04/2011

		Male				Female			
*Brain:									
Oligodendroglioma, Glioma, or Astrocytoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%
									SD 0%
.....									
*Brain:									
Schwannoma Malignant									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	1/100	(1%)	Mean 1%
									SD 1.41%
.....									
*Clitoral/Preputial Gland:									
Adenoma									
		0/50	(0%)	0/49	(0%)	0/47	(0%)	0/48	(0%)
Overall Incidence	Total	0/99	(0%)	Mean 0%	SD 0%	Total	0/95	(0%)	Mean 0%
									SD 0%
.....									
*Clitoral/Preputial Gland:									
Carcinoma									
		0/50	(0%)	0/49	(0%)	0/47	(0%)	0/48	(0%)
Overall Incidence	Total	0/99	(0%)	Mean 0%	SD 0%	Total	0/95	(0%)	Mean 0%
									SD 0%
.....									
*Clitoral/Preputial Gland:									
Carcinoma or Adenoma									
		0/50	(0%)	0/49	(0%)	0/47	(0%)	0/48	(0%)
Overall Incidence	Total	0/99	(0%)	Mean 0%	SD 0%	Total	0/95	(0%)	Mean 0%
									SD 0%
.....									
*Clitoral/Preputial Gland:									
Hemangioma									
		0/50	(0%)	0/49	(0%)	0/47	(0%)	0/48	(0%)
Overall Incidence	Total	0/99	(0%)	Mean 0%	SD 0%	Total	0/95	(0%)	Mean 0%
									SD 0%

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 75
 Report Date: 05/04/2011

		Male			Female			
*Clitoral/Preputial Gland:								
Hemangiosarcoma								
		0/50 (0%)	0/49 (0%)		0/47 (0%)	0/48 (0%)		
Overall Incidence	Total	0/99 (0%)	Mean 0%	SD 0%	Total	0/95 (0%)	Mean 0%	SD 0%
.....								
#Esophagus:								
Squamous Cell Carcinoma								
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/100 (0%)	Mean 0%	SD 0%	Total	0/100 (0%)	Mean 0%	SD 0%
.....								
#Eye:								
Sarcoma								
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/100 (0%)	Mean 0%	SD 0%	Total	0/100 (0%)	Mean 0%	SD 0%
.....								
#Harderian Gland:								
Adenoma								
		7/50 (14%)	8/50 (16%)		9/50 (18%)	5/50 (10%)		
Overall Incidence	Total	15/100 (15%)	Mean 15%	SD 1.41%	Total	14/100 (14%)	Mean 14%	SD 5.66%
.....								
#Harderian Gland:								
Carcinoma								
		2/50 (4%)	2/50 (4%)		1/50 (2%)	1/50 (2%)		
Overall Incidence	Total	4/100 (4%)	Mean 4%	SD 0%	Total	2/100 (2%)	Mean 2%	SD 0%
.....								
#Harderian Gland:								
Carcinoma or Adenoma								
		9/50 (18%)	10/50 (20%)		10/50 (20%)	6/50 (12%)		
Overall Incidence	Total	19/100 (19%)	Mean 19%	SD 1.41%	Total	16/100 (16%)	Mean 16%	SD 5.66%

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 76
 Report Date: 05/04/2011

		Male				Female			
#Harderian Gland:									
Sarcoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0% SD 0%
.....									
*Heart:									
Hemangiosarcoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0% SD 0%
.....									
#Intestine Large: Cecum:									
Adenoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0% SD 0%
.....									
#Intestine Large: Cecum:									
Carcinoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0% SD 0%
.....									
#Intestine Large: Cecum:									
Carcinoma or Adenoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0% SD 0%
.....									
#Intestine Large: Cecum:									
Leiomyoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0% SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 77
 Report Date: 05/04/2011

		Male				Female			
#Intestine Large: Colon/Rectum:									
Leiomyosarcoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0% SD 0%
.....									
#Intestine Small: Duodenum:									
Adenoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0% SD 0%
.....									
#Intestine Small: Duodenum:									
Carcinoma									
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	1/100	(1%)	Mean 1%	SD 1.41%	Total	0/100	(0%)	Mean 0% SD 0%
.....									
#Intestine Small: Duodenum:									
Leiomyosarcoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0% SD 0%
.....									
#Intestine Small: Duodenum:									
Polyp Adenomatous									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0% SD 0%
.....									
#Intestine Small: Ileum:									
Carcinoma									
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	1/100	(1%)	Mean 1%	SD 1.41%	Total	0/100	(0%)	Mean 0% SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 78
 Report Date: 05/04/2011

		Male				Female			
#Intestine Small: Ileum: Hemangiosarcoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0% SD 0%
.....									
#Intestine Small: Ileum: Polyp Adenomatous									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0% SD 0%
.....									
#Intestine Small: Jejunum: Adenoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0% SD 0%
.....									
#Intestine Small: Jejunum: Carcinoma									
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	1/100	(1%)	Mean 1%	SD 1.41%	Total	0/100	(0%)	Mean 0% SD 0%
.....									
#Intestine Small: Jejunum: Hemangiosarcoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0% SD 0%
.....									
#Intestine Small: Jejunum: Leiomyosarcoma									
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	1/100	(1%)	Mean 1%	SD 1.41%	Total	0/100	(0%)	Mean 0% SD 0%

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 79
 Report Date: 05/04/2011

		Male				Female			
#Intestine Small: Site Unspecified: Adenoma									
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/100 (0%)	Mean 0%	SD 0%	Total	0/100 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Small: Site Unspecified: Carcinoma									
		3/50 (6%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	3/100 (3%)	Mean 3%	SD 4.24%	Total	0/100 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Small: Site Unspecified: Carcinoma or Adenoma									
		3/50 (6%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	3/100 (3%)	Mean 3%	SD 4.24%	Total	0/100 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Small: Site Unspecified: Hemangiosarcoma									
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/100 (0%)	Mean 0%	SD 0%	Total	0/100 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Small: Site Unspecified: Leiomyosarcoma									
		0/50 (0%)	1/50 (2%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	1/100 (1%)	Mean 1%	SD 1.41%	Total	0/100 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Small: Site Unspecified: Polyp Adenomatous									
		0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/100 (0%)	Mean 0%	SD 0%	Total	0/100 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 80
 Report Date: 05/04/2011

		Male				Female				
*Islets, Pancreatic:										
Adenoma										
		2/50	(4%)	4/50	(8%)		0/49	(0%)	1/48	(2%)
Overall Incidence	Total	6/100	(6%)	Mean 6%	SD 2.83%	Total	1/97	(1.03%)	Mean 1.04%	SD 1.47%
.....										
*Islets, Pancreatic:										
Carcinoma										
		0/50	(0%)	0/50	(0%)		0/49	(0%)	0/48	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/97	(0%)	Mean 0%	SD 0%
.....										
*Islets, Pancreatic:										
Carcinoma or Adenoma										
		2/50	(4%)	4/50	(8%)		0/49	(0%)	1/48	(2%)
Overall Incidence	Total	6/100	(6%)	Mean 6%	SD 2.83%	Total	1/97	(1.03%)	Mean 1.04%	SD 1.47%
.....										
*Kidney: Renal Tubule:										
Adenoma										
		0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%	SD 0%
.....										
*Kidney: Renal Tubule:										
Carcinoma										
		0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%	SD 0%
.....										
*Kidney: Renal Tubule:										
Carcinoma or Adenoma										
		0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%	SD 0%

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 81
 Report Date: 05/04/2011

		Male				Female			
*Kidney: Renal Tubule: Hemangioma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%
									SD 0%
*Kidney: Renal Tubule: Hemangiosarcoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%
									SD 0%
*Kidney: Renal Tubule: Plasma Cell Tumor Malignant									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	1/100	(1%)	Mean 1%
									SD 1.41%
*Kidney: Renal Tubule: Sarcoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%
									SD 0%
*Liver: Fibrous Histiocytoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%
									SD 0%
*Liver: Hemangioma									
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	1/100	(1%)	Mean 1%	SD 1.41%	Total	0/100	(0%)	Mean 0%
									SD 0%

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 82
 Report Date: 05/04/2011

		Male				Female			
*Liver:									
Hemangiosarcoma									
		3/50 (6%)	2/50 (4%)		0/50 (0%)	1/50 (2%)			
Overall Incidence	Total	5/100 (5%)	Mean 5%	SD 1.41%	Total	1/100 (1%)	Mean 1%	SD 1.41%	
.....									
*Liver:									
Hepatoblastoma									
		3/50 (6%)	3/50 (6%)		0/50 (0%)	0/50 (0%)			
Overall Incidence	Total	6/100 (6%)	Mean 6%	SD 0%	Total	0/100 (0%)	Mean 0%	SD 0%	
.....									
*Liver:									
Hepatocellular Adenoma									
		32/50 (64%)	24/50 (48%)		14/50 (28%)	13/50 (26%)			
Overall Incidence	Total	56/100 (56%)	Mean 56%	SD 11.31%	Total	27/100 (27%)	Mean 27%	SD 1.41%	
.....									
*Liver:									
Hepatocellular Carcinoma									
		26/50 (52%)	16/50 (32%)		5/50 (10%)	3/50 (6%)			
Overall Incidence	Total	42/100 (42%)	Mean 42%	SD 14.14%	Total	8/100 (8%)	Mean 8%	SD 2.83%	
.....									
*Liver:									
Hepatocellular Carcinoma or Hepatoblastoma									
		27/50 (54%)	18/50 (36%)		5/50 (10%)	3/50 (6%)			
Overall Incidence	Total	45/100 (45%)	Mean 45%	SD 12.73%	Total	8/100 (8%)	Mean 8%	SD 2.83%	
.....									
*Liver:									
Hepatocellular Carcinoma or Hepatocellular Adenoma									
		41/50 (82%)	33/50 (66%)		17/50 (34%)	15/50 (30%)			
Overall Incidence	Total	74/100 (74%)	Mean 74%	SD 11.31%	Total	32/100 (32%)	Mean 32%	SD 2.83%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 83
 Report Date: 05/04/2011

	Male				Female			
*Liver:								
Hepatocellular Carcinoma, Hepatocellular Adenoma, or Hepatoblastoma								
		41/50 (82%)	33/50 (66%)		17/50 (34%)	15/50 (30%)		
Overall Incidence	Total	74/100 (74%)	Mean 74%	SD 11.31%	Total	32/100 (32%)	Mean 32%	SD 2.83%
.....								
*Liver:								
Hepatocholangiocarcinoma								
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/100 (0%)	Mean 0%	SD 0%	Total	0/100 (0%)	Mean 0%	SD 0%
.....								
*Liver:								
Hepatocholangioma								
		0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	1/100 (1%)	Mean 1%	SD 1.41%	Total	0/100 (0%)	Mean 0%	SD 0%
.....								
*Liver:								
Ito Cell Tumor Benign								
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/100 (0%)	Mean 0%	SD 0%	Total	0/100 (0%)	Mean 0%	SD 0%
.....								
*Liver:								
Ito Cell Tumor Malignant								
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/100 (0%)	Mean 0%	SD 0%	Total	0/100 (0%)	Mean 0%	SD 0%
.....								
*Liver:								
Plasma Cell Tumor Malignant								
		0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)		
Overall Incidence	Total	0/100 (0%)	Mean 0%	SD 0%	Total	1/100 (1%)	Mean 1%	SD 1.41%

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 84
 Report Date: 05/04/2011

		Male				Female			
*Liver:									
Sarcoma									
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)			
Overall Incidence	Total	0/100 (0%)	Mean 0%	SD 0%	Total	0/100 (0%)	Mean 0%	SD 0%	
.....									
*Lung:									
Alveolar/Bronchiolar Adenoma									
		7/50 (14%)	7/50 (14%)		0/50 (0%)	3/50 (6%)			
Overall Incidence	Total	14/100 (14%)	Mean 14%	SD 0%	Total	3/100 (3%)	Mean 3%	SD 4.24%	
.....									
*Lung:									
Alveolar/Bronchiolar Carcinoma									
		11/50 (22%)	6/50 (12%)		4/50 (8%)	1/50 (2%)			
Overall Incidence	Total	17/100 (17%)	Mean 17%	SD 7.07%	Total	5/100 (5%)	Mean 5%	SD 4.24%	
.....									
*Lung:									
Alveolar/Bronchiolar Carcinoma or Alveolar/Bronchiolar Adenoma									
		16/50 (32%)	13/50 (26%)		4/50 (8%)	4/50 (8%)			
Overall Incidence	Total	29/100 (29%)	Mean 29%	SD 4.24%	Total	8/100 (8%)	Mean 8%	SD 0%	
.....									
*Lung:									
Fibrosarcoma									
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)			
Overall Incidence	Total	0/100 (0%)	Mean 0%	SD 0%	Total	0/100 (0%)	Mean 0%	SD 0%	
.....									
*Lung:									
Fibrous Histiocytoma									
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)			
Overall Incidence	Total	0/100 (0%)	Mean 0%	SD 0%	Total	0/100 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 85
 Report Date: 05/04/2011

		Male				Female			
*Lung:									
Hemangiosarcoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%
									SD 0%
.....									
*Lung:									
Plasma Cell Tumor Malignant									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	1/100	(1%)	Mean 1%
									SD 1.41%
.....									
*Lung:									
Sarcoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%
									SD 0%
.....									
#Lymph Node:									
Fibrous Histiocytoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%
									SD 0%
.....									
#Lymph Node:									
Hemangioma									
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	1/100	(1%)	Mean 1%
									SD 1.41%
.....									
#Lymph Node:									
Hemangiosarcoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%
									SD 0%

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 86
 Report Date: 05/04/2011

		Male				Female			
#Lymph Node: Plasma Cell Tumor Malignant									
		0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)			
Overall Incidence	Total	0/100 (0%)	Mean 0%	SD 0%	Total	1/100 (1%)	Mean 1%	SD 1.41%	
.....									
#Lymph Node: Sarcoma									
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)			
Overall Incidence	Total	0/100 (0%)	Mean 0%	SD 0%	Total	0/100 (0%)	Mean 0%	SD 0%	
.....									
#Lymph Node, Bronchial: Hemangiosarcoma									
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)			
Overall Incidence	Total	0/100 (0%)	Mean 0%	SD 0%	Total	0/100 (0%)	Mean 0%	SD 0%	
.....									
#Lymph Node, Mandibular: Fibrous Histiocytoma									
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)			
Overall Incidence	Total	0/100 (0%)	Mean 0%	SD 0%	Total	0/100 (0%)	Mean 0%	SD 0%	
.....									
#Lymph Node, Mandibular: Hemangiosarcoma									
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)			
Overall Incidence	Total	0/100 (0%)	Mean 0%	SD 0%	Total	0/100 (0%)	Mean 0%	SD 0%	
.....									
#Lymph Node, Mandibular: Mast Cell Tumor Malignant									
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)			
Overall Incidence	Total	0/100 (0%)	Mean 0%	SD 0%	Total	0/100 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 87
 Report Date: 05/04/2011

		Male				Female			
#Lymph Node, Mandibular:									
Plasma Cell Tumor Malignant									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	1/100	(1%)	Mean 1%
									SD 1.41%
.....									
#Lymph Node, Mesenteric:									
Fibrous Histiocytoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%
									SD 0%
.....									
#Lymph Node, Mesenteric:									
Hemangioma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%
									SD 0%
.....									
#Lymph Node, Mesenteric:									
Hemangiosarcoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%
									SD 0%
.....									
#Lymph Node, Mesenteric:									
Plasma Cell Tumor Malignant									
		0/50	(0%)	1/50	(2%)	0/50	(0%)	1/50	(2%)
Overall Incidence	Total	1/100	(1%)	Mean 1%	SD 1.41%	Total	1/100	(1%)	Mean 1%
									SD 1.41%
.....									
#Mammary Gland:									
Adenoacanthoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%
									SD 0%

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 88
 Report Date: 05/04/2011

		Male				Female					
#Mammary Gland: Adenoma											
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%	SD 0%	
.....											
#Mammary Gland: Carcinoma											
		0/50	(0%)	0/50	(0%)			1/50	(2%)	1/50	(2%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	2/100	(2%)	Mean 2%	SD 0%	
.....											
#Mammary Gland: Carcinoma or Adenoma											
		0/50	(0%)	0/50	(0%)			1/50	(2%)	1/50	(2%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	2/100	(2%)	Mean 2%	SD 0%	
.....											
#Mammary Gland: Fibroadenoma											
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%	SD 0%	
.....											
#Mammary Gland: Fibroma, Fibroadenoma or Adenoma											
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%	SD 0%	
.....											
#Mammary Gland: Fibroma, Fibroadenoma, Carcinoma, or Adenoma											
		0/50	(0%)	0/50	(0%)			1/50	(2%)	1/50	(2%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	2/100	(2%)	Mean 2%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 89
 Report Date: 05/04/2011

		Male				Female			
#Mesentery:									
Fibrosarcoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	0/100	(0%)	Mean 0%	SD 0%
.....									
#Mesentery:									
Hemangioma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	0/100	(0%)	Mean 0%	SD 0%
.....									
#Mesentery:									
Hemangiosarcoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	0/100	(0%)	Mean 0%	SD 0%
.....									
#Mesentery:									
Sarcoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	0/100	(0%)	Mean 0%	SD 0%
.....									
*Nose:									
Hemangiosarcoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	0/100	(0%)	Mean 0%	SD 0%
.....									
*Nose:									
Mast Cell Tumor Malignant									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	0/100	(0%)	Mean 0%	SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 90
 Report Date: 05/04/2011

	Male				Female			
#Oral Cavity (Oral Mucosa, Tongue, Pharynx, Tooth, Gingiva): Squamous Cell Carcinoma								
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/100 (0%)	Mean 0%	SD 0%	Total	0/100 (0%)	Mean 0%	SD 0%
.....								
#Oral Cavity (Oral Mucosa, Tongue, Pharynx, Tooth, Gingiva): Squamous Cell Carcinoma, Papilloma Squamous, or Papilloma								
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/100 (0%)	Mean 0%	SD 0%	Total	0/100 (0%)	Mean 0%	SD 0%
.....								
#Oral Mucosa: Squamous Cell Carcinoma								
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/100 (0%)	Mean 0%	SD 0%	Total	0/100 (0%)	Mean 0%	SD 0%
.....								
*Ovary: Choriocarcinoma								
					0/49 (0%)	1/48 (2%)		
Overall Incidence	Total				1/97 (1.03%)	Mean 1.04%		SD 1.47%
.....								
*Ovary: Cystadenocarcinoma								
					0/49 (0%)	0/48 (0%)		
Overall Incidence	Total				0/97 (0%)	Mean 0%		SD 0%
.....								
*Ovary: Cystadenoma								
					4/49 (8%)	2/48 (4%)		
Overall Incidence	Total				6/97 (6.19%)	Mean 6.16%		SD 2.83%

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 91
 Report Date: 05/04/2011

	Male		Female	
*Ovary:				
Fibrous Histiocytoma				
		0/49 (0%)	0/48 (0%)	
Overall Incidence	Total	0/97 (0%)	Mean 0%	SD 0%
.....				
*Ovary:				
Granulosa Cell Tumor Benign				
		0/49 (0%)	0/48 (0%)	
Overall Incidence	Total	0/97 (0%)	Mean 0%	SD 0%
.....				
*Ovary:				
Granulosa Cell Tumor Malignant				
		0/49 (0%)	0/48 (0%)	
Overall Incidence	Total	0/97 (0%)	Mean 0%	SD 0%
.....				
*Ovary:				
Granulosa Cell Tumor: Benign, Malignant, NOS				
		0/49 (0%)	0/48 (0%)	
Overall Incidence	Total	0/97 (0%)	Mean 0%	SD 0%
.....				
*Ovary:				
Hemangioma				
		0/49 (0%)	0/48 (0%)	
Overall Incidence	Total	0/97 (0%)	Mean 0%	SD 0%
.....				
*Ovary:				
Hemangiosarcoma				
		0/49 (0%)	0/48 (0%)	
Overall Incidence	Total	0/97 (0%)	Mean 0%	SD 0%
.....				

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 92
 Report Date: 05/04/2011

Male					Female										
*Ovary:															
Luteoma															
					0/49	(0%)	0/48	(0%)							
Overall Incidence					Total	0/97	(0%)	Mean	0%	SD 0%					
.....															
*Ovary:															
Plasma Cell Tumor Malignant															
					0/49	(0%)	1/48	(2%)							
Overall Incidence					Total	1/97	(1.03%)	Mean	1.04%	SD 1.47%					
.....															
*Ovary:															
Teratoma Benign															
					0/49	(0%)	0/48	(0%)							
Overall Incidence					Total	0/97	(0%)	Mean	0%	SD 0%					
.....															
*Ovary:															
Teratoma Malignant															
					0/49	(0%)	0/48	(0%)							
Overall Incidence					Total	0/97	(0%)	Mean	0%	SD 0%					
.....															
*Ovary:															
Tubulostromal Adenoma															
					0/49	(0%)	0/48	(0%)							
Overall Incidence					Total	0/97	(0%)	Mean	0%	SD 0%					
.....															
*Pancreas:															
Adenoma															
		0/50	(0%)	0/50	(0%)			0/49	(0%)	0/48	(0%)				
Overall Incidence		Total	0/100	(0%)	Mean	0%	SD	0%	Total	0/97	(0%)	Mean	0%	SD	0%
.....															

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 93
 Report Date: 05/04/2011

		Male				Female			
*Pancreas:									
Carcinoma									
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/48	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	0/97	(0%)	Mean 0%	SD 0%
.....									
*Pancreas:									
Carcinoma or Adenoma									
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/48	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	0/97	(0%)	Mean 0%	SD 0%
.....									
*Pituitary Gland: Pars Distalis or Unspecified Site:									
Adenoma									
		0/50	(0%)	0/48	(0%)	1/49	(2%)	2/49	(4%)
Overall Incidence	Total	0/98	(0%)	Mean 0%	SD 0%	3/98	(3.06%)	Mean 3.06%	SD 1.44%
.....									
*Pituitary Gland: Pars Distalis or Unspecified Site:									
Carcinoma									
		0/50	(0%)	0/48	(0%)	0/49	(0%)	0/49	(0%)
Overall Incidence	Total	0/98	(0%)	Mean 0%	SD 0%	0/98	(0%)	Mean 0%	SD 0%
.....									
*Pituitary Gland: Pars Distalis or Unspecified Site:									
Carcinoma or Adenoma									
		0/50	(0%)	0/48	(0%)	1/49	(2%)	2/49	(4%)
Overall Incidence	Total	0/98	(0%)	Mean 0%	SD 0%	3/98	(3.06%)	Mean 3.06%	SD 1.44%
.....									
*Pituitary Gland: Pars Intermedia:									
Adenoma									
		0/50	(0%)	0/48	(0%)	0/49	(0%)	0/49	(0%)
Overall Incidence	Total	0/98	(0%)	Mean 0%	SD 0%	0/98	(0%)	Mean 0%	SD 0%

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 94
 Report Date: 05/04/2011

		Male				Female			
*Pituitary Gland: Pars Intermedia:									
Carcinoma or Adenoma									
		0/50	(0%)	0/48	(0%)	0/49	(0%)	0/49	(0%)
Overall Incidence	Total	0/98	(0%)	Mean 0%	SD 0%	0/98	(0%)	Mean 0%	SD 0%
.....									
*Prostate:									
Adenoma									
		0/50	(0%)	0/49	(0%)				
Overall Incidence	Total	0/99	(0%)	Mean 0%	SD 0%				
.....									
*Prostate:									
Carcinoma or Adenoma									
		0/50	(0%)	0/49	(0%)				
Overall Incidence	Total	0/99	(0%)	Mean 0%	SD 0%				
.....									
*Prostate:									
Hemangioma									
		0/50	(0%)	0/49	(0%)				
Overall Incidence	Total	0/99	(0%)	Mean 0%	SD 0%				
.....									
*Salivary Glands:									
Adenoma									
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/49	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	0/98	(0%)	Mean 0%	SD 0%
.....									
*Salivary Glands:									
Carcinoma or Adenoma									
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/49	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	0/98	(0%)	Mean 0%	SD 0%

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 95
 Report Date: 05/04/2011

		Male				Female			
*Salivary Glands:									
Mast Cell Tumor Malignant									
		0/50 (0%)	0/50 (0%)		0/49 (0%)	0/49 (0%)			
Overall Incidence	Total	0/100 (0%)	Mean 0%	SD 0%	Total	0/98 (0%)	Mean 0%	SD 0%	
.....									
#Seminal Vesicle:									
Adenoma									
		0/50 (0%)	0/50 (0%)						
Overall Incidence	Total	0/100 (0%)	Mean 0%	SD 0%					
.....									
#Skeletal Muscle:									
Fibrosarcoma									
		0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)			
Overall Incidence	Total	0/100 (0%)	Mean 0%	SD 0%	Total	1/100 (1%)	Mean 1%	SD 1.41%	
.....									
#Skeletal Muscle:									
Hemangiosarcoma									
		0/50 (0%)	2/50 (4%)		0/50 (0%)	0/50 (0%)			
Overall Incidence	Total	2/100 (2%)	Mean 2%	SD 2.83%	Total	0/100 (0%)	Mean 0%	SD 0%	
.....									
#Skeletal Muscle:									
Myxosarcoma									
		0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)			
Overall Incidence	Total	0/100 (0%)	Mean 0%	SD 0%	Total	1/100 (1%)	Mean 1%	SD 1.41%	
.....									
#Skeletal Muscle:									
Rhabdomyosarcoma									
		0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)			
Overall Incidence	Total	0/100 (0%)	Mean 0%	SD 0%	Total	1/100 (1%)	Mean 1%	SD 1.41%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 96
 Report Date: 05/04/2011

		Male				Female			
#Skeletal Muscle:									
Rhabdomyosarcoma or Rhabdomyoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	1/100	(1%)	Mean 1% SD 1.41%
.....									
#Skeletal Muscle:									
Sarcoma									
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	1/100	(1%)	Mean 1%	SD 1.41%	Total	0/100	(0%)	Mean 0% SD 0%
.....									
#Skin:									
Basal Cell Adenoma or Basosquamous Tumor Benign									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0% SD 0%
.....									
#Skin:									
Basal Cell Adenoma, Basosquamous Tumor Benign, or Trichoepithelioma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0% SD 0%
.....									
#Skin:									
Basal Cell Carcinoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0% SD 0%
.....									
#Skin:									
Basal Cell Carcinoma or Basosquamous Tumor (malignant or NOS)									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0% SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 97
 Report Date: 05/04/2011

		Male				Female				
#Skin:										
Basal Cell Carcinoma, Basal Cell Adenoma, Basosquamous Tumor (benign, malignant or NOS), or Trichoepithelioma										
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%
		0/100 (0%)					0/100 (0%)			
#Skin:										
Basal or Sq. Cell Carcinoma, Carcinoma, Basosq. Tumor (M or B), Basal Cell Adenoma, Adenoma, Papilloma, Sq Papilloma, Keratoacanthoma, Trichoepithelioma										
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%
		0/100 (0%)					0/100 (0%)			
#Skin:										
Basosquamous Tumor Benign										
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%
		0/100 (0%)					0/100 (0%)			
#Skin:										
Fibroma										
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%
		0/100 (0%)					0/100 (0%)			
#Skin:										
Fibroma, Fibrosarcoma, Sarcoma, Myxoma, Myxosarcoma, or Fibrous Histiocytoma										
Overall Incidence	Total	1/50 (2%)	0/50 (0%)	Mean 1%	SD 1.41%	Total	5/50 (10%)	3/50 (6%)	Mean 8%	SD 2.83%
		1/100 (1%)					8/100 (8%)			
#Skin:										
Fibrosarcoma										
Overall Incidence	Total	0/50 (0%)	0/50 (0%)	Mean 0%	SD 0%	Total	3/50 (6%)	2/50 (4%)	Mean 5%	SD 1.41%
		0/100 (0%)					5/100 (5%)			

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 98
 Report Date: 05/04/2011

	Male				Female			
#Skin:								
Fibrosarcoma, Sarcoma, Myxosarcoma, or Fibrous Histiocytoma								
		1/50 (2%)	0/50 (0%)		5/50 (10%)	3/50 (6%)		
Overall Incidence	Total	1/100 (1%)	Mean 1%	SD 1.41%	Total	8/100 (8%)	Mean 8%	SD 2.83%
.....								
#Skin:								
Fibrous Histiocytoma								
		1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	1/100 (1%)	Mean 1%	SD 1.41%	Total	0/100 (0%)	Mean 0%	SD 0%
.....								
#Skin:								
Granular Cell Tumor Benign								
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/100 (0%)	Mean 0%	SD 0%	Total	0/100 (0%)	Mean 0%	SD 0%
.....								
#Skin:								
Hemangioma								
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/100 (0%)	Mean 0%	SD 0%	Total	0/100 (0%)	Mean 0%	SD 0%
.....								
#Skin:								
Hemangiosarcoma								
		1/50 (2%)	0/50 (0%)		1/50 (2%)	1/50 (2%)		
Overall Incidence	Total	1/100 (1%)	Mean 1%	SD 1.41%	Total	2/100 (2%)	Mean 2%	SD 0%
.....								
#Skin:								
Keratoacanthoma								
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/100 (0%)	Mean 0%	SD 0%	Total	0/100 (0%)	Mean 0%	SD 0%

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 99
 Report Date: 05/04/2011

		Male				Female					
#Skin:											
Lipoma											
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%	SD 0%	
.....											
#Skin:											
Mast Cell Tumor Benign											
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%	SD 0%	
.....											
#Skin:											
Mast Cell Tumor Malignant											
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%	SD 0%	
.....											
#Skin:											
Melanoma Benign											
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%	SD 0%	
.....											
#Skin:											
Melanoma Malignant											
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%	SD 0%	
.....											
#Skin:											
Myxosarcoma											
		0/50	(0%)	0/50	(0%)			1/50	(2%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	1/100	(1%)	Mean 1%	SD 1.41%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 100
 Report Date: 05/04/2011

		Male				Female			
#Skin:									
Neural Crest Tumor									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0% SD 0%
.....									
#Skin:									
Neurofibroma or Schwannoma benign									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0% SD 0%
.....									
#Skin:									
Neurofibrosarcoma or Schwannoma (malignant or NOS)									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	1/100	(1%)	Mean 1% SD 1.41%
.....									
#Skin:									
Neurofibrosarcoma, Neurofibroma, or Schwannoma (benign, malignant or NOS)									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	1/100	(1%)	Mean 1% SD 1.41%
.....									
#Skin:									
Osteosarcoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0% SD 0%
.....									
#Skin:									
Sarcoma									
		0/50	(0%)	0/50	(0%)	1/50	(2%)	1/50	(2%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	2/100	(2%)	Mean 2% SD 0%

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 101
 Report Date: 05/04/2011

		Male				Female			
#Skin:									
Schwannoma Benign									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%
									SD 0%
.....									
#Skin:									
Schwannoma Malignant									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	1/100	(1%)	Mean 1%
									SD 1.41%
.....									
#Skin:									
Squamous Cell Carcinoma, Basal Cell Carcinoma, Basosquamous Tumor (malignant or NOS), or Carcinoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%
									SD 0%
.....									
#Skin:									
Squamous Cell Papilloma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%
									SD 0%
.....									
#Skin:									
Squamous Cell Papilloma or Papilloma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%
									SD 0%
.....									
#Skin:									
Squamous Cell Papilloma, Papilloma, Squamous Cell Carcinoma or Keratoacanthoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%
									SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 102
 Report Date: 05/04/2011

		Male				Female			
#Skin:									
Squamous Cell Papilloma, Papilloma, or Keratoacanthoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0% SD 0%
.....									
#Skin:									
Trichoepithelioma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0% SD 0%
.....									
#Skin: Sebaceous Gland:									
Adenoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0% SD 0%
.....									
#Skin: Sebaceous Gland:									
Carcinoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0% SD 0%
.....									
#Skin: Sebaceous Gland:									
Carcinoma or Adenoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0% SD 0%
.....									
#Spinal Cord:									
Hemangiosarcoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0% SD 0%

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 103
 Report Date: 05/04/2011

		Male				Female					
#Spinal Cord:											
Meningioma Malignant											
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%	SD 0%	
.....											
*Spleen:											
Fibrous Histiocytoma											
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%	SD 0%	
.....											
*Spleen:											
Hemangioma											
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%	SD 0%	
.....											
*Spleen:											
Hemangiosarcoma											
		1/50	(2%)	1/50	(2%)			0/50	(0%)	1/50	(2%)
Overall Incidence	Total	2/100	(2%)	Mean 2%	SD 0%	Total	1/100	(1%)	Mean 1%	SD 1.41%	
.....											
*Spleen:											
Mast Cell Tumor Malignant											
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%	SD 0%	
.....											
*Spleen:											
Plasma Cell Tumor Malignant											
		0/50	(0%)	0/50	(0%)			0/50	(0%)	1/50	(2%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	1/100	(1%)	Mean 1%	SD 1.41%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 104
 Report Date: 05/04/2011

		Male				Female			
#Stomach, Forestomach:									
Mast Cell Tumor Malignant									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%
									SD 0%
.....									
#Stomach, Forestomach:									
Squamous Cell Carcinoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%
									SD 0%
.....									
#Stomach, Forestomach:									
Squamous Cell Carcinoma or Papilloma Squamous									
		2/50	(4%)	0/50	(0%)	1/50	(2%)	0/50	(0%)
Overall Incidence	Total	2/100	(2%)	Mean 2%	SD 2.83%	Total	1/100	(1%)	Mean 1%
									SD 1.41%
.....									
#Stomach, Forestomach:									
Squamous Cell Papilloma									
		2/50	(4%)	0/50	(0%)	1/50	(2%)	0/50	(0%)
Overall Incidence	Total	2/100	(2%)	Mean 2%	SD 2.83%	Total	1/100	(1%)	Mean 1%
									SD 1.41%
.....									
#Stomach, Glandular:									
Adenoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%
									SD 0%
.....									
#Stomach, Glandular:									
Carcinoma or Adenoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%
									SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 105
 Report Date: 05/04/2011

		Male				Female			
*Testes:									
Adenoma									
		0/50	(0%)	1/50	(2%)				
Overall Incidence	Total	1/100	(1%)	Mean 1%	SD 1.41%				
.....									
*Thymus:									
Thymoma Benign									
		0/45	(0%)	0/44	(0%)	0/47	(0%)	0/46	(0%)
Overall Incidence	Total	0/89	(0%)	Mean 0%	SD 0%	Total	0/93	(0%)	Mean 0%
									SD 0%
.....									
*Thymus:									
Thymoma Malignant									
		0/45	(0%)	0/44	(0%)	0/47	(0%)	0/46	(0%)
Overall Incidence	Total	0/89	(0%)	Mean 0%	SD 0%	Total	0/93	(0%)	Mean 0%
									SD 0%
.....									
*Thymus:									
Thymoma: Benign, Malignant, NOS									
		0/45	(0%)	0/44	(0%)	0/47	(0%)	0/46	(0%)
Overall Incidence	Total	0/89	(0%)	Mean 0%	SD 0%	Total	0/93	(0%)	Mean 0%
									SD 0%
.....									
*Thyroid Gland: C-Cell:									
Carcinoma									
		0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/99	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%
									SD 0%
.....									
*Thyroid Gland: C-Cell:									
Carcinoma or Adenoma									
		0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/99	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0%
									SD 0%

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 106
 Report Date: 05/04/2011

		Male				Female			
*Thyroid Gland: Follicular Cell: Adenoma									
		0/50 (0%)	1/49 (2%)		1/50 (2%)	0/50 (0%)			
Overall Incidence	Total	1/99 (1.01%)	Mean 1.02%	SD 1.44%	Total	1/100 (1%)	Mean 1%	SD 1.41%	
.....									
*Thyroid Gland: Follicular Cell: Carcinoma									
		0/50 (0%)	1/49 (2%)		1/50 (2%)	0/50 (0%)			
Overall Incidence	Total	1/99 (1.01%)	Mean 1.02%	SD 1.44%	Total	1/100 (1%)	Mean 1%	SD 1.41%	
.....									
*Thyroid Gland: Follicular Cell: Carcinoma or Adenoma									
		0/50 (0%)	2/49 (4%)		2/50 (4%)	0/50 (0%)			
Overall Incidence	Total	2/99 (2.02%)	Mean 2.04%	SD 2.89%	Total	2/100 (2%)	Mean 2%	SD 2.83%	
.....									
#Tissue NOS: Fibrosarcoma									
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)			
Overall Incidence	Total	0/100 (0%)	Mean 0%	SD 0%	Total	0/100 (0%)	Mean 0%	SD 0%	
.....									
#Tissue NOS: Hemangiosarcoma									
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)			
Overall Incidence	Total	0/100 (0%)	Mean 0%	SD 0%	Total	0/100 (0%)	Mean 0%	SD 0%	
.....									
#Tissue NOS: Plasma Cell Tumor Malignant									
		0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)			
Overall Incidence	Total	0/100 (0%)	Mean 0%	SD 0%	Total	1/100 (1%)	Mean 1%	SD 1.41%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 107
 Report Date: 05/04/2011

		Male				Female			
#Tissue NOS:									
Sarcoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0% SD 0%
.....									
#Tongue:									
Fibroma									
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	1/100	(1%)	Mean 1%	SD 1.41%	Total	0/100	(0%)	Mean 0% SD 0%
.....									
#Tongue:									
Squamous Cell Carcinoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0% SD 0%
.....									
#Tongue:									
Squamous Cell Carcinoma or Papilloma Squamous									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0% SD 0%
.....									
#Tooth:									
Odontoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0% SD 0%
.....									
*Urinary Bladder:									
Hemangiosarcoma									
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/100	(0%)	Mean 0%	SD 0%	Total	0/100	(0%)	Mean 0% SD 0%

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 108
 Report Date: 05/04/2011

		Male			Female		
*Urinary Bladder:							
Plasma Cell Tumor Malignant							
		0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	
Overall Incidence	Total	0/100 (0%)	Mean 0%	SD 0%	Total	1/100 (1%)	Mean 1% SD 1.41%
.....							
*Urinary Bladder:							
Sarcoma							
		0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/100 (0%)	Mean 0%	SD 0%	Total	0/100 (0%)	Mean 0% SD 0%
.....							
#Uterus:							
Adenoma							
					0/50 (0%)	0/50 (0%)	
Overall Incidence					Total	0/100 (0%)	Mean 0% SD 0%
.....							
#Uterus:							
Carcinoma							
					0/50 (0%)	0/50 (0%)	
Overall Incidence					Total	0/100 (0%)	Mean 0% SD 0%
.....							
#Uterus:							
Hemangiosarcoma							
					0/50 (0%)	0/50 (0%)	
Overall Incidence					Total	0/100 (0%)	Mean 0% SD 0%
.....							
#Uterus:							
Leiomyoma							
					0/50 (0%)	0/50 (0%)	
Overall Incidence					Total	0/100 (0%)	Mean 0% SD 0%

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 109
 Report Date: 05/04/2011

	Male	Female
#Uterus: Leiomyosarcoma		
Overall Incidence	Total 0/50 (0%) 0/100 (0%)	0/50 (0%) Mean 0% SD 0%
#Uterus: Polyp Stromal		
Overall Incidence	Total 2/50 (4%) 3/100 (3%)	1/50 (2%) Mean 3% SD 1.41%
#Uterus: Sarcoma		
Overall Incidence	Total 0/50 (0%) 0/100 (0%)	0/50 (0%) Mean 0% SD 0%
#Uterus: Sarcoma Stromal		
Overall Incidence	Total 0/50 (0%) 0/100 (0%)	0/50 (0%) Mean 0% SD 0%
#Uterus: Sarcoma Stromal or Polyp Stromal		
Overall Incidence	Total 2/50 (4%) 3/100 (3%)	1/50 (2%) Mean 3% SD 1.41%
#Uterus: Schwannoma Malignant		
Overall Incidence	Total 0/50 (0%) 0/100 (0%)	0/50 (0%) Mean 0% SD 0%

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: METHYLCELLULOSE

Page: 110
 Report Date: 05/04/2011

Male					Female										
#Vagina:															
Liposarcoma															
					0/50	(0%)			0/50	(0%)					
Overall Incidence					Total	0/100	(0%)	Mean	0%	SD	0%				
.....															
#Vagina:															
Squamous Cell Papilloma															
					0/50	(0%)			0/50	(0%)					
Overall Incidence					Total	0/100	(0%)	Mean	0%	SD	0%				
.....															
#Zymbal's Gland:															
Carcinoma															
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)				
Overall Incidence		Total	0/100	(0%)	Mean	0%	SD	0%	Total	0/100	(0%)	Mean	0%	SD	0%
.....															
#Zymbal's Gland:															
Carcinoma or Adenoma															
		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)				
Overall Incidence		Total	0/100	(0%)	Mean	0%	SD	0%	Total	0/100	(0%)	Mean	0%	SD	0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied