

Version: May2011
Contract/Lab: All Laboratories
Species: RATS
Strain: F 344/N
Length of Study: CHRONIC

Toxicology Data Management System
Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 4
Report Date: 05/18/2011

Study Summary

Laboratory Name	Study Number	Study Start Date	Length of Study in Days	Number of Animals Total and (#/Cage)	Number Surviving and (Mean Life Span)	Maximum Mean Weekly Body Weight	Chemical
Male							
Battelle Columbus Laboratory	059903103	03/23/05	727	50(3)	38(706)	512.7	Ginkgo biloba extract
Battelle Columbus Laboratory	058810503	04/22/02	729	50(3)	35(702)	521.9	Isoeugenol
Battelle Columbus Laboratory	052000705	08/18/04	727	49(3)	34(692)	515.2	Kava kava extract
Battelle Columbus Laboratory	059902303	03/25/02	729	50(3)	29(683)	501.9	beta-Myrcene
Battelle Columbus Laboratory	052010703	10/20/04	727	50(3)	37(702)	503.5	N,N-Dimethyl-p-toluidine
Battelle Columbus Laboratory	059902005	04/09/03	727	50(3)	39(685)	514.9	Pulegone
Female							
Battelle Columbus Laboratory	059903103	03/24/05	728	50(5)	37(700)	350.7	Ginkgo biloba extract
Battelle Columbus Laboratory	058810503	04/23/02	730	50(5)	33(699)	339.3	Isoeugenol
Battelle Columbus Laboratory	052000705	08/19/04	728	50(5)	34(683)	354.3	Kava kava extract
Battelle Columbus Laboratory	059902303	03/26/02	730	50(5)	31(668)	323.8	beta-Myrcene
Battelle Columbus Laboratory	052010703	10/21/04	728	50(5)	33(704)	354.1	N,N-Dimethyl-p-toluidine
Battelle Columbus Laboratory	059902005	04/10/03	728	50(5)	31(682)	341.2	Pulegone

Version: May2011
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 5
 Report Date: 05/18/2011

		Male			Female		
#All Organs:							
Benign Tumors							
		50/50 (100%)	49/50 (98%)	49/49 (100%)	47/50 (94%)	41/50 (82%)	43/50 (86%)
		49/50 (98%)	48/50 (96%)	47/50 (94%)	40/50 (80%)	46/50 (92%)	42/50 (84%)
Overall Incidence	Total	292/299 (97.66%)	Mean 97.67%	SD 2.34%	Total	259/300 (86.33%)	Mean 86.33% SD 5.57%
.....							
#All Organs:							
Malignant Tumors							
		13/50 (26%)	29/50 (58%)	17/49 (35%)	12/50 (24%)	18/50 (36%)	11/50 (22%)
		23/50 (46%)	20/50 (40%)	10/50 (20%)	11/50 (22%)	23/50 (46%)	8/50 (16%)
Overall Incidence	Total	112/299 (37.46%)	Mean 37.45%	SD 13.75%	Total	83/300 (27.67%)	Mean 27.67% SD 11.13%
.....							
#All Organs:							
Malignant and Benign Tumors							
		50/50 (100%)	50/50 (100%)	49/49 (100%)	49/50 (98%)	46/50 (92%)	46/50 (92%)
		50/50 (100%)	49/50 (98%)	47/50 (94%)	45/50 (90%)	49/50 (98%)	44/50 (88%)
Overall Incidence	Total	295/299 (98.66%)	Mean 98.67%	SD 2.42%	Total	279/300 (93%)	Mean 93% SD 4.15%
.....							
#All Organs:							
Hemangioma							
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/299 (0.33%)	Mean 0.33%	SD 0.82%	Total	1/300 (0.33%)	Mean 0.33% SD 0.82%
.....							
#All Organs:							
Hemangiosarcoma							
		0/50 (0%)	1/50 (2%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	2/50 (4%)
Overall Incidence	Total	1/299 (0.33%)	Mean 0.33%	SD 0.82%	Total	2/300 (0.67%)	Mean 0.67% SD 1.63%

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 6
 Report Date: 05/18/2011

		Male				Female			
#All Organs:									
Hemangiosarcoma or Hemangioma									
		0/50 (0%)	1/50 (2%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	2/50 (4%)	
Overall Incidence	Total	2/299 (0.67%)	Mean 0.67%	SD 1.03%	Total	3/300 (1%)	Mean 1%	SD 1.67%	
.....									
#All Organs:									
Histiocytic Sarcoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/299 (0.33%)	Mean 0.33%	SD 0.82%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
#All Organs:									
Leukemia: Erythrocytic									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
#All Organs:									
Leukemia: Lymphocytic, Monocytic, Mononuclear, or Undifferentiated									
		9/50 (18%)	10/50 (20%)	7/49 (14%)		8/50 (16%)	8/50 (16%)	5/50 (10%)	
		9/50 (18%)	14/50 (28%)	4/50 (8%)		5/50 (10%)	15/50 (30%)	4/50 (8%)	
Overall Incidence	Total	53/299 (17.73%)	Mean 17.71%	SD 6.59%	Total	45/300 (15%)	Mean 15%	SD 8.07%	
.....									
#All Organs:									
Malignant Lymphoma: Histiocytic, Lymphocytic, Mixed, NOS, or Undifferentiated Cell Type									
		0/50 (0%)	0/50 (0%)	1/49 (2%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	2/299 (0.67%)	Mean 0.67%	SD 1.04%	Total	1/300 (0.33%)	Mean 0.33%	SD 0.82%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 7
 Report Date: 05/18/2011

		Male				Female			
#All Organs:									
Mesothelioma: Benign									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
#All Organs:									
Mesothelioma: Benign, Malignant, NOS									
		3/50 (6%)	3/50 (6%)	3/49 (6%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		2/50 (4%)	1/50 (2%)	2/50 (4%)		1/50 (2%)	0/50 (0%)	1/50 (2%)	
Overall Incidence	Total	14/299 (4.68%)	Mean 4.69%	SD 1.65%	Total	2/300 (0.67%)	Mean 0.67%	SD 1.03%	
.....									
#All Organs:									
Mesothelioma: Malignant									
		3/50 (6%)	3/50 (6%)	3/49 (6%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		2/50 (4%)	1/50 (2%)	2/50 (4%)		1/50 (2%)	0/50 (0%)	1/50 (2%)	
Overall Incidence	Total	14/299 (4.68%)	Mean 4.69%	SD 1.65%	Total	2/300 (0.67%)	Mean 0.67%	SD 1.03%	
.....									
#All Organs:									
Osteoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
#All Organs:									
Osteosarcoma									
		0/50 (0%)	2/50 (4%)	1/49 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	5/299 (1.67%)	Mean 1.67%	SD 1.51%	Total	0/300 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 8
 Report Date: 05/18/2011

		Male				Female			
#All Organs:									
Osteosarcoma or Osteoma									
		0/50 (0%)	2/50 (4%)	1/49 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	5/299 (1.67%)	Mean 1.67%	SD 1.51%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
*Adrenal Cortex:									
Adenoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	1/50 (2%)	2/50 (4%)		0/50 (0%)	3/50 (6%)	0/50 (0%)	
Overall Incidence	Total	4/299 (1.34%)	Mean 1.33%	SD 1.63%	Total	3/300 (1%)	Mean 1%	SD 2.45%	
.....									
*Adrenal Cortex:									
Carcinoma									
		0/50 (0%)	0/50 (0%)	1/49 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/299 (0.33%)	Mean 0.34%	SD 0.83%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
*Adrenal Medulla:									
Ganglioneuroma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/299 (0.33%)	Mean 0.33%	SD 0.82%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
*Adrenal Medulla:									
Hemangioma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	1/300 (0.33%)	Mean 0.33%	SD 0.82%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 9
 Report Date: 05/18/2011

		Male				Female			
*Adrenal Medulla:									
Pheochromocytoma Benign									
		11/50 (22%)	5/50 (10%)	5/49 (10%)		2/50 (4%)	2/50 (4%)	3/50 (6%)	
		11/50 (22%)	6/50 (12%)	8/50 (16%)		1/50 (2%)	2/50 (4%)	3/50 (6%)	
Overall Incidence	Total	46/299 (15.38%)	Mean 15.37%	SD 5.57%	Total	13/300 (4.33%)	Mean 4.33%	SD 1.51%	
.....									
*Adrenal Medulla:									
Pheochromocytoma Complex									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/299 (0.33%)	Mean 0.33%	SD 0.82%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
*Adrenal Medulla:									
Pheochromocytoma Malignant									
		2/50 (4%)	3/50 (6%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		2/50 (4%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	8/299 (2.68%)	Mean 2.67%	SD 2.42%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
*Adrenal Medulla:									
Pheochromocytoma: Benign, Complex, Malignant, NOS									
		12/50 (24%)	7/50 (14%)	5/49 (10%)		2/50 (4%)	2/50 (4%)	3/50 (6%)	
		13/50 (26%)	8/50 (16%)	8/50 (16%)		1/50 (2%)	2/50 (4%)	3/50 (6%)	
Overall Incidence	Total	53/299 (17.73%)	Mean 17.7%	SD 6.07%	Total	13/300 (4.33%)	Mean 4.33%	SD 1.51%	
.....									
#Bone:									
Chordoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/299 (0.33%)	Mean 0.33%	SD 0.82%	Total	0/300 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 10
 Report Date: 05/18/2011

		Male				Female			
#Bone:									
Osteoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
#Bone:									
Osteosarcoma									
		0/50 (0%)	2/50 (4%)	1/49 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	5/299 (1.67%)	Mean 1.67%	SD 1.51%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
#Bone:									
Osteosarcoma or Osteoma									
		0/50 (0%)	2/50 (4%)	1/49 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	5/299 (1.67%)	Mean 1.67%	SD 1.51%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
*Brain:									
Astrocytoma Malignant									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/299 (0.33%)	Mean 0.33%	SD 0.82%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
*Brain:									
Ependymoma Benign									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/299 (0.33%)	Mean 0.33%	SD 0.82%	Total	0/300 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 11
 Report Date: 05/18/2011

		Male				Female			
*Brain:									
Ependymoma Malignant									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
*Brain:									
Glioma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
*Brain:									
Glioma Benign									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
*Brain:									
Glioma Malignant									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
*Brain:									
Granular Cell Tumor Benign									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 12
 Report Date: 05/18/2011

		Male				Female			
*Brain:									
Oligodendroglioma Benign									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/299 (0.33%)	Mean 0.33%	SD 0.82%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
*Brain:									
Oligodendroglioma Malignant									
		0/50 (0%)	1/50 (2%)	0/49 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/299 (0.33%)	Mean 0.33%	SD 0.82%	Total	1/300 (0.33%)	Mean 0.33%	SD 0.82%	
.....									
*Brain:									
Oligodendroglioma, Glioma, or Astrocytoma									
		0/50 (0%)	1/50 (2%)	0/49 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	3/299 (1%)	Mean 1%	SD 1.1%	Total	1/300 (0.33%)	Mean 0.33%	SD 0.82%	
.....									
*Brain:									
Osteosarcoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
*Brain:									
Schwannoma Malignant									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 13
 Report Date: 05/18/2011

		Male				Female			
*Clitoral/Preputial Gland:									
Adenoma									
		4/50 (8%)	2/50 (4%)	0/49 (0%)		5/50 (10%)	3/48 (6%)	2/50 (4%)	
		5/50 (10%)	0/50 (0%)	3/50 (6%)		7/50 (14%)	5/50 (10%)	3/50 (6%)	
Overall Incidence	Total	14/299 (4.68%)	Mean 4.67%	SD 4.13%	Total	25/298 (8.39%)	Mean 8.38%	SD 3.64%	
.....									
*Clitoral/Preputial Gland:									
Carcinoma									
		0/50 (0%)	2/50 (4%)	1/49 (2%)		0/50 (0%)	2/48 (4%)	2/50 (4%)	
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	4/299 (1.34%)	Mean 1.34%	SD 1.64%	Total	4/298 (1.34%)	Mean 1.36%	SD 2.11%	
.....									
*Clitoral/Preputial Gland:									
Carcinoma or Adenoma									
		4/50 (8%)	4/50 (8%)	1/49 (2%)		5/50 (10%)	5/48 (10%)	4/50 (8%)	
		5/50 (10%)	0/50 (0%)	4/50 (8%)		7/50 (14%)	5/50 (10%)	3/50 (6%)	
Overall Incidence	Total	18/299 (6.02%)	Mean 6.01%	SD 3.99%	Total	29/298 (9.73%)	Mean 9.74%	SD 2.67%	
.....									
*Clitoral/Preputial Gland:									
Sarcoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/48 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	0/298 (0%)	Mean 0%	SD 0%	
.....									
#Ear:									
Neural Crest Tumor									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	2/300 (0.67%)	Mean 0.67%	SD 1.03%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 14
 Report Date: 05/18/2011

		Male				Female			
#Esophagus:									
Lipoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
#Eye:									
Melanoma Benign									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	1/300 (0.33%)	Mean 0.33%	SD 0.82%	
.....									
#Eye:									
Melanoma Malignant									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
#Eye:									
Schwannoma Malignant									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
#Harderian Gland:									
Adenoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 15
 Report Date: 05/18/2011

		Male				Female			
#Harderian Gland:									
Carcinoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
#Harderian Gland:									
Carcinoma or Adenoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
*Heart:									
Schwannoma Benign									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	1/300 (0.33%)	Mean 0.33%	SD 0.82%	
.....									
*Heart:									
Schwannoma Malignant									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Large: Colon/Rectum:									
Adenoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 16
 Report Date: 05/18/2011

		Male				Female			
#Intestine Large: Colon/Rectum:									
Carcinoma or Adenoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Large: Colon/Rectum:									
Hemangioma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Small: Duodenum:									
Carcinoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Small: Duodenum:									
Leiomyoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Small: Duodenum:									
Schwannoma Malignant									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	1/300 (0.33%)	Mean 0.33%	SD 0.82%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 17
 Report Date: 05/18/2011

		Male				Female			
#Intestine Small: Ileum:									
Adenoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Small: Jejunum:									
Carcinoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Small: Jejunum:									
Granular Cell Tumor Malignant									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Small: Jejunum:									
Leiomyoma									
		1/50 (2%)	1/50 (2%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	2/299 (0.67%)	Mean 0.67%	SD 1.03%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Small: Jejunum:									
Leiomyosarcoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	1/300 (0.33%)	Mean 0.33%	SD 0.82%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 18
 Report Date: 05/18/2011

		Male				Female			
#Intestine Small: Site Unspecified:									
Adenoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Small: Site Unspecified:									
Carcinoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Small: Site Unspecified:									
Carcinoma or Adenoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Small: Site Unspecified:									
Granular Cell Tumor Malignant									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
#Intestine Small: Site Unspecified:									
Leiomyoma									
		1/50 (2%)	1/50 (2%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	2/299 (0.67%)	Mean 0.67%	SD 1.03%	Total	0/300 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 19
 Report Date: 05/18/2011

		Male				Female			
#Intestine Small: Site Unspecified:									
Leiomyosarcoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	1/300 (0.33%)	Mean 0.33%	SD 0.82%	
.....									
#Intestine Small: Site Unspecified:									
Schwannoma Malignant									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	1/300 (0.33%)	Mean 0.33%	SD 0.82%	
.....									
*Islets, Pancreatic:									
Adenoma									
		4/50 (8%)	4/50 (8%)	4/49 (8%)		1/50 (2%)	0/50 (0%)	1/50 (2%)	
		2/50 (4%)	2/50 (4%)	2/50 (4%)		1/50 (2%)	0/50 (0%)	1/50 (2%)	
Overall Incidence	Total	18/299 (6.02%)	Mean 6.03%	SD 2.22%	Total	4/300 (1.33%)	Mean 1.33%	SD 1.03%	
.....									
*Islets, Pancreatic:									
Carcinoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	2/299 (0.67%)	Mean 0.67%	SD 1.03%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
*Islets, Pancreatic:									
Carcinoma or Adenoma									
		4/50 (8%)	4/50 (8%)	4/49 (8%)		1/50 (2%)	0/50 (0%)	1/50 (2%)	
		3/50 (6%)	3/50 (6%)	2/50 (4%)		1/50 (2%)	0/50 (0%)	1/50 (2%)	
Overall Incidence	Total	20/299 (6.69%)	Mean 6.69%	SD 1.66%	Total	4/300 (1.33%)	Mean 1.33%	SD 1.03%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 20
 Report Date: 05/18/2011

		Male				Female			
*Kidney: Pelvis and Transitional Epithelium: Carcinoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/299 (0.33%)	Mean 0.33%	SD 0.82%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
*Kidney: Pelvis and Transitional Epithelium: Carcinoma or Adenoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/299 (0.33%)	Mean 0.33%	SD 0.82%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
*Kidney: Pelvis and Transitional Epithelium: Papilloma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
*Kidney: Renal Tubule: Adenoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	2/299 (0.67%)	Mean 0.67%	SD 1.03%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
*Kidney: Renal Tubule: Carcinoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 21
 Report Date: 05/18/2011

		Male				Female			
*Kidney: Renal Tubule: Carcinoma or Adenoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	2/299 (0.67%)	Mean 0.67%	SD 1.03%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
*Kidney: Renal Tubule: Hemangiosarcoma									
		0/50 (0%)	1/50 (2%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/299 (0.33%)	Mean 0.33%	SD 0.82%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
*Kidney: Renal Tubule: Lipoma									
		1/50 (2%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	2/299 (0.67%)	Mean 0.67%	SD 1.03%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
*Kidney: Renal Tubule: Mesenchymal Tumor Benign									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
*Kidney: Renal Tubule: Mesenchymal Tumor Malignant									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 22
 Report Date: 05/18/2011

		Male				Female			
*Kidney: Renal Tubule:									
 Nephroblastoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	1/300 (0.33%)	Mean 0.33%	SD 0.82%	
.....									
*Kidney: Renal Tubule:									
 Sarcoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
*Liver:									
 Cholangioma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
*Liver:									
 Hemangiosarcoma									
		0/50 (0%)	1/50 (2%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/299 (0.33%)	Mean 0.33%	SD 0.82%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
*Liver:									
 Hepatocellular Adenoma									
		0/50 (0%)	1/50 (2%)	1/49 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
Overall Incidence	Total	3/299 (1%)	Mean 1.01%	SD 1.1%	Total	1/300 (0.33%)	Mean 0.33%	SD 0.82%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 23
 Report Date: 05/18/2011

		Male				Female			
*Liver:									
Hepatocellular Carcinoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
*Liver:									
Hepatocellular Carcinoma or Hepatoblastoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
*Liver:									
Hepatocellular Carcinoma or Hepatocellular Adenoma									
		0/50 (0%)	1/50 (2%)	1/49 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
Overall Incidence	Total	3/299 (1%)	Mean 1.01%	SD 1.1%	Total	1/300 (0.33%)	Mean 0.33%	SD 0.82%	
.....									
*Liver:									
Hepatocellular Carcinoma, Hepatocellular Adenoma, or Hepatoblastoma									
		0/50 (0%)	1/50 (2%)	1/49 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
Overall Incidence	Total	3/299 (1%)	Mean 1.01%	SD 1.1%	Total	1/300 (0.33%)	Mean 0.33%	SD 0.82%	
.....									
*Liver:									
Ito Cell Tumor Benign									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 24
 Report Date: 05/18/2011

		Male				Female			
*Lung:									
Alveolar/Bronchiolar Adenoma									
		1/50 (2%)	3/50 (6%)	2/49 (4%)		4/50 (8%)	1/50 (2%)	0/50 (0%)	
		3/50 (6%)	0/50 (0%)	0/50 (0%)		4/50 (8%)	1/50 (2%)	2/50 (4%)	
Overall Incidence	Total	9/299 (3.01%)	Mean 3.01%	SD 2.76%	Total	12/300 (4%)	Mean 4%	SD 3.35%	
.....									
*Lung:									
Alveolar/Bronchiolar Carcinoma									
		0/50 (0%)	1/50 (2%)	1/49 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	3/299 (1%)	Mean 1.01%	SD 1.1%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
*Lung:									
Alveolar/Bronchiolar Carcinoma or Alveolar/Bronchiolar Adenoma									
		1/50 (2%)	4/50 (8%)	2/49 (4%)		4/50 (8%)	1/50 (2%)	0/50 (0%)	
		3/50 (6%)	0/50 (0%)	1/50 (2%)		4/50 (8%)	1/50 (2%)	2/50 (4%)	
Overall Incidence	Total	11/299 (3.68%)	Mean 3.68%	SD 2.95%	Total	12/300 (4%)	Mean 4%	SD 3.35%	
.....									
*Lung:									
Fibrosarcoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	1/300 (0.33%)	Mean 0.33%	SD 0.82%	
.....									
*Lung:									
Hemangiosarcoma									
		0/50 (0%)	1/50 (2%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/299 (0.33%)	Mean 0.33%	SD 0.82%	Total	0/300 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 25
 Report Date: 05/18/2011

		Male				Female			
*Lung:									
Squamous Cell Carcinoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	1/300 (0.33%)	Mean 0.33%	SD 0.82%	
.....									
#Lymph Node:									
Hemangiosarcoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
#Mammary Gland:									
Adenolipoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	1/300 (0.33%)	Mean 0.33%	SD 0.82%	
.....									
#Mammary Gland:									
Adenoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	2/50 (4%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	2/50 (4%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	4/300 (1.33%)	Mean 1.33%	SD 2.07%	
.....									
#Mammary Gland:									
Carcinoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	4/50 (8%)	1/50 (2%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	6/300 (2%)	Mean 2%	SD 3.1%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 26
 Report Date: 05/18/2011

		Male				Female			
#Mammary Gland:									
Carcinoma or Adenoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	4/50 (8%)	3/50 (6%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	2/50 (4%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	10/300 (3.33%)	Mean 3.33%	SD 3.27%	
.....									
#Mammary Gland:									
Fibroadenoma									
		2/50 (4%)	4/50 (8%)	0/49 (0%)		23/50 (46%)	26/50 (52%)	24/50 (48%)	
		0/50 (0%)	0/50 (0%)	1/50 (2%)		17/50 (34%)	29/50 (58%)	21/50 (42%)	
Overall Incidence	Total	7/299 (2.34%)	Mean 2.33%	SD 3.2%	Total	140/300 (46.67%)	Mean 46.67%	SD 8.26%	
.....									
#Mammary Gland:									
Fibroma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
#Mammary Gland:									
Fibroma, Fibroadenoma or Adenoma									
		2/50 (4%)	4/50 (8%)	0/49 (0%)		23/50 (46%)	26/50 (52%)	25/50 (50%)	
		0/50 (0%)	0/50 (0%)	1/50 (2%)		17/50 (34%)	29/50 (58%)	22/50 (44%)	
Overall Incidence	Total	7/299 (2.34%)	Mean 2.33%	SD 3.2%	Total	142/300 (47.33%)	Mean 47.33%	SD 8.16%	
.....									
#Mammary Gland:									
Fibroma, Fibroadenoma, Carcinoma, or Adenoma									
		2/50 (4%)	4/50 (8%)	0/49 (0%)		23/50 (46%)	28/50 (56%)	26/50 (52%)	
		0/50 (0%)	0/50 (0%)	1/50 (2%)		17/50 (34%)	30/50 (60%)	22/50 (44%)	
Overall Incidence	Total	7/299 (2.34%)	Mean 2.33%	SD 3.2%	Total	146/300 (48.67%)	Mean 48.67%	SD 9.35%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 27
 Report Date: 05/18/2011

		Male				Female			
#Mesentery:									
Fibrous Histiocytoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
#Mesentery:									
Hemangiosarcoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
#Mesentery:									
Lipoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
#Mesentery:									
Schwannoma Malignant									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
*Nose:									
Adenoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	0/299 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 28
 Report Date: 05/18/2011

		Male				Female			
*Nose:									
Squamous Cell Carcinoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/299 (0.33%)	Mean 0.33%	SD 0.82%	Total	0/299 (0%)	Mean 0%	SD 0%	

#Oral Cavity (Oral Mucosa, Tongue, Pharynx, Tooth, Gingiva):									
Papilloma Squamous or Papilloma									
		0/50 (0%)	0/50 (0%)	1/49 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	1/50 (2%)	0/50 (0%)	
Overall Incidence	Total	2/299 (0.67%)	Mean 0.67%	SD 1.04%	Total	2/300 (0.67%)	Mean 0.67%	SD 1.03%	

#Oral Cavity (Oral Mucosa, Tongue, Pharynx, Tooth, Gingiva):									
Squamous Cell Carcinoma									
		0/50 (0%)	1/50 (2%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/299 (0.33%)	Mean 0.33%	SD 0.82%	Total	1/300 (0.33%)	Mean 0.33%	SD 0.82%	

#Oral Cavity (Oral Mucosa, Tongue, Pharynx, Tooth, Gingiva):									
Squamous Cell Carcinoma, Papilloma Squamous, or Papilloma									
		0/50 (0%)	1/50 (2%)	1/49 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		2/50 (4%)	1/50 (2%)	0/50 (0%)	
Overall Incidence	Total	3/299 (1%)	Mean 1.01%	SD 1.1%	Total	3/300 (1%)	Mean 1%	SD 1.67%	

#Oral Mucosa:									
Squamous Cell Carcinoma									
		0/50 (0%)	1/50 (2%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/299 (0.33%)	Mean 0.33%	SD 0.82%	Total	1/300 (0.33%)	Mean 0.33%	SD 0.82%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 29
 Report Date: 05/18/2011

		Male				Female			
#Oral Mucosa:									
Squamous Cell Papilloma									
		0/50 (0%)	0/50 (0%)	1/49 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	2/299 (0.67%)		Mean 0.67%	SD 1.04%	Total 0/300 (0%)		Mean 0%	SD 0%
.....									
*Ovary:									
Cystadenoma									
						0/50 (0%)	0/50 (0%)	1/50 (2%)	
						0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total					1/300 (0.33%)		Mean 0.33%	SD 0.82%
.....									
*Ovary:									
Fibrosarcoma									
						0/50 (0%)	0/50 (0%)	0/50 (0%)	
						0/50 (0%)	1/50 (2%)	0/50 (0%)	
Overall Incidence	Total					1/300 (0.33%)		Mean 0.33%	SD 0.82%
.....									
*Ovary:									
Granulosa Cell Tumor Benign									
						0/50 (0%)	0/50 (0%)	0/50 (0%)	
						1/50 (2%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total					1/300 (0.33%)		Mean 0.33%	SD 0.82%
.....									
*Ovary:									
Granulosa Cell Tumor Malignant									
						0/50 (0%)	0/50 (0%)	0/50 (0%)	
						0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total					0/300 (0%)		Mean 0%	SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 30
 Report Date: 05/18/2011

	Male	Female
*Ovary:		
Granulosa Cell Tumor: Benign, Malignant, NOS		
	0/50 (0%)	0/50 (0%)
	1/50 (2%)	0/50 (0%)
Overall Incidence	Total 1/300 (0.33%)	Mean 0.33% SD 0.82%
.....		
*Ovary:		
Granulosa-Theca Tumor Benign		
	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)
Overall Incidence	Total 0/300 (0%)	Mean 0% SD 0%
.....		
*Ovary:		
Granulosa-Theca Tumor Malignant		
	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)
Overall Incidence	Total 0/300 (0%)	Mean 0% SD 0%
.....		
*Ovary:		
Schwannoma Malignant		
	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)
Overall Incidence	Total 0/300 (0%)	Mean 0% SD 0%
.....		
*Ovary:		
Tubulostromal Adenoma		
	1/50 (2%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)
Overall Incidence	Total 1/300 (0.33%)	Mean 0.33% SD 0.82%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 31
 Report Date: 05/18/2011

		Male				Female			
*Pancreas:									
Adenoma									
		0/50 (0%)	7/50 (14%)	1/49 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	2/50 (4%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	11/299 (3.68%)	Mean 3.67%	SD 5.28%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
*Pancreas:									
Carcinoma									
		0/50 (0%)	1/50 (2%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/299 (0.33%)	Mean 0.33%	SD 0.82%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
*Pancreas:									
Carcinoma or Adenoma									
		0/50 (0%)	8/50 (16%)	1/49 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	2/50 (4%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	12/299 (4.01%)	Mean 4.01%	SD 6.06%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
*Pancreas:									
Mixed Tumor Benign									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
*Pancreas:									
Mixed Tumor Malignant									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 32
 Report Date: 05/18/2011

		Male				Female			
*Parathyroid Gland:									
Adenoma									
		0/47 (0%)	0/47 (0%)	1/49 (2%)		1/38 (3%)	0/47 (0%)	0/44 (0%)	
		1/45 (2%)	0/49 (0%)	1/49 (2%)		0/47 (0%)	0/50 (0%)	2/46 (4%)	
Overall Incidence	Total	3/286 (1.05%)	Mean 1.05%	SD 1.15%	Total	3/272 (1.1%)	Mean 1.16%	SD 1.88%	
.....									
*Pituitary Gland: Pars Distalis or Unspecified Site:									
Adenoma									
		38/50 (76%)	19/50 (38%)	21/49 (43%)		34/50 (68%)	25/50 (50%)	29/50 (58%)	
		6/50 (12%)	23/50 (46%)	11/50 (22%)		25/50 (50%)	31/50 (62%)	27/50 (54%)	
Overall Incidence	Total	118/299 (39.46%)	Mean 39.48%	SD 22.14%	Total	171/300 (57%)	Mean 57%	SD 7.13%	
.....									
*Pituitary Gland: Pars Distalis or Unspecified Site:									
Carcinoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		2/50 (4%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/299 (0.33%)	Mean 0.33%	SD 0.82%	Total	3/300 (1%)	Mean 1%	SD 1.67%	
.....									
*Pituitary Gland: Pars Distalis or Unspecified Site:									
Carcinoma or Adenoma									
		38/50 (76%)	19/50 (38%)	21/49 (43%)		36/50 (72%)	25/50 (50%)	30/50 (60%)	
		6/50 (12%)	24/50 (48%)	11/50 (22%)		25/50 (50%)	31/50 (62%)	27/50 (54%)	
Overall Incidence	Total	119/299 (39.8%)	Mean 39.81%	SD 22.27%	Total	174/300 (58%)	Mean 58%	SD 8.49%	
.....									
*Pituitary Gland: Pars Distalis or Unspecified Site:									
Ganglioneuroma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 33
 Report Date: 05/18/2011

		Male				Female			
*Pituitary Gland: Pars Intermedia:									
Adenoma									
		1/50 (2%)	1/50 (2%)	0/49 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	2/299 (0.67%)	Mean 0.67%	SD 1.03%	Total	1/300 (0.33%)	Mean 0.33%	SD 0.82%	
.....									
*Pituitary Gland: Pars Intermedia:									
Carcinoma or Adenoma									
		1/50 (2%)	1/50 (2%)	0/49 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	2/299 (0.67%)	Mean 0.67%	SD 1.03%	Total	1/300 (0.33%)	Mean 0.33%	SD 0.82%	
.....									
*Pituitary Gland: Pars Nervosa:									
Craniopharyngioma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
*Prostate:									
Adenoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)					
		0/50 (0%)	0/50 (0%)	0/50 (0%)					
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%					
.....									
*Prostate:									
Carcinoma or Adenoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)					
		0/50 (0%)	0/50 (0%)	0/50 (0%)					
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%					

#: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 34
 Report Date: 05/18/2011

		Male				Female			
*Salivary Glands:									
Carcinoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	0/299 (0%)	Mean 0%	SD 0%	
.....									
*Salivary Glands:									
Carcinoma or Adenoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	0/299 (0%)	Mean 0%	SD 0%	
.....									
*Salivary Glands:									
Sarcoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/299 (0.33%)	Mean 0.33%	SD 0.82%	Total	0/299 (0%)	Mean 0%	SD 0%	
.....									
*Salivary Glands:									
Schwannoma Malignant									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	0/299 (0%)	Mean 0%	SD 0%	
.....									
#Seminal Vesicle:									
Adenoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)					
		0/50 (0%)	0/50 (0%)	0/50 (0%)					
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%					

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 35
 Report Date: 05/18/2011

		Male				Female			
#Skeletal Muscle:									
Fibrous Histiocytoma									
		0/50 (0%)	0/50 (0%)	1/49 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/299 (0.33%)	Mean 0.34%	SD 0.83%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
#Skeletal Muscle:									
Hemangiosarcoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
#Skeletal Muscle:									
Rhabdomyosarcoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/299 (0.33%)	Mean 0.33%	SD 0.82%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
#Skeletal Muscle:									
Rhabdomyosarcoma or Rhabdomyoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/299 (0.33%)	Mean 0.33%	SD 0.82%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Basal Cell Adenoma									
		1/50 (2%)	0/50 (0%)	2/49 (4%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	4/299 (1.34%)	Mean 1.35%	SD 1.66%	Total	1/300 (0.33%)	Mean 0.33%	SD 0.82%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 36
 Report Date: 05/18/2011

		Male				Female			
#Skin:									
Basal Cell Adenoma or Basosquamous Tumor Benign									
		1/50 (2%)	0/50 (0%)	2/49 (4%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	4/299 (1.34%)	Mean 1.35%	SD 1.66%	Total	1/300 (0.33%)	Mean 0.33%	SD 0.82%	
.....									
#Skin:									
Basal Cell Adenoma, Basosquamous Tumor Benign, or Trichoepithelioma									
		1/50 (2%)	0/50 (0%)	2/49 (4%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	4/299 (1.34%)	Mean 1.35%	SD 1.66%	Total	1/300 (0.33%)	Mean 0.33%	SD 0.82%	
.....									
#Skin:									
Basal Cell Carcinoma									
		0/50 (0%)	1/50 (2%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
Overall Incidence	Total	2/299 (0.67%)	Mean 0.67%	SD 1.03%	Total	1/300 (0.33%)	Mean 0.33%	SD 0.82%	
.....									
#Skin:									
Basal Cell Carcinoma or Basosquamous Tumor (malignant or NOS)									
		0/50 (0%)	1/50 (2%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
Overall Incidence	Total	2/299 (0.67%)	Mean 0.67%	SD 1.03%	Total	1/300 (0.33%)	Mean 0.33%	SD 0.82%	
.....									
#Skin:									
Basal Cell Carcinoma, Basal Cell Adenoma, Basosquamous Tumor (benign, malignant or NOS), or Trichoepithelioma									
		1/50 (2%)	1/50 (2%)	2/49 (4%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	1/50 (2%)	0/50 (0%)		1/50 (2%)	1/50 (2%)	0/50 (0%)	
Overall Incidence	Total	6/299 (2.01%)	Mean 2.01%	SD 1.29%	Total	2/300 (0.67%)	Mean 0.67%	SD 1.03%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 37
 Report Date: 05/18/2011

	Male					Female				
#Skin:										
Basal or Sq. Cell Carcinoma, Carcinoma, Basosq. Tumor (M or B), Basal Cell Adenoma, Adenoma, Papilloma, Sq Papilloma, Keratoacanthoma, Trichoepithelioma										
		2/50 (4%)	8/50 (16%)	2/49 (4%)		1/50 (2%)	0/50 (0%)	0/50 (0%)		
		3/50 (6%)	4/50 (8%)	3/50 (6%)		1/50 (2%)	2/50 (4%)	1/50 (2%)		
Overall Incidence	Total	22/299 (7.36%)	Mean 7.35%	SD 4.49%	Total	5/300 (1.67%)	Mean 1.67%	SD 1.51%		
.....										
#Skin:										
Fibroma										
		1/50 (2%)	5/50 (10%)	7/49 (14%)		1/50 (2%)	0/50 (0%)	1/50 (2%)		
		3/50 (6%)	6/50 (12%)	3/50 (6%)		2/50 (4%)	1/50 (2%)	3/50 (6%)		
Overall Incidence	Total	25/299 (8.36%)	Mean 8.38%	SD 4.53%	Total	8/300 (2.67%)	Mean 2.67%	SD 2.07%		
.....										
#Skin:										
Fibroma, Fibrosarcoma, Sarcoma, Myxoma, Myxosarcoma, or Fibrous Histiocytoma										
		2/50 (4%)	7/50 (14%)	7/49 (14%)		1/50 (2%)	0/50 (0%)	1/50 (2%)		
		4/50 (8%)	6/50 (12%)	3/50 (6%)		3/50 (6%)	4/50 (8%)	3/50 (6%)		
Overall Incidence	Total	29/299 (9.7%)	Mean 9.71%	SD 4.33%	Total	12/300 (4%)	Mean 4%	SD 3.1%		
.....										
#Skin:										
Fibrosarcoma										
		0/50 (0%)	1/50 (2%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	3/50 (6%)	0/50 (0%)		
Overall Incidence	Total	1/299 (0.33%)	Mean 0.33%	SD 0.82%	Total	4/300 (1.33%)	Mean 1.33%	SD 2.42%		
.....										
#Skin:										
Fibrosarcoma, Sarcoma, Myxosarcoma, or Fibrous Histiocytoma										
		1/50 (2%)	2/50 (4%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)		
		1/50 (2%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	3/50 (6%)	0/50 (0%)		
Overall Incidence	Total	4/299 (1.34%)	Mean 1.33%	SD 1.63%	Total	4/300 (1.33%)	Mean 1.33%	SD 2.42%		

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 38
 Report Date: 05/18/2011

		Male				Female			
#Skin:									
Fibrous Histiocytoma									
		1/50 (2%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/299 (0.33%)	Mean 0.33%	SD 0.82%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Hemangioma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Hemangiosarcoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Keratoacanthoma									
		2/50 (4%)	7/50 (14%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		2/50 (4%)	3/50 (6%)	3/50 (6%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
Overall Incidence	Total	17/299 (5.69%)	Mean 5.67%	SD 4.63%	Total	1/300 (0.33%)	Mean 0.33%	SD 0.82%	
.....									
#Skin:									
Lipoma									
		0/50 (0%)	2/50 (4%)	1/49 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	3/299 (1%)	Mean 1.01%	SD 1.68%	Total	0/300 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 39
 Report Date: 05/18/2011

		Male				Female			
#Skin:									
Liposarcoma									
		0/50 (0%)	0/50 (0%)	1/49 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
Overall Incidence	Total	1/299 (0.33%)	Mean 0.34%	SD 0.83%	Total	1/300 (0.33%)	Mean 0.33%	SD 0.82%	
.....									
#Skin:									
Neural Crest Tumor									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Neural Crest Tumor, Malignant									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Neurofibroma or Schwannoma benign									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Neurofibrosarcoma or Schwannoma (malignant or NOS)									
		1/50 (2%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	3/50 (6%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	4/299 (1.34%)	Mean 1.33%	SD 2.42%	Total	0/300 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 40
 Report Date: 05/18/2011

		Male				Female			
#Skin:									
Neurofibrosarcoma, Neurofibroma, or Schwannoma (benign, malignant or NOS)									
		1/50 (2%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	3/50 (6%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	4/299 (1.34%)	Mean 1.33%	SD 2.42%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Sarcoma									
		0/50 (0%)	1/50 (2%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	2/299 (0.67%)	Mean 0.67%	SD 1.03%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Schwannoma Benign									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Schwannoma Malignant									
		1/50 (2%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	3/50 (6%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	4/299 (1.34%)	Mean 1.33%	SD 2.42%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
#Skin:									
Squamous Cell Carcinoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	1/300 (0.33%)	Mean 0.33%	SD 0.82%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 41
 Report Date: 05/18/2011

		Male				Female			
#Skin:									
Squamous Cell Carcinoma, Basal Cell Carcinoma, Basosquamous Tumor (malignant or NOS), or Carcinoma									
		0/50 (0%)	1/50 (2%)	0/49 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
Overall Incidence	Total	2/299 (0.67%)	Mean 0.67%	SD 1.03%	Total	2/300 (0.67%)	Mean 0.67%	SD 1.03%	
.....									
#Skin:									
Squamous Cell Papilloma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	1/300 (0.33%)	Mean 0.33%	SD 0.82%	
.....									
#Skin:									
Squamous Cell Papilloma or Papilloma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	1/300 (0.33%)	Mean 0.33%	SD 0.82%	
.....									
#Skin:									
Squamous Cell Papilloma, Papilloma, Squamous Cell Carcinoma or Keratoacanthoma									
		2/50 (4%)	7/50 (14%)	0/49 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		2/50 (4%)	3/50 (6%)	3/50 (6%)		0/50 (0%)	1/50 (2%)	1/50 (2%)	
Overall Incidence	Total	17/299 (5.69%)	Mean 5.67%	SD 4.63%	Total	3/300 (1%)	Mean 1%	SD 1.1%	
.....									
#Skin:									
Squamous Cell Papilloma, Papilloma, or Keratoacanthoma									
		2/50 (4%)	7/50 (14%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		2/50 (4%)	3/50 (6%)	3/50 (6%)		0/50 (0%)	1/50 (2%)	1/50 (2%)	
Overall Incidence	Total	17/299 (5.69%)	Mean 5.67%	SD 4.63%	Total	2/300 (0.67%)	Mean 0.67%	SD 1.03%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 42
 Report Date: 05/18/2011

		Male				Female			
#Skin:									
Trichoepithelioma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
#Skin: Sebaceous Gland:									
Adenoma									
		0/50 (0%)	1/50 (2%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	3/299 (1%)	Mean 1%	SD 1.1%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
#Skin: Sebaceous Gland:									
Carcinoma or Adenoma									
		0/50 (0%)	1/50 (2%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	3/299 (1%)	Mean 1%	SD 1.1%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
#Spinal Cord:									
Astrocytoma Benign									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	1/300 (0.33%)	Mean 0.33%	SD 0.82%	
.....									
#Spinal Cord:									
Astrocytoma Malignant									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 43
 Report Date: 05/18/2011

		Male				Female			
#Spinal Cord:									
 Glioma Malignant									
		0/50 (0%)	0/50 (0%)	1/49 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/299 (0.33%)	Mean 0.34%	SD 0.83%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
*Spleen:									
 Fibrosarcoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
*Spleen:									
 Fibrous Histiocytoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
*Spleen:									
 Hemangiosarcoma									
		0/50 (0%)	1/50 (2%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	2/50 (4%)	
Overall Incidence	Total	1/299 (0.33%)	Mean 0.33%	SD 0.82%	Total	2/300 (0.67%)	Mean 0.67%	SD 1.63%	
.....									
*Spleen:									
 Leiomyosarcoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 44
 Report Date: 05/18/2011

		Male				Female			
*Spleen:									
Sarcoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
#Stomach, Forestomach:									
Leiomyosarcoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
#Stomach, Forestomach:									
Squamous Cell Carcinoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
#Stomach, Forestomach:									
Squamous Cell Carcinoma or Papilloma Squamous									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	1/300 (0.33%)	Mean 0.33%	SD 0.82%	
.....									
#Stomach, Forestomach:									
Squamous Cell Papilloma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	1/300 (0.33%)	Mean 0.33%	SD 0.82%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 45
 Report Date: 05/18/2011

		Male				Female			
#Stomach, Glandular:									
Carcinoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	

#Stomach, Glandular:									
Carcinoma or Adenoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	

#Stomach, Glandular:									
Lipoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	

#Stomach, Glandular:									
Sarcoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	1/300 (0.33%)	Mean 0.33%	SD 0.82%	

*Testes:									
Adenoma									
		37/50 (74%)	46/50 (92%)	37/49 (76%)					
		47/50 (94%)	40/50 (80%)	46/50 (92%)					
Overall Incidence	Total	253/299 (84.62%)	Mean 84.59%	SD 9.1%					

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 46
 Report Date: 05/18/2011

		Male				Female			
*Testes:									
Hemangioma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)					
		0/50 (0%)	1/50 (2%)	0/50 (0%)					
Overall Incidence	Total	1/299 (0.33%)	Mean 0.33%	SD 0.82%					
.....									
*Thymus:									
Thymoma Benign									
		1/47 (2%)	0/47 (0%)	0/48 (0%)	1/50 (2%)	0/47 (0%)	0/50 (0%)		
		0/47 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/47 (0%)	0/50 (0%)		
Overall Incidence	Total	1/289 (0.35%)	Mean 0.35%	SD 0.87%	Total	1/293 (0.34%)	Mean 0.33%	SD 0.82%	
.....									
*Thymus:									
Thymoma Malignant									
		0/47 (0%)	0/47 (0%)	0/48 (0%)	0/50 (0%)	0/47 (0%)	0/50 (0%)		
		0/47 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/47 (0%)	0/50 (0%)		
Overall Incidence	Total	0/289 (0%)	Mean 0%	SD 0%	Total	0/293 (0%)	Mean 0%	SD 0%	
.....									
*Thymus:									
Thymoma NOS									
		0/47 (0%)	0/47 (0%)	0/48 (0%)	0/50 (0%)	0/47 (0%)	0/50 (0%)		
		0/47 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/47 (0%)	0/50 (0%)		
Overall Incidence	Total	0/289 (0%)	Mean 0%	SD 0%	Total	0/293 (0%)	Mean 0%	SD 0%	
.....									
*Thymus:									
Thymoma: Benign, Malignant, NOS									
		1/47 (2%)	0/47 (0%)	0/48 (0%)	1/50 (2%)	0/47 (0%)	0/50 (0%)		
		0/47 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/47 (0%)	0/50 (0%)		
Overall Incidence	Total	1/289 (0.35%)	Mean 0.35%	SD 0.87%	Total	1/293 (0.34%)	Mean 0.33%	SD 0.82%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 47
 Report Date: 05/18/2011

		Male				Female			
*Thyroid Gland: C-Cell: Adenoma									
		10/50 (20%)	9/50 (18%)	8/49 (16%)		11/49 (22%)	7/50 (14%)	5/50 (10%)	
		12/50 (24%)	11/50 (22%)	8/50 (16%)		5/50 (10%)	9/49 (18%)	8/50 (16%)	
Overall Incidence	Total	58/299 (19.4%)	Mean 19.39%	SD 3.2%	Total	45/298 (15.1%)	Mean 15.14%	SD 4.87%	
.....									
*Thyroid Gland: C-Cell: Carcinoma									
		1/50 (2%)	6/50 (12%)	0/49 (0%)		0/49 (0%)	3/50 (6%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	
Overall Incidence	Total	7/299 (2.34%)	Mean 2.33%	SD 4.8%	Total	3/298 (1.01%)	Mean 1%	SD 2.45%	
.....									
*Thyroid Gland: C-Cell: Carcinoma or Adenoma									
		11/50 (22%)	15/50 (30%)	8/49 (16%)		11/49 (22%)	9/50 (18%)	5/50 (10%)	
		12/50 (24%)	11/50 (22%)	8/50 (16%)		5/50 (10%)	9/49 (18%)	8/50 (16%)	
Overall Incidence	Total	65/299 (21.74%)	Mean 21.72%	SD 5.21%	Total	47/298 (15.77%)	Mean 15.8%	SD 4.96%	
.....									
*Thyroid Gland: Follicular Cell: Adenoma									
		2/50 (4%)	1/50 (2%)	1/49 (2%)		1/49 (2%)	0/50 (0%)	1/50 (2%)	
		1/50 (2%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	1/49 (2%)	0/50 (0%)	
Overall Incidence	Total	6/299 (2.01%)	Mean 2.01%	SD 1.27%	Total	3/298 (1.01%)	Mean 1.01%	SD 1.11%	
.....									
*Thyroid Gland: Follicular Cell: Carcinoma									
		0/50 (0%)	1/50 (2%)	0/49 (0%)		0/49 (0%)	1/50 (2%)	0/50 (0%)	
		2/50 (4%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	
Overall Incidence	Total	3/299 (1%)	Mean 1%	SD 1.67%	Total	1/298 (0.34%)	Mean 0.33%	SD 0.82%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 48
 Report Date: 05/18/2011

		Male				Female			
*Thyroid Gland: Follicular Cell: Carcinoma or Adenoma									
		2/50 (4%)	2/50 (4%)	1/49 (2%)		1/49 (2%)	1/50 (2%)	1/50 (2%)	
		3/50 (6%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	1/49 (2%)	0/50 (0%)	
Overall Incidence	Total	9/299 (3.01%)	Mean 3.01%	SD 2.09%	Total	4/298 (1.34%)	Mean 1.35%	SD 1.04%	
.....									
#Tissue NOS: Paraganglioma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
#Tongue: Squamous Cell Carcinoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
#Tongue: Squamous Cell Carcinoma or Papilloma Squamous									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	1/50 (2%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	2/300 (0.67%)	Mean 0.67%	SD 1.03%	
.....									
#Tongue: Squamous Cell Papilloma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	1/50 (2%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	2/300 (0.67%)	Mean 0.67%	SD 1.03%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: GAVAGE
Vehicle: CORN OIL

Page: 49
 Report Date: 05/18/2011

		Male				Female			
#Tooth:									
Adamantinoma Malignant									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
#Tooth:									
Odontoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	1/300 (0.33%)	Mean 0.33%	SD 0.82%	
.....									
*Urinary Bladder:									
Carcinoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
*Urinary Bladder:									
Carcinoma or Papilloma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
Overall Incidence	Total	1/299 (0.33%)	Mean 0.33%	SD 0.82%	Total	1/300 (0.33%)	Mean 0.33%	SD 0.82%	
.....									
*Urinary Bladder:									
Hemangiosarcoma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/299 (0%)	Mean 0%	SD 0%	Total	0/300 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 50
 Report Date: 05/18/2011

		Male				Female			
*Urinary Bladder:									
Papilloma									
		0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
Overall Incidence	Total	1/299 (0.33%)	Mean 0.33%	SD 0.82%	Total	1/300 (0.33%)	Mean 0.33%	SD 0.82%	
.....									
#Uterus:									
Adenoma									
						0/50 (0%)	0/50 (0%)	0/50 (0%)	
						0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total				Total	0/300 (0%)	Mean 0%	SD 0%	
.....									
#Uterus:									
Carcinoma									
						0/50 (0%)	0/50 (0%)	0/50 (0%)	
						1/50 (2%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total				Total	1/300 (0.33%)	Mean 0.33%	SD 0.82%	
.....									
#Uterus:									
Deciduoma Benign									
						0/50 (0%)	1/50 (2%)	0/50 (0%)	
						0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total				Total	1/300 (0.33%)	Mean 0.33%	SD 0.82%	
.....									
#Uterus:									
Leiomyosarcoma									
						0/50 (0%)	0/50 (0%)	0/50 (0%)	
						0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total				Total	0/300 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 51
 Report Date: 05/18/2011

	Male	Female
#Uterus:		
Polyp Stromal		
	3/50 (6%)	8/50 (16%)
	8/50 (16%)	3/50 (6%)
Overall Incidence	Total 34/300 (11.33%)	Mean 11.33% SD 4.68%
.....		
#Uterus:		
Sarcoma		
	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)
Overall Incidence	Total 0/300 (0%)	Mean 0% SD 0%
.....		
#Uterus:		
Sarcoma Stromal		
	0/50 (0%)	0/50 (0%)
	0/50 (0%)	1/50 (2%)
Overall Incidence	Total 1/300 (0.33%)	Mean 0.33% SD 0.82%
.....		
#Uterus:		
Sarcoma Stromal or Polyp Stromal		
	3/50 (6%)	8/50 (16%)
	8/50 (16%)	3/50 (6%)
Overall Incidence	Total 34/300 (11.33%)	Mean 11.33% SD 4.68%
.....		
#Uterus:		
Schwannoma Malignant		
	1/50 (2%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)
Overall Incidence	Total 1/300 (0.33%)	Mean 0.33% SD 0.82%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 52
 Report Date: 05/18/2011

					Male						Female	
#Vagina:												
Polyp												
					0/50	(0%)	1/50	(2%)	0/50	(0%)		
					0/50	(0%)	0/50	(0%)	0/50	(0%)		
Overall Incidence					Total	1/300	(0.33%)	Mean	0.33%	SD	0.82%	
.....												
#Vagina:												
Sarcoma												
					0/50	(0%)	0/50	(0%)	0/50	(0%)		
					0/50	(0%)	0/50	(0%)	0/50	(0%)		
Overall Incidence					Total	0/300	(0%)	Mean	0%	SD	0%	
.....												
#Vagina:												
Schwannoma Malignant												
					0/50	(0%)	0/50	(0%)	0/50	(0%)		
					0/50	(0%)	1/50	(2%)	0/50	(0%)		
Overall Incidence					Total	1/300	(0.33%)	Mean	0.33%	SD	0.82%	
.....												
#Zymbal's Gland:												
Adenoma												
			0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)
			0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/299	(0%)	Mean	0%	SD	0%	Total	0/300	(0%)	Mean	0%
.....												
#Zymbal's Gland:												
Carcinoma												
			1/50	(2%)	2/50	(4%)	0/49	(0%)	0/50	(0%)	0/50	(0%)
			0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
Overall Incidence	Total	3/299	(1%)	Mean	1%	SD	1.67%	Total	1/300	(0.33%)	Mean	0.33%
.....												

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: May2011
 Contract/Lab: All Laboratories
 Species: RATS
 Strain: F 344/N
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: GAVAGE
 Vehicle: CORN OIL

Page: 53
 Report Date: 05/18/2011

		Male				Female			
#Zymbal's Gland:									
Carcinoma or Adenoma									
		1/50 (2%)	2/50 (4%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
Overall Incidence	Total	3/299 (1%)	Mean 1%	SD 1.67%	Total	1/300 (0.33%)	Mean 0.33%	SD 0.82%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied