

NTP Historical Controls Report

All Routes and Vehicles

MICE

June 2013

REPORT DESCRIPTION

This report shows the tumor rates of control group animals from selected studies. The studies used are shown on the Study Summary page.

The report combines all the data from all of the historical control studies into one section. To see this data broken up by route and vehicle you must run the "By Route And Vehicle" report.

The individual tumor rates shown on the data pages of the report relate to the Study Summary page as follows: the tumor rates are shown in the same order as the Study Summary page, except that they are grouped horizontally in sets of three, with the males in the first set of three and the females in the second set. For example if the study summary showed the studies like this:

Male

M1

M2

M3

M4

M5

Female

F1

F2

F3

F4

F5

the data would be shown as:

	Male			Female		
M1	M2	M3	F1	F2	F3	
M4	M5		F4	F5		

Directly beneath the individual tumor rates on the data pages are the overall totals for that tumor/site combination. This includes the total tumors/animals, the overall mean (in parentheses), the mean of the study means, and the standard deviation of the study means.

Studies with no control animals of a particular gender are listed on the summary page with the Number of Animals shown as zero and the Start Date and Length of Study shown as "N/A". On the data pages there are blank spaces where tumor rates for these studies would normally be found, so that the male and female rates for the remaining studies can be easily compared.

Study Summary

Laboratory Name	Study Number	Study Start Date	Length of Study in Days	Number of Animals Total and (#/Cage)	Number Surviving and (Mean Life Span)	Maximum Mean Weekly Body Weight	Chemical
Male							
Southern Research Institute	059903706	06/30/03	729	50(1)	40(701)	53.9	alpha/beta Thujone mixture
Battelle Northwest	052001106	07/21/03	729	50(5)	37(689)	53.4	1-Bromopropane
Battelle Northwest	056031106	05/15/06	729	50(5)	39(715)	54.3	Cobalt
Battelle Northwest	059901706	08/18/03	729	50(5)	31(686)	53.8	Diethylamine
Battelle Columbus Laboratory	059903104	03/17/05	726	50(1)	34(687)	54.6	Ginkgo biloba extract
Battelle Columbus Laboratory	052000506	02/10/04	730	50(1)	32(691)	51.1	Ginseng
Battelle Columbus Laboratory	052020304	07/10/07	730	50(1)	33(694)	52.6	Green tea extract
Battelle Columbus Laboratory	052000604	04/03/07	730	50(1)	26(663)	55.6	Indole-3-carbinol
Battelle Columbus Laboratory	052000706	08/24/04	730	50(1)	34(689)	56.4	Kava kava extract
Battelle Northwest	052051504	05/05/08	729	50(5)	39(709)	52.6	Metal working fluids (CIMSTAR 3800)
Southern Research Institute	059500306	04/26/04	729	50(1)	34(694)	54.6	Methyl trans-styryl ketone
Battelle Columbus Laboratory	052010704	10/26/04	730	50(1)	34(665)	55.7	N,N-Dimethyl-p-toluidine
Battelle Columbus Laboratory	052000904	11/09/04	730	50(1)	24(645)	57.1	beta-Picoline
Battelle Columbus Laboratory	059903204	09/21/04	729	50(1)	37(698)	56.4	Pyrogallol
Battelle Columbus Laboratory	052032004	08/07/07	730	50(1)	33(687)	55.8	Tetrabromobisphenol A
Battelle Northwest	059302506	06/23/03	729	50(5)	36(695)	52.9	Tetraolin
Southern Research Institute	058813308	12/13/04	729	50(1)	30(665)	54.9	Trimethylolpropane triacrylate
Battelle Northwest	052030306	06/20/05	729	50(5)	29(680)	53.1	Vinylidene chloride
Battelle Columbus Laboratory	059601406	09/26/06	730	50(1)	25(660)	55.9	Water disinfection byproducts (Bromodichloroacetic acid)

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 4
 Report Date: 05/24/2013

Study Summary

Laboratory Name	Study Number	Study Start Date	Length of Study in Days	Number of Animals Total and (#/Cage)	Number Surviving and (Mean Life Span)	Maximum Mean Weekly Body Weight	Chemical
Female							
Southern Research Institute	059903706	06/30/03	731	50(5)	37(668)	64.7	alpha/beta Thujone mixture
Battelle Northwest	052001106	07/21/03	731	50(5)	36(698)	61.2	1-Bromopropane
Battelle Northwest	056031106	05/15/06	731	50(5)	36(686)	66.7	Cobalt
Battelle Northwest	059901706	08/18/03	731	50(5)	32(684)	60.7	Diethylamine
Battelle Columbus Laboratory	059903104	03/18/05	727	50(5)	31(628)	64.5	Ginkgo biloba extract
Battelle Columbus Laboratory	052000506	02/09/04	729	50(5)	38(711)	63.9	Ginseng
Battelle Columbus Laboratory	052020304	07/09/07	729	50(5)	34(665)	62.9	Green tea extract
Battelle Columbus Laboratory	052000604	04/02/07	729	50(5)	33(702)	66.6	Indole-3-carbinol
Battelle Columbus Laboratory	052000706	08/23/04	729	50(5)	38(695)	66.2	Kava kava extract
Battelle Northwest	052051504	05/05/08	731	50(5)	39(696)	59.2	Metal working fluids (CIMSTAR 3800)
Southern Research Institute	059500306	04/26/04	731	50(1)	37(709)	64.6	Methyl trans-styryl ketone
Battelle Columbus Laboratory	052010704	10/25/04	729	50(5)	43(715)	66.6	N,N-Dimethyl-p-toluidine
Battelle Columbus Laboratory	052000904	11/08/04	729	50(5)	38(702)	67.4	beta-Picoline
Battelle Columbus Laboratory	059903204	09/20/04	729	50(1)	33(675)	69.3	Pyrogallol
Battelle Columbus Laboratory	052032004	08/06/07	729	50(5)	40(711)	66.5	Tetrabromobisphenol A
Battelle Northwest	059302506	06/23/03	731	50(5)	31(663)	62.1	Tetraolin
Southern Research Institute	058813308	12/13/04	732	50(1)	39(712)	66.6	Trimethylolpropane triacrylate
Battelle Northwest	052030306	06/20/05	731	50(5)	36(687)	66.0	Vinylidene chloride
Battelle Columbus Laboratory	059601406	09/25/06	729	50(5)	30(680)	63.5	Water disinfection byproducts (Bromodichloroacetic acid)

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 5
 Report Date: 05/24/2013

		Male				Female			
#All Organs:									
Benign Tumors									
		32/50 (64%)	36/50 (72%)	35/50 (70%)	22/50 (44%)	22/50 (44%)	29/50 (58%)		
		33/50 (66%)	38/50 (76%)	38/50 (76%)	25/50 (50%)	25/50 (50%)	33/50 (66%)		
		43/50 (86%)	33/50 (66%)	34/50 (68%)	20/50 (40%)	17/50 (34%)	26/50 (52%)		
		39/50 (78%)	37/50 (74%)	36/50 (72%)	26/50 (52%)	33/50 (66%)	24/50 (48%)		
		36/50 (72%)	42/50 (84%)	38/50 (76%)	40/50 (80%)	34/50 (68%)	22/50 (44%)		
		42/50 (84%)	37/50 (74%)	43/50 (86%)	24/50 (48%)	41/50 (82%)	32/50 (64%)		
		43/50 (86%)			36/50 (72%)				
Overall Incidence	Total	715/950 (75.26%)	Mean 75.26%	SD 7.16%	Total	531/950 (55.89%)	Mean 55.89%	SD 13.59%	
.....									
#All Organs:									
Malignant Tumors									
		30/50 (60%)	30/50 (60%)	36/50 (72%)	19/50 (38%)	33/50 (66%)	31/50 (62%)		
		36/50 (72%)	35/50 (70%)	26/50 (52%)	23/50 (46%)	28/50 (56%)	15/50 (30%)		
		28/50 (56%)	27/50 (54%)	32/50 (64%)	18/50 (36%)	19/50 (38%)	19/50 (38%)		
		26/50 (52%)	37/50 (74%)	29/50 (58%)	30/50 (60%)	42/50 (84%)	21/50 (42%)		
		36/50 (72%)	33/50 (66%)	21/50 (42%)	29/50 (58%)	34/50 (68%)	18/50 (36%)		
		26/50 (52%)	38/50 (76%)	37/50 (74%)	27/50 (54%)	38/50 (76%)	33/50 (66%)		
		30/50 (60%)			31/50 (62%)				
Overall Incidence	Total	593/950 (62.42%)	Mean 62.42%	SD 9.7%	Total	508/950 (53.47%)	Mean 53.47%	SD 15.36%	
.....									
#All Organs:									
Malignant and Benign Tumors									
		45/50 (90%)	47/50 (94%)	45/50 (90%)	35/50 (70%)	42/50 (84%)	40/50 (80%)		
		48/50 (96%)	44/50 (88%)	46/50 (92%)	41/50 (82%)	35/50 (70%)	42/50 (84%)		
		49/50 (98%)	48/50 (96%)	47/50 (94%)	29/50 (58%)	30/50 (60%)	39/50 (78%)		
		46/50 (92%)	49/50 (98%)	45/50 (90%)	41/50 (82%)	48/50 (96%)	35/50 (70%)		
		48/50 (96%)	47/50 (94%)	47/50 (94%)	43/50 (86%)	42/50 (84%)	32/50 (64%)		
		47/50 (94%)	46/50 (92%)	49/50 (98%)	40/50 (80%)	47/50 (94%)	45/50 (90%)		
		48/50 (96%)			45/50 (90%)				
Overall Incidence	Total	891/950 (93.79%)	Mean 93.79%	SD 2.97%	Total	751/950 (79.05%)	Mean 79.05%	SD 10.98%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 6
 Report Date: 05/24/2013

		Male				Female			
#All Organs:									
Hemangioma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	1/50 (2%)
		2/50 (4%)	0/50 (0%)	2/50 (4%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	1/50 (2%)
		1/50 (2%)	1/50 (2%)	2/50 (4%)		0/50 (0%)	1/50 (2%)	1/50 (2%)	1/50 (2%)
		1/50 (2%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)		0/50 (0%)	
Overall Incidence	Total	13/950 (1.37%)		Mean 1.37%	SD 1.5%	5/950 (0.53%)		Mean 0.53%	SD 0.9%

#All Organs:									
Hemangiosarcoma									
		4/50 (8%)	2/50 (4%)	7/50 (14%)		1/50 (2%)	4/50 (8%)	3/50 (6%)	3/50 (6%)
		7/50 (14%)	9/50 (18%)	4/50 (8%)		5/50 (10%)	2/50 (4%)	0/50 (0%)	0/50 (0%)
		5/50 (10%)	4/50 (8%)	6/50 (12%)		2/50 (4%)	0/50 (0%)	1/50 (2%)	1/50 (2%)
		1/50 (2%)	6/50 (12%)	8/50 (16%)		3/50 (6%)	5/50 (10%)	0/50 (0%)	0/50 (0%)
		6/50 (12%)	5/50 (10%)	1/50 (2%)		3/50 (6%)	6/50 (12%)	1/50 (2%)	1/50 (2%)
		4/50 (8%)	6/50 (12%)	2/50 (4%)		2/50 (4%)	2/50 (4%)	4/50 (8%)	4/50 (8%)
		5/50 (10%)				6/50 (12%)			
Overall Incidence	Total	92/950 (9.68%)		Mean 9.68%	SD 4.49%	50/950 (5.26%)		Mean 5.26%	SD 3.9%

#All Organs:									
Hemangiosarcoma or Hemangioma									
		4/50 (8%)	2/50 (4%)	7/50 (14%)		1/50 (2%)	4/50 (8%)	3/50 (6%)	3/50 (6%)
		7/50 (14%)	9/50 (18%)	5/50 (10%)		5/50 (10%)	2/50 (4%)	1/50 (2%)	1/50 (2%)
		7/50 (14%)	4/50 (8%)	8/50 (16%)		2/50 (4%)	1/50 (2%)	1/50 (2%)	1/50 (2%)
		2/50 (4%)	7/50 (14%)	8/50 (16%)		3/50 (6%)	5/50 (10%)	1/50 (2%)	1/50 (2%)
		7/50 (14%)	6/50 (12%)	3/50 (6%)		3/50 (6%)	7/50 (14%)	2/50 (4%)	2/50 (4%)
		5/50 (10%)	6/50 (12%)	3/50 (6%)		2/50 (4%)	2/50 (4%)	4/50 (8%)	4/50 (8%)
		5/50 (10%)				6/50 (12%)			
Overall Incidence	Total	105/950 (11.05%)		Mean 11.05%	SD 4.18%	55/950 (5.79%)		Mean 5.79%	SD 3.65%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 7
 Report Date: 05/24/2013

		Male				Female			
#All Organs:									
Histiocytic Sarcoma									
		1/50 (2%)	0/50 (0%)	1/50 (2%)	2/50 (4%)	1/50 (2%)	1/50 (2%)	1/50 (2%)	
		1/50 (2%)	0/50 (0%)	1/50 (2%)	1/50 (2%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	2/50 (4%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	3/50 (6%)	3/50 (6%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)	2/50 (4%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	1/50 (2%)	1/50 (2%)	
		0/50 (0%)	0/50 (0%)	2/50 (4%)	2/50 (4%)	2/50 (4%)	2/50 (4%)	2/50 (4%)	
		1/50 (2%)			2/50 (4%)				
Overall Incidence	Total	11/950 (1.16%)		Mean 1.16%	SD 1.38%	Total 23/950 (2.42%)		Mean 2.42%	SD 1.71%

#All Organs:									
Malignant Lymphoma: Histiocytic, Lymphocytic, Mixed, NOS, or Undifferentiated Cell Type									
		4/50 (8%)	2/50 (4%)	4/50 (8%)	6/50 (12%)	17/50 (34%)	14/50 (28%)	14/50 (28%)	
		2/50 (4%)	1/50 (2%)	4/50 (8%)	8/50 (16%)	11/50 (22%)	9/50 (18%)	9/50 (18%)	
		4/50 (8%)	3/50 (6%)	2/50 (4%)	7/50 (14%)	6/50 (12%)	6/50 (12%)	6/50 (12%)	
		3/50 (6%)	4/50 (8%)	4/50 (8%)	18/50 (36%)	20/50 (40%)	15/50 (30%)	15/50 (30%)	
		0/50 (0%)	2/50 (4%)	3/50 (6%)	14/50 (28%)	13/50 (26%)	9/50 (18%)	9/50 (18%)	
		2/50 (4%)	2/50 (4%)	2/50 (4%)	12/50 (24%)	20/50 (40%)	14/50 (28%)	14/50 (28%)	
		0/50 (0%)			6/50 (12%)				
Overall Incidence	Total	48/950 (5.05%)		Mean 5.05%	SD 2.61%	Total 225/950 (23.68%)		Mean 23.68%	SD 9.6%

#All Organs:									
Mesothelioma: Benign									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)			0/50 (0%)				
Overall Incidence	Total	1/950 (0.11%)		Mean 0.11%	SD 0.46%	Total 0/950 (0%)		Mean 0%	SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 8
 Report Date: 05/24/2013

		Male				Female			
#All Organs:									
Mesothelioma: Benign, Malignant, NOS									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	3/950 (0.32%)		Mean 0.32%	SD 0.75%	Total 0/950 (0%)		Mean 0%	SD 0%
.....									
#All Organs:									
Mesothelioma: Malignant									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	2/950 (0.21%)		Mean 0.21%	SD 0.63%	Total 0/950 (0%)		Mean 0%	SD 0%
.....									
#All Organs:									
Osteoma									
		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/950 (0.11%)		Mean 0.11%	SD 0.46%	Total 1/950 (0.11%)		Mean 0.11%	SD 0.46%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 9
 Report Date: 05/24/2013

		Male				Female			
#All Organs:									
Osteosarcoma									
		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	2/50 (4%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	2/950 (0.21%)		Mean 0.21%	SD 0.63%	Total 2/950 (0.21%)		Mean 0.21%	SD 0.92%

#All Organs:									
Osteosarcoma or Osteoma									
		1/50 (2%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	2/50 (4%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	3/950 (0.32%)		Mean 0.32%	SD 0.75%	Total 3/950 (0.32%)		Mean 0.32%	SD 1%

*Adrenal Cortex:									
Adenoma									
		2/50 (4%)	4/49 (8%)	1/50 (2%)	1/50 (2%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		6/50 (12%)	1/50 (2%)	1/50 (2%)	1/50 (2%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/49 (2%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	2/49 (4%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		9/49 (18%)	6/50 (12%)	3/50 (6%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		2/49 (4%)	9/50 (18%)	1/50 (2%)	0/49 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		2/49 (4%)	6/50 (12%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)
		2/50 (4%)			0/49 (0%)	0/49 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)
Overall Incidence	Total	57/945 (6.03%)		Mean 6.04%	SD 5.74%	Total 6/945 (0.63%)		Mean 0.64%	SD 1.18%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 10
 Report Date: 05/24/2013

		Male				Female			
*Adrenal Cortex:									
Plasma Cell Tumor Malignant									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/49 (0%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/49 (0%)			
Overall Incidence	Total	0/945 (0%)	Mean 0%	SD 0%	Total	1/945 (0.11%)	Mean 0.11%	SD 0.46%	

*Adrenal Medulla:									
Pheochromocytoma Benign									
		0/49 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	3/50 (6%)	1/50 (2%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/49 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/49 (0%)	0/50 (0%)	
		1/48 (2%)	0/49 (0%)	0/50 (0%)		1/49 (2%)	0/50 (0%)	2/50 (4%)	
		0/49 (0%)	0/50 (0%)	0/50 (0%)		1/49 (2%)	2/50 (4%)	1/50 (2%)	
		1/47 (2%)	0/49 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	4/940 (0.43%)	Mean 0.43%	SD 0.86%	Total	13/946 (1.37%)	Mean 1.37%	SD 1.77%	

*Adrenal Medulla:									
Pheochromocytoma Malignant									
		1/49 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/49 (0%)	0/50 (0%)	
		0/48 (0%)	0/49 (0%)	0/50 (0%)		0/49 (0%)	1/50 (2%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)	
		0/47 (0%)	0/49 (0%)	1/50 (2%)		0/50 (0%)	2/50 (4%)	1/50 (2%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	2/940 (0.21%)	Mean 0.21%	SD 0.64%	Total	5/946 (0.53%)	Mean 0.53%	SD 1.12%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 11
 Report Date: 05/24/2013

		Male				Female			
*Adrenal Medulla:									
Pheochromocytoma: Benign, Complex, Malignant, NOS									
		1/49 (2%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	4/50 (8%)	1/50 (2%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)		
		0/49 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	0/50 (0%)		
		1/48 (2%)	0/49 (0%)	0/50 (0%)	1/49 (2%)	1/50 (2%)	2/50 (4%)		
		0/49 (0%)	0/50 (0%)	0/50 (0%)	1/49 (2%)	2/50 (4%)	1/50 (2%)		
		1/47 (2%)	0/49 (0%)	2/50 (4%)	0/50 (0%)	2/50 (4%)	1/50 (2%)		
		0/50 (0%)			0/50 (0%)		2/50 (4%)		
Overall Incidence	Total	6/940 (0.64%)		Mean 0.64%	SD 1.18%	18/946 (1.9%)		Mean 1.9%	SD 2.16%

#Blood Vessel:									
Hemangioma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	0/950 (0%)		Mean 0%	SD 0%	1/950 (0.11%)		Mean 0.11%	SD 0.46%

*Bone Marrow:									
Hemangioma									
		0/50 (0%)	0/48 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	1/948 (0.11%)		Mean 0.11%	SD 0.46%	0/949 (0%)		Mean 0%	SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 12
 Report Date: 05/24/2013

		Male				Female				
*Bone Marrow:										
Hemangiosarcoma										
		0/50 (0%)	0/48 (0%)	1/50 (2%)		1/50 (2%)	0/50 (0%)	0/50 (0%)		
		2/50 (4%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)		
		1/50 (2%)	1/50 (2%)	2/50 (4%)		1/50 (2%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)		
		2/50 (4%)	0/50 (0%)	0/50 (0%)		1/49 (2%)	3/50 (6%)	0/50 (0%)		
		0/50 (0%)	1/50 (2%)	1/50 (2%)		1/50 (2%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)				0/50 (0%)				
Overall Incidence	Total	11/948 (1.16%)	Mean 1.16%	SD 1.54%	Total	9/949 (0.95%)	Mean 0.95%	SD 1.55%		

*Bone Marrow:										
Mast Cell Tumor Malignant										
		0/50 (0%)	0/48 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)				0/50 (0%)				
Overall Incidence	Total	0/948 (0%)	Mean 0%	SD 0%	Total	1/949 (0.11%)	Mean 0.11%	SD 0.46%		

*Bone Marrow:										
Plasma Cell Tumor Malignant										
		0/50 (0%)	0/48 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)				0/50 (0%)				
Overall Incidence	Total	0/948 (0%)	Mean 0%	SD 0%	Total	1/949 (0.11%)	Mean 0.11%	SD 0.46%		

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 13
 Report Date: 05/24/2013

		Male				Female			
*Bone Marrow:									
Sarcoma									
		0/50 (0%)	0/48 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/948 (0%)	Mean 0%	SD 0%	Total	1/949 (0.11%)	Mean 0.11%	SD 0.46%	

#Bone:									
Fibroma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/950 (0%)	Mean 0%	SD 0%	Total	1/950 (0.11%)	Mean 0.11%	SD 0.46%	

#Bone:									
Hemangiosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	3/50 (6%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	1/950 (0.11%)	Mean 0.11%	SD 0.46%	Total	5/950 (0.53%)	Mean 0.53%	SD 1.47%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 15
 Report Date: 05/24/2013

		Male				Female			
#Bone:									
Sarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/950 (0%)	Mean 0%	SD 0%	Total	1/950 (0.11%)	Mean 0.11%	SD 0.46%	

*Brain:									
Granular Cell Tumor Benign									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/950 (0.11%)	Mean 0.11%	SD 0.46%	Total	0/949 (0%)	Mean 0%	SD 0%	

*Brain:									
Meningioma Benign									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/950 (0.11%)	Mean 0.11%	SD 0.46%	Total	0/949 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 16
 Report Date: 05/24/2013

		Male				Female			
*Brain:									
Meningioma Malignant									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)				0/49 (0%)			
Overall Incidence	Total	1/950 (0.11%)	Mean 0.11%	SD 0.46%	Total	0/949 (0%)	Mean 0%	SD 0%	

*Brain:									
Meningioma: Benign, Malignant, NOS									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)				0/49 (0%)			
Overall Incidence	Total	2/950 (0.21%)	Mean 0.21%	SD 0.63%	Total	0/949 (0%)	Mean 0%	SD 0%	

*Brain:									
Oligodendroglioma Malignant									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/49 (0%)			
Overall Incidence	Total	1/950 (0.11%)	Mean 0.11%	SD 0.46%	Total	0/949 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 17
 Report Date: 05/24/2013

		Male				Female			
*Brain:									
Oligodendroglioma, Glioma, or Astrocytoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/49 (0%)			
Overall Incidence	Total	1/950 (0.11%)		Mean 0.11%	SD 0.46%	0/949 (0%)		Mean 0%	SD 0%

*Brain:									
Schwannoma Malignant									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/49 (0%)			
Overall Incidence	Total	0/950 (0%)		Mean 0%	SD 0%	1/949 (0.11%)		Mean 0.11%	SD 0.46%

*Clitoral/Preputial Gland:									
Hemangioma									
		0/49 (0%)	0/49 (0%)	0/49 (0%)	0/49 (0%)	0/48 (0%)	0/46 (0%)	0/43 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/46 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	0/49 (0%)	0/49 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/44 (0%)	0/48 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/46 (0%)	0/49 (0%)	0/45 (0%)	0/50 (0%)
		0/50 (0%)				0/47 (0%)			
Overall Incidence	Total	1/947 (0.11%)		Mean 0.11%	SD 0.46%	0/908 (0%)		Mean 0%	SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 18
 Report Date: 05/24/2013

		Male				Female			
*Clitoral/Preputial Gland:									
Hemangiosarcoma									
		0/49 (0%)	0/49 (0%)	0/49 (0%)	0/48 (0%)	0/46 (0%)	0/43 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/46 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	0/49 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/44 (0%)	0/48 (0%)	0/50 (0%)		
		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/46 (0%)	0/49 (0%)	0/45 (0%)		
		0/50 (0%)			0/47 (0%)				
Overall Incidence	Total	1/947 (0.11%)		Mean 0.11%	SD 0.46%	Total	0/908 (0%)		Mean 0% SD 0%

#Coagulating Gland:									
Granular Cell Tumor									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)			0/50 (0%)				
Overall Incidence	Total	1/950 (0.11%)		Mean 0.11%	SD 0.46%	Total	0/950 (0%)		Mean 0% SD 0%

#Coagulating Gland:									
Sarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)			0/50 (0%)				
Overall Incidence	Total	1/950 (0.11%)		Mean 0.11%	SD 0.46%	Total	0/950 (0%)		Mean 0% SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 19
 Report Date: 05/24/2013

		Male				Female			
#Esophagus:									
Squamous Cell Carcinoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/950 (0%)	Mean 0%	SD 0%	Total	1/950 (0.11%)	Mean 0.11%	SD 0.46%	

#Eye:									
Melanoma Malignant									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)				0/50 (0%)		0/50 (0%)	
Overall Incidence	Total	1/950 (0.11%)	Mean 0.11%	SD 0.46%	Total	0/950 (0%)	Mean 0%	SD 0%	

#Harderian Gland:									
Adenoma									
		8/50 (16%)	7/50 (14%)	6/50 (12%)		5/50 (10%)	3/50 (6%)	3/50 (6%)	
		4/50 (8%)	4/50 (8%)	11/50 (22%)		3/50 (6%)	5/50 (10%)	7/50 (14%)	
		7/50 (14%)	6/50 (12%)	5/50 (10%)		2/50 (4%)	3/50 (6%)	5/50 (10%)	
		7/50 (14%)	2/50 (4%)	11/50 (22%)		2/50 (4%)	4/50 (8%)	1/50 (2%)	
		5/50 (10%)	6/50 (12%)	7/50 (14%)		2/50 (4%)	1/50 (2%)	2/50 (4%)	
		2/50 (4%)	8/50 (16%)	7/50 (14%)		1/50 (2%)	5/50 (10%)	1/50 (2%)	
		6/50 (12%)				5/50 (10%)			
Overall Incidence	Total	119/950 (12.53%)	Mean 12.53%	SD 4.8%	Total	60/950 (6.32%)	Mean 6.32%	SD 3.54%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 20
 Report Date: 05/24/2013

		Male				Female			
#Harderian Gland:									
Carcinoma									
		2/50 (4%)	3/50 (6%)	2/50 (4%)	1/50 (2%)	2/50 (4%)	0/50 (0%)		
		4/50 (8%)	3/50 (6%)	1/50 (2%)	2/50 (4%)	1/50 (2%)	0/50 (0%)		
		1/50 (2%)	1/50 (2%)	0/50 (0%)	2/50 (4%)	0/50 (0%)	0/50 (0%)		
		5/50 (10%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		2/50 (4%)	2/50 (4%)	1/50 (2%)	2/50 (4%)	2/50 (4%)	1/50 (2%)		
		3/50 (6%)	3/50 (6%)	0/50 (0%)	1/50 (2%)	2/50 (4%)	3/50 (6%)		
		0/50 (0%)			0/50 (0%)				
Overall Incidence	Total	34/950 (3.58%)	Mean 3.58%	SD 2.87%	Total	19/950 (2%)	Mean 2%	SD 2%	

#Harderian Gland:									
Carcinoma or Adenoma									
		10/50 (20%)	10/50 (20%)	8/50 (16%)	6/50 (12%)	5/50 (10%)	3/50 (6%)		
		8/50 (16%)	7/50 (14%)	12/50 (24%)	5/50 (10%)	6/50 (12%)	7/50 (14%)		
		8/50 (16%)	7/50 (14%)	5/50 (10%)	4/50 (8%)	3/50 (6%)	5/50 (10%)		
		12/50 (24%)	3/50 (6%)	11/50 (22%)	2/50 (4%)	4/50 (8%)	1/50 (2%)		
		7/50 (14%)	8/50 (16%)	8/50 (16%)	4/50 (8%)	3/50 (6%)	3/50 (6%)		
		5/50 (10%)	11/50 (22%)	7/50 (14%)	2/50 (4%)	7/50 (14%)	4/50 (8%)		
		6/50 (12%)			5/50 (10%)				
Overall Incidence	Total	153/950 (16.11%)	Mean 16.11%	SD 4.92%	Total	79/950 (8.32%)	Mean 8.32%	SD 3.35%	

*Heart:									
Hemangiosarcoma									
		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	1/50 (2%)	0/50 (0%)		
		1/50 (2%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	1/50 (2%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)			0/50 (0%)				
Overall Incidence	Total	7/950 (0.74%)	Mean 0.74%	SD 0.99%	Total	1/950 (0.11%)	Mean 0.11%	SD 0.46%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 21
 Report Date: 05/24/2013

		Male				Female			
#Intestine Large: Cecum:									
Adenoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/950 (0.11%)		Mean 0.11%	SD 0.46%	Total 0/950 (0%)		Mean 0%	SD 0%

#Intestine Large: Cecum:									
Carcinoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)
Overall Incidence	Total	3/950 (0.32%)		Mean 0.32%	SD 0.75%	Total 1/950 (0.11%)		Mean 0.11%	SD 0.46%

#Intestine Large: Cecum:									
Carcinoma or Adenoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)	1/50 (2%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)
Overall Incidence	Total	4/950 (0.42%)		Mean 0.42%	SD 0.84%	Total 1/950 (0.11%)		Mean 0.11%	SD 0.46%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 22
 Report Date: 05/24/2013

		Male				Female						
#Intestine Large: Cecum:												
Leiomyoma												
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	0/950 (0%)		Mean 0%		SD 0%		Total	1/950 (0.11%)	Mean 0.11%		SD 0.46%

#Intestine Large: Cecum:												
Leiomyosarcoma												
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	0/950 (0%)		Mean 0%		SD 0%		Total	1/950 (0.11%)	Mean 0.11%		SD 0.46%

#Intestine Large: Colon/Rectum:												
Leiomyosarcoma												
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
Overall Incidence	Total	0/950 (0%)		Mean 0%		SD 0%		Total	1/950 (0.11%)	Mean 0.11%		SD 0.46%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 23
 Report Date: 05/24/2013

		Male				Female			
#Intestine Small: Duodenum:									
Adenoma									
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	2/50 (4%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)				0/50 (0%)			
Overall Incidence	Total	6/950 (0.63%)		Mean 0.63%	SD 1.16%	3/950 (0.32%)		Mean 0.32%	SD 0.75%

#Intestine Small: Duodenum:									
Carcinoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		1/50 (2%)				0/50 (0%)			
Overall Incidence	Total	1/950 (0.11%)		Mean 0.11%	SD 0.46%	2/950 (0.21%)		Mean 0.21%	SD 0.63%

#Intestine Small: Duodenum:									
Leiomyosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/950 (0%)		Mean 0%	SD 0%	1/950 (0.11%)		Mean 0.11%	SD 0.46%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

		Male				Female							
#Intestine Small: Duodenum:													
Polyp Adenomatous													
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
Overall Incidence	Total	1/950 (0.11%)		Mean 0.11%		SD 0.46%		Total	0/950 (0%)		Mean 0%	SD 0%	

#Intestine Small: Ileum:													
Adenoma													
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)		
Overall Incidence	Total	2/950 (0.21%)		Mean 0.21%		SD 0.63%		Total	1/950 (0.11%)		Mean 0.11%	SD 0.46%	

#Intestine Small: Ileum:													
Carcinoma													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
Overall Incidence	Total	0/950 (0%)		Mean 0%		SD 0%		Total	2/950 (0.21%)		Mean 0.21%	SD 0.63%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 25
 Report Date: 05/24/2013

		Male				Female			
#Intestine Small: Ileum:									
Polyp Adenomatous									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/950 (0%)	Mean 0%	SD 0%	Total	1/950 (0.11%)	Mean 0.11%	SD 0.46%	

#Intestine Small: Jejunum:									
Adenoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	4/950 (0.42%)	Mean 0.42%	SD 0.84%	Total	1/950 (0.11%)	Mean 0.11%	SD 0.46%	

#Intestine Small: Jejunum:									
Carcinoma									
		0/50 (0%)	4/50 (8%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		2/50 (4%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		2/50 (4%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		2/50 (4%)	1/50 (2%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	2/50 (4%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	18/950 (1.89%)	Mean 1.89%	SD 2.16%	Total	1/950 (0.11%)	Mean 0.11%	SD 0.46%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 26
 Report Date: 05/24/2013

		Male				Female			
#Intestine Small: Jejunum:									
Hemangiosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/950 (0%)	Mean 0%	SD 0%	Total	1/950 (0.11%)	Mean 0.11%	SD 0.46%	

#Intestine Small: Jejunum:									
Leiomyosarcoma									
		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/950 (0.11%)	Mean 0.11%	SD 0.46%	Total	2/950 (0.21%)	Mean 0.21%	SD 0.63%	

#Intestine Small: Site Unspecified:									
Adenoma									
		0/50 (0%)	0/50 (0%)	2/50 (4%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	3/50 (6%)	2/50 (4%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	2/50 (4%)	0/50 (0%)
		1/50 (2%)	1/50 (2%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)
		1/50 (2%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)
Overall Incidence	Total	12/950 (1.26%)	Mean 1.26%	SD 1.79%	Total	5/950 (0.53%)	Mean 0.53%	SD 1.12%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 27
 Report Date: 05/24/2013

		Male				Female			
#Intestine Small: Site Unspecified:									
Carcinoma									
		0/50 (0%)	4/50 (8%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		2/50 (4%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		2/50 (4%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		2/50 (4%)	1/50 (2%)	1/50 (2%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	2/50 (4%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	1/50 (2%)	
		2/50 (4%)				0/50 (0%)			
Overall Incidence	Total	19/950 (2%)		Mean 2%	SD 2.21%	Total 5/950 (0.53%)		Mean 0.53%	SD 0.9%

#Intestine Small: Site Unspecified:									
Carcinoma or Adenoma									
		0/50 (0%)	4/50 (8%)	2/50 (4%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		2/50 (4%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		2/50 (4%)	3/50 (6%)	3/50 (6%)		0/50 (0%)	0/50 (0%)	2/50 (4%)	
		1/50 (2%)	2/50 (4%)	0/50 (0%)		1/50 (2%)	1/50 (2%)	0/50 (0%)	
		2/50 (4%)	1/50 (2%)	2/50 (4%)		0/50 (0%)	1/50 (2%)	1/50 (2%)	
		0/50 (0%)	2/50 (4%)	1/50 (2%)		0/50 (0%)	1/50 (2%)	2/50 (4%)	
		3/50 (6%)				0/50 (0%)			
Overall Incidence	Total	31/950 (3.26%)		Mean 3.26%	SD 2.33%	Total 10/950 (1.05%)		Mean 1.05%	SD 1.39%

#Intestine Small: Site Unspecified:									
Hemangiosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/950 (0%)		Mean 0%	SD 0%	Total 1/950 (0.11%)		Mean 0.11%	SD 0.46%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 28
 Report Date: 05/24/2013

		Male				Female			
#Intestine Small: Site Unspecified:									
Leiomyosarcoma									
		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/950 (0.11%)	Mean 0.11%	SD 0.46%	Total	3/950 (0.32%)	Mean 0.32%	SD 0.75%	

#Intestine Small: Site Unspecified:									
Polyp Adenomatous									
		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/950 (0.11%)	Mean 0.11%	SD 0.46%	Total	1/950 (0.11%)	Mean 0.11%	SD 0.46%	

*Islets, Pancreatic:									
Adenoma									
		4/50 (8%)	0/48 (0%)	0/49 (0%)	1/48 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		2/50 (4%)	1/50 (2%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	1/50 (2%)
		1/50 (2%)	1/50 (2%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	1/50 (2%)
		2/50 (4%)	2/50 (4%)	1/50 (2%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/49 (2%)	1/50 (2%)	0/50 (0%)	0/48 (0%)	1/50 (2%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
		2/49 (4%)	0/50 (0%)	2/50 (4%)	0/50 (0%)	2/49 (4%)	2/49 (4%)	1/50 (2%)	1/50 (2%)
		0/50 (0%)			0/49 (0%)				
Overall Incidence	Total	21/945 (2.22%)	Mean 2.22%	SD 2.1%	Total	9/944 (0.95%)	Mean 0.96%	SD 1.24%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 29
 Report Date: 05/24/2013

		Male				Female			
*Islets, Pancreatic:									
Carcinoma									
		0/50 (0%)	0/48 (0%)	0/49 (0%)		0/48 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)	1/50 (2%)	0/50 (0%)		0/48 (0%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)				0/49 (0%)			
Overall Incidence	Total	4/945 (0.42%)	Mean 0.42%	SD 0.84%	Total	0/944 (0%)	Mean 0%	SD 0%	

*Islets, Pancreatic:									
Carcinoma or Adenoma									
		4/50 (8%)	0/48 (0%)	0/49 (0%)		1/48 (2%)	0/50 (0%)	0/50 (0%)	
		2/50 (4%)	1/50 (2%)	2/50 (4%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		2/50 (4%)	1/50 (2%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	1/50 (2%)	
		2/50 (4%)	2/50 (4%)	2/50 (4%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		1/49 (2%)	2/50 (4%)	0/50 (0%)		0/48 (0%)	1/50 (2%)	0/50 (0%)	
		2/49 (4%)	0/50 (0%)	2/50 (4%)		0/50 (0%)	2/49 (4%)	1/50 (2%)	
		0/50 (0%)				0/49 (0%)			
Overall Incidence	Total	25/945 (2.65%)	Mean 2.64%	SD 2.22%	Total	9/944 (0.95%)	Mean 0.96%	SD 1.24%	

*Kidney: Pelvis and Transitional Epithelium:									
Carcinoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/48 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)	0/48 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/944 (0%)	Mean 0%	SD 0%	Total	1/947 (0.11%)	Mean 0.11%	SD 0.46%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 30
 Report Date: 05/24/2013

		Male				Female								
*Kidney: Pelvis and Transitional Epithelium:														
Carcinoma or Adenoma														
		0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/48	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	
		0/49	(0%)	0/48	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	
		0/50	(0%)			0/50	(0%)	0/50	(0%)					
Overall Incidence	Total	0/944 (0%)		Mean	0%	SD	0%	Total	1/947 (0.11%)		Mean	0.11%	SD	0.46%

*Kidney: Renal Tubule:														
Adenoma														
		0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		1/50	(2%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	1/48	(2%)	1/50	(2%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	
		0/49	(0%)	2/48	(4%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	
		2/50	(4%)					0/50	(0%)					
Overall Incidence	Total	8/944 (0.85%)		Mean	0.86%	SD	1.41%	Total	0/947 (0%)		Mean	0%	SD	0%

*Kidney: Renal Tubule:														
Carcinoma														
		0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		2/50	(4%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	
		0/50	(0%)	0/48	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	
		0/49	(0%)	0/48	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	
		0/50	(0%)					0/50	(0%)					
Overall Incidence	Total	3/944 (0.32%)		Mean	0.32%	SD	1%	Total	0/947 (0%)		Mean	0%	SD	0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 31
 Report Date: 05/24/2013

		Male				Female			
*Kidney: Renal Tubule: Carcinoma or Adenoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		3/50 (6%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/48 (2%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/49 (0%)	2/48 (4%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
		2/50 (4%)				0/50 (0%)			
Overall Incidence	Total	11/944 (1.17%)	Mean 1.17%	SD 1.82%	Total	0/947 (0%)	Mean 0%	SD 0%	

*Kidney: Renal Tubule: Hemangioma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/48 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/49 (0%)	0/48 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	1/944 (0.11%)	Mean 0.11%	SD 0.46%	Total	0/947 (0%)	Mean 0%	SD 0%	

*Kidney: Renal Tubule: Hemangiosarcoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/48 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
		0/49 (0%)	0/48 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	1/944 (0.11%)	Mean 0.11%	SD 0.46%	Total	1/947 (0.11%)	Mean 0.11%	SD 0.46%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

		Male				Female							
*Kidney: Renal Tubule:													
Plasma Cell Tumor Malignant													
		0/50	(0%)	0/49	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/48	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)
		0/49	(0%)	0/48	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)
		0/50	(0%)					0/50	(0%)				
Overall Incidence	Total	0/944 (0%)		Mean 0%		SD 0%		Total	1/947 (0.11%)	Mean 0.11%		SD 0.46%	

*Kidney: Renal Tubule:													
Sarcoma													
		0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/48	(0%)	0/50	(0%)	0/50	(0%)	1/49	(2%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)
		0/49	(0%)	0/48	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)
		0/50	(0%)					0/50	(0%)				
Overall Incidence	Total	0/944 (0%)		Mean 0%		SD 0%		Total	1/947 (0.11%)	Mean 0.11%		SD 0.47%	

*Liver:													
Hemangioma													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		2/50	(4%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
		0/50	(0%)	0/50	(0%)	2/50	(4%)	0/49	(0%)	0/50	(0%)	0/50	(0%)
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)					0/49	(0%)				
Overall Incidence	Total	4/949 (0.42%)		Mean 0.42%		SD 1.26%		Total	1/948 (0.11%)	Mean 0.11%		SD 0.46%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 33
 Report Date: 05/24/2013

		Male				Female			
*Liver:									
Hemangiosarcoma									
		2/50 (4%)	1/50 (2%)	4/50 (8%)	1/50 (2%)	0/50 (0%)	2/50 (4%)		
		2/50 (4%)	9/50 (18%)	2/50 (4%)	1/50 (2%)	0/50 (0%)	0/50 (0%)		
		3/50 (6%)	4/50 (8%)	5/50 (10%)	1/50 (2%)	0/50 (0%)	1/50 (2%)		
		0/50 (0%)	4/50 (8%)	6/50 (12%)	0/50 (0%)	1/50 (2%)	0/50 (0%)		
		5/50 (10%)	3/50 (6%)	0/50 (0%)	2/49 (4%)	1/50 (2%)	0/50 (0%)		
		1/49 (2%)	2/50 (4%)	2/50 (4%)	2/50 (4%)	0/50 (0%)	1/50 (2%)		
		1/50 (2%)			2/49 (4%)		1/50 (2%)		
Overall Incidence	Total	56/949 (5.9%)		Mean 5.9%	SD 4.49%	15/948 (1.58%)		Mean 1.59%	SD 1.59%

*Liver:									
Hepatoblastoma									
		3/50 (6%)	1/50 (2%)	2/50 (4%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		1/50 (2%)	3/50 (6%)	1/50 (2%)	0/50 (0%)	1/50 (2%)	0/50 (0%)		
		2/50 (4%)	3/50 (6%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	1/50 (2%)	1/50 (2%)	1/50 (2%)	0/50 (0%)	0/50 (0%)		
		6/50 (12%)	4/50 (8%)	2/50 (4%)	1/49 (2%)	1/50 (2%)	0/50 (0%)		
		0/49 (0%)	5/50 (10%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		4/50 (8%)			0/49 (0%)		0/50 (0%)		
Overall Incidence	Total	40/949 (4.21%)		Mean 4.21%	SD 3.46%	4/948 (0.42%)		Mean 0.42%	SD 0.84%

*Liver:									
Hepatocellular Adenoma									
		24/50 (48%)	30/50 (60%)	28/50 (56%)	13/50 (26%)	19/50 (38%)	19/50 (38%)		
		28/50 (56%)	31/50 (62%)	34/50 (68%)	14/50 (28%)	17/50 (34%)	21/50 (42%)		
		35/50 (70%)	26/50 (52%)	27/50 (54%)	12/50 (24%)	7/50 (14%)	8/50 (16%)		
		24/50 (48%)	31/50 (62%)	29/50 (58%)	14/50 (28%)	30/50 (60%)	17/50 (34%)		
		33/50 (66%)	39/50 (78%)	32/50 (64%)	38/49 (78%)	30/50 (60%)	13/50 (26%)		
		33/49 (67%)	34/50 (68%)	37/50 (74%)	14/50 (28%)	34/50 (68%)	25/50 (50%)		
		39/50 (78%)			33/49 (67%)				
Overall Incidence	Total	594/949 (62.59%)		Mean 62.6%	SD 9.07%	378/948 (39.87%)		Mean 39.94%	SD 18.65%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 34
 Report Date: 05/24/2013

		Male				Female			
*Liver:									
Hepatocellular Carcinoma									
		16/50 (32%)	15/50 (30%)	25/50 (50%)		3/50 (6%)	5/50 (10%)	10/50 (20%)	
		20/50 (40%)	22/50 (44%)	14/50 (28%)		4/50 (8%)	9/50 (18%)	2/50 (4%)	
		15/50 (30%)	12/50 (24%)	20/50 (40%)		5/50 (10%)	6/50 (12%)	3/50 (6%)	
		11/50 (22%)	28/50 (56%)	22/50 (44%)		10/50 (20%)	23/50 (46%)	6/50 (12%)	
		26/50 (52%)	20/50 (40%)	11/50 (22%)		11/49 (22%)	17/50 (34%)	2/50 (4%)	
		11/49 (22%)	22/50 (44%)	26/50 (52%)		7/50 (14%)	12/50 (24%)	8/50 (16%)	
		12/50 (24%)				9/49 (18%)			
Overall Incidence	Total	348/949 (36.67%)	Mean 36.66%	SD 11.44%	Total	152/948 (16.03%)	Mean 16.04%	SD 10.62%	

*Liver:									
Hepatocellular Carcinoma or Hepatoblastoma									
		18/50 (36%)	16/50 (32%)	27/50 (54%)		3/50 (6%)	5/50 (10%)	10/50 (20%)	
		20/50 (40%)	24/50 (48%)	14/50 (28%)		4/50 (8%)	10/50 (20%)	2/50 (4%)	
		17/50 (34%)	15/50 (30%)	20/50 (40%)		5/50 (10%)	6/50 (12%)	3/50 (6%)	
		11/50 (22%)	29/50 (58%)	22/50 (44%)		10/50 (20%)	23/50 (46%)	6/50 (12%)	
		26/50 (52%)	21/50 (42%)	12/50 (24%)		12/49 (24%)	18/50 (36%)	2/50 (4%)	
		11/49 (22%)	26/50 (52%)	27/50 (54%)		7/50 (14%)	12/50 (24%)	8/50 (16%)	
		15/50 (30%)				9/49 (18%)			
Overall Incidence	Total	371/949 (39.09%)	Mean 39.08%	SD 11.59%	Total	155/948 (16.35%)	Mean 16.36%	SD 10.92%	

*Liver:									
Hepatocellular Carcinoma or Hepatocellular Adenoma									
		33/50 (66%)	38/50 (76%)	38/50 (76%)		15/50 (30%)	24/50 (48%)	25/50 (50%)	
		40/50 (80%)	39/50 (78%)	39/50 (78%)		16/50 (32%)	20/50 (40%)	23/50 (46%)	
		40/50 (80%)	35/50 (70%)	38/50 (76%)		14/50 (28%)	12/50 (24%)	10/50 (20%)	
		32/50 (64%)	45/50 (90%)	38/50 (76%)		20/50 (40%)	38/50 (76%)	20/50 (40%)	
		45/50 (90%)	43/50 (86%)	39/50 (78%)		40/49 (82%)	35/50 (70%)	15/50 (30%)	
		37/49 (76%)	37/50 (74%)	44/50 (88%)		20/50 (40%)	37/50 (74%)	28/50 (56%)	
		42/50 (84%)				36/49 (73%)			
Overall Incidence	Total	742/949 (78.19%)	Mean 78.18%	SD 7.22%	Total	448/948 (47.26%)	Mean 47.32%	SD 19.3%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

		Male				Female			
*Liver:									
Hepatocellular Carcinoma, Hepatocellular Adenoma, or Hepatoblastoma									
		33/50 (66%)	38/50 (76%)	39/50 (78%)	15/50 (30%)	24/50 (48%)	25/50 (50%)		
		40/50 (80%)	39/50 (78%)	39/50 (78%)	16/50 (32%)	20/50 (40%)	23/50 (46%)		
		40/50 (80%)	36/50 (72%)	38/50 (76%)	14/50 (28%)	12/50 (24%)	10/50 (20%)		
		32/50 (64%)	45/50 (90%)	38/50 (76%)	20/50 (40%)	38/50 (76%)	20/50 (40%)		
		45/50 (90%)	43/50 (86%)	39/50 (78%)	40/49 (82%)	35/50 (70%)	15/50 (30%)		
		37/49 (76%)	38/50 (76%)	45/50 (90%)	20/50 (40%)	37/50 (74%)	28/50 (56%)		
		42/50 (84%)			36/49 (73%)				
Overall Incidence	Total	746/949 (78.61%)	Mean 78.61%	SD 7.19%	Total	448/948 (47.26%)	Mean 47.32%	SD 19.3%	
.....									
*Liver:									
Hepatocholangiocarcinoma									
		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	4/50 (8%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		2/50 (4%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)	2/50 (4%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)			0/49 (0%)				
Overall Incidence	Total	10/949 (1.05%)	Mean 1.05%	SD 2.15%	Total	0/948 (0%)	Mean 0%	SD 0%	
.....									
*Liver:									
Hepatocholangioma									
		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)			0/49 (0%)				
Overall Incidence	Total	1/949 (0.11%)	Mean 0.11%	SD 0.46%	Total	0/948 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 36
 Report Date: 05/24/2013

		Male				Female			
*Liver:									
Ito Cell Tumor Benign									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/49 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/49 (0%)			
Overall Incidence	Total	1/949 (0.11%)		Mean 0.11%	SD 0.46%	0/948 (0%)		Mean 0%	SD 0%
.....									
*Liver:									
Mast Cell Tumor Malignant									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/49 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/49 (0%)			
Overall Incidence	Total	0/949 (0%)		Mean 0%	SD 0%	1/948 (0.11%)		Mean 0.11%	SD 0.46%
.....									
*Liver:									
Plasma Cell Tumor Malignant									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/49 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/49 (0%)			
Overall Incidence	Total	0/949 (0%)		Mean 0%	SD 0%	1/948 (0.11%)		Mean 0.11%	SD 0.46%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

		Male				Female			
*Liver:									
Sarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/49 (0%)			
Overall Incidence	Total	0/949 (0%)	Mean 0%	SD 0%	Total	1/948 (0.11%)	Mean 0.11%	SD 0.46%	

*Lung:									
Alveolar/Bronchiolar Adenoma									
		7/50 (14%)	6/50 (12%)	7/50 (14%)	3/50 (6%)	1/50 (2%)	3/49 (6%)		
		4/50 (8%)	8/50 (16%)	9/50 (18%)	2/50 (4%)	0/50 (0%)	6/50 (12%)		
		12/50 (24%)	4/50 (8%)	9/50 (18%)	5/50 (10%)	1/50 (2%)	2/50 (4%)		
		5/50 (10%)	8/50 (16%)	11/50 (22%)	1/50 (2%)	1/50 (2%)	2/50 (4%)		
		6/50 (12%)	12/50 (24%)	6/50 (12%)	5/50 (10%)	2/50 (4%)	5/50 (10%)		
		10/50 (20%)	1/50 (2%)	7/50 (14%)	6/50 (12%)	3/50 (6%)	3/50 (6%)		
		13/50 (26%)			3/50 (6%)				
Overall Incidence	Total	145/950 (15.26%)	Mean 15.26%	SD 6.23%	Total	54/949 (5.69%)	Mean 5.69%	SD 3.61%	

*Lung:									
Alveolar/Bronchiolar Carcinoma									
		6/50 (12%)	8/50 (16%)	11/50 (22%)	1/50 (2%)	0/50 (0%)	5/49 (10%)		
		12/50 (24%)	11/50 (22%)	3/50 (6%)	3/50 (6%)	1/50 (2%)	1/50 (2%)		
		2/50 (4%)	4/50 (8%)	2/50 (4%)	1/50 (2%)	2/50 (4%)	2/50 (4%)		
		8/50 (16%)	7/50 (14%)	2/50 (4%)	4/50 (8%)	3/50 (6%)	0/50 (0%)		
		9/50 (18%)	4/50 (8%)	4/50 (8%)	7/50 (14%)	2/50 (4%)	1/50 (2%)		
		11/50 (22%)	12/50 (24%)	9/50 (18%)	0/50 (0%)	2/50 (4%)	1/50 (2%)		
		7/50 (14%)			2/50 (4%)				
Overall Incidence	Total	132/950 (13.89%)	Mean 13.89%	SD 7.1%	Total	38/949 (4%)	Mean 4.01%	SD 3.61%	

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 38
 Report Date: 05/24/2013

		Male				Female			
*Lung:									
Alveolar/Bronchiolar Carcinoma or Alveolar/Bronchiolar Adenoma									
		13/50 (26%)	13/50 (26%)	16/50 (32%)	4/50 (8%)	1/50 (2%)	8/49 (16%)		
		15/50 (30%)	17/50 (34%)	12/50 (24%)	5/50 (10%)	1/50 (2%)	7/50 (14%)		
		14/50 (28%)	8/50 (16%)	11/50 (22%)	6/50 (12%)	3/50 (6%)	4/50 (8%)		
		13/50 (26%)	14/50 (28%)	13/50 (26%)	4/50 (8%)	4/50 (8%)	2/50 (4%)		
		14/50 (28%)	15/50 (30%)	10/50 (20%)	11/50 (22%)	4/50 (8%)	6/50 (12%)		
		20/50 (40%)	13/50 (26%)	13/50 (26%)	6/50 (12%)	5/50 (10%)	4/50 (8%)		
		19/50 (38%)			5/50 (10%)				
Overall Incidence	Total	263/950 (27.68%)	Mean 27.68%	SD 5.71%	Total	90/949 (9.48%)	Mean 9.49%	SD 4.78%	
.....									
*Lung:									
Hemangiosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)		
		0/50 (0%)	1/50 (2%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	1/50 (2%)	0/50 (0%)		
		2/50 (4%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	1/50 (2%)	1/50 (2%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)			0/50 (0%)				
Overall Incidence	Total	5/950 (0.53%)	Mean 0.53%	SD 1.12%	Total	3/949 (0.32%)	Mean 0.32%	SD 0.75%	
.....									
*Lung:									
Plasma Cell Tumor Malignant									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/49 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)			0/50 (0%)				
Overall Incidence	Total	0/950 (0%)	Mean 0%	SD 0%	Total	1/949 (0.11%)	Mean 0.11%	SD 0.46%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 39
 Report Date: 05/24/2013

		Male				Female			
#Lymph Node:									
Plasma Cell Tumor Malignant									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/950 (0%)	Mean 0%	SD 0%	Total	1/950 (0.11%)	Mean 0.11%	SD 0.46%	

#Lymph Node, Bronchial:									
Hemangiosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/950 (0%)	Mean 0%	SD 0%	Total	1/950 (0.11%)	Mean 0.11%	SD 0.46%	

#Lymph Node, Mandibular:									
Hemangiosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/950 (0%)	Mean 0%	SD 0%	Total	1/950 (0.11%)	Mean 0.11%	SD 0.46%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 40
 Report Date: 05/24/2013

		Male				Female			
#Lymph Node, Mandibular:									
Mast Cell Tumor Malignant									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/950 (0.11%)		Mean 0.11%	SD 0.46%	Total 1/950 (0.11%)		Mean 0.11%	SD 0.46%

#Lymph Node, Mandibular:									
Plasma Cell Tumor Malignant									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/950 (0%)		Mean 0%	SD 0%	Total 1/950 (0.11%)		Mean 0.11%	SD 0.46%

#Lymph Node, Mediastinal:									
Mast Cell Tumor Malignant									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/950 (0%)		Mean 0%	SD 0%	Total 1/950 (0.11%)		Mean 0.11%	SD 0.46%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ALL ROUTES
Vehicle: ALL VEHICLES

Page: 41
 Report Date: 05/24/2013

		Male				Female			
#Lymph Node, Mesenteric:									
Hemangiosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	3/950 (0.32%)		Mean 0.32%	SD 0.75%	Total 1/950 (0.11%)		Mean 0.11%	SD 0.46%

#Lymph Node, Mesenteric:									
Plasma Cell Tumor Malignant									
		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/950 (0.11%)		Mean 0.11%	SD 0.46%	Total 1/950 (0.11%)		Mean 0.11%	SD 0.46%

#Mammary Gland:									
Adenoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/950 (0%)		Mean 0%	SD 0%	Total 1/950 (0.11%)		Mean 0.11%	SD 0.46%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 42
 Report Date: 05/24/2013

		Male				Female			
#Mammary Gland:									
Carcinoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	2/50 (4%)	1/50 (2%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		4/50 (8%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		2/50 (4%)	2/50 (4%)	1/50 (2%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	1/50 (2%)	
Overall Incidence	Total	0/950 (0%)	Mean 0%	SD 0%	Total	17/950 (1.79%)	Mean 1.79%	SD 2.1%	

#Mammary Gland:									
Carcinoma or Adenoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	2/50 (4%)	1/50 (2%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		4/50 (8%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		2/50 (4%)	2/50 (4%)	1/50 (2%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	1/50 (2%)	
Overall Incidence	Total	0/950 (0%)	Mean 0%	SD 0%	Total	18/950 (1.89%)	Mean 1.89%	SD 2.05%	

#Mammary Gland:									
Fibroadenoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	0/950 (0%)	Mean 0%	SD 0%	Total	1/950 (0.11%)	Mean 0.11%	SD 0.46%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 43
 Report Date: 05/24/2013

		Male				Female			
#Mammary Gland:									
Fibroma, Fibroadenoma or Adenoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	1/50 (2%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/950 (0%)	Mean 0%	SD 0%	Total	2/950 (0.21%)	Mean 0.21%	SD 0.63%	

#Mammary Gland:									
Fibroma, Fibroadenoma, Carcinoma, or Adenoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	2/50 (4%)	1/50 (2%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		5/50 (10%)	0/50 (0%)	1/50 (2%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		2/50 (4%)	2/50 (4%)	1/50 (2%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	1/50 (2%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	1/50 (2%)	0/50 (0%)
Overall Incidence	Total	0/950 (0%)	Mean 0%	SD 0%	Total	19/950 (2%)	Mean 2%	SD 2.4%	

#Mesentery:									
Hemangioma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/950 (0.11%)	Mean 0.11%	SD 0.46%	Total	0/950 (0%)	Mean 0%	SD 0%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 44
 Report Date: 05/24/2013

		Male				Female			
#Mesentery:									
Hemangiosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		2/50 (4%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				1/50 (2%)			
Overall Incidence	Total	1/950 (0.11%)		Mean 0.11%	SD 0.46%	Total	5/950 (0.53%)		Mean 0.53%
									SD 1.12%

#Mesentery:									
Lipoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)				0/50 (0%)		0/50 (0%)	
Overall Incidence	Total	1/950 (0.11%)		Mean 0.11%	SD 0.46%	Total	0/950 (0%)		Mean 0%
									SD 0%

#Mesentery:									
Sarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)		0/50 (0%)	
Overall Incidence	Total	1/950 (0.11%)		Mean 0.11%	SD 0.46%	Total	0/950 (0%)		Mean 0%
									SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 45
 Report Date: 05/24/2013

		Male				Female							
*Nose:													
Adenoma													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/48	(2%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)		
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)			0/50	(0%)	0/50	(0%)				
Overall Incidence	Total	0/948 (0%)		Mean 0%		SD 0%		Total 1/947 (0.11%)		Mean 0.11%		SD 0.48%	
.....													
*Nose:													
Hemangiosarcoma													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/48	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)		
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)		
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)		
Overall Incidence	Total	1/948 (0.11%)		Mean 0.11%		SD 0.46%		Total 0/947 (0%)		Mean 0%		SD 0%	
.....													
#Oral Cavity (Oral Mucosa, Tongue, Pharynx, Tooth, Gingiva):													
Papilloma Squamous or Papilloma													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)			0/50	(0%)	0/50	(0%)				
Overall Incidence	Total	0/950 (0%)		Mean 0%		SD 0%		Total 1/950 (0.11%)		Mean 0.11%		SD 0.46%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 46
 Report Date: 05/24/2013

		Male				Female			
#Oral Cavity (Oral Mucosa, Tongue, Pharynx, Tooth, Gingiva): Squamous Cell Carcinoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/950 (0%)	Mean 0%	SD 0%	Total	2/950 (0.21%)	Mean 0.21%	SD 0.63%	

#Oral Cavity (Oral Mucosa, Tongue, Pharynx, Tooth, Gingiva): Squamous Cell Carcinoma, Papilloma Squamous, or Papilloma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	2/50 (4%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/950 (0%)	Mean 0%	SD 0%	Total	3/950 (0.32%)	Mean 0.32%	SD 1%	

#Oral Mucosa: Squamous Cell Carcinoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/950 (0%)	Mean 0%	SD 0%	Total	2/950 (0.21%)	Mean 0.21%	SD 0.63%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 47
 Report Date: 05/24/2013

	Male		Female	
*Ovary:				
Choriocarcinoma				
	1/48	(2%)	0/50	(0%)
	0/49	(0%)	1/50	(2%)
	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/49	(0%)
	0/49	(0%)	0/50	(0%)
	0/50	(0%)	0/47	(0%)
	0/50	(0%)	0/50	(0%)
Overall Incidence	Total 2/939 (0.21%)		Mean 0.21% SD 0.64%	
.....				
*Ovary:				
Cystadenocarcinoma				
	0/48	(0%)	0/50	(0%)
	0/49	(0%)	0/50	(0%)
	1/50	(2%)	0/50	(0%)
	0/50	(0%)	0/49	(0%)
	0/49	(0%)	0/50	(0%)
	0/50	(0%)	1/47	(2%)
	0/50	(0%)	0/50	(0%)
Overall Incidence	Total 2/939 (0.21%)		Mean 0.22% SD 0.65%	
.....				
*Ovary:				
Cystadenoma				
	2/48	(4%)	3/50	(6%)
	3/49	(6%)	2/50	(4%)
	3/50	(6%)	1/50	(2%)
	2/50	(4%)	1/49	(2%)
	3/49	(6%)	2/50	(4%)
	2/50	(4%)	1/47	(2%)
	1/50	(2%)	1/50	(2%)
Overall Incidence	Total 43/939 (4.58%)		Mean 4.57% SD 3.13%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 48
 Report Date: 05/24/2013

	Male		Female			
*Ovary:						
Granulosa Cell Tumor Benign						
	0/48	(0%)	0/50	(0%)	0/48	(0%)
	0/49	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/49	(0%)
	1/50	(2%)	0/49	(0%)	0/50	(0%)
	0/49	(0%)	1/50	(2%)	0/50	(0%)
	0/50	(0%)	0/47	(0%)	0/50	(0%)
	0/50	(0%)				
Overall Incidence	Total 2/939 (0.21%)		Mean 0.21%		SD 0.63%	
.....						
*Ovary:						
Granulosa Cell Tumor: Benign, Malignant, NOS						
	0/48	(0%)	0/50	(0%)	0/48	(0%)
	0/49	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/49	(0%)
	1/50	(2%)	0/49	(0%)	0/50	(0%)
	0/49	(0%)	1/50	(2%)	0/50	(0%)
	0/50	(0%)	0/47	(0%)	0/50	(0%)
	0/50	(0%)				
Overall Incidence	Total 2/939 (0.21%)		Mean 0.21%		SD 0.63%	
.....						
*Ovary:						
Hemangioma						
	0/48	(0%)	0/50	(0%)	0/48	(0%)
	0/49	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/49	(0%)
	0/50	(0%)	0/49	(0%)	0/50	(0%)
	0/49	(0%)	1/50	(2%)	0/50	(0%)
	0/50	(0%)	0/47	(0%)	0/50	(0%)
	0/50	(0%)				
Overall Incidence	Total 1/939 (0.11%)		Mean 0.11%		SD 0.46%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 49
 Report Date: 05/24/2013

	Male		Female			
*Ovary:						
Hemangiosarcoma						
	0/48	(0%)	0/50	(0%)	0/48	(0%)
	1/49	(2%)	1/50	(2%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/49	(0%)
	0/50	(0%)	0/49	(0%)	0/50	(0%)
	0/49	(0%)	1/50	(2%)	0/50	(0%)
	0/50	(0%)	0/47	(0%)	0/50	(0%)
	0/50	(0%)				
Overall Incidence	Total 3/939 (0.32%)		Mean 0.32%		SD 0.75%	
.....						
*Ovary:						
Luteoma						
	0/48	(0%)	1/50	(2%)	0/48	(0%)
	0/49	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	1/49	(2%)
	1/50	(2%)	0/49	(0%)	0/50	(0%)
	0/49	(0%)	0/50	(0%)	0/50	(0%)
	1/50	(2%)	0/47	(0%)	1/50	(2%)
	0/50	(0%)				
Overall Incidence	Total 5/939 (0.53%)		Mean 0.53%		SD 0.91%	
.....						
*Ovary:						
Plasma Cell Tumor Malignant						
	1/48	(2%)	0/50	(0%)	0/48	(0%)
	0/49	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/49	(0%)
	0/50	(0%)	0/49	(0%)	0/50	(0%)
	0/49	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/47	(0%)	0/50	(0%)
	0/50	(0%)				
Overall Incidence	Total 1/939 (0.11%)		Mean 0.11%		SD 0.48%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 50
 Report Date: 05/24/2013

	Male		Female			
*Ovary:						
Sarcoma						
	0/48	(0%)	0/50	(0%)	0/48	(0%)
	0/49	(0%)	0/50	(0%)	0/50	(0%)
	1/50	(2%)	0/50	(0%)	0/49	(0%)
	0/50	(0%)	0/49	(0%)	0/50	(0%)
	0/49	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/47	(0%)	0/50	(0%)
	0/50	(0%)				
Overall Incidence	Total	1/939 (0.11%)	Mean	0.11%	SD	0.46%
.....						
*Ovary:						
Teratoma Benign						
	0/48	(0%)	0/50	(0%)	0/48	(0%)
	0/49	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/49	(0%)
	0/50	(0%)	0/49	(0%)	0/50	(0%)
	0/49	(0%)	0/50	(0%)	0/50	(0%)
	1/50	(2%)	0/47	(0%)	0/50	(0%)
	0/50	(0%)				
Overall Incidence	Total	1/939 (0.11%)	Mean	0.11%	SD	0.46%
.....						
*Ovary:						
Teratoma Malignant						
	0/48	(0%)	0/50	(0%)	0/48	(0%)
	0/49	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/49	(0%)
	0/50	(0%)	0/49	(0%)	0/50	(0%)
	0/49	(0%)	0/50	(0%)	0/50	(0%)
	1/50	(2%)	0/47	(0%)	0/50	(0%)
	0/50	(0%)				
Overall Incidence	Total	1/939 (0.11%)	Mean	0.11%	SD	0.46%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 51
 Report Date: 05/24/2013

				Male		Female				
*Ovary:										
Tubulostromal Adenoma										
					0/48 (0%)		0/50 (0%)		0/48 (0%)	
					0/49 (0%)		0/50 (0%)		0/50 (0%)	
					0/50 (0%)		1/50 (2%)		0/49 (0%)	
					0/50 (0%)		0/49 (0%)		1/50 (2%)	
					0/49 (0%)		0/50 (0%)		0/50 (0%)	
					0/50 (0%)		0/47 (0%)		0/50 (0%)	
					0/50 (0%)					
Overall Incidence						Total	2/939 (0.21%)		Mean 0.21%	SD 0.63%
.....										
*Ovary:										
Yolk Sac Carcinoma										
					0/48 (0%)		0/50 (0%)		1/48 (2%)	
					0/49 (0%)		0/50 (0%)		0/50 (0%)	
					0/50 (0%)		0/50 (0%)		0/49 (0%)	
					0/50 (0%)		0/49 (0%)		0/50 (0%)	
					0/49 (0%)		0/50 (0%)		0/50 (0%)	
					0/50 (0%)		0/47 (0%)		0/50 (0%)	
					0/50 (0%)					
Overall Incidence						Total	1/939 (0.11%)		Mean 0.11%	SD 0.48%
.....										
*Pancreas:										
Carcinoma										
		0/50 (0%)	1/48 (2%)	0/50 (0%)		0/48 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	
		0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)	0/50 (0%)	0/50 (0%)		0/48 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)				0/49 (0%)				
Overall Incidence	Total	2/945 (0.21%)		Mean 0.21%	SD 0.64%	Total	1/943 (0.11%)		Mean 0.11%	SD 0.46%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 52
 Report Date: 05/24/2013

		Male				Female			
*Pancreas:									
Carcinoma or Adenoma									
		0/50 (0%)	1/48 (2%)	0/50 (0%)	0/48 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)
		0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/49 (0%)	0/50 (0%)	0/50 (0%)	0/48 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/49 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	1/50 (2%)	1/50 (2%)
		0/50 (0%)			0/49 (0%)				
Overall Incidence	Total	2/945 (0.21%)		Mean 0.21%	SD 0.64%	Total 1/943 (0.11%)		Mean 0.11%	SD 0.46%

*Pituitary Gland: Pars Distalis or Unspecified Site:									
Adenoma									
		0/48 (0%)	1/46 (2%)	0/47 (0%)	2/49 (4%)	5/46 (11%)	3/47 (6%)		
		0/50 (0%)	0/49 (0%)	1/50 (2%)	10/50 (20%)	4/50 (8%)	1/50 (2%)		
		1/49 (2%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	3/49 (6%)	2/50 (4%)		
		0/50 (0%)	0/49 (0%)	0/50 (0%)	5/50 (10%)	5/47 (11%)	0/48 (0%)		
		0/47 (0%)	0/50 (0%)	0/50 (0%)	4/50 (8%)	4/50 (8%)	1/50 (2%)		
		0/50 (0%)	0/50 (0%)	0/49 (0%)	6/49 (12%)	7/49 (14%)	8/50 (16%)		
		0/50 (0%)			2/49 (4%)				
Overall Incidence	Total	3/933 (0.32%)		Mean 0.33%	SD 0.78%	Total 72/933 (7.72%)		Mean 7.72%	SD 5.46%

*Pituitary Gland: Pars Distalis or Unspecified Site:									
Carcinoma									
		0/48 (0%)	0/46 (0%)	0/47 (0%)	0/49 (0%)	1/46 (2%)	0/47 (0%)		
		0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/49 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)		
		0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/47 (0%)	0/48 (0%)		
		0/47 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	0/49 (0%)	0/50 (0%)		
		0/50 (0%)			0/49 (0%)				
Overall Incidence	Total	0/933 (0%)		Mean 0%	SD 0%	Total 1/933 (0.11%)		Mean 0.11%	SD 0.5%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 53
 Report Date: 05/24/2013

		Male				Female			
*Pituitary Gland: Pars Distalis or Unspecified Site:									
 Carcinoma or Adenoma									
		0/48 (0%)	1/46 (2%)	0/47 (0%)	2/49 (4%)	6/46 (13%)	3/47 (6%)		
		0/50 (0%)	0/49 (0%)	1/50 (2%)	10/50 (20%)	4/50 (8%)	1/50 (2%)		
		1/49 (2%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	3/49 (6%)	2/50 (4%)		
		0/50 (0%)	0/49 (0%)	0/50 (0%)	5/50 (10%)	5/47 (11%)	0/48 (0%)		
		0/47 (0%)	0/50 (0%)	0/50 (0%)	4/50 (8%)	4/50 (8%)	1/50 (2%)		
		0/50 (0%)	0/50 (0%)	0/49 (0%)	6/49 (12%)	7/49 (14%)	8/50 (16%)		
		0/50 (0%)			2/49 (4%)				
Overall Incidence	Total	3/933 (0.32%)		Mean 0.33%	SD 0.78%	Total 73/933 (7.82%)		Mean 7.84%	SD 5.55%

*Pituitary Gland: Pars Intermedia:									
 Adenoma									
		0/48 (0%)	0/46 (0%)	0/47 (0%)	0/49 (0%)	0/46 (0%)	0/47 (0%)		
		0/50 (0%)	0/49 (0%)	0/50 (0%)	2/50 (4%)	1/50 (2%)	1/50 (2%)		
		0/49 (0%)	0/50 (0%)	1/49 (2%)	0/50 (0%)	1/49 (2%)	1/50 (2%)		
		0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/47 (0%)	0/48 (0%)		
		0/47 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	1/49 (2%)	1/49 (2%)	0/49 (0%)	0/50 (0%)		
		0/50 (0%)			0/49 (0%)				
Overall Incidence	Total	2/933 (0.21%)		Mean 0.21%	SD 0.64%	Total 7/933 (0.75%)		Mean 0.74%	SD 1.2%

*Pituitary Gland: Pars Intermedia:									
 Carcinoma or Adenoma									
		0/48 (0%)	0/46 (0%)	0/47 (0%)	0/49 (0%)	0/46 (0%)	0/47 (0%)		
		0/50 (0%)	0/49 (0%)	0/50 (0%)	2/50 (4%)	1/50 (2%)	1/50 (2%)		
		0/49 (0%)	0/50 (0%)	1/49 (2%)	0/50 (0%)	1/49 (2%)	1/50 (2%)		
		0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/47 (0%)	0/48 (0%)		
		0/47 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	1/49 (2%)	1/49 (2%)	0/49 (0%)	0/50 (0%)		
		0/50 (0%)			0/49 (0%)				
Overall Incidence	Total	2/933 (0.21%)		Mean 0.21%	SD 0.64%	Total 7/933 (0.75%)		Mean 0.74%	SD 1.2%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ALL ROUTES
Vehicle: ALL VEHICLES

Page: 54
 Report Date: 05/24/2013

		Male				Female					
*Salivary Glands:											
Adenoma											
		0/50 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	1/50 (2%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)			0/48 (0%)						
Overall Incidence	Total	1/949 (0.11%)		Mean 0.11%	SD 0.46%	Total		1/945 (0.11%)		Mean 0.11%	SD 0.46%

*Salivary Glands:											
Carcinoma or Adenoma											
		0/50 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	1/50 (2%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)			0/48 (0%)						
Overall Incidence	Total	1/949 (0.11%)		Mean 0.11%	SD 0.46%	Total		1/945 (0.11%)		Mean 0.11%	SD 0.46%

*Salivary Glands:											
Hemangiosarcoma											
		0/50 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)			0/48 (0%)						
Overall Incidence	Total	1/949 (0.11%)		Mean 0.11%	SD 0.46%	Total		0/945 (0%)		Mean 0%	SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 55
 Report Date: 05/24/2013

		Male				Female			
*Salivary Glands:									
Mast Cell Tumor Malignant									
		0/50 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/48 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/949 (0.11%)	Mean 0.11%	SD 0.46%	Total	0/945 (0%)	Mean 0%	SD 0%	

*Salivary Glands:									
Myxoma									
		0/50 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/48 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/949 (0%)	Mean 0%	SD 0%	Total	1/945 (0.11%)	Mean 0.11%	SD 0.46%	

#Seminal Vesicle:									
Adenoma									
		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/950 (0.11%)	Mean 0.11%	SD 0.46%					

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 56
 Report Date: 05/24/2013

		Male				Female			
#Skeletal Muscle:									
Hemangiosarcoma									
		2/50 (4%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				1/50 (2%)			
		0/50 (0%)				1/50 (2%)			
Overall Incidence	Total	5/950 (0.53%)		Mean 0.53%	SD 1.12%	5/950 (0.53%)		Mean 0.53%	SD 0.9%

#Skeletal Muscle:									
Rhabdomyosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	2/50 (4%)	0/50 (0%)	3/50 (6%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	1/950 (0.11%)		Mean 0.11%	SD 0.46%	6/950 (0.63%)		Mean 0.63%	SD 1.64%

#Skeletal Muscle:									
Rhabdomyosarcoma or Rhabdomyoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	2/50 (4%)	0/50 (0%)	3/50 (6%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	1/950 (0.11%)		Mean 0.11%	SD 0.46%	6/950 (0.63%)		Mean 0.63%	SD 1.64%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 57
 Report Date: 05/24/2013

		Male				Female			
#Skeletal Muscle:									
Sarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	2/50 (4%)	1/50 (2%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	1/950 (0.11%)		Mean 0.11%	SD 0.46%	Total 3/950 (0.32%)		Mean 0.32%	SD 1%

#Skin:									
Basal Cell Carcinoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/950 (0%)		Mean 0%	SD 0%	Total 2/950 (0.21%)		Mean 0.21%	SD 0.63%

#Skin:									
Basal Cell Carcinoma or Basosquamous Tumor (malignant or NOS)									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/950 (0%)		Mean 0%	SD 0%	Total 2/950 (0.21%)		Mean 0.21%	SD 0.63%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 58
 Report Date: 05/24/2013

		Male				Female			
#Skin:									
Basal Cell Carcinoma, Basal Cell Adenoma, Basosquamous Tumor (benign, malignant or NOS), or Trichoepithelioma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/950 (0%)	Mean 0%	SD 0%	Total	2/950 (0.21%)	Mean 0.21%	SD 0.63%	

#Skin:									
Basal or Sq. Cell Carcinoma, Carcinoma, Basosq. Tumor (M or B), Basal Cell Adenoma, Adenoma, Papilloma, Sq Papilloma, Keratoacanthoma, Trichoepithelioma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	1/50 (2%)
		0/50 (0%)	0/50 (0%)	1/50 (2%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	1/50 (2%)
		0/50 (0%)	1/50 (2%)	1/50 (2%)	1/50 (2%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	3/950 (0.32%)	Mean 0.32%	SD 0.75%	Total	5/950 (0.53%)	Mean 0.53%	SD 0.9%	

#Skin:									
Fibroma, Fibrosarcoma, Sarcoma, Myxoma, Myxosarcoma, or Fibrous Histiocytoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	3/50 (6%)	8/50 (16%)	2/50 (4%)		
		1/50 (2%)	0/50 (0%)	1/50 (2%)	4/50 (8%)	3/50 (6%)	4/50 (8%)		
		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)		
		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	2/50 (4%)		
		1/50 (2%)	1/50 (2%)	1/50 (2%)	2/50 (4%)	1/50 (2%)	1/50 (2%)		
		2/50 (4%)	0/50 (0%)	1/50 (2%)	1/50 (2%)	4/50 (8%)	2/50 (4%)		
		1/50 (2%)			4/50 (8%)				
Overall Incidence	Total	11/950 (1.16%)	Mean 1.16%	SD 1.21%	Total	43/950 (4.53%)	Mean 4.53%	SD 3.94%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 59
 Report Date: 05/24/2013

		Male				Female				
#Skin:										
Fibrosarcoma										
		0/50 (0%)	0/50 (0%)	0/50 (0%)		2/50 (4%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	3/50 (6%)		
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	2/50 (4%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	1/50 (2%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	3/50 (6%)	1/50 (2%)		
		0/50 (0%)				0/50 (0%)				
Overall Incidence	Total	3/950 (0.32%)		Mean 0.32%	SD 0.75%	Total	14/950 (1.47%)		Mean 1.47%	SD 2.09%

#Skin:										
Fibrosarcoma, Sarcoma, Myxosarcoma, or Fibrous Histiocytoma										
		0/50 (0%)	0/50 (0%)	0/50 (0%)		3/50 (6%)	8/50 (16%)	2/50 (4%)		
		1/50 (2%)	0/50 (0%)	1/50 (2%)		4/50 (8%)	3/50 (6%)	4/50 (8%)		
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)		
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	2/50 (4%)		
		1/50 (2%)	1/50 (2%)	1/50 (2%)		2/50 (4%)	1/50 (2%)	1/50 (2%)		
		2/50 (4%)	0/50 (0%)	1/50 (2%)		1/50 (2%)	4/50 (8%)	2/50 (4%)		
		1/50 (2%)				4/50 (8%)				
Overall Incidence	Total	11/950 (1.16%)		Mean 1.16%	SD 1.21%	Total	43/950 (4.53%)		Mean 4.53%	SD 3.94%

#Skin:										
Fibrous Histiocytoma										
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)		
		1/50 (2%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)		
		1/50 (2%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)		
		1/50 (2%)				3/50 (6%)				
Overall Incidence	Total	5/950 (0.53%)		Mean 0.53%	SD 0.9%	Total	5/950 (0.53%)		Mean 0.53%	SD 1.47%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 60
 Report Date: 05/24/2013

		Male				Female							
#Skin:													
Granular Cell Tumor Benign													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
Overall Incidence	Total	1/950 (0.11%)		Mean 0.11%		SD 0.46%		Total 0/950 (0%)		Mean 0%		SD 0%	

#Skin:													
Hemangioma													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
Overall Incidence	Total	4/950 (0.42%)		Mean 0.42%		SD 0.84%		Total 1/950 (0.11%)		Mean 0.11%		SD 0.46%	

#Skin:													
Hemangiosarcoma													
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	1/50	(2%)	0/50	(0%)
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	1/50	(2%)	0/50	(0%)	2/50	(4%)	2/50	(4%)	0/50	(0%)
		1/50	(2%)	1/50	(2%)	0/50	(0%)	2/50	(4%)	1/50	(2%)	1/50	(2%)
		2/50	(4%)	2/50	(4%)	0/50	(0%)	0/50	(0%)	2/50	(4%)	0/50	(0%)
		1/50	(2%)					1/50	(2%)				
Overall Incidence	Total	10/950 (1.05%)		Mean 1.05%		SD 1.39%		Total 13/950 (1.37%)		Mean 1.37%		SD 1.64%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
Route: ALL ROUTES
Vehicle: ALL VEHICLES

Page: 61
 Report Date: 05/24/2013

		Male				Female			
#Skin:									
Keratoacanthoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	2/950 (0.21%)		Mean 0.21%	SD 0.63%	Total 1/950 (0.11%)		Mean 0.11%	SD 0.46%

#Skin:									
Lipoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)				0/50 (0%)			
Overall Incidence	Total	2/950 (0.21%)		Mean 0.21%	SD 0.63%	Total 0/950 (0%)		Mean 0%	SD 0%

#Skin:									
Liposarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	1/950 (0.11%)		Mean 0.11%	SD 0.46%	Total 0/950 (0%)		Mean 0%	SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 62
 Report Date: 05/24/2013

		Male				Female			
#Skin:									
Mast Cell Tumor Benign									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/950 (0%)	Mean 0%	SD 0%	Total	2/950 (0.21%)	Mean 0.21%	SD 0.63%	

#Skin:									
Mast Cell Tumor Malignant									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/950 (0.11%)	Mean 0.11%	SD 0.46%	Total	0/950 (0%)	Mean 0%	SD 0%	

#Skin:									
Melanoma Benign									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/950 (0.11%)	Mean 0.11%	SD 0.46%	Total	1/950 (0.11%)	Mean 0.11%	SD 0.46%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 63
 Report Date: 05/24/2013

		Male				Female			
#Skin:									
Melanoma Malignant									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/950 (0.11%)		Mean 0.11%	SD 0.46%	Total 1/950 (0.11%)		Mean 0.11%	SD 0.46%

#Skin:									
Neural Crest Tumor									
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/950 (0.11%)		Mean 0.11%	SD 0.46%	Total 2/950 (0.21%)		Mean 0.21%	SD 0.63%

#Skin:									
Neurofibroma or Schwannoma benign									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/950 (0%)		Mean 0%	SD 0%	Total 1/950 (0.11%)		Mean 0.11%	SD 0.46%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 64
 Report Date: 05/24/2013

		Male				Female				
#Skin:										
Neurofibrosarcoma or Schwannoma (malignant or NOS)										
		0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	2/50 (4%)			
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)			
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)			
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)			
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)			
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)			
		0/50 (0%)	0/50 (0%)	0/50 (0%)	3/50 (6%)					
Overall Incidence	Total	1/950 (0.11%)		Mean 0.11%	SD 0.46%	Total	8/950 (0.84%)		Mean 0.84%	SD 1.68%
.....										
#Skin:										
Neurofibrosarcoma, Neurofibroma, or Schwannoma (benign, malignant or NOS)										
		0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	2/50 (4%)			
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)			
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)			
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	1/50 (2%)			
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)			
		0/50 (0%)	0/50 (0%)	0/50 (0%)	3/50 (6%)					
Overall Incidence	Total	1/950 (0.11%)		Mean 0.11%	SD 0.46%	Total	9/950 (0.95%)		Mean 0.95%	SD 1.68%
.....										
#Skin:										
Osteosarcoma										
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)		
Overall Incidence	Total	1/950 (0.11%)		Mean 0.11%	SD 0.46%	Total	0/950 (0%)		Mean 0%	SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 65
 Report Date: 05/24/2013

		Male				Female			
#Skin:									
Sarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	7/50 (14%)	2/50 (4%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		4/50 (8%)	3/50 (6%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	1/50 (2%)		2/50 (4%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	1/50 (2%)	1/50 (2%)	
		0/50 (0%)				1/50 (2%)			
Overall Incidence	Total	3/950 (0.32%)		Mean 0.32%	SD 0.75%	Total 24/950 (2.53%)		Mean 2.53%	SD 3.58%

#Skin:									
Schwannoma Benign									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/950 (0%)		Mean 0%	SD 0%	Total 1/950 (0.11%)		Mean 0.11%	SD 0.46%

#Skin:									
Schwannoma Malignant									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	2/50 (4%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)				0/50 (0%)			
		0/50 (0%)				3/50 (6%)			
Overall Incidence	Total	1/950 (0.11%)		Mean 0.11%	SD 0.46%	Total 8/950 (0.84%)		Mean 0.84%	SD 1.68%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 66
 Report Date: 05/24/2013

		Male				Female					
#Skin:											
Squamous Cell Carcinoma, Basal Cell Carcinoma, Basosquamous Tumor (malignant or NOS), or Carcinoma											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/950 (0%)		Mean 0%		SD 0%		Total		2/950 (0.21%)	
								Mean		0.21%	
								SD		0.63%	

#Skin:											
Squamous Cell Papilloma											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	1/950 (0.11%)		Mean 0.11%		SD 0.46%		Total		2/950 (0.21%)	
								Mean		0.21%	
								SD		0.63%	

#Skin:											
Squamous Cell Papilloma or Papilloma											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	1/950 (0.11%)		Mean 0.11%		SD 0.46%		Total		2/950 (0.21%)	
								Mean		0.21%	
								SD		0.63%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 67
 Report Date: 05/24/2013

		Male				Female			
#Skin:									
Squamous Cell Papilloma, Papilloma, Squamous Cell Carcinoma or Keratoacanthoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	1/50 (2%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	1/50 (2%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)	1/50 (2%)	1/50 (2%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	3/950 (0.32%)		Mean 0.32%	SD 0.75%	Total 3/950 (0.32%)		Mean 0.32%	SD 0.75%

#Skin:									
Squamous Cell Papilloma, Papilloma, or Keratoacanthoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	1/50 (2%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	1/50 (2%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)	1/50 (2%)	1/50 (2%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	3/950 (0.32%)		Mean 0.32%	SD 0.75%	Total 3/950 (0.32%)		Mean 0.32%	SD 0.75%

#Skin: Sebaceous Gland:									
Adenoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/950 (0%)		Mean 0%	SD 0%	Total 1/950 (0.11%)		Mean 0.11%	SD 0.46%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 68
 Report Date: 05/24/2013

		Male				Female								
#Skin: Sebaceous Gland:														
Carcinoma or Adenoma														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)			
		0/50	(0%)			0/50	(0%)							
Overall Incidence	Total	0/950 (0%)		Mean	0%	SD	0%	Total	1/950 (0.11%)		Mean	0.11%	SD	0.46%
.....														
#Spinal Cord:														
Hemangiosarcoma														
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)			
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)			
		0/50	(0%)			0/50	(0%)							
Overall Incidence	Total	0/950 (0%)		Mean	0%	SD	0%	Total	1/950 (0.11%)		Mean	0.11%	SD	0.46%
.....														
*Spleen:														
Hemangioma														
		0/50	(0%)	0/48	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	
		0/50	(0%)	0/48	(0%)	0/48	(0%)	0/50	(0%)	0/49	(0%)	0/49	(0%)	
		0/46	(0%)	0/50	(0%)	0/50	(0%)	0/46	(0%)	0/50	(0%)	0/50	(0%)	
		0/49	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	
		0/50	(0%)					0/49	(0%)					
Overall Incidence	Total	0/938 (0%)		Mean	0%	SD	0%	Total	1/940 (0.11%)		Mean	0.11%	SD	0.46%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 69
 Report Date: 05/24/2013

		Male				Female			
*Spleen:									
Hemangiosarcoma									
		1/50 (2%)	2/48 (4%)	3/50 (6%)		1/50 (2%)	1/50 (2%)	2/49 (4%)	
		3/50 (6%)	0/50 (0%)	1/50 (2%)		2/50 (4%)	1/50 (2%)	0/50 (0%)	
		2/50 (4%)	1/50 (2%)	2/50 (4%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
		0/50 (0%)	3/48 (6%)	3/48 (6%)		1/50 (2%)	2/49 (4%)	0/49 (0%)	
		1/46 (2%)	1/50 (2%)	1/50 (2%)		1/46 (2%)	1/50 (2%)	1/50 (2%)	
		1/49 (2%)	4/49 (8%)	2/50 (4%)		1/50 (2%)	0/49 (0%)	3/50 (6%)	
		2/50 (4%)				0/49 (0%)			
Overall Incidence	Total	33/938 (3.52%)	Mean 3.53%	SD 2.24%	Total	17/940 (1.81%)	Mean 1.81%	SD 1.76%	

*Spleen:									
Mast Cell Tumor Malignant									
		0/50 (0%)	0/48 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/49 (2%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/49 (2%)	
		0/50 (0%)	0/48 (0%)	0/48 (0%)		0/50 (0%)	0/49 (0%)	0/49 (0%)	
		0/46 (0%)	0/50 (0%)	0/50 (0%)		0/46 (0%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)				0/49 (0%)			
Overall Incidence	Total	0/938 (0%)	Mean 0%	SD 0%	Total	2/940 (0.21%)	Mean 0.21%	SD 0.64%	

*Spleen:									
Plasma Cell Tumor Malignant									
		0/50 (0%)	0/48 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/49 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
		0/50 (0%)	0/48 (0%)	0/48 (0%)		0/50 (0%)	0/49 (0%)	0/49 (0%)	
		0/46 (0%)	0/50 (0%)	0/50 (0%)		0/46 (0%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)	
		0/50 (0%)				0/49 (0%)			
Overall Incidence	Total	0/938 (0%)	Mean 0%	SD 0%	Total	1/940 (0.11%)	Mean 0.11%	SD 0.46%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 70
 Report Date: 05/24/2013

		Male				Female			
#Stomach, Forestomach:									
Squamous Cell Carcinoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		2/50 (4%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)	1/50 (2%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	5/950 (0.53%)		Mean 0.53%	SD 1.12%	2/950 (0.21%)		Mean 0.21%	SD 0.63%

#Stomach, Forestomach:									
Squamous Cell Carcinoma or Papilloma Squamous									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	
		2/50 (4%)	0/50 (0%)	1/50 (2%)	1/50 (2%)	2/50 (4%)	2/50 (4%)	0/50 (0%)	
		0/50 (0%)	2/50 (4%)	9/50 (18%)	2/50 (4%)	1/50 (2%)	3/50 (6%)		
		0/50 (0%)	4/50 (8%)	1/50 (2%)	0/50 (0%)	1/50 (2%)	1/50 (2%)		
		0/50 (0%)	1/50 (2%)	5/50 (10%)	0/50 (0%)	1/50 (2%)	0/50 (0%)		
		0/50 (0%)	3/50 (6%)	1/50 (2%)	1/50 (2%)	2/50 (4%)	0/50 (0%)		
		0/50 (0%)			1/50 (2%)				
Overall Incidence	Total	29/950 (3.05%)		Mean 3.05%	SD 4.68%	17/950 (1.79%)		Mean 1.79%	SD 1.75%

#Stomach, Forestomach:									
Squamous Cell Papilloma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	
		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	2/50 (4%)	0/50 (0%)		
		0/50 (0%)	1/50 (2%)	8/50 (16%)	1/50 (2%)	1/50 (2%)	3/50 (6%)		
		0/50 (0%)	3/50 (6%)	1/50 (2%)	0/50 (0%)	1/50 (2%)	1/50 (2%)		
		0/50 (0%)	1/50 (2%)	5/50 (10%)	0/50 (0%)	1/50 (2%)	0/50 (0%)		
		0/50 (0%)	3/50 (6%)	1/50 (2%)	1/50 (2%)	2/50 (4%)	0/50 (0%)		
		0/50 (0%)			1/50 (2%)				
Overall Incidence	Total	24/950 (2.53%)		Mean 2.53%	SD 4.26%	15/950 (1.58%)		Mean 1.58%	SD 1.71%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 71
 Report Date: 05/24/2013

		Male				Female			
#Stomach, Glandular:									
Adenoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/950 (0%)	Mean 0%	SD 0%	Total	1/950 (0.11%)	Mean 0.11%	SD 0.46%	

#Stomach, Glandular:									
Carcinoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)
Overall Incidence	Total	1/950 (0.11%)	Mean 0.11%	SD 0.46%	Total	1/950 (0.11%)	Mean 0.11%	SD 0.46%	

#Stomach, Glandular:									
Carcinoma or Adenoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)
		1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/950 (0.11%)	Mean 0.11%	SD 0.46%	Total	2/950 (0.21%)	Mean 0.21%	SD 0.63%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 72
 Report Date: 05/24/2013

		Male				Female								
*Testes:														
Adenoma														
		1/50	(2%)	0/50	(0%)	1/50	(2%)							
		0/50	(0%)	1/50	(2%)	0/50	(0%)							
		1/50	(2%)	0/50	(0%)	1/50	(2%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	1/50	(2%)	1/50	(2%)							
		1/50	(2%)											
Overall Incidence	Total	8/950 (0.84%)		Mean 0.84%		SD 1.01%								

*Testes:														
Hemangioma														
		0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	0/50	(0%)							
		0/50	(0%)	0/50	(0%)	1/50	(2%)							
		0/50	(0%)											
Overall Incidence	Total	1/950 (0.11%)		Mean 0.11%		SD 0.46%								

*Thymus:														
Neoplasm NOS														
		0/44	(0%)	0/38	(0%)	0/42	(0%)	0/46	(0%)	0/49	(0%)	1/46	(2%)	
		0/38	(0%)	0/50	(0%)	0/47	(0%)	0/47	(0%)	0/50	(0%)	0/48	(0%)	
		0/44	(0%)	0/49	(0%)	0/48	(0%)	0/47	(0%)	0/49	(0%)	0/50	(0%)	
		0/41	(0%)	0/44	(0%)	0/48	(0%)	0/44	(0%)	0/50	(0%)	0/50	(0%)	
		0/41	(0%)	0/48	(0%)	0/47	(0%)	0/45	(0%)	0/50	(0%)	0/50	(0%)	
		0/47	(0%)	0/48	(0%)	0/39	(0%)	0/48	(0%)	0/47	(0%)	0/47	(0%)	
		0/45	(0%)					0/50	(0%)					
Overall Incidence	Total	0/848 (0%)		Mean 0%		SD 0%		Total	1/913 (0.11%)		Mean 0.11%		SD 0.5%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 73
 Report Date: 05/24/2013

		Male				Female			
*Thymus:									
Thymoma Benign									
		0/44 (0%)	0/38 (0%)	0/42 (0%)		0/46 (0%)	0/49 (0%)	0/46 (0%)	
		0/38 (0%)	0/50 (0%)	0/47 (0%)		0/47 (0%)	0/50 (0%)	0/48 (0%)	
		0/44 (0%)	1/49 (2%)	0/48 (0%)		0/47 (0%)	0/49 (0%)	0/50 (0%)	
		0/41 (0%)	0/44 (0%)	0/48 (0%)		0/44 (0%)	0/50 (0%)	0/50 (0%)	
		0/41 (0%)	0/48 (0%)	0/47 (0%)		0/45 (0%)	0/50 (0%)	0/50 (0%)	
		0/47 (0%)	0/48 (0%)	0/39 (0%)		0/48 (0%)	0/47 (0%)	0/47 (0%)	
		0/45 (0%)				0/50 (0%)			
Overall Incidence	Total	1/848 (0.12%)	Mean 0.11%	SD 0.47%	Total	0/913 (0%)	Mean 0%	SD 0%	
.....									
*Thymus:									
Thymoma Malignant									
		0/44 (0%)	0/38 (0%)	0/42 (0%)		0/46 (0%)	0/49 (0%)	0/46 (0%)	
		0/38 (0%)	0/50 (0%)	0/47 (0%)		0/47 (0%)	0/50 (0%)	0/48 (0%)	
		0/44 (0%)	0/49 (0%)	0/48 (0%)		0/47 (0%)	0/49 (0%)	0/50 (0%)	
		0/41 (0%)	0/44 (0%)	0/48 (0%)		0/44 (0%)	0/50 (0%)	0/50 (0%)	
		0/41 (0%)	0/48 (0%)	0/47 (0%)		0/45 (0%)	0/50 (0%)	0/50 (0%)	
		0/47 (0%)	0/48 (0%)	0/39 (0%)		0/48 (0%)	1/47 (2%)	0/47 (0%)	
		0/45 (0%)				0/50 (0%)			
Overall Incidence	Total	0/848 (0%)	Mean 0%	SD 0%	Total	1/913 (0.11%)	Mean 0.11%	SD 0.49%	
.....									
*Thymus:									
Thymoma: Benign, Malignant, NOS									
		0/44 (0%)	0/38 (0%)	0/42 (0%)		0/46 (0%)	0/49 (0%)	0/46 (0%)	
		0/38 (0%)	0/50 (0%)	0/47 (0%)		0/47 (0%)	0/50 (0%)	0/48 (0%)	
		0/44 (0%)	1/49 (2%)	0/48 (0%)		0/47 (0%)	0/49 (0%)	0/50 (0%)	
		0/41 (0%)	0/44 (0%)	0/48 (0%)		0/44 (0%)	0/50 (0%)	0/50 (0%)	
		0/41 (0%)	0/48 (0%)	0/47 (0%)		0/45 (0%)	0/50 (0%)	0/50 (0%)	
		0/47 (0%)	0/48 (0%)	0/39 (0%)		0/48 (0%)	1/47 (2%)	0/47 (0%)	
		0/45 (0%)				0/50 (0%)			
Overall Incidence	Total	1/848 (0.12%)	Mean 0.11%	SD 0.47%	Total	1/913 (0.11%)	Mean 0.11%	SD 0.49%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 74
 Report Date: 05/24/2013

		Male				Female			
*Thyroid Gland: C-Cell: Carcinoma									
		0/49 (0%)	0/49 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)
		0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	0/49 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
		0/49 (0%)	0/50 (0%)	0/50 (0%)	0/48 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)
		0/50 (0%)			0/49 (0%)				
Overall Incidence	Total	0/944 (0%)	Mean 0%	SD 0%	Total	1/942 (0.11%)	Mean 0.11%	SD 0.46%	

*Thyroid Gland: C-Cell: Carcinoma or Adenoma									
		0/49 (0%)	0/49 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)
		0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	0/49 (0%)	0/49 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/49 (0%)	0/50 (0%)	0/50 (0%)	0/48 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)
		0/50 (0%)			0/49 (0%)				
Overall Incidence	Total	0/944 (0%)	Mean 0%	SD 0%	Total	1/942 (0.11%)	Mean 0.11%	SD 0.46%	

*Thyroid Gland: Follicular Cell: Adenoma									
		1/49 (2%)	0/49 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)	1/50 (2%)	0/49 (0%)	1/50 (2%)
		0/50 (0%)	0/49 (0%)	1/50 (2%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	0/49 (0%)	0/49 (0%)
		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)	1/50 (2%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/49 (2%)	0/50 (0%)	0/50 (0%)	0/48 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)
		1/50 (2%)			0/49 (0%)				
Overall Incidence	Total	7/944 (0.74%)	Mean 0.74%	SD 1%	Total	2/942 (0.21%)	Mean 0.21%	SD 0.63%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 75
 Report Date: 05/24/2013

		Male				Female			
*Thyroid Gland: Follicular Cell: Carcinoma									
		1/49 (2%)	0/49 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	0/49 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/49 (2%)	0/50 (0%)	0/50 (0%)
		0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/48 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/49 (0%)			
Overall Incidence	Total	1/944 (0.11%)	Mean 0.11%	SD 0.47%	Total	2/942 (0.21%)	Mean 0.21%	SD 0.64%	
*Thyroid Gland: Follicular Cell: Carcinoma or Adenoma									
		2/49 (4%)	0/49 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	1/50 (2%)	0/50 (0%)
		0/50 (0%)	0/49 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	0/49 (0%)
		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	1/49 (2%)	0/50 (0%)	0/50 (0%)
		1/49 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/48 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)				0/49 (0%)			
Overall Incidence	Total	8/944 (0.85%)	Mean 0.85%	SD 1.23%	Total	4/942 (0.42%)	Mean 0.42%	SD 0.84%	
#Tissue NOS: Fibrosarcoma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)				0/50 (0%)			
Overall Incidence	Total	0/950 (0%)	Mean 0%	SD 0%	Total	1/950 (0.11%)	Mean 0.11%	SD 0.46%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 76
 Report Date: 05/24/2013

		Male				Female					
#Tissue NOS:											
Hemangiosarcoma											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/950 (0%)		Mean 0%		SD 0%		Total		2/950 (0.21%)	
								Mean		0.21%	
								SD		0.63%	
.....											
#Tissue NOS:											
Plasma Cell Tumor Malignant											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/950 (0%)		Mean 0%		SD 0%		Total		1/950 (0.11%)	
								Mean		0.11%	
								SD		0.46%	
.....											
#Tissue NOS:											
Sarcoma											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
Overall Incidence	Total	0/950 (0%)		Mean 0%		SD 0%		Total		1/950 (0.11%)	
								Mean		0.11%	
								SD		0.46%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 77
 Report Date: 05/24/2013

		Male				Female			
#Tongue:									
Fibroma									
		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	1/950 (0.11%)	Mean 0.11%	SD 0.46%	Total	0/950 (0%)	Mean 0%	SD 0%	

#Tongue:									
Squamous Cell Carcinoma or Papilloma Squamous									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/950 (0%)	Mean 0%	SD 0%	Total	1/950 (0.11%)	Mean 0.11%	SD 0.46%	

#Tongue:									
Squamous Cell Papilloma									
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
Overall Incidence	Total	0/950 (0%)	Mean 0%	SD 0%	Total	1/950 (0.11%)	Mean 0.11%	SD 0.46%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 78
 Report Date: 05/24/2013

		Male				Female				
#Tooth:										
Odontoma										
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		2/50 (4%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	5/50 (10%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	1/50 (2%)	2/50 (4%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)			0/50 (0%)	0/50 (0%)				
Overall Incidence	Total	11/950 (1.16%)		Mean 1.16%	SD 2.52%	Total	0/950 (0%)		Mean 0%	SD 0%

#Urethra:										
Hemangiosarcoma										
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
Overall Incidence	Total	1/950 (0.11%)		Mean 0.11%	SD 0.46%	Total	0/950 (0%)		Mean 0%	SD 0%

*Urinary Bladder:										
Hemangiosarcoma										
		0/50 (0%)	0/47 (0%)	0/48 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/49 (0%)	0/49 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		1/50 (2%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	
		0/45 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/44 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/49 (0%)	0/47 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/48 (0%)	0/49 (0%)	0/49 (0%)	
		0/50 (0%)			0/50 (0%)	0/50 (0%)				
Overall Incidence	Total	1/935 (0.11%)		Mean 0.11%	SD 0.46%	Total	1/937 (0.11%)		Mean 0.11%	SD 0.46%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 79
 Report Date: 05/24/2013

		Male						Female							
*Urinary Bladder:															
Plasma Cell Tumor Malignant															
		0/50	(0%)	0/47	(0%)	0/48	(0%)	1/50	(2%)	0/50	(0%)	0/49	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)		
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)		
		0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)		
		0/45	(0%)	0/50	(0%)	0/50	(0%)	0/44	(0%)	0/50	(0%)	0/50	(0%)		
		0/49	(0%)	0/47	(0%)	0/50	(0%)	0/49	(0%)	0/48	(0%)	0/49	(0%)		
		0/50	(0%)					0/50	(0%)						
Overall Incidence	Total	0/935 (0%)		Mean 0%		SD 0%		Total		1/937 (0.11%)		Mean 0.11%		SD 0.46%	

#Uterus:													
Adenoma													
								0/50	(0%)	0/50	(0%)	0/50	(0%)
								0/50	(0%)	0/50	(0%)	0/50	(0%)
								0/50	(0%)	0/50	(0%)	0/50	(0%)
								0/50	(0%)	0/50	(0%)	0/50	(0%)
								1/50	(2%)	0/50	(0%)	0/50	(0%)
								1/50	(2%)	0/50	(0%)	0/50	(0%)
								0/50	(0%)				
Overall Incidence	Total							2/950 (0.21%)		Mean 0.21%		SD 0.63%	

#Uterus:													
Carcinoma													
								0/50	(0%)	0/50	(0%)	0/50	(0%)
								0/50	(0%)	0/50	(0%)	0/50	(0%)
								0/50	(0%)	0/50	(0%)	0/50	(0%)
								0/50	(0%)	1/50	(2%)	0/50	(0%)
								0/50	(0%)	1/50	(2%)	0/50	(0%)
								1/50	(2%)	0/50	(0%)	0/50	(0%)
								0/50	(0%)				
Overall Incidence	Total							3/950 (0.32%)		Mean 0.32%		SD 0.75%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 80
 Report Date: 05/24/2013

	Male		Female			
#Uterus:						
Hemangiosarcoma						
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	1/50	(2%)	1/50	(2%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	1/50	(2%)	0/50	(0%)	1/50	(2%)
	1/50	(2%)				
Overall Incidence	Total 5/950 (0.53%)		Mean 0.53%		SD 0.9%	
.....						
#Uterus:						
Leiomyoma						
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	1/50	(2%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)				
Overall Incidence	Total 1/950 (0.11%)		Mean 0.11%		SD 0.46%	
.....						
#Uterus:						
Leiomyosarcoma						
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	1/50	(2%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)				
Overall Incidence	Total 1/950 (0.11%)		Mean 0.11%		SD 0.46%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 81
 Report Date: 05/24/2013

	Male		Female			
#Uterus:						
Polyp Stromal						
	1/50	(2%)	0/50	(0%)	2/50	(4%)
	1/50	(2%)	1/50	(2%)	0/50	(0%)
	2/50	(4%)	0/50	(0%)	2/50	(4%)
	0/50	(0%)	1/50	(2%)	0/50	(0%)
	2/50	(4%)	3/50	(6%)	0/50	(0%)
	1/50	(2%)	0/50	(0%)	2/50	(4%)
	4/50	(8%)				
Overall Incidence	Total 22/950 (2.32%)		Mean 2.32%		SD 2.33%	
.....						
#Uterus:						
Sarcoma						
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	1/50	(2%)	0/50	(0%)
	0/50	(0%)				
Overall Incidence	Total 1/950 (0.11%)		Mean 0.11%		SD 0.46%	
.....						
#Uterus:						
Sarcoma Stromal						
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	1/50	(2%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	2/50	(4%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)				
Overall Incidence	Total 3/950 (0.32%)		Mean 0.32%		SD 1%	

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 82
 Report Date: 05/24/2013

				Male				Female			
#Uterus:											
Sarcoma Stromal or Polyp Stromal											
				1/50	(2%)	0/50	(0%)	2/50	(4%)		
				1/50	(2%)	2/50	(4%)	0/50	(0%)		
				2/50	(4%)	0/50	(0%)	2/50	(4%)		
				0/50	(0%)	1/50	(2%)	0/50	(0%)		
				2/50	(4%)	3/50	(6%)	2/50	(4%)		
				1/50	(2%)	0/50	(0%)	2/50	(4%)		
				4/50	(8%)						
Overall Incidence				Total	25/950 (2.63%)	Mean	2.63%	SD	2.31%		
.....											
#Vagina:											
Liposarcoma											
				0/50	(0%)	0/50	(0%)	0/50	(0%)		
				0/50	(0%)	0/50	(0%)	0/50	(0%)		
				0/50	(0%)	0/50	(0%)	0/50	(0%)		
				0/50	(0%)	1/50	(2%)	0/50	(0%)		
				0/50	(0%)	0/50	(0%)	0/50	(0%)		
				0/50	(0%)	0/50	(0%)	0/50	(0%)		
				0/50	(0%)						
Overall Incidence				Total	1/950 (0.11%)	Mean	0.11%	SD	0.46%		
.....											
#Zymbal's Gland:											
Carcinoma											
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)								
Overall Incidence	Total	1/950 (0.11%)		Mean	0.11%	SD	0.46%	Total	0/950 (0%)	Mean	0%
										SD	0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied

Version: Jun2013
 Contract/Lab: All Laboratories
 Species: MICE
 Strain: B6C3F1
 Length of Study: CHRONIC

Toxicology Data Management System
 Tumor Incidence for Selected Control Animal Groups
 Route: ALL ROUTES
 Vehicle: ALL VEHICLES

Page: 83
 Report Date: 05/24/2013

		Male				Female				
#Zymbal's Gland:										
Carcinoma or Adenoma										
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	
		0/50 (0%)			0/50 (0%)					
Overall Incidence	Total	1/950 (0.11%)		Mean 0.11%	SD 0.46%	Total	0/950 (0%)		Mean 0%	SD 0%

*: Denominator is number of animals with tissues examined microscopically
 #: Denominator is number of animals necropsied