

1. Attene-Ramos MS, Austin CP, Xia M (2012) High throughput screening. Encyclopedia of Toxicology, 3rd Edition.
2. Attene-Ramos MS, Huang R, Sakamuru S, Witt KL, Beeson G, Shou L, Schnellmann RG, Beeson CC, Tice RR, Austin CP, Xia M (2013) Systematic study of mitochondrial toxicity of environmental chemicals using quantitative high throughput screening. *Chem Res Tox* 26:1323-1332.
3. Attene-Ramos MS, Miller N, Huang R, Michael S, Itkin M, Kavlock RJ, Austin CP, Shinn P, Simeonov A, Tice RR, Xia M (2013) The Tox21 robotic platform for assessment of environmental chemicals - from vision to reality. *Drug Discovery Today* 18(15-16):716-723.
4. Auerbach SS, Shah RR, Mav D, Smith CS, Walker NJ, Vallant MK, Boorman GA, Irwin RD (2009) Predicting the hepatocarcinogenic potential of alkenylbenzene flavoring agents using toxicogenomics and machine learning. *Tox Appl Pharma* 243:300-314.
5. Auerbach SS, Thomas R, Shah R, Xu H, Vallant MK, Nyska A and Dunnick, JK (2010) Comparative phenotypic assessment of cardiac pathology, physiology, and gene expression in C3H/HeJ, C57BL/6J, and B6C3F1/J Mice. *Tox Pathology* 38(6):923-942.
6. Chen S, Zhou D, Hsin LY, Kanaya N, Wong C, Yip R, Sakamuru S, Xia M, Yuan YC, Witt K, Teng C (2014) AroER tri-screen is a biologically relevant assay for endocrine disrupting chemicals modulating the activity of aromatase and /or the estrogen receptor. *Tox Sci*. Accepted.
7. Fielden MR, Adai A, Dunn RT, Olaharski A, Searfoss G, Sina J, Aubrecht J, Boitier E, Nioi P, Auerbach S, Jacobson-Kram D, Raghavan N, Yang Y, Kincaid A, Sherlock J, Chen SJ, Car B Predictive Safety Testing Consortium and Carcinogenicity Working Group (2011) Development and evaluation of a genomic signature for the prediction and mechanistic assessment of nongenotoxic hepatocarcinogens in the rat. *Tox Sci* 124(1):54-74.
8. Fox JT, Sakamuru S, Huang R, Teneva N, Simmons SO, Xia M, Tice RR, Austin CP, Myung K (2012) High-throughput genotoxicity assay identifies antioxidants as inducers of DNA damage response and cell death. *Proc Natl Acad Sci* 109(14):5423-5428.
9. Hall J, Haas K, Freedman JH (2012) Role of MTL-1, MTL-2 and CDR-1 in mediating cadmium sensitivity in *C. elegans*. *Tox Sci* 128(2):418-426.
10. Hoenerhoff MJ, Pandiri AR, Lahousse SA, Hong HH, Ton TV, Masinde T, Auerbach SS, Gerrish K, Bushel PR, Shockley KR, Peddada SD, Sills RC (2011) Global gene profiling of spontaneous hepatocellular carcinoma in B6C3F1 mice: Similarities in the molecular landscape with human liver cancer. *Tox Path* 39(4):678-699.
11. Houtman R, van Beuningen R, Bastiaensen N, Khuc T, Goodwin B, Teng C, Tice RR. Profiling of compound-induced modulation of ERalpha-coregulator interaction as a means to compare bisphenol-A analogs. In Preparation.
12. Huang R, Southall N, Cho M, Xia M, Inglese J, Austin CP (2008) Characterization of diversity in toxicity mechanism using in vitro cytotoxicity assays in quantitative high throughput screening. *Chem Resea in Tox* 21:659-667.

13. Huang RL, Southall N, Xia M, Cho MH, Jadhav A, Nguyen DT, Inglese J, Tice RR, Austin CP (2009) Weighted Feature Significance: A simple, interpretable model of compound toxicity based on the statistical enrichment of structural features. *Tox Sci* 112(2):385-393.
14. Huang R, Cho M-H, Sakamuru S, Shinn P, Houck KA, Dix DJ, Judson RS, Witt KL, Kavlock RJ, Tice RR, Austin CP (2011) Chemical genomics profiling of environmental chemical modulation of human nuclear receptors. *Environ Health Perspect* 119(8):1142-1148.
15. Judson R, Kavlock R, Martin M, Reif D, Houck K, Knudsen T, Richard A, Tice RR, Whelan M, Xia M, Huang R, Austin C, Daston G, Hartung T, Fowle JR 3rd, Wooge W, Tong W, Dix D (2012) Perspectives on validation of high-throughput assays supporting the 21st century toxicity testing. *Alternatives to Animal Experimentation (ALTEX)* 30:51-56.
16. Kavlock R, Austin C, Tice R (2009) Toxicity testing in the 21st Century: Implications for human health risk assessment. *Risk Analysis* 29(4):485-487.
17. Kleensang A, Maertens A, Rosenberg M, Fitzpatrick S, Lamb J, Auerbach S, Brennan R, Crofton K, Gordon B, Fornace Jr. A, Gaido K, Gerhold D, Haw R, Henney A, Máayan A, McBride M, Monti S, Ochs M, Pandey A, Sharan R, Stierum R, Tugendreich S, Willett C, Wittwehr C, Xia J, Patton G, Arvidson K., Bouhifd M, Hogberg T, Luechtefeld T, Smirnova L., Zhao L, Adeleye Y, Kanehisa M, Carmichael P, Anderson M, and T. Hartung (2014) Workshop Report: Pathways of Toxicity. *Altex* 31(1):53-61.
18. Leung MCK, Goldstone JV, Boyd WA, Freedman JH, Meyer JN (2010) *Caenorhabditis elegans* generates biologically relevant levels of genotoxic metabolites from aflatoxin B-1 but not benzo a pyrene in vivo. *Tox Sci* 118(2):444-453.
19. Li Y, Luh CJ, Burns KA, Arao Y, Jiang Z, Teng CT, Tice RR, Korach KS (2013) Endocrine-disrupting chemicals (EDCs): In vitro mechanism of estrogenic activation and differential effects on ER target genes. *Environ Health Perspect* 121(4):459-466.
20. Lock EF, Abdo N, Huang RL, Xia MH, Kosyk O, O'Shea SH, Zhou YH, Sedykh A, Tropsha A, Austin CP, Tice RR, Wright FA, Rusyn I (2012) Quantitative high-throughput screening for chemical toxicity in a population-based in vitro model. *Tox Sci* 126(2):578-588.
21. Mahadevan B, Snyder RD, Waters MD, Benz RD, Kemper RA, Tice RR, Richard AM (2011) Genetic toxicology in the 21st century: Reflections and future directions. *Environ Mol Mut* 52:339-354.
22. Maull EA, Ahsan H, Edwards J, Longnecker MP, Navas-Acien A, Pi J, Silbergeld EK, Styblo M, Tseng CH, Thayer KA and Loomis D (2012) Evaluation of the association between arsenic and diabetes: A National Toxicology Program Workshop Review. *Environ Health Perspect* 120:1658–1670.
23. McPherson CA, BA Merrick, GJ Harry (2014) *In vivo* molecular markers for pro-inflammatory cytokine m1 stage and resident microglia in trimethyltin-induced hippocampal injury. *Neurotox Resear* 25:45-56.
24. Merrick BA (2012) Archival Toxicogenetics: Molecular analysis of modified DNA from preserved tissues in toxicology studies. In: *Toxicology and Epigenetics*. SC Sahu (ed), John Wiley and Sons, Inc., 387-407.

25. Merrick BA, London RE, Bushel PR, Grissom SF, Paules RS (2011) Platforms for biomarker analysis using high-throughput approaches in genomics, transcriptomics, proteomics, metabolomics and bioinformatics. *IARC Sci Publ* 163:121-142.
26. Merrick BA, Auerbach SS, Stockton PS, Foley JF, Malarkey DE, Sills RC, Irwin RD, Tice RR (2012) Testing an aflatoxin B1 gene signature in rat archival tissues. *Chem Res Tox* 25:1132–1144.
27. Merrick BA, Phadke DP, Auerbach SS, May D, Stiegelmeier SM, Shah RR, Tice RR (2013) RNASeq profiling reveals novel hepatic gene expression pattern in aflatoxin B1 treated rats. *PloS One*: 8(4): e61768.
28. Moeller TA, Shukla SJ, Xia M (2012) Assessment of compound hepatotoxicity using human plateable cryopreserved hepatocytes in a 1,536-well format. *Assay and Drug Develop Techno* 10:78-87.
29. Pandiri AR, Sills RC, Ziglioli V, Ton TV, Hong HH, Lahousse SA, Gerrish KE, Auerbach SS, Shockley KR, Bushel PR, Peddada SD and Hoenerhoff MJ (2012) Differential transcriptomic analysis of spontaneous lung tumors in B6C3F1 mice: Comparison to human non-small cell lung cancer. *Tox Pathol* 40(8):1141-1159.
30. Parham F, Austin C, Southall N, Xia M, Tice R, Portier C (2009) Dose-response modeling of high-throughput screening data. *J Biomol Screen* 14:1216–1227.
31. Parham F, Wise A, Axelrad DA, Guyton KZ, Portier C, Zeise L, Zoeller RT, Woodruff TJ (2012) Adverse effects in risk assessment: Modeling polychlorinated biphenyls and thyroid hormone disruption outcomes in animals and humans. *Environ Research* 116:74-84.
32. Sakamuru S, Li X, Attene-Ramos MS, Huang R, Lu J, Shou L, Shen M, Tice R, Austin CP, Xia M (2012) Application of a homogenous membrane potential assay to assess mitochondrial function. *Physio Genomics* 44(9):495-503.
33. Shaughnessy DT, McAllister KA, Worth Jr L, Haugen AC, Meyer JN, Domann FE, Van Houten B, Mostoslavsky R, Bultman SJ, Baccarelli AA, Begley TJ, Sobol RW, Hirschey MD, Ideker T, Santos JH, Copeland WC, Tice RR, Balshaw DM, Tyson RL (2014). Mitochondria, energetics, epigenetics, and cellular responses to stress. *Environ Health Perspect*. Accepted for publication.
34. Shen J, Xu L, Fang H, Richard AM, Bray JD, Judson RS, Zhou G, Colatsky TJ, Aungst JL, Teng C, Harris SC, Ge W, Dai SY, Su Z, Jacobs AC, Harrouk W, Perkins, R, Tong W, Hong H (2013) EADB: An estrogenic activity database for assessing potential endocrine activity. *Tox Sci* 135(2):277-291.
35. Shockley KR (2012) A three-stage algorithm to make toxicologically relevant activity calls from quantitative high throughput screening data. *Environ Health Perspect* 120(8):1107–1115.
36. Shockley KR (2014) Using weighted entropy to rank chemicals in quantitative high-throughput screening experiments. *J of Biomol Screening* 19(3):344-353.
37. Shukla SJ, Huang R, Austin CP, Xia M (2010) The future of toxicity testing: a focus on in vitro methods using a quantitative high throughput-screening platform. *Drug Discovery Today* 15(23-24):997-1007.
38. Shukla SJ, Huang R, Simmons SO, Tice RR, Witt KL, Vanleer D, Ramabhadran R, Austin CP, Xia M (2012) Profiling environmental chemicals for activity in the antioxidant

- response element signaling pathway using a high throughput screening approach. *Environ Health Perspect* 120(8):1150-1156.
39. Sun H, Veith H, Xia M, Austin CP, Tice RR, Kavlock RJ, Huang R (2012) Prediction of cytochrome P450 profiles of environmental chemicals with QSAR models built from drug-like molecules. *Mole Informatics* 31(11-12):783-792.
  40. Teng CT, Teng P (2011) Estrogen-related receptors and breast cancer: a mini review, in *Breast Cancer – Carcinogenesis, Cell Growth and Signaling Pathways*, M Gunduz, E Gunduz (eds), published by Intech, open access publisher, 313-330.
  41. Teng C, Goodwin B, Shockley K, Xia M, Huang R, Norris J, Merrick BA, Jetten AM, Austin CP, Tice RR (2013) Bisphenol A affects androgen receptor function via multiple mechanisms. *Chemico-Biological Interactions* 203(3):556-564.
  42. Teng CT, Beames B, Merrick BA, Martin N, Romeo C, Jetten AM. (2014) Development of a stable cell line with an intact PGC-1 $\alpha$ /ERR $\alpha$  axis for screening environmental chemicals. *Biochem Biophys Res Comm* 444:177-181
  43. Thomas R, Gohlke J, Stopper G, Parham F, Portier, C (2009) Choosing the right path: enhancement of biologically relevant sets of genes or proteins using pathway structure. *Genome Biol* 10(4) R44.
  44. Thomas R, Thomas RS, Auerbach SS, Portier CJ (2013) Biological networks for predicting chemical hepatocarcinogenicity using gene expression data from treated mice and relevance across human and rat species. *PLoS One* v. 8(5) [ePub].
  45. Thomas, RS, Philbert, MA, Auerbach, SS, Wetmore BA, Devito MJ, Cote, I, Rowlands JC, Whelan MP, Hays SM, Andersen, ME, Meek MEB, Reiter LW, Lambert JC, Clewell HJ, Stephens ML, Zhao QJ, Wesslkamper SC, Flowers L, Carney, EW, Pastoor TP, Petersen DD, Yauk CL, Nong A (2013) Incorporating new technologies into toxicity testing and risk assessment: Moving from 21<sup>st</sup> century vision to a data-driven framework. *Tox Sci* 136(1):4-18
  46. Tice RR, Austin CP, Kavlock RJ, Bucher JR (2013) Improving the human hazard characterization of chemicals: A Tox21 update. *Environ Health Perspect* 121(7):756-765.
  47. Wise A, Parham F, Axelrad DA, Guyton KZ, Portier C, Zeise L, Zoeller RT, Woodruff TJ (2012) Upstream adverse effects in risk assessment: A model of polychlorinated biphenyls, thyroid hormone disruption and neurological outcomes in humans. *Environ Research* 117:90-99.
  48. Xia M, Huang R, Witt KL, Southall N, Fostel J, Cho M, Smith CS, Inglese J, Portier CJ, Tice RR, Austin CP (2008) Compound cytotoxicity profiling using quantitative high-throughput screening. *Environ Health Perspect* 116(3):284-291.
  49. Xia M, Huang R, Sun Y, Semenza G, Aldred S, Witt K, Inglese J, Tice R, Austin, C (2009) Identification of chemical compounds that induce HIF-1 alpha activity. *Tox Sci* 112(1):153-163.
  50. Xia M, Shahane SA, Huang RL, Titus SA, Shum E, Zhao Y, Southall N, Zheng W, Witt KL, Tice RR, Austin CP (2011) Identification of quaternary ammonium compounds as potent inhibitors of hERG potassium channels. *Tox Appl Pharma* 252(3):250-258.
  51. Yamamoto KN, Hirota K, Kono K, Takeda S, Sakamuru S, Xia M, Huang R, Austin CP, Witt KL, Tice RR (2011) Characterization of environmental chemicals with potential for

DNA damage using isogenic DNA repair-deficient chicken DT40 cell lines. *Environ Mol Mutagen* 52(2):547-561.

52. Yauk CL, Argueso JL, Auerbach SS, Awadalla P, Davis SR, DeMarini DM, Douglas GR, Dubrova YE, Elespuru RK, Glover TW, Hales BF, Hurles ME, Klein CB, Lupski JR, Mancheser DK, Marcheti F, Montpetit A, Mulvihill JJ, Robaire B, Robbins WA, Rouleau G, Shaughnessy DT, Somers CM, Taylor JG, Trasler J, Waters MD, Wilson TE, Witt KL, Bishop JB (2013) Harnessing genomics to identify environmental determinants of heritable disease. *Mutation Research* 752(1):6-9.