F1_M3

C Number:	C20005
Lock Date:	10/10/2006
Cage Range:	ALL
Date Range:	ALL
Reasons For Removal:	ALL
Removal Date Range:	ALL
Treatment Groups:	Include ALL
Study Gender:	Both
TDMSE Version:	2.0.0

MALE MICE
FIRST TERMINAL SACRIFICE AT **730** DAYS
INDIVIDUAL SURVIVAL TIMES (DAYS)

DOSE = 0 MG/KG

TOTAL 50 UNCENSORED DEATHS 18 CENSORED DEATHS 0 TERMINAL 32

UNCENSORED DEATH DAYS:

339	492	562	562	571	578	617	637	637	653	666	673	695	696
696	708	710	714										

CENSORED DEATH DAYS:

None

DOSE = 1250 MG/KG

TOTAL 50 UNCENSORED DEATHS 18 CENSORED DEATHS 0 TERMINAL 32

UNCENSORED DEATH DAYS:

269	539	542	562	576	609	633	641	668	668	675	676	676	689
700	708	715	728										

CENSORED DEATH DAYS:

None

DOSE = 2500 MG/KG

TOTAL 50 UNCENSORED DEATHS 12 CENSORED DEATHS 0 TERMINAL 38

UNCENSORED DEATH DAYS:

486	549	554	632	632	637	646	678	679	690	714	726

CENSORED DEATH DAYS:

None

DOSE = 5000 MG/KG

TOTAL 50 UNCENSORED DEATHS 17 CENSORED DEATHS 1 TERMINAL 32

UNCENSORED DEATH DAYS:

18	417	429	483	558	560	574	580	614	617	651	666	678	694
718	725	728											

MALE MICE
FIRST TERMINAL SACRIFICE AT **730** DAYS
INDIVIDUAL SURVIVAL TIMES (DAYS)

CENSORED DEATH DAYS:
563

MALE MICE
FIRST TERMINAL SACRIFICE AT **730** DAYS

KAPLAN-MEIER SURVIVAL PROBABILITY ESTIMATES (%)

DOSE	TIME (DAYS)									
	90	180	270	365	425	485	545	605	665	730(A)
0 MG/KG	100.0	100.0	100.0	98.0	98.0	98.0	96.0	88.0	80.0	64.0
1250 MG/KG	100.0	100.0	98.0	98.0	98.0	98.0	94.0	90.0	84.0	64.0
2500 MG/KG	100.0	100.0	100.0	100.0	100.0	100.0	98.0	94.0	86.0	76.0
5000 MG/KG	98.0	98.0	98.0	98.0	96.0	92.0	92.0	83.9	77.8	65.5

(A) FIRST TERMINAL SACRIFICE
(B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".
(C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE
(D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

MALE MICE
FIRST TERMINAL SACRIFICE AT **730** DAYS

SURVIVAL SUMMARY STATISTICS

DOSE	0 MG/KG	1250 MG/KG	2500 MG/KG	5000 MG/KG
SURVIVAL AT END OF STUDY (KAPLAN-MEIER)	64.0%	64.0%	76.0%	65.5%
SIGNIFICANCE (B) (LIFE TABLE)	P=0.892N	P=1.000N	P=0.267N	P=1.000N
MEAN DAY OF NATURAL DEATHS (C)	622.6	626.3	635.3	571.2
(STANDARD ERROR)	(22.5)	(25.2)	(20.9)	(41.7)
MEAN LIFE SPAN (D)	691.3	692.7	707.3	672.7
(STANDARD ERROR)	(10.8)	(11.4)	(7.5)	(17.7)

(A) FIRST TERMINAL SACRIFICE
(B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".
(C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE
(D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

FEMALE MICE
FIRST TERMINAL SACRIFICE AT **729** DAYS
INDIVIDUAL SURVIVAL TIMES (DAYS)

DOSE = 0 MG/KG

TOTAL 50 UNCENSORED DEATHS 12 CENSORED DEATHS 0 TERMINAL 38

UNCENSORED DEATH DAYS:
536 578 590 596 673 677 681 692 697 707 712 719

CENSORED DEATH DAYS:
None

DOSE = 1250 MG/KG

TOTAL 50 UNCENSORED DEATHS 19 CENSORED DEATHS 0 TERMINAL 31

UNCENSORED DEATH DAYS:
428 449 508 550 550 588 618 626 633 633 648 668 673 697
701 704 704 721 725

CENSORED DEATH DAYS:
None

DOSE = 2500 MG/KG

TOTAL 50 UNCENSORED DEATHS 15 CENSORED DEATHS 1 TERMINAL 34

UNCENSORED DEATH DAYS:
37 299 369 444 521 578 654 661 673 694 709 711 715 725
728

CENSORED DEATH DAYS:
36

DOSE = 5000 MG/KG

TOTAL 50 UNCENSORED DEATHS 14 CENSORED DEATHS 4 TERMINAL 32

UNCENSORED DEATH DAYS:
232 410 418 477 493 625 644 647 654 668 677 709 709 719

FEMALE MICE
FIRST TERMINAL SACRIFICE AT **729** DAYS
INDIVIDUAL SURVIVAL TIMES (DAYS)

CENSORED DEATH DAYS:

225	225	428	555

FEMALE MICE
FIRST TERMINAL SACRIFICE AT **729** DAYS

KAPLAN-MEIER SURVIVAL PROBABILITY ESTIMATES (%)

DOSE	TIME (DAYS)									
	90	180	270	365	425	485	545	605	665	729(A)
0 MG/KG	100.0	100.0	100.0	100.0	100.0	100.0	98.0	92.0	92.0	76.0
1250 MG/KG	100.0	100.0	100.0	100.0	100.0	96.0	94.0	88.0	78.0	62.0
2500 MG/KG	98.0	98.0	98.0	95.9	93.9	91.8	89.8	87.8	83.7	69.4
5000 MG/KG	100.0	100.0	97.9	97.9	93.8	91.6	89.5	89.5	80.8	69.8

(A) FIRST TERMINAL SACRIFICE
(B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".
(C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE
(D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

FEMALE MICE
FIRST TERMINAL SACRIFICE AT **729** DAYS

SURVIVAL SUMMARY STATISTICS

DOSE	0 MG/KG	1250 MG/KG	2500 MG/KG	5000 MG/KG
SURVIVAL AT END OF STUDY (KAPLAN-MEIER)	76.0%	62.0%	69.4%	69.8%
SIGNIFICANCE (B) (LIFE TABLE)	P=0.764	P=0.160	P=0.555	P=0.542
MEAN DAY OF NATURAL DEATHS (C)	654.8	622.3	567.9	577.3
(STANDARD ERROR)	(17.9)	(20.5)	(51.9)	(39.2)
MEAN LIFE SPAN (D)	711.2	688.5	666.8	656.9
(STANDARD ERROR)	(6.1)	(10.6)	(22.5)	(19.9)

*** END OF REPORT ***

(A) FIRST TERMINAL SACRIFICE
(B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".
(C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE
(D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)